

Ground Equipment Reset Playbook



October 9, 2013

Version 20131009

A8032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

1

TAMCN A8032: SECURITY EQP. SPEECH TACT. HALF-DUP. W-B AIRBORNE

The Speech Security Equipment (VINSON), TSEC/KY-58-2, -58-3, -58-4, and -58-5 are members of the VINSON family. The VINSON family consists of Wide Band Secure Voice (WBSV) units developed by the National Security Agency to provide line of sight half-duplex voice and encryption at 16 kbps. The TSEC/KY-58-2, -58-3, -58-4, and -58-5 provides security for AM/FM, VHF, UHF, half-duplex Public Telephone and Telegraph combat net radios and tactical wireline systems when used with the HYX-57.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AO (FY14)	955	0
AO (FY17)	951	
CO/H	1,514	46
Shortfall/Excess	559	46

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
219	235	178	0	158	141	0	0	24	0	
219	231	178	0	158	141	0	0	24	0	
177	182	230	0	195	114	0	546	24	0	
-42	-53	52	0	37	-27	0	0	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	CO/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
58100044901	46	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	46	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand Carried, USPS Mail - Registered Mail Sensitive

3

R2 Distribution Plan

Equipment Assessment Information

Mission Capable	then MCLC
Not Mission Capable MEF	then MCLC
if Not Mission Capable	then MCLC
if Condemned	then MCLC

Lift Criteria

CAT I:	A or B
CAT II:	A or B

Transportation Information

Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D
---	--

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Description of Playbook Contents:

1. **Strategic View of Equipment:** Provides general information on the equipment

- A. Identifies whether the TAMCN is listed on MARES/MEE/ MEF Top 50
- B. Requirements Data is from TFSMS.
- C. O/H Data from TLCM-OST.
- D. Shortfall/Excess is calculated as the difference between the O/H and AAO's. This shows the relative health of the enterprise for this item.

2. **Reset Strategy & Plan:** Provides information on reset strategies and forecasted categories for Equipment in OEF. Items A through C are collected from MCSC. The forecasted categories were calculated from the information provided.

- A. If there are multiple variants of a specific TAMCN in OEF, they are broken out by NSN along with their quantities. The cumulative quantity of the O/H at the NSN level matches with the total O/H from TLCM-OST April 2013 TAMCN data.
- B. Reset strategies broken down by NSN. These strategies represent best estimates of the level of repair necessary to reset the equipment.
- C. Identifies additional attributes of the item.
- D. Forecasted categories were calculated using: (1) the reset strategies to estimate the condition of the equipment when it returns to CONUS and (2) the forecasted final distribution information that was provided by MCLC. In this example we can see that two pieces of equipment are selected to fill shortfalls at I MEF but are predicted to require depot level maintenance, and therefore they will become CAT II.
- E. General information pertaining to reset of the item.

3. **Operational View of the R2 Distribution Plan:**

- A. LTI Disposition Information should be used to determine disposition instructions once a condition assessment of the item is performed. It is possible that once performed, the LTI will suggest a disposition that is different from the forecasted categories due to estimation error in the reset strategies.
- B&C. Lift criteria and transportation information that shows options for lift out of theater.
- D. Forecasted final distribution provided by MCLC from the Equipment Sourcing Tool (EST).
- E. Shows the footprint of the item.
- F. Shows constraints for this piece of equipment during transport to CONUS. If the Item has associated TAMCNs, the user is instructed to go to the appendix, where more specific information will be displayed.

RESET PLAYBOOK UPDATES

- Update TFSMS AAO Requirements (data pull on 9 October 2013)
- Utilizing the Net Asset Posture (NAP) Data to articulate On Hand equipment quantities in OEF (4 October 2013), the following DODAACs were included:

M95102	M95202	M95321	M95200	M94456	M95307	MMX800	M95120
M95107	M95305	M95124	MX4004	M95314	M94169	MMX180	M95040
M95114	M95312	MX4002	M94451	MMFAF8	M94206	M95304	M94485
M95116	M95317	M95201	M95123	MMX4GG	MMX170	M95310	

**USMC Assests in OEF Available for Transfer
Current as of 25 Sep 13**

TAMCN	NSN	Nomenclature	Who is the PICA?	PMO	Divesture	Determination	Standard Unit Price	Depreciated Value Condition Code A	Depreciated Value Condition Code B - D	On Hand Quantity at OEF MAGTF	On Hand Quantity at R40G	On Hand Quantity at MCLC (FWD)	Quantity Immediately Available for Divesture	30 Days	90 Days	180 Days	360 Days
A0007	5820015313493	MULTI-BAND MANPACK	Army	23	Yes	Obsolete	\$43,000.00	\$17,200.00	\$12,900.00	2	3		3				
A0007	5895015624190	MULTI-BAND MANPACK	Army	23	Yes	Obsolete	\$33,664.00	\$13,465.60	\$10,099.20	1							
A0043	5895015322062	POSITION LOCATION INDICATOR (MTX)	Army	23	Yes	Obsolete	\$9,000.00	\$3,600.00	\$2,700.00								
A0096	5865015534770	TRANSMITTING SET,CO - Chameleon, AN-VLT-1	Marine Corps	23	Yes	Obsolete	\$68,928.00	\$27,571.20	\$20,678.40								
A0134	5820015437811	RADIO SET	Marine Corps	23	Yes	Obsolete	\$100,000.00	\$40,000.00	\$30,000.00								
A0134	5820015437816	RADIO SET	Marine Corps	23	Yes	Obsolete	\$100,000.00	\$40,000.00	\$30,000.00								
A0134	5895015449175	RADIO SET	Marine Corps	23	Yes	Obsolete	\$100,000.00	\$40,000.00	\$30,000.00								
A0137	5820015545423	TRANSMITTER,RADIO, HUNTER AN/VLT-2	Marine Corps	23	Yes	Obsolete	\$65,000.00	\$26,000.00	\$19,500.00								
A0168	5895015453002	HIIDE	Army	23	Yes	Obsolete	\$8,000.00	\$3,200.00	\$2,400.00								
A0168	5895090004458	HIIDE	Army	23	Yes	Obsolete	\$8,179.00	\$3,271.60	\$2,453.70								
A0285	7010015221228	COMPUTER SYSTEM,DIG	Marine Corps	23	Yes	Obsolete	\$10,000.00	\$4,000.00	\$3,000.00								
A0350	6350015910219	DETECTION SYSTEM,WE	Army	DC SIAT	Yes	Obsolete	\$6,500.00	\$2,600.00	\$1,950.00	1							
A0425	5895015220639	MOUNTED DATA AUTOMA	Marine Corps	23	Yes	Obsolete	\$16,940.00	\$6,776.00	\$5,082.00								
A0872	5895014824470	IOS (V)1	Marine Corps	23	Yes	Obsolete	\$51,900.00	\$20,760.00	\$15,570.00								
A0872	5895090004283	IOS (V)1	Marine Corps	23	Yes	Obsolete	\$43,182.69	\$17,273.08	\$12,954.81								
A0910	5895090004307	BASE STA WRKSTA COM	Marine Corps	PMMI	Yes	Obsolete	\$9,277.00	\$3,710.80	\$2,783.10	1							
A0932	7010014600494	INTEL OPS WS REFRES	Marine Corps	23	Yes	Obsolete	\$30,000.00	\$12,000.00	\$9,000.00	15							
A0932	7010090000931	INTEL OPS WS REFRES	Marine Corps	23	Yes	Obsolete	\$25,000.00	\$10,000.00	\$7,500.00								
A2042	5820014787615	AN/PRC-1388(V)1	Marine Corps	23	Yes	Obsolete	\$17,000.00	\$6,800.00	\$5,100.00	4							
A2044	5810090000354	AN/PRC-148(V)1	Marine Corps	23	Yes	Economical	\$7,431.00	\$2,972.40	\$2,229.30								
A2065	5820010279071	AN/PRC-104	Marine Corps	23	Yes	Obsolete	\$14,835.00	\$5,934.00	\$4,450.50								
A2070	5820012679482	AN/PRC-119A	Marine Corps	23	Yes	Obsolete	\$10,117.00	\$4,046.80	\$3,035.10								
A2073	5820014210801	AN/PRC-119D	Army	23	Yes	Obsolete	\$14,000.00	\$5,600.00	\$4,200.00								
A2074	5820013521694	AN/VRC-88D	Army	23	Yes	Obsolete	\$15,145.00	\$6,058.00	\$4,543.50								
A2077	5820014206621	AN/VRC-91D	Army	23	Yes	Obsolete	\$14,000.00	\$5,600.00	\$4,200.00								
A2167	5820012679481	AN/VRC-88A	Army	23	Yes	Obsolete	\$12,519.00	\$5,007.60	\$3,755.70								
A2168	5820012679479	AN/VRC-89A	Army	23	Yes	Obsolete	\$22,822.00	\$9,128.80	\$6,846.60								
A2169	5820012685105	AN/VRC-90A	Army	23	Yes	Obsolete	\$13,178.00	\$5,271.20	\$3,953.40	4							
A2171	5820012679477	AN/VRC-92A	Army	23	Yes	Obsolete	\$21,238.00	\$8,495.20	\$6,371.40								
A2534	5895014740355	DATA DISTRIBUTION S	Marine Corps	23	Yes	Obsolete	\$90,000.00	\$36,000.00	\$27,000.00								
A2538	5895015040650	DATA DISTRIBUTION S	Marine Corps	23	Yes	Obsolete	\$99,000.00	\$39,600.00	\$29,700.00								
A3200	2330002154211	TRAILER,MAINTENANCE	Army	23	Yes	Obsolete	\$903.00	\$361.20	\$270.90	1							
A7035	5895012810072	CONVERTER,FREQUENCY	Marine Corps	31	Yes	Obsolete	\$12,770.00	\$5,108.00	\$3,831.00								
A7102	5836015281482	RECORDING-REPRODUCI	Marine Corps	23	Yes	Obsolete	\$42,000.00	\$16,800.00	\$12,600.00								
A7103	6720015150429	PUBLIC AFFAIRS STIL	Marine Corps	23	Yes	Obsolete	\$22,100.00	\$8,840.00	\$6,630.00	1							
A7104	5836015425653	VISUAL INFORMATION	Marine Corps	23	Yes	Economical	\$11,000.00	\$4,400.00	\$3,300.00	3							
A7105	5836015003247	COMBAT VIDEO ACQU	Marine Corps	23	Yes	Economical	\$13,611.50	\$5,444.60	\$4,083.45								

TAMCN	NSN	Nomenclature	Who is the PICA?	PMO	Divesture	Determination	Standard Unit Price	Depreciated Value Condition Code A	Depreciated Value Condition Code B - D	On Hand Quantity at OEF MAGTF	On Hand Quantity at R40G	On Hand Quantity at MCLC (FWD)	Quantity Immediately Available for Divesture	30 Days	90 Days	180 Days	360 Days
A7105	5836015458734	COMBAT VIDEO ACQU	Marine Corps	23	Yes	Economical	\$13,072.71	\$5,229.08	\$3,921.81								
A7200	5836015430022	PUBLIC AFFAIRS VIDE	Marine Corps	23	Yes	Economical	\$6,110.00	\$2,444.00	\$1,833.00								
A7202	5836015430308	PUBLIC AFFAIRS VIDE	Marine Corps	23	Yes	Economical	\$8,209.00	\$3,283.60	\$2,462.70								
A7203	6720015430652	PA STILL ACQUISITIO	Marine Corps	23	Yes	Economical	\$9,055.00	\$3,622.00	\$2,716.50								
A7204	5895015707690	PUBLIC AFFAIRS NEWS	Marine Corps	23	Yes	Economical	\$110,200.00	\$44,080.00	\$33,060.00	2							
A7205	5855015579470	NIGHT VISION SYSTEM	Marine Corps	23	Yes	Economical	\$8,000.00	\$3,200.00	\$2,400.00								
A9002	5865015335325	BLUE FORCE TRACKING	Army	23	Yes	Obsolete	\$16,000.00	\$6,400.00	\$4,800.00								
A9003	5865015335336	BLUE FORCE TRACKING	Army	23	Yes	Obsolete	\$16,000.00	\$6,400.00	\$4,800.00	19							
B0033	2320015322159	Cougar CAT II JERRV- ENG	Marine Corps	PM MRAP	Yes	Obsolete	\$637,246.00	\$254,898.40	\$191,173.80	2							
B0035	2355015316425	BUFFALO MK II A1	Marine Corps	PM MRAP	Yes	Obsolete	\$470,000.00	\$188,000.00	\$141,000.00	6		1	1				
B0035	2355015811171	BUFFALO MK III	Marine Corps	PM MRAP	Yes	Obsolete	\$470,000.00	\$188,000.00	\$141,000.00	6							
B0035	2355016084752	BUFFALO MK II A2	Marine Corps	PM MRAP	Yes	Obsolete	\$470,000.00	\$188,000.00	\$141,000.00								
B0049	4130015629914	REFRIGERATION SYSTE	Marine Corps	31	Yes	Economical	\$33,300.00	\$13,320.00	\$9,990.00	5							
B0058	2590015439655	MINE ROLLER SYSTEM	Marine Corps	31	Yes	Excess	\$60,000.00	\$24,000.00	\$18,000.00								
B0058	2590015447173	MINE ROLLER SYSTEM	Marine Corps	31	Yes	Excess	\$19,740.00	\$7,896.00	\$5,922.00								
B0058	2590015456776	MINE ROLLER SYSTEM	Marine Corps	31	Yes	Excess	\$300,000.00	\$120,000.00	\$90,000.00								
B0058	2590015536517	MINE ROLLER SYSTEM	Marine Corps	31	Yes	Excess	\$23,915.00	\$9,566.00	\$7,174.50	19	5		5				
B0058	2590015794990	MINE ROLLER SYSTEM	Marine Corps	31	Yes	Excess	\$45,000.00	\$18,000.00	\$13,500.00	319	48		48				
B0091	2910015879196	TANK,FUEL,PORTABLE	Army	31	Yes	Obsolete	\$85,514.00	\$34,205.60	\$25,654.20	5							
B0096	2590015890393	MINE,ROLLER SYSTEM	Marine Corps	31	Yes	Excess	\$65,000.00	\$26,000.00	\$19,500.00								
B0105	6665151952879	METAL DETECTOR	Marine Corps	31	Yes	Obsolete	\$3,600.00	\$1,440.00	\$1,080.00	626	130		130				
B0475	6665001447655	DETECTING SET,MINE	Army	31	Yes	Obsolete	\$1,196.00	\$478.40	\$358.80								
B0475	6665219061023	DETECTING SET,MINE	Army	31	Yes	Obsolete	\$2,450.00	\$980.00	\$735.00								
B0476	6665015047769	DETECTING SET,MINE	Army	31	Yes	Obsolete	\$19,300.00	\$7,720.00	\$5,790.00								
B0476	6665015274643	DETECTING SET,MINE	Army	31	Yes	Obsolete	\$19,175.00	\$7,670.00	\$5,752.50								
B0608	6230012541666	LIGHT SET,GENERAL I	Marine Corps	31	Yes	Obsolete	\$17,490.00	\$6,996.00	\$5,247.00								
B0635	6230011701408	FLOODLIGHT SET,ELEC	Marine Corps	31	Yes	Obsolete	\$3,382.00	\$1,352.80	\$1,014.60								
B1291	4230013463122	DECONTAMINATING APP	Army	13	Yes	Obsolete	\$23,121.00	\$9,248.40	\$6,936.30								
B1291	4230014921540	DECONTAMINATING APP	Marine Corps	13	Yes	Obsolete	\$16,000.00	\$6,400.00	\$4,800.00	2							
B1320	9905011867253	MARKING SET, MINEFIELD	Marine Corps	31	Yes	Obsolete	\$2,296.34	\$918.54	\$688.90		1		1				
B1645	4110011521946	ENHANCED REFRIGERAT	Marine Corps	31	Yes	Obsolete	\$2,088.00	\$835.20	\$626.40								
B1645	4110014689792	ENHANCED REFRIGERAT	Marine Corps	31	Yes	Obsolete	\$5,500.00	\$2,200.00	\$1,650.00	3							
B1710	4110011079078	REFRIGERATOR,PREFAB	Marine Corps	31	Yes	Obsolete	\$6,387.00	\$2,554.80	\$1,916.10	5							
B2127	3830015042618	SWEEPER,ROTARY,VEHI	Marine Corps	31	Yes	Excess	\$130,000.00	\$52,000.00	\$39,000.00	5							
B2130	5430011706984	TANK,FABRIC,COLLAPS	Army	31	Yes	Environmental	\$1,809.00	\$723.60	\$542.70								
B2130	5430013594774	TANK,FABRIC,COLLAPS	Army	31	Yes	Environmental	\$2,441.00	\$976.40	\$732.30								
B2130	5430015405357	TANK,WATER,3000 GAL	Army	31	Yes	Environmental	\$1,796.00	\$718.40	\$538.80	32							
B2131	4610011207526	CONNECTION KIT,TANK	Army	31	Yes	Economical	\$5,656.00	\$2,262.40	\$1,696.80	2	2		2				
B2133	4610011406775	CONNECTION SET,HOSE	Army	31	Yes	Economical	\$1,515.00	\$606.00	\$454.50	1	2		2				
B2134	4610011406776	CONNECTION SET,HOSE	Army	31	Yes	Economical	\$1,515.00	\$606.00	\$454.50	2	1		1				

TAMCN	NSN	Nomenclature	Who is the PICA?	PMO	Divesture	Determination	Standard Unit Price	Depreciated Value Condition Code A	Depreciated Value Condition Code B - D	On Hand Quantity at OEF MAGTF	On Hand Quantity at R40G	On Hand Quantity at MCLC (FWD)	Quantity Immediately Available for Divesture	30 Days	90 Days	180 Days	360 Days
B2135	4610011207522	INTERCONNECTION KIT	Army	31	Yes	Economical	\$3,156.00	\$1,262.40	\$946.80	4	3		3				
B2136	4610011237705	CONNECTION KIT,HOSE	Army	31	Yes	Economical	\$1,480.00	\$592.00	\$444.00	1							
B2137	4610011207525	KIT,SPARE PARTS,TAN	Army	31	Yes	Economical	\$7,878.00	\$3,151.20	\$2,363.40	1							
B2139	4320011207524	CONNECTION KIT,PUMP	Army	31	Yes	Economical	\$833.00	\$333.20	\$249.90	2							
B2238	5180012547723	TOOL KIT,CATERPILLA	Marine Corps	31	Yes	Obsolete	\$72,308.94	\$28,923.58	\$21,692.68								
B2395	4320013774577	SEGMENT KIT 5 MILES	Marine Corps	31	Yes	Environmental	\$15,200.00	\$6,080.00	\$4,560.00								
B2410	5180014280959	TOOL KIT M9 ACE ORG	Marine Corps	31	Yes	Obsolete	\$3,134.54	\$1,253.82	\$940.36	1	2		2				
B2420	5180014292683	TOOL KT M9 ACE INTE	Marine Corps	31	Yes	Obsolete	\$4,503.42	\$1,801.37	\$1,351.03		1		1				
B2628	4610013664640	WATER PURIFICATION	Army	31	Yes	Obsolete	\$27,000.00	\$10,800.00	\$8,100.00								
B5000	6665015314689	CONTROL,MINE DETECT	Army	31	Yes	Obsolete	\$58,000.00	\$23,200.00	\$17,400.00								
C0005	5895015314671	PERS,BACKSCATTER IM	Army	23	Yes	Obsolete	\$123,000.00	\$49,200.00	\$36,900.00	9							
D0006	2320015534118	TRUCK,ARMORED,CHASS	Marine Corps	PEO LS	Yes	Obsolete	\$375,500.00	\$150,200.00	\$112,650.00								
D0009	2320015311975	TRUCK TRACTOR	Marine Corps	PEO LS	Yes	Obsolete	\$250,000.00	\$100,000.00	\$75,000.00								
D0015	2320015520268	TRUCK,WRECKER,ARMOR (NSN NOT ON RECORD)	Marine Corps	PEO LS	Yes	Obsolete	\$565,883.00	\$226,353.20	\$169,764.90								
D0015	2355015535400	TRUCK,WRECKER,ARMOR	Marine Corps	PEO LS	Yes	Obsolete	\$565,883.00	\$226,353.20	\$169,764.90								
D0016	2330013875426	Trailer, Light Tactical Cargo, 1 1/4 Ton M1102H	Army	PEO LS	Yes	Economical	\$8,954.00	\$3,581.60	\$2,686.20	5							
D0017	2330015435794	Trailer, Light Tactical Cargo, 1 1/2 Ton M1102	Army	PEO LS	Yes	Economical	\$7,925.00	\$3,170.00	\$2,377.50	1							
D0023	2355015626152	MINE RESISTANT VEHI MAXPRO AMBULANCE	Marine Corps	PM MRAP	Yes	Obsolete	\$689,000.00	\$275,600.00	\$206,700.00								
D0023	2355015831029	MINE RESISTANT VEHI Ambulance	Marine Corps	PM MRAP	Yes	Excess	\$689,000.00	\$275,600.00	\$206,700.00			2	2				
D0025	2355015198173	MINE RESISTANT VEHI CAT I HEV	Marine Corps	PM MRAP	Yes	Obsolete	\$335,000.00	\$134,000.00	\$100,500.00								
D0025	2355015322174	MINE RESISTANT VEHICAT I JERRV	Marine Corps	PM MRAP	Yes	Obsolete	\$610,764.00	\$244,305.60	\$183,229.20								
D0025	2355015525565	MINE RESISTANT VEHI CAT I A1	Marine Corps	PM MRAP	Yes	Excess	\$610,764.00	\$244,305.60	\$183,229.20	24	2	9	11				
D0025	2355015643420	MINE RESISTANT VEHI CAT I A2	Marine Corps	PM MRAP	Yes	Excess	\$612,256.00	\$244,902.40	\$183,676.80	5		1	1				
D0025	2355015798929	MINE RESISTANT VEHI CAT I A2 W/ISS	Marine Corps	PM MRAP	Yes	Excess	\$705,421.00	\$282,168.40	\$211,626.30	42	2	1	3				
D0025	2355015812392	MINE RESISTANT VEHI CAT I A1 W/ISS	Marine Corps	PM MRAP	Yes	Excess	\$705,421.00	\$282,168.40	\$211,626.30	306	38	35	73				
D0027	2355015198172	Cougar Cat II HEV	Marine Corps	PM MRAP	Yes	Obsolete	\$395,250.00	\$158,100.00	\$118,575.00								
D0027	2355015292246	Cougar Cat II JERRV - EOD	Marine Corps	PM MRAP	Yes	Obsolete	\$300,000.00	\$120,000.00	\$90,000.00	1							
D0027	2355015525199	Cougar Cat II A1	Marine Corps	PM MRAP	Yes	Excess	\$300,000.00	\$120,000.00	\$90,000.00								
D0027	2355015643423	Cougar Cat II A2	Marine Corps	PM MRAP	Yes	Excess	\$746,921.00	\$298,768.40	\$224,076.30								
D0027	2355015798920	Cougar Cat II A2 W/ISS	Marine Corps	PM MRAP	Yes	Excess	\$879,875.00	\$351,950.00	\$263,962.50	1							
D0027	2355015798931	Cougar Cat II A1 W/ISS	Marine Corps	PM MRAP	Yes	Excess	\$432,954.59	\$173,181.84	\$129,886.38	6							
D0027	2355015811076	Cougar Cat II Surge	Marine Corps	PM MRAP	Yes	Excess	\$680,000.00	\$272,000.00	\$204,000.00								
D0030	2320015187330	TRUCK,UTILITY (BASE M1151 - POSSIBLE WRONG NSN)	Army	PEO LS	Yes	Obsolete	\$75,969.00	\$30,387.60	\$22,790.70								
D0030	2320015231316	TRUCK,UTILITY (WRONG NSN)	Army	PEO LS	Yes	Obsolete	\$75,969.00	\$30,387.60	\$22,790.70								
D0036	2355015759632	USMC MRAP ALL TERRAIN VEHICLE	Marine Corps	PM MRAP	Yes	Excess	\$430,408.00	\$172,163.20	\$129,122.40								
D0036	2355015961330	MRAP All-Terrain Vehicle (M-ATV)	Marine Corps	PM MRAP	Yes	Excess	\$575,000.00	\$230,000.00	\$172,500.00	207	61	9	70				
D0040	2355015891279	MINE RESISTANT VEHI CAT I A1 Saber/TOW	Marine Corps	PM MRAP	Yes	Excess	\$745,421.00	\$298,168.40	\$223,626.30	3		3	3				
D0085	2330011018434	Trailer, Chassis, 3/4 ton (M116A2)	Army	PEO LS	Yes	Obsolete	\$5,301.00	\$2,120.40	\$1,590.30								
D0085	2330013590080	Trailer, Chassis, 3/4 ton M116A3	Army	PEO LS	Yes	Obsolete	\$4,985.00	\$1,994.00	\$1,495.50								
D0085	2330014731623	CHASSIS,TRAILER (COMM TRAILER - COMPONENT TAMCN)	Army	PEO LS	Yes	Obsolete	\$3,083.00	\$1,233.20	\$924.90								

TAMCN	NSN	Nomenclature	Who is the PICA?	PMO	Divesture	Determination	Standard Unit Price	Depreciated Value Condition Code A	Depreciated Value Condition Code B - D	On Hand Quantity at OEF MAGTF	On Hand Quantity at R40G	On Hand Quantity at MCLC (FWD)	Quantity Immediately Available for Divesture	30 Days	90 Days	180 Days	360 Days	
D0187	2320013469317	Truck, Utility,, Heavy Variant, M1097A2	Army	PEO LS	Yes	Obsolete	\$35,209.00	\$14,083.60	\$10,562.70									
D0201	2340014652533	Motorcycle, Military, M1030M1	Marine Corps	PEO LS	Yes	Obsolete	\$6,518.00	\$2,607.20	\$1,955.40									
D0850	2330008986779	TRAILER,CARGO	Air Force	PEO LS	Yes	Obsolete	\$987.00	\$394.80	\$296.10									
D0850	2330013725641	TRAILER,CARGO	Army	PEO LS	Yes	Obsolete	\$4,474.00	\$1,789.60	\$1,342.20									
D1001	2310013723934	TRUCK,AMBULANCE	Army	PEO LS	Yes	Obsolete	\$74,168.00	\$29,667.20	\$22,250.40	1								
D1125	2320013808229	TRUCK,UTILITY	Army	PEO LS	Yes	Excess	\$79,188.00	\$31,675.20	\$23,756.40									
E0010	6625011123068	ADAPTER,TEST	Army	13	Yes	Obsolete	\$1,361.00	\$544.40	\$408.30									
E0028	1005015389643	RIFLE,SNIPER	Marine Corps	13	Yes	Obsolete	\$6,924.00	\$2,769.60	\$2,077.20									
E0051	1005070001255	RIFLE 5.56 MK 12	Army	13	Yes	Obsolete	\$2,000.00	\$800.00	\$600.00	17								
E0139	6650010630035	BORESCOPE	Marine Corps	13	Yes	Obsolete	\$11,416.00	\$4,566.40	\$3,424.80	3								
E0311	1005014586235	RIFLE,7.62 MILLIMET	Marine Corps	13	Yes	Obsolete	\$1,495.00	\$598.00	\$448.50	7								
E0311	1005015535196	RIFLE,7.62 MILLIMET	Marine Corps	13	Yes	Obsolete	\$4,025.00	\$1,610.00	\$1,207.50									
E1251	1005015754072	PISTOL,CALIBER .45,	Marine Corps	13	Yes	Obsolete	\$1,800.00	\$720.00	\$540.00									
E1460	1005014950843	RIFLE,SNIPER	Marine Corps	13	Yes	Economical	\$2,850.00	\$1,140.00	\$855.00									
E1713	4931012732389	SHOP SET,EQUIPMENT	Marine Corps	13	Yes	Obsolete	\$42,966.00	\$17,186.40	\$12,889.80									
E1790	5855014991239	SIGHT,NIGHT VISION	Army	13	Yes	Obsolete	\$9,545.00	\$3,818.00	\$2,863.50									
E1798	5855014478992	ILLUMINATOR,INFRARE	Army	13	Yes	Obsolete	\$1,014.00	\$405.60	\$304.20	49								
E1798	5855015356166	ILLUMINATOR,INFRARE	Army	13	Yes	Obsolete	\$1,014.00	\$405.60	\$304.20									
E1978	5855145219283	SIGHT,THERMAL	Marine Corps	13	Yes	Obsolete	\$46,000.00	\$18,400.00	\$13,800.00									
										Total:	1,790	301	61	362				

A0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0003: TRSS DAY/NIGHT IMAGER, V2 (IMAGER 2)



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	605	0
AAO (FY17)	605	
O/H	407	0
Shortfall/Excess	-198	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
153	153	102	0	153	44	0	0	0	0	
153	153	102	0	153	44	0	0	0	0	
212	110	72	0	2	5	0	6	0	0	
59	-43	-30	0	-151	-39	0	6	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015218616	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	yes	No	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0004: PARTS KIT, ELECTRONIC EQUIPMENT

The Parts Kit, Electronic Equipment provides printed circuit boards and termination cards to vary functional and performance capabilities and for maintenance of switchboard, telephone SB-3614(V)/TT.


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5999010321692	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0007: MULTI-BAND MANPACK RECIEVER (ROVER III)

The ROVER displays digital images of threats received from the UAV/RAVEN (Unmanned Aerial Vehicle).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	40	6
Shortfall/Excess	40	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
10	7	0	5	7	5	0	0	0	0	
10	7	0	5	7	5	0	0	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015313493	5	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	5
5895015624190	1	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	1

Notes: DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is Capt. Steven M. Stepanic PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0008: SATELLITE COMMUNICATION SUBSYSTEM



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	44	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	-44	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
15	14	6	0	9	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
-15	-14	-6	0	-9	0	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015313135	0	0%	0%	0%	0%	0%	100%	TBD	TBD	No	No	No	No	No	No	0	0	0
5895015766176	0	0%	0%	0%	0%	0%	100%	NO	TBD	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0009: CONVERTER, MODEM

The Converter, Modem, CV-3591(P)/U provides high quality secure voice and data transmission capability for tactical and strategic military users.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	250	0
AAO (FY17)	0	
O/H	404	12
Shortfall/Excess	154	12

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
58	57	45	0	42	48	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
42	30	44	0	30	26	0	220	0	0	
-16	-27	-1	0	-12	-22	0	220	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895012509557	12	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	12	0	0
5895012527359	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Remove CCI and ship separately.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0012 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0012: CHARGER, BATTERY (SOLDIER PORTABLE CHARGER)

The Soldier Portable Charger is a state of the art portable battery charger designed for field or depot use.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	3,055	0
AAO (FY17)	2,942	
O/H	4,496	58
Shortfall/Excess	1,441	58

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
579	544	343	0	548	268	0	0	356	78	
517	465	353	299	513	254	0	0	356	145	
704	725	385	311	633	327	0	868	342	143	
125	181	42	311	85	59	0	868	-14	65	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130014952839	58	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	29	29
6130014997305	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0013: THEATER BATTLE MANAGEMENT CORE SYSTEM (TBMCS)

TBMCS is comprised of a host system located in the Tactical Air Command Center with remotes located throughout the MAGTF.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	12	0
AAO (FY17)	12	
O/H	6	1
Shortfall/Excess	-6	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1	1	1	0	1	8	0	0	0	0	
1	1	1	0	1	8	0	0	0	0	
1	1	1	0	1	1	0	0	0	0	
0	0	0	0	0	-7	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015346283	1	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	1

Notes: Send to MCLC and WIR for transport to Idaho Falls - attempt to salvage whatever possible. Harddrives are sensitive - need to be destroyed/removed before shipping (PEOLANT SYSTEM)

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0015: WORKSTATION, CAPABILITY, VIDEO EXPLOITATION

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	214	0
AAO (FY17)	204	
O/H	147	2
Shortfall/Excess	-67	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
54	51	27	0	31	2	0	0	0	0	
49	46	27	48	31	2	0	0	0	0	
37	36	18	35	8	6	0	5	0	0	
-17	-15	-9	35	-23	4	0	5	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836090004317	2	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	Yes	No	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	100%	0%	0%	0%

A0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0019: TROPO/SATELLITE SPT RADIO

The Tropo/Satellite Support Radio (TSSR), AN/GRC-239, is a full duplex LOS microwave radio designed for quick deployable military applications. The TSSR is used with almost all existing TRI-TAC equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	171	0
AAO (FY17)	0	
O/H	311	0
Shortfall/Excess	140	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
47	47	28	0	35	14	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
37	49	12	0	25	11	0	177	0	0	
-10	2	-16	0	-10	-3	0	177	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820013788778	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	Yes	0	0	0

Notes: This item is an UUNS - Use until exhausted. Use no water. Clean radios and components in accordance with technical manuals. Cleaning instructions can be found in the Tech Manual - TO 31R2-2GRC239-1

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0021: COMM DATA LINK SYTEM (CDLS)

The AN/TYQ-101A is a modular suite of Commercial-Off-The-Shelf (COTS) and Government-Off-The-Shelf (GOTS) computer and communications equipment that is mounted in a Light Weight Multipurpose Shelter (LMS), mounted on a Heavy Variant-High Mobility Multipurpose Wheeled Vehicle (H-HMMWV). The AN/TYQ-101A is an automated interface system, which provide ground and correlated air situation display using information received from multiple intelligence, (Deployable Common Ground Station, etc.) and operation (E-3A, E-2C, Air Operations Center, Control and Reporting Center, etc.) sources.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	8	0
AAO (FY17)	8	
O/H	8	1
Shortfall/Excess	0	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	2	2	0	2	0	0	0	0	0	
2	2	2	0	2	0	0	0	0	0	
1	2	2	0	2	0	0	0	0	0	
-1	0	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015128683	1	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4.4

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0025: COMMUNICATIONS PLATFORM, AIR DEFENSE (ADCP)

The AN/MSQ-124 is composed of radio and computer equipment housed in a Lightweight Multipurpose Shelter, mounted on a heavy High Mobility Multipurpose Wheeled Vehicle. The AN/MSQ-124 is powered by a towed generator. The AN/MSQ-124 receives Tactical Ballistic Missile (TBM) data from the AN/TPS-59(V)3 radar and performs a TBM Reporting Responsibility function on the TADIL-J network. The AN/MSQ-124 also distributes Air Breathing Threat data to Short Range Air Defense units. The AN/MSQ-124 possesses an organic voice communications capability via radios and telephones.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	14	0
AAO (FY17)	14	
O/H	13	2
Shortfall/Excess	-1	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	3	3	0	0	0	0
3	3	2	0	3	3	0	0	0	0
2	1	2	0	3	3	0	0	0	0
-1	-2	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1430014079647	2	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	1	1	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	221	0	6.1

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0026 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0026: RADIAC SET

The AN/PDR-77 RADIAC Set is a set of portable radiation detection equipment used for detecting Alpha, Beta/Gamma, and X-ray radiation.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	136	4
AAO (FY17)	136	
O/H	212	9
Shortfall/Excess	76	5

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
22	28	16	0	6	36	4	0	0	0	
24	28	16	10	6	34	4	0	0	0	
0	74	0	0	0	24	0	105	0	0	
-22	46	-16	0	-6	-12	-4	105	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665013476100	9	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	9	0

Notes: Must come back to LOGCOM to LTI and calibration

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0028: BIOMETRICS AUTOMATED TOOLKIT (BAT-CLIENT)

This is the Biometric Automated Toolset (BAT). BAT collects fingerprints, iris scans, facial photos and biographical information of persons of interest into a searchable data base.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	288	0
AAO (FY17)	288	
O/H	219	71
Shortfall/Excess	-69	71

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	98	0	0	0	0	
0	0	0	0	0	98	0	0	0	0	
0	0	0	0	0	0	0	148	0	0	
0	0	0	0	0	-98	0	148	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895070001280	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	0	0
9999015314667	0	0%	0%	0%	0%	100%	0%	YES	NO	No	Yes	No	No	No	Yes	0	0	0

Notes: This is the UUNS for the IDS program. Items will be sent to MCLC until there is a requirement registered in TFSMS. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. ARMY NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

A0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0030: COMMAND SYSTEM, TACT

is a Mine Resistant Ambush Protected (MRAP) Cougar-based, on-the-move, beyond line-of-sight, command and control (C2) system.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	2	2
Shortfall/Excess	2	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
589501579992	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	Yes	0	2	0

Notes: SEND TO MCLC TO THEN HAVE SENT TO SSE LANT SPAWAR. Currently there are three (3) M2C2 systems fielded to OEF in support of UUNS to fulfill capability gaps. M2C2 is a theater asset. System consist of one (1) A0030, four (4) A0386, thirteen (13) A0324 and one (1) Tactical Entry Point (TEP). Systems 2 & 3 fielded TEP A0325. System 1 fielded TEP ****

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0042: DIGITAL STILL CAMERA SUITE, ADVANCED

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	190	0
AAO (FY17)	180	
O/H	158	1
Shortfall/Excess	-32	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
29	30	25	0	46	12	0	0	0	0	
26	25	24	48	45	12	0	0	0	0	
25	14	9	63	23	19	0	4	0	0	
-4	-16	-16	63	-23	7	0	4	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720090004308	1	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	100%	0%	0%	0%

A0043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0043: POSITION LOCATION INDICATOR (MTX)

This is an MTX, DoD Blue Force Tracking (BFT) System that gives commanders the ability to track and receive position location information from dismounted teams and vehicles equipped with the devices. This system employs the COBRA architecture by coordinating with national system managers and war fighting units to collect, process, and disseminate operational BFT data.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	121	0
Shortfall/Excess	121	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	104	0	0	0	17	0	0	
0	0	0	104	0	0	0	17	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015322062	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A0045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0045: POWER MODULE

The power electronic module provides the physical containment for several power components, usually Power semiconductor devices. The power module provides an easy way to cool the devices and to connect them to the outer circuit.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	6	0
Shortfall/Excess	6	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	6	0	0	
0	0	0	0	0	0	0	6	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130015322591	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	Yes	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Disposal Plan is to be developed and published in the near term. Item exit date has expired and will not be extended.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A0047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0047:

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	92	0
AAO (FY17)	94	
O/H	34	2
Shortfall/Excess	-58	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
25	28	18	0	18	0	0	1	0	0
26	27	19	2	19	0	0	1	0	0
12	14	6	0	0	0	0	0	0	0
-13	-14	-12	0	-18	0	0	-1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411015870839	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	UNK	Yes	UNK	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0057: ANTENNA MAST KIT



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)		
AAO (FY17)		
O/H	0	0
Shortfall/Excess		

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5985011812593	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	24	0	0.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0059: DIGITAL TERRIAN ANALYSIS MAPPING SYSTEMS LIGHT

The DTAMS-L is an Intel-based portable system that runs the Windows XP Professional operating system. Its role is to augment the DTAMS configuration. The deployable workstation provides geospatial intelligence analysis capabilities for small unit operations in a defined area of interest. The DTAMS-L hosts an internal 120GB hard drive and an external drive yielding approximately 2TB of available on-line storage. Each DTAMS-L is supplied with an additional internal and external HDD to be used for classified processing. Backup and archival storage is available through the use of a FDD and a DVD +/- R/RW.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	80	0
AAO (FY17)	81	
O/H	41	1
Shortfall/Excess	-39	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	17	9	0	14	8	0	0	0	0
16	17	9	14	15	8	0	0	0	0
7	15	6	10	0	2	0	0	0	0
-9	-2	-3	10	-14	-6	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675090004321	1	0%	0%	0%	50%	50%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: This system is on schedule to be refreshed 100% in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment. No longer procurable.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0060: AN/TSQ-179B V2 Joint Services Work Station

JSTARS CGS-type capability without High Mobility Multi-Purpose Wheeled Vehicle and organic communications equipment. Same H/W and S/W architecture. Supports all CGS sensor interfaces and CGS communications links. Transportable in Integrated Transit Cases



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	9	0
AAO (FY17)	9	
O/H	5	0
Shortfall/Excess	-4	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	1	0	2	2	0	0	0	0
2	2	1	0	2	2	0	0	0	0
2	2	1	0	0	0	0	0	0	0
0	0	0	0	-2	-2	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865090004327	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: DO NOT POWER WASH THE TRANSIT CASES. The transit cases contain sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1935	0.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0061: TACT ELEVATED ANTENNA MAST SYS (TEAMS)

The Tactical Elevated Antenna Mast System (TEAMS) is an independent antenna mast system designed to support various LOS antenna systems. TEAMS has the ability to be towed by a HMMWV on a trailer or transported on top of a HMMWV (M998, M1123, M1165) using an installed roof rack assembly.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	595	0
AAO (FY17)	536	
O/H	668	15
Shortfall/Excess	73	15

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
149	144	106	0	107	26	0	0	63	0	
135	126	92	0	94	26	0	0	63	0	
163	147	94	0	78	30	0	87	54	0	
14	3	-12	0	-29	4	0	87	-9	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5985015494609	3	100%	0%	0%	0%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	3
5985015678104	12	100%	0%	0%	0%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	12

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	1.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0067: HIGH FREQUENCY VEHICLE SYSTEM

The AN/MRC-148 provides 150 watts PEP/average in the HF portion of the frequency range and 60 watts PEP/average for the VHF portion of the frequency range in a mobile configuration.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,113	0
AAO (FY17)	1,142	
O/H	1,512	3
Shortfall/Excess	399	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
279	258	169	0	216	47	0	0	138	0	
297	257	174	0	230	40	0	0	138	0	
258	256	160	0	142	51	0	483	149	10	
-21	-2	-9	0	-74	4	0	483	11	10	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015336762	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	yes	No	No	3	0	0

Notes: Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. Conduct all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting. Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS rep will be contacted.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	114	0	5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0068: RADIO SET, TACTICAL LONG HAUL DIGITAL LINK-11, AN/GRC-256

The AN/GRC-256 Radio Set consists of a Digital HF/SSB Transceiver (RT-9000) and a Solid State 500 Watt Linear Power Amplifier (LPA-9500). Both the RT and the LPA with selected EPROMS make them Marine Corps unique items. The RT-9000 is capable of providing communications from 1.6 to 29.99999 MHz transmit and 100 kHz to 29.99999 MHz receive.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	26	0
AAO (FY17)	26	
O/H	22	1
Shortfall/Excess	-4	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	4	4	0	4	10	0	0	0	0	
4	4	4	0	4	10	0	0	0	0	
3	3	4	0	3	8	0	0	0	0	
-1	-1	0	0	-1	-2	0	0	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015340006	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Owning unit will remove SSRI, UURI, radios, and crypto equipment and coordinate with program office and item manager for item to be sent through IROAN/SLEP and rebuild at depot. Any missing or damaged SSRI, UURI, radios, and crypto will be repaired/replaced through organic or depot maintenance cycle as appropriate. DO NOT POWER WASH. Radio contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MEF**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0069: RADIO SET

The AN/VRC-111 Dual Vehicle Adapter (DVA) consists of two MBITR radios, two MBITR Vehicle Adapters, and a standard SINGGARS interface tray. The MBITR provides troops with multiband secure communications. The vehicle adapter provides 20 watts of RF power amplification across the full 30-512



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	278	0
AAO (FY17)	242	
O/H	337	0
Shortfall/Excess	59	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	44	0	0	0	0	
0	0	0	234	0	8	0	0	0	0	
0	8	1	177	0	23	0	128	0	0	
0	8	1	177	0	-21	0	128	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015360983	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	0	0

Notes: Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0079: TCWS

TCWS provides an expedient capability based on modern technologies including server virtualization, storage arrays and storage networks, portal/asynchronous and synchronous collaboration, systems management, replication, backup and restoration, and Enterprise Services Management features.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	101	0
AAO (FY17)	101	
O/H	14	0
Shortfall/Excess	-87	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
22	22	18	0	13	6	0	0	0	0	
22	22	18	0	13	6	0	0	0	0	
0	4	7	0	2	1	0	0	0	0	
-22	-18	-11	0	-11	-5	0	0	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7035015385759	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	Yes	0	0	0

Notes: This TAMCN should be sent to the MEFs to fill any home station shortfalls. MEFs should use the A0079 until 2nd Qtr FY12 when the replacement TAMCN, A0342 is fielded. A0079 is warranted. If warranty expires and no longer supportable, owning commands will request local disposal.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0081: RADIAC SET

The AN/UDR-13 RADIAC Set is a portable radiation detector used for detecting neutron/gamma radiation dose and gamma dose rate. The set is a miniaturized radiacmeter that can be carried in a Marine's pocket.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	10,210	0
AAO (FY17)	8,795	
O/H	610	29
Shortfall/Excess	-9,600	29

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2,941	3,063	1,589	0	2,290	169	0	0	0	0	
2,585	2,334	1,501	177	2,038	176	0	0	0	0	
0	51	0	0	0	52	0	478	0	0	
-2,941	-3,012	-1,589	0	-2,290	-117	0	478	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665014071237	29	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	29	0

Notes: Needs to come back to LOGCOM to LTI and calibrate.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0082: PORTABLE AUTONOMOUS REPORTS COLLECTION SYSTEM

The Portable Autonomous Reports Collection System (PARCS), 2000R is a stand-alone test tool, which allows radar technical personnel to collect, analyze, and play back radar data. PARCS supports Marine Air Control Squadron Radar and Tactical Data Systems.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	13	0
AAO (FY17)	13	
O/H	23	1
Shortfall/Excess	10	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	2	1	0	2	6	0	0	0	0	
2	2	1	0	2	6	0	0	0	0	
2	2	2	0	1	4	0	11	0	0	
0	0	1	0	-1	-2	0	11	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014118466	1	0%	0%	0%	25%	75%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes: No wash down. Unit normally remains in environmentally controlled shelter. Item is Test Equipment/Computer Kit. Potentially sensitive information on the hard drive.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

A0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0086: SHOP EQUIPMENT, CONT

Contact maintenance vehicle for the Avenger System.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940013982615	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: It was basically a mobile workshop (HMMWV with a Gitchner Shelter) to repair mechanical and electronic components of the Avenger system. This system was taken out of the OpFors years ago. The TAMCN needs to be archived and done away with. Problem is that the net asset posture shows 2 - one at II MEF and one in the War Reserve. This has to go away before TFSMS will let it be archived. By rights of anti-air weapons, the GBAD folks would own this. I suggest we turn it over to the TFSMS support contracts that work for AC LCL and let them get rid of it for us.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	3.7

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0090 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0090: TRANSPORTABLE GROUND RECEIVE SUITE, ENHANCED

GBS provides the capability to quickly disseminate large amounts of information to Marine Air Ground Task Forces.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	119	0
AAO (FY17)	118	
O/H	102	6
Shortfall/Excess	-17	6

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
21	22	18	0	18	12	0	0	0	0
21	21	18	28	18	12	0	0	0	0
18	9	21	14	12	12	0	10	0	0
-3	-13	3	14	-6	0	0	10	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015306497	6	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	6	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. All four cases should be shipped as a set/complete end item. There are 3 computers per GBS. So, receiving unit may be required to purchase 3 new Hard Drives at a cost of \$593.36 per hard drive. MILAIR is the preferred form of shipment. Remove CCI before DRMO.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	0.3

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0091: VIDEO SCOUT REMOTE VIDEO EXPLOITATION UNIT

Video Scout is a man-portable Remote Video Exploitation Terminal for use by Tactical Air Control Parties (TACP). System provides a video terminal capability which is self-contained recording capability and has an on-board receiver and antenna group.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	440	0
AAO (FY17)	400	
O/H	456	42
Shortfall/Excess	16	42

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
91	95	61	0	120	32	0	0	0	0	
80	72	60	41	115	32	0	0	0	0	
78	71	19	56	33	34	0	123	0	0	
-13	-24	-42	56	-87	2	0	123	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015674768	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	Yes	3	0	0
5998015853681	39	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	Yes	39	0	0

Notes: Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. If maintenance is beyond the unit capability, a WIR will be submitted. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches. NSN ending in 4768 will get upgraded to 3681.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MEF**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	0.3

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0096 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0096: RADIO, HP IED JAMMING SYSTEM (CHAMELEON) (CREW II)

The Transmitting Set, Countermeasures is a complete electronic set for the propagation of radio frequency energy specifically designed to be utilized for countermeasures. It also adds a Force Protection capability to specifically counter radio controlled IEDs.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	14	0
AAO (FY17)	0	
O/H	9	9
Shortfall/Excess	-5	9

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	14	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	-14	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015534770	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
5865015557913	9	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	9
599801DTQC044	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	UNK	UNK	UNK	0	0	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A0097 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0097: RADIO SET, DUAL VEHICLE ADAPTER, 50-WATT (DVA)

The Radio Set, AN/VRC-110, consist of 2 Vehicle Adapter Units with 2 AN/PRC-152 handheld Radios. The system provides encrypted Line of Sight communication with both fixed and Frequency Hopping Mode.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	118	5
AAO (FY17)	118	
O/H	10,753	397
Shortfall/Excess	10,635	392

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
25	21	13	0	10	19	5	7	14	4	
25	21	13	274	10	19	5	7	14	4	
2,377	1,987	1,234	119	987	795	0	1,731	1,089	37	
2,352	1,966	1,221	119	977	776	-5	1,724	1,075	33	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015659999	397	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	397	0

Notes: Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0104: RADIO SET, AOR 8200 MKII B

The AR8200 is a hand portable receiver with 3GHz coverage. It has a frequency range of 530 kHz - 3000 Mhz.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	85	57
Shortfall/Excess	85	57

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	28	0	0
0	0	0	0	0	0	0	28	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015084395	57	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	0	57	0

Notes: Pending SYSCOM input.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0116 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0116: SURVEY INSTRUMENT, AZIMUTH

IPADS is a HMMWV-mounted precision survey system. It is a replacement for the presently fielded AN/USQ-70 Position Azimuth Determination System.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	52	0
AAO (FY17)	52	
O/H	32	0
Shortfall/Excess	-20	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	10	9	0	10	3	0	0	4	2
14	10	9	0	10	3	0	0	4	2
4	9	0	0	10	0	0	2	5	2
-10	-1	-9	0	0	-3	0	2	1	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675015154610	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: No direct water contact on electrical components

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0117 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0117: MAINTENANCE KIT,ELE

The MK-3804 is a maintenance kit used for troubleshooting the AN/MRC-142C



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	1	0	1	0	0	
0	0	0	0	0	1	0	1	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015698814	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	0	0

Notes: Ultimately this item goes through MCLC and the inventory manager back to SPAWAR, Charleston. AAO's need to be established. Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0118 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0118: RADIO SET, INTEGRATED INTRA-SQUAD

The Integrated Intra Squad Radio is a Personal Pole Radio set designed to be used for Intra Squad and Inter Squad Communications.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	49,339	0
AAO (FY17)	26,097	
O/H	47,626	2539
Shortfall/Excess	-1,713	2,539

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
13,639	13,410	7,852	0	12,044	2,193	0	0	0	0	
7,020	5,862	4,494	0	6,534	2,002	0	0	0	0	
13,402	10,566	4,348	0	8,809	2,684	0	5,278	0	0	
-237	-2,844	-3,504	0	-3,235	491	0	5,278	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015450334	2434	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	2434	0	0
5820015456349	36	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	36	0	0
5820015456358	69	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	69	0	0
5820015487056	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0121 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0121: MICRO UNMANNED AERIAL VEHICLE (MUAV)

The Battlefield Air Targeting Micro Aerial Vehicle (WASP) is a hand-launched reconnaissance and surveillance tool. The Wasp Air Vehicle transmits live airborne video images and location information to a Ground Control Station (GCS). This capability enables operators to navigate, search for targets, recognize terrain, and record all information for analysis.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	70	0
AAO (FY17)	70	
O/H	23	1
Shortfall/Excess	-47	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	70	0	0	0	0	0	0	
0	12	0	10	0	0	0	0	0	0	
0	12	0	10	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1550015610012	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	1	0

Notes: Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. If maintenance is beyond the unit capability, a WIR will be submitted. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

A0122 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0122: SATELLITE COMMUNICATION SYSTEM

(27 JULY 11) Phoenix is an ECV mounted (M1152 with integrated armor package), multi-channel, quad-band tactical satellite terminal with a multi-band capability in the SHF range, incorporating a military Ka-Band capability to operate over commercial and military SHF satellites.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	42	0
AAO (FY17)	42	
O/H	36	0
Shortfall/Excess	-6	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	10	7	0	10	3	0	0	0	0	
10	10	7	2	10	3	0	0	0	0	
9	9	5	2	3	3	0	5	0	0	
-1	-1	-2	2	-7	0	0	5	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015427716	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0
5895015625632	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: Priority item for LTI in theater before leaving. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Do not separate weapon system from HMMWV. Use care when maneuvering system to not damage the reflector panel. It is made out of carbon fiber and very delicate. Ship via MILAIR. Reflector repair costs are estimated at and could potentially exceed \$100,000.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0124 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0124: REMOTE SUBSCRIBER ACCESS MODULE

The Transition Switch Module (TSM) will provide a flexible Unit Level Switch capability that bridges legacy Tri-Tac switches with current commercial technology to provide Marine maneuver elements with more robust voice/data switching, data transport and bandwidth management capabilities. The TSM consists of three transit cased, functional suites; voice switching, remote subscriber access and multiplexing.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	673	0
AAO (FY17)	664	
O/H	871	0
Shortfall/Excess	198	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
178	180	128	0	128	59	0	0	0	0	
179	170	128	0	128	59	0	0	0	0	
190	193	147	0	127	118	0	96	0	0	
12	13	19	0	-1	59	0	96	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015439861	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	82	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0125 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0125: DEPLOYABLE END OFFICE SUITE

The Transition Switch Module will provide a flexible Unit Level Switch capability that bridges legacy Tri-Tac switches with current commercial technology to provide Marine maneuver elements with more robust voice/data switching, data transport and bandwidth management capabilities.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	228	0
AAO (FY17)	228	
O/H	241	0
Shortfall/Excess	13	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
55	57	44	0	42	30	0	0	0	0	
58	56	44	0	40	30	0	0	0	0	
43	48	43	0	33	26	0	48	0	0	
-12	-9	-1	0	-9	-4	0	48	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015439738	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0126 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0126: MULTI-BAND RADIO, VEHICLE MOUNTED

The Multi-Band Vehicle Radio, AN/VRC-103 (V)2 covers the entire 30 to 512 MHz frequency range while offering embedded COMSEC, SATCOM, and ECCM capabilities.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	226	23
AAO (FY17)	232	
O/H	2,318	92
Shortfall/Excess	2,092	69

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
60	54	36	0	41	5	23	1	4	0	
63	55	36	347	40	5	26	1	4	0	
374	601	401	183	257	219	0	20	171	0	
314	547	365	183	216	214	-23	19	167	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015377562	76	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	Yes	0	76	0
5820015659629	16	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	Yes	0	16	0

Notes: Recommendation is to back fill the units that have an AAO deficiency, with current back order resident in WOLPH. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0129 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0129: TACTICAL HANDHELD RADIO (THHR)

The AN/PRC-152 provides multi-band, multi-mode operation enabling a wide variety of applications such as ground-to-ground, ground-to-air, and tactical satellite communications. This communication includes both voice and data for the purpose of command and control on the battlefield.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	314	0
AAO (FY17)	296	
O/H	13,982	1202
Shortfall/Excess	13,668	1,202

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
113	67	39	0	79	16	0	0	0	0	
101	61	39	54	79	16	0	0	0	0	
2,969	3,323	885	4	1,070	1,939	0	2,590	0	0	
2,856	3,256	846	4	991	1,923	0	2,590	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015660746	1202	50%	0%	0%	50%	0%	0%	NO	NO	No	No	no	No	No	No	0	601	601

Notes: AAO for this item is expected to increase

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0130 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0130: SPARES KIT WIRELESS POINT TO POINT LINK (WPPL) D

WPPL D is an integrated communications system consisting of Commercial Off-The-Shelf (COTS) antennas, radios, power line conditioning and backup, and Internet Protocol (IP) networking equipment. All WPPL versions provide Non-secure Internet Router Protocol



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	9	0
Shortfall/Excess	9	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	4	2	0	0	0	0	3	0	0	
0	4	2	0	0	0	0	3	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015704775	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	No	Yes	0	0	0

Notes: Ship all assets to owning unit. Unit, with coordination from program office and item manager, will place unit in for maintenance. Use no water. Clean radios and components in accordance with technical manuals. Cleaning instructions can be found in the Tech Manual - TO 31R2-2GRC239-1

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0132 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0132: DEPLOYABLE INTEGRATED TRANSPORT SUITE

The TSM provides a flexible unit level switch that replaces legacy TRI-TAC switches (SB-3614, SB-3865, AN/TTC-42) with more robust voice/data switching, data transport, and bandwidth management capabilities.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	146	0
AAO (FY17)	145	
O/H	146	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
37	37	24	0	28	20	0	0	0	0	
37	36	24	0	28	20	0	0	0	0	
27	23	24	0	19	21	0	32	0	0	
-10	-14	0	0	-9	1	0	32	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015439865	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.4

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0134 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0134: WIRELESS POINT TO P

LSWAN (Ku VSAT) is a small, lightweight, hand-portable, low cost satellite terminal that provides NIPRNET/SIPRNET capability. The Ku VSAT can be quickly set up to tie into the existing commercial Ku infrastructure as an alternate source of transmission for high bandwidth intensive capabilities. LSWAN is an integrated COTS solution. The major functional groups of the LSWAN package are: Ku VSAT antenna, power amplifier, modem, routers, and KG-175s. The Ku VSAT terminal and baseband equipment are packaged in HMMWV transportable transit cases.

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	1	0
Shortfall/Excess	1	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	1	0	0
0	0	0	0	0	0	0	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015437811	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	Yes	0	0	0
5820015437816	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	Yes	0	0	0
5895015449175	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	Yes	0	0	0

Notes: Crypto must be removed before being disposed in theater. Follow in accordance to the Disposal Plan reference DP 11348.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A0137 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0137: VHP HUNTER SYSTEM

A0137 is the Hunter UAV System.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H		0
Shortfall/Excess		0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015545423	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager Graves-Reynolds CIV Judy A, judy.graves@usmc.mil, (229) 639-8283

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A0138 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0138: TACTICAL EXPLOITATION GROUP REMOTE WORKSTATION (TEG-RWS)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	44	0
Shortfall/Excess	44	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
18	1	3	0	3	19	0	0	0	0	
18	1	3	0	3	19	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090004453	0	0%	0%	100%	70%	30%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Depot maintenance will be done at SPAWAR. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **SPAWAR**
 if **Not Mission Capable MEF** then **SPAWAR**
 if **Not Mission Capable** then **SPAWAR**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0.1

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0139: RADIO SET, AN/TRC-209

The AN/TRC-209 is the HF/VHF transit case transceiver system using the AN/PRC-150(C). It provides high output power (150 watts in HF, 60 watts in VHF) in a series of transportable cases allowing for use in various situations. Key features include: shock mounting of all components; separate HF and VHF antenna outputs; and DC power filtering for supply noise and voltage spike suppression.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	726	0
AAO (FY17)	724	
O/H	877	7
Shortfall/Excess	151	7

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
138	139	96	0	103	94	0	0	63	0	
151	145	107	92	108	57	0	0	63	0	
139	151	105	56	73	50	0	237	59	0	
1	12	9	56	-30	-44	0	237	-4	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015419208	7	50%	0%	0%	50%	0%	0%	NO	NO	UNK	No	no	No	Yes	No	0	4	4

Notes: Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0141 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0141: TACTICAL AIR CONTROL PARTY (TACP) SUITE

This TAMCN is in process of being deleted



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	42	0
AAO (FY17)	42	
O/H	19	0
Shortfall/Excess	-23	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
14	14	14	0	0	0	0	0	0	0	
14	14	14	0	0	0	0	0	0	0	
16	0	0	0	3	0	0	0	0	0	
2	-14	-14	0	3	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015427911	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0142 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0142: SUPPORT WIDE AREA NETWORK (GSWAN/SWAN C)

GSWAN provides remote teams access into the tactical network (NIPRNET, SIPRNET, and DSN) via beyond line-of-sight SATCOM Capability.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	31	0
AAO (FY17)	0	
O/H	4	0
Shortfall/Excess	-27	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
13	13	0	0	0	5	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	4	0	0	0	0	
-13	-13	0	0	0	-1	0	0	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015427735	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Disassociate the CCI equipment and identify as used with SWAN, then dispose of the item in theater. If mission capable, then DRMO in theater IAW Disposal Plan 11137. AAO needs to be zeroed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A0145 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0145: STINGRAY

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
662501W00F262	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	UNK	UNK	UNK	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0147 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0147: TACTICAL INTEROPERABLE GROUND DATA LINK-II (TIGDL-II)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	4	0
AAO (FY17)	4	
O/H	0	0
Shortfall/Excess	-4	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1	1	1	0	0	1	0	0	0	0	
1	1	1	0	0	1	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
-1	-1	-1	0	0	-1	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810090004482	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	97	0	2.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0149 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0149: ANTENNA, COMMUNICATIONS, TRAILER MOUNTED

The AS-4429D/TSC is a rugged, high-performance Multi-Band antenna subsystem that provides field commanders with a high mobility antenna capable of efficient TACSAT resource utilization. The AS-4429D/TSC can be used with the LMST, AN/TSC-85, and AN/TSC-93.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	33	0
AAO (FY17)	33	
O/H	27	0
Shortfall/Excess	-6	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	9	6	0	9	0	0	0	0	0	
9	9	6	0	9	0	0	0	0	0	
6	8	3	0	2	2	0	6	0	0	
-3	-1	-3	0	-7	2	0	6	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5985015410767	0	0%	75%	0%	25%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Ensure embarkation specialist utilizes the Technical manual for proper tie down procedures. Any cargo straps place over the main reflector will cause damage rendering the system non-mission capable. Do not move with stabilizing wheel in position. Ship via MILAIR. Reflector repair costs are estimated at and could potentially exceed \$100,000.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1333	2.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0150: W2W LAST TACTICAL MILE KITS



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	66	0
AAO (FY17)	68	
O/H	0	0
Shortfall/Excess	-66	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
7	7	4	0	8	16	0	0	0	0	
8	8	4	0	8	16	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
-7	-7	-4	0	-8	-16	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015561720	0	0%	0%	0%	75%	25%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0152: DIGITAL STILL CAMERA SUITE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	421	0
AAO (FY17)	366	
O/H	115	3
Shortfall/Excess	-306	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
83	87	67	0	113	23	0	0	0	0	
66	62	58	48	109	23	0	0	0	0	
2	9	2	8	81	0	0	10	0	0	
-81	-78	-65	8	-32	-23	0	10	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015868004	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is currently in its refresh cycle, therefore if any are returned condemned, they should be Demil'd and DRMO'd. There is no requirement to return the obsolete gear back to the unit. When the unit returns to their home station, they will receive their refreshed equipment. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	100%	0%	0%	0%

A0153 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0153: RADIO SET (AN/MRC-142C)

The AN/MRC-142C is a vehicular-mounted integrated High Capacity Line-Of-Sight (HCLOS) radio system providing two-way secure voice and data transmission in the band I and band III+ frequency bands.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	432	0
AAO (FY17)	428	
O/H	441	1
Shortfall/Excess	9	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
93	93	60	0	63	60	0	0	63	0	
93	89	60	0	63	60	0	0	63	0	
49	66	59	0	37	62	0	99	68	0	
-44	-27	-1	0	-26	2	0	99	5	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015456691	1	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	1	0

Notes: Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	118	0	4.3

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0156 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0156: GYROCAM VOSS II

OIF UUNS, mounted on rear of MRAP Cougar variant (6x6, 4x4).



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	251	0
AAO (FY17)	251	
O/H	184	167
Shortfall/Excess	-67	167

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	12	6	
0	0	0	0	0	0	0	0	12	6	
0	8	0	0	0	3	0	6	0	0	
0	8	0	0	0	3	0	6	-12	-6	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015450098	53	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	53	0
5895015647999	114	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	114	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0168 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0168: HANDHELD INTERAGENCY IDENTITY DETECTION EQUIP (HIIDE)

HIIDE is the world's first hand-held biometric identification device that can enroll, identify or verify subjects using any of the three primary biometrics: iris, finger, face.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	13	6
Shortfall/Excess	13	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	7	0	0
0	0	0	0	0	0	0	7	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015453002	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0
5895090004458	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A0169 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0169: AN/TPQ-48 COUNTER MORTAR RADAR (LCMR)


The LCMR is a two-man portable mortar locating radar. It provides continuous 360 degree surveillance and locates mortar firing positions by detecting and backtracking the projectile trajectory to the weapon position.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	42	0
AAO (FY17)	42	
O/H	34	4
Shortfall/Excess	-8	4

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	10	7	0	5	6	0	2	0	0	
12	10	7	0	5	6	0	2	0	0	
12	8	7	0	0	3	0	0	0	0	
0	-2	0	0	-5	-3	0	-2	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840015418783	4	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	4	0

Notes: Assets should be sent to MCLB Albany for inventory and op check prior to entering a planned system refresh at SRCTec. The LCMR is an electronic piece of equipment and should not be washed. It can be cleaned by hand, by trained personnel.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2.8

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0172 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0172: POWER SUPPLY, UNINTERRUPTIBLE (DDSR-PM)

The current TDN Family of Systems (FoS) consists of Gateways (TDN GW), Data Distribution Systems (TDN DDS/DDS-R/DDS-M), and Information Assurance Boundary (IAB). Together these systems provide the backbone data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	129	0
AAO (FY17)	129	
O/H	387	10
Shortfall/Excess	258	10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
31	31	27	0	27	13	0	0	0	0	
31	31	27	0	27	13	0	0	0	0	
50	24	47	0	70	128	0	58	0	0	
19	-7	20	0	43	115	0	58	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130015460023	10	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	10	0
6130015652835	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B Batteries do not constitute failure, replace upon receipt at new unit.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0173 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0173: SECURITY DATA SYSTEM (DDSR-CSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	521	0
AAO (FY17)	508	
O/H	430	0
Shortfall/Excess	-91	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
147	149	108	0	99	18	0	0	0	0	
150	135	108	0	97	18	0	0	0	0	
146	145	63	0	21	46	0	9	0	0	
-1	-4	-45	0	-78	28	0	9	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810015460020	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5810015681184	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5810-01-546-0020) should be a consolidation of assets to obtain maximum complete PMs. This should be completed at ELMACOs or MCLC Fwd. Transport complete CSMs to fill any home station shortfalls and DRMO in theater remaining PMs. Will be flown in it's entirety back to MEF. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0174 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0174: SWITCHING SET COMMUNICATION (DDSR-LSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	521	0
AAO (FY17)	508	
O/H	435	0
Shortfall/Excess	-86	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
147	149	108	0	99	18	0	0	0	0	
150	135	108	0	97	18	0	0	0	0	
151	142	63	0	19	48	0	12	0	0	
4	-7	-45	0	-80	30	0	12	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015460016	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5895015682669	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5895-01-546-0016) should be a consolidation of assets to obtain maximum complete LSMs. This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0175 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0175: COMPUTER DIGITAL DATA TRANSFER (DDSR-CM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	675	0
AAO (FY17)	662	
O/H	421	1
Shortfall/Excess	-254	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
188	190	135	0	124	38	0	0	0	0	
191	176	135	0	122	38	0	0	0	0	
152	143	62	0	18	42	0	3	0	0	
-36	-47	-73	0	-106	4	0	3	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015466466	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes: SIPRNET Harddrives are handled in course with classified storage and transport. Transport back unit in possession. All SIPR HDs must be removed from the CM laptop PCs and consolidated in an appropriate secure storage container for MIL-AIR transport from OEF to CONUS with the using unit. NO SIPR HDs will be vehicle transported through Pakistan for surface nor air shipment for commercial cargo carriers. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Batteries (Qty 2) do not constitute failure, replace upon receipt at new unit.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	100%	0%	0%	0%

A0176 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0176: SWITCHING GROUP, DIGITAL (DDSR-LEM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	2,076	0
AAO (FY17)	2,032	
O/H	1,716	4
Shortfall/Excess	-360	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
587	595	429	0	393	72	0	0	0	0	
600	540	432	0	388	72	0	0	0	0	
604	533	257	0	83	200	0	35	0	0	
17	-62	-172	0	-310	128	0	35	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015460013	4	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	4	0	0
5895015725551	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5895-01-546-0013) should be a consolidation of assets to obtain maximum complete LEMs. This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Batteries do not constitute failure, replace upon receipt at new unit.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0177 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0177: COMPUTER SYSTEM DIGITAL (DDSR-ACM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	521	0
AAO (FY17)	508	
O/H	446	1
Shortfall/Excess	-75	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
147	149	108	0	99	18	0	0	0	0	
150	135	108	0	97	18	0	0	0	0	
152	144	65	0	21	52	0	11	0	0	
5	-5	-43	0	-78	34	0	11	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015460027	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	1	0	0
7010015681206	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 7010-01-546-0027) should be a consolidation of assets to obtain maximum complete LEMs. This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Must remove hard drive prior to shipping.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	0%

A0180 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0180: AN/TYQ-145 BEYOND LINE OF SIGHT GATEWAY

JRE is an implementation of beyond line of sight transmission for TADIL-J. The current system is a stand-alone COTS/NDI configured with a JTIDS radio.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	14	0
AAO (FY17)	14	
O/H	20	2
Shortfall/Excess	6	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	2	2	0	2	6	0	0	0	0	
2	2	2	0	2	6	0	0	0	0	
2	2	2	0	2	10	0	0	0	0	
0	0	0	0	0	4	0	0	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015476773	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	No	No	0	0	0

Notes: Return to owning unit but take out of service until maintenance is completed. DO NOT POWER WASH. Item contains sensitive electronics, computer, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MEF**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0182 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0182: RECORDER-REPRODUCER

The Tactical ONEROOF system is a family of applications that allows for automated collection, storage, retrieval and playback of digital voice signals.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	28	2
Shortfall/Excess	28	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
10	10	0	6	0	0	0	0	0	0	
10	10	0	6	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5835090004505	2	0%	0%	0%	66%	34%	0%	NO	NO	No	No	No	No	No	No	0	2	0

Notes: This item will be retired next year, but still needs to be maintained until replacement is fielded. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. Conduct all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.2

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0194 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0194: PERSISTENT SURVEILLANCE SYSTEM (G-BOSS) (80' TOWER)

A self-erecting, trailer-mounted tower serves as the base of the G-BOSS. It is designed to provide a stable, elevated platform for the sensor suite and communication devices. Cameras are mounted on a self erecting, telescoping tower. Other associated equipment includes capability for video capture, storage, transmission, and power generation.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	126	0
AAO (FY17)	126	
O/H	73	43
Shortfall/Excess	-53	43

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	2	0	0	0	0	
0	0	0	0	0	2	0	0	0	0	
0	1	0	0	0	0	0	29	0	0	
0	1	0	0	0	-2	0	29	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650070001274	14	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	14	0
6650090004488	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	0	0
6650090006502	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	0	0

Notes: Systems will be shipped to NSWC Crane, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. Should be shipped with B0077. Prior to wash down system should be in stowed and/or shipping configuration with all connector caps installed. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions. There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS Acquisition Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0195: INTELLIGENCE OPERATIONS SERVER (V3)

The IAS FoS program consists of a three-tiered approach to Intelligence Operations. The first tier, the MEF IAS, consists of M1152A1B2 with M101 trailer, BASE-X 305 tent, and containerized stacked server suite, designed to support intelligence operations .



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	116	0
AAO (FY17)	112	
O/H	103	3
Shortfall/Excess	-13	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
22	24	20	0	17	13	0	0	0	0	
22	21	20	16	16	13	0	0	0	0	
15	22	19	12	13	19	0	0	0	0	
-7	-2	-1	12	-4	6	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015762585	3	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	3	0

Notes: If it requires maintenance, it goes to MCLC for DRMO. Eventually will be replaced. No maintenance will be performed. Water may damage system electronics.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0197 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0197: DATA STORAGE MODULE (DDSR-DSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	521	0
AAO (FY17)	508	
O/H	412	4
Shortfall/Excess	-109	4

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
147	149	108	0	99	18	0	0	0	0	
150	135	108	0	97	18	0	0	0	0	
145	138	55	0	21	47	0	2	0	0	
-2	-11	-53	0	-78	29	0	2	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015494303	2	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	2	0	0
5895015653698	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	2	0	0
5895015924487	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5895-01-549-4303), should be a consolidation of assets to obtain maximum complete DSMs. This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Remove hard drives

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0234 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0234: SATELLITE COMMUNICATION SUBSYSTEM (SWAN-D V1 DISH)

The SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	171	0
AAO (FY17)	166	
O/H	147	0
Shortfall/Excess	-24	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
39	38	23	0	33	38	0	0	0	0	
38	34	23	0	33	38	0	0	0	0	
36	26	16	0	18	26	0	25	0	0	
-3	-12	-7	0	-15	-12	0	25	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015504868	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	no	Yes	No	Yes	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0238 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0238: MAINTENANCE KIT, ELECTRONIC EQUIP (SWAN-D V3 RF SPARES)

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	8	0
AAO (FY17)	0	
O/H	3	0
Shortfall/Excess	-5	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	2	2	0	2	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	1	0	2	0	0	0	0	0	
-2	-2	-1	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015515306	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	No	Yes	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Ship with SWAN D V3 to MCLC Alb for resale to Army.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0239 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0239: MAINTENANCE KIT, ELECTRONIC EQUIP (SWAN-D V1/V2 RF SPARES)

SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	48	0
AAO (FY17)	0	
O/H	14	1
Shortfall/Excess	-34	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
14	14	6	0	14	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	5	0	5	2	0	1	0	0	
-14	-14	-1	0	-9	2	0	1	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015514019	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	No	Yes	0	1	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0240 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0240: MAINTENANCE KIT, ELECTRONIC EQUIPMENT

SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	32	0
AAO (FY17)	0	
O/H	16	1
Shortfall/Excess	-16	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	9	5	0	9	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
3	2	3	0	4	1	0	2	0	0	
-6	-7	-2	0	-5	1	0	2	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015513812	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	1	0
5895015686670	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. This TAMCN is a spares kit that will be disassembled and placed into the MEF RIPs.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0241 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0241: SATELLITE COMMUNICATION SUBSYSTEM

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	66	0
AAO (FY17)	66	
O/H	59	0
Shortfall/Excess	-7	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
15	13	8	0	13	17	0	0	0	0	
15	13	8	0	13	17	0	0	0	0	
16	13	8	0	8	11	0	3	0	0	
1	0	0	0	-5	-6	0	3	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015513530	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	no	No	No	Yes	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0242 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0242: SATELLITE COMMUNICATION SUBSYSTEM (SWAN-D V3 DISH)

The SWAN is an integrated COTS solution utilizing Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-The-Pause (OTP) communications asset that can be set up in 30 minutes or less. SWAN fills a void of Beyond-Line-Of-sight (BLOS).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	64	0
AAO (FY17)	63	
O/H	62	0
Shortfall/Excess	-2	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
15	15	12	0	14	8	0	0	0	0	
15	14	12	0	14	8	0	0	0	0	
16	15	12	0	11	7	0	1	0	0	
1	0	0	0	-3	-1	0	1	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015514320	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	No	Yes	0	0	0
5895015805073	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	yes	No	Yes	0	0	0

Notes: This TAMCN NSN 5895-01-551-4320 should be transported to MCLC Alb. with SWAN D V3 PEI. This TAMCN should be sent to MCLC. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. TAMCN NSN 5895-01-551-4320 will be sold back to the Army.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0243 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0243: NETWORK MANAGEMENT SYSTEM (SWAN-D)

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	301	0
AAO (FY17)	295	
O/H	268	0
Shortfall/Excess	-33	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
69	66	43	0	60	63	0	0	0	0	
68	61	43	0	60	63	0	0	0	0	
59	37	34	0	32	48	0	58	0	0	
-10	-29	-9	0	-28	-15	0	58	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015513590	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	no	No	No	Yes	0	0	0
5895015686944	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0244 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0244: NETWORK MANAGEMENT SYSTEM (SWAN-D MRT)

The SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	63	0
AAO (FY17)	63	
O/H	46	0
Shortfall/Excess	-17	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	11	9	0	11	21	0	0	0	0
11	11	9	0	11	21	0	0	0	0
9	6	9	0	5	13	0	4	0	0
-2	-5	0	0	-6	-8	0	4	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015513833	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	no	Yes	No	Yes	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0245 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0245: SATELITE COMM SUB SYSTEM

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015596098	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Crypto will be kept and utilized. Crypto must have a NAVMC 1018 Tag with PEI Serial #, PEI Unit Shipped To, PEI Condition Code. DP11137 PCN 13158950100. This TAMCN is in the process of Disposal.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A0246 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0246: AN/USC-67 SWE-DISH FA150 MIL FLY-AWAY

The AN/USC-67 (FA-150 Hub) NSN: 2840-01-587-7961, configuration is a portable high-bandwidth, secure satellite communications package capable of operating at the Top Secret/Sensitive Compartmented Information level. The AN/USC-67 serves as the Hub in a Hub-Spoke architecture and components include a 1.5m antenna and baseband network equipment. The AN/USC-67 is C, Ku, and X band capable.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	10	2
Shortfall/Excess	10	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	2	0	0	2	0	4	0	0	
0	0	2	0	0	2	0	4	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2840015877956	2	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	Yes	0	2	0

Notes: Obsolete item, but will maintain in order to bridge capability gap. Must dispose of in CONUS because of sensitivity. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory, notify PG-12/PMM123 for maintenance, and coordinate shipment with MARCORSYSCOM for maintenance. Please direct inquires about this system to Commander, MARCORSYSCOM, PM-Intelligence Systems. ATTN: SCI Comms Project Officer

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0247 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0247: AN/USC-68 SWE-DISH IPT MIL SUITCASE (VSAT SPOKE)

The AN/USC-68 (IPT Suite) NSN: 2840-01-587-7956, configuration is a portable high-bandwidth, secure satellite communications package capable of operating at the Top Secret/Sensitive Compartmented Information level. It consists of a suitcase satellite communication solution and a suitcase secure networking solution. The AN/USC-68 serves as a Spoke in a Hub-Spoke architecture and components include a .9m auto-acquiring antenna and baseband network equipment. The AN/USC-68 is only Ku band capable.



TFSMS (OCT 2013)

MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	32	7
Shortfall/Excess	32	7

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
10	0	9	0	0	0	0	6	0	0	
10	0	9	0	0	0	0	6	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2840015877961	7	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	Yes	0	7	0

Notes: Equipment is obsolete

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0254 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0254: COMBAT OPS CENTER, SET III (UOC)

The Combat Operations Center is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	81	0
AAO (FY17)	77	
O/H	70	2
Shortfall/Excess	-11	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
19	19	14	0	11	15	0	0	0	0	
19	18	14	0	11	15	0	0	0	0	
19	17	15	2	7	8	0	0	0	0	
0	-2	1	2	-4	-7	0	0	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015204341	2	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	2	0

Notes: The COC configuration includes many weather-resistant transit cases and two trailer types: the Operational Trailer (OT), consisting of an M1102 trailer with multiple transit-cased COTS IT components and electrical connections, and the Generator ECU Tent Trailer (GETT), consisting of an extended-bed M1102 chassis, a commercial 23kW generator, a commercial 120K BTU Environmental Control Unit, and a commercial Base-X 305 shelter. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment and the GETT's generator and ECU control panel. COC's are routinely shipped packed in an ISO container; recommend using ISO containers to ship the COC.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	9.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0255 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0255: COMBAT OPS CENTER, SET IV (UOC)

The COC is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems. It is predominantly a COTS IT integration.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	168	0
AAO (FY17)	121	
O/H	168	1
Shortfall/Excess	0	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
41	38	21	0	27	28	0	0	0	0	
32	24	15	0	22	28	0	0	0	0	
46	34	19	2	23	30	0	13	0	0	
5	-4	-2	2	-4	2	0	13	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015204360	1	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes: The COC configuration includes many weather-resistant transit cases and two trailer types: the Operational Trailer (OT), consisting of an M1102 trailer with multiple transit-cased COTS IT components and electrical connections, and the Generator ECU Tent Trailer (GETT), consisting of an extended-bed M1102 chassis, a commercial 23kW generator, a commercial 120K BTU Environmental Control Unit, and a commercial Base-X 305 shelter. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment and the GETT's generator and ECU control panel. COC's are routinely shipped packed in an ISO container; recommend using ISO containers to ship the COC.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0261 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0261: BIOMETRICS AUTOMATED TOOLSET (BAT-SERVER)

The Biometrics System consists of three tiers: the BAT-Client, the BAT-Server and the HIIDE. The BAT-Client will collect and store biometric information, to include fingerprints, iris scans and facial images, and will be able to “match” personnel whose bi



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	20	0
AAO (FY17)	20	
O/H	45	40
Shortfall/Excess	25	40

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	5	0	0	
0	0	0	0	0	0	0	5	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7021090004486	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.2

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0266 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0266: RADIO SET, VEH, AN/VRC-104 (UHF/VHF)

AN/PRC 104 Radio Set.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	678	198
AAO (FY17)	678	
O/H	1,202	207
Shortfall/Excess	524	9

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
51	51	36	0	32	27	198	10	6	3	
51	51	36	88	32	27	198	10	6	3	
243	162	118	44	39	59	0	330	0	0	
192	111	82	44	7	32	-198	320	-6	-3	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015681631	3	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	3	0
5820015694438	204	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	204	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0271 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0271: COMBAT OPERATIONS CENTER

The Combat Operations Center is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	13	0
AAO (FY17)	12	
O/H	14	1
Shortfall/Excess	1	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	4	4	0	2	0	0	0	0	0	
3	3	3	0	3	0	0	0	0	0	
4	4	4	0	1	0	0	0	0	0	
1	0	0	0	-1	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015573118	1	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes: The COC(V)2 configuration includes many weather-resistant transit cases and the Operations Trailer (OT). The OT is an M1102 trailer with a rack supporting many COTS IT servers, routers, switches, etc. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment; recommend using ISO containers to ship the COC(V)2.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	46

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0272 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0272: RADIO REMOTE CONTROL UNIT RC 111

The RF-5800R-RC111 Remote Control System with High Speed Interface provides full remote control capability for the Falcon II family of manpack radios.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	2,593	0
AAO (FY17)	2,447	
O/H	3,105	27
Shortfall/Excess	512	27

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
710	718	470	0	550	120	0	0	0	0	
668	631	463	25	540	120	0	0	0	0	
857	826	453	131	514	92	0	205	0	0	
147	108	-17	131	-36	-28	0	205	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015709290	27	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	27	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0273 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0273: RADIO SET, VRC-110, 20 WATT (AN/PRC152)

The Radio Set, AN/VRC-110, consists of 2 Vehicle Adapter Units with 2 AN/PRC-152 handheld Radios. The system provides encrypted Line of Sight communications with both fixed and Frequency Hopping Modes.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	450	0
Shortfall/Excess	450	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
41	128	55	0	4	42	0	99	81	0	
41	128	55	0	4	42	0	99	81	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015578450	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	0	0

Notes: TAMCN is being upgraded to A0097.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0278 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0278: WIRELESS POINT-TO POINT LINK (WPPL-D)

WPPL D is an integrated communications system consisting of Commercial Off-The-Shelf (COTS) antennas, radios, power line conditioning and backup, and Internet Protocol (IP) networking equipment. All WPPL versions provide Non-secure Internet Router Protocol.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	260	0
AAO (FY17)	260	
O/H	245	25
Shortfall/Excess	-15	25

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
60	60	47	0	48	45	0	0	0	0	
60	60	47	0	48	45	0	0	0	0	
59	52	33	0	12	49	0	15	0	0	
-1	-8	-14	0	-36	4	0	15	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015631703	25	25%	0%	0%	75%	0%	0%	NO	NO	No	No	no	No	No	Yes	19	0	6
5820015836833	0	25%	0%	0%	75%	0%	0%	NO	NO	No	No	no	No	No	Yes	0	0	0

Notes: Item must be put through maintenance before placing into service at owning unit. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0282 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0282: TEAM PORTABLE COLLECTION SYS (TPCS)

The TPCS-MPC will be a mission configurable, multi-platform SIGINT collection system incorporating plug-and-play technologies that provides the Marine Air Ground Task Force commander with a modular and saleable carry-on/carry-off equipment capability for operations onboard non-dedicated air, ground, and waterborne platforms.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	70	0
AAO (FY17)	70	
O/H	22	3
Shortfall/Excess	-48	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
22	22	16	0	0	10	0	0	0	0	
22	22	16	0	0	10	0	0	0	0	
8	11	0	0	0	0	0	0	0	0	
-14	-11	-16	0	0	-10	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5825015293279	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	3	0	0

Notes: Owning unit will perform inventory and detailed maintenance for return to full mission capable. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Follow preventive maintenance procedures as listed in O&M TM 11109A-OI.PG-12/PMM123 has situational awareness for this system. Please direct inquires about this system to Commander, MARCORSYSCOM, PM-Intelligence Systems, ATTN: TPCS-MPC Project Officer, 2200 Lester Street, Quantico, VA 22134-6050.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0285 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0285: DISMTD DIGITAL AUTOMATED COMM TERMINAL (DDACT)

The D-DACT is a handheld, stylus operated Rugged Personal Digital Assistant. It has a built in Global Positioning System, a modem and comes loaded with Command and Control Compact Edition Software.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	303	0
Shortfall/Excess	303	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
85	70	83	0	8	20	0	37	0	0
85	70	83	0	8	20	0	37	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015221228	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A0286 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0286: CERBERUS LONG RANGE (GBOSS LITE)

The G-BOSS Lite is an integrated system, based on the Cerberus trailer-mounted surveillance system, and employs multiple detection and assessment technologies, all self-contained on a single mobile platform. G-BOSS Lite uses the Star SAFIRE IIIIFP with laser pointer and range finder; and the MSTAR radar as its primary image sensors.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	76	0
AAO (FY17)	76	
O/H	19	12
Shortfall/Excess	-57	12

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	1	0	0	0	4	0	2	0	0	
0	1	0	0	0	4	0	2	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840015874722	12	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	Yes	No	Yes	0	12	0

Notes: Systems will be shipped to NSWC Crane through MCLC, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. Prior to wash down system should be in stowed and/or shipping configuration. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions. There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS Acquisition Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0288 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0288: CERBERUS MANPACK SYSTEM (CERBERUS LITE)

The Cerberus Lite is a man-portable, tripod-mounted surveillance system developed by PM NVESD for use in austere environments, or where ground transportation is unavailable or undesirable. The Cerberus Lite uses a FLIR Recon III and Advanced Radar Surveillance System (ARSS) as its primary image sensors. Use of the Miniature Intrusion Detection Systems (MIDS) unattended ground sensors is optional.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	62	0
AAO (FY17)	62	
O/H	3	1
Shortfall/Excess	-59	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	2	0	0	
0	0	0	0	0	0	0	2	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6350090006681	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	No	Yes	0	1	0

Notes: Systems will be shipped to NSWC Crane through MCLC, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions. There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS Acquisition Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0291 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0291: CVRJ @ 1:2 VEH RATIO (RPLCS A0096 / A0137)

CVRJ is designed to respond to the full range of RCIED threats that have been encountered by our Warfighters and has demonstrated superior performance against the RCIED threats in both OIF and OEF. A primary strength of the system design is that it incorporates a proven adaptability to changes in the threat environment largely independent of specific threat signal attributes. It has a wide receive and transmit frequency coverage and handles multiple threats simultaneously.



Representative Picture

TFSMS (OCT 2013)

MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	657	400
AAO (FY17)	643	
O/H	483	382
Shortfall/Excess	-174	-18

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
25	25	16	0	0	18	400	0	18	9	
25	25	2	0	0	18	400	0	18	9	
0	2	0	0	0	97	0	2	0	0	
-25	-23	-16	0	0	79	-400	2	-18	-9	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015534738	382	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	382	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager Graves-Reynolds CIV Judy A, judy.graves@usmc.mil, (229) 639-8283

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0298 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0298: OPTICAL READER, DATA ENTRY

Devices enable and facilitate data collection and transmission to Automated Information Systems. These devices improve the Marine Corps' logistical business processes and enhance war fighting capabilities by facilitating the collection of initial source data, reducing processing times and improving data accuracy.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	1,067	0
AAO (FY17)	983	
O/H	963	1
Shortfall/Excess	-104	1

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
86	86	80	0	34	777	0	0	0	0	
52	52	64	15	34	777	0	0	0	0	
251	213	224	4	231	30	0	9	0	0	
165	127	144	4	197	-747	0	9	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7025014759974	1	0%	0%	0%	75%	25%	0%	NO	NO	No	No	No	yes	No	No	1	0	0

Notes: Project office will coordinate refresh with MEF.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	49	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0299 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0299: PRINTER, PORTABLE



AIT devices enable and facilitate data collection and transmission to Automated Information Systems (AISs). AIT devices improve the Marine Corps' logistical business processes and enhance warfighting capabilities by facilitating the collection of initial source data, reducing processing times and improving data accuracy. The AIT program is currently focused on implementing barcode technology - both linear and 2D barcodes and integrating Radio Frequency Data Collection (RFDC) technology to allow near real time processing of data. Successful AIT implementation is dependent on the AIT software development expertise of our information system developers and the ability of the user community to have well documented AIT requirements.

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	154	0
Shortfall/Excess	154	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
34	13	40	2	61	0	0	4	0	0	
34	13	40	2	61	0	0	4	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7490014759671	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A0300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0300: PRINTING MACHINE,LA

Devices enable and facilitate data collection and transmission to Automated Information Systems. These devices improve the Marine Corps' logistical business processes and enhance war fighting capabilities by facilitating the collection of initial source data



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	342	0
AAO (FY17)	328	
O/H	200	1
Shortfall/Excess	-142	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
31	31	38	0	25	215	0	0	0	0	
26	26	34	16	25	215	0	0	0	0	
86	16	33	6	43	15	0	0	0	0	
55	-15	-5	6	18	-200	0	0	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7490015589256	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0301 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0301: GRAPHICS PLOTTER

The Graphics Plotter is a HP Designjet 1050c Plus Printer. The maximum print length for this printer is 300 ft.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	19	1
Shortfall/Excess	19	1

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
9	0	1	0	0	8	0	0	0	0	
9	0	1	0	0	8	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7025014774041	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	100%	0%	0%

A0316 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0316: TRANSMITTER GROUP C

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H		
Shortfall/Excess		

Influences R2 Distribution



REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A0321 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0321: DEPLOYABLE INTEGRATED TRANSPORT SUITE

The Raven B is a unmanned aircraft sensor system utilized at the small unit level that provides situational awareness within the employing unit's area of operations. The Digital Data Link enables a given area to include more Ravens and provides greater communication security through signal encryption.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	432	0
AAO (FY17)	404	
O/H	235	3
Shortfall/Excess	-197	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
91	106	59	0	86	18	0	0	0	0	
87	81	59	72	87	18	0	0	0	0	
27	97	12	59	20	5	0	12	0	0	
-64	-9	-47	59	-66	-13	0	12	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1550015780205	3	35%	0%	0%	65%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	2	1

Notes: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. Maintenance will be complete by the owning unit through organic. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0324 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0324: COMMAND SYSTEM,TACT


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015800080	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0325 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0325: MOBILE MODULAR COMMAND CENTER (M2C2) TACTICAL ENTRY POINT

(satcom dish at the COC end, same as a SWAN V3 but with a different modem)



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015800008	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	Yes	0	0	0

Notes: Item will be sent to SPAWAR through MCLC. Nothing beyond standard procedures. This TAM is part of the M2C2 system see additional comments associated with TAM A0030.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0326 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0326: THOR III

Each Thor III system consists of three dismounted man-pack subsystems. Each subsystem contains a chassis (low band, mid band or high band), a Remote Control Unit (RCU), an integration/pack frame, an Rx/Tx antenna (low band, mid band, or high band), a GPS antenna, cables, and software. Each unit is housed in a separate transit case with protective covers.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	650	0
AAO (FY17)	650	
O/H	558	547
Shortfall/Excess	-92	547

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	85	0	0	0	0	
0	0	0	0	0	85	0	0	0	0	
0	11	0	0	0	0	0	0	0	0	
0	11	0	0	0	-85	0	0	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015804854	547	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	Yes	No	No	0	547	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Upon returning from Theater units should conduct a complete detailed SL3 inventory. If any missing SL3 is note please contact the USMC CREW Product Support Integrator at USMC CREW Product Support Operations Center.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0331 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0331: RADIO SET, LOW PROFILE SINGLE VEHICLE ADAPTER, 50-WATT (VRC)

The AN/VRC-113(C) operates over a 30-512 MHz frequency range with either Frequency Modulated (FM), or Amplitude Modulated (AM) Radio Frequency (RF) output, with a user-selectable power output from 0.1 to 5 watts (depending on operating mode). The radio can interoperate with both 12 kbps (FED-STD-1023) and 16 kbps (VINSON-compatible) equipment. The Basic radio provides the following capabilities: SINCGARS, HAVEQUICK, ANDVT, retransmission, and High Throughput Waveform (HTW).



Representative Picture

TFSMS (OCT 2013)

MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	8,877	0
AAO (FY17)	8,954	
O/H	5,417	49
Shortfall/Excess	-3,460	49

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2,294	2,310	1,588	0	1,841	166	0	0	585	0	
2,366	2,097	1,681	93	1,966	166	0	0	585	0	
837	207	0	31	0	0	0	3,993	300	0	
-1,457	-2,103	-1,588	31	-1,841	-166	0	3,993	-285	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015826675	49	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	49	0

Notes: Item was sent to OEF on a limited fielding decision. Equipment should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0332 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0332:


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	34	0
AAO (FY17)	34	
O/H	235	41
Shortfall/Excess	201	41

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
7	7	7	0	6	5	0	0	0	0	
7	7	7	2	6	5	0	0	0	0	
113	60	2	2	2	6	0	9	0	0	
106	53	-5	2	-4	1	0	9	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015859031	41	0%	0%	0%	100%	0%	0%	NO	NO	No	No		UNK	UNK	UNK	0	41	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	74	0.1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	1%	0%	0%	0%

A0336 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0336: SCA MULTIBAND NETWORKING RADIO

The AN/PRC-117G (V)1(C) is an advanced multiband multi-mission manpack radio set, which provides reliable tactical communications through U.S. Government Type I encryption for enhanced secure voice (Communications Security (COMSEC), Transmission Security (TRANSEC)), high-speed data, Electronic Counter-Countermeasures (ECCM), and Satellite Communications (SATCOM) capabilities.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	144	0
AAO (FY17)	144	
O/H	2,309	129
Shortfall/Excess	2,165	129

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
72	36	0	0	36	0	0	0	0	0	
72	36	0	502	36	0	0	0	0	0	
676	616	323	150	236	179	0	0	0	0	
604	580	323	150	200	179	0	0	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015862327	129	50%	0%	0%	50%	0%	0%	NO	NO	No	No	no	No	No	No	0	128	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0338 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0338: DIGITAL STILL CAMERA SUITE, ADVANCED (DSCS-A)

The DSCS-A provides an increased digital still photographic capability required for the advanced user which enables higher grade photos to be captured and also provides an increased standoff capability for imagery collection.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	772	0
AAO (FY17)	708	
O/H	458	6
Shortfall/Excess	-314	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
156	170	97	0	156	145	0	0	0	0	
134	137	94	48	150	145	0	0	0	0	
26	92	0	2	322	2	0	8	0	0	
-130	-78	-97	2	166	-143	0	8	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015938038	6	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	100%	0%	0%	0%

A0339 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0339: DIGITAL STILL CAMERA SUITE, Basic (DSCS-B)

The DSCS-B provides basic digital still photographic capabilities required for imagery collection by the novice user.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,346	0
AAO (FY17)	1,202	
O/H	668	9
Shortfall/Excess	-678	9

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
361	378	199	0	297	15	0	0	0	0	
311	304	193	96	283	15	0	0	0	0	
169	267	3	63	125	15	0	17	0	0	
-192	-111	-196	63	-172	0	0	17	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015937979	9	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	100%	0%	0%	0%

A0340 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0340: CAMERA SUITE DIGITAL VIDEO

The DVCS-B provides a basic digital video photography capability and consists of a low-end commercial digital video camera for imagery collection.

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	287	0
AAO (FY17)	281	
O/H	79	0
Shortfall/Excess	-208	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
89	97	47	0	44	10	0	0	0	0
87	94	46	0	44	10	0	0	0	0
26	35	4	0	5	2	0	7	0	0
-63	-62	-43	0	-39	-8	0	7	0	0

Representative Picture

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015922160	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. A full scale refresh for this item is scheduled for FY13. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	100%	0%	0%	0%

A0350 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0350: DETECTION SYSTEM, WE

A sensor used to detect the direction and distance of incoming bullets.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	907	0
AAO (FY17)	907	
O/H	432	1
Shortfall/Excess	-475	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
25	25	25	0	0	144	0	0	0	0	
25	25	25	0	0	144	0	0	0	0	
12	25	30	0	0	0	0	364	0	0	
-13	0	5	0	0	-144	0	364	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6350015910219	1	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	Yes	No	Yes	0	1	0

Notes: REPLACED BY C0104.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A0351 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0351: REMOTE CONTROL RADI

System Description: The RF-7800R-RC Remote Control Device provides full remote control capability for the AN/PRC-117F, AN/PRC-117G, AN/PRC-150, and the AN/PRC-152 radios. The package includes two remote control units whose modular design allows either unit to function as the Local Control Unit (LCU) or the Remote Control Unit (RCU). All radio functions controlled by the Keypad Display Unit (KDU) can also be controlled by the RCU, including Automatic Link Establishment (ALE), frequency hopping and modem selections. The system provides TX/RX voice and data and controls legacy functions using field wire, but also adds capabilities/interfaces for Ethernet and fiber optic. Allows for 3.5km of separation of radio and operator providing enhanced safety and transmission security.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,564	0
AAO (FY17)	1,456	
O/H	2,643	16
Shortfall/Excess	1,079	16

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
372	404	219	0	311	74	0	0	0	0	
331	347	219	184	301	74	0	0	0	0	
426	498	185	92	277	89	0	1,060	0	0	
54	94	-34	92	-34	15	0	1,060	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015883075	16	50%	0%	0%	50%	0%	0%	NO	NO	No	No	no	No	No	No	0	8	8

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0352 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0352: RADIO SET

The AN/VRC-114(V)1 is a SCA MULTIBAND NETWORKING VEHICULAR RADIO SYSTEM - SINGLE MOUNT (RF-300M-V150).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	225	3
AAO (FY17)	217	
O/H	686	1
Shortfall/Excess	461	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
179	16	0	0	0	26	3	1	0	0	
171	16	0	0	0	26	3	1	0	0	
338	42	76	0	0	29	0	200	0	0	
159	26	76	0	0	3	-3	199	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015892203	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	no	No	Yes	Yes	0	0	0

Notes: It was claimed that the number in theater is far being under reported in SASSY. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0357 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0357: MONITOR, PHASE

The Interim Sensor Monitoring Group is a tactical, dismounted sensor monitoring and control suite for the TRSS SoS that allows the operators to receive, decode, monitor, and report remote unattended ground sensors activity. The primary components of the Interim-SMG are an antenna subsystem, and integrated transit case assembly of networking devices and sensor communications devices as well as a sensor monitoring workstation.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	42	0
AAO (FY17)	42	
O/H	1	0
Shortfall/Excess	-41	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	6	0	9	9	0	0	0	0
9	9	6	0	9	9	0	0	0	0
0	0	1	0	0	0	0	0	0	0
-9	-9	-5	0	-9	-9	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015911110	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0375 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0375: GROUND RENEWABLE EX

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	42	9
Shortfall/Excess	42	9

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
9	16	3	1	0	4	0	0	0	0
9	16	3	1	0	4	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6117015981836	9	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	yes	No	i/p	Yes	0	9	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0377 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0377: COUNTERBOMBER

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H		8
Shortfall/Excess		8

Influences R2 Distribution



REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840015995119	8	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	8	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0425 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0425: TERMINAL, COMM, AUTOMATED, DATA MTD (M-DACT)

The M-DACT system can provide mounted commanders with a full suite of Command & Control capabilities which include messaging, mapping, overlays, route planning, navigation and situational awareness.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	185	0
Shortfall/Excess	185	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
33	11	11	0	8	5	0	117	0	0	
33	11	11	0	8	5	0	117	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015220639	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Goes to SPAWAR

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A0501 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0501: WORKSTATION, GEOSPATIAL INFO LIBR, DEPLOY (DGIL)OL-730/TSQ

The Topographic Production Capability (TPC) is the only Marine Corps' Family of Systems (FoS) that provides an integrated, independently deployed, self-contained Geospatial Information System (GIS) designed for data acquisition, manipulation, analysis, and dissemination, providing commanders and staff with Geospatial Information (GI) and Geographic Intelligence (GINT) support to all levels of the Marine Air Ground Task Force (MAGTF).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	68	0
AAO (FY17)	68	
O/H	31	2
Shortfall/Excess	-37	2

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
16	16	8	0	16	12	0	0	0	0	
16	16	8	0	16	12	0	0	0	0	
8	12	9	0	0	0	0	0	0	0	
-8	-4	1	0	-16	-12	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090004208	2	0%	0%	50%	50%	0%	0%	NO	NO	No	No	no	No	No	No	1	0	0

Notes: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0503: SERVER, GEOSPATIAL INFO LIBR, DEPLOY (DGIL) OL-731/TSQ

This is the Deployable Geospatial Intelligence Library Server.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	21	0
AAO (FY17)	21	
O/H	9	2
Shortfall/Excess	-12	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	5	2	0	4	6	0	0	0	0
4	5	2	0	4	6	0	0	0	0
2	3	2	0	0	0	0	0	0	0
-2	-2	0	0	-4	-6	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090004210	2	0%	0%	50%	50%	0%	0%	NO	NO	No	No	no	No	No	No	1	1	0

Notes: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0504 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0504: DTAMS

The Digital Terrain Analysis Mapping System (DTAMS), is a transportable subsystem of the Topographic Set. The DTAMS is housed within five rugged transport cases, each capable of two-man transport. Included within these five cases are Sun Spark workstations with CD ROM as well as high capacity hard disk drives and an 8 MM tape drive.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	71	0
AAO (FY17)	69	
O/H	35	2
Shortfall/Excess	-36	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
16	17	8	0	14	11	0	0	0	0	
15	16	8	5	14	11	0	0	0	0	
9	8	7	3	0	1	0	5	0	0	
-7	-9	-1	3	-14	-10	0	5	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675013862679	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
7010090004207	2	0%	0%	50%	50%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	1

Notes: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	100%	0%	0%

A0652 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0652: CONVERTER SET, FIBER OPTIC

The Converter Set, Fiber Optic, AN/GSC-54 when used with a Tactical Fiber Optic Cable Assembly (TFOCA), forms a part of the Fiber Optic Cable System (FOCS). The FOCS provides a full duplex fiber optic transmission link between a compatible pair of TRI-TAC equipment. The AN/GSC-54 and the FOCA configuration provides an optical communication link for up to 6 kilometers in length, operating at group data rates ranging from 72 kilobits per second to 4,608 kilobits per second.



TFSMS (OCT 2013)

MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	299	0
Shortfall/Excess	299	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
67	34	40	0	64	0	0	0	94	0
67	34	40	0	64	0	0	0	94	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6020012372218	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A0806 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0806: SAT TERMINAL, MULTIBAND, LTWT (LMST) MAXI-HUB

The Lightweight Multi-Band Satellite Terminal, AN/USC-65(V), is a SHF tri-band SATCOM system that can be used as either the hub or spoke terminal in a SATCOM network. A0806 is (V) 1; A0807 is (V) 2.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	13	0
AAO (FY17)	13	
O/H	11	0
Shortfall/Excess	-2	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	2	0	3	2	0	0	0	0	
3	3	2	0	3	2	0	0	0	0	
2	3	1	0	1	2	0	2	0	0	
-1	0	-1	0	-2	0	0	2	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014959105	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: Priority Item for LTI in theater before leaving theater. Commercial Depot is located at Harris Corporation in Melbourne, FL. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. DO NOT SEPARATE transit cases, ship together. If one transit is missing the weapon system will be non mission capable. A0806 (V)1 = 5 Transit Cases.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	912	3.6

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0807 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0807: SAT TERMINAL, MULTIBAND LTWT (LMST) MINI HUB

The Lightweight Multi-Band Satellite Terminal, AN/USC-65(V), is a SHF tri-band SATCOM system that can be used as either the hub or spoke terminal in a SATCOM network. A0806 is (V) 1; A0807 is (V) 2.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	37	0
AAO (FY17)	37	
O/H	28	0
Shortfall/Excess	-9	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	8	8	0	8	5	0	0	0	0	
8	8	8	0	8	5	0	0	0	0	
7	5	5	0	1	4	0	6	0	0	
-1	-3	-3	0	-7	-1	0	6	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014959106	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: Priority Item for LTI in theater before leaving theater. Commercial Depot is located at Harris Corporation in Melbourne, FL. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. DO NOT SEPARATE transit cases, ship together. If one transit is missing the weapon system will be non mission capable. A0807 (V)2 = 4 Transit Cases

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	114	0	3.5

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A0808 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0808: SURVEY SYSTEM, NAVIGATION

The Navigation System, AN/GSN-14, is a man packable system designed to obtain terrain data easily in an unknown area.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	20	0
AAO (FY17)	20	
O/H	0	0
Shortfall/Excess	-20	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	4	4	0	4	3	0	0	0	0
5	4	4	0	4	3	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-5	-4	-4	0	-4	-3	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675014677441	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Need confirmation that this item will be DRMO'd. Highly pilferable - should not go down the GLOC. Do not send to MEF without being SL-3 complete.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	45	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0819 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0819: GLOBAL COMMAND AND CONTROL SYSTEM (GCCS)

The Global Command and Control System establishes a joint Command, Control, Communication, Computing, and Intelligence Surveillance Reconnaissance system to provide total battle space information to the warrior. It is a distributed client-server based architecture that incorporates a Common Operating Environment infrastructure with interfaces that support the hosting and execution of heterogeneous applications.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	246	0
AAO (FY17)	249	
O/H	115	0
Shortfall/Excess	-131	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
40	44	24	0	24	78	0	0	0	0	
41	44	24	0	26	78	0	0	0	0	
27	18	25	0	14	29	0	2	0	0	
-13	-26	1	0	-10	-49	0	2	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090004281	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: This equipment should reside on the Using Units Consolidated Memorandum Receipt (CMR), each unit should have their own equipment. No reset because there is a scheduled refresh in FY12. Harddrives may be classified and should be removed before transport.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	26	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A0872 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0872: SERVER, INTEL OPS(IOUS-OPS)

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data. The first tier, the Marine Expeditionary Force IAS (MEF IAS), is a mobile system that supports the MEF Command Element. The second tier, the Intelligence Operations Server (IOSv2), is a team portable system designed to support the Intelligence Operations of the Major Subordinate Commands (MSC). The third tier, the Intelligence Operations Workstation (IOW), serves as the Intelligence link for the battalion and squadron commands to higher headquarters or as a stand-alone system.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	325	0
AAO (FY17)	324	
O/H	220	2
Shortfall/Excess	-105	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
47	44	39	0	17	161	0	0	0	0
47	43	39	5	17	161	0	0	0	0
61	49	57	0	14	26	0	11	0	0
14	5	18	0	-3	-135	0	11	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014824470	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
5895015711777	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
5895090004283	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
7010015711777	2	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	yes	No	No	0	0	2

Notes: This equipment should reside on the Using Units Consolidated Memorandum Receipt (CMR), each unit should have their own equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A0873 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0873: AN/UYQ-91A(V)2

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	31	0
AAO (FY17)	31	
O/H	112	1
Shortfall/Excess	81	1

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	5	8	0	2	10	0	0	0	0	
5	5	8	1	2	10	0	0	0	0	
11	30	27	8	11	10	0	14	0	0	
6	25	19	8	9	0	0	14	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014824634	0	0%	0%	50%	50%	0%	0%	NO	NO	No	No	no	No	Yes	No	0	0	0
5895090004191	0	0%	0%	50%	50%	0%	0%	NO	NO	No	No	no	No	Yes	No	0	0	0
5895090004424	1	0%	0%	50%	50%	0%	0%	NO	NO	No	No	no	No	Yes	No	0	0	0

Notes: Maintenance done by CLS through the MEFs. Water may damage system electronics. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and preventative maintenance assessment. Provide systems to CLS for all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0874 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0874: AN/UYQ-88(V)2

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,814	0
AAO (FY17)	1,938	
O/H	1,850	131
Shortfall/Excess	36	131

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
387	401	237	0	205	410	0	0	0	0	
443	424	265	131	232	410	0	0	0	0	
352	408	196	61	166	444	0	92	0	0	
-35	7	-41	61	-39	34	0	92	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015806326	11	0%	0%	50%	50%	0%	0%	NO	NO	No	No	no	yes	No	No	5	1	0
7010090004323	120	0%	0%	50%	50%	0%	0%	NO	NO	No	No	no	yes	No	No	50	10	0

Notes: This systems has received a complete technology refresh in the last year and all units have been fielded their AAO. Any mission capable systems will be returned to Engineering Support Activity for re-distribution. Water may damage system electronics. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and preventative maintenance assessment. Provide systems to CLS for all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0.1

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0878 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0878: EXPLOITATION WORKSTATION

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	32	0
AAO (FY17)	32	
O/H	13	0
Shortfall/Excess	-19	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	8	8	0	0	8	0	0	0	0	
8	8	8	0	0	8	0	0	0	0	
0	0	8	0	0	0	0	5	0	0	
-8	-8	0	0	0	-8	0	5	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090000310	0	0%	0%	50%	50%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0
5895090004451	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Depot level maintenance will be done at SPAWAR through the MEFs. The NSN ending in 4451 is obsolete and should be DRMO'd. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	100%	0%	0%

A0879 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0879: EXPLOITATION GROUP, TACTICAL, MAIN (TEG-M)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



Representative Picture

TFSMS (OCT 2013)

MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	4	0
AAO (FY17)	4	
O/H	2	0
Shortfall/Excess	-2	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1	1	1	0	0	1	0	0	0	0	
1	1	1	0	0	1	0	0	0	0	
1	0	1	0	0	0	0	0	0	0	
0	-1	0	0	0	-1	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015774129	0	0%	0%	50%	50%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and fill

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	217591	18.9

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0880 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0880: AN/UPX-37 INTERROGATOR SET

The Interrogator, Digital, AN/UPX-37 Identification Friend or Foe (IFF) Interrogator has replaced the AN/UPX-27 IFF Interrogators. It will be used for Mark XII and Next Generation IFF processing including Mode S and Mode 5. Its modular/digital architecture affords customized configurations and performance optimization for most applications including Air Defense, Weapon Systems, Air Traffic Control and Range Instrumentation. Digital target reports can be provided in addition to wide band video for subsequent passive/active decoding.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	48	0
AAO (FY17)	48	
O/H	35	4
Shortfall/Excess	-13	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	7	0	8	13	0	0	0	0
10	10	7	0	8	13	0	0	0	0
4	3	5	0	6	12	0	1	0	0
-6	-7	-2	0	-2	-1	0	1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014605448	4	0%	75%	0%	25%	0%	0%	NO	NO	No	No	yes	No	No	No	1	3	0

Notes: MEF will control and will get support from Tobyhanna Army Depot if necessary. Unit normally remains in environmentally controlled shelter. USN/PMA 213 is Program Manager for the UPX-37 Interrogator.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0882 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0882: JT TACT INFO DISTR SYS (JTIDS)

The Class 2 JTIDS radio terminal is a multi-microprocessor controlled system combining radio, modem, message processor, and message switching system. The JTIDS terminal operates between 960 and 1215 MHz, frequency hopping 77,000 times per second. The JTIDS employs direct sequence frequency spreading as a further anti-jamming measure. The terminal is capable of data transfer at a rate of 115,000 bps and transmit power of 200 watts.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	18	0
AAO (FY17)	18	
O/H	24	2
Shortfall/Excess	6	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	2	0	3	7	0	0	0	0	
3	3	2	0	3	7	0	0	0	0	
3	2	2	0	3	11	0	1	0	0	
0	-1	0	0	0	4	0	1	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014421073	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	1	0

Notes: Return item to owning unit but take out of service until maintenance is completed. Item must be put through maintenance before placing into service at owning unit. Cannot be DRMO'd in theater. DO NOT POWER WASH. Item contains sensitive electronics, radios, computers, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MEF**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0892 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0892: FASCIMILE SET, BLACKJACK

The Blackjack Facsimile Set, AN/UXC-10 is a self-contained, portable, rugged tactical multifunctional system for use in harsh field environments. It withstands the toughest military applications, allowing installation in tracked and wheeled vehicles, aircraft and ships. AN/UXC-10 receives/sends data at 64 kbps-transmission rate and provides photographic quality imagery far superior to typical half tones dithered technology. The AN/UXC-10 is a North Atlantic Treaty Organization/Military standard digital facsimile, scanner, printer, and copier.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	82	0
AAO (FY17)	0	
O/H	204	0
Shortfall/Excess	122	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
25	23	15	0	16	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
29	30	20	0	11	0	0	113	1	0	
4	7	5	0	-5	0	0	113	1	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5815014787095	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A0905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0905: DIGITAL IMAGING SET

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	240	0
AAO (FY17)	224	
O/H	304	1
Shortfall/Excess	64	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
35	36	31	0	56	34	0	0	0	0	
30	29	28	48	55	34	0	0	0	0	
30	40	24	80	62	39	0	28	0	0	
-5	4	-7	80	6	5	0	28	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014200425	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
6760090004316	1	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	100%	0%	0%	0%

A0907 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0907: DIGITAL CAMERA SUITE ADV NV

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	445	0
AAO (FY17)	387	
O/H	308	1
Shortfall/Excess	-137	1

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
93	93	69	0	119	23	0	0	0	0	
74	67	60	48	115	23	0	0	0	0	
48	72	3	79	97	4	0	4	0	0	
-45	-21	-66	79	-22	-19	0	4	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6760090004309	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is currently in its refresh cycle, therefore if any are returned non mission capable, they should be Demil'd and DRMO'd. There is no requirement to return the obsolete gear back to the unit. When the unit returns to their home station, they will receive their refreshed equipment. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	100%	0%	0%	0%

A0908 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0908: PRODUCTION SUITE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	111	0
AAO (FY17)	101	
O/H	275	0
Shortfall/Excess	164	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
21	21	15	0	26	7	0	0	0	0	
18	16	14	21	25	7	0	0	0	0	
60	27	16	102	45	7	0	18	0	0	
39	6	1	102	19	0	0	18	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6760090004315	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	100%	0%	0%	0%

A0909 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0909: COMPUTER SYSTEM, DIG

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	467	0
AAO (FY17)	409	
O/H	574	7
Shortfall/Excess	107	7

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
93	93	69	0	119	45	0	0	0	0	
74	67	60	48	115	45	0	0	0	0	
113	140	20	77	138	38	0	41	0	0	
20	47	-49	77	19	-7	0	41	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090004314	7	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	100%	0%	0%	0%

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

A0910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0910: BASE STATION WS/COMM INTERFACE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	236	0
AAO (FY17)	215	
O/H	207	1
Shortfall/Excess	-29	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
49	47	34	0	58	27	0	0	0	0	
42	38	30	21	57	27	0	0	0	0	
34	27	10	73	33	25	0	4	0	0	
-15	-20	-24	73	-25	-2	0	4	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090004307	1	0%	0%	100%	0%	0%	0%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	100%	0%

A0921 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0921: TELECOMMUNICATIONS EQUIP, AN/TSQ-226(V)1 (TROJAN LITE)

The Trojan Lite is a man-transportable transit case providing a flyaway intelligence dissemination capability and voice and data connectivity from Marine Expeditionary Units or Brigades to the Marine Expeditionary Forces.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	31	0
AAO (FY17)	31	
O/H	23	3
Shortfall/Excess	-8	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	9	7	0	1	5	0	0	0	0	
9	9	7	0	1	5	0	0	0	0	
8	6	5	0	0	1	0	0	0	0	
-1	-3	-2	0	-1	-4	0	0	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015036100	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	3	0	0

Notes: Depot level maintenance is performed at regional depots, and, if necessary, will be sent via MCLC. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory, notify PG-12/PMM123 for maintenance, a

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	1.1

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A0932 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0932: INTELLIGENCE/OPERATIONS WORKSTATION AN/UYQ88

This workstation consists of the following:

1. Designated UNIX server is the Intelligence Operations Server Version 1 (IOS V1)
2. Designated Windows workstation is the Intelligence Operations Workstation Version 1 (IOW V1)



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	957	0
AAO (FY17)	993	
O/H	988	29
Shortfall/Excess	31	29

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
199	198	168	0	116	174	0	0	0	0
198	199	168	36	152	174	0	0	0	0
251	205	200	31	90	88	0	94	0	0
52	7	32	31	-26	-86	0	94	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010014600494	13	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	Yes	No	No	0	0	13
7010015753698	16	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	No	0	0	16
7010090000931	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	Yes	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A1078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1078: MULTIPLEXER

The Radio Repeater Set, AN/GRQ-32 is a sensor communications relay that enables communication between deployed sensors and monitoring sites when radio Line of Sight is precluded by terrain. This system provides the capability to transmit real-time sensor activation data to the Sensor Mobile Monitor System, the Signal Data Recorder, and the Portable Monitor; or to receive, store, and upon command from the monitoring site, re-transmit the stored sensor data.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	88	0
Shortfall/Excess	88	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
22	10	11	0	12	0	0	0	33	0
22	10	11	0	12	0	0	0	33	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820011452458	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Disposal Plan 08792A is published with disposal actions starting in 3rd quarter FY12.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A1214 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1214: PANEL, PATCHING, COMMUNICATION

The Panel, Patching, Communications, SB-4097/U, is designed for field use with the 26-pair system to provide patching, monitoring, and testing of up to 156 each two-wire circuits.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	12	0
Shortfall/Excess	12	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
6	0	2	0	1	3	0	0	0	0	
6	0	2	0	1	3	0	0	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895011022100	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Disposal Plan 08229A is published with disposal actions starting in 4th quarter FY12.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	34	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A1220 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1220: RADIO RECON EQUIPMENT, S

The RREP SS-3 consists of the following key components: a Special Purpose Receiver, XR2000, AR-8200, MJ-08 and HIDRAH. Additionally the SS-3 has semi rugged laptop computers for control and communication, and a series of wiring harnesses for LAN and power connectivity.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	42	0
AAO (FY17)	42	
O/H	34	2
Shortfall/Excess	-8	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	6	8	0	0	1	0	0	0	0
9	6	8	18	0	1	0	0	0	0
7	5	6	14	0	0	0	0	0	0
-2	-1	-2	14	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015249479	2	0%	0%	30%	70%	0%	0%	NO	NO	No	No	no	Yes	No	No	1	0	0

Notes: Depot level maintenance will occur at NSWC Crane, send these items to MCLC so maintenance can be coordinated with the OEM. DO NOT POWER WASH. Item contains sensitive electronics, radios, computers, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of supply support needed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A1221 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1221: MONITOR, PORTABLE, HAND HELD, AN/USQ-121

Tactical Remote Sensor Systems (TRSS) are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area. At a minimum, TRSS is capable of detecting human activity and/or the presence and movement of vehicles, providing real time, near-real time, or non-real time monitoring of sensors ashore and/or over the horizon. Monitoring equipment is lightweight and mobile to support fast-moving amphibious and expeditionary operations. Individual sensors can be emplaced by air or ground forces. Sensors and relays have sufficient power sources to operate continuously for 30 days.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	126	0
AAO (FY17)	126	
O/H	114	0
Shortfall/Excess	-12	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	2	0	0	0	0
0	0	0	0	0	2	0	0	0	0
33	45	21	0	8	5	0	2	0	0
33	45	21	0	8	3	0	2	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7035015218607	0	0%	0%	0%	70%	30%	0%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment, otherwise send to LOGCOM for repair or disposal. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A1225 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1225: NETWORK MANAGER, EPLRS

Tactical Data Radio Systems (TDRS) Enhanced Position Location Reporting System Network Manager (ENM) is a software program capable of running on virtually any Pentium computer. The EPLRS Project Office has opted to acquire and field this software aboard a suite of equipment based upon the MCHS ruggedized Panasonic Tough Book model 28/29 laptop computer. The suite also includes a printer, sheet feeder, GPIB, and assorted other accessories all housed for transport in a single high impact plastic transit suitcase.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	165	0
AAO (FY17)	161	
O/H	125	0
Shortfall/Excess	-40	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
40	34	20	0	24	47	0	0	0	0	
40	30	20	0	24	47	0	0	0	0	
20	34	22	0	18	29	0	2	0	0	
-20	0	2	0	-6	-18	0	2	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090002382	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Use no water. Clean computers and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A1260 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1260: NAVIGATION SET, SATELLITE SIGNALS, AN/PSN-13 DAGR

The Navigation Set, Satellite Signals is commonly called the Precision Lightweight Global Positioning System (PLGR). PLGR is a highly accurate, durable, miniaturized receiver that provides position location information as well as other navigation functions.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	11,955	224
AAO (FY17)	11,632	
O/H	16,494	177
Shortfall/Excess	4,539	-47

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3,181	2,726	1,412	0	2,546	1,052	224	70	192	25	
3,067	2,458	1,442	3,080	2,575	1,052	224	70	192	25	
2,867	2,593	1,320	2,286	1,496	1,347	0	4,263	140	5	
-314	-133	-92	2,286	-1,050	295	-224	4,193	-52	-20	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5825013953513	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	yes	Yes	Yes	No	0	0	0
5825015168038	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	0	0
5825015264783	177	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	133	44

Notes: Rockwell Collins performs repairs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. All information for identified TAMCN A1260 is DAGR; PLGR is obsolete. Must be zeroized IAW TM 09880C-OR. Pack individually IAW MILSTD to avoid damage.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

A1500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1500: RADAR SET, AN/TPS-63B

The AN/TPS-63 is a two dimensional, medium range, medium altitude, transportable air surveillance radar system that supports the MAGTF. The AN/TPS-63B Radar complements the co-employed AN/TPS-59(V)3 Long Range Radar



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	13	0
AAO (FY17)	13	
O/H	13	1
Shortfall/Excess	0	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	2	2	0	2	3	0	2	0	0	
2	2	2	0	2	3	0	2	0	0	
1	1	1	0	1	3	0	5	0	0	
-1	-1	-1	0	-1	0	0	3	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840013550092	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	1	0

Notes: Item will be updated at the MEF. The AN/TPS-63 Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A1503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1503: RADAR, AN/TPS-59(V3)

The AN/TPS-59(V)3 RADAR system is the Marine Corps' only long-range, 3-D, air surveillance, Tactical Ballistic Missile (TBM) capable RADAR. The AN/TPS-59(V)3 RADAR system is a transportable, solid-state, L band RADAR.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	11	0
AAO (FY17)	11	
O/H	10	1
Shortfall/Excess	-1	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	2	2	0	2	2	0	1	0	0	
2	2	2	0	2	2	0	1	0	0	
2	2	2	0	1	2	0	0	0	0	
0	0	0	0	-1	0	0	-1	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840014129653	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0
5840015840224	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	YES	No	no	no	0	1	0

Notes: Rotation plan is: two years deployed and then go through LOGCOM to Tobyhanna Army Depot. The AN/TPS-59 Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna Transiever Group or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A1520 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1520: COMMON GROUND STATION (CGS)

Radar System Attack Target JT, AN/TSQ-179B(V)2



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	4	0
AAO (FY17)	4	
O/H	4	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1	1	1	0	1	0	0	0	0	0	
1	1	1	0	1	0	0	0	0	0	
2	1	1	0	0	0	0	0	0	0	
1	0	0	0	-1	0	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865014374914	0	0%	0%	50%	50%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Depot maintenance is performed at Tobyhanna Army Depot. DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. The system will be secured and should not be opened. Use compressed air and a vacuum to dust and clean any exterior areas. Damp rags may be used to wipe exterior areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, Tobyhanna Army Depot needs to complete a detailed inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic depot level maintenance required.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1081	4.7

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	0%

A1818 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1818: RADIO SET

The AN/GRC-171B(V)4 is a UHF transceiver designed for ground mobile or shipboard installation and operations. This radio set is a modular design which contains Built-In-Test features and has an integral guard receiver.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	127	0
AAO (FY17)	127	
O/H	222	1
Shortfall/Excess	95	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
17	17	15	0	17	61	0	0	0	0
17	17	15	0	17	61	0	0	0	0
26	18	17	0	15	71	0	74	0	0
9	1	2	0	-2	10	0	74	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820013268947	1	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	1	0

Notes: DO NOT POWER WASH. Radio contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A1956 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1956: KIT, MAINT, ELECTRONIC EQUIPMENT

The Mk-2713/MRC-142 is a module/CCA set for fault isolation of Radio Set AN/MRC-142 to the lowest repairable unit.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	31	0
Shortfall/Excess	31	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
5	4	3	0	1	1	0	17	0	0
5	4	3	0	1	1	0	17	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895013649337	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Depot maintenance is done at SPAWAR, Charleston via the MEFs. Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A1957 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1957: RADIO SET

The AN/MRC-145A is an AN/VRC-92D Radio Set mounted in a 1/4 ton HMMWV, M998. It provides two-way FM transmitting and receiving facilities in the very high frequency band.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	1,450	0
AAO (FY17)	1,141	
O/H	1,218	1
Shortfall/Excess	-232	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
373	326	193	0	304	55	0	0	196	0	
334	270	193	0	286	55	0	0	0	0	
293	287	165	0	220	68	0	24	160	0	
-80	-39	-28	0	-84	13	0	24	-36	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820013618536	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	1	0	0
5820014318931	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: This is not a system that is currently being actively fielded, all dispositions are the responsibility of the LOGCOM Materiel Manager. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	3.8

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A1958 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1958: KIT, MAINT, ELECTRONIC EQUIPMENT

The MK-2745/MRC-142 is used to assist in isolating failures with in the Radio Set, AN/MRC-142.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	31	0
Shortfall/Excess	31	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
6	2	5	0	2	1	0	15	0	0	
6	2	5	0	2	1	0	15	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895013695560	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Depot maintenance is done at SPAWAR, Charleston via the MEFs. Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A2042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2042: RADIO SET, HIGH FREQUENCY, MANPACK, AN/PRC-150

The AN/PRC-150 provides half duplex HF and VHF tactical radio communications. It provides voice or data (using a modem) through Single Sideband modulation selectable for either USB or LSB.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	84	2
AAO (FY17)	79	
O/H	6,447	74
Shortfall/Excess	6,363	72

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
14	14	4	0	9	14	2	8	18	1	
13	10	4	358	9	14	2	8	18	1	
1,264	1,124	675	468	850	676	0	1,054	262	0	
1,250	1,110	671	468	841	662	-2	1,046	244	-1	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014787615	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0
5820014923628	74	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	Yes	0	0	74

Notes: NSN 5820-01-478-7615 is obsolete and should not contain crypto so can be DRMO'd in theater. Other NSNs DO contain crypto. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A2043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2043: RADIO SET, MULTIBAND (URBAN) AN/PRC-148V2

The Tactical Handheld Radio, AN/PRC-148, is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz frequency spectrum.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	84	0
AAO (FY17)	84	
O/H	5,996	0
Shortfall/Excess	5,912	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
42	21	0	0	21	0	0	0	0	0	
42	21	0	0	21	0	0	0	0	0	
1,590	1,822	792	27	854	630	0	281	0	0	
1,548	1,801	792	27	833	630	0	281	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810090000353	0	0%	0%	0%	100%	0%	0%	NO	NO	UNK	No	no	No	No	No	0	0	0
5820014601605	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2044: RADIO SET, MULTIBAND (MARITIME) AN/PRC-148

The Tactical Handheld Radio, AN/PRC-148, is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz frequency spectrum.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	4,344	0
AAO (FY17)	4,067	
O/H	4,564	0
Shortfall/Excess	220	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
585	561	389	0	755	117	0	0	0	0	
484	460	314	1,937	755	117	0	0	0	0	
751	679	439	2,364	243	70	0	18	0	0	
166	118	50	2,364	-512	-47	0	18	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810090000354	0	0%	0%	0%	100%	0%	0%	NO	NO	EDA	Yes	no	No	No	No	0	0	0
5820015729367	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	0%

A2065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2065: RADIO SET, F/LVTC7

The Radio Set AN/PRC-104 and AN/PRC-104B(V) are lightweight portable HF/SSB transceivers. Each Radio Set has adaptable configurations and is man-portable, vehicular and airborne.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	731	0
Shortfall/Excess	731	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
1	0	0	0	7	0	0	723	0	0	
1	0	0	0	7	0	0	723	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820010279071	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	Yes	0	0	0

Notes: Follow in accordance to the Disposal Plan.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A2068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2068: RADIO SET, MULTIBAND, FALCON II, AN/PRC-117F

The AN/PRC-117F(V)1(C) is an advanced multi-band multi-mission manpack radio set, which provides reliable tactical communications through U.S. Government Type I encryption for enhanced secure voice (COMSEC, TRANSEC), high-speed data, ECCM and is SATCOM capable.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,011	4
AAO (FY17)	948	
O/H	8,693	329
Shortfall/Excess	7,682	325

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
234	214	113	0	259	110	4	16	36	2	
212	178	112	522	255	110	4	16	36	2	
2,350	2,139	1,388	426	909	756	0	171	224	1	
2,116	1,925	1,275	426	650	646	-4	155	188	-1	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014622484	329	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	329	0

Notes: Recommendation is to back fill the units that have an AAO deficiency, with current back order resident in WOLPH. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2070: RADIO SET, MANPACK, AN/PRC-119A

The Radio Set, AN/PRC-119A, operates as a ground based manpack radio for tactical communication of voice-frequency FSK or digital data. Communication can be secured and/or frequency hopped for COMSEC or ECCM purposes.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	2,261	0
Shortfall/Excess	2,261	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
385	594	210	0	549	300	0	143	80	0
385	594	210	0	549	300	0	143	80	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012679482	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Although this item is listed as obsolete, a number are being brought home and converted to A2079. For those in unserviceable condition, DRMO in theater. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A2073 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2073: RADIO SET

The Radio Set, Manpack, AN/PRC-119D operates as a ground-based manpack radio for tactical communication of voice frequency, Frequency Shift Keying (FSK), or digital data. Communication can be secured and/or frequencyhopped for Communications Security (COMSEC) or Electronic Counter-Countermeasures (ECCM) purposes. The AN/PRC-119D incorporated the technological advances of the RT-1523C(C)/U to support enhanced transmission and reception of synchronous and asynchronous data. RT-1523C(C)/U has a internal mounted options for a Global Positioning System (GPS) receiver and a Network Access Unit (NAU).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	215	0
Shortfall/Excess	215	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
57	30	52	0	9	64	0	3	0	0
57	30	52	0	9	64	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014210801	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Item is listed as obsolete. For those in theater, send to MCLC in order to be DRMOed. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A2074 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2074: RADIO SET, VEH

The Radio Set, AN/VRC-88D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	96	0
Shortfall/Excess	96	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
33	17	5	0	23	1	0	17	0	0	
33	17	5	0	23	1	0	17	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820013521694	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Item is listed as obsolete, but is still used in the ambulances. Item is considered CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A2075 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2075: RADIO SET, VEH

The Radio Set, AN/VRC-89D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,327	54
AAO (FY17)	1,146	
O/H	319	0
Shortfall/Excess	-1,008	-54

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
259	247	85	0	197	160	54	83	226	16	
164	153	85	0	205	160	54	83	226	16	
54	23	15	0	33	97	0	85	12	0	
-205	-224	-70	0	-164	-63	-54	2	-214	-16	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014206619	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	No	No	0	0	0

Notes: Item is listed as obsolete, but is still used in Tanks, AAVs, and LAVs, and will be returned to the MEFs. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A2077 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2077: RADIO SET, VEHICULAR

The Radio Set, AN/VCR-91D, is a basic set which requires operating components that are part of a requisite installation kit platform.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	145	15
AAO (FY17)	145	
O/H	141	0
Shortfall/Excess	-4	-15

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
60	60	0	0	0	8	15	2	0	0	
60	60	0	0	0	8	15	2	0	0	
6	46	8	0	2	5	0	74	0	0	
-54	-14	8	0	2	-3	-15	72	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014206621	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A2078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2078: RADIO SET, VEHICULAR

The Radio Set, AN/VRC-92D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	14	0
AAO (FY17)	14	
O/H	381	12
Shortfall/Excess	367	12

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	6	0	0	0	0	0	2	0	0	
6	6	0	0	0	0	0	2	0	0	
84	94	47	0	56	10	0	71	7	0	
78	88	47	0	56	10	0	69	7	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014212605	12	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	No	No	0	12	0

Notes: Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A2079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2079: RADIO SET, MANPACK



The Radio Set, Manpack, AN/PRC-119F operates as a ground-based manpack radio for tactical communication of voice frequency, Frequency Shift Keying (FSK), or digital data. Communication can be secured and/or frequencyhopped for Communications Security (COMSEC) or Electronic Counter-Countermeasures (ECCM) purposes. The AN/PRC-119F incorporated the technological advances of the RT-1523E(C)/U to support enhanced transmission and reception of synchronous and asynchronous data. RT-1523E(C)/U improvements include substantial decrease in physical size and weight, an embedded battery box for manpack operation, extended battery life and internal mounted options for a Global Positioning System (GPS) receiver and a Network Access Unit (NAU).

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	28	0
AAO (FY17)	28	
O/H	3,970	4
Shortfall/Excess	3,942	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	6	6	0	5	1	0	2	0	0	
8	6	6	0	5	1	0	2	0	0	
1,107	1,048	408	0	842	561	0	0	0	0	
1,099	1,042	402	0	837	560	0	-2	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014518252	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	4	0

Notes: Recommendation is to back fill the units. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit need to complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2152: RADIO SET, EPLRS AN/VSQ2C

The Enhanced Position Location Reporting System is a digital transmission system that provides the digital RF backbone necessary for the movement of information between MAGTF C4I Tactical Data Systems, such as the Tactical Data Network.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	100	0
AAO (FY17)	100	
O/H	1,841	0
Shortfall/Excess	1,741	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
44	24	6	0	23	1	0	2	0	0	
44	24	6	0	23	1	0	2	0	0	
600	515	231	0	274	200	0	18	3	0	
556	491	225	0	251	199	0	16	3	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014628411	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2167 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2167: RADIO SET, VEH

The Radio Set, AN/VRC-88A, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	129	0
Shortfall/Excess	129	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
31	7	21	0	46	10	0	14	0	0
31	7	21	0	46	10	0	14	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012679481	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Item is obsolete and disposal plan is in place, however, item may be able to be cannibalized in CONUS if serviceable. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A2168 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2168: RADIO SET, VEH

The Radio Set, AN/VRC-89A, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,384	51
AAO (FY17)	1,200	
O/H	273	0
Shortfall/Excess	-1,111	-51

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
278	262	84	0	214	158	51	87	232	17	
181	170	84	0	218	158	51	87	232	18	
121	18	81	0	13	12	0	28	0	0	
-157	-244	-3	0	-201	-146	-51	-59	-232	-17	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012679479	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A2169 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2169: RADIO SET, VEHICULAR

The Radio Set, AN/VCR-90A, is a basic set which requires operating components that are part of a requisite installation kit platform. It operates a long-range/short-range vehicular radio for tactical communication of voice-frequency FSK or digital data.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	114	0
AAO (FY17)	114	
O/H	267	2
Shortfall/Excess	153	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
30	25	5	0	22	7	0	8	14	2	
29	25	5	0	22	7	0	8	14	3	
51	39	28	0	30	29	0	26	56	6	
21	14	23	0	8	22	0	18	42	4	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012685105	2	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	2

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A2171 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2171: RADIO SET, VEH

The Radio Set, AN/VRC-92A is the dual long-range vehicular configuration of the Integrated Communications Single Channel Ground to Air Radio System. Features of this radio include controllable output power with a maximum of 50 watts, 8 non-volatile present single channels, 6 non-volatile frequency hopping preset channels, and operates over the 30 to 87.975 MHz frequency range in 25 kHz channels (2,320 total channels).



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	26	0
Shortfall/Excess	26	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
1	1	0	0	16	1	0	7	0	0	
1	1	0	0	16	1	0	7	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012679477	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A2179 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2179: TERMINAL, RADIO, TROPOSCATTER, DIGITAL

The AN/TRC-170 is a transportable, self-enclosed troposcatter terminal (multichannel) capable of transmitting and receiving digital signals over varying distances.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	147	0
AAO (FY17)	147	
O/H	148	0
Shortfall/Excess	1	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
28	28	24	0	28	6	0	9	24	0	
28	28	24	0	28	6	0	9	24	0	
27	27	24	0	19	14	0	13	24	0	
-1	-1	0	0	-9	8	0	4	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015602957	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	119	0	6.6

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A2293 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2293: SHELTER, RIGID WALL, MODULAR, EXTENDABLE

Two Modular Extendable Rigid Wall Shelter (MERWS) complexes; each consisting of a MERWS kit attached to an S-786/G ISO 3:1 shelter of the Army Standard Family of expandable rigid wall shelters.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	8	0
AAO (FY17)	8	
O/H	16	0
Shortfall/Excess	8	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	2	2	0	2	0	0	0	0	0	
2	2	2	0	2	0	0	0	0	0	
2	5	2	0	2	0	0	5	0	0	
0	3	0	0	0	0	0	5	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013129084	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Power washing may be completed on the inside and outside of this item. Care should be taken around power outlets and wiring to prevent damage. Unservicable outlets will be replaced during rebuild as well as the wiring. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A2300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2300: RADIO REPEATER SET

Tactical Remote Sensor Systems (TRSS) are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area. At a minimum, TRSS is capable of detecting human activity and/or the presence and movement of vehicles, providing real time, near-real time, or non-real time monitoring of sensors ashore and/or over the horizon. Monitoring equipment is lightweight and mobile to support fast-moving amphibious and expeditionary operations. Individual sensors can be employed by air or ground forces. Sensors and relays have sufficient power sources to operate continuously for 30 days. TRSS is employed by the Marine Corps Ground Sensor Platoon.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	555	0
AAO (FY17)	555	
O/H	445	0
Shortfall/Excess	-110	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
144	144	64	0	144	59	0	0	0	0	
144	144	64	0	144	59	0	0	0	0	
166	137	72	0	21	21	0	28	0	0	
22	-7	8	0	-123	-38	0	28	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014863797	0	0%	0%	0%	45%	55%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2306 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2306: SENSOR SYSTEM, MONITOR, MOBILE

The SMMS is a Tactical Remote Sensor System consisting of an AN/USQ-126 Sensor Monitor System (SMS) mounted on a High Mobility Multi-purpose Wheeled Vehicle and a skid-mounted generator towed on a trailer.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	21	0
Shortfall/Excess	21	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
4	4	0	0	2	1	0	10	0	0	
4	4	0	0	2	1	0	10	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6350013821826	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	Yes	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. Else, the gear should be sent to LOGCOM for repair or disposal. The exterior of the vehicle can be powerwashed, but the electronic gear within the shelter should NOT be agriculturally washed. Should the electronic equipment within the TAMCN be powerwashed it would be ruined beyond economical repair and would have to be reprocured. Recommend no local nationals transport this gear as it contains equipment that is considered highly pilferable.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.2

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	0%

A2333 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2333: SHELTER, TACTICAL, EXPANDABLE, TWO-SIDED

The S-786/G Two-Sided Expandable Tactical Shelter is a self-contained transportable multi-application utility shelter. As a member of family of standard rigid wall International Standard Organization (ISO) shelters, it is equipped with standard ISO fittings. It is also equipped with mobilizer fittings (for mobilizer transportation) and built-in fork lift provisions. It is designed for all weather operation, and has an environmentally controlled interior, rigid wall construction, and external electrical power connection. Its design incorporates a door activated blackout switch to facilitate operation under blackout conditions.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	24	0
AAO (FY17)	24	
O/H	37	8
Shortfall/Excess	13	8

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	6	0	6	0	0	0	0	0
6	6	6	0	6	0	0	0	0	0
6	3	4	0	5	7	0	4	0	0
0	-3	-2	0	-1	7	0	4	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411012949866	8	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	8	0

Notes: Power washing may be completed on the inside and outside of this item. Care should be taken around power outlets and wiring to prevent damage. Unservicable outlets will be replaced during rebuild as well as the wiring. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D
---	--

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	2.8

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A2335 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2335: SHELTER, 10FT, EMI, MAINT COMPLEX

The Non-expandable, 10 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	237	0
AAO (FY17)	244	
O/H	297	8
Shortfall/Excess	60	8

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
55	46	49	0	42	0	0	11	24	3	
53	52	41	7	42	0	0	11	24	14	
65	58	47	0	39	1	0	52	27	0	
10	12	-2	0	-3	1	0	41	3	-3	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013046122	8	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	8	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A2336 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2336: SHELTER, 20FT, EMI, MAINT COMPLEX

The Non-expandable, 20 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	56	0
AAO (FY17)	64	
O/H	206	4
Shortfall/Excess	150	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
20	12	12	0	12	0	0	0	0	0	
20	20	12	0	12	0	0	0	0	0	
35	35	34	0	16	2	0	45	33	2	
15	23	22	0	4	2	0	45	33	2	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013046121	4	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	4	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.9

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A2337 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2337: SHELTER, 20FT, RIGID, MAINT COMPLEX

The Non-expandable, 20 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	191	1
AAO (FY17)	197	
O/H	231	11
Shortfall/Excess	40	10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
50	45	33	0	37	0	1	8	14	2	
50	50	30	1	37	0	0	8	14	7	
56	39	31	0	35	0	0	41	18	0	
6	-6	-2	0	-2	0	-1	33	4	-2	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013057366	11	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	11	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.9

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A2338 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2338: SHELTER, 10FT, RIGID, MAINT COMPLEX

The Non-expandable, 10 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	197	10
AAO (FY17)	192	
O/H	251	12
Shortfall/Excess	54	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
47	52	41	0	40	0	10	5	0	0	
49	49	37	2	40	0	10	5	0	0	
69	55	37	2	33	1	0	42	0	0	
22	3	-4	2	-7	1	-10	37	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013046123	12	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	12	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A2390 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2390: FACILITY, ANTI-AIR WARFARE, SECTOR

The SAAWF provides a work site for the Sector Air Defense Coordinator to manage the execution of the air defense plan in his assigned sector. The SAAWF consists of eight COTS computers connected via an Ethernet backbone to two dual System Server Unit server groups (the SAAWF can be configured to include up to twenty workstations).



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	15	0
AAO (FY17)	15	
O/H	5	0
Shortfall/Excess	-10	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	2	0	3	4	0	0	0	0	
3	3	2	0	3	4	0	0	0	0	
1	1	1	0	1	1	0	0	0	0	
-2	-2	-1	0	-2	-3	0	0	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015344772	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter can be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MEF**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.2

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2525 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2525: TACTICAL AIR OPERATIONS MODULE

The Air Defense System, AN/TYQ-23(V)4, includes both hardware and software configured as an automated Tactical Air Operations Central. Each Air Defense System is a transportable module that can operate independently.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	17	0
AAO (FY17)	17	
O/H	31	3
Shortfall/Excess	14	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	2	2	0	2	9	0	0	0	0	
2	2	2	0	2	9	0	0	0	0	
2	2	3	0	2	9	0	10	0	0	
0	0	1	0	0	0	0	10	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014619786	3	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter can be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	8.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A2534 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2534: DATA DISTRIBUTION



The Data Distribution System, known as Tactical Data Network (TDN) Server, augments existing Marine Air-Ground Task Force (MAGTF) tactical communications infrastructure to provide the MAGTF Commander an integrated data network. This data network supports MAGTF Tactical Data Systems (TDSs) and the Defense Message System (DMS) by providing a network of communication nodes (gateways & servers) interconnected with one another and their subscribers via a combination of common user long haul transmission systems, local area networks (LANs), the Enhanced Position Location Reporting System (PLRS), and switch telephone systems.

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	3	0
Shortfall/Excess	3	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	3	0	0	0	0	0	0	0	0
0	3	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014740355	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is in the process of Disposal. DP5895 PCN 13110834000. REMOVE HARDRIVE AND EKMS PRIOR TO IN THEATER DISPOSAL.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A2536 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2536: TACTICAL DEFENSE MESSAGE SYSTEM

The Tactical Defense Message System provides users access to the DMS global address directory and the capability to exchange signed and encrypted messages using a class four Public Key Infrastructure hardware token.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	27	0
AAO (FY17)	27	
O/H	18	0
Shortfall/Excess	-9	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	6	6	0	6	3	0	0	0	0	
6	6	6	0	6	3	0	0	0	0	
0	4	1	0	0	11	0	2	0	0	
-6	-2	-5	0	-6	8	0	2	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090002686	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. All associated power cords and accessories should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2538 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2538: DATA DISTRIBUTION



The Data Distribution System, referred to as the Tactical Data Network Server, augments the existing Marine Air- Ground Task Force tactical communications infrastructure to provide the MAGTF Commander an integrated data network. This data network will support MAGTF Tactical Data Systems and the Defense Message System by providing a network of communication nodes (gateways and servers) interconnected with one another and their subscribers via a combination of common user long haul transmission systems, local area networks, the Enhanced Position Location Reporting System, and switch telephone systems.

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	23	0
Shortfall/Excess	23	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
5	2	0	0	16	0	0	0	0	0	
5	2	0	0	16	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015040650	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is in the process of Disposal. DP5895 PCN 13110834000. REMOVE HARDRIVE AND EKMS PRIOR TO IN THEATER DISPOSAL.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A2546 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2546: COMPUTER, RUGGEDIZED, ULTRAPORT, LAPTOP

Fully Ruggedized Laptop. i.e. Panasonic CF-29 or CF-30 or GETAC-B300. There are multiple vendors for this TAMCN.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	2,809	0
AAO (FY17)	2,705	
O/H	9,942	204
Shortfall/Excess	7,133	204

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
655	594	391	0	591	477	0	3	0	0	
605	549	393	0	581	476	0	3	0	0	
3,466	2,644	1,786	405	604	810	0	2	21	0	
2,811	2,050	1,395	405	13	333	0	-1	21	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015321325	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010015643767	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090000382	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
70100900003753	35	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	35	0
70100900003756	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
70100900004287	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
70100900004288	87	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	87	0
70100900004289	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	2	0
70210900006225	41	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	41	0
7022014779089	39	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	39	0

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

Notes: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII..... Other NSNs follow same strategy: 7010090004289 (94 O/H), 7010015643767 (35 O/H), 7010090000382 (16 O/H), 7010090003756 (5 O/H)

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2548 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2548: COMPUTER

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	31	0
AAO (FY17)	31	
O/H	1,195	0
Shortfall/Excess	1,164	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	31	0	0	0	0	
0	0	0	0	0	31	0	0	0	0	
380	280	202	0	0	326	0	7	0	0	
380	280	202	0	0	295	0	7	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090002543	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	0

Notes: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A2551 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2551: COMMAND SYSTEM, TACTICAL

The Intelligence Broadcast Receiver program is a family of terminals specifically designed to receive and process broadcast intelligence information. It consists of the currently fielded AN/USC-55A, or Commanders Tactical Terminal Three-Channel, the AN/USC-62(V)x(c), or Joint Tactical Terminal, the future Embedded National Tactical Receiver, and other hardware products and software modules that may be developed for integration with Marine Corps C4I systems.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	14	0
AAO (FY17)	14	
O/H	12	1
Shortfall/Excess	-2	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	4	2	0	2	4	0	0	0	0	
2	4	2	0	2	4	0	0	0	0	
0	2	2	0	3	4	0	0	0	0	
-2	-2	0	0	1	0	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014439072	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: Item has reached its end of service life, and will be replaced by TAMCN A0280, Universal Serial Bus Embedded National Tactical Receiver. Item will be disposed of at MCLB Albany. DO NOT POWER WASH. Item contains sensitive electronics, computer, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0.1

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A2555 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2555: ADVANCED FIELD ARTY TACTICAL DATA SYSTEM AN/GYK-60

The Advanced Field Artillery Tactical Data System, AN/GYK-60, is an automated Command and Control system for fire support



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	906	29
AAO (FY17)	872	
O/H	1,148	16
Shortfall/Excess	242	-13

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
201	149	120	0	153	250	29	0	0	0	
179	137	120	0	153	250	29	0	0	0	
240	204	112	0	178	195	0	203	0	0	
39	55	-8	0	25	-55	-29	203	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1220015256305	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0
5895015729499	15	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	No	0	8	8

Notes: Will be repaired with spare parts at the MEFs. For the most part, no depot level maintenance will be performed. If it is damaged beyond repair, will procure new.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	15	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2560 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2560: TARGET LOC, DESIG & HAND-OFF SYS (TLDHS)(BLK II)

The Target Location Designation and Hand-off System is a man-portable, automated equipment suite that provides Fire Support Observer/Controllers with the ability to accurately acquire, locate, then digitally transmit (hand-off) target data to Fire Support platforms and agencies.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	843	0
AAO (FY17)	790	
O/H	980	0
Shortfall/Excess	137	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
206	186	105	0	241	82	0	0	0	0	
186	158	104	12	237	82	0	0	0	0	
182	176	119	57	150	144	0	152	0	0	
-24	-10	14	57	-91	62	0	152	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015244120	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010015716450	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: Item is under warranty and all will go through MCLC. Complete system contains one PRC-117F radio TAMCN: A2068.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2628 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2628: TECHNICAL CONTROL ANALYSIS CENTER, TRANS WRKSTN

The Tactical Control Analysis Center provides automated processing, analysis and reporting functions of the RadBn in order to fulfill its mission of providing timely, accurate SIGINT/EW support to MAGTF combat operations.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	336	0
AAO (FY17)	334	
O/H	194	39
Shortfall/Excess	-142	39

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
79	87	72	0	0	44	0	0	0	0
79	85	72	54	0	44	0	0	0	0
73	67	0	14	1	0	0	0	0	0
-6	-20	-72	14	1	-44	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010014653223	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
7010090004435	0	0%	0%	0%	50%	50%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS representative will be contacted. The CLS representative will provide a replacement LRU to organic maintenance to conduct the repair. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MEF**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2634 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2634: TCAC ANALYSIS WORKSTATION, REMOTE (TCAC RAWS)

The Tactical Control Analysis Center provides automated processing, analysis and reporting functions of the RadBn in order to fulfill its mission of providing timely, accurate SIGINT/EW support to MAGTF combat operations.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	56	0
AAO (FY17)	55	
O/H	40	2
Shortfall/Excess	-16	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
11	15	10	0	0	8	0	0	0	0	
11	14	10	12	0	8	0	0	0	0	
11	11	11	3	0	0	0	2	0	0	
0	-4	1	3	0	-8	0	2	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090004436	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	0

Notes: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS representative will be contacted. The CLS representative will provide a replacement LRU to organic maintenance to conduct the repair. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	94	0.2

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2740 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2740: TEST SET, FIELD CABLE

The Cable Test Set is a portable testing unit for checking the continuity and insulation resistance of field-installed 26 pair cable assemblies and patching panels.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	240	0
AAO (FY17)	214	
O/H	147	0
Shortfall/Excess	-93	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
66	64	40	0	49	2	0	0	16	3	
63	58	22	0	48	2	0	0	16	5	
27	31	19	0	25	1	0	32	12	0	
-39	-33	-21	0	-24	-1	0	32	-4	-3	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012577921	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	yes	No	No	No	0	0	0

Notes: This TAMCN should be sent to the MEFs in order to fill any home station shortfalls. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A2808 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2808: TEST SET, OPTICAL COMMUNICATIONS

The Test Set, Optical Communications, AN/GSM-317 is a self-contained test set used in a field environment to test and troubleshoot Fiber Optic Cable Assembly communication links.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	64	0
Shortfall/Excess	64	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
17	5	8	0	5	5	0	0	24	0	
17	5	8	0	5	5	0	0	24	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012388954	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Disposal Plan 09010A is published with disposal actions starting in 4th quarter FY11. However, until the requirements at the MEFs are reduced, items will be returned to the MEFs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A3013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3013: MAINT KIT, TRSS, ELECTRONIC EQUIP

Tactical Remote Sensor Systems are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	22	0
AAO (FY17)	22	
O/H	8	0
Shortfall/Excess	-14	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	4	7	0	0	0	0
4	4	3	0	4	7	0	0	0	0
0	3	0	0	0	5	0	0	0	0
-4	-1	-3	0	-4	-2	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090004022	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: The Pelican case can be washed; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown. Recommend no local nationals transport this gear as it contains equipment that is considered highly pilferable. (i.e COTS ITE)

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A3200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3200: TRAILER, MAINTENANCE

The Trailer, Bolster, M-796A1 is a 4 ton, 4 wheel trailer used to haul utility poles in a tactical environment.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	1	1
Shortfall/Excess	1	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330002154211	1	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	1

Notes: Item is Obsolete and will be DRMO'd in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	2.4

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A3232 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3232: TACTICAL SATCOM, TRANSPORTABLE (SMART-T)

Secure Mobile Anti-jam Reliable Tactical Terminal is a MILSTAR satellite-compatible ground communications terminal that provides worldwide, secure, transportable, anti-jam, reliable, Low Probability of Intercept data and voice communications.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	49	0
AAO (FY17)	49	
O/H	29	0
Shortfall/Excess	-20	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
13	13	10	0	13	0	0	0	0	0	
13	13	10	0	13	0	0	0	0	0	
9	6	7	0	6	0	0	1	0	0	
-4	-7	-3	0	-7	0	0	1	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014350571	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Preparing to go through upgrades, as item has been used heavily in theater. Else, send to MCLC for routing to Tobyhanna Army Depot. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Do not separate weapon system from HMMWV. Reset schedule established by Army and subject to change, contact Project Officer prior to fielding shortfall. Always ship MILAIR, due to detailed handling requirements to prevent antenna damage. Embedded Crypto must be removed prior to shipping.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	797	4.3

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A3252 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3252: UAV SYSTEM, DRAGON EYE RAVEN-B

The Drone System is a hand launched reconnaissance and surveillance tool. The system transmits live airborne video images, compass headings and location information to a ground control station.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	67	0
Shortfall/Excess	67	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
17	25	5	3	3	0	0	14	0	0	
17	25	5	3	3	0	0	14	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1550015303912	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
1550015389256	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
1550015495291	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: No LTI necessary. All items are going to have commercial depot strategy and will be 1-1 swap with A0321. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is Capt. Steven M. Stepanic PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A3255 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3255: SENSOR, GROUND, UNATTENDED AN/GSQ-257

The Unattended Ground Sensor Set, AN/GSQ-257, is a suite of hand emplaced sensors that operate unattended and detects activity through seismic, acoustic, infrared, and magnetic sensing technologies.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	126	0
AAO (FY17)	126	
O/H	32	0
Shortfall/Excess	-94	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	2	0	0	0	0	
0	0	0	0	0	2	0	0	0	0	
13	9	5	0	2	2	0	1	0	0	
13	9	5	0	2	0	0	1	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6350013437134	0	0%	0%	0%	50%	50%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A3270 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3270: COMM INTERFACE SYSTEM, MRQ-12

The CIS, AN/MRQ-12 (V)1 and (V)2, has a common shelter/vehicle configuration which consists of an M1097A2 Heavy variant-High Mobility Multipurpose Wheeled Vehicle mounted with a LMS model S-788/G.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	2	0	0	0	0	0	
0	0	0	0	2	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015800283	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches. **DO NOT POWER WASH INSIDE OF SHELTER.** Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	874	3.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7001: TEST SET, OPTICAL POWER

The Optical Loss Test Set is used to perform precise optical measurements in the field. The test set is composed of a power meter (Techlite Model PX-B220) and two different light sources (Techlite model numbers PX-C202 and PX-C205). The set is used to determine the level of optical power being emitted from a transmitter and to perform fiber loss measurements or splice tuning operations of current and future fiber optic cables. The test set also gives the technician the ability to determine power loss in fiber, connectors, attenuators, or other passive optical components.



Fluke 43B Fluke 41B

Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	248	17
AAO (FY17)	251	
O/H	187	0
Shortfall/Excess	-61	-17

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
60	58	45	0	43	25	17	0	0	0
61	60	45	0	43	25	17	0	0	0
34	45	30	0	18	51	0	9	0	0
-26	-13	-15	0	-25	26	-17	9	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015107502	0	33%	33%	0%	34%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes: Serviceable items will be returned to the MEFs. For unserviceable condition, the item will be sent to commercial depot via the MEFs.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7002: ANALYZER, SPECTRUM HAND HELD

A hand held spectrum analyzer capable of analyzing radio frequency signals from 100KHz to 6GHz.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	64	0
AAO (FY17)	63	
O/H	460	3
Shortfall/Excess	396	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
15	15	12	0	14	8	0	0	0	0	
15	14	12	0	14	8	0	0	0	0	
80	82	43	0	35	113	0	104	0	0	
65	67	31	0	21	105	0	104	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015306573	3	33%	33%	0%	34%	0%	0%	NO	NO	No	No	yes	No	Yes	No	1	1	1

Notes: Serviceable items will be returned to the MEFs. For unserviceable condition, the item will be sent to commercial depot via the MEFs.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7004: MICROSCOPE, OPTICAL

A hand held device used to view and measure fiber optic cable connections.



FT600/AN
Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	187	0
AAO (FY17)	188	
O/H	178	0
Shortfall/Excess	-9	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
52	47	39	0	41	8	0	0	0	0	
51	49	39	0	41	8	0	0	0	0	
54	24	37	0	16	44	0	3	0	0	
2	-23	-2	0	-25	36	0	3	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015309446	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A7005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7005: ANALYZER,SPECTRUM

These are Micro Wave spectrum analyzers that operate over the freq ranges of 9 kHz to 40 GHz with pre-selection to at least 26.5 GHz. They include synthesized tuning and built in frequency counters, marker-aided frequency and amplitude measurements (relative and absolute) of RF and microwave signals, and digital trace and signal storage.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	482	0
AAO (FY17)	466	
O/H	688	2
Shortfall/Excess	206	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
119	112	57	0	90	64	0	4	36	0	
107	108	62	0	85	64	0	4	36	0	
48	44	35	0	15	218	0	316	10	0	
-71	-68	-22	0	-75	154	0	312	-26	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012591060	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	Yes	No	0	0	0
6625012707786	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	Yes	No	0	0	0
6625014651844	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	Yes	No	0	0	0
6625015229603	2	34%	0%	0%	66%	0%	0%	NO	NO	No	No	yes	No	Yes	No	1	0	1

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7009: ANALYZER, SPECTRUM FST-6-NTG3(CREW)

The FSH6-NTG/K-6NUSMC Spectrum Analyzer is a wide band, very sensitive receiver. It works on the principle of "super heterodyne receiver" to convert higher frequencies (normally ranging up to several 10s of GHz) to measurable quantities. The received frequency spectrum is slowly swept through a range of pre-selected frequencies, converting the selected frequency to a measurable DC level (usually logarithmic scale), and displaying the same on the CRT of the FSH6-NTG/K-6NUSMC. The CRT displays received signal strength (y-axis) against frequency (x-axis).



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	31	0
AAO (FY17)	31	
O/H	153	3
Shortfall/Excess	122	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	23	0	8	0	0
0	0	0	0	0	23	0	8	0	0
5	0	0	0	0	61	0	84	0	0
5	0	0	0	0	38	0	76	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015406124	3	33%	33%	0%	34%	0%	0%	NO	NO	No	No	yes	No	Yes	Yes	0	2	1

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7010: DIGITAL DATA ANALYZER

Device used to measure and compare timing of digital electronic signals. Used by electronic technicians to monitor, test, and repair electronic systems.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	10	0
Shortfall/Excess	10	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	2	0	2	6	0	0	0	0
0	0	2	0	2	6	0	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012055224	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Item is obsolete and will be DRMO'd in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A7021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7021: COUNTER, ELECTRONIC, DIGITAL READOUT

The electronic frequency counters are designed to assist technicians with installation, monitoring, verification of proper operation, testing, alignment, troubleshooting, and repairing of communication-electronics and ordnance type equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	308	0
AAO (FY17)	288	
O/H	499	2
Shortfall/Excess	191	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
62	54	27	0	40	93	0	0	28	4	
52	56	9	0	36	93	0	0	28	14	
43	47	20	0	45	157	0	171	14	0	
-19	-7	-7	0	5	64	0	171	-14	-4	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012713012	1	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	1
6625013992298	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
6625015309444	1	70%	0%	0%	30%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	1

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A7035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7035: ALIBRATOR, FREQUENCY

The Frequency Calibrator, 585B, is a rugged transportable Frequency Calibrator that automatically measures pulsed radio frequency signals up to 20 GHz with pulse widths as narrow as 50 nanoseconds.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	48	0
AAO (FY17)	37	
O/H	50	0
Shortfall/Excess	2	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	11	8	0	11	3	0	0	0	0
10	10	6	0	8	3	0	0	0	0
5	8	6	0	1	10	0	17	3	0
-10	-3	-2	0	-10	7	0	17	3	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895012810072	0	100%	0%	0%	0%	0%	0%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
6625013584903	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Item is obsolete and will be DRMO'd in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A7036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7036: GENERATOR, FUNCTION, ELEC TEST

The Function Generator, model number 33220A, is a general-purpose function generator designed to assist technicians with troubleshooting and repairing communication and electronic equipment. It is a high-performance 20 MHz synthesized function generator with built-in arbitrary waveform capability. The Function Generator uses direct digital-synthesis techniques to create a stable, accurate output signal for clean, low-distortion waveforms. It provides fast rise- and fall-time square wave, and linear ramp waveforms down to 100uHz.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	611	0
AAO (FY17)	594	
O/H	959	0
Shortfall/Excess	348	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
62	55	38	0	45	363	0	0	45	3	
57	55	15	0	43	363	0	0	45	16	
50	55	38	0	15	457	0	295	49	0	
-12	0	0	0	-30	94	0	295	4	-3	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014164444	0	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	Yes	No	0	0	0
6625015498266	0	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7040: ADAPTER TEST (TRSS)

Tactical Remote Sensor Systems are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	22	0
AAO (FY17)	22	
O/H	18	0
Shortfall/Excess	-4	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	4	7	0	0	0	0
4	4	3	0	4	7	0	0	0	0
3	3	2	0	0	6	0	4	0	0
-1	-1	-1	0	-4	-1	0	4	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015051143	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A7046 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7046: GENERATOR, SIGNAL

This general purpose signal generator is intended to support microwave systems, such as radars and communication equipment, that operate at frequencies above 1 GHz. Features include internal pulse modulation with variable pulse width and pulse delay.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	204	0
AAO (FY17)	189	
O/H	295	2
Shortfall/Excess	91	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
43	42	42	0	34	37	0	6	0	0
43	43	26	0	34	37	0	6	0	0
35	26	34	2	21	23	0	141	11	0
-8	-16	-8	2	-13	-14	0	135	11	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013959570	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	Yes	No	0	0	0
6625014252550	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	Yes	No	0	0	0
6625014955275	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	i/p	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A7051 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7051: METER, POWER

Intended to support microwave systems. This meter measures continuous wave power output from 10MHz to 18GHz. TAMCN A7053 should be used to measure pulsed type microwave signals in the same bandwidth.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	189	0
AAO (FY17)	206	
O/H	381	2
Shortfall/Excess	192	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
40	35	30	0	32	17	0	0	25	0	
41	39	30	10	32	17	0	0	25	12	
41	51	37	17	21	36	0	146	30	0	
1	16	7	17	-11	19	0	146	5	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014066941	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	0	2	0
6625015311947	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7052 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7052: GENERATOR, SIGNAL

The 8643A Synthesized Signal Generator is a high performance programmable signal generator intended for the most demanding out-of-channel RF receiver measurements and other stringent RF applications.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	304	0
AAO (FY17)	276	
O/H	459	0
Shortfall/Excess	155	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
53	48	35	0	42	120	0	0	0	0	
50	52	8	6	40	120	0	0	0	0	
55	52	45	11	27	81	0	188	0	0	
2	4	10	11	-15	-39	0	188	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013675551	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7053: METER, SPECIAL SCALE

This item is intended to support all equipment and systems that generate pulse-type microwave radio frequency (RF) electronic signals up to 18 GHz and which require this capability in applicable technical manuals. TAMCN A7051 should be used to measure continuous wave type signals.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	29	0
AAO (FY17)	29	
O/H	74	0
Shortfall/Excess	45	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	4	6	0	4	11	0	0	0	0	
4	4	6	0	4	11	0	0	0	0	
2	3	4	0	3	15	0	47	0	0	
-2	-1	-2	0	-1	4	0	47	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013815741	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	100%	0%	0%

A7055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7055: MONITOR UNIT, RADIO FREQUENCY

The 4410-030 Test Set is an insertion type RF wattmeter designed to measure power flow and load match in 50 ohm RF coaxial transmission lines and is intended for use on CW or FM modulated signals only.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,083	0
AAO (FY17)	1,012	
O/H	1,168	6
Shortfall/Excess	85	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
281	263	161	0	225	73	0	9	0	3	
263	246	135	65	218	73	0	9	0	0	
221	212	135	65	122	91	0	256	60	0	
-60	-51	-26	65	-103	18	0	247	60	-3	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012175631	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0
6625014439916	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	1
6625015134644	5	50%	50%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2	2
6625015682691	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	100%	0%	0%

A7057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7057: OHMMETER

The Model 3711M simply clamps around the ground conductor or rod and measures the resistance to ground. Performs measurements on intact ground systems, it verifies the quality of the grounding connections and bonds.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	247	0
AAO (FY17)	254	
O/H	541	6
Shortfall/Excess	294	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
56	58	43	0	43	26	0	18	0	0	
57	60	47	0	43	26	0	18	0	0	
52	50	48	3	35	112	0	235	0	0	
-4	-8	5	3	-8	86	0	217	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013778030	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0
6625014943112	6	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	6

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A7059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7059: OHMMETER (EARTH GROUND RESISTANCE TESTER)

The Model R1L-C is a portable ground resistance ohmmeter, designed to measure grounding system resistance, as well as soil resistivity, over ranges from two ohms to 20 kilohms full scale.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	129	0
AAO (FY17)	128	
O/H	851	2
Shortfall/Excess	722	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
34	34	27	0	15	19	0	0	0	0	
34	33	27	64	15	19	0	0	0	0	
169	147	116	54	62	59	0	242	0	0	
135	113	89	54	47	40	0	242	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013776166	2	50%	50%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	1	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A7060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7060: OSCILLOSCOPE (54825A AND TDS5054B)

Device used to measure electronic signals. Used by electronic technicians to monitor, test, & repair electronic systems (radios, radars, switching networks, night vision devices, and many others)



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	332	0
AAO (FY17)	300	
O/H	453	2
Shortfall/Excess	121	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
62	62	36	0	42	125	0	0	0	3	
55	58	17	0	40	125	0	0	0	3	
80	84	43	0	30	102	0	90	19	3	
18	22	7	0	-12	-23	0	90	19	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014518727	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
6625015196497	2	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	2

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	100%	0%	0%

A7061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7061: OSCILLOSCOPE (FLK-199C/AN)

Device used to measure electronic signals. Used by electronic technicians to monitor, test, & repair electronic systems (radios, radars, switching networks, night vision devices, and many others)



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	160	0
AAO (FY17)	159	
O/H	1,751	4
Shortfall/Excess	1,591	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
41	41	34	0	22	22	0	0	0	0	
41	40	34	0	22	22	0	0	0	0	
259	261	186	2	132	538	0	219	150	0	
218	220	152	2	110	516	0	219	150	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012754766	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	1
6625014735174	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0
6625014940438	3	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	3

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7072: ADAPTER, TEST, SINGARS RADIO

This item is used to test SINGARS radios and must be used with TAMCN A7082. All of the J-4843/GRM-114B items should have been modified to the new J-4843A/GRM-122 configuration.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	456	0
AAO (FY17)	287	
O/H	707	1
Shortfall/Excess	251	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
104	102	50	0	64	134	0	0	0	0	
47	48	16	2	40	134	0	0	0	0	
156	139	78	2	110	49	0	138	34	0	
52	37	28	2	46	-85	0	138	34	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013092827	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	Yes	No	0	0	0
6625014328368	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	Yes	No	0	0	1
6625014360419	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	Yes	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A7080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7080: TEST SET, RADIO VHF

This unit is a handheld test set for HF, VHF, and UHF radios and is intended to be used by radio technicians as a tool to check performance of radios or identify faulty radios at the Organizational Unit.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,478	0
AAO (FY17)	1,366	
O/H	1,659	29
Shortfall/Excess	181	29

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
385	364	213	0	349	81	0	0	0	0	
359	308	203	83	329	81	0	0	0	0	
386	370	172	84	250	177	0	190	1	0	
1	6	-41	84	-99	96	0	190	1	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012396715	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	Yes	No	0	0	0
6625015380285	29	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	No	No	0	0	29

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A7081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7081: TEST SET, TELECOMMUNICATION SYSTEM

The FB6000-NAVY-P1 and FB6000-NAVY-P2 are portable telecommunication system sets with analog and digital testing capabilities capable of transmission impairment, bit error and protocol analysis measurements and testing.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	129	0
AAO (FY17)	128	
O/H	740	4
Shortfall/Excess	611	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
34	34	27	0	15	19	0	0	0	0	
34	33	27	12	15	19	0	0	0	0	
81	81	72	10	21	246	0	199	26	0	
47	47	45	10	6	227	0	199	26	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013401781	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	No	No	0	0	0
6625014627492	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	No	No	0	0	0
6625015358961	4	30%	0%	0%	70%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	4

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A7082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7082: TEST SET, RADIO

The TS-4317/GRM provides the capability to test and maintain all Marine Corps tactical Radios, which operate below 1 GHz. It is used to verify radio performance characteristics and diagnose failures in both a manual and automatic mode.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	558	0
AAO (FY17)	428	
O/H	1,257	5
Shortfall/Excess	699	5

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
122	120	69	0	79	138	0	28	0	0	
85	84	28	2	63	138	0	28	0	0	
213	206	139	8	161	177	0	319	29	0	
91	86	70	8	82	39	0	291	29	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013092825	5	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	Yes	No	Yes	No	0	5	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A7083 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7083: ANALYZER, WIDE AREA NETWORK

This test set is a general-purpose networking tool designed to assist technicians with monitoring and troubleshooting networks.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	131	0
AAO (FY17)	131	
O/H	113	0
Shortfall/Excess	-18	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
23	23	21	0	17	47	0	0	0	0	
23	23	21	0	17	47	0	0	0	0	
6	18	9	0	2	56	0	22	0	0	
-17	-5	-12	0	-15	9	0	22	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015229579	0	66%	0%	0%	34%	0%	0%	NO	NO	No	No	yes	No	I/P	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7084: ANALYZER, NETWORK

A LAN Analyzer is a general-purpose networking tool designed to assist technicians with testing, monitoring, troubleshooting, and repairing Local Area Networks and equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	801	0
AAO (FY17)	785	
O/H	406	10
Shortfall/Excess	-395	10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
212	205	142	0	155	83	0	0	0	0	
204	195	144	0	155	83	0	0	0	0	
135	44	106	0	12	83	0	16	0	0	
-77	-161	-36	0	-143	0	0	16	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014561561	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	Yes	No	0	0	1
6625014848826	2	66%	0%	0%	34%	0%	0%	NO	NO	No	No	yes	No	I/P	No	0	0	2
6625015378768	7	66%	0%	0%	34%	0%	0%	NO	NO	No	No	yes	No	I/P	No	0	0	7

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A7086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7086: TEST SET, OPTICAL TDR, HANDHELD

The MTS-NV-P3 Optical Time Domain Reflectometer is a field modular optical tester used for fiber network installation, maintenance, and troubleshooting. Two field interchangeable module slots allow users to quickly mix and match configurations to cover any fiber test application from 635 to 1625nm.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	311	0
AAO (FY17)	311	
O/H	344	6
Shortfall/Excess	33	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
66	64	50	0	44	43	0	5	36	0	
65	64	50	0	45	43	0	5	36	0	
32	51	37	0	26	172	0	20	0	0	
-34	-13	-13	0	-18	129	0	15	-36	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013884989	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0
6625015253080	4	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	2	2

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A7102 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS


TAMCN A7102: RECORDING-REPRODUCING

Professional grade video camera that allows PA Marines to acquire broadcast quality video in high, regular and low light conditions.

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	2	0	0
0	0	0	0	0	0	0	2	0	0

Representative Picture

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015281482	0	100%	0%	0%	0%	0%	0%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Recommend removal of this - PAE legacy equipment replaced by A7203

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A7103 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7103: PUBLIC AFFAIRS STILL ACQUISITION SYSTEM, SMALL

Professional grade still camera that allows PA Marines to acquire professional quality still photos in high, regular and low light conditions.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	7	1
Shortfall/Excess	7	1

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	0	1	0	0	0	0	3	0	0
2	0	1	0	0	0	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015150429	1	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A7104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7104: VIIES (VISUAL INFORMATION IMAGERY EDITING SYSTEM)

The VIIES consists of a laptop based video and still imagery editing platform. The system includes professional grade, industry standard digital equipment. It is a still and video imagery editing and product development system.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	221	0
AAO (FY17)	225	
O/H	85	3
Shortfall/Excess	-136	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
54	58	52	0	9	27	0	0	0	0	
54	58	52	1	13	27	0	0	0	0	
30	26	14	0	4	8	0	0	0	0	
-24	-32	-38	0	-5	-19	0	0	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015425653	3	0%	0%	0%	100%	0%	0%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	3

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A7105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7105: CVAS (COMBAT VIDEO ACQUISITION SYSTEM)

The CVAS consists of a professional quality digital video camera with all necessary accessories and a protective shoulder sling or backpack carrying case to operate in the field, independently for 4 days. The CVAS camera operates using rechargeable batteries.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	94	0
AAO (FY17)	95	
O/H	78	0
Shortfall/Excess	-16	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
18	20	14	0	2	33	0	0	0	0	
18	20	14	1	3	33	0	0	0	0	
28	19	12	1	2	16	0	0	0	0	
10	-1	-2	1	0	-17	0	0	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015003247	0	0%	0%	0%	100%	0%	0%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0
5836015458734	0	0%	0%	0%	100%	0%	0%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A7111 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7111: NVCS (NIGHT VISION SYSTEM)

The NVSC consists of a night vision monocular and adapters allowing it to adapt to digital cameras currently used by Combat Camera Marines forward deployed. The NVSC allows these cameras to acquire high-resolution imagery in low light.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	73	0
AAO (FY17)	74	
O/H	40	1
Shortfall/Excess	-33	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
18	18	13	0	2	18	0	0	0	0	
18	18	13	1	3	18	0	0	0	0	
12	13	5	1	4	3	0	1	0	0	
-6	-5	-8	1	2	-15	0	1	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015429059	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	Yes	1	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7112 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7112: COMBAT IMAGERY SEAR

The CISAD consists of video, still photo, and graphics hardware and software. It is capable of importing, cataloging, archiving and retrieving digital imagery, thereby making it available to commanders via a web based searchable database.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	6	0
AAO (FY17)	6	
O/H	2	1
Shortfall/Excess	-4	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1	2	2	0	0	0	0	0	0	0	
1	2	2	0	0	0	0	0	0	0	
0	0	0	0	0	1	0	0	0	0	
-1	-2	-2	0	0	1	0	0	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015464691	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7420: MAINTENANCE FACILITY, TRANSPORTABLE

The Maintenance Facility, Transportable, AN/TSM-214, provides deployable and garrison Test, Measurement, and Diagnostic Equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	14	0
AAO (FY17)	16	
O/H	16	1
Shortfall/Excess	2	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	3	3	0	3	0	0	0	0	0	
5	5	3	0	3	0	0	0	0	0	
8	3	3	0	1	0	0	0	0	0	
3	0	0	0	-2	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940014904064	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes: Item has been phased out, but will continue to be sent to the MEFs until the replacement comes online.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	32

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A7501 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7501: TEST STATION, ELECTRICAL-ELECTRONIC EQUIPMENT

Device used to test and troubleshoot electronic circuit cards.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	241	0
AAO (FY17)	246	
O/H	192	2
Shortfall/Excess	-49	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
49	43	34	0	36	76	0	3	0	0	
48	50	33	0	36	76	0	3	0	0	
34	29	38	0	17	58	0	14	0	0	
-15	-14	4	0	-19	-18	0	11	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014849160	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0
6625015347363	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0
6625015347365	2	50%	0%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	2

Notes: Items will be returned to the MEFs to fill homestation shortfalls. Item can be easily purchased from commercial vendors. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A7503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7503: PROGRAM SET APPL

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	50	0
AAO (FY17)	53	
O/H	36	0
Shortfall/Excess	-14	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	8	4	0	11	12	0	0	0	0
15	11	4	0	11	12	0	0	0	0
12	8	3	0	3	4	0	6	0	0
-3	0	-1	0	-8	-8	0	6	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015500389	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7507 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7507: PROGRAM SET, APPL

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	24	0
AAO (FY17)	17	
O/H	24	1
Shortfall/Excess	0	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
7	6	1	0	2	8	0	0	0	0	
3	3	1	0	2	8	0	0	0	0	
3	5	4	0	4	7	0	0	0	0	
-4	-1	3	0	2	-1	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015588041	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7508 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7508: APS AN/PSM-119

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	18	0
AAO (FY17)	18	
O/H	12	0
Shortfall/Excess	-6	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	4	3	0	2	5	0	0	0	0	
4	4	3	0	2	5	0	0	0	0	
3	2	3	0	1	3	0	0	0	0	
-1	-2	0	0	-1	-2	0	0	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015453668	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls. Item can be easily purchased from commercial vendors.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7513 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7513: PROGRAM SET, APPLICATION, 3D ECH, F/TOW II

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	16	0
AAO (FY17)	13	
O/H	26	0
Shortfall/Excess	10	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	2	3	0	4	2	0	0	0	0	
3	3	3	0	2	2	0	0	0	0	
4	2	2	0	2	0	0	16	0	0	
-1	0	-1	0	-2	-2	0	16	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015244047	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7517 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7517: TEST SET RADIO

The GRMATS is a portable, self-contained synthetic instrumentation platform used for verification testing and fault detection, isolation and repair of communications, avionics and electronic warfare Units Under Test (UUT). The test set contains the hardware and software necessary to test and verify the performance and electrical functionality of these types of UUTs, deployed in the field or in a depot-type environment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	588	0
AAO (FY17)	587	
O/H	517	1
Shortfall/Excess	-71	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
133	127	81	0	102	139	0	0	0	0	
135	126	81	6	100	139	0	0	0	0	
16	19	15	1	3	189	0	273	0	0	
-117	-108	-66	1	-99	50	0	273	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015634671	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	Yes	No	1	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7519 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7519: TEST SET, ELECTRONIC

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	46	0
AAO (FY17)	43	
O/H	36	0
Shortfall/Excess	-10	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
13	7	3	0	8	15	0	0	0	0	
11	6	3	0	8	15	0	0	0	0	
14	7	3	0	5	2	0	5	0	0	
1	0	0	0	-3	-13	0	5	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015659818	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7522 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7522: PROGRAM SET, APPLICATION, AN/PSM-123 (LAV25-A2 LRU)

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	53	0
AAO (FY17)	34	
O/H	35	0
Shortfall/Excess	-18	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
17	9	3	0	9	15	0	0	0	0	
7	5	3	0	4	15	0	0	0	0	
4	4	2	0	2	4	0	19	0	0	
-13	-5	-1	0	-7	-11	0	19	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015754978	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7550 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7550: APPLICATION PROGRAM SET F/TOW SYSTEM LRV

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	16	0
AAO (FY17)	13	
O/H	26	0
Shortfall/Excess	10	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	2	3	0	4	2	0	0	0	0	
3	3	3	0	2	2	0	0	0	0	
5	2	2	0	2	0	0	15	0	0	
0	0	-1	0	-2	-2	0	15	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015154038	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7596 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7596: TEST SYSTEM, 3D ECH (RF VERSION)

The Third Echelon Test Set is a portable automated testing unit that provides the capability to screen, test and diagnose electronic, electro-mechanical, and electro-optical LRUs and CCAs for a wide variety of Weapons Systems.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	226	0
AAO (FY17)	228	
O/H	136	0
Shortfall/Excess	-90	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
51	42	29	0	32	64	0	8	0	0	
49	46	29	0	32	64	0	8	0	0	
18	15	25	0	13	25	0	40	0	0	
-33	-27	-4	0	-19	-39	0	32	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015659249	0	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0
6625015685523	0	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7597 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7597: TEST SYSTEM, 3RD ECHELON

TETS is a portable, automated test unit that is controlled by a Laptop computer. It is a modular design configuration using mature and proven Non-developmental Item components and modules to accommodate 3 configurations: Radio Frequency (RF), Electro-Optical (EO), and a combined RF/EO.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	47	0
AAO (FY17)	49	
O/H	51	2
Shortfall/Excess	4	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	6	8	0	0	24	0	3	0	0	
7	7	8	0	0	24	0	3	0	0	
3	5	4	0	4	7	0	26	0	0	
-3	-1	-4	0	4	-17	0	23	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015678650	2	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	1	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7700 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7700: ANALYZER-CHARGER, BATTERY

The CASP/2000H(M) is a state of the art test instrument capable of performing all the functions needed by a typical battery user.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	82	0
AAO (FY17)	80	
O/H	1,002	0
Shortfall/Excess	920	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
20	7	14	0	22	9	0	0	10	0	
20	16	3	0	22	9	0	0	10	0	
30	34	19	0	74	6	0	807	32	0	
10	27	5	0	52	-3	0	807	22	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130013412073	0	0%	0%	0%	50%	50%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: DRMO/Dispose of In Theater; do NOT return to CONUS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7705 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7705: POWER SUPPLY, 18 - 30 VDC

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	69	16
AAO (FY17)	66	
O/H	2,518	24
Shortfall/Excess	2,449	8

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
17	9	1	0	10	3	16	10	2	1	
15	8	1	25	10	3	16	10	2	1	
488	487	275	29	288	58	0	703	166	0	
471	478	274	29	278	55	-16	693	164	-1	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130014528403	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	N/A	No	0	2	0
6130014754999	22	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	N/A	No	0	22	0

Notes: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	19	0.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7706 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7706: POWER SUPPLY, 0-40 VDC

This is a general purpose power supply converter which provides the capability to convert 115 VAC power to 0-40 VDC power, 0-25 amperes. The power supply will be used in the maintenance of communication-electronics equipment as a bench top power supply.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	166	0
AAO (FY17)	211	
O/H	4,559	90
Shortfall/Excess	4,393	90

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
40	31	21	0	40	7	0	0	18	9	
58	58	21	0	40	7	0	0	18	9	
745	749	417	10	401	203	0	1,567	377	0	
705	718	396	10	361	196	0	1,567	359	-9	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130015261311	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
6130015319927	71	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	71	0
6130219116149	19	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	10	10

Notes: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7900: TOOL KIT, MAINT, ELECTRONIC

Tool Kit used by electronic technicians (MOS 28xx and 59xx). This item is being replaced by TAMCN A7902.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	294	1
Shortfall/Excess	294	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
100	59	31	6	43	53	0	1	0	0
100	59	31	6	43	53	0	1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180012241290	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
5180012441290	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	1

Notes: Obsolete tool kit, but most of the tools can be used in other kits - strategy is to reallocate in theater. Do not reset. Retain in theater for reutilization. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A7902 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7902: TOOL KIT, MAINT, ELECTRONIC CREW OPERATOR

The TK-2844 "O" Level (Operator/Crew Level) Electronic Tool Kit is being built to provide the technician at the specified level with the tools required to perform maintenance in a field environment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	3,446	0
AAO (FY17)	3,176	
O/H	5,120	40
Shortfall/Excess	1,674	40

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
815	799	493	0	569	402	0	0	250	42	
605	579	587	66	539	402	0	0	250	138	
813	859	624	54	543	328	0	1,734	125	0	
-2	60	131	54	-26	-74	0	1,734	-125	-42	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015540475	40	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **ME**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7905: TOOL KIT INTERMEDIA

Tool Kit Intermediate, is an intermediate tool kit used by the 59XX to complete field and depot level repair of the AN/TYQ-23. This tool is required due to no common tool sets meeting the needs for this piece of equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	10	0
AAO (FY17)	10	
O/H	7	1
Shortfall/Excess	-3	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	2	0	0	0	0
2	2	2	0	2	2	0	0	0	0
1	1	1	0	1	2	0	0	0	0
-1	-1	-1	0	-1	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014527551	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: All items will be returned to CONUS. DO NOT POWER WASH ELECTRONIC ITEMS OR TOOLS. Compressed air, vacuums, and damp rags should be used to clean the tools and tool box. Hand tools (sockets, screwdrivers, etc.) should be lightly coated with oil. Electronic tools need to remain dry.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MEF**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7906: TOOL KIT, ELECTRONIC SYS (MINI-SOLDER KIT)

This kit contains special electronic units, tools, and materials to make high-reliability repairs on electronic assemblies such as circuit cards to the component level in a field environment.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	184	0
AAO (FY17)	180	
O/H	212	7
Shortfall/Excess	28	7

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
39	33	30	0	30	28	0	0	24	0	
39	39	20	0	30	28	0	0	24	0	
30	34	28	4	7	12	0	68	22	0	
-9	1	-2	4	-23	-16	0	68	-2	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015416262	7	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	2	3	2

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7910: TOOL KIT, FIBER OPTIC, GP

The Fiber Optic tool kit is a general purpose kit used to repair fiber optic cables and connectors. This kit is used in support of all USMC fiber optic cables and connectors except those associated with TAOM. This Tool Kit, along with the A7001 Optical Loss Test Set, the A7004 Fiber Inspector, A7086 OTDR, and A7920 Splicing Kit, belongs to a suite of Fiber Optic test equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	289	17
AAO (FY17)	281	
O/H	151	0
Shortfall/Excess	-138	-17

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
77	74	48	0	48	24	17	0	0	0	
75	73	41	0	49	24	18	0	0	0	
27	33	27	0	24	16	0	24	0	0	
-50	-41	-21	0	-24	-8	-17	24	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014763023	0	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
5180015167227	0	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7920 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7920: FIBER OPTICS FUSION SPLICER

The S121A is the first fully functional fusion splicer. It's designed for splicing single to 4-ribbon fibers. The S121A is about one-third the size of a typical mini-splicer, weighs just 2.2 pounds without the battery and does not require a flat surface. The unit features fully automatic fiber feed, alignment, splicing arc, and tension test. You can monitor all splicing operations for accuracy using the unit's integrated CCD camera and 2.5-inch LCD display.



Representative Picture

TFSMS (OCT 2013)

MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	243	16
AAO (FY17)	246	
O/H	286	2
Shortfall/Excess	43	-14

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
55	50	39	0	44	38	16	0	0	0	
56	54	37	0	44	38	16	0	0	0	
53	55	34	0	30	66	0	45	1	0	
-2	5	-5	0	-14	28	-16	45	1	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6080015208198	2	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	1	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7942: TOOL KIT, DATA NETWORK, GP

The Data Network Tool Kit, model number TK-0656, is a general purpose tool kit designed to assist technicians perform testing, monitoring, troubleshooting, and maintenance of the Marine Corps data networks.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	480	27
AAO (FY17)	473	
O/H	415	10
Shortfall/Excess	-65	-17

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
115	105	74	0	83	25	27	0	0	0	
107	103	77	49	83	25	27	0	0	0	
104	105	62	24	57	26	0	27	0	0	
-11	0	-12	24	-26	1	-27	27	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015247623	10	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	5	0	5

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A7955 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7955: KIT, MAINT, EQUIPMENT, ELECTRONIC

The Maintenance Kit, Electronic Equipment, MK-2663/U, contains special electronic units, tools and materials to make high-reliability repairs to electronic equipment.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	273	8
AAO (FY17)	270	
O/H	190	0
Shortfall/Excess	-83	-8

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
61	52	38	0	44	70	8	0	0	0	
59	57	33	0	43	70	8	0	0	0	
48	37	33	0	13	54	0	4	1	0	
-13	-15	-5	0	-31	-16	-8	4	1	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895013229872	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
5895015429039	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
5895015662941	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0.1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A8010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8010: TERMINAL EQUIPMENT, TELEPHONE, SECURE

The Secure Terminal Equipment (STE) Telephone, STE OFFIC-442 is the standard telephone for secure-multimedia communications. STE are engineered to operate on the digital Integrated Services Digital Network (ISDN) or analog networks.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	19	0
AAO (FY17)	19	
O/H	5,994	19
Shortfall/Excess	5,975	19

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	5	2	0	5	2	0	0	0	0	
5	5	2	222	5	2	0	0	0	0	
590	1,003	498	152	596	1,027	0	2,109	0	0	
585	998	496	152	591	1,025	0	2,109	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810014596438	2	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	No	No	0	0	2
5810014596441	17	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	No	No	0	0	17

Notes: Equipment is obsolete. WIR to dispose of in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A8018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8018: INTERROGATOR COMPUTER

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System (EADS), Targets and target support, Stinger Ground Support Equipment (GSE), and trainers/simulators.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	104	0
AAO (FY17)	104	
O/H	90	2
Shortfall/Excess	-14	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
37	37	12	0	11	7	0	0	0	0	
37	37	12	0	11	7	0	0	0	0	
22	31	14	0	7	6	0	8	0	0	
-15	-6	2	0	-4	-1	0	8	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810000613388	2	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	2	0
5810012737819	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8019: TRANSPONDER COMPUTER

The Transponder Computer, TSEC/KIT-1C is used in conjunction with the TSEC/KIR-1C (TAMCN A80187G).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	62	0
AAO (FY17)	62	
O/H	50	2
Shortfall/Excess	-12	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	13	8	0	9	19	0	0	0	0
13	13	8	0	9	19	0	0	0	0
10	10	6	0	7	7	0	8	0	0
-3	-3	-2	0	-2	-12	0	8	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810000613386	2	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	2	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8023: TRANSFER UNIT, CRYPT

The AN/CYZ-10 Data Transfer Device, often called a Crazy 10, is a portable, hand-held fill device, for securely receiving, storing, and transferring data between compatible cryptographic and communications equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	49	0
AAO (FY17)	49	
O/H	15,646	237
Shortfall/Excess	15,597	237

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
13	13	10	0	13	0	0	0	0	0	
13	13	10	318	13	0	0	0	0	0	
2,375	2,830	1,062	390	1,833	710	0	6,209	0	0	
2,362	2,817	1,052	390	1,820	710	0	6,209	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810013431194	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810013841996	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810013887634	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810013931973	20	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	20	0
5810015173587	217	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	yes	No	No	0	217	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8024 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8024: READER, PUNCHED TAPE

The KOI-18 tape reader is a battery operated, hand carried device used for converting eight-level standard paper and Mylar tape to serial electronic information.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	460	0
Shortfall/Excess	460	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
108	73	44	7	86	27	0	115	0	0	
108	73	44	7	86	27	0	115	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010269620	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8025: KYK-13 TRANSFER DEVICE

The KYK-13 is a battery operated electronic transfer device, hand or pocket carried, transfer and storage device, which can store up to six keys.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	2	0
AAO (FY17)	2	
O/H	637	0
Shortfall/Excess	635	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	2	0	0	0	0	
0	0	0	0	0	2	0	0	0	0	
26	52	16	1	134	5	0	403	0	0	
26	52	16	1	134	3	0	403	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010269618	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8027: VEHICLE POWER ADAPTER HYP-57

The Vehicular Power Adapter, HYP-57/TSEC replaces the battery and battery case, Z-AIJ, of either the KY-57 or HYX-57. Its purpose is to provide TEMPEST and EMI filtering, and mechanical connector conversion to adapt a vehicular power source to the KY-57 or HYX-57.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	146	0
AAO (FY17)	146	
O/H	5,198	36
Shortfall/Excess	5,052	36

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	146	0	0	0	0	
0	0	0	0	0	146	0	0	0	0	
323	188	109	0	128	160	0	4,250	4	0	
323	188	109	0	128	14	0	4,250	4	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010269621	36	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	36

Notes: All equipment should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A8028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8028: WLA ASSEMBLY

The Wireline Adapter, HYX-57/TSEC, is designed to provide the appropriate wireline interface for the TSEC/KY-57, TSEC/KY-38, and the TSEC/KY-65 to allow their use over a point to point wireline link or through certain military switchboards.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	4,073	36
Shortfall/Excess	4,073	36

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
130	45	50	0	166	108	0	3,538	0	0	
130	45	50	0	166	108	0	3,538	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010269622	36	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	No	No	0	0	36

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A8031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8031: SECURITY EQP, TSEC/KY-57

The TSEC/KY-57 is a small, lightweight, wideband, secure voice, digital communications equipment. It is designed to provide on-line encryption and decryption of all classifications of tactical traffic transmitted over FM and AM, VHF and UHF radio communions.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	2,330	0
Shortfall/Excess	2,330	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
247	65	35	0	106	23	0	1,851	3	0	
247	65	35	0	106	23	0	1,851	3	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810004343644	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8032: SECURITY EQP, SPEECH, TACT, HALF-DUP, W-B AIRBORNE

The Speech Security Equipment (VINSON), TSEC/KY-58-2, -58-3, -58-4, and -58-5 are members of the VINSON family. The VINSON family consists of Wide Band Secure Voice (WBSV) units developed by the National Security Agency to provide line of sight half-duplex voice and data encryption at 16 kbps. The TSEC/KY-58-2, -58-3, -58-4, and -58-5 provides security for AM/FM, VHF, UHF, half-duplex Public Telephone and Telegraph combat net radios and tactical wireline systems when used with the HYX-57.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	955	0
AAO (FY17)	951	
O/H	1,514	46
Shortfall/Excess	559	46

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
219	235	178	0	158	141	0	0	24	0	
219	231	178	0	158	141	0	0	24	0	
177	182	230	0	195	114	0	546	24	0	
-42	-53	52	0	37	-27	0	546	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810004490154	46	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	46	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8036: GENERATOR, KEY, COMSEC

KGV-8C JTIDS COMSEC MODULE



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	35	0
AAO (FY17)	35	
O/H	33	2
Shortfall/Excess	-2	2

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	6	5	0	6	12	0	0	0	0	
6	6	5	0	6	12	0	0	0	0	
2	4	6	0	3	7	0	9	0	0	
-4	-2	1	0	-3	-5	0	9	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810013687752	2	0%	75%	0%	25%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	2	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. No associated TAMCNs. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8038: GENERATOR, KEY, ELECTRONIC'

The Half-Duplex Digital Key Generator, TSEC/KG-40 is a micro-miniature, half-duplex, digital electronic key generator designed to provide cryptographic security for Link II High Frequency/Ultra High Frequency (HF/UHF) communications and for any communications which meet Tactical Digital Information Link data standards. The TSEC/KG-40 will interface between a computer and a data terminal. The TSEC/KG-40 is available in serial and parallel interface configurations.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	38	0
AAO (FY17)	38	
O/H	53	4
Shortfall/Excess	15	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	6	6	0	6	14	0	0	0	0	
6	6	6	0	6	14	0	0	0	0	
7	5	9	0	11	12	0	5	0	0	
1	-1	3	0	5	-2	0	5	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010168052	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0
5810013513000	4	75%	0%	0%	25%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	4	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8047: SECU VOICE KY 99A

The Advanced Narrowband Digital Voice Terminal/Miniature Terminal (ANDVT/MINTERM), TSEC/KY-99A is a lightweight, battery-powered, tactical manpack terminal that provides voice or data communications over wideband (16 kbps) radio channels and is interoperable with KY-57 VINSON/Single Channel Ground and Airborne Radio System equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	516	2
AAO (FY17)	507	
O/H	2,503	0
Shortfall/Excess	1,987	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
107	107	64	0	72	74	2	8	81	1	
106	99	64	0	72	74	2	8	81	1	
143	3	39	0	40	5	0	2,217	56	0	
36	-104	-25	0	-32	-69	-2	2,209	-25	-1	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810013910187	0	75%	0%	0%	25%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8050 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8050: CASE BATTERY ASSEMB

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	1,078	0
Shortfall/Excess	1,078	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
437	208	2	0	265	12	0	154	0	0	
437	208	2	0	265	12	0	154	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6140010488167	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: All equipment should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A8067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8067: FLEET BROADCAST SEC EQUIPMENT

KWR-46



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	5	0
Shortfall/Excess	5	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	5	0	0	
0	0	0	0	0	0	0	5	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810011608398	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8072: REMOTE REKEY EQUIPMENT

The Remote Re-key Equipment, KOK-13A is controlled by a user-supplied host computer. The KOK-13A is capable of generating electronic keys for Over-The-Air- Keys, manual distribution, or memory storage.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	61	0
AAO (FY17)	60	
O/H	44	0
Shortfall/Excess	-17	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	14	9	0	6	18	0	0	0	0
13	13	9	0	6	18	0	0	0	0
4	2	2	0	3	1	0	32	0	0
-9	-12	-7	0	-3	-17	0	32	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810012486018	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A8081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8081: ANDVT/TACTERM COMSEC MODULE

The Advanced Narrowband Digital Voice Terminal Communications Security Module, TSEC/KYV-5 is a removable module designed to plug into the front panel of the CV-3591 Basic Terminal Unit. The TSEC/KYV-5 provides communications security capability to the Advanced Narrowband Digital Voice Terminal/Tactical Terminal.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	168	0
AAO (FY17)	171	
O/H	244	12
Shortfall/Excess	76	12

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
39	38	27	0	24	40	0	0	0	0	
40	40	27	0	24	40	0	0	0	0	
52	52	30	0	26	40	0	32	0	0	
13	14	3	0	2	0	0	32	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810012240202	12	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	12	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8082: ENCRYPTION-DECRYPTI

The General Purpose Encryption Equipment, TSEC/KG-84A, -84C is a high capacity key generator used to encrypt and decrypt teletypewriter and digital data traffic on dedicated links in both tactical and fixed plant environments. Future replacement for the TSEC/KG-84A, -84C will be the TSEC/KIV-7M or TSEC/KIV-19M.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	1,293	39
Shortfall/Excess	1,293	39

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
128	109	66	0	97	112	0	742	0	0	
128	109	66	0	97	112	0	742	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810011463260	39	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	39	0
5810012506618	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8084: ENCRYPTION-DECRYPTION EQUIPMENT

The KIV High Speed B Communications Security encryption model is designed to operate in Time Division Multiple Access architectures which allows it to provide secure high bandwidth, wide area, networked data exchange via MILSTAR satellites.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	1,970	0
AAO (FY17)	1,935	
O/H	5,233	22
Shortfall/Excess	3,263	22

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
495	499	348	0	338	164	0	0	126	0	
501	462	348	31	334	164	0	0	126	0	
931	698	590	18	290	512	0	2,057	115	0	
436	199	242	18	-48	348	0	2,057	-11	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810014146656	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810014304225	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810014318264	10	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	10	0
5810014876582	0	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810015302811	12	25%	0%	0%	75%	0%	0%	NO	NO	No	Yes	Yes	Yes	No	No	0	12	0

Notes: See sensitive equipment instructions in the appendix. NSNs 6656, 4225, and 8264 should be disposed of through MCLC. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8085: ENCRYPTION-DECRYPTION EQUIPMENT (KIV-19)



The KIV-19 is COMSEC equipment and is a controlled cryptographic item. The KIV-19 is a miniaturized version of the existing KG-194 trunk encryption device. It performs data encryption / decryption in full duplex synchronous operation.

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	460	0
AAO (FY17)	458	
O/H	1,417	17
Shortfall/Excess	957	17

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
114	114	76	0	96	52	0	0	0	0	
114	112	76	1	96	52	0	0	0	0	
313	239	211	0	49	171	0	417	0	0	
199	125	135	0	-47	119	0	417	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810014497179	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810014925165	17	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	17	0
5810014989537	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8088 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8088: ENCRYPTOR, NETWORK, IN-LINE

The TACLANE®-Micro is the next generation High Assurance IP Encryptor Interoperability Specification (HAIZE® IS) and Crypto Modernization Compliant encryptor. Optimized for both tactical and strategic environments, the TACLANE-Micro is high-speed, compact and mobile.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	1,667	0
AAO (FY17)	1,629	
O/H	4,148	82
Shortfall/Excess	2,481	82

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
536	402	291	0	296	139	0	0	0	0
535	369	291	44	292	139	0	0	0	0
513	487	352	41	180	523	0	1,970	0	0
-23	85	61	41	-116	384	0	1,970	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810014630133	15	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	15	0
5810014861987	2	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	2	0
5810015279296	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0
5810015474520	65	25%	0%	0%	75%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	65	0
5999015326578	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8089 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8089: ENCRYPTION DEVICE, TRUNK

The Trunk Encryption Device, TSEC/KG-194, -194A are full-duplex key generators designed to provide trunk encryption and decryption for digital data traffic. The TSEC/KG-194 is a non-ruggedized, rack mounted equipment. The TSEC/KG-194A is a tactical, ruggedized equipment with a rack mounting capability. TSEC/KG-194, -194A are enhanced versions which have been modified to incorporate the FIREFLY remote re-key capability. Future replacement for the TSEC/KG-194, -194A will be the TSEC/KIV-17M or TSEC/KIV-19M.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	947	0
AAO (FY17)	946	
O/H	887	0
Shortfall/Excess	-60	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
247	240	180	0	188	92	0	0	0	0	
249	237	180	0	188	92	0	0	0	0	
230	71	112	0	19	34	0	421	0	0	
-17	-169	-68	0	-169	-58	0	421	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810012831394	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. All equipment will be disposed of through MCLC. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8091: ENCRYPTION, KG 250

The AltaSec® KG-250 from ViaSat offers seamless foreign interoperability and programmable information assurance. This inline network encryptor is certified by the National Security Agency for use on classified U.S. Government communication networks.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	47	0
AAO (FY17)	47	
O/H	207	4
Shortfall/Excess	160	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	14	8	0	12	1	0	0	0	0	
12	14	8	30	12	1	0	0	0	0	
7	24	21	14	6	10	0	121	0	0	
-5	10	13	14	-6	9	0	121	0	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810015246615	4	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	4	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8098 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8098: TSECST31 TEST SET

ST-31A KG-40A TEST SET



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	13	0
AAO (FY17)	13	
O/H	9	0
Shortfall/Excess	-4	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	3	1	0	0	0	0
3	3	3	0	3	1	0	0	0	0
2	1	2	0	2	0	0	2	0	0
-1	-2	-1	0	-1	-1	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010060622	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5810013517228	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A8100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8100: CONTROL GROUP, RADIO

The Control Group, Receiver-Transmitter, OK-648/U, provides for remote control operation of SINCGARS radios. The Remote Control Unit is connected with the radio by two-way field wire and may be located up to 4 km away from the remotely controlled radio.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	3,179	0
AAO (FY17)	2,893	
O/H	2,066	0
Shortfall/Excess	-1,113	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
976	822	456	0	586	83	0	0	256	0	
864	673	450	0	567	83	0	0	256	0	
463	516	255	0	407	140	0	40	245	0	
-513	-306	-201	0	-179	57	0	40	-11	0	

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014294556	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Item will be returned to owning unit. Owning unit then inventory SL-3 and completed a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply systems. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A9001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9001: COMPUTER SET, DIGITAL (BLUE FORCE TRACKER)

A computer which processes information represented by combinations of discrete or discontinuous data. It is a computer for performing sequences of arithmetic and logical operations, not only on external data but also on its own internally stored instructions.



MT-2011
Satellite Transceiver

Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,199	603
AAO (FY17)	1,185	
O/H	2,145	427
Shortfall/Excess	946	-176

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
42	42	26	0	0	33	603	7	28	11	
42	42	12	255	0	33	603	7	28	11	
525	608	198	7	0	372	0	5	3	0	
483	566	172	7	0	339	-603	-2	-25	-11	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015138459	427	20%	0%	0%	80%	0%	0%	NO	NO	No	No	no	No	No	Yes	342	0	85

Notes: Not CCI as of Sep 2011, but will be within a year. Item is in many other TAMCNs - just about every rolling stock. Will be shipped with associated vehicles, and needs to be associated in TFSMS with all of the rolling stock. It is a computer system - HIGHLY SENSITIVE TO WATER INTRUSION.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A9002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9002: BLUE FORCE TRACKER

Blue Force Tracking system consists of a computer, a satellite antenna, and a Global Positioning System receiver. The system displays the location of the host vehicle on the computer's terrain-map display along with other platforms in their respective locations.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	1	0	1	0	0	
0	0	0	0	0	1	0	1	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015335325	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A9003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9003: COMPUTER SET, DIGITAL, (BFT) CF-29 (VEHICLE), (BACKPACK VARIANT - OBSOLETE)

Satellite-based, two-way BFSA and command and control system. Compatible world-wide with Army FBCB2 systems, and provides over-the horizon BFSA and communications link via L-band satellite.



Representative Picture

TFSMS (OCT 2013)

MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	223	17
Shortfall/Excess	223	17

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
14	14	4	86	0	73	0	15	0	0	
14	14	4	86	0	73	0	15	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015335336	17	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	17

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

A9004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9004: COMPUTER SYSTEM, DIGITAL

The Backup Computer System Block II is a small, portable, Ruggedized Personal Data Assistant that is capable of performing and displaying artillery survey computations and artillery technical firing solutions, safety computations and serve as a back up for the technical fire direction functions of AFATDS.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	358	17
AAO (FY17)	338	
O/H	568	0
Shortfall/Excess	210	-17

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
76	58	50	0	63	94	17	0	0	0	
64	50	50	0	63	94	17	0	0	0	
151	110	106	0	64	126	0	11	0	0	
75	52	56	0	1	32	-17	11	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015154227	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: NSN: 7010-01-515-4227 (RPDA-5500 OR 3900) DRMO NSN: 7010-01-515-4216 (RPDA-5700) Ship to MCLB Albany

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A9010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9010: UNIT MOVE WORK STATION

MCEITS is the Marine Corps enterprise IT infrastructure in the MAGTF C2 framework. MCEITS consolidates IT infrastructure, hardware, software and services to achieve economies of scale, reduce redundancy and reduce overall USMC IT portfolio costs. MCEITS implements DoD Net-Centric Enterprise Services (NCES), supports Global Information Grid (GIG) and enables effective, efficient IT portfolio management.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	506	8
Shortfall/Excess	506	8

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
223	33	60	30	124	28	0	0	0	0	
223	33	60	30	124	28	0	0	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015431630	8	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	8

Notes: Item is obsolete, but documentation has not been completed, item will be brought back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A9011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9011: MINI DEPLOYMENT EMBARK SUSTAINMENT KIT MINI-DESK

This is the Mini-deployment Embarkation Sustainment Kit.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	18	0
AAO (FY17)	14	
O/H	4	0
Shortfall/Excess	-14	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	4	0	3	11	0	0	0	0
0	0	0	0	3	11	0	0	0	0
0	0	3	0	1	0	0	0	0	0
0	0	-1	0	-2	-11	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7050015444379	0	0%	0%	0%	50%	50%	0%	NO	NO	No	No	No	Yes	No	Yes	0	0	0

Notes: Project Office will take care of the warranty in coordination with the MEFs.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A9013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9013: HANDHELD COMPUTER

The Theater Medical Information Program-Maritime (TMIP-M) provides an integrated theater medical information system addressing the functional areas of Command and Control (C2)(including medical capabilities assessment and sustainability analysis, medical surveillance and collaborative planning capability), Medical Logistics (including assemblage management and blood product management), and Force Health Protection (including medical threat, surveillance, and health care delivery).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	2,107	0
AAO (FY17)	1,989	
O/H	6	0
Shortfall/Excess	-2,101	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
529	541	345	0	420	113	0	0	0	0	
489	464	342	144	422	113	0	0	0	0	
0	0	0	0	0	0	0	6	0	0	
-529	-541	-345	0	-420	-113	0	6	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7021015504906	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A9014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9014: LAPTOP COMPUTER

TMIP-M provides clinical data collection and transport capability at Care Echelons 1 (BAS), 2 (Surgical Company Field Hospital), and 3 (In-Theater Fleet Hospital or Hospital Ship - Navy Only) in combat or hostile environments involving deployed forces. TMIP-M is the naval services component of TMIP which is a DOD directed joint program. TMIP-M is a Navy led program with participation from the Marine Corps and Coast Guard. It is an AIS which provides medical information processing capabilities to medical staffs in theater as well as medical planners and command and control elements at all echelons. TMIP-M provides a full suite for user configurable AIS support for all aspects of theater health services from patient encounter data to medical logistics.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	137	0
AAO (FY17)	130	
O/H	2	0
Shortfall/Excess	-135	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
36	36	25	0	23	15	0	0	0	0	
33	32	25	2	23	15	0	0	0	0	
0	0	2	0	0	0	0	0	0	0	
-36	-36	-23	0	-23	-15	0	0	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7022015508555	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A9015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9015: LAPTOP COMPUTER

TMIP-M provides clinical data collection and transport capability at Care Echelons 1 (BAS), 2 (Surgical Company Field Hospital), and 3 (In-Theater Fleet Hospital or Hospital Ship - Navy Only) in combat or hostile environments involving deployed forces. TMIP-M is the naval services component of TMIP which is a DOD directed joint program. TMIP-M is a Navy led program with participation from the Marine Corps and Coast Guard. It is an AIS which provides medical information processing capabilities to medical staffs in theater as well as medical planners and command and control elements at all echelons. TMIP-M provides a full suite for user configurable AIS support for all aspects of theater health services from patient encounter data to medical logistics.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	830	0
AAO (FY17)	785	
O/H	8	2
Shortfall/Excess	-822	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
208	205	130	0	155	100	0	0	0	0	
194	184	130	26	145	100	0	0	0	0	
0	0	6	0	0	0	0	0	0	0	
-208	-205	-124	0	-155	-100	0	0	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7022015508375	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	2	0

Notes: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A9020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9020: TABLET RUGGED

Laptop Computer



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,258	9
AAO (FY17)	1,258	
O/H	4,723	75
Shortfall/Excess	3,465	66

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
258	247	153	0	243	264	9	8	62	10	
256	246	153	866	243	264	12	8	62	10	
1,504	1,765	607	398	319	55	0	0	0	0	
1,246	1,518	454	398	76	-209	-9	-8	-62	-10	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7021090006232	72	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	72	0
7021090006470	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: Follow EKMS procedures for hard drive. DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A9023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9023: COMPUTER, LAPTOP

High Performance Laptop. This is missidentified as a A90237G. In actuality, this is an A90237GA, which is a component of an Intel System, A0874. There are multiple vendors for this TAMCN.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	9,321	0
AAO (FY17)	8,993	
O/H	744	142
Shortfall/Excess	-8,577	142

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1,803	1,766	1,424	0	1,636	2,578	0	0	0	0	
1,762	1,627	1,392	0	1,520	2,578	0	0	0	0	
62	114	40	0	35	351	0	0	0	0	
-1,741	-1,652	-1,384	0	-1,601	#####	0	0	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090006435	140	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	79	61	0

Notes: Follow EKMS procedures for hard drive. DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A9068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9068: BATTLE COMMAND SUPPORT SUSTAINMENT SYSTEM (BCS3)

Computer purchased for the purpose of running the BCS3 program - similar to CPOF. BCS3 is a map-centric logistics COP.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	343	0
AAO (FY17)	367	
O/H	192	9
Shortfall/Excess	-151	9

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
77	77	53	0	22	110	0	0	0	0
77	77	53	0	46	110	0	0	0	0
24	30	57	6	1	59	0	6	0	0
-53	-47	4	6	-21	-51	0	6	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015682004	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	Yes	Yes	0	0	0
5895015703725	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	Yes	Yes	0	0	0
5895015729492	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	Yes	Yes	0	0	0
7010015329207	9	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	Yes	Yes	0	9	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

A9071 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9071: COMPUTER, LAPTOP

This is a Semi-rugged Laptop. i.e. Panasonic CF-74. There are multiple vendors for this TAMCN.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	1,921	0
AAO (FY17)	1,732	
O/H	1,202	1
Shortfall/Excess	-719	1

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
498	576	338	0	509	0	0	0	0	0	
453	463	335	0	481	0	0	0	0	0	
432	460	228	0	28	53	0	0	0	0	
-66	-116	-110	0	-481	53	0	0	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090006216	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: Follow EKMS procedures for hard drive. DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A9089 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9089: COMPUTER SET, DIGITAL (BLUE FORCE TRACKER) TOC LITE

The TOC is a variant of the Blue Force Tracking (BFT) that brings the BFT capability into Operation Centers. The TOC possess similar capabilities to the BFT.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,304	0
AAO (FY17)	1,267	
O/H	248	50
Shortfall/Excess	-1,056	50

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
260	254	160	0	186	337	0	0	0	0	
256	225	162	107	180	337	0	0	0	0	
60	28	14	23	0	59	0	14	0	0	
-200	-226	-146	23	-186	-278	0	14	0	0	

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015354168	0	0%	0%	0%	0%	0%	0%	YES	0	No	Yes	No	Yes	No	Yes	0	0	0
7010015542356	35	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	35	0	0
7010015690604	9	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	9	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	0%

A9100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9100: COMPUTER, GP, LAPTOP

ADP Central Processing Unit (CPU, Computer), Hybrid.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	246	0
AAO (FY17)	249	
O/H	55,191	5133
Shortfall/Excess	54,945	5,133

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
40	44	24	0	24	78	0	0	0	0	
41	44	24	0	26	78	0	0	0	0	
16,940	17,598	8,510	315	929	5,757	0	9	0	0	
16,900	17,554	8,486	315	905	5,679	0	9	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015325434	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010014649363	17	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	17	0
7010015385013	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090000294	7	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	7	0
7010090000346	33	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	33	0
7010090002538	5	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	5	0
7010090002539	360	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	360	0
7010090002540	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090004272	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090004448	1712	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	1712	0
7010090006210	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

7022014779043	43	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	43	0
---------------	----	----	----	----	----	------	----	----	----	----	----	----	-----	----	----	---	----	---

Notes: All equipment is going to be procured new. Destroy the hard drive and DRMO in theater. 7010090000346 (64 O/H) , 7010090002538 (40 O/H), 5895015325434 (34 O/H), 7010015385013 (7 O/H), 7010090002540 (3 O/H)

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input checked="" type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A9200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9200: COMPUTER, TECH WORKSTATION

The Marine Corps Common Hardware Suite (MCHS) is a level-of-effort program that provides high performance and general purpose client workstations (desktop/laptop) and file application servers that support both UNIX (RISC) and Intel (CISC) based applications. The program includes two components: 1) Workstations and Servers for Tactical and stand-alone Functional C4I programs and 2) Servers Modernization.

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	27	0
Shortfall/Excess	27	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	13	0	0	0	0
14	0	0	0	0	13	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090000350	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and should be DRMOd or disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

A9300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9300: COMPUTER SYSTEM, DIG

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	241	0
AAO (FY17)	246	
O/H	8,916	3
Shortfall/Excess	8,675	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
49	43	34	0	36	76	0	3	0	0	
48	50	33	0	36	76	0	3	0	0	
587	846	541	27	57	6,853	0	2	0	0	
538	803	507	27	21	6,777	0	-1	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010014649346	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090000349	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
70100900006211	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7022014778695	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A9400 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9400: SERVER, ENTERPRISE

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	213	0
AAO (FY17)	213	
O/H	76	1
Shortfall/Excess	-137	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
11	6	4	0	32	94	0	0	0	0	
11	6	4	0	32	94	0	0	0	0	
19	4	2	0	0	50	0	0	0	0	
8	-2	-2	0	-32	-44	0	0	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090000347	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

A9500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9500: COMPUTER, SERVER

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	17	0
AAO (FY17)	17	
O/H	310	0
Shortfall/Excess	293	0

Influences R2 Distribution



Representative Picture

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	17	0	0	0	0	
0	0	0	0	0	17	0	0	0	0	
76	64	31	0	2	134	0	3	0	0	
76	64	31	0	2	117	0	3	0	0	

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7035014649366	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0003: AIR CONDITIONER, HORIZONTAL, 1.5T, 60HZ, 18K BTU

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	127	3
AAO (FY17)	127	
O/H	1,057	12
Shortfall/Excess	930	9

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
37	37	17	0	21	7	3	5	0	0	
37	37	17	0	21	7	3	5	0	0	
181	180	102	0	99	22	0	461	0	0	
144	143	85	0	78	15	-3	456	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261588	12	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	12
4120015810399	0	0%	0%	0%	50%	0%	50%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: For NSN 4120-01-526-1588 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-0399 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should be cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	100%

B0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0006: AIR CONDITIONER, MCS VERTICAL, 400HZ, 36K BTU


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	91	0
Shortfall/Excess	91	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	1	0	90	0	0
0	0	0	0	0	1	0	90	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120004443921	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
4120009264137	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
4120010726388	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
4120011608886	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
4120011755902	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
4120012446385	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0008: AIR CONDITIONER, 5T, 60K

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	17	2
AAO (FY17)	17	
O/H	1,456	300
Shortfall/Excess	1,439	298

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	4	3	0	1	2	2	0	0	0	
3	4	3	39	1	2	2	0	0	0	
213	197	143	40	110	51	0	395	7	0	
210	193	140	40	109	49	-2	395	7	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261060	209	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	209
4120015410646	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015812260	91	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	46	46

Notes: For NSN 4120-01-526-1060 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-2260 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should be cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	49	0.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0010: AIR CONDITIONER



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	75	12
AAO (FY17)	76	
O/H	139	0
Shortfall/Excess	64	-12

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	19	12	0	11	2	12	0	0	0
16	18	12	4	12	2	12	0	0	0
18	22	17	3	6	6	0	67	0	0
3	3	5	3	-5	4	-12	67	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261120	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015647844	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015811227	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	57	0.4

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0010: AIR CONDITIONER




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	75	12
AAO (FY17)	76	
O/H	139	0
Shortfall/Excess	64	-12

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	19	12	0	11	2	12	0	0	0
16	18	12	4	12	2	12	0	0	0
18	22	17	3	6	6	0	67	0	0
3	3	5	3	-5	4	-12	67	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261120	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015647844	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015811227	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information
 if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	57	0.4

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0010: AIR CONDITIONER



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	75	12
AAO (FY17)	76	
O/H	139	0
Shortfall/Excess	64	-12

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	19	12	0	11	2	12	0	0	0
16	18	12	4	12	2	12	0	0	0
18	22	17	3	6	6	0	67	0	0
3	3	5	3	-5	4	-12	67	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261120	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015647844	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015811227	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	57	0.4

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B0011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0011: AIR CONDITIONER

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	22	0
Shortfall/Excess	22	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	1	0	0	19	0	0	
0	0	0	0	1	0	0	19	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120003237780	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
4120011508112	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Eligible for FMS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0013: AIR CONDITIONER

The B0013 is a quieter, more reliable, vertical, compact 36,000 BTU/HR air conditioner that can be remotely operated.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	6	6
Shortfall/Excess	6	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120013590083	6	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	6

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Eligible for FMS.

R2 Distribution Plan

Equipment Assessment Information
 if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0014: ENVIRONMENTAL CONTROL UNIT, HORIZONTAL, 36K BTU

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	3,049	0
AAO (FY17)	3,047	
O/H	4,834	393
Shortfall/Excess	1,785	393

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
772	743	508	0	555	220	0	0	172	35	
746	742	506	41	560	220	0	0	172	57	
772	777	567	45	387	147	0	1,540	149	57	
0	34	59	45	-168	-73	0	1,540	-23	22	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015262397	262	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	262
4120015811276	131	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	66	66

Notes: For NSN 4120-01-526-2397 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN: 4120-01-581-1276 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should be cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	44	0.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0015: VAN, Z BACKSCATTER

The Backscatter X-ray Van is a low-cost, extremely maneuverable screening system built into a commercially available delivery van. It allows for immediate deployment in response to security threats.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	3	0
AAO (FY17)	3	
O/H	21	20
Shortfall/Excess	18	20

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	3	0	0	0	0	
0	0	0	0	0	3	0	0	0	0	
0	1	0	0	0	0	0	0	0	0	
0	1	0	0	0	-3	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015640135	13	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	13
6665015314806	7	0%	0%	0%	0%	0%	100%	YES	NO	No	Yes	No	No	No	No	0	0	7

Notes: Not currently a POR, PM requests that it go back to LOGCOM to be inventoried and determine what to do at that time. Power washing may be completed on the exterior (outside) only of this item. Care should be taken around wiring to prevent damage. **DO NOT POWER WASH INSIDE OF SHELTER;** interior contains sensitive electronics which water can damage. Use compressed air anUpon MCLB Albany Receiving equipment from theater, PM-CIED should be contacted so a complete inventory assessment can be performed to ascertain the equipments reliability status.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **ARMY**
 if **Not Mission Capable MEF** then **ARMY**
 if **Not Mission Capable** then **ARMY**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4.8

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

B0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0018: INTEGRATED TRAILER, ECU AND GENERATOR

The Tactical Quiet Generators (TQG's) are currently being procured to replace the Military Standard Generators. The updated TQGs feature enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	227	0
AAO (FY17)	227	
O/H	270	12
Shortfall/Excess	43	12

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
43	25	4	0	25	6	0	0	0	0	
43	25	4	20	25	6	0	0	0	0	
42	51	31	20	50	12	0	52	0	0	
-1	26	27	20	25	6	0	52	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015569648	12	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	No	0	9	3

Notes: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. For the ECU: The evaporator coil, condenser coil, and control cubicle should be cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11490A.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	102	0	2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0023: EXPLOSIVE DETECTOR EVD 3000

The EVD3000 is the world's first and most recognized portable explosives trace detector with comprehensive explosives detection capabilities. It can detect even minute traces of C-4, TNT, Dynamite, PETN, Semtex, EGDN, DMNB, RDX, and Nitroglycerine, including ICAO taggants and tagged plastic explosives.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	118	0
Shortfall/Excess	118	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	118	0	0	
0	0	0	0	0	0	0	118	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015315570	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	Yes	0	0	0

Notes: Item is obsolete and should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B0024 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0024: DISTRIBUTOR, WATER, TANK TYPE

Transports and distributes water providing soil stabilization, dust control and compaction capabilities.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	26	0
AAO (FY17)	29	
O/H	25	1
Shortfall/Excess	-1	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
7	7	3	0	6	0	0	3	0	0	
7	7	6	0	6	0	0	3	0	0	
7	5	5	0	3	0	0	4	0	0	
0	-2	2	0	-3	0	0	1	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3825014970690	1	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	1	0

Notes: TANK MUST BE FLUSHED

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	299	0	17

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0025: HYDRO SEEDER, DUST ABATEMENT, TRAILER MOUNTED

The Hydroseeder comprises of a wheeled and skid mounted machine used to distribute water.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	33	3
AAO (FY17)	32	
O/H	66	1
Shortfall/Excess	33	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
7	7	7	0	6	0	3	3	0	0	
7	7	6	0	6	0	3	3	0	0	
7	7	6	0	3	0	0	42	0	0	
0	0	-1	0	-3	0	-3	39	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3710015357449	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	Yes	0	0	1

Notes: Items in OEF can be DRMO'd - candidate for FMS. There is a replacement item coming online.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	119	0	2.9

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0026 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0026: HYDRO SEEDER, DUST ABATEMENT, SKID MOUNTED

The Hydroseeder comprises of a wheeled and skid mounted machine used to distribute water.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	36	3
AAO (FY17)	35	
O/H	64	1
Shortfall/Excess	28	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
7	7	7	0	6	0	3	6	0	0	
7	7	6	0	6	0	3	6	0	0	
7	7	7	0	2	0	0	40	0	0	
0	0	0	0	-4	0	-3	34	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3710015349817	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	Yes	0	0	1

Notes: Items in OEF can be DRMO'd - candidate for FMS. There is a replacement item coming online.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	700	2.4

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0027: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 5KW (INDOOR)

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW, 100kW, and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	152	0
AAO (FY17)	154	
O/H	2,148	81
Shortfall/Excess	1,996	81

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
32	30	24	0	30	36	0	0	0	0	
32	32	24	90	30	36	0	0	0	0	
305	270	179	67	162	12	0	945	94	33	
273	240	155	67	132	-24	0	945	94	33	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321794	81	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	0	20	61

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0028: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 5KW (OUTDOOR)

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW, 100kW, and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,984	0
AAO (FY17)	1,982	
O/H	2,798	160
Shortfall/Excess	814	160

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
470	469	328	0	334	4	0	0	300	54	
456	457	328	25	332	4	0	0	300	80	
500	484	321	25	260	19	0	767	243	19	
30	15	-7	25	-74	15	0	767	-57	-35	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321821	160	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	0	40	120

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0029 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0029: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 15KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW, 100kW, and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	164	0
AAO (FY17)	164	
O/H	1,203	133
Shortfall/Excess	1,039	133

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
54	36	14	0	36	24	0	0	0	0	
54	36	14	48	36	24	0	0	0	0	
182	176	124	48	110	14	0	326	82	8	
128	140	110	48	74	-10	0	326	82	8	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321764	133	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	0	33	100

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0030: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 30KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	15	0
AAO (FY17)	17	
O/H	1,543	145
Shortfall/Excess	1,528	145

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	3	3	0	4	0	0	0	0	0	
5	5	3	30	4	0	0	0	0	0	
162	138	105	30	94	39	0	710	101	19	
157	135	102	30	90	39	0	710	101	19	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321809	145	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	0	36	109

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	10	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0031: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 100KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW, 100kW, and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	29	0
AAO (FY17)	33	
O/H	830	87
Shortfall/Excess	801	87

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	6	6	0	7	0	0	0	0	0	
10	10	6	15	7	0	0	0	0	0	
100	74	73	15	56	10	0	374	33	8	
90	68	67	15	49	10	0	374	33	8	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321835	87	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	0	22	65

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0032: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 300KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW, 100kW, and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	70	0
AAO (FY17)	70	
O/H	212	6
Shortfall/Excess	142	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
16	16	12	0	12	2	0	0	12	0	
16	16	12	0	12	2	0	0	12	0	
20	15	14	0	6	1	0	140	10	0	
4	-1	2	0	-6	-1	0	140	-2	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321776	6	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	N/A	No	0	2	4

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0033: JOINT ENGINEER RAPI

The Joint Engineer Rapid Response Vehicle is a Joint Service MRAP Category II, hardened EOD / engineering vehicle, with Level I armor protection.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	22	0
Shortfall/Excess	22	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	22	0	0	
0	0	0	0	0	0	0	22	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015322159	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and should be DRMOd or disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B0034 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0034: VEHICLE MOUNTED MINE DETECTOR (VMMD) HUSKY

The VMMD system can detect buried metallic anti-tank mines, explosive obstacles and unexploded ordnance. The VMMD system is comprised of two Husky Mine Detection Vehicles, one Red Pack sustainment trailer and three Mine Detonation Trailers.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	11	0
Shortfall/Excess	11	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	1	0	0	10	0	0	
0	0	0	0	1	0	0	10	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015602318	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	No	Yes	0	0	0

Notes: TAMCN being archived and equipment being reported under B0092, B0093 or B0094 TAMCNs.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0035: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT III

A truck, usually with a platform or cargo type body, equipped with a monorail mounting hoist or hydraulic lifting boom, designed to lift and/or transport bombs.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	24	0
AAO (FY17)	24	
O/H	59	16
Shortfall/Excess	35	16

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	0	0	0	6	0	0	6	3	
3	3	0	0	0	6	0	0	6	3	
11	3	0	0	0	6	0	23	0	0	
8	0	0	0	0	0	0	23	-6	-3	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015316425	10	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	Yes	0	10	0
2355015811171	6	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	Yes	0	6	0

Notes: Remove all C4I asset and disassociate prior to wash down. Both Variants of CAT III Buffalos are returning to MCLB Albany for Reset prior to fielding according to R2C and enduring requirements. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	237	0	12.5

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0036: GROUND EXPEDIENT FUEL SYSTEM MEDIUM

GERs is a collection of small collapsible tanks, hoses, connectors and pumps used to distribute fuel to Marine Corps ground equipment. 620 gal capacity. Four 155 gal collapsible tanks. 20 GPM Pumping capability. Refuel two vehicles simultaneously.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	366	20
AAO (FY17)	370	
O/H	336	0
Shortfall/Excess	-30	-20

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
83	91	61	0	72	2	20	0	20	8	
96	81	61	9	73	2	18	0	20	10	
92	71	55	13	34	2	0	38	21	10	
9	-20	-6	13	-38	0	-20	38	1	2	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930015339826	0	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: All liners can not be transported back to CONUS if they have been utilized.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	931	0.9

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

B0037 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0037: GROUND EXPEDIENT REFUELING SYSTEM SMALL

The GERS is a ground fuel dispensing system that can receive, store, transport and issue fuel. The GERS is a collection of small collapsible tanks, hoses, connectors and pumps used to distribute fuel to Marine Corps equipment and is transportable by any vehicle (HMMWV or larger).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	350	17
AAO (FY17)	352	
O/H	323	0
Shortfall/Excess	-27	-17

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
82	89	59	0	70	2	17	0	20	11	
93	79	59	0	71	2	18	0	20	10	
92	67	57	5	34	1	0	36	21	10	
10	-22	-2	5	-36	-1	-17	36	1	-1	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930015339830	0	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: All liners cannot be transported back to CONUS if it has been utilized.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	365	0.5

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

B0038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0038: ALL TERRAIN CRANE (ATC) MAC-50

The All Terrain Crane is a rubber tired, hydraulic boom, all terrain crane capable of lifting and swinging a maximum load of 80,000 pounds.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	126	0
AAO (FY17)	137	
O/H	159	4
Shortfall/Excess	33	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
24	23	18	0	24	12	0	6	16	3	
27	26	18	0	24	12	0	6	16	8	
25	23	20	0	6	13	0	42	18	8	
1	0	2	0	-18	1	0	36	2	5	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3810015384030	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	2	0
3810015793981	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	2	0

Notes: All need to come back through MCLC. 3981 is the armored variant.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	318	0	34.9

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0039: AIRFIELD DAMAGE REPAIR (ADR) KIT

The Airfield Damage Repair Kit will provide Marine Corps units the capability to create useable landing surfaces by means of new construction or repair of existing facilities. The new kit will provide the ability to quickly repair seized enemy airfields that have sustained battle damage.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	31	0
AAO (FY17)	32	
O/H	42	1
Shortfall/Excess	11	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	9	5	0	7	1	0	0	0	0	
9	9	6	0	7	1	0	0	0	0	
7	5	5	0	2	3	0	19	0	0	
-2	-4	0	0	-5	2	0	19	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3895015390585	1	0%	0%	0%	50%	50%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes: All need to come back through MCLC.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	35.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0040: 277B MULTI-TERRAIN LOADER (MTL)

The Multi-Terrain Loader provides the Marine Corps with a versatile, deployable, and scalable capability.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	31	0
AAO (FY17)	32	
O/H	303	25
Shortfall/Excess	272	25

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	9	5	0	7	1	0	0	0	0	
9	9	6	0	7	1	0	0	0	0	
76	55	28	0	21	3	0	65	20	10	
67	46	23	0	14	2	0	65	20	10	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015393925	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	No	No	0	0	0
3805015500883	2	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	No	No	0	0	2
3805015696091	17	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	17	0
3805015804542	6	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	6	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	75	0	4.7

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0044: BLADE.MINE CLEARING

The FWMP is an associated TAMCN of the Assault Breacher Vehicle.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	62	12
AAO (FY17)	65	
O/H	67	3
Shortfall/Excess	5	-9

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
7	7	0	0	0	14	12	10	10	2	
7	7	0	0	0	14	12	10	10	5	
7	7	0	0	0	11	0	24	15	0	
0	0	0	0	0	-3	-12	14	5	-2	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590992389283	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes: Associated to the ABV. Equipment needs to be refreshed regardless of maintenance condition.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0048 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0048: PACBOT

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	42	0
AAO (FY17)	42	
O/H	38	0
Shortfall/Excess	-4	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	6	0	0	0	12	0	0	12	6	
6	6	0	0	0	12	0	0	12	6	
0	0	0	0	3	35	0	0	0	0	
-6	-6	0	0	3	23	0	0	-12	-6	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385015936219	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1484	4.8

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0049 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0049: LARGE FIELD REFRIGERATION SYS (LFRS)

The LFRS will comprise a 8x8x20 insulated container that meets ISO type 1, 20 foot standard. The LFRS will be dual mode to refrigerate or freeze perishable items. It will support numerous customers to include Marine Corps field food Service system and will be also support Motruary Affairs.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	90	5
AAO (FY17)	92	
O/H	147	3
Shortfall/Excess	57	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
16	21	14	0	13	9	5	0	0	11	
19	19	14	0	14	9	5	0	0	11	
18	20	9	0	13	8	0	65	0	11	
2	-1	-5	0	0	-1	-5	65	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4130015629914	3	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	N/A	No	0	0	3

Notes: Many of these items were ARMY assets and are not ours - follow instructions only if they are our assets. If serviceable, distribute to MEF, if unserviceable DRMO. Depot Level Maintenance is NOT part of the maintenance concept for this item. A pressure washer can be used on the interior and exterior of the box, excluding the Refrigeration Unit (RU). The RU needs to be cleaned using compressed air and coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11574A. MARCORSSYSCOM has not shipped ANY of this TAMCN / NSN to OEF, so none of these are in OEF to our knowledge. Commercial boxes may look similar, but are white in color and do not have the safety features of the USMC LFRS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B0055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0055: BATH SHOWER UNIT, EXPEDITIONARY, FIELD

The Bath Shower Unit, Expedition consists of six separate but identical and interchangeable shower modules, with interconnecting hoses, electrical power feed water and drain pumps, and a drain hose to conduct water away from the shower area.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	250	0
AAO (FY17)	238	
O/H	352	14
Shortfall/Excess	102	14

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
63	63	42	0	42	4	0	0	24	12	
59	55	42	0	42	4	0	0	24	12	
68	46	40	0	19	8	0	116	29	12	
5	-17	-2	0	-23	4	0	116	5	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4510011636775	14	75%	0%	0%	25%	0%	0%	NO	NO	No	Yes	No	No	No	No	4	0	10

Notes: Not classified

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	108	0.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

B0058 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0058: LTWT VEH MOUNTED MINE ROLLER SYS

The Mine Roller System (MRS) is a countermine system that is mounted on wheeled vehicles to reduce the impact of pressure-activated explosive devices. The MRS detects and neutralizes mines and improvised explosive devices before the host vehicle passes over them.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	277	0
AAO (FY17)	267	
O/H	971	443
Shortfall/Excess	694	443

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
39	38	7	0	16	37	0	63	18	9	
29	33	9	0	19	37	0	63	18	9	
47	40	18	0	0	33	0	390	0	0	
8	2	11	0	-16	-4	0	327	-18	-9	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590015439655	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	Yes	0	0	0
2590015447173	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	Yes	0	0	0
2590015456776	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	Yes	0	0	0
2590015536517	19	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	Yes	0	0	19
2590015794990	424	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	Yes	0	0	424

Notes: Current strategy is to dispose of the obsolete NSNs. AAO for 4990 is probably going to be reduced, but items should still go to fill shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0060: MEDIUM CRAWLER TRACTOR (JOHN DEERE)

Militarized crawler tractor type with straight blade and drawbar.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	313	40
AAO (FY17)	321	
O/H	386	22
Shortfall/Excess	73	-18

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
57	52	29	0	47	32	40	14	36	6	
53	49	41	0	50	32	40	14	36	6	
58	48	33	0	39	34	0	106	40	6	
1	-4	4	0	-8	2	-40	92	4	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015585671	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	yes	Yes	Yes	No	0	0	0
2320015895117	22	0%	0%	0%	50%	50%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	22	0

Notes: 5117 is armored, all of the rest are unarmored. The armored variant will be sent back to MCLC for depot maintenance. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	155	0	34.9

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0061: COOLING AND REFRIGERATION EXPEDITIONARY TOOL KIT (CREK)

The Cooling and Refrigeration Expeditionary Kit (CREK) is an expeditionary support package that will be used by the Refrigeration Mechanic (MOS 1161) to maintain the new family of environmental control and refrigeration equipment. The CREK will replace the current Refrigeration Mechanics and Service Toolkits (TAMCNB2280 NSN 5180-00-637-2667, B2290 NSN3439-00-637-2668 & B1713 4330-01-411-7240). This kit will update the current tools the 1161 utilizes in both technology and safety. It will also greatly enhance the expeditionary capability.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	385	0
AAO (FY17)	400	
O/H	531	7
Shortfall/Excess	146	7

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
103	87	69	0	79	3	0	0	27	12	
103	96	69	5	79	3	0	0	27	18	
108	82	64	6	53	17	0	151	25	18	
5	-5	-5	6	-26	14	0	151	-2	6	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015585664	7	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	7	0

Notes: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. This is a tool kit that may be incomplete and require replacement tools/components be reordered. IMA and Depot Level Maintenance are NOT part of the maintenance concept for this item. Highly pilferable, should not go down the GLOC. All tools need to be wiped down and the exterior of the cases can be cleaned with low pressure washer. SL-3: SL-3-11502A

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0062: TOOL KIT, LINESMAN ELECTRICAL

The Lineman's Tool Kit is a standardized lineman's basic tool kit that provides a wide range of necessary tools for the basic electrician. configuration controlled.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	372	0
AAO (FY17)	392	
O/H	490	2
Shortfall/Excess	118	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
94	85	40	0	64	4	0	0	54	14	
91	85	50	17	64	4	0	0	54	27	
102	82	48	18	46	7	0	99	59	27	
8	-3	8	18	-18	3	0	99	5	13	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015500145	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0063: LOADER, SCOOP TYPE

The TRAM is a multi-purpose machine that is employed throughout the Marine Corps with its forklift attachment in support of heavy lifts up to 10,000 lbs and horizontal construction operations. When configured as a bucket loader it is utilized to, excavate earthen material, move excavated materials, and to load haul units such as dump trucks.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	683	40
AAO (FY17)	687	
O/H	826	79
Shortfall/Excess	143	39

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
123	125	86	0	105	40	40	28	88	37	
123	125	84	11	111	40	40	28	88	37	
137	124	84	12	71	44	0	126	112	37	
14	-1	-2	12	-34	4	-40	98	24	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015497814	27	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	27	0
3805015891659	52	0%	0%	0%	50%	50%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	52	0

Notes: 7814 is unarmored variant.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	186	0	18.7

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0065: ARMORED EXCAVATOR WITH BRUSH HOG

The Backhoe, Excavator is a pneumatic hydraulically operated excavator. It is used in the development of field fortifications, trenching operations, emplacement of culverts, drainage ditch construction and maintenance, quarry support operations and loading.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	8	4
Shortfall/Excess	8	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	4	0	0	
0	0	0	0	0	0	0	4	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3815015503454	4	0%	0%	0%	0%	100%	0%	NO	NO	Yes Other	Yes	Yes	No	Yes	Yes	0	0	4

Notes: Not spending any money to reset equipment, but needs to return to depot. Investigating possible FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	31.7

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0066 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0066: CONTAINERIZED BATCH LAUNDRY

The Containerized Batch Laundry (CBL) is a 100KW Generator powered COTS Laundry item configured into a standard 8' x 8' x 20' ISO Container and consists of two industrial 55 pound washers, two industrial 75 pound dryers, and a 30 GPM supply pump.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	123	0
AAO (FY17)	124	
O/H	132	10
Shortfall/Excess	9	10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
26	26	24	0	24	4	0	6	8	5	
28	26	24	0	24	4	0	6	8	4	
24	22	23	0	9	4	0	27	9	4	
-2	-4	-1	0	-15	0	0	21	1	-1	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3510015498384	10	50%	50%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	5	5

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0067: GROUND TORCH

The Ground Torch is a trailer mounted unit designed to burn vegetation along rivers, canals, and roads. It can also be used to open up supply routes through thick vegetation, or wherever the tactical situation requires that vegetation be cleared.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	15	0
Shortfall/Excess	15	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	15	0	0	
0	0	0	0	0	0	0	15	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1040015503421	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	Yes	0	0	0

Notes: No current requirement for item across the USMC. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0069: CLIMBERS SET, TREE AND POLE

Tool Kit used by electricians (MOS 1141) that contains items necessary to climb poles and work on electrical wiring.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	371	0
AAO (FY17)	374	
O/H	138	0
Shortfall/Excess	-233	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
94	84	53	0	66	2	0	0	54	14	
88	82	53	4	64	2	0	0	54	27	
36	30	17	5	17	2	0	1	30	0	
-58	-54	-36	5	-49	0	0	1	-24	-14	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4240002739668	0	0%	0%	0%	0%	100%	0%	YES	NO	No	Yes	No	No	No	No	0	0	0
5180015508373	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	16	0.1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0071 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0071: LIGHT WEIGHT WATER PURIFICATION SYSTEM

The LWPS uses reverse osmosis technology to produce 125 GPH from fresh water/brackish water sources and 75 GPH from saltwater sources.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	246	0
AAO (FY17)	254	
O/H	228	12
Shortfall/Excess	-18	12

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
48	50	39	0	41	8	0	7	38	15	
52	50	39	0	41	8	0	7	38	19	
41	40	39	0	15	9	0	38	34	0	
-7	-10	0	0	-26	1	0	31	-4	-15	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610015728283	12	0%	50%	0%	0%	50%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	12	0

Notes: All should go to the MCLC as they are designated WRMR items. MEFs should receive new units in about a year, from once full fielding is complete.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0074 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0074: AIR CONDITIONER, MCS HORIZONTAL, 60HZ, 9K BTU

Window-style Air conditioner for rigid wall environmental control.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	171	0
AAO (FY17)	150	
O/H	374	0
Shortfall/Excess	203	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
63	30	23	0	51	4	0	0	0	0	
48	24	23	0	51	4	0	0	0	0	
110	50	45	0	31	7	0	129	2	0	
47	20	22	0	-20	3	0	129	2	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015525223	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	N/A	No	0	0	0
4120015812650	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	N/A	No	0	0	0

Notes: For NSN 4120-01-552-5223 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-2650 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should be cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-4120 The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0075 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0075: SMALL FIELD REFRIGERATOR

The SFRS is an 8'x8'x6.5' insulated TRICON container that can be interlocked with two additional TRICONs to meet ISO standards. An integrated externally-powered Refrigeration Unit (RU) provides controlled refrigeration or freezing of perishable items. The SFRS will support numerous customers, to include Marine Corps Field Food Service System (FFSS).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	72	0
AAO (FY17)	72	
O/H	993	95
Shortfall/Excess	921	95

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
14	14	12	0	13	1	0	0	12	6	
14	14	12	0	13	1	0	0	12	6	
135	111	72	0	64	58	0	412	1	45	
121	97	60	0	51	57	0	412	-11	39	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4130015657655	95	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	No	0	71	24

Notes: Funding has already been obtained for replacing all in theater, so return to CONUS only if serviceable. Depot Level Maintenance is NOT part of the maintenance concept for this item. A pressure washer can be used on the interior and exterior of the box, excluding the Refrigeration Unit (RU). The RU needs to be cleaned using compressed air and coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11609A.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	312	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0076 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0076: MTL WORK TOOL SET

Tool set to support maintenance of the MTL.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	89	0
AAO (FY17)	91	
O/H	152	16
Shortfall/Excess	63	16

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
19	18	10	0	14	1	0	6	10	5	
18	18	13	6	14	1	0	6	10	5	
27	18	12	8	17	2	0	34	13	5	
8	0	2	8	3	1	0	28	3	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015534073	16	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	16	0

Notes: Used with B0040

R2 Distribution Plan

Equipment Assessment Information
 if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	105	0	3.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0077 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0077: DIESEL ENGINE GENERATOR SET 5KW TACTICAL QUIET GENERATOR

The 5kW Generator Set, MEP-802A, 60Hz, is a self-contained, skid mounted, portable unit. It is equipped with controls, instruments and accessories necessary for operation. The generator set consist of a diesel engine, brushless generator, excitation system, speed governing system, fuel system, 24VDC starting system, control system and fault system. This generator set is designed to be used with any equipment requiring a small source of AC power and operates in a "Hot and Basic" climatic condition range of -25°F to 120°F. This generator set is mobile and requires forklift support.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	252	0
AAO (FY17)	252	
O/H	607	0
Shortfall/Excess	355	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	4	0	0	0	0
0	0	0	0	0	4	0	0	0	0
1	0	0	0	0	12	0	594	0	0
1	0	0	0	0	8	0	594	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012747387	0	100%	0%	0%	0%	0%	0%	NO	NO	Yes Other	Yes	No	N/A	No	No	0	0	0

Notes: Used with the GBOSS system and should be reassociated at MCLC. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	33	0.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0078: GRADER, MOTORIZED




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	122	7
AAO (FY17)	126	
O/H	162	8
Shortfall/Excess	40	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	21	14	0	17	14	7	8	14	5
22	21	16	0	19	14	7	8	14	5
25	21	14	0	11	16	0	45	17	5
3	0	0	0	-6	2	-7	37	3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015660558	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	1	0
3805015982715	7	0%	0%	0%	50%	50%	0%	NO	NO	No	Yes	yes	No	No	No	0	7	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2181	15.6

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0078: GRADER, MOTORIZED




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	122	7
AAO (FY17)	126	
O/H	162	8
Shortfall/Excess	40	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
22	21	14	0	17	14	7	8	14	5	
22	21	16	0	19	14	7	8	14	5	
25	21	14	0	11	16	0	45	17	5	
3	0	0	0	-6	2	-7	37	3	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015660558	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	1	0
3805015982715	7	0%	0%	0%	50%	50%	0%	NO	NO	No	Yes	yes	No	No	No	0	7	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2181	15.6

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0079: RIPPER FOR MCT

Attachment mounted on the medium crawler tractor.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	117	10
AAO (FY17)	114	
O/H	151	9
Shortfall/Excess	34	-1

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
22	19	13	0	17	12	10	3	18	3	
19	18	14	0	17	12	10	3	18	3	
23	18	12	0	17	12	0	33	24	3	
1	-1	-1	0	0	0	-10	30	6	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830015626715	9	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	9	0

Notes: This item is an attachment for B0060.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	218	2.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0081: WINCH ATTACHMENT, SINGLE DRUM

Attachment mounted on the medium crawler tractor.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	155	10
AAO (FY17)	131	
O/H	165	10
Shortfall/Excess	10	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
31	26	21	0	26	15	10	5	18	3	
22	21	16	0	21	15	10	5	18	3	
38	27	18	0	24	16	0	10	19	3	
7	1	-3	0	-2	1	-10	5	1	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830015626695	10	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	10	0

Notes: This item is used with B0060. Request separate WIRs for B0060 and B0081.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	64	1.5

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0091: TANK,FUEL,PORTABLE

Fuel Containers



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	5	5
Shortfall/Excess	5	5

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2910015879196	5	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	Yes	0	0	5

Notes: Items in OEF can be DRMO'd - candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	6.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B0092 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0092: TRAILER SET, MINE DE

The three mine detonation trailers are pulled by a single husky vehicle in order to produce large ground pressure in order to initiate pressure plate firing systems in mines and IEDs. The tires of the three trailers are staggered in a manner that ensures pressure is applied to the entire width of the travelled lane.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	40	0
Shortfall/Excess	40	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
18	12	0	0	0	7	0	3	0	0	
18	12	0	0	0	7	0	3	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015294229	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	0	0

Notes: AAO's are being established. Used by B0093.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0093 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0093: MINE DETECTOR SYSTE

The Husky is an armored vehicle that can detect buried metallic anti-tank mines, explosive obstacles and unexploded ordnance. It imparts low ground pressure and can be repaired in the field if it is struck by an explosive device.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	46	0
AAO (FY17)	46	
O/H	88	26
Shortfall/Excess	42	26

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	6	0	0	0	10	0	6	12	6	
6	6	0	0	0	10	0	6	12	6	
16	8	0	0	0	14	0	24	0	0	
10	2	0	0	0	4	0	18	-12	-6	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015602306	26	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	26	0

Notes: AAO's are being established.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0096 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0096: MINE ROLLER SYSTEM

The Heavy Scout Mine Roller is a non-articulating mine roller that can attach to any standard mine roller interface bracket. It is lighter than the Generation III roller and is used primarily by Marine Corps Light Armored Vehicles (LAV) and Afghan National Army High Mobility Multi-Wheeled Vehicles (HMMWV).




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)		
AAO (FY17)		
O/H	0	0
Shortfall/Excess		

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590015890393	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0

Notes: AAO's are being established.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B0102 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0102: DETECTING SET,MINE

Handheld Low Metallic Signature detector.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	952	0
AAO (FY17)	940	
O/H	824	18
Shortfall/Excess	-128	18

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
244	182	136	0	148	34	0	48	112	0	
202	194	136	48	166	34	0	48	112	0	
153	127	71	46	0	34	0	375	0	0	
-91	-55	-65	46	-148	0	0	327	-112	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665123710357	18	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	i/p	Yes	0	18	0

Notes: UUNs requirement only, no AAO established for after the war. FMS is pending - hold in country at MCLC Fwd until determination is made.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0105: METAL DETECTOR




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	277	4
AAO (FY17)	279	
O/H	1,765	709
Shortfall/Excess	1,488	705

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
72	80	60	0	12	35	4	0	0	0	
76	80	60	36	12	33	4	0	0	0	
137	241	77	172	58	213	0	158	0	0	
65	161	17	172	46	178	-4	158	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665151952879	709	0%	75%	0%	0%	0%	25%	NO	NO	EDA	Yes	yes	No	No	No	0	532	177

Notes:

R2 Distribution Plan

Equipment Assessment Information
 if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%


B0106 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0106: GENERATOR SET, DIESE

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	158	
Shortfall/Excess	158	

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
35	59	25	0	3	2	0	29	0	0
35	59	25	0	3	2	0	29	0	0

Representative Picture

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes:

R2 Distribution Plan

Equipment Assessment Information
 if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B0120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0120: BRIDGE ERECTION SET -MGB

Supports installation of Medium Girder Bridge.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	24	0
AAO (FY17)	22	
O/H	32	3
Shortfall/Excess	8	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	2	0	9	2	0	2	2	1	
3	3	0	0	9	2	0	2	2	1	
4	3	2	0	6	1	0	11	2	0	
1	0	0	0	-3	-1	0	9	0	-1	

Representative Picture

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420001723519	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes: Associated with B0152

R2 Distribution Plan

Equipment Assessment Information
 if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	729	3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0152: BRIDGE, MEDIUM GIRDER, DRY GAP - (MGB)

MLC 70 standard bridge for we or dry gaps up to 60M.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	29	0
AAO (FY17)	29	
O/H	41	3
Shortfall/Excess	12	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	2	0	12	2	0	4	2	1	
4	4	0	0	12	2	0	4	2	1	
3	3	2	0	6	2	0	17	4	1	
0	0	0	0	-6	0	0	13	2	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420001723520	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	571	3.5

- Sensitive
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0160 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0160: ASSAULT BREACHER VEHICLE

Provides instride or deliberate breaching capability of minefields and complex obstacles.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	52	5
AAO (FY17)	52	
O/H	46	3
Shortfall/Excess	-6	-2

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
7	7	0	0	0	14	5	7	10	2	
7	7	0	0	0	14	5	7	10	2	
6	7	0	0	0	10	0	8	12	0	
-1	0	0	0	0	-4	-5	1	2	-2	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2350015117783	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes: Remove cameras before washdown and leaving theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	312	0	65

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0171 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0171: BUCKET, CLAMSHELL

The Bucket, Clamshell is hydraulically operated and capable of working at, above and below ground level. It is capable of digging loose to medium type soils and suitable for excavating vertical shafts or footings, filling bins or hoppers, and unloading aggregate from flat bottom gondola railroad cars.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	56	0
AAO (FY17)	52	
O/H	99	0
Shortfall/Excess	43	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
13	13	5	0	11	3	0	0	8	3	
10	10	9	0	8	3	0	0	8	4	
15	14	10	0	5	13	0	14	24	4	
2	1	5	0	-6	10	0	14	16	1	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3815015515938	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Used with B0038.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	71	1.4

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0176 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0176: BUCKET, CONCRETE

Used by the ATC to support concrete pouring operations.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	26	0
AAO (FY17)	30	
O/H	44	0
Shortfall/Excess	18	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	6	2	0	5	1	0	0	4	2	
6	6	6	0	5	1	0	0	4	2	
8	8	7	0	3	1	0	9	6	2	
2	2	5	0	-2	0	0	9	2	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3815012919223	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	yes	No	No	0	0	0

Notes: All should be DRMO'd in country - currently purchasing replacements - same TAMCN new NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	86	0.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0215 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0215: BUCKET, MULTI-PURPOS

The Bucket, Multi-Purpose, 4-in-1, 2.47 Cubic Yard is used as a front end scoop bucket for picking up various types of fill material and loading the same into fill haulers.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	626	40
AAO (FY17)	656	
O/H	576	52
Shortfall/Excess	-50	12

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
117	122	86	0	81	33	40	54	45	37	
120	119	84	11	113	33	40	54	45	37	
105	89	64	5	47	20	0	116	62	16	
-12	-33	-22	5	-34	-13	-40	62	17	-21	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830014828567	52	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	52	0

Notes: AAO's are pending. Used with B0063.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	21	0	0.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0281 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0281: CAMERA SUITE, DIGITAL, ADVANCED (TACPHOTO)

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	72	0
Shortfall/Excess	72	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
32	1	30	0	9	0	0	0	0	0	
32	1	30	0	9	0	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720090004310	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	Yes	Yes	0	0	0

Notes: This TAMCN is obsolete and is now reflected as A0338 (instructions for the "A" TAMCN is also included in this R2 Playbook).

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	0%

B0282 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0282: CAMERA SUITE, DIGITAL, BASIC

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720090004311	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and is now reflected as A0339 (instructions for the "A" TAMCN is also included in this R2 Playbook).

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	0%

B0283 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0283: CAMERA SUITE, DIGITAL, VIDEO

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	32	0
Shortfall/Excess	32	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
2	2	25	0	3	0	0	0	0	0	
2	2	25	0	3	0	0	0	0	0	

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836090004313	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0360 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0360: COMPRESSOR UNIT,REC

An assembled unit consisting of a commonly mounted reciprocating compressor(s) and a prime mover(s).




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	46	0
Shortfall/Excess	46	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	2	6	4	0	0	0	33	1	0	
0	2	6	4	0	0	0	33	1	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4310012501034	0	0%	0%	0%	0%	0%	100%	NO	NO	UNK	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B0392 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0392: CONTAINER HANDLER, RT, KALMAR

The RTCH is a versatile, rough terrain container handler capable of handling commercial and military 20 and 40 ft. ISO containers weighing up to 53,000 pounds. It will be capable of transporting, handling and stacking these containers over rough terrain.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	96	0
AAO (FY17)	96	
O/H	155	18
Shortfall/Excess	59	18

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
13	14	12	0	11	6	0	8	28	3	
14	13	12	1	11	6	0	8	28	3	
15	14	13	1	2	8	0	50	31	3	
2	0	1	1	-9	2	0	42	3	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3930015227364	18	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	18	0

Notes: All equipment needs to come back through MCLC.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	591	0	59

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0395 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0395: COMPRESSOR, AIR, 260CFM, W/PNEUMATIC TOOLS

The Compressor, Air is a trailer-mounted unit which furnishes compressed air at a rate of 250 cubic feet per minute, at a pressure of 100 pounds per square inch.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	192	0
AAO (FY17)	195	
O/H	233	9
Shortfall/Excess	41	9

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
44	38	23	0	39	6	0	10	20	8	
41	39	23	4	42	6	0	10	20	10	
45	33	22	4	18	7	0	63	29	3	
1	-5	-1	4	-21	1	0	53	9	-5	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3820015427652	4	10%	90%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	4	0
4310014988886	4	0%	90%	0%	10%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	4	0

Notes: All equipment needs to come back through MCLC.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	134	0	4.5

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0446 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0446: AIR MOBILE CRANE, RT, HYDRAULIC, LT (SLEP)

The Crane, Wheel Mounted is an air transportable, self-propelled, diesel engine-driven, rubber-tired, four-wheel drive four-wheel steer, 7-1/2 to 10 ton capacity, hydraulically operated crane.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	104	0
AAO (FY17)	111	
O/H	223	3
Shortfall/Excess	119	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
16	17	11	0	12	11	0	12	22	3	
16	15	13	0	12	11	0	12	22	10	
18	16	10	0	9	12	0	117	28	10	
2	-1	-1	0	-3	1	0	105	6	7	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3810011650646	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	Yes	No	0	0	0
3810015169718	2	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2	0
3810015789682	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	1	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	210	0	11.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0465 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0465: B0465 INVENTORY ONLY


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	3	0
Shortfall/Excess	3	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	3	0	0
0	0	0	0	0	0	0	3	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4230014705826	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B0471 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0471: DEMOLITION EQUIPMENT, ENGINEER SQUAD

The Squad Demolition Kit (SDK) consists of tools and equipment that enable Marines to conduct demolition operations. It includes crimpers, wire reels, pelican case, bandoleers, backpack, electrical circuit test equipment, and blasting machines.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	420	0
AAO (FY17)	404	
O/H	676	11
Shortfall/Excess	256	11

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
98	81	49	0	86	17	0	0	72	10	
78	76	53	7	85	17	0	0	72	16	
111	81	36	16	71	21	0	222	91	16	
13	0	-13	16	-15	4	0	222	19	6	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1375000473750	8	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	i/p	No	0	0	8
1375002124589	3	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	i/p	No	0	0	3

Notes: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. No longer using nsn ending in 4589, but will be brought back, use some of the parts and upgrade the rest. This TAMCN is associated with E0359. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B0472 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0472: DEMOLITION EQUIPMENT, INDIV

The Demolition Equipment Set, Explosive-Initiating, Nonelectric, Individual is for the use of the individual demolitionist and is comprised of tools and accessories, less explosive items, with specially designed containers and carrying attachments.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,541	0
AAO (FY17)	1,338	
O/H	2,271	1
Shortfall/Excess	730	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
401	342	188	0	356	0	0	0	208	37	
311	272	192	9	346	0	0	0	208	0	
469	323	133	38	303	0	0	810	194	0	
68	-19	-55	38	-53	0	0	810	-14	-37	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1375000473751	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	No	No	0	1	0

Notes: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0475 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0475: DETECTING SET, MINE, METALLIC, PORTABLE

The Detecting Set, Mine, Portable, Metallic is a portable device for detecting metallic objects, specifically intended for detecting buried metallic anti-tank and anti-personnel mines.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	320	0
Shortfall/Excess	320	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
10	4	2	0	26	7	0	271	0	0
10	4	2	0	26	7	0	271	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665001447655	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
6665219061023	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Item is obsolete - DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B0476 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0476: DETECTOR, MINE, ADVANCED

The AMD is a battery operated, handheld mine detection device consisting of a battery pack, hand held wand with controls, metallic and GPR sensors and Through the Wall Detection capability.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	132	0
AAO (FY17)	132	
O/H	1,093	0
Shortfall/Excess	961	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	132	0	
0	0	0	0	0	0	0	0	132	0	
209	143	69	13	104	2	0	421	132	0	
209	143	69	13	104	2	0	421	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015047769	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	No	0	0	0
6665015274643	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	No	0	0	0

Notes: NSN ending in 7769 is being replaced by NSN 4643. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B0571 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0571: DRUM, FABRIC, COLLAPSIBLE, 500 GAL. CAP., WATER

The Drum, Fabric, Collapsible, Potable Water, 500 gallon is a pillow type, synthetic rubber-impregnated nylon drum. It is designed for use with the Forward Area Water Point Supply System (FAWPSS).




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	90	0
AAO (FY17)	90	
O/H	366	0
Shortfall/Excess	276	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	84	6	
0	0	0	0	0	0	0	0	84	6	
66	58	54	0	4	0	0	90	88	6	
66	58	54	0	4	0	0	90	4	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
8110014089013	0	100%	0%	0%	0%	0%	0%	TBD	YES	No	Yes	No	No	No	No	0	0	0
8110014090789	0	100%	0%	0%	0%	0%	0%	TBD	YES	No	Yes	No	No	No	No	0	0	0

Notes: Item is considered serviceable only if not previously used (new). Items in theater can be DRMO'd and is also a candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	112	0.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

B0572 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0572: TANK, FABRIC, COLLAPSIBLE, 50K

The Assembly, Fuel, Collapsible c/Chest 50,000 Gallon Capacity, is used to store and to dispense fuel in military operations. The maximum capacity of this tank is 50,000 gallons.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	968	0
AAO (FY17)	968	
O/H	802	31
Shortfall/Excess	-166	31

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
140	140	82	0	312	4	0	0	224	66	
140	140	36	0	312	4	0	0	224	112	
183	67	169	0	53	4	0	187	108	0	
43	-73	87	0	-259	0	0	187	-116	-66	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430014795099	5	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	5
5430014795116	26	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	26

Notes: Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	110	0.8

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

B0573 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0573: TANK, FUEL, FABRIC, COLLAPSIBLE, 3000-GAL CAP

The Fuel Tank Assembly, Fabric, Collapsible is used to store and to dispense fuel in military operations. The maximum capacity of this tank is 3,000 gallons.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	398	0
AAO (FY17)	386	
O/H	148	7
Shortfall/Excess	-250	7

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
62	66	38	0	119	1	0	0	72	40	
70	66	20	0	119	1	0	0	72	38	
33	33	26	0	4	0	0	24	21	0	
-29	-33	-12	0	-115	-1	0	24	-51	-40	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2910015391071	0	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	0
5430014850103	7	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	7
5430014858340	0	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	0
5430015427938	0	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	0

Notes: Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

B0579 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0579: DUMMY LOAD, GENERATOR SET, ELECT, 100KW, TRLR-MTD

The Dummy Load, Generator Set, 100 Kw provides electrical load simulating capabilities for maintenance and operational evaluation of mobile electrical power sources.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	233	0
AAO (FY17)	245	
O/H	342	10
Shortfall/Excess	109	10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
59	55	32	0	45	19	0	0	14	4	
60	60	37	5	45	19	0	0	14	5	
54	46	28	5	32	26	0	120	16	5	
-5	-9	-4	5	-13	7	0	120	2	1	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6150013062943	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	N/A	No	0	0	0
6150015571304	10	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	N/A	No	6	4	0

Notes: For NSN 6150-01-306-2943: Dispose of In Theater; Do NOT return to CONUS. For NSN 6150-01-557-1304 (new AVTRON model): Re-distribute within MEF FWD to fill EDL shortages. Upon retrograde, conduct LTI and determine worth returning to CONUS or not. If returned to CONUS, return to Condition Code "A" at Using Unit or IMA and make SL-3 complete. Re-distribute to fill any shortages within the Marine Corps; store any excess at MARCORLOGCOM. Load banks require special consideration for washdown. The internals of a load bank should never be cleaned with running water. Damp cloths can be used to wipe out any residue vacuums won't remove. Water can be used to clean the exterior of a load bank as long as all doors are tightly closed and high pressure water is not directed into any seam or opening on the load bank. SL-3: SL-3-07500C The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0585 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0585: NSN NOT PROCURABLE

B0585 is obsolete.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
1	0	0	0	1	0	0	0	0	0	
1	0	0	0	1	0	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110011715398	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
9999011715398	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B0589 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0589: EXCAVATOR COMBAT (M9 ACE)

The M9 Armored Combat Earthmover is a highly mobile, full-tracked, armored earthmover capable of supporting the maneuver element in offensive and defensive operations.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	93	6
AAO (FY17)	99	
O/H	119	0
Shortfall/Excess	26	-6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	12	12	0	20	9	6	8	12	2	
16	16	12	0	20	9	6	8	12	0	
21	10	4	0	4	7	0	55	18	0	
9	-2	-8	0	-16	-2	-6	47	6	-2	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2350008087100	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2430015818572	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition. Remove IVS cameras before washdown.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	187	0	23

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0595 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0595: POWER DISTRIBUTION

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	200	0
Shortfall/Excess	200	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
23	20	22	3	10	3	0	119	0	0	
23	20	22	3	10	3	0	119	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110012732387	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and has been replaced by the B0029. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0600 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0600: DISTRIBUTION SYSTEM, POWER, ELECT, 30KW

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	40	6
Shortfall/Excess	40	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
9	13	7	1	4	0	0	0	0	0	
9	13	7	1	4	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110012228958	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
6110012726953	6	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	6

Notes: This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	24	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0605 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0605: DISTRIBUTION SYSTEM, POWER, ELECT, 100KW

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	24	2
Shortfall/Excess	24	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
3	1	6	0	11	1	0	0	0	0	
3	1	6	0	11	1	0	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110012726952	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	2

Notes: This TAMCN is obsolete and has been replaced by the B0031. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	36	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0608 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0608: WIRING HARNESS.FIEL

The Field Wiring Harness MLK-0000 provides electrical power distribution and illumination through receptacle circuits/power outlets for various field unit complexes. The unit is portable and suitable for use in indoor/outdoor environments.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	133	0
Shortfall/Excess	133	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
62	18	39	0	12	2	0	0	0	0	
62	18	39	0	12	2	0	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6230012541666	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.4

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B0626 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0626: FIRE SUPPRESSION SYSTEM, MOBILE (AVIATION TYPE)

Twin agent fire suppression system mounted on a HMMWV.
Provides fire suppression to base camps, Ammo Supply Points and tactical fueling areas.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	137	0
AAO (FY17)	129	
O/H	143	6
Shortfall/Excess	6	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
25	29	19	0	33	1	0	8	16	6	
27	26	13	0	30	1	0	8	16	8	
1	3	21	0	3	1	0	96	12	0	
-24	-26	2	0	-30	0	0	88	-4	-6	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210014944642	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	1	0
4210015696073	5	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	5	0
4210015791563	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	692	4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0635 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0635: FLOODLIGHT SET,ELEC

The Floodlight Set is a skid mounted unit designed to accept a 10 kw, 60 Hz, MEP-003A Generator Set or external power with a minimum requirement of 6 kw, single phase, 3 wire 120/240 vac, 60 Hz.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6230011701408	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: NSN 6230-01-170-1408: DRMO/Dispose of In Theater; do NOT return to CONUS. (Replaced by B0640, NSN 6230-01-530-8890 New Floodlight Set with integral diesel engine & generator.) Eligible for FMS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	216	1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B0640 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0640: FLOODLIGHT SET

The Floodlight Set will be a self-contained skid mounted system, utilizing JP/5/8 fuel standard engine that is air, trailer, or truck transportable. It will provide 300k lumens from multiple lamps from a singular mast extendable to at least 30 feet in height when trailer mounted and have four removable mobile masts that provide at least 2k lumens each. The system will be capable of operating eight (8) hours continuously without intervention.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	831	25
AAO (FY17)	843	
O/H	1,309	132
Shortfall/Excess	478	107

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
179	162	117	0	142	39	25	0	108	29	
184	173	117	30	142	39	25	0	108	25	
172	152	117	29	106	70	0	390	116	25	
-7	-10	0	29	-36	31	-25	390	8	-4	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6230014966523	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
6230015308890	132	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	66	66

Notes: NSN 6230-01-530-8890: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-11120A

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	207	1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0647 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0647: B0647 INVENTORY ONLY

A power-driven fork-type elevating unit designed to be mounted on a tractor. May be cable- or hydraulically-operated. Used for lifting, transporting and stacking material.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	676	40
AAO (FY17)	706	
O/H	842	69
Shortfall/Excess	166	29

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
117	122	87	0	81	33	40	60	88	37	
120	119	85	11	113	33	40	60	88	37	
149	121	101	12	55	38	0	173	87	37	
32	-1	14	12	-26	5	-40	113	-1	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830014828569	69	10%	90%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	62	7

Notes: All need to return to CONUS - MCLC already has repair line established.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0675 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0675: FUEL SYSTEM, AIRFIELD, TACTICAL(FIRESTONE)

The Fuel System, Tactical Airfield is comprised of self-contained components that can be assembled without special tools to meet numerous operational requirements in an expeditionary airfield environment.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	56	0
AAO (FY17)	56	
O/H	44	3
Shortfall/Excess	-12	3

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	12	7	0	9	1	0	0	10	5	
12	12	7	0	9	1	0	0	10	5	
4	4	7	0	1	2	0	8	10	5	
-8	-8	0	0	-8	1	0	8	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930001813272	0	0%	0%	0%	0%	100%	0%	NO	YES	No	Yes	No	No	No	No	0	0	0
4930010940026	3	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	3

Notes: This equipment is highly pilferable and should not be transported by Local nationals. If tank has had fuel in it, using unit must WIR as Code H.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	16.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

B0676 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0676: WATER POINT SUPPLY SYSTEM, FWD AREA

The Forward Area Water Point Supply System is a portable, self-contained water storage and dispensing set for potable water.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	54	0
AAO (FY17)	60	
O/H	69	1
Shortfall/Excess	15	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
13	14	1	0	9	2	0	0	14	1	
12	12	10	0	9	2	0	0	14	1	
15	9	11	0	3	2	0	12	15	1	
2	-5	10	0	-6	0	0	12	1	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320011101993	1	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs. Depot Level Maintenance is NOT part of the maintenance concept for this item. This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	120	0.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

B0685 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0685: FUEL SYSTEM, AMPHIB ASSAULT, 600K GAL CAP

The Fuels System, Amphibious Assault Is the aggregate of a number of self-contained unit components capable of receiving, storing and dispensing fuels at the rate of 600gpm. Component assemblies consist of individual item assemblies that are interchangeable throughout the system to provide overall flexibility to meet varying conditions.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	32	0
AAO (FY17)	30	
O/H	26	1
Shortfall/Excess	-6	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	4	2	0	12	0	0	0	8	2	
4	4	0	0	12	0	0	0	8	2	
2	2	2	0	1	0	0	5	9	4	
-2	-2	0	0	-11	0	0	5	1	2	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930011139173	1	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	1

Notes: Any equipment returning to CONUS will go through the depot. If tank has had fuel in it, using unit must WIR as Code H. This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	70.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

B0695 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0695: LABORATORY, PETROLEUM, TACTICAL, MEDIUM

The Tactical Petroleum Laboratory-Medium provides the essential testing components integrated into an ISO container to monitor the critical physical and chemical characteristics of aviation and ground fuels.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	21	0
AAO (FY17)	19	
O/H	10	0
Shortfall/Excess	-11	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	3	0	9	1	0	0	2	0	
3	3	1	0	9	1	0	0	2	0	
2	0	1	0	0	1	0	3	3	0	
-1	-3	-2	0	-9	0	0	3	1	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6640013990483	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs. Depot Level Maintenance is NOT part of the maintenance concept for this item. New systems are being purchased, but fielding is not complete yet. This equipment is highly pilferable and should not be transported by Local nationals. New TAMCN B0087 will eventually replace this.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B0696 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0696: TESTER, FLASH POINT

The MARFLASH, Fuel Tester is a fully automatic, microprocessor controlled, flameless flash point tester used by USMC Bulk Fuel Distribution units, to test the flash points of different types of fuels. The device provides direct field test measurements of flash point for fuel acceptance of JP5, JP8/Jet A1, Diesel DF-2, and Non-specification fuels with flash points between 68°F-240°F.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	161	0
AAO (FY17)	161	
O/H	130	2
Shortfall/Excess	-31	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
36	36	27	0	27	2	0	0	22	11	
36	36	27	0	27	2	0	0	22	11	
33	7	30	0	21	6	0	27	0	4	
-3	-29	3	0	-6	4	0	27	-22	-7	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6630015341774	2	66%	0%	0%	34%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0730 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0730: GENERATOR SET, 3KW, 60HZ, SKID-MTD

The Generator Set, 3 Kw, 60 Hz, Skid-Mounted, MEP-016B is a self-contained, portable unit. It is powered by a diesel engine which is directly coupled to the generator.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	21	0
AAO (FY17)	18	
O/H	4,390	15
Shortfall/Excess	4,369	15

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	0	0	0	9	0	0	0	0	0	
9	0	0	39	9	0	0	0	0	0	
557	415	248	61	241	47	0	2,400	321	85	
545	415	248	61	232	47	0	2,400	321	85	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012853012	15	100%	0%	0%	0%	0%	0%	NO	NO	Yes Other	Yes	yes	No	Yes	No	0	0	15

Notes: For NSN 6115-01-150-414- MEP-016B and NSN 6115-01-456-5046: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-285-3012, MEP-831A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	15	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B0891 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0891: GENERATOR SET, SKID MTD, 10KW/60HZ, TQG

The generator set, 10 Kw, 60 Hz, skid-mounted, MEP-003A consists of a revolving field alternator powered by an air-cooled diesel engine.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	24	0
AAO (FY17)	24	
O/H	3,747	82
Shortfall/Excess	3,723	82

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	6	0	0	6	0	0	0	0	0	
12	6	0	25	6	0	0	0	0	0	
478	417	261	35	202	82	0	2,074	78	38	
466	411	261	35	196	82	0	2,074	78	38	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012755061	82	50%	0%	0%	50%	0%	0%	NO	NO	No	No	yes	No	No	No	0	41	41
6115015617455	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: For NSN 6115-00-465-1030, MEP-003A: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-275-5061, MEP-803A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	42	0.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	0%

B0921 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0921: GENERATOR SET, SKID MTD, 10KW/400HZ, TQG

The MEP-112A is a 10 Kilowatt, 400 Hertz Generator Set. It consists of a revolving field alternator powered by an air cooled diesel engine. These sets are not designed for parallel operation.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	94	0
AAO (FY17)	98	
O/H	256	0
Shortfall/Excess	162	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
21	19	21	0	12	3	0	6	12	0	
22	22	21	0	12	3	0	6	12	0	
28	22	31	0	17	1	0	143	12	2	
7	3	10	0	5	-2	0	137	0	2	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012747392	0	25%	0%	0%	75%	0%	0%	NO	NO	No	No	yes	No	N/A	No	0	0	0

Notes: For NSN 6115-00-465-1027, MEP-112A: Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-274-7392, MEP-813A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	42	0.8

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0930 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0930: GENERATOR SET 20KW MMG-25 (REPLACES F60297B)

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	331	0
AAO (FY17)	317	
O/H	261	9
Shortfall/Excess	-70	9

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
104	90	50	0	82	5	0	0	0	0	
90	90	50	0	82	5	0	0	0	0	
51	62	28	0	23	6	0	82	0	0	
-53	-28	-22	0	-59	1	0	82	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115015310571	9	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	N/A	No	9	0	0

Notes: NSN 6115-01-531-0571: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	86	1.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0953 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0953: GENERATOR SET, SKID MTD, 30KW/60HZ, TQG, MEP005A

The Generator Set, 30 Kw, 60 Hz, Skid-Mounted, MEP-005A is a fully enclosed, self-contained, portable unit. It is equipped with controls, instruments, and accessories which enable it to be operated as a single unit or in parallel with two or more units.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	66	4
AAO (FY17)	63	
O/H	2,850	125
Shortfall/Excess	2,784	121

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
16	16	9	0	9	4	4	1	3	0	
14	15	9	34	9	4	4	1	3	0	
405	336	209	34	93	141	0	1,271	169	67	
389	320	200	34	84	137	-4	1,270	166	67	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115001181240	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	N/A	No	0	0	0
6115012747389	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	N/A	No	0	0	0
6115014619335	125	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	N/A	No	0	31	94
6115015617718	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	N/A	No	0	0	0

Notes: For NSN 6115-00-118-1240, MEP-005A and NSN 6115-01-274-7389, MEP-805A: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-461-9335, MEP-805B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	91	1.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B0971 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0971: GENERATOR SET, SKID MTD, 30KW/400HZ, TQG

The Generator Set, Diesel Engine, MEP-114A, 30KW 400 Hz Skid Mounted, is a military mobile electric power set for use with requiring 400 Hz input.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1	0
AAO (FY17)	1	
O/H	58	0
Shortfall/Excess	57	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	1	0	0	0	0	
0	0	0	0	0	1	0	0	0	0	
0	1	2	0	3	1	0	51	0	0	
0	1	2	0	3	0	0	51	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115014620290	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	N/A	No	0	0	0

Notes: For NSN 6115-00-118-1248, MEP-114A and NSN 6115-01-274-7394, MEP-815A: Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-462-0290, MEP-815B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	1.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B0980 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0980: GENERATOR, LTWT, MAN-PORTABLE

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	60	0
AAO (FY17)	60	
O/H	1,766	1
Shortfall/Excess	1,706	1

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
30	15	0	0	15	0	0	0	0	0	
30	15	0	0	15	0	0	0	0	0	
289	209	150	4	115	24	0	944	19	11	
259	194	150	4	100	24	0	944	19	11	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115014351565	1	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	N/A	No	0	0	1
6115014351567	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	N/A	No	0	0	0

Notes: NSN 6115-01-435-1565: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

- A: Critical/Sensitive; M/S - AK or AC
- B: Sensitive - MultiModal; M/S - AD to SE
- C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

- B: Sensitive - MultiModal; M/S - AD to SE
- C: Critical Non-Sensitive; M/S - AD to SC
- D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B1016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1016: GENERATOR SET, 60KW, 400HZ, SKID-MTD

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	68	0
AAO (FY17)	71	
O/H	123	6
Shortfall/Excess	55	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	12	12	0	12	2	0	0	16	2	
12	12	12	0	12	2	0	0	16	5	
11	12	12	0	10	7	0	47	13	5	
-1	0	0	0	-2	5	0	47	-3	3	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012747395	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	N/A	No	0	0	0
6115014620292	6	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	N/A	No	0	6	0
6115015617895	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	N/A	No	0	0	0

Notes: For NSN 6115-00-118-1253, MEP-115A and NSN 6115-01-274-7395, MEP-816A: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-462-0292, MEP-816B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	106	2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B1021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1021: GENERATOR SET, SKID-MTD, 60KW/60HZ, TQG

The Generator Set, 60 Kw, 60 Hz, Skid-Mounted, MEP-006A is a portable, self-contained unit. It is provided with controls, instruments, and accessories necessary for operation as a single unit or in parallel with up to two other units of the same class.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	31	0
AAO (FY17)	38	
O/H	2,802	101
Shortfall/Excess	2,771	101

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	6	5	0	8	0	0	0	2	1	
11	11	5	47	8	0	0	0	2	1	
222	239	153	47	122	50	0	1,743	94	31	
213	233	148	47	114	50	0	1,743	92	30	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012747390	5	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	yes	No	No	No	0	5	0
6115014620291	96	75%	0%	0%	25%	0%	0%	NO	NO	No	No	yes	No	No	No	0	96	0
6115015617788	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: For NSN 6115-00-118-1243, MEP-006A and NSN 6115-01-274-7390, MEP-806A: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-462-0291, MEP-806B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	106	2.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B1045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1045: GENERATOR SET, 100KW, 60HZ, SKID-MTD, TQG

The Generator Set, Diesel Engine Driven, Skid Mounted, MEP-007A/MEP-007B is a transportable source of AC power that is designed for use with any type of equipment that requires an external AC power source.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	531	30
AAO (FY17)	535	
O/H	626	114
Shortfall/Excess	95	84

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
118	114	89	0	95	7	30	8	40	17	
120	116	89	13	95	7	27	8	40	20	
122	111	86	13	48	10	0	79	41	2	
4	-3	-3	13	-47	3	-30	71	1	-15	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115001339101	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	yes	No	No	No	0	0	0
6115010366374	5	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	5
6115012961463	109	50%	0%	0%	0%	50%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	109

Notes: For NSN 6115-00-1133-9101, MEP 007A, NSN 6115-01-036-6374, MEP-007B and NSN 6115-01-470-9058: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-296-1463: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	159	3.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B1082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1082: GRADER, ROAD, MOTORIZED

The Motorized Road Grader is a self-propelled grading machine powered by a diesel engine. It is rubber-tired, four-wheel drive, and has an articulated frame and front-wheel steer design. The primary use is for building and maintaining roads and airfields.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	82	0
Shortfall/Excess	82	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	3	2	0	77	0	0	
0	0	0	0	3	2	0	77	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805002615826	0	0%	0%	0%	0%	0%	100%	TBD	TBD	Yes Other	Yes	No	No	No	No	0	0	0
3805011504795	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
3805013036152	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
3805015736518	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes: Items in OEF can be DRMO'd - candidate for FMS. Replacement TAMCN is B0078.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	15.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B1135 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1135: REFUELING SYSTEM, EXPEDIENT, HELO

The Tactical Fuel System will offer increased storage capability for all Marine Corps fuel systems . Amphibious Assault Fuel System, B0685, Reconfigured 1,120K gal Tactical Airfield Fuel Dispensing System (TAFDS) B0675 Reconfigured 320K gal Helicopter expedient Refueling System, B1135, Reconfigured 18K gal.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	60	0
AAO (FY17)	60	
O/H	71	1
Shortfall/Excess	11	1

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	12	8	0	9	1	0	0	12	6	
12	12	8	0	9	1	0	0	12	6	
14	12	8	0	5	1	0	9	15	6	
2	0	0	0	-4	0	0	9	3	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930011149930	1	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	1

Notes: Any drums and hoses that have been used with fuel should be left in theater. If tank has had fuel in it, using unit must WIR as Code H.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	3.1

- Sensitive
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B1139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1139: HOSE REEL SYSTEM

The Hose Reel System (HRS) provides linear fuel transfer capability and interfaces with other Marine Corps Tactical Fuel System equipment. Each HRS provides a 5 mile reach with 11 reels each containing 2400' of lightweight, layflat hoses and 2 hose reel bases with power units to control the speed and direction of the operation. The HRS is ISO configured to accommodate its transportation requirements and can be stored and transferred in four 8'x8'x20' ISO containers. The HRS will link together elements of the Amphibious Assault Fuel System.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	35	0
AAO (FY17)	33	
O/H	42	0
Shortfall/Excess	7	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	4	4	0	12	1	0	0	8	2	
4	4	0	0	12	1	0	0	8	4	
5	2	4	0	2	1	0	14	10	4	
1	-2	0	0	-10	0	0	14	2	2	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930014621304	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Any hoses that have been used with fuel should be left in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32768	7.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B1140 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1140: HYPOCHLORINATION UNIT, PURIFICATION, 2-100 GPH

The Hypo-chlorination Unit, Purification is designed to mix a proportional amount of hypochlorite solution with water in the Tactical Water Distribution System.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	54	0
AAO (FY17)	68	
O/H	95	4
Shortfall/Excess	41	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	10	8	0	13	1	0	0	10	2	
16	14	12	0	13	1	2	0	10	0	
9	6	8	0	3	0	0	48	11	6	
-1	-4	0	0	-10	-1	0	48	1	4	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610012503724	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	0
4610013644485	3	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	3

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B1170 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1170: GRADE CONTROL SYSTE



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	29	0
AAO (FY17)	31	
O/H	9	0
Shortfall/Excess	-20	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	8	3	0	7	2	0	0	0	0
8	8	6	0	7	2	0	0	0	0
5	3	0	0	1	0	0	0	0	0
-4	-5	-3	0	-6	-2	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675015634405	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B1281 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1281: LIGHT SET, GENERAL I


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	2,290	32
Shortfall/Excess	2,290	32

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
318	1,440	371	7	12	110	0	0	0	0
318	1,440	371	7	12	110	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6230014658931	32	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	32

Notes: DRMO/Dispose of In theater; do NOT return to CONUS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B1291 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1291: DECONTAMINATION SYSTEM, LTWT

The Lightweight Decontamination System is a compact and lightweight decontamination system capable of applying water or selected decontaminates to chemically and biologically contaminated items of equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	95	0
Shortfall/Excess	95	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	4	0	0	3	2	0	21	50	15	
0	4	0	0	3	2	0	21	50	15	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4230013463122	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
4230014921540	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: WIR in theater. Disposition in accordance with WIR instructions.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	34	0.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B1298 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1298: KIT, LAUNCH, LINE CHARGE, TRLR-MTD

Used to clear a lane through a minefield during breaching operations. This system can be mounted on an M353 Trailer Chassis, and will normally be towed by an Assault Amphibious Vehicle (AAVP7A1). It will clear a lane 100 meters long by 16 meters wide and will be the initial minefield breaching asset used.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	255	0
AAO (FY17)	238	
O/H	266	3
Shortfall/Excess	11	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
67	47	24	0	55	13	0	9	36	2	
44	44	28	0	53	13	0	9	36	9	
73	43	14	0	14	12	0	47	51	9	
6	-4	-10	0	-41	-1	0	38	15	7	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1055012035883	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes: Remove all Class V prior to wash down

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	123	0	3.1

- Sensitive
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B1300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1300: PLATFORM, MAINT, CRANE, AIR MOBILE

The Maintenance Platform, Air Mobile Crane, is a boom attached platform that provides a leveling platform intended for raising personnel and equipment to a work situation.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	38	0
AAO (FY17)	39	
O/H	43	3
Shortfall/Excess	5	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	8	5	0	6	0	0	3	6	2	
8	8	5	0	6	0	0	3	6	3	
8	7	7	0	4	0	0	5	7	2	
0	-1	2	0	-2	0	0	2	1	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320013122616	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	185	0.5

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B1420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1420: TEST KIT, PETROLEUM

The Aviation Fuel Contamination Test Kit is a one-person, portable kit consisting of components and testing equipment for the determination of particulate contaminants, API gravity, temperature, and free water content in aviation fuel samples.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	92	0
AAO (FY17)	90	
O/H	138	5
Shortfall/Excess	46	5

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
16	16	10	0	21	1	0	0	20	8	
16	16	8	0	21	1	0	0	20	8	
21	31	23	0	15	13	0	8	19	3	
5	15	13	0	-6	12	0	8	-1	-5	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6630010085524	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
6630013495245	0	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B1570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1570: PUMPING ASSEMBLY,FL

The Pump Unit is a self contained diesel engine driven 125 GPM unit used for pumping petroleum products. This unit consists of a noise enclosed self-priming centrifugal pump driven by a four-stroke, air cooled diesel engine.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	338	0
AAO (FY17)	326	
O/H	254	24
Shortfall/Excess	-84	24

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
50	54	30	0	110	0	0	0	60	34	
58	54	12	0	110	0	0	0	60	32	
45	41	19	0	12	0	0	6	75	32	
-5	-13	-11	0	-98	0	0	6	15	-2	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320013139442	0	0%	0%	0%	0%	100%	0%	NO	YES	No	No	No	No	No	No	0	0	0
4930011825028	24	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	24

Notes: Needs to be certified fuel-free before returning. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	35	1.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B1580 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1580: PUMP MODULE, FUEL (SIXCON)

The Six Container (SIXCON) Fuel Pump Module is a component of the SIXCON system, a module system consisting of five tank modules and one pump module. The six modules attached together to form an ISO/ANSI configured 8 x 8 x 20 foot module. The SIXCON Fuel Pump Module has the capability for refueling and defueling both aircraft and ground vehicles, it has a 150 GPM pumping rate, aviation grade fuel filtration, 50-foot of 2-inch refueling hose with pressure and open port refueling nozzles, and ancillary components necessary for inter-connecting to the (TAMCN B2085 pg. 2-128) SIXCON Fuel Tank Module. The SIXCON fuel modules can be used as a mobile refueling asset or as a stationary refueling capability.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	775	0
AAO (FY17)	783	
O/H	937	14
Shortfall/Excess	162	14

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
157	171	106	0	140	40	0	31	96	29	
183	154	105	5	140	40	0	31	96	29	
172	154	72	5	34	41	0	299	127	19	
15	-17	-34	5	-106	1	0	268	31	-10	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930012404579	14	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	14

Notes: MCLC has repair line established.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B1581 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1581: PUMP MODULE, WATER

The Pump Module, Water includes and engine and a pump. It is a component of SIXCON. It is mounted in a shipping frame (TAMCN C4905).




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	486	0
AAO (FY17)	527	
O/H	730	2
Shortfall/Excess	244	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
80	102	82	0	79	17	0	16	86	21	
101	90	92	3	79	17	0	16	86	43	
113	65	57	3	18	17	0	348	104	3	
33	-37	-25	3	-61	0	0	332	18	-18	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320011563873	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0
4320011900417	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0
4320013181853	2	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	2

Notes: MCLC has repair line established.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.5

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B1582 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1582: PUMP SET, 350 GPM

The Pump, Water, 350 GPM is the primary pump within the water supply tank farm. It is trailer mounted, diesel engine driven, centrifugal type pump rated at 350 gpm with 275 foot total dynamic head.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	25	0
Shortfall/Excess	25	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	1	1	0	10	13	0	
0	0	0	0	1	1	0	10	13	0	

Representative Picture

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320013359671	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS. Replaced by B2394.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	214	1.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B1583 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1583: PUMP, FUEL 600 GPM

The Pump, Reciprocating, Power Driven is powered by an air-cooled, one cylinder, gasoline engine. The torque from the engine is transferred to the pump through a flexible coupling. The engine and the pump are bolted to a two-wheeled steel trailer.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	973	0
AAO (FY17)	973	
O/H	1,162	14
Shortfall/Excess	189	14

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
152	152	83	0	267	7	0	37	206	69	
152	152	49	0	267	7	0	37	206	103	
77	62	66	0	59	16	0	603	162	103	
-75	-90	-17	0	-208	9	0	566	-44	34	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320015336417	7	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	7
4320015889165	7	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	7
4930013927579	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: All returning to CONUS should go through the Depot. Replaced by B6417.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	446	3.1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B1585 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1585: SEPARATOR, FILTER, 350 GPM

Filter Separator is designed to remove solid contaminants and water from tactical fuel systems.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	464	0
AAO (FY17)	456	
O/H	442	11
Shortfall/Excess	-22	11

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
88	88	50	0	102	6	0	0	92	38	
88	88	42	0	102	6	0	0	92	38	
65	28	68	0	30	9	0	196	35	0	
-23	-60	18	0	-72	3	0	196	-57	-38	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4330001778485	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4330015338221	11	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	11	0	0

Notes: NSN 8485 can be DRMO'd in country. NSN 8221 can go to MEF if serviceable.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	205	1.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B1620 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1620: PUMP UNIT SET

The Pump Unit Set is a compact, base mounted, portable water pump. The set includes: a 125 GPM Pump, and interconnecting adapters are listed to interconnect 125 GPM Pumps with 2 inch 10 ft, and 2 inch 20 ft hoses.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	355	0
AAO (FY17)	388	
O/H	364	15
Shortfall/Excess	9	15

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
70	63	45	0	96	8	0	0	64	9	
76	72	45	0	97	8	0	0	64	26	
84	64	53	0	18	6	0	25	70	29	
14	1	8	0	-78	-2	0	25	6	20	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320002030197	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4320014764795	13	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	13

Notes: Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B1645 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1645: REFRIGERATION UNIT, ENHANCED F/RIGID BOX

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	46	3
Shortfall/Excess	46	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
13	5	0	0	14	8	0	3	0	0	
13	5	0	0	14	8	0	3	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4110011521946	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
4110014689792	3	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	3

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B1710 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1710: REFRIGERATOR, RIGID BOX, 350 CUFT

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	41	5
Shortfall/Excess	41	5

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
12	4	0	0	17	3	0	0	0	0	
12	4	0	0	17	3	0	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4110011079078	5	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	5

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B1713 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1713: RECLAIMER, REFRIGERATOR

Obsolete kit used by Refrigerant Mechanics (MOS 1161) to recover refrigerant from a variety of Environmental Control Equipment. Replaced by B0061, Cooling and Refrigeration Expeditionary Kit (CREK).




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)		
AAO (FY17)		
O/H	73	0
Shortfall/Excess		

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	21	14	1	7	12	0	0	2	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	21	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B1720 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1720: REINFORCEMENT SET - MGB

The B1720 Link Reinforcement Set(LRS) is a SAC-3 Item. The LRS is a component of the Medium Girder Bridge (MGB). This LRS contains all components required to construct any length bridge with reinforced MLC 70(T) MGB up to 150ft. The reinforcement is required to support crossing weight, when building a double story bridge, that spans a gap more than 12 bridge bridge bays long. In a MGB suite, there is one B1720 per two BB0152 MGBs.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	24	0
AAO (FY17)	22	
O/H	27	2
Shortfall/Excess	3	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	2	0	9	2	0	2	2	1	
3	3	0	0	9	2	0	2	2	1	
3	2	2	0	4	1	0	9	3	1	
0	-1	0	0	-5	-1	0	7	1	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420011391503	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	7.4

- Sensitive
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B1775 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1775: RIPPER, TRACTOR, MOUNT

The Ripper Attachment, Three Shank, Rear Mounting is mounted on the Tractor, Medium, Full-Tracked and is used to break up hard materials too compacted to be cut by the blades of tractors, grades, or scrapers.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	49	0
Shortfall/Excess	49	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	49	0	0	
0	0	0	0	0	0	0	49	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830011715776	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes: OBSOLETE

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	350	2.9

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B1785 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1785: ROLLER, COMPACTOR, VIBRATORY, SELF-PROPELLED

The roller, Compactor, Vibratory is a diesel-powered, articulated steer item equipped with a padded vibratory drum for compacting cohesive-type soils such as clay, and a smooth drum conversion kit for compacting loose, poorly graded gravel.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	58	0
AAO (FY17)	59	
O/H	77	6
Shortfall/Excess	19	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	12	9	0	10	0	0	7	6	2	
12	12	10	0	10	0	0	7	6	2	
11	12	8	0	6	0	0	25	7	2	
-1	0	-1	0	-4	0	0	18	1	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3895014538573	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
3895015508369	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
3895015733847	6	0%	0%	0%	50%	50%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	6	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	149	0	11.9

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B1922 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1922: SCRAPER-TRACTOR, WHEELED

The Scraper-Tractor is an open bowl, pneumatic-tired, 2-axle, 14-18 cubic yard capacity, single diesel-powered, articulated frame-steer scraper. It is employed by engineer units in earthmoving operations in the main battle area.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	102	0
AAO (FY17)	110	
O/H	175	0
Shortfall/Excess	73	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
23	23	14	0	19	5	0	6	10	2	
25	23	18	0	21	5	0	6	10	2	
26	24	20	0	11	5	0	72	15	2	
3	1	6	0	-8	0	0	66	5	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805011531854	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	Yes	No	No	0	0	0
3805015507164	0	0%	0%	0%	0%	100%	0%	TBD	TBD	Yes Other	Yes	No	Yes	No	No	0	0	0
3805015820743	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	Yes	No	No	0	0	0

Notes: Obsolete - candidate for FMS. Currently being replaced by another asset. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	471	0	32.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B1942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1942: SHOP EQUIPMENT KIT, CONSTRUCTION #1

Marine combat engineers rugged/expeditionary tool kits support engineer units in various construction missions (obstacle construction, field fortification construction, carpentry and masonry work).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	66	2
AAO (FY17)	71	
O/H	98	2
Shortfall/Excess	32	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
14	13	10	0	12	5	2	0	8	2	
15	14	12	0	13	5	2	0	8	2	
13	15	10	0	9	5	0	34	8	2	
-1	2	0	0	-3	0	-2	34	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910015507118	2	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	2
5180010619292	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B1951 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1951: SHOP EQUIPMENT SET, GP, #1

The Shop Equipment, General Purpose Repair, Semi Trailer Mounted is a semi trailer mounted machinist van containing tools and equipment for use in maintenance and repair of mechanical equipment from 1st to 4th echelon.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	30	1
AAO (FY17)	33	
O/H	63	0
Shortfall/Excess	33	-1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	4	0	9	0	1	0	0	0
10	9	4	0	9	0	1	0	0	0
4	4	2	0	4	0	0	48	1	0
-4	-4	-2	0	-5	0	-1	48	1	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940012355080	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	15.8

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B2006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2006: SKID MOUNTING ASSEMBLY, REMOTE, AIR CONDTR NR TYPE C

The Skid Assembly, Large is an aluminum structural assembly with accessories. It is used to mount standard military vertical air conditioners (TAMCN B0005 and B0006 only) where it is necessary for the unit to be located outside and away from a shelter.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	11	6
Shortfall/Excess	11	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
4	0	0	0	0	1	0	0	0	0	
4	0	0	0	0	1	0	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120005757200	6	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	6

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	118	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B2085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2085: STORAGE TANK MODULE, FUEL (SIXCON)

The Storage Module, Fuel contains a 900-gallon rigid metal tank mounted in a steel frame and is a component of SIXCON.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	2,166	0
AAO (FY17)	2,227	
O/H	2,216	133
Shortfall/Excess	50	133

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
476	536	329	0	403	74	0	68	192	70	
576	490	335	18	404	74	0	68	192	70	
558	407	251	21	115	75	0	427	221	8	
82	-129	-78	21	-288	1	0	359	29	-62	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430012404578	133	25%	25%	0%	0%	50%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	100	33

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B2086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2086: STORAGE TANK MODULE, WATER (SIXCON)

The Tank, Water Module contains a 900-gallon rigid metal tank mounted in a steel frame and is a component of SIXCON.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,709	0
AAO (FY17)	1,768	
O/H	2,009	28
Shortfall/Excess	300	28

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
264	364	281	0	291	44	0	59	330	58	
361	328	279	18	291	44	0	59	330	58	
350	320	176	20	39	45	0	660	355	16	
86	-44	-105	20	-252	1	0	601	25	-42	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430012039971	28	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	21	7

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	205	1.4

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B2118 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2118: SURVEY SET TOPO

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675010883181	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B2120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2120: SURVEY SET, GP

The Surveying Set, General Purpose, provides equipment required for making military plan metric, construction, and topographic surveys.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	45	3
AAO (FY17)	39	
O/H	29	0
Shortfall/Excess	-16	-3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	11	6	0	9	3	3	0	0	0
10	9	5	0	9	3	3	0	0	0
6	5	2	0	5	2	0	9	0	0
-7	-6	-4	0	-4	-1	-3	9	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675012737812	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	45	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B2127 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2127: SWEEPER, ROTARY, VEHICLE MOUNTING

The Sweeper, Runway, Vacuum is an engine-driven, self-propelled, truck mounted vacuum machine used for cleaning runways and other stabilized areas.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	40	4
AAO (FY17)	40	
O/H	70	5
Shortfall/Excess	30	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	8	6	0	6	1	4	0	5	2	
8	8	6	0	6	1	4	0	5	2	
9	8	6	0	4	2	0	30	6	0	
1	0	0	0	-2	1	-4	30	1	-2	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830015042618	5	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	Yes	Yes	No	0	0	5

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	204	0	7.5

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2130 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2130: TANK, FABRIC, COLLAPSIBLE, WATER, 3000 GAL

The Fabric Collapsible Water Storage Tank (3,000 Gal) provides a means of storing potable drinking water on a temporary basis where permanent water storage facilities are not available.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	2,203	184
AAO (FY17)	2,096	
O/H	3,106	34
Shortfall/Excess	903	-150

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
553	543	331	0	380	31	184	0	99	72	
534	487	321	10	377	31	144	0	99	93	
590	558	290	10	126	20	0	1,254	131	93	
37	15	-41	10	-254	-11	-184	1,254	32	21	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430011706984	0	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	0
5430013594774	0	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	0
5430015405357	34	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	34

Notes: For items in OEF that have been used and had water in it, using unit must WIR as Code H or FMS candidate. Otherwise, new items go to MEFs. NSN ending in 5357 is FMS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2131 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2131: TANK FARM INTERCONNECTION SET, DUAL TANK

The Dual Tank Connection Kit is designed to join and interconnect two 20k tanks or two 50k gallon tanks to the Water Supply System Tank Farm.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	107	0
AAO (FY17)	124	
O/H	172	2
Shortfall/Excess	65	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
22	22	4	0	21	4	0	0	32	2	
23	22	20	0	21	4	0	0	32	2	
22	20	19	0	9	5	0	60	33	2	
0	-2	15	0	-12	1	0	60	1	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011207526	2	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	2

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	78	0.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2133 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2133: TANK FARM INTERCONNECTION SET, 4" HOSE

The four inch Hose Connection Kit is used to provide the medium to high volume discharge point from the water supply support system tank farm.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	98	3
AAO (FY17)	103	
O/H	78	1
Shortfall/Excess	-20	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
26	26	12	0	21	1	3	0	8	1	
27	26	16	0	21	1	3	0	8	1	
27	26	13	0	0	1	0	1	8	1	
1	0	1	0	-21	0	-3	1	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011406775	1	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	1

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2134 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2134: TANK FARM INTERCONNECTION SET, 2" HOSE

The 2-inch Hose Connection Kit is designed to provide a low to medium volume discharge point within the water supply support system.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	124	0
AAO (FY17)	137	
O/H	170	2
Shortfall/Excess	46	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
30	30	10	0	26	1	0	0	24	3	
31	30	22	0	26	1	0	0	24	3	
28	25	20	0	11	1	0	52	28	3	
-2	-5	10	0	-15	0	0	52	4	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011406776	2	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	2

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2135 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2135: TANK FARM INTERCONNECTION SET, 4" DISCHARGE HOSE

The 4 inch hose Interconnection Kit is used to provide a main hose line for either input or discharge to the Water Supply Support System.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	43	0
AAO (FY17)	48	
O/H	48	1
Shortfall/Excess	5	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	10	4	0	9	1	0	0	8	1	
11	10	8	0	9	1	0	0	8	1	
8	8	7	0	2	1	0	10	10	1	
-2	-2	3	0	-7	0	0	10	2	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011207522	1	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	1

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2136 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2136: TANK FARM INTERCONNECTION SET, HOSE NOZZLE

The Connection Kit, Hose Nozzle provides the low volume, hand held nozzle discharge points for the Water Supply System. The kit contains the required 4-inch, 2-inch, and 1-1/2 inch hoses, reducers, couplings, valves, nozzles, and nozzle stands.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	64	0
AAO (FY17)	73	
O/H	88	1
Shortfall/Excess	24	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
14	14	4	0	13	1	0	0	16	2	
15	14	12	0	13	1	0	0	16	2	
12	12	11	0	2	1	0	29	18	2	
-2	-2	7	0	-11	0	0	29	2	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011237705	1	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	1

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2137 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2137: TANK FARM INTERCONNECTION SET, ACCESSORY KIT

Provides replacement parts for overall water supply tank farm connection. The kit contains four, two, and 1 ½-inch hoses; victaulic, threaded, and cam-lock type adapters; required valves; and associated hardware.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	14	0
AAO (FY17)	14	
O/H	22	1
Shortfall/Excess	8	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	2	2	0	2	1	0	0	4	1	
2	2	2	0	2	1	0	0	4	1	
2	2	2	0	0	1	0	10	3	1	
0	0	0	0	-2	0	0	10	-1	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011207525	1	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	1

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	702	1.9

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2139: TANK FARM INTERCONNECTION SET, 125 GPM PUMP

The 125 GPM Connection Kit is designed to interconnect the 125 GPM Pump to the suction/discharge side of the water supply support system. The kit includes all required 2-inch hoses, valves, couplings, adapters, and assorted hardware.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	35	0
AAO (FY17)	39	
O/H	50	2
Shortfall/Excess	15	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	8	2	0	7	1	0	0	8	1	
8	8	6	0	7	1	0	0	8	1	
9	8	5	0	2	1	0	13	9	1	
1	0	3	0	-5	0	0	13	1	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320011207524	2	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	2

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	13	0.1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2150: TEST SET, SOIL

The Test Set, Soil comes in ruggedized transport cases and provides the ability to analyze soil particle size and can determine the California Bearing Ratio shear strength of soils, and includes chemical and electronic methods of measuring soil moisture.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	41	0
AAO (FY17)	45	
O/H	73	0
Shortfall/Excess	32	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
11	11	8	0	9	2	0	0	0	0	
12	11	10	0	10	2	0	0	0	0	
13	9	7	0	13	6	0	25	0	0	
2	-2	-1	0	4	4	0	25	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6635006413643	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
6635014891524	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
6635015823197	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B2210 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2210: TOOL KIT, CARPENTER'

The Tool Kit, Carpenter's, Set 2, Engineer Platoon, comprises hand tools for general carpentry work including sawing, drilling, filing, fastening, and shaping wood.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	211	0
AAO (FY17)	195	
O/H	251	4
Shortfall/Excess	40	4

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
53	46	23	0	49	4	0	0	24	8	
44	43	22	4	48	4	0	0	24	6	
59	37	21	8	42	8	0	42	24	6	
6	-9	-2	8	-7	4	0	42	0	-2	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180002932875	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
5180014472199	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
5180015518250	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	4
5180015877997	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	52	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B2238 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2238: TOOL KIT, IM, ENG/CHASSIS REPAIR, CATERPILLAR

The Toolkit, Caterpillar consists of tools to perform fourth echelon maintenance.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	18	0
AAO (FY17)	19	
O/H	15	0
Shortfall/Excess	-3	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
7	5	2	0	4	0	0	0	0	0	
6	6	2	0	4	0	0	0	0	1	
2	2	1	0	3	0	0	5	2	0	
-5	-3	-1	0	-1	0	0	5	2	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180012547723	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D
---	--

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	2.9

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2250 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2250: TOOL KIT, PIONEER, ENGR PLT

The Tool Kit, Pioneer, Engineer Platoon, is comprised of hand tools and materials required for clearing land, building replacements and fortifications, and other types of manual labor.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	153	0
AAO (FY17)	173	
O/H	226	4
Shortfall/Excess	73	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
31	28	24	0	29	4	0	0	26	8	
34	31	30	3	32	4	0	0	26	13	
31	27	19	5	21	6	0	64	36	13	
0	-1	-5	5	-8	2	0	64	10	5	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015508112	4	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	3

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B2260 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2260: PIONEER KIT

The Tool Kit, Pioneer, Engineer's is a group of hand tools and equipment required by Engineer Squads for clearing land, building emplacements and for general Engineer manual labor. Consists of three chests.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	553	0
AAO (FY17)	585	
O/H	769	7
Shortfall/Excess	216	7

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
117	100	59	0	141	3	0	0	112	18	
108	102	64	3	140	3	0	0	112	53	
129	141	56	18	91	3	0	151	150	23	
12	41	-3	18	-50	0	0	151	38	5	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015508116	7	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	0	2	5

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	20	0.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B2370 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2370: TOOL SET, MASON

The FECTK supports this requirement. The FECTK includes the following items: the Carpenter Platoon Tool Kit, Pioneer Platoon Tool Kit, Pioneer Squad Tool Kit, Construction Shop Set, Mason and Concrete Finishers Tool Kit, and the Survey Set. With the exception of the Survey Set, all Sets and Kits are targeted for modernization in this acquisition.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	37	0
AAO (FY17)	43	
O/H	72	0
Shortfall/Excess	35	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	10	7	0	7	3	0	0	0	0	
11	10	8	0	11	3	0	0	0	0	
11	11	7	0	6	3	0	34	0	0	
1	1	0	0	-1	0	0	34	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015513550	0	75%	0%	0%	25%	0%	0%	NO	NO	No	No	yes	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	345	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B2394 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2394: PUMP UNIT CENTRIFUGAL

The Pump, Assembly, Water is a 4 cylinder diesel powered engine, two wheel trailer mounted pump.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	82	0
AAO (FY17)	92	
O/H	186	4
Shortfall/Excess	104	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
18	18	4	0	16	4	0	4	12	6	
18	18	14	0	16	4	0	4	12	6	
20	18	15	0	4	6	0	103	10	6	
2	0	11	0	-12	2	0	99	-2	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320015336418	4	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	4	0

Notes: Add NSN 4320015891113

R2 Distribution Plan

Equipment Assessment Information
 if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	109	0	3.1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B2395 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2395: SEGMENT KIT 5 MILES

TWDS is composed of components designed to store and pump approximately 700,000 gallons of purified water a day up to 10 miles from its water source.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	10	0
AAO (FY17)	12	
O/H	7	0
Shortfall/Excess	-3	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	2	0	0	2	1	0	0	2	1	
2	2	2	0	2	1	0	0	2	1	
2	1	1	0	0	0	0	0	3	0	
0	-1	1	0	-2	-1	0	0	1	-1	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320013774577	0	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	0

Notes: If item is unused (new) can send to a MEF. DRMO if item has been used.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1412	0.5

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2410 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2410: TOOL KIT, M9 ACE, 2D ECH, OM

This tool kit supports organizational level maintenance for the M9 Armored Combat Earthmover. The tool kit contains general and special tools required to perform maintenance.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	49	0
AAO (FY17)	43	
O/H	38	2
Shortfall/Excess	-11	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
18	10	4	0	10	2	0	0	4	1	
10	10	6	0	10	2	0	0	4	1	
10	10	6	0	6	1	0	0	3	0	
-8	0	2	0	-4	-1	0	0	-1	-1	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014280959	2	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	No	No	No	No	0	2	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2420: TOOL KIT, M9 ACE, 3D/4TH ECH, IM

This tool kit supports organizational level maintenance for the M9 Armored Combat Earthmover. The tool kit contains general and special tools required to perform maintenance.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	31	0
AAO (FY17)	32	
O/H	20	1
Shortfall/Excess	-11	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	8	4	0	6	1	0	0	2	1	
9	9	4	0	6	1	0	0	2	1	
6	6	0	0	1	1	0	2	3	0	
-3	-2	-4	0	-5	0	0	2	1	-1	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014292683	1	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	No	No	No	No	0	1	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2460 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2460: TRACTOR, FT, W/ANGLE BLADE

The Tractor, Full-Track, W/Angle Blade, T-5 is a full-tracked, diesel engine driven tractor with a hydraulically operated angle blade and winch. It is air transportable.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	164	0
AAO (FY17)	176	
O/H	220	0
Shortfall/Excess	56	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
34	35	10	0	28	19	0	14	24	0	
35	35	21	0	28	19	0	14	24	0	
34	32	8	0	7	18	0	75	37	9	
0	-3	-2	0	-21	-1	0	61	13	9	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2410012541667	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	Yes	No	Yes	No	0	0	0
3805015735861	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	145	0	12.6

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

B2462 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2462: TRACTOR, MEDIUM, FULL-TRACKED, D7G

The Tractor, Medium, Full-Trackted is a diesel-powered, full-tracked, medium size tractor (Model D7G) for earthmoving and general construction work.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	79	0
Shortfall/Excess	79	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	1	0	0	78	0	0	
0	0	0	0	1	0	0	78	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2410011551588	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
2430015330934	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes: OBSOLETE

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	208	0	23.7

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B2464 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2464: TRACTOR, FT, W/MULTIPURPOSE BUCKET

The Tractor, Full-Trackted with Multi-purpose Bucket is a diesel engine driven, hydraulically operated, crawler-type front end loader. The multipurpose bucket is capable of performing operations of clamshell, dozer, and scraper, as well as front end shovels.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	41	0
AAO (FY17)	46	
O/H	103	0
Shortfall/Excess	62	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	8	0	0	8	7	0	0	10	0	
8	8	5	0	8	7	0	0	10	0	
8	8	4	0	2	7	0	54	15	5	
0	0	4	0	-6	0	0	54	5	5	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805013151091	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	No	0	0	0
3805015735867	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	111	0	13.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B2483 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2483: ARMORED, BACKHOE, LOADER (BHL)

The Backhoe Loader is a highly mobile, lightweight rubber-tired tractor equipped with a front-end loader and backhoe excavator. It can maintain pace with other wheeled vehicles of the maneuver force and can reach road speeds in excess of 20 miles per hour.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	206	0
AAO (FY17)	190	
O/H	287	10
Shortfall/Excess	81	10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
51	40	27	0	30	22	0	8	17	7	
39	38	25	4	30	22	0	8	17	7	
52	35	26	4	28	22	0	83	20	7	
1	-5	-1	4	-2	0	0	75	3	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015147166	1	0%	0%	0%	0%	100%	0%	NO	NO	Yes Other	Yes	yes	Yes	Yes	No	0	1	0
3805015733850	9	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	9	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	172	0	10.8

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B2561 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2561: TRK, FORKLIFT, VARIABLE REACH

The Truck, Forklift, Extendable Boom is a diesel-powered, four-wheel drive, rubber-tired forklift with two-wheel, four-wheel and crab steering.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	473	0
AAO (FY17)	496	
O/H	799	48
Shortfall/Excess	326	48

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
85	87	57	0	64	22	0	30	92	31	
90	85	58	5	67	22	0	30	92	47	
94	97	54	5	47	30	0	269	108	47	
9	10	-3	5	-17	8	0	239	16	16	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3930014862151	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	yes	Yes	No	No	0	0	0
3930015080886	36	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	Yes	No	No	0	0	36
3930015735868	12	0%	0%	0%	50%	50%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	12	0

Notes: All need to come back to MCLC. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	231	0	15.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B2565 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2565: TRLR ENGR EQUIPMENT

The Engineer Equipment Trailer identifies a requirement for a Medium Tactical Vehicle Replacement trailer capable of transporting the Light Capability, Rough Terrain Forklift, and Backhoe Loader.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	513	0
AAO (FY17)	481	
O/H	731	18
Shortfall/Excess	218	18

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
125	105	80	0	92	21	0	18	46	20	
102	95	79	5	92	21	0	18	46	22	
145	105	75	6	87	21	0	221	33	20	
20	0	-5	6	-5	0	0	203	-13	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015183809	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	2
2330015470272	16	0%	100%	0%	0%	0%	0%	NO	NO	Yes Other	Yes	yes	No	Yes	No	0	16	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	250	0	5.8

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B2566 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2566: FORKLIFT, RT, LT CAPABILITY (LRTE)

The Truck, Forklift, Rough-Terrain, 4000-pound is a self-propelled, four-wheel drive, rubber-tired, diesel-powered forklift with a modified mast and enhanced side shift capability. It is air transportable.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	548	7
AAO (FY17)	549	
O/H	799	35
Shortfall/Excess	251	28

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
110	106	77	0	90	39	7	25	59	24	
111	101	77	10	93	39	9	25	59	24	
113	93	92	10	69	42	0	256	65	24	
3	-13	15	10	-21	3	-7	231	6	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3930012756420	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	Yes	Yes	No	0	0	1
3930014783519	3	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	Yes	Yes	No	0	0	3
3930015330855	20	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	Yes	No	0	0	20
3930015735873	11	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	Yes	Yes	No	0	0	11

Notes: NSN 3930015735873 should not be sent to the MEFs, only send to MCLC. NSN 3930015330855 can be redistributed to the fields. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	128	0	5.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

B2567 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2567: LOADER,SCOOP TYPE

The Tractor, Rubber-Tired, Articulated Steering, Multi-Purpose is a diesel-powered, four-wheel drive, rubber-tired, articulated steering tractor capable of operating in rough terrain and in 60 inches of water.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	4	0
Shortfall/Excess	4	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	1	0	0	3	0	0	
0	0	0	0	1	0	0	3	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805012793635	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
3805015735881	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes: OBSOLETE - Transfer to US ARMY

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	192	0	16.7

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

B2605 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2605: PURIFICATION SYSTEM, WATER, TACTICAL

The Tactical Water Purification System (TWPS) is a skid mounted, generator powered system capable of producing potable water from any available raw water source at a rate of 1200-1500 gallons of water per hour in expeditionary environments. The TWPS replaces the aging 600-GPH ROWPUs at a 1 for 2 ratio.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	219	0
AAO (FY17)	222	
O/H	253	4
Shortfall/Excess	34	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
44	46	31	0	33	10	0	9	36	10	
43	43	28	0	33	10	0	9	36	20	
43	38	34	0	10	10	0	54	40	20	
-1	-8	3	0	-23	0	0	45	4	10	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610014886961	4	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	yes	No	Yes	No	0	0	4

Notes: MCLC has repair line established. This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

B2628 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2628: WATER PURIFIER, LIGHTWEIGHT, LMT3000

The Water Purification System provides a fully portable and completely self-contained water purification system for purifying turbid and bacteria polluted water at the rate of 1500 to 3000 gph.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	4	0
Shortfall/Excess	4	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	2	0	2	0	0	0	0	0	
0	0	2	0	2	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610013664640	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Obsolete - DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting. Being replaced by B0071.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	67	0.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B2630 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2630: ANALYSIS SET, QUALITY, PURIFICATION, WATER

The Water Quality Analysis Set is a one-person portable suitcase kit containing equipment for testing water quality. The kit is self-contained in a gasketed waterproof case. Foam inserts secure equipment in the case and protect sensitive instruments.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	79	12
AAO (FY17)	81	
O/H	73	6
Shortfall/Excess	-6	-6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
16	16	12	0	14	6	12	0	0	0	
18	16	12	3	14	6	12	0	0	0	
19	9	6	0	11	6	0	16	0	0	
3	-7	-6	0	-3	0	-12	16	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6630014772395	6	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	4

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B2631 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2631: TANK, WATER, 50K GAL

The 50,000 Gallon Collapsible Fabric Potable Water Tank is a pillow type, synthetic rubber-impregnated nylon tank.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	53	0
AAO (FY17)	57	
O/H	142	2
Shortfall/Excess	89	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	4	0	4	1	0	0	36	0
4	4	4	0	4	1	0	0	36	4
12	4	9	0	0	3	0	63	46	0
8	0	5	0	-4	2	0	63	10	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430011069677	2	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	2
5430012004831	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	0
5430013861544	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. If tank has had fuel in it, using unit must WIR as Code H. NSNs ending in 4831 and 1544 are FMS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	117	0.9

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B2632 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2632: TANK ASSEMBLY, WATER, FABRIC, COLLAPSIBLE

The 20,000 Gallon Collapsible Fabric Potable Water Tank is a pillow type, synthetic rubber-impregnated nylon tank.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	172	0
AAO (FY17)	184	
O/H	136	1
Shortfall/Excess	-36	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
38	38	16	0	30	4	0	0	36	10	
38	38	22	0	30	4	0	0	36	16	
37	38	21	0	4	4	0	3	28	0	
-1	0	5	0	-26	0	0	3	-8	-10	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430013517813	1	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	1
5430013726902	0	100%	0%	0%	0%	0%	0%	TBD	YES	No	No	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. If tank has had fuel in it, using unit must WIR as Code H.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	44	0.6

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B2685 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2685: WELDING SHOP, MARINE CORPS TACTICAL

The Marine Corps Tactical Welding Shop (MCTWS) consists of selected tools and equipment integrated with an enclosure mounted on a 1 1/2-ton modified two-wheel military trailer chassis model M103A3.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	197	0
AAO (FY17)	186	
O/H	216	9
Shortfall/Excess	19	9

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
49	45	18	0	39	5	0	0	30	6	
43	38	18	5	40	5	0	0	30	7	
34	29	19	2	26	8	0	52	35	2	
-15	-16	1	2	-13	3	0	52	5	-4	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3431014984423	9	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	9	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	104	0	3.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B2686 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2686: KIT, WELDING, ARMOR

The Armor Welding Kit is used to perform field-welding repairs of armor plate equipment, when integrated with existing equipment on the MCTWS.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	30	0
AAO (FY17)	23	
O/H	28	0
Shortfall/Excess	-2	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	8	2	0	4	5	0	0	0	0
7	5	2	0	4	5	0	0	0	0
7	5	5	0	4	0	0	2	5	0
-4	-3	3	0	0	-5	0	2	5	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3431015050248	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Associated with B2685 - If they come back together, two WIRs need to be completed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	708	3.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B2687 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2687: KIT, WELDING, TITANIUM

The Titanium Kit consists of selected tools and equipment integrated into existing equipment on the MCTWS. This kit is used to perform field-expedient repairs of titanium-based metals and equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	21	0
AAO (FY17)	14	
O/H	27	0
Shortfall/Excess	6	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
7	6	1	0	2	5	0	0	0	0	
3	3	1	0	2	5	0	0	0	0	
2	2	2	0	4	4	0	5	8	0	
-5	-4	1	0	2	-1	0	5	8	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3431015050888	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Associated with B2685 -If they come back together, two WIRs need to be completed.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B5000 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B5000: CONTROL MINE DETECT (SWEEP MONITORING SYSTEM)

Training apparatus for the B0476



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	48	0
AAO (FY17)	46	
O/H	25	0
Shortfall/Excess	-23	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
15	13	7	0	11	2	0	0	0	0	
13	12	7	0	12	2	0	0	0	0	
8	4	6	0	3	1	0	3	0	0	
-7	-9	-1	0	-8	-1	0	3	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015314689	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

B7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B7001: ANALYZER, ELECTRICAL PULSE

The Analyzer, Electrical Pulse (Fluke 41/43B-AV) is a hand-held, liquid crystal display power analyzer with the capability of measuring and displaying power harmonics in three different views: waveform, bar graph (showing harmonic levels), and numeric values.



434/AN 43B
Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	675	57
AAO (FY17)	652	
O/H	106	0
Shortfall/Excess	-569	-57

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
190	170	99	0	136	23	57	0	0	0	
167	163	107	0	135	23	57	0	0	0	
5	28	5	0	0	53	0	15	0	0	
-185	-142	-94	0	-136	30	-57	15	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014385312	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
6625015260788	0	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

B7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B7900: INTERMEDIATE LEVEL ELECTRICIANS TOOL KIT

The I-Level Tool Kit is comprised of various hand tools and accessories to aide Marines in Military Occupational Specialty (MOS) 1141 in the installation, repair, and replacement of structural electrical wiring.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	39	6
AAO (FY17)	43	
O/H	21	0
Shortfall/Excess	-18	-6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
11	11	6	0	4	1	6	0	0	0	
11	11	8	0	6	1	6	0	0	0	
3	7	5	0	3	1	0	2	0	0	
-8	-4	-1	0	-1	0	-6	2	0	0	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015468026	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C0001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0001: MILITARY CYPRES 1 A

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	1,419	0
AAO (FY17)	1,130	
O/H	881	0
Shortfall/Excess	-538	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
281	281	268	0	344	77	0	0	0	0
198	198	228	168	261	77	0	0	0	0
169	79	145	356	100	32	0	0	0	0
-112	-202	-123	356	-244	-45	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1670015181268	0	0%	0%	0%	100%	0%	0%	NO	NO	UNK	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C0005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0005: PERS.BACKSCATTER IM


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	14	0
AAO (FY17)	14	
O/H	9	9
Shortfall/Excess	-5	9

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	3	0	0	0	0	0
4	4	3	0	3	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-4	-4	-3	0	-3	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015314671	9	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	9

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

C0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0008: TRANSLATION DEVICE

This mobile, ruggedly designed translation device with one-way, handheld, speech-to-speech translation system available. NOTE: The C0008 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	104	0
Shortfall/Excess	104	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
28	0	0	7	0	0	0	69	0	0
28	0	0	7	0	0	0	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5805015315590	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

C0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0019: FORCE PRO KIT - AFTP KIT (PART OF C0020)

A versatile package of Commercial-Off-The-Shelf (COTS) and Government-Off-The-Shelf (GOTS) Non-Lethal equipment. The contents (COTS/GOTS) can be divided into four distinct categories: personnel protectors; personnel and materiel effectors; mission enhancers; and training devices. The items enable the individual Marine or a small team or unit to be proactive in retaining the initiative in peacekeeping environments; to respond to provocation more subtly than through the use of deadly force; and to effectively control the non-traditional battlefield within the constraints levied by Rules of Engagement (ROE). NOTE: The C0019 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	10	1
Shortfall/Excess	10	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
2	2	0	0	0	5	0	0	0	0	
2	2	0	0	0	5	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6910015403090	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

C0020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0020: ANTI-TERRORISM/FORCE PROTECTION CHECKPOINT SET (ATFPCCS)

The Anti-Terrorism/Force Protection Capability Set (C00207B) enables Marines to more accurately and thoroughly inspect vehicles and personnel for weapons and explosives by providing Commercial-Off-The-Shelf (COTS) and Government-Off-The-Shelf (GOTS) materiel solutions. The set provides lighting (tripods and handheld), explosive detection, vehicle impairment, and vehicle undercarriage inspection capabilities. The Anti-Terrorism/Force Protection Capability Set increases the survivability for Marines from potential threats by giving earlier warning and reaction capability to those manning the checkpoints. Additionally, the capability increases the survivability of noncombatants approaching Vehicle Check Points and Entry Control Points by giving Marines more time and awareness to assess the situation before lethal force is applied. NOTE: The C0020 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	10	0
Shortfall/Excess	10	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
1	8	0	0	0	1	0	0	0	0	
1	8	0	0	0	1	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6910015403064	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

<input type="checkbox"/> Sensitive	<input type="checkbox"/> CCI
<input type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

C0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0104: ESCALATION OF FORCE-MISSION MODULES (EOF-MM)

The C0104 is known as the Escalation of Force-Mission Module. The EOF-MM consists of multifunctional non-lethal weapons systems and force protection equipment needed to satisfy the operational requirement in order to minimize friendly and civilian casualties. The EOF-MM is the replacement of the existing Non-Lethal Capability Sets (NLCS) and Force Protection Capability Sets (FPCS) procured in the middle 1990s and early 2000s. The EOF-MM consists of selected equipment that provides operational capabilities for use during escalation of force situations found primarily, but not exclusively, while operating under restricted Rules of Engagement (ROE). The EOF-MM consists entirely of equipment that is COTS/GOTS. The EOF-MM consists of three (3) capability groups, ten (10) capability modules and each module consists of specific equipment necessary to support that module's capability mission. The modules are configured within four (4) QUADCONS.

No Illustration Available

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	99	5
AAO (FY17)	99	
O/H	57	3
Shortfall/Excess	-42	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	24	13	0	9	20	5	0	0	0	
12	24	13	0	9	20	5	0	0	0	
7	15	10	0	4	16	0	2	0	0	
-5	-9	-3	0	-5	-4	-5	2	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1367015794067	3	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C0114 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0114: EXTINGUISHER FIRE

The Secondary Fire Suppression System (AFES-R) is based on UUNS #09107UB, which requests a "system of systems" that would 1) reduce the risk of secondary fires, 2) quickly extinguish external fires to prevent their breaching the crew compartment, 3) protect the occupants of the vehicle against fires that do penetrate the crew compartment and 4) provide a capability for personnel from other vehicles to suppress fires and rescue the crew.

No Illustration Available

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210015583687	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C2032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2032: MONITOR,CHEMICAL AG

The Chemical Agent Monitor is a handheld device capable of detecting various levels of nerve and blister agents. The CAMs detect vapors of chemical agents by sensing molecular ions of specific mobilities (time of flight) and uses timing and microprocessor techniques to reject interferences.

No Illustration Available


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	159	0
Shortfall/Excess	159	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	6	0	0	0	2	0	151	0	0
0	6	0	0	0	2	0	151	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665997259996	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C2104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2104:

The M4 Joint Chemical Agent Detector (JCAD) is a handheld detector capable of detecting, identifying, quantifying, and reporting nerve, blister, and blood agents.

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	10,210	0
AAO (FY17)	8,795	
O/H	637	121
Shortfall/Excess	-9,573	121

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2,941	3,063	1,589	0	2,290	169	0	0	0	0	
2,585	2,334	1,501	177	2,038	176	0	0	0	0	
6	78	0	0	0	54	0	29	0	349	
-2,935	-2,985	-1,589	0	-2,290	-115	0	29	0	349	

Representative Picture

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015522704	121	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	121	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D
---	--

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C2108 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2108: ALARM, CHEMICAL AGEN

The Automatic Chemical Agent Detection Alarm (ACADA) is a man-portable chemical warfare agent detection system, which detects the presence of nerve and blister agents.

No Illustration Available


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	10	0
Shortfall/Excess	10	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	2	0	8	0	0
0	0	0	0	0	2	0	8	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665014386963	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C2278 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2278: MASK ASSY


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	1,359	0
AAO (FY17)	1,359	
O/H	778	0
Shortfall/Excess	-581	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
281	281	258	0	344	27	0	0	0	0	
281	281	258	168	344	27	0	0	0	0	
119	79	124	264	146	46	0	0	0	0	
-162	-202	-134	264	-198	19	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1660090004118	0	0%	0%	0%	100%	0%	0%	NO	NO	UNK	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C2286 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2286: PHAOS BOTTLE ASSY

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	1,359	0
AAO (FY17)	1,359	
O/H	736	0
Shortfall/Excess	-623	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
281	281	258	0	344	27	0	0	0	0
281	281	258	168	344	27	0	0	0	0
118	75	120	264	118	41	0	0	0	0
-163	-206	-138	264	-226	14	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1660090004098	0	0%	0%	0%	100%	0%	0%	NO	NO	UNK	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C4120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C4120: NON-LETHAL WEAPONS

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	18	0
Shortfall/Excess	18	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	10	1	0	2	3	0	0	0	0
2	10	1	0	2	3	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
9999014642285	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	3.5

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

C4432 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C4432: NSN NOT PROCURABLE

The Complexing Unit provides access to and from two shelters.

No Illustration Available

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)		
AAO (FY17)		
O/H	15	4
Shortfall/Excess		

Influences R2 Distribution



REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	5	2	0	2	0	0	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411012066036	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

C4765 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C4765: EXTINGUISHER, FIRE, DRY CHEM, SELF-CONTND

The Twin Agent Fire Extinguisher is skid mounted and easily relocated when necessary. It is designed and constructed to be effective in fighting fires generated by hydrocarbon fuels. It is intended for use in providing fire protection to the Tactical Airfield Fuel Dispensing System and the Amphibious Assault Fuel System.

No Illustration Available


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	528	0
AAO (FY17)	555	
O/H	707	22
Shortfall/Excess	179	22

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
86	93	56	0	140	3	0	23	98	29	
100	99	42	0	140	3	0	23	98	50	
76	31	52	0	16	5	0	336	126	43	
-10	-62	-4	0	-124	2	0	313	28	14	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210001072082	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0
4210012052246	2	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	yes	No	No	No	0	2	0
4210013549893	20	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	yes	No	No	No	0	20	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	214	1.8

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C4906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C4906: PALLET, MATERIAL HAN

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	3	0
Shortfall/Excess	3	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	3	0	0	0	0	0	0	0
0	0	3	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3990011907165	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	78	0	1.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

C5105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C5105: JOINING CORRIDOR

The Joining Corridor provides a means of connecting two shelters.

No Illustration Available

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	34	0
Shortfall/Excess	34	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
3	6	0	1	6	0	0	18	0	0
3	6	0	1	6	0	0	18	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411012066037	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

C5269 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C5269: TESTER,LEAKAGE,PROT

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	18	0
AAO (FY17)	18	
O/H	106	0
Shortfall/Excess	88	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	6	4	0	2	0	0	0	0	0	
6	6	4	0	2	0	0	0	0	0	
0	4	0	0	0	4	0	98	0	0	
-6	-2	-4	0	-2	4	0	98	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015069002	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C5649 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C5649: MULTI MISSION PARAC

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	1,389	0
AAO (FY17)	1,100	
O/H	896	0
Shortfall/Excess	-493	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
281	281	268	0	344	47	0	0	0	0	
198	198	228	168	261	47	0	0	0	0	
160	83	119	334	158	42	0	0	0	0	
-121	-198	-149	334	-186	-5	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1670015316383	0	0%	0%	0%	100%	0%	0%	NO	NO	UNK	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C5810 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C5810: KITCHEN,COMPANY LEV


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	14	0
Shortfall/Excess	14	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	1	6	0	1	0	0	0	6	0
0	1	6	0	1	0	0	0	6	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7360332012934	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	14.9

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

C6115 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C6115: SHELTER, NONEXPANDAB

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	99	0
Shortfall/Excess	99	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
29	43	4	10	0	13	0	0	0	0
29	43	4	10	0	13	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411012066077	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

C7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7001: TESTER, AUTOMATIC TRANSMISSION

Handheld testing device used to test & adjust HUMVEE vehicle transmissions.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	230	0
AAO (FY17)	233	
O/H	253	1
Shortfall/Excess	23	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
47	45	34	0	45	55	0	4	0	0	
50	45	35	0	44	55	0	4	0	0	
45	42	32	4	38	54	0	36	1	0	
-2	-3	-2	4	-7	-1	0	32	1	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910015592405	1	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7007: SHOP EQUIPMENT, CONTACT MAINTENANCE, COMMON #21

HUMVEE based platform that includes a maintenance shelter & equipment used by Electro-Optic Technicians (MOS 2171) and Ground Radar Technicians (MOS 2887) to perform on-site maintenance.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	226	23
AAO (FY17)	232	
O/H	109	0
Shortfall/Excess	-117	-23

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
60	54	36	0	41	5	23	1	4	0	
63	55	36	2	40	5	26	1	4	0	
36	31	21	1	8	6	0	3	3	0	
-24	-23	-15	1	-33	1	-23	2	-1	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015521599	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C7023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7023: TEST STAND, FUEL INJ


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	23	0
AAO (FY17)	23	
O/H	20	1
Shortfall/Excess	-3	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	0	14	0	0	0	0
3	3	3	0	0	14	0	0	0	0
3	2	4	0	3	4	0	3	0	0
0	-1	1	0	3	-10	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910014602822	1	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	158	1.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

C7025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7025: TESTER, HYDRAULIC HO


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	164	0
AAO (FY17)	156	
O/H	75	0
Shortfall/Excess	-89	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
25	21	17	0	8	54	0	0	32	3
19	16	17	4	8	54	0	0	32	6
11	14	13	4	0	10	0	16	7	0
-14	-7	-4	4	-8	-44	0	16	-25	-3

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015475287	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7033: SHOP EQUIPMENT,CONT - UNARMORED (RPLCS B1951)

HUMVEE based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform on-site maintenance. Intended for 2nd Echelon or Direct Support Maintenance.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	223	3
AAO (FY17)	214	
O/H	142	0
Shortfall/Excess	-81	-3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
64	62	30	0	36	7	3	11	7	3	
60	56	32	0	35	7	3	11	7	3	
26	30	18	0	13	8	0	38	8	1	
-38	-32	-12	0	-23	1	-3	27	1	-2	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940013338471	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	121	0	4.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C7035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7035: TOOL KIT, TRANSMISSI


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	38	1
AAO (FY17)	30	
O/H	15	0
Shortfall/Excess	-23	-1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	11	6	0	6	0	1	0	0	0
9	9	6	0	6	0	0	0	0	0
3	3	3	0	2	0	0	4	0	0
-11	-8	-3	0	-4	0	-1	4	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180011994018	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	23	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7038: DYNAMOMETER.RUN-IN


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	11	0
AAO (FY17)	8	
O/H	4	0
Shortfall/Excess	-7	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	3	1	0	2	1	0	0	0	0
2	2	1	0	2	1	0	0	0	0
0	4	0	0	0	0	0	0	0	0
-4	1	-1	0	-2	-1	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910015975999	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **I MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **I MEF**
 if **Condemned** then **I MEF**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	7.5

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%


C7039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7039: DYNAMOMETER, RUN-IN

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	11	0
AAO (FY17)	8	
O/H	0	0
Shortfall/Excess	-11	0

Influences R2 Distribution



REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	3	1	0	2	1	0	0	0	0
2	2	1	0	2	1	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-4	-3	-1	0	-2	-1	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **II MEF**
 if **Not Mission Capable MEF** then **II MEF**
 if **Not Mission Capable** then **II MEF**
 if **Condemned** then **II MEF**

Lift Criteria	
CAT I:	
CAT II:	
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	7.5

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	200%	0%	0%	0%

C7042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7042: NOZZLE TEST MASTER2


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	10	0
AAO (FY17)	10	
O/H	8	1
Shortfall/Excess	-2	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	1	0	0	3	0	0	0	0
3	3	1	0	0	3	0	0	0	0
1	2	2	0	0	2	0	0	0	0
-2	-1	1	0	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5825014731977	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7061: TESTER,FUEL INJECTO


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	8	0
AAO (FY17)	10	
O/H	9	0
Shortfall/Excess	1	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2	2	2	0	0	2	0	0	0	0	
3	3	2	0	0	2	0	0	0	0	
1	1	3	0	0	4	0	0	0	0	
-1	-1	1	0	0	2	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910011249123	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	48	0.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	6	0
AAO (FY17)	6	
O/H	24	1
Shortfall/Excess	18	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	2	0	0	2	0	0	0	0
1	1	2	0	0	2	0	0	0	0
4	3	5	0	1	8	0	2	0	0
3	2	3	0	1	6	0	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	1	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7072: TEST STAND, AUTOMOTI

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	6	0
AAO (FY17)	6	
O/H	24	1
Shortfall/Excess	18	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	2	0	0	2	0	0	0	0
1	1	2	0	0	2	0	0	0	0
4	3	5	0	1	8	0	2	0	0
3	2	3	0	1	6	0	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	1	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	6	0
AAO (FY17)	6	
O/H	24	1
Shortfall/Excess	18	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	2	0	0	2	0	0	0	0
1	1	2	0	0	2	0	0	0	0
4	3	5	0	1	8	0	2	0	0
3	2	3	0	1	6	0	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	1	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7072: TEST STAND, AUTOMOTI


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	6	0
AAO (FY17)	6	
O/H	24	1
Shortfall/Excess	18	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	2	0	0	2	0	0	0	0
1	1	2	0	0	2	0	0	0	0
4	3	5	0	1	8	0	2	0	0
3	2	3	0	1	6	0	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	1	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	17	2
AAO (FY17)	17	
O/H	20	1
Shortfall/Excess	3	-1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	3	0	1	2	2	0	0	0
3	4	3	0	1	2	2	0	0	0
2	2	2	0	1	0	0	12	0	0
-1	-2	-1	0	0	-2	-2	12	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015016979	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5836015253637	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5836015450581	1	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	30.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	17	2
AAO (FY17)	17	
O/H	20	1
Shortfall/Excess	3	-1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	3	0	1	2	2	0	0	0
3	4	3	0	1	2	2	0	0	0
2	2	2	0	1	0	0	12	0	0
-1	-2	-1	0	0	-2	-2	12	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015016979	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5836015253637	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5836015450581	1	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	30.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	17	2
AAO (FY17)	17	
O/H	20	1
Shortfall/Excess	3	-1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	3	0	1	2	2	0	0	0
3	4	3	0	1	2	2	0	0	0
2	2	2	0	1	0	0	12	0	0
-1	-2	-1	0	0	-2	-2	12	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015016979	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5836015253637	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5836015450581	1	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	30.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7900: TOOL KIT, AIR CONDIT


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	210	0
AAO (FY17)	207	
O/H	256	5
Shortfall/Excess	46	5

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
39	44	20	0	40	31	0	0	20	7
38	39	21	9	41	31	0	0	20	8
50	45	26	10	13	35	0	56	16	0
11	1	6	10	-27	4	0	56	-4	-7

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015414688	5	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	5	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	91	0.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7901: SHOP EQUIPMENT, TIRE


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	21	0
AAO (FY17)	22	
O/H	2	1
Shortfall/Excess	-19	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	5	3	0	5	1	0	0	0	1	
6	6	3	0	5	1	0	0	0	1	
0	0	0	0	0	1	0	0	0	0	
-6	-5	-3	0	-5	0	0	0	0	-1	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015223536	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4940015515941	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	1	0	0
4940015683817	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	10.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	0%

C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7901: SHOP EQUIPMENT, TIRE

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	21	0
AAO (FY17)	22	
O/H	2	1
Shortfall/Excess	-19	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	5	3	0	5	1	0	0	0	1	
6	6	3	0	5	1	0	0	0	1	
0	0	0	0	0	1	0	0	0	0	
-6	-5	-3	0	-5	0	0	0	0	-1	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015223536	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4940015515941	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	1	0	0
4940015683817	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	10.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	0%

C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7901: SHOP EQUIPMENT, TIRE


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	21	0
AAO (FY17)	22	
O/H	2	1
Shortfall/Excess	-19	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	5	3	0	5	1	0	0	0	1	
6	6	3	0	5	1	0	0	0	1	
0	0	0	0	0	1	0	0	0	0	
-6	-5	-3	0	-5	0	0	0	0	-1	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015223536	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4940015515941	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	1	0	0
4940015683817	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	10.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	0%

C7903 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7903: AIR BAG LIFT SYSTEM

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	485	3
AAO (FY17)	461	
O/H	199	0
Shortfall/Excess	-286	-3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
140	122	61	0	82	33	3	16	17	5
121	113	65	0	82	33	3	16	17	5
15	41	9	0	2	0	0	132	0	0
-125	-81	-52	0	-80	-33	-3	116	-17	-5

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4220015041223	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7904 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7904: SHOP EQUIPMENT, GP, COMMON #10

Quad-Con based Tool Container with heavy duty shelving and strapping. Used by maintenance shops to store and transport a variety of outsized tools and other shop equipment.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	374	31
AAO (FY17)	361	
O/H	403	1
Shortfall/Excess	29	-30

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
100	87	51	0	87	8	31	0	0	0	
95	79	52	10	86	8	31	0	0	0	
120	112	55	7	93	6	0	9	0	0	
20	25	4	7	6	-2	-31	9	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015219685	1	0%	50%	0%	50%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	1.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C7905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7905: SHOP EQUIPMENT, GENERAL PURPOSE COMMON #22

Trailer based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform on-site maintenance. Intended for 2nd Echelon or Direct Support Maintenance.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	321	4
AAO (FY17)	297	
O/H	354	5
Shortfall/Excess	33	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
82	71	45	0	70	8	4	9	17	6	
74	61	46	9	64	8	3	9	17	6	
67	81	59	8	48	11	0	44	25	6	
-15	10	14	8	-22	3	-4	35	8	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015504312	5	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	5	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	2.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C7907 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7907: SHOP EQPT, GEN PURPO


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	160	0
AAO (FY17)	155	
O/H	204	1
Shortfall/Excess	44	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
47	41	23	0	35	8	0	0	0	0	
43	38	25	6	35	8	0	0	0	0	
47	79	29	7	26	7	0	8	0	0	
0	38	6	7	-9	-1	0	8	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015637780	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	1.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7908 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7908: LUBE UNIT


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	160	0
AAO (FY17)	159	
O/H	123	2
Shortfall/Excess	-37	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
40	35	24	0	32	4	0	4	12	4	
38	33	25	5	32	4	0	4	12	6	
27	29	21	2	15	3	0	12	9	3	
-13	-6	-3	2	-17	-1	0	8	-3	-1	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930015497112	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5.4

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C7911 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7911: SHOP EQUIPMENT.GENE

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	304	24
AAO (FY17)	308	
O/H	331	12
Shortfall/Excess	27	-12

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
73	70	45	0	65	13	24	0	0	0	
76	68	49	13	65	13	23	0	0	0	
69	82	52	14	68	17	0	16	1	0	
-4	12	7	14	3	4	-24	16	1	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015504900	12	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	12	0

Notes: TAMCN is not classified as sensitive. DO NOT WASHDOWN - CLEAN BY HAND.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	143	1.9

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7912 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7912: SHOP EQUIPMENT.MACH

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	32	0
AAO (FY17)	29	
O/H	2	0
Shortfall/Excess	-30	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	8	3	0	7	0	0	1	3	0
8	7	3	0	7	0	0	1	3	0
0	0	0	0	0	1	0	1	0	0
-10	-8	-3	0	-7	1	0	0	-3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3470015752955	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	12.7

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C7913 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7913: SHOP EQUIPMENT, GENERAL PURPOSE COMMON #34

Large Pit-Box based platform that includes two rolling tool storage Pit-Boxes, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform maintenance. Intended for 3rd Echelon or General Support Maintenance.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	111	0
AAO (FY17)	114	
O/H	86	2
Shortfall/Excess	-25	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
32	26	16	0	22	13	0	0	0	0	
31	29	17	2	22	13	0	0	0	0	
14	20	20	2	10	17	0	1	0	0	
-18	-6	4	2	-12	4	0	1	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015659593	2	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	142	2.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7920 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7920: ANALYZER SET, VEHICU

Handheld testing device used to test & adjust all USMC ground vehicles (contained in a transit case with associated cables and test items). Includes specialized software designed for specific vehicle subsystems (engines, transmissions, tire inflation systems, etc).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	891	0
AAO (FY17)	890	
O/H	408	11
Shortfall/Excess	-483	11

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
219	197	116	0	184	173	0	0	0	0	
215	193	127	0	180	173	0	0	0	0	
98	83	60	8	35	113	0	0	0	0	
-121	-114	-56	8	-149	-60	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910014865131	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	1	0	0
4910015350413	3	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	2	1	0
4910015694435	7	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	5	2	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

C7930 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7930: SHOP EQUIPMENT, GP, COMMON NO. 30

Flat-Rack based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform maintenance. Also includes a 90KW Generator and extendable boom Crane. Intended for 3rd Echelon or General Support Maintenance.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	113	0
AAO (FY17)	110	
O/H	70	2
Shortfall/Excess	-43	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
35	26	14	0	23	6	0	5	0	0	
29	27	15	4	24	6	0	5	0	0	
13	19	11	2	8	5	0	10	0	0	
-22	-7	-3	2	-15	-1	0	5	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015187339	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	11.8

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C8010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C8010: MOBILE TRAUMA BAY


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	7	1
Shortfall/Excess	7	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	1	1	0	0	0	0	3	0	0
1	1	1	0	0	0	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411015757079	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

C9657 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C9657: STAND.MAINTENANCE.A

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	84	0
AAO (FY17)	105	
O/H	82	3
Shortfall/Excess	-2	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
23	16	17	0	14	14	0	0	0	0	
30	30	17	0	14	14	0	0	0	0	
17	23	15	0	0	13	0	11	0	0	
-6	7	-2	0	-14	-1	0	11	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910011174344	3	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	2	2

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	52	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

D0002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0002: TRLR, EQUIP TRANSPORTER, SEMI-TRLR, LOWBED, 50T

The M870A2E1, is a 10-ft wide lowbed semi trailer capable of transporting cargo up to 50 tons.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	40	0
AAO (FY17)	46	
O/H	44	34
Shortfall/Excess	4	34

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	8	7	0	10	2	0	3	0	0	
12	12	7	0	10	2	0	3	0	0	
2	2	2	0	0	2	0	2	0	0	
-8	-6	-5	0	-10	0	0	-1	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330014838000	34	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	Yes	0	34	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP. Currently no allowance for CONUS units for this TAMCN. Allowances must be identified prior to shipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11.7

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0003: MTRV, TRK ARMD, CARGO, 7T W/O, NON REDUCIBLE (AMK23)

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	2,910	0
AAO (FY17)	2,729	
O/H	2,852	90
Shortfall/Excess	-58	90

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
625	592	384	0	476	140	0	10	534	73	
571	472	389	51	464	140	0	10	534	73	
553	440	368	46	69	163	0	351	710	31	
-72	-152	-16	46	-407	23	0	341	176	-42	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305676	64	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	64	0
2320015520273	23	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	23	0

Notes: If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31. All items eventually need to go to MCLC for upgrades and repairs. If an item comes back in serviceable condition, it will be sent to the MEF to fill shortfalls. When MCLC has sufficient capacity, that item will be sent for refresh.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	214	0	16.7

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0004: MTRV, TRK ARMD, CARGO, 7T W/W, NON REDUCIBLE (AMK25)

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305677	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	0	0
2320015519433	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	0

Notes: If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	230	0	17.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0005: TRK, ARMORED, 7T, EXTRA LONG WHEELBASE, W/O WINCH (AMK27)

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	584	0
AAO (FY17)	580	
O/H	487	60
Shortfall/Excess	-97	60

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
120	131	65	0	74	12	0	5	112	37	
117	115	66	23	84	12	0	5	112	41	
33	75	58	21	0	15	0	74	112	10	
-87	-56	-7	21	-74	3	0	69	0	-27	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305678	45	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	45	0
2320015522762	15	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	15	0

Notes: If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	262	0	17.9

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0006: MTRV, TRK ARMD, XLWB CARGO, 7T W/W NON REDUCIBLE, AMK28

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305681	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015519434	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015534118	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	279	0	18.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

D0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0007: MTRV, TRK DUMP, ARMD, 7T, W/O WINCH, AMK29

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	209	0
AAO (FY17)	225	
O/H	292	20
Shortfall/Excess	83	20

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
43	39	35	0	34	0	0	3	44	8	
47	44	38	0	40	0	0	3	44	6	
19	44	36	0	0	0	0	63	100	0	
-24	5	1	0	-34	0	0	60	56	-8	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305684	11	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	11	0
2320015520250	9	0%	100%	0%	0%	0%	0%	NO	NO	Yes Other	Yes	yes	No	Yes	No	0	9	0

Notes: If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	16

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	0%	100%

D0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0008: MTRV, TRK DUMP, ARMD, 7T, NON REDUCIBLE, AMK30

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305685	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015520269	0	0%	100%	0%	0%	0%	0%	NO	NO	Yes Other	Yes	yes	No	Yes	No	0	0	0

Notes: If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	217	0	16.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0009: TRUCK TRACTOR



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	94	0
AAO (FY17)	85	
O/H	201	4
Shortfall/Excess	107	4

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
23	32	11	0	19	0	0	1	0	8	
24	24	11	0	19	0	0	1	0	6	
48	38	30	0	27	0	0	39	0	15	
25	6	19	0	8	0	0	38	0	7	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305693	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015311975	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	No	0	0	0
2320015520403	4	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	202	0	13.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0009: TRUCK TRACTOR




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	94	0
AAO (FY17)	85	
O/H	201	4
Shortfall/Excess	107	4

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
23	32	11	0	19	0	0	1	0	8	
24	24	11	0	19	0	0	1	0	6	
48	38	30	0	27	0	0	39	0	15	
25	6	19	0	8	0	0	38	0	7	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305693	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015311975	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	No	0	0	0
2320015520403	4	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	202	0	13.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0009: TRUCK TRACTOR




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	94	0
AAO (FY17)	85	
O/H	201	4
Shortfall/Excess	107	4

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
23	32	11	0	19	0	0	1	0	8	
24	24	11	0	19	0	0	1	0	6	
48	38	30	0	27	0	0	39	0	15	
25	6	19	0	8	0	0	38	0	7	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305693	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015311975	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	No	0	0	0
2320015520403	4	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	202	0	13.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0011: CARRIER, TROOP, ARMORED, MTRV (ARMADILLO)

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	686	0
AAO (FY17)	596	
O/H	632	40
Shortfall/Excess	-54	40

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
123	134	67	0	78	76	0	5	130	30	
89	87	67	13	78	76	0	5	130	21	
117	43	61	12	0	82	0	259	18	0	
-6	-91	-6	12	-78	6	0	254	-112	-30	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2510015352385	4	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	4	0
2510015380714	36	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	36	0

Notes: If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	720	2.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0013: TRK TRACTOR, ARMD, 7T, 5TH WHEEL, NONREDUCIBLE, AMK31

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	263	0
AAO (FY17)	288	
O/H	292	40
Shortfall/Excess	29	40

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
45	44	36	0	50	7	0	3	55	18	
59	59	36	0	50	7	0	3	55	14	
48	40	28	0	10	13	0	34	68	11	
3	-4	-8	0	-40	6	0	31	13	-7	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305687	20	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	20	0
2320015520282	20	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	20	0

Notes: If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	201	0	15.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0015: MTRV, TRK WRECKER, ARMD, 7T W/W, NON-REDUCIBLE, AMK36

The MTRV Armor System is designed for the 7-ton MTRV. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	329	0
AAO (FY17)	341	
O/H	327	32
Shortfall/Excess	-2	32

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
69	61	39	0	53	19	0	3	66	13	
73	68	40	0	53	19	0	3	66	13	
59	51	36	2	31	20	0	29	64	3	
-10	-10	-3	2	-22	1	0	26	-2	-10	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320014652300	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	0	0
2320015305691	23	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	23	0
2320015520268	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	Yes	No	No	0	0	0
2355015535400	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	Yes	No	No	0	0	0
2355015902719	9	0%	0%	0%	0%	100%	0%	NO	NO		Yes	no	No	No	No	0	9	0

Notes: If the component TAMCNs are disassociated from the MTRV, the MTRV itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	264	0	24.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0016: TRLR, CARGO

The M1102H is a single axle, two wheel, steel frame trailer designed to be towed by the HMMWV. It is used to transport general cargo. A welded steel body is bolted to the frame. The body is equipped with a tailgate and mounting brackets for cargo racks and a frame for a tarpaulin cover.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	60	0
AAO (FY17)	60	
O/H	3,651	16
Shortfall/Excess	3,591	16

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
30	15	0	0	15	0	0	0	0	0	
30	15	0	76	15	0	0	0	0	0	
1,035	707	396	86	379	81	0	865	86	0	
1,005	692	396	86	364	81	0	865	86	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330013875426	16	25%	0%	0%	75%	0%	0%	NO	NO	EDA	Yes	No	No	No	No	0	12	4

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	82	0	0.7

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

D0017 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0017: LIGHT TACTICAL TRAILER, MARINE CORPS CHASSIS (LTT-MCC)

The Light Tactical Trailer is an adaptation of the Army LTT-HC, this trailer is being modified to Marine Corps requirements. Key differences are the solid flat bed and holes to secure the towed equipment.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	147	0
AAO (FY17)	147	
O/H	2,672	1
Shortfall/Excess	2,525	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
35	35	27	0	35	9	0	4	0	0	
35	35	27	22	35	9	0	4	0	0	
552	564	436	21	141	86	0	417	346	108	
517	529	409	21	106	77	0	413	346	108	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015435794	1	25%	0%	0%	75%	0%	0%	NO	NO	EDA	Yes	No	No	No	No	0	1	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	82	0	0.6

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

D0022 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0022: TRUCK UTILITY

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	372	0
AAO (FY17)	364	
O/H	3,274	0
Shortfall/Excess	2,902	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
104	87	47	0	91	9	0	8	16	6	
106	84	41	19	88	9	0	8	16	8	
874	757	237	46	389	314	0	545	111	1	
770	670	190	46	298	305	0	537	95	-5	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015187332	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	122	0	4.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0023: MINE RESISTANT AMBUSH PROTECTED (MRAP), AMBULANCE

The Cougar HEV is a versatile, diesel powered, pneumatic tired, heavily armored, multi-purpose vehicle that is urgently needed by Explosive Ordnance Disposal teams deployed in support of Operation Enduring Freedom and Operation Iraqi Freedom (OIF) to increase their survivability against Improvised Explosive Devices (IED). The Cougar HEV has adequate armor protection and possesses the capability to carry all required EOD equipment. The Cougar HEVs are also required for contingency operations in support of the Global War on Terrorism by Engineer Mine Clearing teams against IEDs.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	15	13
AAO (FY17)	15	
O/H	17	2
Shortfall/Excess	2	-11

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	13	0	0	0
0	0	0	0	0	0	13	0	0	0
0	2	0	0	0	1	0	12	0	0
0	2	0	0	0	1	-13	12	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015626152	0	0%	0%	0%	0%	100%	0%	YES	NO	EDA	Yes	no	No	No	Yes	0	0	0
2355015831029	2	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	i/p	Yes	0	2	0

Notes: This item has an organic depot strategy. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. NSN ending in 6152 is obsolete. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	20

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	100%	0%

D0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0025: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT I

USMC HST Cougar



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	401	163
AAO (FY17)	387	
O/H	1,343	529
Shortfall/Excess	942	366

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
25	25	16	0	0	17	163	0	18	9	
25	25	2	0	0	17	163	0	18	9	
31	25	17	0	0	83	0	658	0	0	
6	0	1	0	0	66	-163	658	-18	-9	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015198173	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	no	No	No	No	0	0	0
2355015322174	1	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	yes	No	No	Yes	0	1	0
2355015525565	21	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	21	0
2355015643420	1	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	No	0	1	0
2355015672879	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	yes	No	No	No	0	0	0
2355015798929	51	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	51	0
2355015812392	455	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	455	0

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	174	0	16

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	100%	0%

Notes: All JERRVs or HEVs are considered obsolete. They should be sent to MCLC for further disposition. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	174	0	16

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	100%	0%

D0027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0027: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT II

The Cougar HEV 6x6 is a member of the Mine Resistant Ambush Protected (MRAP) Family of Vehicles (FOV) which is capable of transporting personnel and cargo within the current theater of operations.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	10	0
AAO (FY17)	10	
O/H	421	234
Shortfall/Excess	411	234

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	3	0	0	1	0	0	0	0	
3	3	3	0	0	1	0	0	0	0	
52	60	30	0	0	10	0	35	0	0	
49	57	27	0	0	9	0	35	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015198172	1	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	no	No	No	Yes	0	1	0
2355015292246	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	no	No	No	No	0	0	0
2355015525199	2	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	2	0
2355015643423	5	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	5	0
2355015798920	19	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	19	0
2355015798931	207	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	207	0
2355015811076	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	no	No	No	Yes	0	0	0

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	220	0	20.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	100%	0%

Notes: All JERRVs or HEVs are considered obsolete. They should be sent to MCLC for further disposition. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	220	0	20.6

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
---	---

<input checked="" type="checkbox"/> Multi-Modal

<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)
--

<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	100%	0%

D0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0030: TRUCK, UTIL, EXPANDED CAPACITY ARMT CARRIER, M1151

The M1151A1 provides mounting and firing of the MK19 automatic grenade launcher; M2 .50 Caliber machine gun; M60, 7.62mm machine gun; M240G, 7.62mm machine gun; and M249, 5.56mm Squad Assault.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	28	0
AAO (FY17)	28	
O/H	3,942	3
Shortfall/Excess	3,914	3

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
8	6	6	0	5	1	0	2	0	0	
8	6	6	13	5	1	0	2	0	0	
889	848	474	29	582	255	0	688	165	9	
881	842	468	29	577	254	0	686	165	9	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320014133739	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015187330	0	0%	100%	0%	0%	0%	0%	YES	NO	EDA	Yes	yes	No	Yes	No	0	0	0
2320015231316	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	No	0	0	0
2320015402038	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information
 if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

D0031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0031: TRUCK, UTILITY: EXPANDED CAPACITY, C2/GP VEHICLE

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	36	0
AAO (FY17)	36	
O/H	2,122	0
Shortfall/Excess	2,086	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
18	9	0	0	9	0	0	0	0	0	
18	9	0	176	9	0	0	0	0	0	
348	331	83	209	149	361	0	205	435	0	
330	322	83	209	140	361	0	205	435	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015401993	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	5.8

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0033: TRUCK, UTILITY: ENHANCED CAPACITY, ENH, ARMOR (M1152A1B2)

The M1152A1 can be used as a cargo/troop carrier or as a shelter carrier. As a cargo/troop carrier, it is capable of transporting a two-man crew and eight passengers.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	337	3
AAO (FY17)	326	
O/H	801	19
Shortfall/Excess	464	16

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
91	77	49	0	65	15	3	15	16	6	
90	74	43	0	62	15	3	15	16	8	
254	191	98	5	98	17	0	11	93	15	
163	114	49	5	33	2	-3	-4	77	9	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015402007	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: All mission capable systems should be shipped to MEFs to fulfill deficiencies as required. All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Currently doing a data plate exchange to reflect new NSN on armored version. New armored NSN is 2320-01-581-8566.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	5.8

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0034 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0034: TRUCK, UTIL, EXP CAPACITY, C2/GP, ARMORED 4-DOOR (M1165A1B3)

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,747	0
AAO (FY17)	1,498	
O/H	674	1
Shortfall/Excess	-1,073	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
320	336	191	0	274	146	0	21	386	54	
242	217	183	19	237	146	0	21	386	47	
89	58	63	13	66	30	0	1	331	22	
-231	-278	-128	13	-208	-116	0	-20	-55	-32	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015402017	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: All mission capable systems should be shipped to MEFs to fulfill deficiencies as required. All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Currently doing a data plate exchange to reflect new NSN on armoured version. New armoured NSN is 2320-01-581-8787.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	5.8

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0035: TRAILER, PALLETIZED LOADING SYSTEM

The Palletized Load System (PLS) Trailer is designed to carry loads behind the LVSR with minor preparation. The trailer may also be towed behind other USMC heavy tactical trucks. The PLS Trailer is used in conjunction with the M1077/MK1077 flatracks. The M1076 trailer, capable of carrying payloads up to 16.5 tons, is equipped with a flatrack that is interchangeable between truck and trailer.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	386	0
AAO (FY17)	303	
O/H	475	20
Shortfall/Excess	89	20

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
108	120	35	0	48	35	0	9	0	26	
71	56	35	0	48	35	0	9	0	44	
167	144	79	0	5	35	0	11	0	14	
59	24	44	0	-43	0	0	2	0	-12	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330013035197	20	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	20	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP. Coordinating with Army to use their Depot. Send WIR to LOGCOM Albany, GA for disposition instructions.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0036: MATV

The primary mission of the M-ATV is to provide protected ground mobility. The MATV is capable of operating in a threat environment involving ambushes employing the use of mines, Improvised Explosive Devices, Rocket Propelled Grenades, Explosively Formed Penetrators, and Small Arms Fire. The M-ATV was designed to enhance the effectiveness of ground combat forces with a focus on stability operations against unconventional enemy forces engaged in irregular warfare on a non-linear battlefield.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	490	198
AAO (FY17)	490	
O/H	1,020	431
Shortfall/Excess	530	233

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	10	10	0	0	1	198	0	0	0	
10	10	10	0	0	1	198	0	0	0	
61	64	30	2	0	92	0	340	0	0	
51	54	20	2	0	91	-198	340	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015759632	15	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	15	0
2355015961330	416	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	416	0

Notes: Use a high pressure washer for cleaning exterior of engine, capsule and body. Rinse with hot water, if available. An ordinary garden hose, with nozzle, may be used if other equipment is not available. Ensure a complete rinsing. Do not allow a stream of water to contact Dash, Dashboard Components and other Electrical connections. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	12.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	100%	0%


D0039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0039: KIT,M-ATV SPECIAL T

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	1	0
AAO (FY17)	1	
O/H	13	3
Shortfall/Excess	12	3

Influences R2 Distribution



REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	1	0	0	0	0
0	0	0	0	0	1	0	0	0	0
1	0	2	1	0	2	0	4	0	0
1	0	2	1	0	1	0	4	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2540015883500	3	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

D0040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0040: MINE RESISTANT VEHI

The SABER system with TOW missiles are a proven highly accurate and effective weapon with a very low collateral damage against point targets at distances longer (3,750m max effective range) than the enemy can effectively engage friendly forces with direct fire weapons. The ability to employ the SABER TOW missile system from an MRAP CAT I or II Independent Suspension System (ISS) equipped MRAPs allows Commanders to provide greater protection for their gun crews and engage the enemy with a precision, low collateral damage weapon system at long ranges.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	24	19
AAO (FY17)	24	
O/H	58	14
Shortfall/Excess	34	-5

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	19	0	0	0	
0	0	0	0	0	0	19	0	0	0	
0	0	0	0	0	10	0	34	0	0	
0	0	0	0	0	10	-19	34	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015891279	14	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	i/p	Yes	0	14	0

Notes: Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	100%	0%

D0080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0080: CHASSIS, TRLR, GP, 3 1/2T, 2-WHL

The M353 is a single axle, 2-wheel, heavy-duty chassis designed to be towed by 2-1/2 or 5-ton trucks equipped with towing pintles. It is designed to haul general payloads of up to 7,000 pounds such as generators, air compressors or welders.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	255	0
AAO (FY17)	238	
O/H	2,112	1
Shortfall/Excess	1,857	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
67	47	24	0	55	13	0	9	36	2	
44	44	28	0	53	13	0	9	36	9	
454	437	254	19	189	45	0	363	249	101	
387	390	230	19	134	32	0	354	213	99	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330005422831	1	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	i/p	No	0	1	0

Notes: Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	125	0	1.3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

D0085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0085: CHASSIS, TRLR, 3/4T, 2-WHL (Many Variants)

The M116A2 and M116A3 are single axle, 2-wheeled, general-purpose chassis designed to be towed by 3/4-ton to 1-1/4-ton vehicles equipped with towing pintles. They are constructed to transport electric power generators but can be configured to haul items such as motorcycles and satellite dishes by adding different beds to the chassis.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	76	0
AAO (FY17)	76	
O/H	906	0
Shortfall/Excess	830	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
20	20	20	0	10	2	0	4	0	0	
20	20	20	0	10	2	0	4	0	0	
69	49	21	0	86	7	0	662	10	2	
49	29	1	0	76	5	0	658	10	2	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330011018434	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	Yes	No	0	0	0
2330013590080	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	Yes	No	0	0	0
2330014731623	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	Yes	No	0	0	0

Notes: Obsolete trailer - a candidate for FMS. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	86	0	0.7

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

D0187 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0187: TRUCK, UTILITY

The M1097A2, Heavy HMMWV will replace the M1037, M1042, M1097 and M1097A1 heavy shelter variants. It is designed to carry heavy electronic systems or weapons platforms. This variant may be configured to act as a command post shelter from which battlefield traffic may be monitored and a communication center from which personnel may monitor incoming and outgoing radio and telecommunication traffic during operations. The M1097A2 can be used as a cargo/troop carrier or as a shelter carrier. As a cargo/troop carrier, it is capable of transporting a two-man crew and eight passengers.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	147	0
AAO (FY17)	147	
O/H	471	0
Shortfall/Excess	324	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
28	28	24	0	28	6	0	9	24	0	
28	28	24	0	28	6	0	9	24	0	
97	85	50	0	23	5	0	202	9	0	
69	57	26	0	-5	-1	0	193	-15	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320013469317	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: All mission capable systems M1097A2s, D0187, should be returned to Depot for program platforms and FMS sales. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D
---	--

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	120	0	3

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0195: LOAD SYSTEM, PALLETIZED, (PLS) FLATRACK

The Palletized Load System Flatrack MK1077 is a 20 foot long by 8 foot wide welded steel flat cargo body with a front wall equipped with a lifting point.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,825	0
AAO (FY17)	1,833	
O/H	1,541	63
Shortfall/Excess	-284	63

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
360	433	223	0	373	123	0	34	195	70	
424	345	237	0	373	123	0	34	195	88	
483	385	177	5	40	111	0	42	224	11	
123	-48	-46	5	-333	-12	0	8	29	-59	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3990013077676	30	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	15	15
3990015371045	33	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	16	16

Notes: Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with Flatrack. No special Agriculture wash down instruction apply. Apply standard local SOP. No repair beyond Field Level Maintenance.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

D0201 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0201: MULTI-FUEL MOTORCYCLE

The M1030M1 provides a lightweight, highly mobile means of transportation to the MAGTF commander. The MCM program replaces the existing fleet of M1030 motorcycles with a commercial, state-of-the-art, 584 cc militarized motorcycle capable of transporting an operator, one passenger, documents, and light cargo.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	163	0
Shortfall/Excess	163	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	1	0	141	17	4	
0	0	0	0	0	1	0	141	17	4	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2340014652533	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Return all mission capable vehicles to LOGCOM. All BII should remain with MILMO. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	95	0.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

D0209 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0209: POWER UNIT, FRONT, 12 1/2T, 4X4, LVS ARMORED

The MK48/MK48A1 and their associated rear body units (RBU) form the Logistics Vehicle system (LVS). Used primarily by combat service support motor transport units to haul supplies in large quantities from beachheads, ports, railheads or airfields to combat areas.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	275	1
Shortfall/Excess	275	1

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
8	1	9	0	40	1	0	168	23	24
8	1	9	0	40	1	0	168	23	24

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320011775167	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	1
2320014173180	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
2320015797851	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP. Being Replaced by LVSR MKR15, MKR16, MKR18. Will require a D0209 FPU for each D0877 and D0878 RBU being sent back. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	159	0	12.7

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

D0215 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0215: TRLR SEMI 5000GL REFUELER, MK970 (ARMORED PACKAGE)

The MK970 is a 5,000-gallon fuel dispensing semi-trailer is designed for under/over wing refueling of aircraft. It is equipped with a filter/separator, recirculation system and two refueling systems, one for under wing and one for over wing servicing.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	360	0
AAO (FY17)	369	
O/H	449	32
Shortfall/Excess	89	32

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
62	75	56	0	64	6	0	14	55	26	
76	76	56	0	64	6	0	14	55	20	
74	76	55	0	15	12	0	96	63	26	
12	1	-1	0	-49	6	0	82	8	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330010505635	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	Yes	No	0	0	0
2330015378217	9	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	9	0
2330015593657	23	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	23	0

Notes: All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	246	0	7.7

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0235 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0235: SEMI-TRLR, LOWBED, 40T

The M870A2 is three axle Medium Heavy Equipment Transporter that is replacing the M870A1 and is designed to haul a payload of 80,000 lbs (40-tons) in conjunction with a LVS MK48/MK16 fifth wheel truck tractor, LVSR tractor, or a M931A2 truck tractor.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	313	0
AAO (FY17)	323	
O/H	358	29
Shortfall/Excess	45	29

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
63	68	53	0	53	10	0	17	31	14	
64	65	63	1	55	10	0	17	31	14	
62	72	35	2	33	12	0	77	31	5	
-1	4	-18	2	-20	2	0	60	0	-9	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330014424975	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2330015344570	29	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	29	0

Notes: NSN 2330015344570 - Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with trailer. NSN 2330014424975 - Return all non mission capable trailers to LOGCOM for system upgrade. All Basic Issue Items. No special Agriculture wash down instruction apply. Apply standard local SOP. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	331	0	9.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0850 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0850: TRLR, CARGO

The M101A3 is a single axle, two wheel, steel frame trailer designed to be towed by the HMMWV. It is used to transport general cargo. A welded steel body is bolted to the frame. The body is equipped with atailgate and mounting brackets for cargo racks and a frame for a tarpaulin cover. A steel A-frame is bolted to the frame with an attached one -position lunette, landing gear and two hand brake levers. The M101A3 is designed to operate on all types of roads, cross-country terrain and in all weather conditions. There are no restrictions on the M101A3 for movement over primary and secondary roads; however, it is restricted to a maximum speed of 15-mph cross-country when towed by the M998/M1123 series trucks or other primemovers. System is archived.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	19	0
AAO (FY17)	19	
O/H	334	0
Shortfall/Excess	315	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	4	3	0	5	3	0	0	0	0	
4	4	3	0	5	3	0	0	0	0	
77	75	15	1	81	11	0	74	0	0	
73	71	12	1	76	8	0	74	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330008986779	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
2330013725641	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP. FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	75	0	0.7

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

D0860 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0860: TRLR, CARGO, 1 1/2T, 2-WHL

The M105A2 is a 2-wheel, single axle trailer with a leaf-spring suspension designed to be towed by 2-1/2 ton and larger vehicles equipped with towing pintles. It has a welded box cargo body mounted on a welded steel frame.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	2,705	0
AAO (FY17)	2,576	
O/H	1,981	43
Shortfall/Excess	-724	43

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
605	577	359	0	564	109	0	14	396	76	
575	500	374	0	543	109	0	14	396	60	
490	432	249	19	241	91	0	98	315	3	
-115	-145	-110	19	-323	-18	0	84	-81	-73	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330001418050	43	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	43	0

Notes: All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP. Item to be replaced in FY 12.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	95	0	1.4

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0861 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0861: TRLR, CARGO, RESUPPLY F/HIMARS

HIMARS is a transformational 24 hour, ground-based, responsive General Support / General Support-Reinforcing (GS/GSR) precision indirect fire support system which accurately engage targets at long ranges (60+ Km) with high volumes of lethal fire under all weather conditions throughout all phases of combat operations ashore. HIMARS is C-130 and amphibious transportable and with precision fires, supports both irregular and traditional warfare. One HIMARS system is defined as one launcher, two re-supply vehicles / trailers and munitions.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	94	6
AAO (FY17)	82	
O/H	81	5
Shortfall/Excess	-13	-1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
48	0	0	0	36	4	6	0	0	0	
36	0	0	0	36	4	6	0	0	0	
36	0	0	0	36	4	0	0	0	0	
-12	0	0	0	0	0	-6	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015045014	5	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	5	0

Notes: No Special Requirements. Must be packed and shipped by owning unit before sending to CONUS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0876 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0876: TRLR, POWERED, 22 1/2T, CONTAINER HAULER, 4X4

The MK14/14A1 combines with the MK48/48A1 Power Unit (D0209) to form the container hauler variant of the Logistics Vehicle System.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	83	0
Shortfall/Excess	83	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
5	0	0	0	7	0	0	52	0	19	
5	0	0	0	7	0	0	52	0	19	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320011760469	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0
2320014175294	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	160	0	8

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

D0877 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0877: TRLR, POWERED, WRECKER/RECOVERY, 4X4

The MK15/15A1 Rear Body Unit combines with the MK48/48A1 Front Power unit (D0209) to form the wrecker/recovery variant of the Logistics Vehicle System. It is a fully equipped wrecker for recovery of disabled vehicles and Material Handling Equipment.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	135	0
AAO (FY17)	152	
O/H	46	0
Shortfall/Excess	-89	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
34	33	26	0	31	11	0	0	0	0
44	40	26	0	31	11	0	0	0	0
1	3	1	0	6	1	0	28	6	0
-33	-30	-25	0	-25	-10	0	28	6	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320011766928	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0
2320014178144	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.LVSR MKR15 will not reach FOC until Q4 FY14. Will require LVS for deficiencies, and use of parts for obsolete items. Each D0877 will require a D0209 FPU IOT be shipped back to CONUS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	160	0	14.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

D0878 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0878: TRLR, POWERED, 5TH WHL, SEMI-TRLR ADAPTER, 4X4

The MK16/16A1 combines with the MK48/48A1 Power unit (D0209) to form the fifth wheel semi-trailer variant of the Logistics Vehicle System. The MK16/16A1 is used to transport semi-trailers equipped with a 3.5-inch diameter kingpin.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	377	0
AAO (FY17)	386	
O/H	74	1
Shortfall/Excess	-303	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
72	87	139	0	68	11	0	0	0	0	
83	79	143	0	70	11	0	0	0	0	
2	13	6	0	27	0	0	3	17	5	
-70	-74	-133	0	-41	-11	0	3	17	5	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320011760467	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	1
2320014175293	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.LVSR MKR16 will not reach FOC until Q4 FY14. Will require LVS for deficiencies, and use of parts for obsolete items. Each D0877 will require a D0209 FPU IOT be shipped back to CONUS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	124	0	8.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

D0880 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0880: TRLR, TANK, WATER, 400 GAL, 1 1/2T, 2-WHL

The M149A2 transports potable or non-potable water on highways and cross-country terrain. The water tank is constructed of stainless steel with double walls. Two inches of urethane foam is used as insulation between the walls.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,670	0
AAO (FY17)	1,657	
O/H	1,604	53
Shortfall/Excess	-66	53

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
344	344	251	0	279	125	0	10	263	48	
341	297	258	0	270	125	0	10	263	87	
342	287	202	17	158	157	0	101	284	3	
-2	-57	-49	17	-121	32	0	91	21	-45	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330005422039	1	0%	0%	0%	0%	100%	0%	YES	NO	No	No	no	No	Yes	No	0	0	1
2330011087367	52	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	52

Notes: All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	100	0	1.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

D0881 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0881: TRLR, RIBBON BRIDGE MK18A1

The MK18 combines with the MK48/48A1 Power Unit (D0209) to form the ribbon bridge/container transporter variant of the Logistics Vehicle System.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	4	0
Shortfall/Excess	4	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	4	0	0	
0	0	0	0	0	0	0	4	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320013920293	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: This TAMCN is obsolete and should be DRMOed or disposed of in theater. No special Agriculture wash down instruction apply. Apply standard local SOP. Possible FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	203	0	10

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

D0886 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0886: TRK, CARGO 22.5 TON, 10X10, LVSR - MKR18

The LVSR Cargo Variant (AMKR-18) replaces the LVS MK18/14 capability. LVSR is a self-loading cargo hauler which transports standardized containers; bulk, breakbulk, palletized cargo, and bridging equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,439	0
AAO (FY17)	1,530	
O/H	1,421	81
Shortfall/Excess	-18	81

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
252	313	188	0	325	88	0	25	195	44	
353	289	202	4	325	88	0	25	195	44	
288	277	202	5	45	217	0	92	203	11	
36	-36	14	5	-280	129	0	67	8	-33	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015427628	73	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	55	18
2320015927347	8	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	6	2

Notes: FSR required for equipment assessment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	290	0	26.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D0887 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0887: TRUCK TRACTOR LVSR

The LVSR Cargo Variant (AMKR-18) replaces the LVS MK18/14 capability. LVSR is a self-loading cargo hauler which transports standardized containers; bulk, breakbulk, palletized cargo, and bridging equipment.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	315	0
AAO (FY17)	337	
O/H	328	35
Shortfall/Excess	13	35

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
64	66	45	0	57	20	0	15	30	14	
68	67	60	4	59	20	0	15	30	14	
75	71	66	2	0	46	0	2	17	14	
11	5	21	2	-57	26	0	-13	-13	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015429941	2	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	yes	Yes	No	0	2	0
2320015927353	33	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	yes	Yes	No	0	25	8

Notes: FSR Required for assessment of equipment at MCLC FWD

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	278	0	20.8

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D1001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1001: 997 FIELD AMBULANCE

The M997 is capable of transporting up to four litter patients, eight ambulatory patients or a combination of litter and ambulatory patients. Additionally, medical personnel and equipment and a driver can be accommodated in the vehicle.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	505	0
AAO (FY17)	488	
O/H	520	7
Shortfall/Excess	15	7

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
113	103	69	0	93	42	0	6	59	13	
109	94	69	7	89	42	0	6	59	13	
106	90	58	8	67	35	0	82	61	6	
-7	-13	-11	8	-26	-7	0	76	2	-7	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2310013723934	1	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	1
2310013808225	6	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	6	0

Notes: All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Current NSN is 8225, the other is old

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	128	0	3.8

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D1059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1059: TRK, CARGO, 5T, 6X6, W/O WINCH

Medium Lift Cargo Truck.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320000508905	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

D1062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1062: TRUCK, RTAA, XLWB CARGO, 7 TON, W/O WINCH

The MTRV will replace the current medium fleet of 5-ton trucks. The MTRV has increased payload of 7.1 tons cross-country and 15 tons on hard surface roads and can simultaneously tow up to an 11 ton towed load.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	761	17
AAO (FY17)	736	
O/H	525	0
Shortfall/Excess	-236	-17

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
180	186	137	0	150	46	17	5	0	36	
178	173	133	4	146	46	30	5	0	21	
124	101	84	2	94	56	0	32	0	32	
-56	-85	-53	2	-56	10	-17	27	0	-4	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320014652182	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	Yes	Yes	No	No	0	0	0

Notes: This item does not exist on the EDL and is not deployed in theater. Remove this item from the reset tasker. This item does not exist on the EDL and is not deployed in theater.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	263	0	15.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D1063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1063: TRK, CARGO, RESUPPLY F/HIMARS

HIMARS is a transformational 24 hour, ground-based, responsive General Support / General Support-Reinforcing precision indirect fire support system which accurately engage targets at long ranges (60+ Km) with high volumes of lethal fire under all weather conditions throughout all phases of combat operations ashore. HIMARS is C-130 and amphibious transportable and with precision fires, supports both irregular and traditional warfare. One HIMARS system is defined as one launcher, two re-supply vehicles / trailers and munitions.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	96	6
AAO (FY17)	84	
O/H	95	4
Shortfall/Excess	-1	-2

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
48	0	0	0	36	4	6	2	0	0	
36	0	0	0	36	4	6	2	0	0	
44	0	0	0	36	4	0	7	0	0	
-4	0	0	0	0	0	-6	5	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015045218	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
2320015640834	4	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	4	0

Notes: All items should be wash IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	20

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D1064 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1064: TRK, FIRE FIGHTING, AIRCRAFT AND STRUCTURE

The Truck, Fire, Crash, A/S 32-P-19A, is primarily designed for aircraft crash and rescue operations.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	135	0
AAO (FY17)	135	
O/H	111	6
Shortfall/Excess	-24	6

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
32	32	18	0	24	0	0	5	16	8	
32	32	18	0	24	0	0	5	16	8	
17	15	12	0	9	0	0	35	16	1	
-15	-17	-6	0	-15	0	0	30	0	-7	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210011379943	6	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	6	0

Notes: Return all trailers to LOGCOM for further evaluation. All Basic Issue Items (BII) are to remain with truck. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	219	0	16.8

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D1072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1072: TRUCK,DUMP

This version of the M817 differs from the other in that it is equipped with a 20,000 pound capacity winch located behind the front bumper. The winch feature affects truck length, weight, shipping dimensions and angle of approach.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320000508970	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
2320010478756	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	12.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

D1125 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1125: TRK, UTIL, TOW CARR, W/SA, 2 1/4T, HMMWV (DELETED RFF 1081)

The M1045 is the Tube Launched, Optically-Tracked, Wire-Guided missile carrier (with supplemental armor) model of the M998 series of tactical truck is designed to provide added ballistic protection to the crew, equipment and ammunition.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	90	0
AAO (FY17)	90	
O/H	581	0
Shortfall/Excess	491	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
11	11	0	0	0	13	0	13	38	4	
11	11	0	0	0	13	0	13	38	4	
32	15	0	0	96	10	0	322	98	8	
21	4	0	0	96	-3	0	309	60	4	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320013808229	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	111	0	3.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

D1158 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1158: TRUCK, UTILITY

The M1123 troop/cargo variant (HMMWVA2) will replace the M998, and M1038 variant HMMWVs. The M1123 provides light troop and cargo transportation.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	3,036	2
AAO (FY17)	2,752	
O/H	7,606	0
Shortfall/Excess	4,570	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
755	688	428	0	591	164	2	0	397	0	
734	627	433	44	587	157	2	0	201	0	
1,165	937	921	21	548	214	0	2,929	487	384	
410	249	493	21	-43	50	-2	2,929	90	384	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320014559593	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: To be used as FMS sales. Can be sold in theater or returned to stores. All BII should remain with truck. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	107	0	2.5

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D1161 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1161: TRUCK, UTILITY: INTERNALLY TRANSPORTABLE VEHICLE, LIGHT STRIKE VARIANT (ITV-)

The ITV will provide Marine Air-Ground Task Force (MAGTF) ground combat units with a vehicle that is internally transportable in MV-22 and CH-53 aircraft. The vehicle will be a high mobility weapons platform to support a variety of operations. The secondary purpose is to provide reconnaissance units with equal or greater mobility than the MAGTF maneuver elements they support, thereby enhancing their mission performance and survivability.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	283	0
AAO (FY17)	283	
O/H	198	0
Shortfall/Excess	-85	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
60	60	46	0	30	9	0	0	0	12	
60	60	46	66	30	9	0	0	0	12	
74	52	25	39	0	7	0	1	0	0	
14	-8	-21	39	-30	-2	0	1	0	-12	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015312701	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	i/p	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	67	0	2.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

D1212 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1212: TRK, WRECKER, 5T, 6X6

The M816 is the wrecker variant of the M809 series of 5 ton trucks. The wrecker is utilized to return disabled trucks for repair and to free mired trucks. It is equipped with a hydraulically powered, engine driven crane, drive shaft driven front winch and rear winch. The front winch is used mainly to free the wrecker when it becomes mired or to assist the rear winch by acting as an anchor point. The rear crane is used for lifting loads up to 20,000 pounds. The crane is utilized in operations such as removing and replacing engines, power packs and gun tubes. For safety reasons, the front winch is restricted to a maximum load of 9,500 pounds.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	1	0	1	0	0
0	0	0	0	0	1	0	1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320012064078	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	284	0	18.3

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

D1214 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1214: TRK, WRECK, LVSR

The Logistics Vehicle System Replacement (LVSR) is a 10-wheel tactical vehicle offers greater mobility and off-road payload capability that the existing Logistics Vehicle System (LVS). It can carry 22.5 tons on the highway, transport 16.5 tons off road, travel up to 65 miles per hour on paved surfaces, and has a cruising range of 300 miles. It can ford 5 feet of water.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	154	0
AAO (FY17)	160	
O/H	192	20
Shortfall/Excess	38	20

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
32	30	13	0	28	15	0	6	18	7	
34	33	14	4	28	15	0	6	18	7	
38	33	14	1	0	60	0	8	11	7	
6	3	1	1	-28	45	0	2	-7	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015430651	8	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	6	2
2320015939122	12	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	9	3

Notes: FSR Required for assessment of equipment at MCLC FWD

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	306	0	33.9

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0001: THERMAL LASER SPOT IMAGER TLSI

AN/PAS 25 Thermal Laser Spot Imager.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	438	9
AAO (FY17)	399	
O/H	555	21
Shortfall/Excess	117	12

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
86	85	56	0	123	15	9	0	0	0	
74	65	53	64	119	15	9	0	0	0	
94	67	55	81	60	18	0	159	0	0	
8	-18	-1	81	-63	3	-9	159	0	0	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015629999	21	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	21	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0007: IED COUNTERMEASURES

Equipment used to counter improvised explosive devices.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	69	0
Shortfall/Excess	69	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	69	0	0	
0	0	0	0	0	0	0	69	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015315577	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information
 if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive
- Multi-Modal
- CCI
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

E0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0010: ADAPTER, TEST F/TOW VEH POWER

An adapter which provides facilities for electrically connecting an item to be tested and a piece of test equipment.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	25	0
Shortfall/Excess	25	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	25	0	0
0	0	0	0	0	0	0	25	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625011123068	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: T/E already established by CD

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

E0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0013:

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	2,825	55
AAO (FY17)	2,595	
O/H	2,442	28
Shortfall/Excess	-383	-27

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
448	612	322	0	475	461	55	0	0	0	
388	510	316	0	416	461	52	0	0	0	
279	396	132	392	139	250	0	826	0	0	
-169	-216	-190	392	-336	-211	-55	826	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015869839	9	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	No	No	0	8	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0017 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0017: RIFLE COMBAT OPTIC-M4

RCO is fixed 4x optical aiming sight designed for use with the service rifle configured with the MIL-STD-1913 Rail Adapter System.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	81,722	569
AAO (FY17)	73,148	
O/H	81,698	3075
Shortfall/Excess	-24	2,506

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
20,901	21,190	10,534	0	15,580	7,699	569	679	0	0	
18,501	16,261	10,181	2,975	14,671	7,743	544	679	0	0	
21,354	21,279	8,650	3,302	14,098	6,977	0	2,963	0	0	
453	89	-1,884	3,302	-1,482	-722	-569	2,284	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015341114	3075	33%	34%	0%	33%	0%	0%	NO	NO	No	No	Yes	Yes	No	No	1015	0	1015

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0018: SCOUT SNIPER URBAN NIGHT SIGHT



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	224	0
AAO (FY17)	224	
O/H	693	154
Shortfall/Excess	469	154

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
20	20	20	0	0	40	0	0	0	0	
20	20	20	4	0	40	0	0	0	0	
20	19	19	11	0	40	0	430	0	0	
0	-1	-1	11	0	0	0	430	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010015912226	154	33%	33%	0%	34%	0%	0%	NO	NO	No	No	No	No	No	Yes	2	101	51

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0019: TEST SET, GUN TUBE

Commonly referred to as the BG-10. Used to measure the wear of M242 25mm chain gun barrels by measuring the internal diameter of various spaces in the barrel.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	19	0
AAO (FY17)	18	
O/H	13	0
Shortfall/Excess	-6	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	2	2	0	2	4	0	0	4	1	
4	2	2	0	2	4	0	0	4	0	
0	1	0	0	0	2	0	10	0	0	
-4	-1	-2	0	-2	-2	0	10	-4	-1	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4933014418678	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Mission Capable equipment should be sent to the MEF for re-distribution.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0020: SCOUT-SNIPER MID-RANGE NIGHT SIGHT

The SSMRNS provides a new medium-range night sight capability that will integrate with the M40A3, M82A3/M107, and a semi-automatic sniper rifle. The SSMRNS is a lightweight, weapon mounted, battery operated, imaging device for engagement of targets at night and low light conditions.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	2,799	39
AAO (FY17)	2,482	
O/H	3,674	23
Shortfall/Excess	875	-16

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
457	772	299	0	560	348	39	0	0	0	
377	638	278	324	481	348	36	0	0	0	
559	1,055	221	400	537	392	0	487	0	0	
102	283	-78	400	-23	44	-39	487	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015479489	23	10%	90%	0%	0%	0%	0%	NO	NO	No	No	No	Yes	No	No	0	0	2
5855015481555	0	10%	0%	0%	90%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0025: LAUNCHER,GRENADE

The M32 is a hand-held, semi-automatic, 40MM multi-shot grenade launcher. It is a revolving action, cylinder-fed weapon with a six round capacity.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	1,873	48
AAO (FY17)	1,733	
O/H	2,469	59
Shortfall/Excess	596	11

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
415	427	251	0	453	173	48	0	0	0	
378	325	271	106	433	173	47	0	0	0	
525	472	193	142	288	203	0	587	0	0	
110	45	-58	142	-165	30	-48	587	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010015350989	14	0%	0%	0%	75%	25%	0%	NO	NO	No	No	No	No	No	Yes	0	14	0
1010015840703	45	0%	0%	0%	75%	25%	0%	NO	NO	No	No	No	No	No	No	0	45	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0028: SEMI AUTO SNIPER RIFLE MK11 MOD 1

The sniper rifle is a rifle used to ensure accurate placement of bullets at longer ranges than small arms. A typical sniper rifle is built for optimal levels of accuracy, fitted with a telescopic sight and chambered for a military center fire cartridge.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	172	0
Shortfall/Excess	172	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
1	0	0	0	0	23	0	148	0	0	
1	0	0	0	0	23	0	148	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005015389643	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0

Notes: UUNs - replaced by E0103 - DRMO all items regardless of condition. Serviceable items will go to fill shortfalls in FIS and FMS/disposal - dispose of by attrition.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

E0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0036: MARINE ARTILLERY SURVEY SET (MASS)

The MASS is the streamlined replacement for the Field Artillery Regiment Surveying Set and the Field Artillery Battalion Surveying Set. It consists of legacy equipment and components from those sets, a vehicle, and the Defense Advanced Global Positioning System (GPS) Receiver (DAGR). MASS consist of theodolites which are used to measure angular deviation and vertical interval, range measuring devices and the necessary ancillary equipment required to support the mission.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	34	0
AAO (FY17)	34	
O/H	39	1
Shortfall/Excess	5	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	8	8	0	8	0	0	0	0	0	
10	8	8	0	8	0	0	0	0	0	
12	10	8	0	8	0	0	0	0	0	
2	2	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675015637465	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	1

Notes: Using Unit owned assets return to home station. Item is at the tail end of it's life cycle. No direct water contact on electrical components

R2 Distribution Plan

Equipment Assessment Information
 if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	776	6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

E0042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0042: RANGE FINDER, LASER, AN/PEQ-17 (RPLCS E10457B)

The Portable Lightweight Designator Rangefinder (PLDR) is an Electro-Optic unit, allowing observation, identification and designation of target. The PLDR is a robust compact, low-cost, very lightweight laser designation system, which can be easily carried and operated by an individual Marine.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	475	10
AAO (FY17)	436	
O/H	533	12
Shortfall/Excess	58	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
92	90	56	0	112	15	10	0	0	0	
80	70	53	100	108	15	10	0	0	0	
49	56	56	102	61	17	0	180	0	0	
-43	-34	0	102	-51	2	-10	180	0	0	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015666510	12	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	12	0
1240015921355	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0
5860090004433	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0043: TRUCK, MAINTENANCE (C7007 REPLACED)

E0043 is the Ordnance Support Vehicle.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	21	0
AAO (FY17)	18	
O/H	22	1
Shortfall/Excess	1	1

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	0	0	0	9	0	0	0	0	0	
9	0	0	0	9	0	0	0	0	0	
12	0	0	0	9	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015535269	1	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	1	0

Notes: Do Not Spray or wet any Electronic Components.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0044: EOD SEARCH KIT

Provides specialized tools and equipment to perform interior and exterior search operations involving IED, UXO and WMD.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	277	4
AAO (FY17)	279	
O/H	233	1
Shortfall/Excess	-44	-3

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
72	80	60	0	12	35	4	0	0	0	
76	80	60	12	12	33	4	0	0	0	
56	80	47	12	1	36	0	0	0	0	
-16	0	-13	12	-11	1	-4	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5850015592664	1	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	Yes	No	No	No	0	1	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D
---	--

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0046 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0046: EOD DISASSEMBLY KIT

The EOD Disassembly Kit provides the EOD Team with a variety of hand tools, bench equipment, and limited safety equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	60	2
AAO (FY17)	60	
O/H	56	1
Shortfall/Excess	-4	-1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
11	13	8	0	3	17	2	0	0	0	
12	13	8	6	3	16	2	0	0	0	
12	13	9	3	0	18	0	0	0	0	
1	0	1	3	-3	1	-2	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385015595502	1	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0047: EOD GENERAL PURPOSE KIT

Equips EOD technicians with a modern set of tools to support EOD operations such as locating, identifying and rendering safe.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	118	2
AAO (FY17)	118	
O/H	98	0
Shortfall/Excess	-20	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
19	22	16	0	3	19	2	0	16	8	
20	22	16	12	3	18	2	0	16	8	
19	22	13	8	0	20	0	0	13	3	
0	0	-3	8	-3	1	-2	0	-3	-5	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015592933	0	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information
 if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0049 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0049: EOD IED KIT

The EOD Improvised Explosive Device (IED) Kit provides the EOD Team's Command and Response Elements with the necessary tools and equipment to support operation involving IEDs and Weapons of Mass Destruction (WMD).



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	325	4
AAO (FY17)	327	
O/H	250	4
Shortfall/Excess	-75	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
72	80	60	0	12	35	4	0	32	16	
76	80	60	12	12	33	4	0	32	16	
59	80	37	5	0	30	0	0	35	0	
-13	0	-23	5	-12	-5	-4	0	3	-16	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015594338	4	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	2	2

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0051 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0051: SPECIAL PURPOSE RIFLE, MK12 5.56

This weapon system is a heavily modified light sniper/designated marksman variation of the AR-15/M16 line of infantry weapons, and is chambered for NATO standard 5.56 x 45 mm caliber ammunition.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	120	0
AAO (FY17)	0	
O/H	522	18
Shortfall/Excess	402	18

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
30	30	20	0	20	20	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
11	0	9	0	57	1	0	426	0	0	
-19	-30	-11	0	37	-19	0	426	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005070001255	18	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	No	No	No	Yes	0	18	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

E0053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0053: GREEN BEAM DAZZLER

The Green Beam Dazzler is a non-lethal visual disruption device that is used to distract threats.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	300	0
AAO (FY17)	300	
O/H	1,217	147
Shortfall/Excess	917	147

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
15	15	15	0	0	15	0	0	0	0	
15	15	15	240	0	15	0	0	0	0	
48	182	14	224	0	27	0	575	0	0	
33	167	-1	224	0	12	0	575	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5860015447175	147	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	147	0

Notes: No wash down required

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0054 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0054: RANGE FINDER,LASER

Component of E1048 CLRf



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	2,482	93
AAO (FY17)	2,220	
O/H	555	3
Shortfall/Excess	-1,927	-90

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
590	563	298	0	588	146	93	0	4	1	
505	423	298	0	557	146	87	0	4	1	
101	35	43	0	102	19	0	252	0	0	
-489	-528	-255	0	-486	-127	-93	252	-4	-1	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015723753	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	3	0

Notes: Do not wash. Clean with damp cloth. TAMCN should be associated with E1048.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0055: TOW IMPROVED SABER

The M41A4 Saber Weapon System consists of subassemblies described on the following pages and is used by Anti-Armor Assault personnel to engage and/or mark targets per mission requirements. The system can be operated from a ground mount position on the tripod or from the HMMWV configuration.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	761	100
AAO (FY17)	710	
O/H	725	11
Shortfall/Excess	-36	-89

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
107	116	51	0	100	79	100	100	100	8	
93	85	51	0	92	79	100	100	100	10	
133	116	26	0	116	82	0	141	100	0	
26	0	-25	0	16	3	-100	41	0	-8	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015598728	11	0%	0%	25%	75%	0%	0%	NO	NO	No	Yes	no	No	Yes	No	0	11	0

Notes: Everybody in CONUS is using WRMR assets so needs to go back to MCLC. The PADS (NSN 1240-01-557-1923) which is a subcomponent of the Saber can receive a crypto fill. Crypto should be dumped before shipping of system.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0056 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0056: MK41 ADVANCED RADIOGRAPHIC SYSTEM (EOD)

Provides EOD technicians a portable, fully-digital, X-ray systems with ground level imaging.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	311	4
AAO (FY17)	313	
O/H	117	2
Shortfall/Excess	-194	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
72	80	60	0	12	33	4	0	0	0	
76	80	60	48	12	31	4	0	0	0	
29	26	26	12	1	21	0	0	0	0	
-43	-54	-34	12	-11	-12	-4	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6635015459905	2	0%	0%	0%	50%	50%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0057: MK32 MOD 4 EOD X-RAY


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	4	0
Shortfall/Excess	4	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	2	0	0	2	0
0	0	0	0	0	2	0	0	2	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6635015037883	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

E0058 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0058: ILLUMINATOR,INTEGRA

The Mini Integrated Pointer Illuminator Module (MIPIM) is a multifunction laser device that emits visible or infrared (IR) light for precise weapon aiming and target / area illumination. It is also equipped with an integrated high intensity, variable focus, White Light Illuminator.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	57,421	550
AAO (FY17)	49,938	
O/H	55,375	1098
Shortfall/Excess	-2,046	548

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
13,110	13,444	6,947	0	11,764	8,006	550	625	0	0	
10,772	9,203	6,954	2,975	10,896	7,993	520	625	0	0	
12,524	12,202	4,098	3,253	11,147	5,416	0	5,637	0	0	
-586	-1,242	-2,849	3,253	-617	#####	-550	5,012	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015502780	1098	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	Yes	No	No	0	824	274
5865015494506	0	25%	50%	0%	25%	0%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0060: SABER ELECTRICAL CIRCUIT TEST SET (ECIRTS)

The ECIRTS (Type IV) is the primary component of the Saber ECIRTS Tool Kit (ETK). The equipment is intended to be used in both the Pre-fire Inspection and semiannual maintenance inspections of the Saber and TOW systems. The functional use of the Saber ECIRTS is to test the Traversing Unit (TU) and Saber system for Missile type verification, Wire Cut signal and electronic Umbilical continuity of connection.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	80	12
AAO (FY17)	67	
O/H	58	2
Shortfall/Excess	-22	-10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
15	16	6	0	11	16	12	0	2	2	
10	9	6	0	10	16	12	0	2	2	
14	14	3	0	8	14	0	0	3	0	
-1	-2	-3	0	-3	-2	-12	0	1	-2	

Representative Picture

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4935015688417	0	0%	0%	50%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
6625015756647	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	0

Notes: Repairs are done at Army Facility in Huntsville, Alabama. T/E already established by CD&I.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0062: SIGHT, THERMAL

The IWNS-T is a clip-on, battery-operated style sight to be used in conjunction with the AN/PVQ-31A/B Rifle Combat Optic (RCO), to observe/orient, detect and recognize targets, conduct surveillance and engage targets during all lighting conditions and battlefield obscuration such as smoke, fog, and sandstorms without additional bore sighting or battle sight zero operations, other than that required by the primary optic.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	707	0
AAO (FY17)	707	
O/H	2,066	233
Shortfall/Excess	1,359	233

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	307	0	400	0	0	
0	0	0	0	0	307	0	400	0	0	
40	15	168	0	0	319	0	1,291	0	0	
40	15	168	0	0	12	0	891	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015597064	233	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	Yes	0	233	0

Notes: This is a deployment asset - should be brought in and out of theater with the unit. Send all to LOGCOM - will be replaced but still have value to the field through FMS.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0063: MINI THERMAL IMAGER (MTI)

The Mini Thermal Imager is a dual field of view, lightweight hand held/helmet mountable, pocket sized thermal imaging system.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,286	0
AAO (FY17)	1,286	
O/H	875	31
Shortfall/Excess	-411	31

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	52	0	287	0	0	
0	0	0	0	0	52	0	287	0	0	
7	20	6	0	0	40	0	771	0	0	
7	20	6	0	0	-12	0	484	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015531162	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	Yes	No	Yes	0	0	0
5855015544673	31	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	Yes	0	31	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0064 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0064: ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (PACBOT)

The Robot, Explosive Ordnance Disposal is used for safe movement and disposal of live munitions. Used to perform EOD/IED mission.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	101	8
AAO (FY17)	101	
O/H	125	0
Shortfall/Excess	24	-8

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
18	20	15	0	3	20	8	0	0	0	
19	20	15	15	3	19	8	0	0	0	
28	25	16	14	1	41	0	0	0	0	
10	5	1	14	-2	21	-8	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385015349828	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	Yes	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1484	4.8

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0066 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0066: ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (TALON)

The Robot, Explosive Ordnance Disposal is used for safe movement and disposal of live munitions. Used to perform EOD/IED mission.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	176	8
AAO (FY17)	190	
O/H	221	51
Shortfall/Excess	45	43

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
36	40	30	0	6	37	8	0	0	0	
38	40	30	48	6	18	8	0	0	0	
41	37	33	15	1	43	0	0	0	0	
5	-3	3	15	-5	6	-8	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385015349826	51	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	51	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	25	0.1

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0067: ELECTRO OPTICAL MAINTENANCE SHELTER COMPLEX

The EOMSC is a transportable facility that provides a sheltered environment for operator/crew and field-level maintenance of optical, electro-optical, fire-control and laser range-finder equipment.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	16	0
AAO (FY17)	21	
O/H	19	1
Shortfall/Excess	3	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	3	2	0	4	0	0	0	2	1	
6	6	2	0	4	0	0	0	2	1	
3	3	4	0	3	0	0	2	3	0	
-1	0	2	0	-1	0	0	2	1	-1	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5410015511127	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	1	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0069: DIRECT SUPPORT ELECTRICAL SYSTEM TEST SET (DSESTS) SUPPORT (DSS)SHELTER

An expandable 20'x8'x8' ISO certified shelter and trailer combination used to house the DSESTS for the M1A1 Tank. It provides a mobile maintenance capability for the Tank Bn and MLG, capable of effecting repairs on all LRUs in all types of weather and terrain. The shelter and trailer can be transported by the MTRV or LVS/MK14 variant.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	48	9
AAO (FY17)	51	
O/H	22	2
Shortfall/Excess	-26	-7

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	9	3	0	5	4	9	0	4	1	
10	10	3	0	5	4	12	0	4	0	
5	5	1	0	2	0	0	1	6	0	
-5	-4	-2	0	-3	-4	-9	1	2	-1	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015528270	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	2	0

Notes: Item will be repaired through CLS. No equipment conditions; however, care should be taken when utilizing high pressure wash around generator/ECU area. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	8.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0070: DIRECT SUPPORT ELECTRICAL SYSTEM TEST SET (DSESTS) SUPPORT (DSS) TRAILER

An expandable 20'x8'x8' ISO certified shelter and trailer combination used to house the DSESTS for the M1A1 Tank. It provides a mobile maintenance capability for the Tank Bn and MLG, capable of effecting repairs on all LRUs in all types of weather and terrain. The shelter and trailer can be transported by the MTRV or LVS/MK14 variant.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	33	0
AAO (FY17)	35	
O/H	124	3
Shortfall/Excess	91	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	7	5	0	4	0	0	5	2	1	
9	9	5	0	4	0	0	5	2	1	
26	30	24	0	8	0	0	9	19	5	
17	23	19	0	4	0	0	4	17	4	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015528661	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	3	0

Notes: MCLC Stores pending redistribution. Associated with E0069. Ship with the System.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	223	0	4.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0076 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0076: MULTI-PURPOSE TANK BLADE

This multipurpose tank blade is a bulldozer blade that can be attached to an M1A1 and can be operated by the tank's driver. The blade provides for obstacle/rubble moving/removing and earthmoving activities such as digging defensive positions for the host vehicle.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	89	0
AAO (FY17)	83	
O/H	80	3
Shortfall/Excess	-9	3

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	12	0	0	18	4	0	9	32	2	
12	6	0	0	18	4	0	9	32	2	
8	9	0	0	6	4	0	4	46	0	
-4	-3	0	0	-12	0	0	-5	14	-2	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590995933083	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	3	0

Notes: No equipment condition; however care should be taken around any and all electrical connections. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0082: SQUAD DAY OPTIC (SDO)

The SDO is a magnified day optic that mounts to the M249 SAW and aids the automatic rifleman in target detection, recognition, and identification; thereby, increasing combat effectiveness and lethality of the fire team.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	11,489	594
AAO (FY17)	10,111	
O/H	15,342	317
Shortfall/Excess	3,853	-277

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2,324	2,633	1,298	0	2,039	2,294	594	0	0	0	
1,887	1,955	1,254	0	1,881	2,273	554	0	0	0	
2,835	2,819	1,172	334	2,183	2,147	0	3,535	0	0	
511	186	-126	334	144	-147	-594	3,535	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015751724	317	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	No	0	317	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0084: TAC BINOS / BINOCULAR 8X42

The tactical binocular allows individuals with different interpupillary distances to view the reticule horizontally, or to estimate range on targets that aren't perfectly level. Rugged and waterproof with a durable armor coating.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	2,918	0
AAO (FY17)	2,883	
O/H	4,211	154
Shortfall/Excess	1,293	154

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	2,918	0	0	0	0	
0	0	0	0	0	2,883	0	0	0	0	
27	29	112	0	0	2,211	0	1,678	0	0	
27	29	112	0	0	-707	0	1,678	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015593648	154	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	SAC-1	Yes	0	154	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0085: M1021 DIAL BORE GAGE (M1021)

The Digital Bore Gauge (DBG) is used with the 60mm and 81mm mortar cannons.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	37	0
AAO (FY17)	39	
O/H	120	0
Shortfall/Excess	83	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
11	9	5	0	6	0	0	0	2	1	
11	11	5	6	6	0	0	0	2	1	
18	22	11	6	8	11	0	35	9	0	
7	13	6	6	2	11	0	35	7	-1	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015629944	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Mission Capable equipment should be sent to the MEF for re-distribution.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0086: EOD MARINE AIR SYSTEM (MAS) REMOTE FIRING DEVICE (RFD)

The MAS RFD is designed to command detonate explosives by UHF digital radio signals.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	311	4
AAO (FY17)	313	
O/H	305	3
Shortfall/Excess	-6	-1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
72	80	60	0	12	33	4	0	0	0	
76	80	60	48	12	31	4	0	0	0	
76	77	62	53	1	33	0	0	0	0	
4	-3	2	53	-11	0	-4	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1375982065633	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	3	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0088 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0088: M240 DAY OPTIC (MDO)

The MDO is a magnified day optic that mounts to the M240 Medium Machine Gun and aids the machine gunner in target detection, recognition, identification, and engagement, thereby increasing the combat effectiveness and lethality of the machine gun team.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	8,431	509
AAO (FY17)	7,910	
O/H	10,720	389
Shortfall/Excess	2,289	-120

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1,770	1,755	855	0	1,488	1,269	509	0	76	0	
1,585	1,447	880	280	1,449	1,255	509	0	76	0	
2,167	1,759	796	337	1,275	1,275	0	2,599	123	0	
397	4	-59	337	-213	6	-509	2,599	47	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015780211	389	33%	0%	0%	33%	34%	0%	NO	NO	No	No	no	yes	I/P	No	0	389	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0090 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0090: AN/PLT-5 CITADEL 2 (EOD)

The CITADEL II was procured as a special purpose Explosive Ordnance Disposal (EOD) tool




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	186	4
AAO (FY17)	187	
O/H	181	0
Shortfall/Excess	-5	-4

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
36	40	30	0	6	20	4	0	0	0	
38	40	30	48	6	19	4	0	0	0	
40	40	30	46	1	24	0	0	0	0	
4	0	0	46	-5	4	-4	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015623004	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0091: AN/PLT-4 CITADEL 1 (EOD)

AN/PLT-6448(V)1



Citadel II


Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	25	0
Shortfall/Excess	25	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
8	2	5	0	0	10	0	0	0	0	
8	2	5	0	0	10	0	0	0	0	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014686173	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

E0092 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0092:


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	185	4
AAO (FY17)	186	
O/H	157	25
Shortfall/Excess	-28	21

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
36	42	30	0	6	19	4	0	0	0	
38	42	30	48	6	18	4	0	0	0	
25	25	20	45	1	16	0	0	0	0	
-11	-17	-10	45	-5	-3	-4	0	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015884011	25	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	25	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0104: DRY POWDER SERVICING UNIT (DPSU)

The DPSU is a self contained dry powder servicing unit with ports for nitrogen and shop pressure air. The unit has onboard gages and flow switches which support the recharging evolution. The DPSU provides a stable hold-down platform during bottle recharge




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	16	0
AAO (FY17)	16	
O/H	10	0
Shortfall/Excess	-6	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	2	2	0	2	2	0	0	4	1	
3	3	2	0	2	2	0	0	4	0	
1	2	0	0	0	1	0	1	5	0	
-2	0	-2	0	-2	-1	0	1	1	-1	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210014889655	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Item should be utilized for OPFOR T/E deficiencies. No equipment condition. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0106 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0106: SABER SMK

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	70	0
AAO (FY17)	68	
O/H	53	0
Shortfall/Excess	-17	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	13	9	0	13	18	0	0	2	2
13	12	9	0	12	18	0	0	2	2
15	15	5	0	5	11	0	0	2	0
2	2	-4	0	-8	-7	0	0	0	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4935015795013	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0108 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0108: GLARE MOUNT 532-P (MINI GRN DAZZLER) LASER

Mini-Green is a Class 3B laser that emits a green beam which is visible when focused on surfaces and extremely bright when directly viewed and used for hail and warning.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	1,265	77
Shortfall/Excess	1,265	77

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	165	0	108	0	99	0	816	0	0
0	165	0	108	0	99	0	816	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1265015838057	47	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	47	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0117 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0117:

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	84	0
AAO (FY17)	84	
O/H	99	33
Shortfall/Excess	15	33

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
15	15	13	0	0	4	0	0	0	0	
15	15	13	13	0	4	0	0	0	0	
16	13	13	3	0	4	0	17	0	0	
1	-2	0	3	0	0	0	17	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1260015961264	33	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	33	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0139: BORESCOPE, 58MM 8 IN.

The M3 Bore scope is a light weight, inspection device, designed to check various types of cannon bores for defects and damages. It is a straight tube telescope with a mirror that is set at an angle to offer a view of the bore being inspected.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	436	0
AAO (FY17)	410	
O/H	274	2
Shortfall/Excess	-162	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
69	67	5	0	90	28	0	43	118	9	
69	41	5	4	90	28	0	43	118	9	
30	19	19	4	21	35	0	127	16	1	
-39	-48	14	4	-69	7	0	84	-102	-8	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650010630035	2	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	2
6650015629886	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: NSN ending in 0035 is obsolete but still used by MEFs - use to fill shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	100%	0%

E0149 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0149: BRIDGE, SCISSOR F/AVLB

The Armored Vehicle Launched Bridge consists of a turret less M60A1 Tank Chassis equipped with a bridge and bridge launching mechanism, in lieu of a gun turret.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	28	4
AAO (FY17)	28	
O/H	25	2
Shortfall/Excess	-3	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	5	0	0	0	4	4	4	4	2	
5	5	0	0	0	4	4	4	4	2	
5	3	0	0	0	2	0	7	6	0	
0	-2	0	0	0	-2	-4	3	2	-2	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420005229599	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2	0

Notes: Item should be utilized for OPFOR T/E deficiencies. No equipment condition. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2557	14.7

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0150: ARMORED VEHICLE, LAUNCHER, BRIDGE

The Armored Vehicle Launched Bridge consists of a turret less M60A1 Tank Chassis equipped with a bridge and bridge launching mechanism, in lieu of a gun turret.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	28	4
AAO (FY17)	28	
O/H	25	2
Shortfall/Excess	-3	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	5	0	0	0	4	4	4	4	2	
5	5	0	0	0	4	4	4	4	2	
6	4	0	0	0	4	0	5	4	0	
1	-1	0	0	0	0	-4	1	0	-2	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420008892020	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	2	0

Notes: Item should be disacssociated from E0149. Armor deck (over powerpack) Removed. No high pressure wash in crew compartment and/or Exterior hydraulic cylinders. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	468	0	49

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0165 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0165: CHARGER,BATTERY

A device consisting of one or more components utilizing an alternating or direct current source to reactivate batteries in which reversible chemical reactions occur.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	15	0
AAO (FY17)	15	
O/H	160	0
Shortfall/Excess	145	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	2	1	0	2	2	0	2	2	0	
4	2	1	0	2	2	0	2	2	0	
0	1	0	0	3	1	0	155	0	0	
-4	-1	-1	0	1	-1	0	153	-2	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130010189786	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0180 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0180: CIRCLE, AIMING

The Aiming Circle, M2A2, with its accessory equipment, has the general characteristics of a surveyor's transit. It is used for precise measurement of azimuth and elevation angles of a ground or aerial target.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	701	0
AAO (FY17)	641	
O/H	1,175	10
Shortfall/Excess	474	10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
133	115	88	0	100	65	0	83	78	17	
105	86	88	20	96	65	0	83	78	18	
173	131	87	26	95	83	0	476	76	18	
40	16	-1	26	-5	18	0	393	-2	1	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675010670687	10	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	10	0

Notes: It will be repaired and recalibrated at Barstow if necessary.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0190 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0190: CARBINE, CQBW, 5.56MM

A fully-automatic variant of the basic M4 carbine intended for special operations use. Is used by special operation units. Is especially favored by counter-terrorist and special operations units for close quarters combat because of the carbine's compactness and firepower.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	6,890	47
AAO (FY17)	6,064	
O/H	4,781	23
Shortfall/Excess	-2,109	-24

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1,077	1,463	706	0	1,344	270	47	247	0	0	
865	1,099	667	1,736	1,136	270	44	247	0	0	
592	790	307	1,724	802	243	0	300	0	0	
-485	-673	-399	1,724	-542	-27	-47	53	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005013820953	23	25%	0%	0%	75%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	17	6

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0195: CARBINE, MWS, 5.56MM

The M16A2 5.56mm rifle is a lightweight, air-cooled, gas-operated, magazine-fed, shoulder- or hip-fired weapon designed for either automatic fire (3-round bursts) or semiautomatic fire (single shot) through the use of a selector lever.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	73,464	522
AAO (FY17)	68,434	
O/H	89,802	3165
Shortfall/Excess	16,338	2,643

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
19,513	19,319	9,593	0	14,241	7,372	522	71	0	4	
18,025	15,855	9,689	1,239	14,158	7,425	500	71	0	0	
25,537	20,812	9,182	1,579	12,984	8,491	0	8,026	26	0	
6,024	1,493	-411	1,579	-1,257	1,119	-522	7,955	26	-4	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005012310973	3165	25%	0%	0%	75%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	3165	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0205 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0205: COLLIMATOR, INFINITY AIMING, REFERENCE

Tripod mounted primary aiming reference point for indirect laying operations for artillery/mortar. Illuminated with two C cell lithium battery pack -- 31 inches x 13 inches, weight 32 pounds.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	385	18
AAO (FY17)	354	
O/H	635	0
Shortfall/Excess	250	-18

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
70	56	42	0	56	28	18	41	60	14	
49	42	42	0	56	28	18	41	60	18	
67	88	53	0	54	43	0	230	82	18	
-3	32	11	0	-2	15	-18	189	22	4	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240003321780	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
1240014655452	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Do not wash. Clean with damp cloth.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0207 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0207: JAVELIN

The M98A1 Command Launch Unit is the reusable portion of the Javelin system. It contains a day sight, night vision sight, controls, and indicators.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	414	72
AAO (FY17)	358	
O/H	457	9
Shortfall/Excess	43	-63

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
80	88	48	0	72	34	72	20	0	0	
64	56	48	0	64	34	72	20	0	0	
107	91	24	0	64	44	0	118	0	0	
27	3	-24	0	-8	10	-72	98	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1430015328900	9	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	9	0

Notes: Units in CONUS are currently using WRMR assets. Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0311 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0311: RIFLE, 7.62 MILLIMET

The Designated Marksman Rifle (DMR) is a Marine Corps designed rifle. Each DMR is custom built at Precision Weapons Sections, Weapons Training Battalion at Quantico, Virginia. It is a modified, 7.62mm, precision grade M-14 rifle. It has an effective range of 770 meters. Its accuracy and lethality provides units operational flexibility.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	1,116	4
Shortfall/Excess	1,116	4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
54	51	11	11	31	45	0	909	0	0	
54	51	11	11	31	45	0	909	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014586235	4	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	No	No	No	No	0	4	0
1005015535196	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

E0330 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0330: EQUIPMENT SET, NIGHT VISION

The Equipment Set, Night Vision, mounts on top of the day sight and enables the operator to track targets in darkness, heavy fog, and smoke, and during electro-optical countermeasures.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	233	10
AAO (FY17)	229	
O/H	529	0
Shortfall/Excess	296	-10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
38	20	7	0	28	15	10	107	8	0	
33	21	7	0	28	15	10	107	8	0	
65	39	4	0	39	9	0	364	9	0	
27	19	-3	0	11	-6	-10	257	1	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855013010158	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	10	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0359 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0359: FIRING DEVICE, DEMOLITION

The Remote Demolition Firing Device is a collection of equipment necessary for firing electric demolitions remotely.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	420	0
AAO (FY17)	404	
O/H	153	0
Shortfall/Excess	-267	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
98	81	49	0	86	17	0	0	72	10	
78	76	53	0	85	17	0	0	72	16	
12	63	1	3	25	6	0	36	7	0	
-86	-18	-48	3	-61	-11	0	36	-65	-10	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1375014684400	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	Yes	No	No	No	0	0	0

Notes: All items need to return to MCLC - not obsolete - need them back b/c they are being used in squad demolition kits for engineers.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0671 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0671: HOWITZER, LTWT, TOWED, 155MM

The M198 Medium Towed Howitzer is a 155mm field artillery howitzer. It is constructed of aluminum and steel, and is air transportable by CH-53E helicopter, and C-130 or larger fixed-wing aircraft.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	361	18
AAO (FY17)	331	
O/H	466	2
Shortfall/Excess	105	-16

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
60	48	42	0	48	52	18	19	60	12	
42	36	42	0	48	52	18	19	60	12	
66	58	42	0	48	42	0	136	60	12	
6	10	0	0	0	-10	-18	117	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1025014450991	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0
1025994637551	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	2	0

Notes: Barstow is setup to do any type of reset - IRON and rebuild line is already setup.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **TACOM**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	283	0	4.3

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0720 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0720: KIT, HOOK & LINE F/EOD

The Hook & Line Kit includes components for attaching lines, anchoring pulleys, and maneuvering objects.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	191	4
AAO (FY17)	198	
O/H	294	1
Shortfall/Excess	103	-3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
36	40	30	0	6	19	4	0	26	16	
38	40	30	12	6	18	4	0	32	16	
40	90	33	32	0	36	0	2	33	27	
4	50	3	32	-6	17	-4	2	7	11	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385996952988	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
1385999911200	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0759 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0759: KIT, DISASSEMBLY, FUZE, MECHANICAL, REMOTE (MK121 MOD0)

The MRFDK is used for conducting disassembly/inserting of fuses/ordnance items for either training or exploitation in combat environments. The MRFDK will provide operator safety during hazardous operations by allowing the operator to disassemble small munitions components and fuses from a remote distance of 6 to 10 ft.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	60	2
AAO (FY17)	60	
O/H	50	1
Shortfall/Excess	-10	-1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
11	13	8	0	3	17	2	0	0	0	
12	13	8	6	3	16	2	0	0	0	
11	10	8	2	0	17	0	0	0	1	
0	-3	0	2	-3	0	-2	0	0	1	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385012073619	1	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	A or B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

Sensitive **CCI**

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0892 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0892: LAUNCHER, GRENADE, 40MM

The Launcher, Grenade, 40 mm, M203 is used while attached to a M16A2, 5.56mm rifle. It is lightweight, compact, breech loading, pump action, single shot launcher.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	11,367	478
AAO (FY17)	9,961	
O/H	14,857	93
Shortfall/Excess	3,490	-385

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
2,484	2,741	1,403	0	2,367	1,415	478	212	0	0	
2,049	2,023	1,411	245	2,130	1,415	454	212	0	0	
3,239	2,894	1,142	319	2,005	1,793	0	3,126	0	0	
755	153	-261	319	-362	378	-478	2,914	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010001796447	93	25%	0%	0%	75%	0%	0%	NO	NO	No	No	Yes	No	Yes	No	0	70	23

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E0915 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0915: LAUNCHER, ROCKET, ASSAULT, 83MM, MK153

The SMAW is an 83mm man-portable weapon system consisting of the MK153 Mod 0 launcher, the MK 3 Mod 0 encased HEDP rocket, the MK 6 Mod 0 encased HEAA rocket, and the MK217 Mod 0 spotting rifle cartridge.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	1,578	297
AAO (FY17)	1,407	
O/H	1,404	16
Shortfall/Excess	-174	-281

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
315	279	135	0	261	170	297	69	0	0	
243	198	135	52	243	170	297	69	0	0	
317	262	70	53	220	160	0	306	0	0	
2	-17	-65	53	-41	-10	-297	237	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1055011644608	16	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	16	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM. Although this item is being replaced with a new version all launchers in theatre will need to be recovered as the new launcher is not in production yet.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0935 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0935: LAUNCHER, TUBULAR, F/GM TOW WPN SYSTEM

The Launcher, Tubular is designed to attack and defeat tanks and other armored vehicles. It is primarily used in antitank warfare, and is a command to line of sight, wire-guided weapon.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	221	10
AAO (FY17)	214	
O/H	462	0
Shortfall/Excess	241	-10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
37	20	6	0	26	9	10	105	8	0	
31	19	6	0	26	9	10	105	8	0	
48	32	4	0	43	12	0	296	27	0	
11	12	-2	0	17	3	-10	191	19	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1440014118942	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	79	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0942: LAV, ANTI-TANK

The LAV-AT is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	118	8
AAO (FY17)	106	
O/H	118	0
Shortfall/Excess	0	-8

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
36	20	4	0	24	7	8	11	8	0	
28	16	4	0	24	7	8	11	8	0	
29	18	4	0	20	9	0	29	9	0	
-7	-2	0	0	-4	2	-8	18	1	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015393618	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	173	0	13.8

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0946 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0946: LAV, COMMAND & CONTROL (BN)

The LAV-C2 is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	69	16
AAO (FY17)	66	
O/H	64	0
Shortfall/Excess	-5	-16

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
17	9	1	0	10	3	16	10	2	1
15	8	1	0	10	3	16	10	2	1
16	8	1	0	10	4	0	23	1	1
-1	-1	0	0	0	1	-16	13	-1	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355014947611	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2355015393589	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Will not be filling deficiencies in conus, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	172	0	14

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0947 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0947: LAV, LIGHT ASSAULT, 25MM

The LAV-25 is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	544	94
AAO (FY17)	502	
O/H	500	0
Shortfall/Excess	-44	-94

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
134	74	14	0	88	40	94	63	28	9	
106	60	14	0	88	40	94	63	28	9	
107	62	11	0	84	48	0	155	24	9	
-27	-12	-3	0	-4	8	-94	92	-4	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355014947606	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2355015393639	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	176	0	13.9

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0948 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0948: LAV, LOGISTICS

The LAV-L is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E. When combat loaded there are 200 ready rounds and 800 stowed rounds of 7.62mm ammunition.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	136	25
AAO (FY17)	127	
O/H	125	0
Shortfall/Excess	-11	-25

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
35	19	3	0	22	6	25	17	6	3	
29	16	3	0	22	6	25	17	6	3	
29	18	2	0	13	7	0	48	5	3	
-6	-1	-1	0	-9	1	-25	31	-1	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015393634	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	175	0	14.1

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0949 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0949: LAV, MORTAR

The LAV-M is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E. When combat loaded there are 5 ready and 94 stowed 81mm bombs as well as 200 ready rounds and 800 stowed rounds of 7.62mm.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	71	10
AAO (FY17)	65	
O/H	69	0
Shortfall/Excess	-2	-10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
18	10	2	0	12	4	10	9	4	2	
14	8	2	0	12	4	10	9	4	2	
15	9	2	0	13	4	0	21	3	2	
-3	-1	0	0	1	0	-10	12	-1	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015393578	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Will not be filling deficiencies in conus, all should wind up going to MCLC to fill WRMR.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	173	0	13.5

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0950 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0950: LAV, MAINT/RECOVERY

The LAV-R is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	48	4
AAO (FY17)	45	
O/H	47	0
Shortfall/Excess	-1	-4

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
13	7	1	0	8	5	4	7	2	1	
11	6	1	0	8	5	4	7	2	1	
11	7	1	0	8	9	0	8	2	1	
-2	0	0	0	0	4	-4	1	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015393601	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	197	0	14.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0960 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0960: MACHINE GUN, LT, SQUAD, AUTOMATIC WEAPON

The Squad Automatic Weapon, or 5.56mm M249 is an individually portable, gas operated, magazine or disintegrating metallic link-belt fed, light machine gun with fixed headspace and quick change barrel feature.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	6,967	315
AAO (FY17)	6,232	
O/H	16,892	132
Shortfall/Excess	9,925	-183

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1,286	1,404	723	0	1,117	1,376	315	439	0	0	
1,045	1,076	679	288	1,043	1,355	288	439	0	0	
2,004	1,751	802	343	1,268	1,796	0	8,796	0	0	
718	347	79	343	151	420	-315	8,357	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005011277510	132	25%	0%	0%	75%	0%	0%	NO	NO	UNK	Yes	Yes	No	Yes	No	0	99	33

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0961 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0961: MACHINE GUN M240E1

The 7.62mm machine gun is a lightweight, air-cooled, disintegrating metallic link-belt fed, portable or tripod mounted machine gun designed for ground operations. It is gas operated with fixed headspace and timing which permits rapid changing of barrels.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	179	0
Shortfall/Excess	179	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
1	0	0	0	0	1	0	170	7	0	
1	0	0	0	0	1	0	170	7	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005012524288	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0980 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0980: MACHINE GUN, CAL .50, BROWNING, HB FLEXIBLE

The Browning M2 .50 Caliber Machine Gun, Heavy barrel is an automatic, recoil operated, air-cooled machine gun with adjustable headspace and is crew transportable with limited amounts of ammunition over short distances.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	4,025	24
AAO (FY17)	3,869	
O/H	6,405	281
Shortfall/Excess	2,380	257

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
770	791	434	0	652	327	24	591	83	49	
745	693	428	168	648	310	32	591	83	35	
798	776	427	197	483	410	0	2,940	93	0	
28	-15	-7	197	-169	83	-24	2,349	10	-49	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005007265636	281	25%	0%	0%	75%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	211	70

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0984 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0984: MACHINE GUN, CAL .50

The M48 Turret Type .50 Caliber Machine Gun is a belt fed recoil-operated, air-cooled, crew-served machine gun. This gun is capable of firing single-shot and is fully automatic.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	494	0
AAO (FY17)	442	
O/H	649	23
Shortfall/Excess	155	23

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
96	93	1	0	100	43	0	12	133	12	
85	53	1	0	100	43	0	12	133	11	
92	91	9	0	77	40	0	184	133	0	
-4	-2	8	0	-23	-3	0	172	0	-12	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005009573893	23	25%	0%	0%	75%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	17	6

Notes: This TAMCN is associated with the Tank and should return with it.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0989 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0989: MACHINE GUN, M240B

The M240G Machine Gun is the ground version of the original M240/M240E1, 7.62mm medium class weapon designed as a coaxial/pintle mounted machine gun for tanks and light armored vehicles.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	8,780	0
AAO (FY17)	8,259	
O/H	11,726	890
Shortfall/Excess	2,946	890

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1,764	1,749	843	0	1,488	1,254	0	879	76	18	
1,579	1,441	868	280	1,449	1,240	0	879	76	18	
1,941	1,697	811	354	1,302	1,483	0	3,166	76	6	
177	-52	-32	354	-186	229	0	2,287	0	-12	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014123129	890	25%	0%	0%	75%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	668	222

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0994 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0994: MACHINE GUN, GRENADE (MK 19 40MM MOD 3 W/BKT)

The MK19 40mm machine gun, MOD 3 is an air-cooled, disintegrating metallic link-belt fed, blowback operated, fully automatic weapon and is crew transportable over short distances with limited amounts of ammunition. It can fire a variety of 40mm grenades.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	3,031	0
AAO (FY17)	2,864	
O/H	5,510	70
Shortfall/Excess	2,479	70

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
631	673	435	0	557	277	0	221	83	46	
599	570	435	104	553	264	0	221	83	31	
782	738	424	130	399	358	0	2,526	83	0	
151	65	-11	130	-158	81	0	2,305	0	-46	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010011269063	0	25%	0%	0%	75%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
1010014909697	70	25%	0%	0%	75%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	52	18

Notes: Items are being shipped back to the MEFs. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0996 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0996: BLADE, MINE CLEARING

The Mine Clearing Blade, when mounted to the front of the M1 or M1A1 Abrams Tank, is used to clear tank track path of mines which lie in front of the tracks from depths of 8, 10, and 12 inches.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	74	0
AAO (FY17)	68	
O/H	86	3
Shortfall/Excess	12	3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	12	0	0	18	6	0	8	16	2	
12	6	0	0	18	6	0	8	16	2	
8	6	0	0	6	6	0	39	17	1	
-4	-6	0	0	-12	0	0	31	1	-1	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590012308862	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	3

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B, C, or D
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	289	3.6

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E0998 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0998: MACHINE GUN, 7.62MM, LH (M240)

The Machine Gun, 7.62mm, M240 is a lightweight, air cooled, disintegrating metallic link belt fed, vehicle mounted gun designed as a coaxial weapon for tanks and 7.62mm firepower for lighter vehicles.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	1,148	0
AAO (FY17)	1,050	
O/H	2,404	28
Shortfall/Excess	1,256	28

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
250	190	14	0	260	99	0	42	260	25	
222	120	14	0	260	99	0	42	260	25	
286	186	12	0	238	99	0	1,290	260	5	
36	-4	-2	0	-22	0	0	1,248	0	-20	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005010258095	28	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	28	0

Notes: Item is associated with the Tank and LAV, should return with it.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1029 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS


TAMCN E1029: MARKER, LASER, SPECIAL OPNS FORCES (SOFLAM)

AN/PEQ-1A, Laser Marker, (SOFLAM) is a man portable laser marker and rangefinder that, once aimed at a target, may be remotely fired to mark the target for laser guided ordnance.

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)		
AAO (FY17)		
O/H	0	0
Shortfall/Excess		

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0

Representative Picture

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5860014124533	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Do not wash. Clean with damp cloth.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**

if **Not Mission Capable MEF** then **MCLC**

if **Not Mission Capable** then **MCLC**

if **Condemned** then **MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1030: TARGET DESIGNATOR II, LASER, GROUND (GLTD II)

The GLTD II is a compact, lightweight, man portable, laser designator and rangefinder. Developed to enable combat soldiers to direct laser-guided munitions, such as Hellfire missiles and Laser Spot Tracking munitions. The GLTD II can be implemented as part of a sophisticated digitized fire control system with thermal or image-intensified sights.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	29	0
Shortfall/Excess	29	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
6	3	0	16	2	2	0	0	0	0	
6	3	0	16	2	2	0	0	0	0	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5860070000768	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Obsolete item.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

E1035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1035: SYSTEM GROUP, METEOROLOGICAL (MSG), AN/TMQ49

The MSG consists of the Meteorological Measuring Set AN/TMQ-41, Surface Met Sensor AN/TPQ-50, and Electronic Met Theodolite. The MSG and its components are used to measure upper air conditions in order to determine met corrections for artillery.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	19	0
AAO (FY17)	19	
O/H	23	0
Shortfall/Excess	4	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	4	3	0	5	3	0	0	0	0	
4	4	3	0	5	3	0	0	0	0	
4	3	3	0	3	3	0	7	0	0	
0	-1	0	0	-2	0	0	7	0	0	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6660014289218	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Using unit owned assets return to home station. No direct water contact on electrical components.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.3

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1047: BINOCULAR EYE SAFE

This eye safe Binocular is a device utilizing Erbium Glass Laser technology. The Optic Long Distance Laser Rangefinder Binocular unit is easy to use and withstands the harshest environmental conditions.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	12	0
Shortfall/Excess	12	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
6	4	2	0	0	0	0	0	0	0	
6	4	2	0	0	0	0	0	0	0	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240090001994	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	Yes	0	0	0

Notes: Obsolete item

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1048 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1048: RANGE FINDER, LASER

The Common Laser Range Finder, formerly called the Laser Infrared Observation Set Replacement, is a set of small, lightweight, and eye-safe laser range finders and azimuth and inclination sensors that export targeting data.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	2,482	93
AAO (FY17)	2,220	
O/H	2,345	27
Shortfall/Excess	-137	-66

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
590	563	298	0	588	146	93	0	4	1	
505	423	298	181	557	146	87	0	4	1	
474	473	142	156	648	162	0	262	1	0	
-116	-90	-156	156	60	16	-93	262	-3	-1	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015615149	26	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	26	0	0
1240015723753	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	3	0
1240090003576	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	1	0	0
1240090003759	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1065: MORTAR.60 MILLIMETE

Mortar, 60 mm, Lightweight, Company, M224 is a smooth bore, muzzle-loading, high-angle-of-fire weapon. The cannon assembly is composed of a barrel, combination base cap, and firing mechanism.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	631	27
AAO (FY17)	568	
O/H	911	21
Shortfall/Excess	280	-6

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPN	
98	107	62	0	81	122	27	36	0	0	
80	71	62	98	72	122	27	36	0	0	
121	107	39	131	85	134	0	273	0	0	
23	0	-23	131	4	12	-27	237	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010010205626	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
1010015862874	21	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	No	No	0	21	0

Notes: All items must return to Depot.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1070: MORTAR, 120MM

Rifled-towed 120mm mortar, designated XM326, Weight 1798 lbs, transportable in MV-22 Osprey or CH-53 Helo.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	72	3
AAO (FY17)	72	
O/H	66	0
Shortfall/Excess	-6	-3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
24	24	12	0	0	6	3	3	0	0	
24	24	12	0	0	6	3	3	0	0	
30	24	6	0	0	6	0	0	0	0	
6	0	-6	0	0	0	-3	-3	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1015015309102	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
1220011196049	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	0.8

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	100%	0%	0%	0%

E1095 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1095: MORTAR, MEDIUM, 81MM, EXTENDED RANGE

Mortar, Medium, Extended Range, 81 mm, M252 is a crew-served, lightweight mortar that is highly accurate and provides for a range of 4,500 meters to 5,650 meters.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	517	24
AAO (FY17)	455	
O/H	546	15
Shortfall/Excess	29	-9

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
98	98	50	0	84	121	24	16	4	2	
78	64	50	20	76	121	24	16	4	2	
122	93	26	22	77	120	0	66	4	1	
24	-5	-24	22	-7	-1	-24	50	0	-1	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1015011646651	15	25%	0%	0%	75%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	11	4

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	16	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1145 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1145: VELOCITY SYSTEM, MUZZLE (MVS)

The Radar Chronograph Set, M36 is a continuous wave doppler radar transmitter-receiver system. Its function is the measurement of velocity of artillery projectiles ranging in size from 40 to 280 mm, and encompassing the velocity range from 250 to 6100 fps.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	218	0
AAO (FY17)	188	
O/H	184	0
Shortfall/Excess	-34	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
62	50	42	0	18	10	0	0	30	6	
44	38	42	0	18	10	0	0	30	6	
42	31	24	0	18	10	0	23	30	6	
-20	-19	-18	0	0	0	0	23	0	0	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1290014125760	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Do not wash. Clean with damp cloth.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
100%	0%	0%	0%	0%	0%

E1152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1152: GOGGLES, NIGHT VISION, INDIV

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	6,668	0
Shortfall/Excess	6,668	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
109	226	15	0	875	346	0	5,097	0	0	
109	226	15	0	875	346	0	5,097	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855012280936	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
5855012280937	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
5855014225413	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Category 3 Equipment_ w/ published Disposal Plan (Column 'G'). The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

E1154 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1154: INTENSIFIER, IMAGE, NIGHT VISION

The PVS-14 allows the user to see at night using moonlight or starlight. The PVS-14 is a GEN III Image Intensification device similar in performance to PVS-7 NVGs, yet smaller, lighter, and more versatile.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	3,313	105
AAO (FY17)	3,057	
O/H	121,234	3308
Shortfall/Excess	117,921	3,203

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
806	803	478	0	624	251	105	0	4	1	
733	663	478	3,445	593	245	99	0	4	1	
32,487	29,029	13,683	3,314	21,984	#####	0	6,743	0	0	
31,681	28,226	13,205	3,314	21,360	#####	-105	6,743	-4	-1	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014320524	3308	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	Yes	Yes	No	0	3308	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1159 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1159: SIGHT, NIGHT VISION, WEAPON, CREW SERVED

The AN/PVS-7B/D Night Vision Goggle is a lightweight optical night vision device with third generation image intensifier technology. The AN/PVS-7 uses prisms and lenses to provide the Marine with simulated binocular vision and can be used as a binocular with neck strap or mounted to a head or helmet mount. The AN/PVS-7 weighs less than two pounds and is powered by two AA alkaline or lithium batteries.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	2,254	0
AAO (FY17)	0	
O/H	1,983	0
Shortfall/Excess	-271	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
616	664	358	0	596	20	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
194	198	99	0	182	3	0	1,307	0	0	
-422	-466	-259	0	-414	-17	0	1,307	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014228777	0	0%	0%	0%	75%	25%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1160 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1160: SIGHT, NIGHT VISION, MINI 4.5X

The AN/PVS-17 Mini Night Vision Sight is a lightweight, optical sight with third generation intensifier technology. It is intended for use on the M249 and M240G Machine Guns.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	8,165	315
AAO (FY17)	7,575	
O/H	12,144	119
Shortfall/Excess	3,979	-196

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1,711	1,744	1,031	0	1,514	1,307	315	0	0	0	
1,552	1,348	997	624	1,456	1,307	288	0	0	0	
2,512	2,005	1,007	814	2,129	1,545	0	2,013	0	0	
801	261	-24	814	615	238	-315	2,013	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014916967	119	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	Yes	I/P	No	0	119	0

Notes: This is a deployment asset - should be brought in and out of theater with the unit.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1161 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1161: RECHARGING UNIT, MON

The Recovery/Recharge system recovers HALON 1301 and recharges those bottles. HALON is an ozone-depleting substance used for fire suppression in some applications in certain ordnance vehicles.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	15	0
AAO (FY17)	15	
O/H	24	0
Shortfall/Excess	9	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
3	3	1	0	2	3	0	0	2	1	
3	3	1	0	2	3	0	0	2	1	
3	3	4	0	0	2	0	10	2	0	
0	0	3	0	-2	-1	0	10	0	-1	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3655014469335	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1245 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1245: PISTOL 9MM

The M9 pistol is a semi-automatic, magazine-fed, recoil-operated, double-action pistol, chambered for the 9mm cartridge. The magazine has a 15 cartridge capacity.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	5,222	200
AAO (FY17)	4,971	
O/H	7,527	2
Shortfall/Excess	2,305	-198

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
404	2,739	211	0	808	860	200	0	0	0	
303	2,638	173	0	808	860	189	0	0	0	
491	2,332	213	1	618	928	0	2,942	0	0	
87	-407	2	1	-190	68	-200	2,942	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005015257966	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	2	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1251 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1251: PISTOL, MEU (SOC), CAL .45

The M45 Close Quarters Battle Pistol(CQBP) is a modified M1911, semi-automatic pistol. The M45 pistol is currently produced by Marines at Precision Weapons Section, Weapons Training Battalion who custom build each weapon.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	3,373	0
AAO (FY17)	3,602	
O/H	7,113	0
Shortfall/Excess	3,740	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
329	322	273	0	528	185	0	0	0	0	
371	364	248	1,736	698	185	0	0	0	0	
640	536	341	2,347	761	261	0	2,227	0	0	
311	214	68	2,347	233	76	0	2,227	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005015754072	0	0%	0%	0%	100%	0%	0%	NO	NO	EDA	Yes	no	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

E1353 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1353: RECHARGING UNIT, CARBON DIOXIDE

Item discontinued


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	44	0
Shortfall/Excess	44	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	43	1	0
0	0	0	0	0	0	0	43	1	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3655010049873	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	37	0.4

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

E1378 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1378: RECOVERY VEHICLE, FT, HEAVY, W/EQUIP (M88)

The M88A2 Medium Recovery Vehicle (MRV) is a full tracked armored vehicle used to perform battlefield rescue and recovery missions.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	114	0
AAO (FY17)	114	
O/H	85	8
Shortfall/Excess	-29	8

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
30	25	5	0	22	7	0	8	14	2	
29	25	5	0	22	7	0	8	14	3	
17	17	0	0	6	7	0	14	16	0	
-13	-8	-5	0	-16	0	0	6	2	-2	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2350013904683	8	10%	90%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	7	1

Notes: Vehicle equipped with SL-3 to include SSRI items which should be packaged up and shipped such that it can marry up with his host vehicle. All need to go back to MCLC for full depot repair due to high number of miles on the equipment. Armor deck (over powerpack) Removed. No high pressure wash in crew compartment and/or Exterior hydraulic cylinders. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	319	0	64.2

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1385 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1385: NEUTRALIZATION DEVICE, ORDNANCE, REMOTE

The MK 36 Tool Set consists of an assortment of non-magnetic hand tools used to gain access to buried explosive ordnance.



Representative Picture


TFSMS (OCT 2013)

MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	50	1
AAO (FY17)	48	
O/H	49	0
Shortfall/Excess	-1	-1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	13	7	0	3	16	1	0	0	0	
11	12	7	0	3	14	1	0	0	0	
11	13	8	0	0	17	0	0	0	0	
1	0	1	0	-3	1	-1	0	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385014569129	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	37	0.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1441 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1441: RIFLE, 5.56 MILLIMET

The Rifle, 5.56mm, M16A2 is a lightweight, air-cooled, gas operated, magazine fed, shoulder or hip fired weapon designed for either automatic or semi-automatic fire.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	124,467	0
Shortfall/Excess	124,467	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
78	15	487	2	368	157	0	123,336	24	0
78	15	487	2	368	157	0	123,336	24	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005011289936	0	25%	0%	0%	75%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1442 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1442: RIFLE, 5.56MM

The Modular Weapon System (MWS) consists of M16A4 rifles and M4 carbines. These weapons have rail adapter systems to permit quick mounting of various night, day, and thermal sights on the receiver.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	142,760	566
AAO (FY17)	135,575	
O/H	161,317	3366
Shortfall/Excess	18,557	2,800

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
27,029	30,644	15,203	0	18,651	#####	566	3348	4	0	
26,189	25,920	15,085	16	17,468	#####	539	3348	4	0	
33,555	29,535	14,407	168	17,858	#####	0	16,967	4	0	
6,526	-1,109	-796	168	-793	#####	-566	13,619	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005013832872	3366	25%	0%	0%	75%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2524	842

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1460 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1460: RIFLE, 7.62 MILLIMET

The M40A3 is a Marine Corps designed, bolt-action, 7.62mm sniper rifle. The M40A3 is capable of one minute of angle accuracy and the mounting rail allows for the attachment of day or night optics. It provides a precision sniper capability for use by Marine Corps snipers in the execution of missions in support of offensive and defensive operations.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	842	12
AAO (FY17)	745	
O/H	1,247	11
Shortfall/Excess	405	-1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
134	138	93	0	165	185	12	91	0	0	
106	94	84	24	149	185	12	91	0	0	
161	148	65	135	115	205	0	407	0	0	
27	10	-28	135	-50	20	-12	316	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014950843	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	Yes	No	No	No	0	0	0
1005015677827	11	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	No	0	0	11

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

E1475 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1475: RIFLE, SCOPED, SPECIAL APPLICATION, .50 CAL.

The sniper rifle is used to ensure accurate placement of bullets at longer ranges than small arms. The rifle is built for optimal levels of accuracy, fitted with a telescopic sight and chambered for a military center fire cartridge.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	608	9
AAO (FY17)	589	
O/H	687	19
Shortfall/Excess	79	10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
112	111	67	0	87	71	9	0	0	0	
106	97	79	150	75	71	10	0	0	0	
121	106	45	187	77	75	0	57	0	0	
9	-5	-22	187	-10	4	-9	57	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014692133	19	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	14	5	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1500: ROCKET SYSTEM, ARTY, HIGH MOB (HIMARS)

HIMARS is a ground-based, precision indirect fire support system which accurately engages targets at long ranges, under all weather conditions.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	62	9
AAO (FY17)	56	
O/H	52	6
Shortfall/Excess	-10	-3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
24	0	0	0	18	4	9	7	0	0	
18	0	0	0	18	4	9	7	0	0	
24	0	0	0	18	4	0	0	0	0	
0	0	0	0	0	0	-9	-7	0	0	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1055015367106	6	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	6	0

Notes: All should be brought back through the MEF, then MCLC. Do Not Spray or wet any Electronic Components

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	17.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1570: SET, GROUND HOP SUPPORT (GHSS)

The Ground Hop Support Set is utilized to operate, control, and monitor engine and transmission functions on the powerpack when removed from the M1A1 Tank for maintenance.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	26	0
AAO (FY17)	25	
O/H	33	0
Shortfall/Excess	7	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	4	1	0	3	5	0	0	6	2	
4	4	1	0	3	5	0	0	6	2	
3	4	0	0	2	4	0	13	7	0	
-2	0	-1	0	-1	-1	0	13	1	-2	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910012310343	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Mainly field or CLS repair - brain box needs to go up to Ohio for repair if necessary. No high pressure wash. All POLs removed. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	133	0.6

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1710 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1710: RIFLE COMBAT OPTIC- A4

The Sight, Bore, Optical is a fixed optical aiming sight designed for use with the service rifle configured with the Rail Adapter System.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,578	297
AAO (FY17)	1,407	
O/H	136,226	2572
Shortfall/Excess	134,648	2,275

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
315	279	135	0	261	170	297	69	0	0	
243	198	135	16	243	170	297	69	0	0	
31,228	30,466	12,043	223	18,832	#####	0	5,931	0	0	
30,913	30,187	11,908	223	18,571	#####	-297	5,862	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015251648	2572	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	Yes	Yes	No	No	0	2572	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information
 if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1712 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1712: SHOP EQUIPMENT, ARTILLERY

The Shop Set, Equipment, Artillery Set is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of artillery equipment.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	33	0
AAO (FY17)	35	
O/H	21	0
Shortfall/Excess	-12	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	7	5	0	4	0	0	5	2	1	
9	9	5	0	4	0	0	5	2	1	
5	3	4	0	2	0	0	3	3	1	
-4	-4	-1	0	-2	0	0	-2	1	0	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4933015606595	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Using Unit owned assets return to home station. Do Not Spray or wet any Electronic Components

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	7.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1713 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1713: ELECTRO-OPTICS MAIN

The Shop Set, Maintenance, Electro-Optics, is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of optic, electro-optic, fire control and laser range finder equipment.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	16	0
AAO (FY17)	21	
O/H	23	0
Shortfall/Excess	7	0

Influences R2 Distribution



Representative Picture

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	3	2	0	4	0	0	0	2	1	
6	6	2	0	4	0	0	0	2	1	
2	6	3	0	1	2	0	8	1	0	
-2	3	1	0	-3	2	0	8	-1	-1	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4931012732389	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Obsolete - Disposal plan is place, replacement TAMCN is already fielded.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

E1714 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1714: SHOP SET, MAINT, SMALL ARMS

The Shop Set, Maintenance, Small Arms, is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of small arms and mortars.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	37	0
AAO (FY17)	39	
O/H	38	2
Shortfall/Excess	1	2

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
11	9	5	0	6	0	0	0	2	1	
11	11	5	3	6	0	0	0	2	1	
5	6	4	0	4	1	0	13	3	0	
-6	-3	-1	0	-2	1	0	13	1	-1	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015712584	2	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	2	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1761 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1761: SHOTGUN, 12 GAUGE, COMBAT

The combat shotgun is intended for use in an offensive role. While limited in range, the multiple projectiles provide increased hit probability unmatched by other small arms.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	3,253	113
AAO (FY17)	3,119	
O/H	4,389	30
Shortfall/Excess	1,136	-83

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
442	862	278	0	394	1,059	113	0	0	0	
426	816	265	66	342	1,059	106	0	0	0	
532	1,041	307	177	395	997	0	910	0	0	
90	179	29	177	1	-62	-113	910	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014723147	30	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	30	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1762 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1762: SHOTGUN 12 GA

The Shotgun, 12 Gauge, Riot Type, is a pump action, manually operated magazine fed (tubular), shoulder type weapon.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	2,924	43
AAO (FY17)	2,882	
O/H	3,526	26
Shortfall/Excess	602	-17

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
508	635	444	0	254	472	43	0	0	0	
486	635	444	64	239	472	38	0	0	0	
878	1,252	260	69	168	264	0	609	0	0	
370	617	-184	69	-86	-208	-43	609	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005012518578	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
1005013715639	26	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	26	0

Notes: This is a deployment asset - should be brought in and out of theater with the unit.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1779 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1779: SIGHT, GRENADE LAUNCHER

The AN/PSQ-18 GLDNSM is a sighting device that will enable the M203 grenade launcher to be aimed and fired both day and night with no decrease in the current accuracy of the weapon.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	5,767	258
AAO (FY17)	4,960	
O/H	5,238	29
Shortfall/Excess	-529	-229

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1,244	1,349	777	0	1,164	626	258	88	0	0	
1,016	911	760	245	1,059	626	239	88	0	0	
791	1,140	343	340	600	313	0	1,682	0	0	
-453	-209	-434	340	-564	-313	-258	1,594	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010015160953	29	75%	25%	0%	0%	0%	0%	NO	NO	No	No	yes	Yes	No	No	0	0	22

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1785 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1785: SYNCHRONIZATION SET, SIGHT, F/LAV

The Sight Synchronization Set provides a simplified means of synchronizing the LAV-25A1 DIM 36TH gunsights and eliminates the necessity of sloping the vehicle to detect and measure sighting elevation errors with the use of the following Major Components:



1. Adjustment Set Eccentric
2. Fixture Assembly, Sight Synchronization
3. Gunners Quadrant

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	48	0
AAO (FY17)	44	
O/H	55	0
Shortfall/Excess	7	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
14	10	2	0	5	12	0	0	4	1	
13	8	2	0	5	12	0	0	4	0	
11	9	3	0	7	7	0	14	4	0	
-3	-1	1	0	2	-5	0	14	0	-1	

Representative Picture

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015385130	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Cannot be repaired - reset needs to assure all SL-3 components are included.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1790 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1790: SIGHT,NIGHT VISION

Used for observation and aimed fire of weapons at night. It amplifies reflected light such as moonlight, starlight, and sky glow so that the viewed scene becomes visible to the operator.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	80	0
Shortfall/Excess	80	0

Influences R2 Distribution



Representative Picture

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
4	2	1	0	1	0	0	72	0	0	
4	2	1	0	1	0	0	72	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014991239	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Obsolete - disposal plan is published - DRMO in country. FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

E1798 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1798: ILLUMINATOR, INFRARE

The AN/PEQ-2A is a lightweight, self-contained, infrared aiming light/illuminator. When zeroed to the weapon and activated, the AN/PEQ-2A projects an IR aiming dot or illuminates the target and is visible only with image intensifying night vision devices. The AN/PEQ-2A can be used as either a handheld illuminator/pointer or weapon-mounted with proper brackets/accessory mounts.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	93,679	0
AAO (FY17)	89,861	
O/H	91,899	2158
Shortfall/Excess	-1,780	2,158

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
22,872	23,483	12,568	0	17,864	#####	0	3050	0	0	
22,081	21,256	12,098	904	17,510	#####	0	3050	0	0	
21,701	19,535	9,247	392	10,392	9,515	0	18,959	0	0	
-1,171	-3,948	-3,321	392	-7,472	#####	0	15,909	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014478992	49	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	49
5855015345931	2106	0%	75%	0%	25%	0%	0%	NO	NO	No	No	yes	No	No	No	526	1580	0
5855015356166	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

E1834 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1834: STAND MAINTENANCE A

The Stand, Maintenance, Automotive Power Train Assemblies is used to hold automotive power trains during repair or maintenance.

10699291
POWER PAK
GROUND HOP
STAND



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	27	0
AAO (FY17)	27	
O/H	24	0
Shortfall/Excess	-3	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	3	1	0	2	15	0	1	0	0	
5	3	1	0	2	15	0	1	0	0	
4	2	0	0	6	6	0	6	0	0	
-1	-1	-1	0	4	-9	0	5	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910219200678	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1888 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1888: TANK, COMBAT, FT, 120MM GUN

The M1A1 is an improved version of the M1 Main Battle Tank. It includes a 120mm smoothbore main gun, an NBC overpressure protection system, and an improved armor package.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	399	0
AAO (FY17)	371	
O/H	429	10
Shortfall/Excess	30	10

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
58	58	0	0	84	28	0	43	116	8	
58	30	0	0	84	28	0	43	116	8	
58	58	0	0	48	38	0	43	174	0	
0	0	0	0	-36	10	0	0	58	-8	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2350010871095	10	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	10	0

Notes: All M1A1's be shipped directly to Anniston Army Depot (Anniston, Alabama) for refurb/repair. Disposition for PEI's will be established Armor deck removed. FUPP (full-up Power Pack) removed. V-Packs (air cleaners (three/3)) removed. Electrical connectors on FUPP and Tank Covered from water exposure. Air inlet on Tank covered. Final drives on Tank and FUPP covered. NO High pressure wash for crew compartment. No high pressure wash for main gun (interior) No high pressure wash for NBC seal (Turret and hull mate) All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	B or C
CAT II:	B or C
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	387	0	61.9

<input checked="" type="checkbox"/> Sensitive	<input checked="" type="checkbox"/> CCI
<input checked="" type="checkbox"/> Multi-Modal	
<input checked="" type="checkbox"/> Associated TAMCNs (See Appendix)	
<input checked="" type="checkbox"/> Sensitive Associated TAMCNs (see Appendix)	

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1900: TELESCOPE, OBSERVATION W/EQUIP

The Telescope, Observation, M49 is an erect image instrument of the prism offset type, the image being erected by means of two prisms and magnified by the lenses in the eyepiece.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,995	0
AAO (FY17)	0	
O/H	3,724	22
Shortfall/Excess	1,729	22

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
212	364	164	0	230	1,025	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
189	253	105	137	141	668	0	2,209	0	0	
-23	-111	-59	137	-89	-357	0	2,209	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650005300960	22	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	22

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

E1906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1906: TEST SET, ELECT SYSTEM, DIRECT SUPPORT

The Test Set, Electronic, AN/USM-615 is made up of the Direct Support Electric Systems Test Set Shelter System. The Shelter is a Mobile Expandable Container Configuration of an International Standards Organization container.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	48	9
AAO (FY17)	51	
O/H	28	2
Shortfall/Excess	-20	-7

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
10	9	3	0	5	4	9	0	4	1	
10	10	3	3	5	4	12	0	4	0	
5	5	0	1	2	6	0	2	5	0	
-5	-4	-3	1	-3	2	-9	2	1	-1	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625011200764	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	0

Notes: No High Pressure wash.. Use compressed air (low pressure) for cleaning. All SL-3 components removed for/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	28	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E1909 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1909: TEST SET, BORESIGHT COLLIMATOR

The Bore sight Collimator Test Set is used for testing and alignment of the bore sight collimator.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	24	0
AAO (FY17)	38	
O/H	50	0
Shortfall/Excess	26	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	0	7	0	8	0	0	0	4	1	
9	9	7	0	8	0	0	0	4	1	
2	2	0	0	0	1	0	38	7	0	
-2	2	-7	0	-8	1	0	38	3	-1	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855011333587	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0.1

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)


Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

E1911 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1911: TEST SET, MISSILE GUIDANCE

A test set specifically designed for use in making examinations of a Missile Guidance Set.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	39	0
AAO (FY17)	54	
O/H	144	0
Shortfall/Excess	105	0

Influences R2 Distribution



REQUIREMENTS

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	3	7	0	8	1	0	6	8	0	
12	12	7	0	8	1	0	6	8	0	
9	7	1	0	4	2	0	102	18	1	
3	4	-6	0	-4	1	0	96	10	1	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4935011475999	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1975 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1975: SIGHT, WEAPON, THERMAL, MEDIUM (MTWS) AN/PAS-13CV2

The AN/PAS-13D (V)2 Thermal Weapon Sight is a second generation FLIR for use on 240B & 249 MGs. The AN/PAS-13D (V)2 can be used to see in total darkness, in adverse weather conditions, and through battlefield smoke.



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	7,815	0
AAO (FY17)	7,326	
O/H	8,228	610
Shortfall/Excess	413	610

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1,774	1,761	857	0	1,488	1,226	0	0	0	0	
1,601	1,463	892	0	1,449	1,212	0	0	0	0	
1,984	1,590	683	286	1,177	1,182	0	716	0	0	
210	-171	-174	286	-311	-44	0	716	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855013836558	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0
5855014643150	0	0%	0%	0%	0%	100%	0%	YES	NO	No	Yes	yes	No	No	No	0	0	0
5855014643152	0	0%	0%	0%	0%	0%	100%	YES	NO	No	No	yes	No	No	No	0	0	0
5855015244313	610	0%	25%	0%	75%	0%	0%	NO	NO	No	No	yes	No	No	No	0	610	0

Notes: Only the NSN ending in 4313 should be sent to the MEFs - all others should be sent to MCLC for either disposal or return to the Army. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E1976 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1976: SIGHT, WEAPON, THERMAL, HVY (HTWS)

The AN/APS-13 Thermal Weapon Sight is a second generation FLIR for use on rifles, surveillance missions and shoulder-launched missiles. The PAS-13 can be used to see in total darkness, in adverse weather conditions, and through battlefield smoke.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	6,003	0
AAO (FY17)	5,701	
O/H	7,007	180
Shortfall/Excess	1,004	180

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
1,413	1,476	891	0	1,209	602	0	0	0	0	
1,356	1,275	885	0	1,201	572	0	0	0	0	
1,489	1,486	805	300	834	654	0	1,259	0	0	
76	10	-86	300	-375	52	0	1,259	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014643151	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	No	No	0	0	1
5855015244314	179	0%	25%	0%	75%	0%	0%	NO	NO	No	No	yes	No	No	No	0	0	179

Notes: Only the NSN ending in 4314 should be sent to the MEFs - all others should be sent to MCLC for either disposal or return to the Army. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	100%	0%	0%

E1978 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1978: SIGHT, THERMAL

The Long Range Thermal Sight is a sight specifically designed to utilize, for target display, the thermal energy radiated from a target or the difference between the thermal energy emanating from the target and its environment, respectively.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	1,598	118
AAO (FY17)	1,474	
O/H	1,705	8
Shortfall/Excess	107	-110

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
351	290	162	0	365	132	118	0	0	0	
306	237	153	180	353	132	113	0	0	0	
358	300	135	278	289	118	0	219	0	0	
7	10	-27	278	-76	-14	-118	219	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015363532	8	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	No	8	0	0
5855145219283	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	No	Yes	No	No	0	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	0%	100%	0%

E2070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2070: TOOL KIT, BORESIGHT, FIXTURE, ROCKET LAUNCHER

The Toolkit, Bore sight Fixture, MK-145 MOD 0, consists of special tools used by field maintenance personnel to perform maintenance and bore sight adjustments to the 83mm SMAW MK-150 MOD 0 Assault Rocket Launcher.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	37	0
AAO (FY17)	39	
O/H	190	2
Shortfall/Excess	153	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
11	9	5	0	6	0	0	0	2	1	
11	11	5	5	6	0	0	0	2	1	
31	26	9	4	12	16	0	83	5	2	
20	17	4	4	6	16	0	83	3	1	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4933015685726	2	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	2	0

Notes: TAMCN is not classified. No classified SSRI. Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E2208 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2208: TOOL KIT, ELECTRO-OPTICAL

The Tool Kit, E2208, is a general-purpose field and repair kit comprising various hand tools and accessories to aid in the repair of electronic and mechanical equipment.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	45	0
Shortfall/Excess	45	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	
9	8	1	2	19	0	0	0	6	0	
9	8	1	2	19	0	0	0	6	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013821335	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: TAMCN is not classified. No classified SSRI. Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **DLA-DS**
 if **Not Mission Capable MEF** then **DLA-DS**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	0%	100%	0%	0%

E2231 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2231: TOOL & EQUIPMENT KIT, FLD ARTY F/M777

A group of items specifically designed to perform ordinance maintenance on field artillery weapons. It includes a limited quantity of common tools, such as wrenches or the like, and includes an assortment of specialized tools and equipment, such as pressure gages and testing outfit(s), purge pipes and adapters, spring compressor(s), chain puller(s) and the like.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	56	0
AAO (FY17)	52	
O/H	67	0
Shortfall/Excess	11	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
13	10	8	0	10	1	0	0	12	2	
10	8	8	0	10	1	0	0	12	3	
15	15	10	0	3	2	0	8	11	3	
2	5	2	0	-7	1	0	8	-1	1	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015174962	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E2235 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2235: TOOL KIT, INT MAINT

A group of items specifically designed to perform ordinance maintenance on field artillery weapons. It includes a limited quantity of common tools, such as wrenches or the like, and includes an assortment of specialized tools and equipment, such as pressure gages and testing outfit(s), purge pipes and adapters, spring compressor(s), chain puller(s) and the like.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	6	0
AAO (FY17)	6	
O/H	24	0
Shortfall/Excess	18	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	3	0	0	2	1	
0	0	0	0	0	3	0	0	2	1	
5	5	3	0	0	6	0	1	3	1	
5	5	3	0	0	3	0	1	1	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015250194	0	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E2650 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2650: TOOL KIT, HAND, NON-MAGNETIC

The MK 36 Tool set (Rigging and Digging) consists of an assortment of non-magnetic hand tools used to gain access to buried explosive ordnance.




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	62	2
AAO (FY17)	65	
O/H	73	0
Shortfall/Excess	11	-2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
7	9	4	0	3	13	2	0	13	8	
8	9	4	3	3	12	2	0	16	8	
10	11	9	6	1	13	0	9	11	3	
3	2	5	6	-2	0	-2	9	-2	-5	

Representative Picture

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385011118220	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: All items return to the MEF. If unserviceable MEF will use to fill shortfalls in other kits.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E2658 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2658: TOOL KIT, LAV, 3RD ECHELON

The Toolkit Third Echelon is used for maintenance on Light Armored Vehicles.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	39	0
AAO (FY17)	42	
O/H	18	0
Shortfall/Excess	-21	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
12	10	4	0	6	4	0	0	2	1	
13	12	4	0	6	4	0	0	2	1	
4	1	1	0	1	5	0	3	3	0	
-8	-9	-3	0	-5	1	0	3	1	-1	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180011762542	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Will be returned to Item Manager at LOGCOM, complete SL-3 gear.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E2660 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2660: TOOL KIT, OM, LAV-25, 2D ECH

The Toolkit Second Echelon is used for maintenance on Light Armored Vehicles.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	43	0
AAO (FY17)	41	
O/H	34	0
Shortfall/Excess	-9	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
14	10	3	0	9	2	0	0	4	1	
12	10	3	0	9	2	0	0	4	1	
9	9	1	0	6	2	0	2	5	0	
-5	-1	-2	0	-3	0	0	2	1	-1	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180011755559	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Will be returned to Item Manager at LOGCOM, complete SL-3 gear.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E2929 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2929: TOOL KIT, FULL TRACK

The Tool Kit, Full Tracked Vehicle, Intermediate Maintenance, Third Echelon, is comprised of special tools, gages, and lifting devices required for mechanics use in third echelon field maintenance support of the vehicles.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	14	0
AAO (FY17)	13	
O/H	9	1
Shortfall/Excess	-5	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	4	1	0	2	2	0	0	0	0	
4	4	1	0	2	2	0	0	0	0	
2	3	0	0	1	0	0	2	0	0	
-3	-1	-1	0	-1	-2	0	2	0	0	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180006746823	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: IAW MCO P4790.2_ if SKC's (sets/kits/chests) are below 65%; on-hand, or unserviceable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E2931 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2931: TOOL SET, M1A1 TANK, 4TH ECH,ORD MAINT KIT

The Tool Set, M1A1 Tank, Fourth Echelon, Ordnance is comprised of tools used by mechanics at the intermediate maintenance level in support of the M1A1 Battle Tank.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	21	0
AAO (FY17)	25	
O/H	12	1
Shortfall/Excess	-9	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	3	3	0	4	1	0	0	4	1	
6	6	3	0	4	1	0	0	4	1	
0	1	0	0	1	1	0	3	5	0	
-5	-2	-3	0	-3	0	0	3	1	-1	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013379983	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: IAW MCO P4790.2_ if SKC's (sets/kits/chests) are below 65%; on-hand, or unserviceable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E2932 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2932: TOOL SET, M1A1 HULL




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	16	0
AAO (FY17)	15	
O/H	12	0
Shortfall/Excess	-4	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
4	3	2	0	2	1	0	0	4	0	
3	3	2	0	2	1	0	0	4	0	
3	1	0	0	1	1	0	0	6	0	
-1	-2	-2	0	-1	0	0	0	2	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013362879	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E2933 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2933: TOOL SET, M1A1 TANK, 2D ECH




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	30	0
AAO (FY17)	28	
O/H	40	0
Shortfall/Excess	10	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
5	5	0	0	7	2	0	0	10	1	
5	3	0	0	7	2	0	0	10	1	
5	5	0	0	6	3	0	10	10	1	
0	0	0	0	-1	1	0	10	0	0	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013362880	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information	
Redeployment Lift Criteria CAT I: A: Critical/Sensitive; M/S - AK or AC B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC	Retrograde Lift Criteria CAT II: B: Sensitive - MultiModal; M/S - AD to SE C: Critical Non-Sensitive; M/S - AD to SC D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E2934 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2934: TOOL SET, M1A1 TANK, 3D ECH



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	30	0
AAO (FY17)	32	
O/H	15	1
Shortfall/Excess	-15	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	7	2	0	6	1	0	0	4	1	
9	9	2	0	6	1	0	0	4	1	
5	4	0	0	1	1	0	0	3	0	
-4	-3	-2	0	-5	0	0	0	-1	-1	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013362878	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E3018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3018: X-RAY APPARATUS,RAD

The Tool Set, X-Ray is a two-person man-portable, field worthy, filmless radiographic system utilizing the x-ray generator from the present MK 32 MOD 0/1 tool set (x-ray). It provides digital imaging, computerized image enhancement, storage of the internal features of IEDs. It is also capable of image transmission via datalink.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	26	0
Shortfall/Excess	26	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	3	13	0	4	0	0	6	0
0	0	3	13	0	4	0	0	6	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385012704670	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
6635014495163	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Follow standard procedures

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E3021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3021: STANDOFF DISRUPTOR, IED (EOD)

The Tool Kit, IED is a Percussion Actuated Neutralization (PAN) device that utilizes specially designed 12 gauge ammunition to disrupt IEDs.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	317	4
AAO (FY17)	325	
O/H	318	1
Shortfall/Excess	1	-3

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
72	80	60	0	12	33	4	0	26	16	
76	80	60	12	12	31	4	0	32	16	
82	80	65	15	1	31	0	1	32	10	
10	0	5	15	-11	-2	-4	1	6	-6	

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385014826168	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	1	0	0
1385015017546	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	Yes	0	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E3141 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3141: TOOL KIT, 2D ECH M88A2

The Tool Set, Field Maintenance, Second Echelon is comprised of special tools and test equipment utilized by maintenance personnel to perform tests, adjustments, and rebuild of components on the Recovery Vehicle, Full Tracked, M88A2.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	42	0
AAO (FY17)	40	
O/H	35	2
Shortfall/Excess	-7	2

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
9	7	2	0	9	1	0	0	12	2	
8	6	2	0	9	1	0	0	12	2	
7	6	0	0	5	1	0	2	12	0	
-2	-1	-2	0	-4	0	0	2	0	-2	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014806998	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	0

Notes: IAW MCO P4790.2_1 if SKC's (sets/kits/chests) are below 65%; on-hand, or unserviceable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system for disposition. If PEI does not meet above criteria; Item should be utilized for OPFOR T/E.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	540	0.5

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E3142 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3142: TOOL KIT, 3D ECH M88A2

The Tool Set, Field Maintenance Third Echelon is comprised of special tools and test equipment utilized by maintenance personnel to perform tests, adjustments, and rebuild of components on the Recovery Vehicle, Full Tracked, M88A2.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	22	0
AAO (FY17)	24	
O/H	13	1
Shortfall/Excess	-9	1

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
6	4	2	0	4	1	0	0	4	1	
6	6	2	0	4	1	0	0	4	1	
2	1	0	0	1	1	0	2	5	0	
-4	-3	-2	0	-3	0	0	2	1	-1	

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014806999	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	NO	No	1	0	0

Notes: IAW MCO P4790.2, if SKC's (sets/kits/chests) are below 65%; on-hand, or unserviceable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system for disposition. If PEI does not meet above criteria; Item should be utilized for OPFOR T/E.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E3170 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3170: TOOL SET, WRENCH IMPACT




TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	93	0
AAO (FY17)	81	
O/H	105	0
Shortfall/Excess	12	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
22	21	7	0	16	3	0	0	22	2	
16	13	7	0	16	3	0	0	22	4	
20	13	10	0	8	3	0	22	26	3	
-2	-8	3	0	-8	0	0	22	4	1	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180008934654	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	26	0.2

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E5002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E5002: TRAINER LAUNCHER F/LAWS

The AT-4, 84MM Shoulder Fired Rocket (M136) provides the Marine Corps with a fully functional, lightweight, man-portable, anti-armor weapon. The AT-4's warhead features behind-armor secondary effects. After the projectile penetrates the vehicle's armor protection, a high-pressure incendiary effect occurs. The Shoulder Launched, Multipurpose Assault Weapon (SMAW) Family of Items consists of four different 83mm rockets. Each of these rockets is launched through the Mod 0 SMAW Launcher. The SMAW Spotting Rifle is attached to the SMAW launcher and fires the spotting cartridges to mark the spot/trajectory of the rocket. The SMAW family includes HA34 (NE), HX05 (HEDP), HX06 (HEAA), and HX07 (Practice).



TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	1,001	0
AAO (FY17)	869	
O/H	4,541	0
Shortfall/Excess	3,540	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
253	244	122	0	227	125	0	0	0	0	
210	169	122	30	213	125	0	0	0	0	
249	253	66	30	225	232	0	3,486	0	0	
-4	9	-56	30	-2	107	0	3,486	0	0	

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1055014950009	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Items should be sprayed with pressurized air and wiped down with a damp cloth to remove debris.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE

C: Critical Non-Sensitive; M/S - AD to SC

D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

E7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E7900: TOOL KIT, SMALL ARMS

Portable Tool Kit used by MOS 2111 personnel. Contains the hand-tools and devices used on a daily basis to perform maintenance on small arms & mortars.



Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	74	0
AAO (FY17)	78	
O/H	1,605	20
Shortfall/Excess	1,531	20

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
22	18	10	0	12	0	0	0	4	2	
22	22	10	49	12	0	0	0	4	2	
315	329	165	41	141	337	0	61	196	0	
293	311	155	41	129	337	0	61	192	-2	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015045663	20	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	20	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **DLA-DS**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

E7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E7901: ELECTRO-OPTICAL TOOL KIT

Tool Kit used by MOS 2171 Technicians to repair Electro-Optical weapon systems like night vision devices, weapon sights, & missile tracking sights.




Representative Picture

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY14)	915	0
AAO (FY17)	953	
O/H	989	9
Shortfall/Excess	74	9

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
232	173	123	0	192	115	0	0	56	7	
238	217	123	17	185	115	2	0	56	0	
201	185	83	20	94	109	0	193	95	0	
-31	12	-40	20	-98	-6	0	193	39	-7	

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015766593	9	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	No	0	9	0

Notes:

Notes area containing a large empty space for additional information.

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MEF**
 if **Not Mission Capable** then **MEF**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	0%	100%	0%	0%	0%

J0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN J0006:


TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	0	0
AAO (FY17)	0	
O/H	106	35
Shortfall/Excess	106	35

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	27	0	4	0	40	0	0
0	0	0	27	0	4	0	40	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015066219	35	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes		UNK	UNK	UNK	0	35	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

U0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN U0013:

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY14)	17	0
AAO (FY17)	17	
O/H	78	0
Shortfall/Excess	61	0

Influences R2 Distribution



OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	15	2
0	0	0	0	0	0	0	0	15	2
2	5	8	0	1	0	0	55	7	0
2	5	8	0	1	0	0	55	-8	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
9515015630360	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	UNK	UNK	UNK	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2748	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

U0014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN U0014:

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	45	0
AAO (FY17)	45	
O/H	154	0
Shortfall/Excess	109	0

Influences R2 Distribution



REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES				
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN	
0	0	0	0	0	0	0	0	30	15	
0	0	0	0	0	0	0	0	30	15	
9	6	18	0	2	0	0	98	21	0	
9	6	18	0	2	0	0	98	-9	-15	

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2540015633905	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes		UNK	UNK	UNK	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **MCLC**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:

A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:

B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	350	0

Sensitive CCI

Multi-Modal

Associated TAMCNs (See Appendix)

Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

U0016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN U0016:

TFSMS (OCT 2013) MARES MEE Top 50 TAMCN

	Total	OEF
AAO (FY14)	5	0
AAO (FY17)	5	
O/H	67	0
Shortfall/Excess	62	0

Influences R2 Distribution



REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	4	1
0	0	0	0	0	0	0	0	4	1
2	1	6	0	1	0	0	57	0	0
2	1	6	0	1	0	0	57	-4	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015788145	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	UNK	Yes	UNK	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if **Mission Capable** then **MCLC**
 if **Not Mission Capable MEF** then **MCLC**
 if **Not Mission Capable** then **MCLC**
 if **Condemned** then **DLA-DS**

Lift Criteria

CAT I:	
CAT II:	
CAT III:	

Transportation Information

Redeployment Lift Criteria CAT I:
 A: Critical/Sensitive; M/S - AK or AC
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
 B: Sensitive - MultiModal; M/S - AD to SE
 C: Critical Non-Sensitive; M/S - AD to SC
 D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- Sensitive CCI
- Multi-Modal
- Associated TAMCNs (See Appendix)
- Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%