# Ground Equipment Reset Playbook

August 4, 2014

Version 2014-08-04

Sample Reset Playbook Data Sheet

# A0097 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0097: RADIO SET, DUAL VEHICLE ADAPTER, 50-WATT (DVA)

1 The AN/VRC-110_ series of vehicular radios employs the Harris RT-1916C (SSRI). The RT-1916C is a multi-band, hand-held radio that is used in multiple radio configurations throughout the Marine Corps. Commonly referred to as the AN/PRC-152. The PRC-152 has multiple prepositioning criteria issues (Li Batt., HUB, Software).

*Representative Picture*

TFSMS (A A 4) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| B AAO (FY14) | 9,546 | 0 |
| C AAO (FY17) | 9,238 | |
| D O/H | 11,159 | 47 |
| Shortfall/Excess | 1,613 | 47 |

***Influences R2 Distribution***

REQUIREMENTS

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 2,208 | 1,976 | 1,339 | 0 | 1,725 | 785 | 0 | 0 | 1,226 | 0 |
| 2,072 | 1,824 | 1,368 | 274 | 1,687 | 774 | 0 | 0 | 1,226 | 0 |
| 2,373 | 2,285 | 1,201 | 112 | 1,169 | 740 | 0 | 1,543 | 1,202 | 39 |
| 165 | 309 | -138 | 112 | -556 | -45 | 0 | 1,543 | -24 | 39 |

## Reset Strategy & Plan (Product Group: 23)

2

| NSN A | O/H | Procure | Depot | PM Depot B | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Au Dis C | IP | Warranty | SOW | D | Forecasted Categories CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015659999 | 47 | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | no | N | No | N | 0 | 0 | 47 |

E Notes: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

3

## R2 Distribution Plan

**Equipment Assessment Information**

A
if Mission Capable then DLA-DS
if Not Mission Capable MEF then DLA-DS
if Not Mission Capable then DLA-DS
if Condemned then DLA-DS

B

| Lift Criteria | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

C

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STO |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

E

F

☑ Sensitive ☑ CCI
☑ Multi-Modal ☐ Rotational
☐ Associated TAMCNs (See Appendix)
☐ Sensitive Associated TAMCNs (see Appendix)

## Forecasted Reset Strategy for Distribution

D

| ASSESSMENT REQUIRED - Send to MCLC (FWD) | MCLC (FWD) FFT MCLC | MEFS | UNIT DRMO via DLA-DS | EDA | FMS CANDIDATES |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

Description of Playbook Contents:

1. **Strategic View of Equipment:** Provides general information on the equipment

   A. Identifies whether the TAMCN is listed on MARES/MEE/ MEF Top 50
   B. Requirements Data is from TFSMS.
   C. O/H Data from TLCM-OST.
   D. Shortfall/Excess is calculated as the difference between the O/H and AAO's. This shows the relative health of the enterprise for this item.

2. **Reset Strategy & Plan:** Provides information on reset strategies and forecasted categories for Equipment in OEF. Items A through C are collected from MCSC. The forecasted categories were calculated from the information provided.

   A. If there are multiple variants of a specific TAMCN in OEF, they are broken out by NSN along with their quantities. The cumulative quantity of the O/H at the NSN level matches with the total O/H from TLCM-OST 5 August 2014 TAMCN data.
   B. Reset strategies broken down by NSN. These strategies represent best estimates of the level of repair necessary to reset the equipment.
   C. Identifies additional attributes of the item.
   D. Forecasted categories were calculated using: (1) the reset strategies to estimate the condition of the equipment when it returns to CONUS and (2) the forecasted final distribution information that was provided by MCLC. In this example, we can see that 47 pieces of equipment are predicted to require Field level maintenance and are selected to return to the MEFs, but since the MEFs are excess they will become CAT II and retrograde to MCLC.
   E. General information pertaining to reset of the item.

3. **Operational View of the R2 Distribution Plan:**

   A. LTI Disposition Information should be used to determine disposition instructions once a condition assessment of the item is performed. It is possible that once performed, the LTI will suggest a disposition that is different from the forecasted categories due to estimation error in the reset strategies.
   B&C. Lift criteria and transportation information that shows options for lift out of theater.
   D. Forecasted final distribution provided by MCLC from the Equipment Sourcing Tool (EST).
   E. Shows the footprint of the item.
   F. Shows constraints for this piece of equipment during transport to CONUS. If the item has associated TAMCNs, the user is instructed to go to the appendix, where more specific information will be displayed.

# RESET PLAYBOOK UPDATES

Update TFSMS AAO Requirements (data pulled on August 4, 2014)

- Utilizing the Net Asset Posture (NAP) Data to articulate On Hand equipment quantities in OEF (4 August 2014), the following DODAACs were included:

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| M94456 | M95104 | M95113 | M95123 | M95205 | M95306 | M95317 | MMX800 |
| M94485 | M95106 | M95114 | M95124 | M95301 | M95307 | M95321 | MX4002 |
| M95040 | M95107 | M95116 | M95200 | M95302 | M95310 | MMFAF8 | MX4004 |
| M95100 | M95108 | M95118 | M95201 | M95304 | M95312 | MMX170 | |
| M95102 | M95109 | M95120 | M95202 | M95305 | M95314 | MMX180 | |

- 141 TAMCNs have had a shift from or to Shortfall/Excess since the June Playbook release and may require your attention:

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A0013 | A0059 | A0100 | A0116 | A0139 | A0153 | A0156 | A0169 | A0173 | A0174 | A0176 | A0183 | A0197 | A0241 | A0243 | A0254 | A0255 | A0278 |
| A0282 | A0501 | A0503 | A0504 | A0807 | A0872 | A0880 | A0905 | A1220 | A2548 | A2628 | A2740 | A7005 | A7021 | A7200 | A7202 | A7203 | A7503 |
| A7507 | A7550 | A7597 | A7706 | A7900 | A7906 | A7920 | A8081 | A8084 | A8089 | A9015 | A9020 | A9023 | A9089 | B0015 | B0025 | B0026 | B0029 |
| B0030 | B0031 | B0036 | B0037 | B0038 | B0049 | B0055 | B0058 | B0060 | B0061 | B0062 | B0063 | B0066 | B0077 | B0078 | B0079 | B0081 | B0102 |
| B0215 | B0395 | B0471 | B0472 | B0640 | B1021 | B1045 | B1140 | B1298 | B1570 | B1581 | B1922 | B1942 | B2085 | B2131 | B2133 | B2134 | B2135 |
| B2136 | B2250 | B2260 | B2370 | B2420 | B2483 | B2561 | B2565 | C4433 | C4765 | C7001 | C7038 | C7903 | C7904 | D0005 | D0011 | D0016 | D0017 |
| D0080 | D1001 | E0043 | E0044 | E0055 | E0056 | E0062 | E0066 | E0069 | E0082 | E0085 | E0086 | E0117 | E0139 | E0150 | E0165 | E0195 | E0207 |
| E0330 | E0671 | E0892 | E0935 | E0947 | E0949 | E0980 | E0989 | E1065 | E1154 | E1460 | E1978 | E2070 | E3170 | E7900 | | | |

- 179 TAMCNs have had changes to the OH quantity in the OEF MAGTF since the June Playbook release:

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A0012 | A0013 | A0028 | A0061 | A0091 | A0097 | A0118 | A0126 | A0129 | A0156 | A0168 | A0172 | A0194 | A0272 | A0278 | A0286 | A0326 | A0332 |
| A0336 | A0338 | A0339 | A0351 | A0375 | A0413 | A0874 | A0932 | A1260 | A2042 | A2068 | A2079 | A2333 | A2335 | A2337 | A2546 | A2555 | A7080 |
| A7084 | A7086 | A7103 | A7104 | A7705 | A7706 | A7902 | A8010 | A8023 | A8088 | A8091 | A9001 | A9003 | A9020 | A9023 | A9068 | A9089 | A9100 |
| B0008 | B0011 | B0014 | B0027 | B0028 | B0029 | B0030 | B0031 | B0032 | B0040 | B0055 | B0058 | B0063 | B0065 | B0075 | B0078 | B0081 | B0091 |
| B0102 | B0105 | B0215 | B0392 | B0446 | B0471 | B0572 | B0579 | B0600 | B0640 | B0647 | B0685 | B0891 | B0953 | B1021 | B1045 | B1570 | B1580 |
| B1583 | B2085 | B2086 | B2127 | B2130 | B2137 | B2483 | B2561 | B2566 | B2631 | B2685 | C0005 | C2104 | C4431 | C4433 | C4765 | C7900 | C7904 |
| C7905 | C7911 | C7920 | D0002 | D0003 | D0005 | D0015 | D0025 | D0027 | D0036 | D0052 | D0053 | D0054 | D0195 | D0235 | D0860 | D0880 | E0017 |
| E0025 | E0043 | E0053 | E0055 | E0058 | E0060 | E0062 | E0066 | E0082 | E0084 | E0088 | E0108 | E0117 | E0180 | E0190 | E0195 | E0207 | E0892 |
| E0960 | E0980 | E0984 | E0989 | E0994 | E1048 | E1065 | E1095 | E1154 | E1160 | E1378 | E1442 | E1475 | E1710 | E1714 | E1798 | E1900 | E1975 |
| E1976 | E1978 | E2070 | E2231 | E3021 | E7900 | E7901 | E1798 | E1975 | E1976 | E1978 | E2231 | E3141 | E7900 | E7900 | E7900 | E7901 | |

# MRAPs in OEF by Serial Number

## MRAPs that are part of Enduring Requirement - 408 MRAPs

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 618752 | 632967 | 632974 | 633295 | 633319 | 633329 | 633334 | 633336 | 633337 | 633345 | 633346 | 633356 | 633361 | 633362 | 633363 | 633369 | 634127 | 634159 | 634190 |
| 634204 | 634208 | 634224 | 634276 | 634288 | 634296 | 634324 | 634331 | 634336 | 634343 | 634357 | 634418 | 634436 | 634479 | 634483 | 634563 | 634575 | 634577 | 634579 |
| 634587 | 634591 | 634592 | 634595 | 634598 | 634610 | 634619 | 634620 | 634628 | 634639 | 634644 | 634651 | 634759 | 634781 | 634830 | 634884 | 634902 | 634924 | 634930 |
| 634939 | 634945 | 634947 | 634950 | 634953 | 634958 | 634959 | 634964 | 634966 | 634971 | 634973 | 634974 | 634975 | 634990 | 634992 | 635001 | 635005 | 635008 | 635038 |
| 635049 | 635063 | 635073 | 635080 | 635084 | 635089 | 635097 | 635102 | 635130 | 635134 | 635135 | 635136 | 635153 | 635154 | 635156 | 635162 | 635163 | 635164 | 635170 |
| 635179 | 635180 | 635185 | 635195 | 635196 | 635204 | 635207 | 635208 | 635215 | 635222 | 635227 | 637853 | 637869 | 637870 | 637873 | 637875 | 637876 | 637883 | 637886 |
| 637890 | 637893 | 637896 | 639035 | 639037 | 639042 | 639043 | 639044 | 639057 | 639059 | 639061 | 639063 | 639064 | 639075 | 639077 | 639078 | 639079 | 639084 | 639090 |
| 639093 | 639095 | 639105 | 639124 | 639125 | 639126 | 639127 | 639130 | 639168 | 639183 | 639206 | 639240 | 639273 | 639279 | 639280 | 639288 | 639303 | 639314 | 639319 |
| 639330 | 639359 | 639370 | 639380 | 639436 | 639444 | 639445 | 639446 | 639461 | 639471 | 639474 | 639488 | 639492 | 639498 | 639500 | 639501 | 639503 | 639521 | 639527 |
| 639529 | 639530 | 639532 | 639533 | 639546 | 639550 | 639552 | 639553 | 639556 | 639563 | 639565 | 639580 | 639581 | 639587 | 639590 | 639595 | 639596 | 639601 | 639602 |
| 639606 | 639607 | 639611 | 639612 | 639618 | 639638 | 639646 | 639648 | 639659 | 639660 | 639665 | 639668 | 639674 | 639680 | 639694 | 639697 | 639714 | 639715 | 639720 |
| 639724 | 639731 | 639740 | 639748 | 639749 | 639750 | 639760 | 639761 | 639768 | 639772 | 639773 | 639775 | 639776 | 639781 | 639782 | 639785 | 639790 | 639794 | 639798 |
| 639800 | 639802 | 639803 | 639805 | 639807 | 639808 | 639811 | 639812 | 639816 | 639819 | 639823 | 639827 | 639832 | 639833 | 640543 | 649507 | 649508 | 650089 | 650090 |
| 650092 | 650093 | 650094 | 650096 | 650389 | 650407 | 650440 | 650441 | 650516 | 650521 | 650538 | 650565 | 650573 | 650625 | 650630 | 650634 | 650641 | 650710 | 650746 |
| 650780 | 650781 | 650814 | 650817 | 650845 | 650894 | 650919 | 650934 | 650940 | 651611 | 651628 | 651660 | 651666 | 651684 | 651736 | 651748 | 651761 | 651775 | 651866 |
| 651952 | 652032 | 652035 | 652047 | 652074 | 652108 | 652148 | 652162 | 652168 | 652183 | 652194 | 652234 | 652264 | 652266 | 654900 | 654915 | 654922 | 654934 | 654940 |
| 656605 | 666749 | 666751 | 666752 | 666753 | 666757 | 666759 | 666760 | 666761 | 666763 | 666764 | 666772 | 666776 | 666777 | 666778 | 666779 | 666782 | 666783 | 666785 |
| 666786 | 666787 | 666788 | 666791 | 666794 | 666796 | 666797 | 666799 | 666800 | 666801 | 666802 | 666804 | 666805 | 666806 | 666809 | 666810 | 666820 | 666821 | 666823 |
| 666827 | 666834 | 666835 | 666836 | 666838 | 666840 | 666841 | 666843 | 666845 | 666846 | 666849 | 666850 | 666851 | 666858 | 666957 | 666958 | 666961 | 666963 | 666964 |
| 667009 | 667010 | 667012 | 667100 | 667126 | 667130 | 667131 | 667133 | 667155 | 667171 | 667178 | 667182 | 667193 | 667205 | 667209 | 667285 | 667288 | 667289 | 667294 |
| 667299 | 667300 | 667302 | 667303 | 667305 | 667308 | 667309 | 667310 | 667311 | 667312 | 667313 | 667314 | 667316 | 667319 | 667320 | 667321 | 667322 | 667323 | 667325 |
| 667327 | 667328 | 667330 | 667332 | 667337 | 667338 | 667340 | 667342 | 667627 | | | | | | | | | | |

## MRAPS that will Transfer to the Air Force - 29 MRAPs

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 633319 | 633329 | 633336 | 633345 | 633356 | 634563 | 634591 | 634598 | 634619 | 634620 | 634651 | 635097 | 637869 | 637870 | 637875 | 639035 | 639042 | 639044 | 639061 |
| 639063 | 639075 | 639079 | 639090 | 639095 | 639105 | 639125 | 667285 | 667288 | 667289 | | | | | | | | | |

## MRAPS that will Transfer to the Navy - 21 MRAPs

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 634575 | 635130 | 635134 | 635135 | 635136 | 635153 | 635154 | 635156 | 635162 | 635163 | 635164 | 635170 | 635179 | 635180 | 635195 | 635196 | 635204 | 635215 | 635222 |
| 635227 | 639612 | | | | | | | | | | | | | | | | | |

# ALL MRAPs in the Enterprise by Serial Number

Vehicles in OEF are ***BOLD***

**MRAP Enduring Requirement by Serial Number**

**MRAP Enduring Requirement is 2,510 per MROC DM 10-2014; however, 2,494 remain due to combat losses and return of the MRV to the Army**

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 613824 | 613825 | 613826 | 613827 | 613828 | 613829 | 613830 | 613832 | 613833 | 613834 | 613837 | 614831 | 614832 | 614833 | 614834 | 614835 | 614837 | 618721 | 618723 |
| 618725 | 618727 | 618729 | 618734 | 618736 | 618737 | 618738 | 618739 | 618740 | 618741 | 618742 | 618751 | ***618752*** | 618754 | 622633 | 622652 | 622654 | 622655 | 622658 |
| 632919 | 632920 | 632921 | 632922 | 632923 | 632924 | 632925 | 632926 | 632927 | 632928 | 632929 | 632930 | 632931 | 632932 | 632933 | 632934 | 632935 | 632936 | 632937 |
| 632938 | ***632939*** | 632940 | 632941 | 632942 | 632943 | 632946 | 632947 | 632948 | 632951 | 632952 | 632953 | 632954 | 632955 | 632956 | 632957 | 632958 | 632962 | ***632967*** |
| ***632974*** | 632983 | 632986 | 632988 | 632997 | 633001 | 633003 | 633007 | 633008 | 633013 | 633044 | 633097 | 633259 | 633261 | 633266 | 633267 | 633269 | 633271 | 633272 |
| 633274 | 633276 | 633279 | 633281 | ***633282*** | 633283 | 633284 | 633286 | 633287 | 633288 | 633289 | 633290 | 633292 | 633294 | ***633295*** | 633296 | 633297 | 633298 | 633299 |
| 633300 | 633304 | 633306 | 633309 | 633311 | 633316 | 633320 | 633321 | 633325 | ***633327*** | 633328 | 633330 | 633331 | 633332 | 633333 | ***633334*** | ***633337*** | ***633338*** | 633339 |
| 633340 | 633341 | 633344 | ***633346*** | 633347 | 633348 | 633350 | 633353 | 633354 | 633355 | 633359 | ***633361*** | ***633362*** | ***633363*** | 633367 | 633368 | ***633369*** | 634089 | 634090 |
| 634092 | ***634093*** | 634094 | 634095 | 634096 | 634097 | 634098 | 634099 | 634100 | 634101 | 634102 | 634105 | 634106 | 634120 | 634125 | ***634127*** | 634128 | 634129 | ***634130*** |
| 634131 | 634132 | 634133 | 634135 | 634138 | 634144 | 634145 | 634146 | 634147 | 634150 | 634151 | 634156 | 634157 | ***634159*** | 634162 | 634163 | 634164 | 634165 | 634166 |
| 634170 | 634171 | 634173 | 634174 | 634179 | 634180 | 634181 | 634182 | 634183 | 634184 | 634185 | 634187 | 634188 | 634189 | ***634190*** | 634191 | 634192 | 634194 | 634196 |
| 634197 | 634198 | 634199 | 634200 | 634201 | 634202 | ***634204*** | 634205 | 634207 | ***634208*** | 634209 | 634210 | 634211 | 634212 | 634214 | 634215 | 634216 | 634218 | 634219 |
| 634220 | 634221 | 634222 | ***634224*** | 634225 | 634227 | 634228 | 634229 | 634230 | 634231 | 634232 | 634233 | 634234 | 634235 | 634236 | 634237 | 634239 | 634240 | 634241 |
| 634242 | 634243 | 634244 | 634245 | 634247 | 634248 | 634249 | 634250 | 634252 | 634253 | 634254 | 634255 | 634256 | 634257 | 634258 | 634259 | 634260 | 634261 | 634262 |
| 634264 | 634265 | 634266 | 634267 | 634268 | 634269 | 634270 | 634271 | 634272 | 634273 | 634274 | 634275 | ***634276*** | 634278 | 634279 | 634280 | 634281 | 634283 | 634284 |
| 634285 | 634286 | ***634288*** | 634290 | 634291 | 634292 | 634293 | 634294 | 634295 | ***634296*** | 634297 | 634298 | 634299 | 634300 | 634301 | 634302 | 634303 | 634304 | 634305 |
| 634306 | 634307 | 634308 | 634309 | 634310 | 634311 | 634312 | 634313 | 634314 | 634315 | 634316 | 634317 | 634318 | 634320 | 634321 | 634322 | 634323 | ***634324*** | 634325 |
| 634326 | 634328 | 634329 | 634330 | ***634331*** | 634332 | 634333 | 634334 | 634335 | ***634336*** | 634337 | 634338 | 634339 | 634340 | 634341 | ***634343*** | 634344 | 634345 | 634346 |
| 634347 | 634348 | 634349 | 634350 | 634351 | 634352 | 634353 | 634354 | 634355 | 634356 | ***634357*** | 634358 | 634359 | 634360 | 634361 | 634362 | 634363 | 634364 | 634366 |
| 634367 | 634368 | 634369 | 634370 | 634371 | 634372 | 634373 | 634375 | 634376 | 634377 | 634378 | 634379 | 634381 | 634382 | 634383 | 634384 | 634385 | 634386 | 634387 |
| 634388 | 634389 | 634390 | 634391 | 634392 | 634393 | 634394 | 634395 | 634396 | 634397 | 634398 | 634399 | 634401 | 634404 | 634408 | 634410 | 634411 | 634414 | 634415 |
| 634416 | ***634418*** | 634419 | 634420 | 634421 | 634422 | 634423 | 634424 | 634425 | 634426 | 634427 | 634429 | 634431 | 634432 | 634434 | 634435 | ***634436*** | 634437 | 634438 |
| 634440 | 634441 | 634442 | 634443 | 634445 | 634446 | 634447 | 634448 | 634449 | 634451 | 634452 | 634453 | 634454 | 634455 | 634456 | 634457 | 634459 | 634460 | ***634461*** |
| 634462 | 634463 | 634464 | 634465 | 634466 | 634469 | 634470 | 634471 | 634473 | 634474 | 634475 | 634476 | 634478 | ***634479*** | 634480 | 634481 | ***634482*** | ***634483*** | 634484 |
| 634485 | 634486 | 634488 | 634489 | 634490 | 634491 | 634492 | 634494 | 634495 | 634497 | 634498 | 634499 | 634500 | 634501 | 634502 | 634503 | 634504 | 634507 | 634508 |
| 634509 | 634510 | 634511 | 634512 | 634513 | 634514 | 634515 | 634516 | 634517 | 634519 | 634520 | 634521 | 634522 | 634523 | 634525 | 634526 | 634527 | 634528 | 634529 |
| 634530 | 634531 | 634532 | 634534 | 634535 | 634536 | 634537 | 634538 | 634539 | 634540 | 634541 | 634542 | 634543 | 634544 | 634545 | 634546 | 634547 | 634548 | 634550 |
| 634551 | 634552 | 634553 | 634554 | 634555 | 634556 | 634557 | 634558 | 634559 | 634560 | 634565 | 634566 | 634567 | 634569 | 634570 | 634573 | 634574 | 634576 | ***634577*** |
| 634578 | ***634579*** | 634580 | 634581 | 634582 | 634583 | 634584 | 634585 | ***634587*** | 634588 | 634589 | 634590 | ***634592*** | 634594 | ***634595*** | 634596 | 634597 | 634599 | 634601 |
| 634605 | 634606 | 634607 | 634608 | 634609 | ***634610*** | 634611 | 634612 | 634613 | 634615 | 634616 | 634618 | 634621 | 634623 | 634624 | 634625 | 634626 | ***634628*** | 634629 |
| 634631 | 634632 | 634633 | 634634 | 634635 | 634637 | ***634639*** | 634640 | 634641 | 634642 | 634643 | ***634644*** | 634645 | 634646 | 634647 | 634648 | 634649 | 634650 | 634652 |
| 634653 | 634745 | 634746 | 634747 | 634748 | 634749 | 634750 | 634752 | 634753 | 634754 | 634756 | 634757 | 634758 | ***634759*** | 634760 | 634761 | 634762 | 634764 | 634766 |
| 634767 | 634768 | 634769 | 634770 | 634771 | 634772 | 634773 | 634774 | 634776 | 634777 | 634778 | 634780 | ***634781*** | 634782 | 634783 | 634785 | 634786 | 634787 | 634788 |
| 634789 | 634790 | 634791 | 634792 | 634793 | 634794 | 634795 | 634796 | 634797 | 634798 | 634799 | 634800 | 634801 | ***634802*** | 634803 | 634804 | 634805 | 634806 | 634807 |

# ALL MRAPs in the Enterprise by Serial Number

Vehicles in OEF are ***BOLD***

**MRAPs that are part of Enduring Requirement - Cont.**

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 634808 | 634809 | 634810 | 634811 | 634813 | 634816 | 634818 | 634819 | 634821 | 634822 | 634823 | 634824 | 634825 | 634826 | 634827 | 634828 | 634829 | ***634830*** | 634831 |
| 634832 | 634833 | 634834 | 634835 | 634836 | 634837 | 634838 | 634839 | 634840 | 634841 | 634842 | 634843 | 634844 | 634846 | 634847 | 634848 | 634849 | 634850 | 634851 |
| 634852 | 634853 | 634854 | 634855 | 634856 | 634857 | 634858 | 634859 | 634861 | 634862 | 634863 | 634864 | 634865 | ***634866*** | 634867 | 634869 | 634870 | 634871 | 634872 |
| 634873 | 634874 | 634875 | 634878 | 634879 | 634880 | 634881 | 634883 | ***634884*** | 634885 | 634886 | 634887 | 634888 | 634889 | 634890 | 634892 | 634893 | 634894 | 634895 |
| 634896 | 634897 | 634898 | 634899 | 634900 | 634901 | ***634902*** | 634903 | 634904 | 634905 | 634906 | 634907 | 634908 | 634909 | 634910 | 634911 | 634912 | 634913 | 634914 |
| 634915 | 634918 | 634920 | 634921 | 634922 | 634923 | ***634924*** | 634925 | 634926 | 634927 | 634928 | 634929 | ***634930*** | ***634931*** | 634932 | 634933 | 634934 | 634935 | 634936 |
| 634937 | 634938 | ***634939*** | 634940 | 634941 | 634942 | 634943 | 634944 | ***634945*** | ***634947*** | 634948 | 634949 | ***634950*** | 634951 | ***634953*** | 634954 | 634955 | 634956 | ***634958*** |
| ***634959*** | 634960 | 634961 | 634962 | 634963 | ***634964*** | 634965 | ***634966*** | 634967 | 634968 | ***634969*** | 634970 | ***634971*** | ***634973*** | ***634974*** | ***634975*** | 634976 | ***634978*** | 634979 |
| 634980 | 634981 | 634985 | 634986 | 634988 | ***634990*** | ***634991*** | ***634992*** | ***634993*** | 634994 | 634995 | 634996 | 634997 | 634998 | 634999 | 635000 | ***635001*** | 635002 | ***635004*** |
| ***635005*** | 635006 | 635007 | ***635008*** | 635009 | 635010 | 635012 | 635013 | ***635014*** | 635015 | 635016 | 635018 | 635019 | 635020 | 635021 | 635022 | 635023 | 635025 | 635026 |
| 635027 | 635028 | 635029 | 635030 | 635031 | 635032 | 635033 | 635034 | 635035 | 635036 | 635037 | ***635038*** | 635039 | 635040 | 635041 | 635042 | 635044 | 635045 | 635046 |
| 635047 | 635048 | ***635049*** | 635050 | 635052 | 635053 | 635054 | 635055 | 635056 | 635057 | 635058 | 635059 | 635060 | 635061 | 635062 | ***635063*** | 635064 | 635065 | 635067 |
| 635068 | 635069 | 635070 | 635072 | ***635073*** | 635074 | 635075 | 635077 | 635078 | 635079 | ***635080*** | 635081 | 635083 | ***635084*** | 635085 | 635086 | ***635087*** | ***635089*** | 635090 |
| 635091 | 635092 | 635094 | 635095 | ***635096*** | 635098 | 635099 | ***635102*** | 635103 | 635105 | 635106 | 635107 | 635108 | 635112 | 635115 | 635118 | 635121 | 635123 | 635124 |
| 635142 | 635143 | 635145 | 635146 | 635150 | 635158 | 635159 | 635167 | 635171 | 635172 | 635181 | 635184 | ***635185*** | 635198 | 635206 | ***635207*** | ***635208*** | 635209 | 635214 |
| 635221 | 635223 | ***637849*** | 637850 | 637851 | ***637853*** | 637854 | 637855 | 637856 | 637857 | 637860 | 637861 | 637864 | 637865 | 637866 | 637867 | ***637873*** | 637874 | ***637876*** |
| 637877 | 637879 | ***637883*** | 637884 | 637885 | ***637886*** | 637888 | 637889 | ***637890*** | ***637893*** | 637894 | ***637896*** | 637898 | 639034 | 639036 | ***639037*** | 639038 | 639039 | 639040 |
| ***639041*** | ***639043*** | 639046 | 639047 | 639048 | 639049 | 639051 | 639052 | ***639053*** | 639054 | 639055 | 639056 | ***639057*** | ***639059*** | 639060 | 639062 | ***639064*** | 639066 | 639068 |
| 639069 | 639070 | 639071 | 639072 | 639074 | 639076 | ***639077*** | ***639078*** | 639080 | ***639082*** | 639083 | ***639084*** | 639085 | 639087 | 639091 | 639092 | ***639093*** | 639096 | ***639098*** |
| 639100 | 639101 | 639102 | 639104 | 639106 | 639107 | 639113 | 639114 | ***639124*** | ***639126*** | ***639127*** | 639129 | ***639130*** | 639132 | 639133 | 639134 | 639137 | 639142 | 639143 |
| 639145 | 639147 | 639148 | 639149 | 639150 | 639152 | 639153 | 639154 | 639155 | 639156 | 639158 | 639159 | 639160 | 639161 | 639162 | 639164 | 639165 | 639166 | ***639168*** |
| 639170 | 639171 | 639172 | 639173 | 639174 | 639175 | 639176 | 639177 | 639178 | 639179 | 639180 | 639181 | 639182 | ***639183*** | 639184 | 639185 | 639186 | 639187 | 639188 |
| 639189 | 639190 | 639191 | 639192 | 639193 | 639194 | 639195 | 639197 | 639198 | 639199 | 639200 | 639201 | 639202 | 639203 | 639204 | 639205 | ***639206*** | 639207 | 639208 |
| 639210 | 639212 | 639213 | 639214 | 639215 | 639216 | 639218 | 639219 | 639220 | 639221 | 639222 | 639223 | 639224 | 639225 | 639226 | 639227 | 639228 | 639229 | 639230 |
| 639231 | 639232 | 639233 | 639234 | 639236 | 639237 | 639238 | 639239 | ***639240*** | 639241 | 639242 | 639243 | 639244 | 639246 | 639247 | 639248 | 639249 | 639250 | 639251 |
| 639252 | 639253 | 639254 | 639255 | 639256 | 639257 | 639258 | 639260 | 639261 | 639263 | 639264 | 639266 | ***639267*** | 639268 | 639269 | 639270 | 639271 | 639272 | ***639273*** |
| 639274 | 639275 | 639276 | 639277 | 639278 | ***639279*** | ***639280*** | 639281 | 639282 | 639284 | 639285 | 639286 | 639287 | ***639288*** | 639290 | ***639291*** | 639292 | 639293 | 639294 |
| 639295 | 639297 | 639298 | 639299 | 639300 | 639301 | 639302 | ***639303*** | 639305 | 639306 | 639307 | 639309 | 639310 | 639311 | 639312 | ***639314*** | 639315 | 639317 | 639318 |
| ***639319*** | 639320 | 639322 | 639323 | 639324 | 639325 | 639326 | 639327 | 639328 | ***639330*** | 639331 | 639332 | 639333 | 639334 | 639337 | 639338 | 639341 | 639342 | 639343 |
| 639344 | 639345 | 639346 | 639347 | 639348 | 639349 | 639350 | 639351 | 639352 | 639353 | 639354 | 639355 | 639356 | 639357 | 639358 | ***639359*** | 639360 | 639361 | 639363 |
| 639364 | 639365 | 639366 | 639367 | 639368 | 639369 | ***639370*** | 639372 | 639373 | 639374 | 639375 | 639376 | 639377 | 639378 | 639379 | ***639380*** | 639381 | 639382 | 639383 |
| 639384 | 639385 | 639386 | 639388 | 639389 | 639390 | 639391 | 639392 | 639393 | 639394 | 639395 | 639398 | 639399 | 639400 | 639401 | 639402 | 639403 | 639404 | 639405 |
| 639407 | 639408 | 639410 | 639412 | 639413 | 639414 | 639415 | 639416 | 639417 | 639419 | 639420 | 639421 | 639422 | 639423 | 639424 | 639425 | 639426 | 639427 | 639428 |
| 639429 | 639430 | 639432 | 639433 | 639434 | 639435 | ***639436*** | 639438 | 639439 | 639440 | 639441 | 639442 | 639443 | ***639444*** | ***639445*** | ***639446*** | 639447 | 639448 | 639450 |

# ALL MRAPs in the Enterprise by Serial Number

Vehicles in OEF are ***BOLD***

**MRAPs that are part of Enduring Requirement - Cont.**

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 639451 | 639452 | 639453 | 639454 | 639455 | 639456 | 639457 | 639458 | 639459 | ***639460*** | ***639461*** | 639462 | ***639463*** | 639464 | 639465 | 639466 | 639467 | ***639468*** | 639469 |
| 639470 | ***639471*** | 639472 | 639473 | ***639474*** | 639475 | 639476 | 639477 | 639478 | 639479 | 639480 | 639482 | 639483 | ***639484*** | ***639486*** | 639487 | ***639488*** | 639490 | 639491 |
| ***639492*** | 639493 | 639494 | 639495 | 639497 | ***639498*** | 639499 | ***639500*** | ***639501*** | 639502 | ***639503*** | 639505 | 639506 | 639507 | 639508 | 639509 | 639510 | ***639511*** | 639512 |
| 639515 | 639516 | 639518 | ***639519*** | 639520 | ***639521*** | 639522 | 639523 | 639525 | ***639527*** | 639528 | ***639529*** | ***639530*** | ***639532*** | ***639533*** | 639534 | 639535 | 639536 | 639537 |
| 639538 | 639539 | 639540 | 639541 | 639542 | 639544 | 639545 | ***639546*** | 639547 | 639548 | 639549 | ***639550*** | 639551 | ***639552*** | ***639553*** | 639554 | ***639556*** | 639557 | 639559 |
| 639560 | 639561 | 639562 | ***639563*** | 639564 | ***639565*** | 639566 | 639567 | 639568 | 639570 | 639571 | 639572 | 639573 | 639574 | 639575 | 639576 | ***639579*** | ***639580*** | ***639581*** |
| 639582 | ***639584*** | 639585 | 639586 | ***639587*** | 639589 | ***639590*** | 639592 | 639593 | 639594 | ***639595*** | ***639596*** | 639597 | 639599 | 639600 | ***639601*** | ***639602*** | 639604 | ***639606*** |
| ***639607*** | 639608 | 639610 | ***639611*** | 639613 | 639615 | 639617 | ***639618*** | 639619 | 639622 | 639623 | 639624 | 639625 | 639626 | 639629 | 639634 | 639635 | 639637 | ***639638*** |
| 639639 | 639640 | 639641 | ***639643*** | 639644 | 639645 | ***639646*** | 639647 | ***639648*** | 639649 | 639650 | 639652 | 639653 | 639654 | ***639655*** | ***639656*** | 639657 | ***639659*** | ***639660*** |
| 639662 | 639663 | 639664 | ***639665*** | 639667 | ***639668*** | 639669 | 639670 | 639672 | 639673 | ***639674*** | ***639675*** | 639676 | 639677 | 639678 | 639679 | ***639680*** | 639681 | 639682 |
| ***639683*** | 639684 | 639685 | ***639686*** | ***639688*** | 639690 | 639691 | ***639694*** | 639695 | 639696 | ***639697*** | 639700 | 639703 | 639704 | 639706 | 639707 | 639708 | 639710 | 639712 |
| 639713 | ***639714*** | ***639715*** | ***639720*** | 639721 | 639722 | 639723 | ***639724*** | 639725 | 639726 | 639727 | 639729 | 639730 | ***639731*** | 639732 | 639733 | 639734 | 639735 | 639736 |
| 639737 | 639738 | 639739 | ***639740*** | 639741 | 639742 | ***639744*** | ***639746*** | 639747 | ***639748*** | ***639749*** | ***639750*** | 639751 | 639752 | 639755 | 639756 | 639757 | 639758 | ***639760*** |
| ***639761*** | 639763 | ***639764*** | 639765 | 639767 | ***639768*** | 639769 | 639770 | 639771 | ***639772*** | ***639773*** | 639774 | ***639775*** | ***639776*** | 639777 | 639778 | 639779 | 639780 | ***639781*** |
| ***639782*** | 639783 | 639784 | ***639785*** | 639786 | 639787 | 639788 | 639789 | ***639790*** | 639791 | ***639792*** | 639793 | ***639794*** | 639796 | ***639798*** | ***639799*** | ***639800*** | 639801 | ***639802*** |
| ***639803*** | ***639805*** | 639806 | ***639807*** | ***639808*** | 639809 | 639810 | ***639811*** | ***639812*** | 639813 | 639814 | ***639815*** | ***639816*** | 639817 | ***639818*** | ***639819*** | 639820 | 639822 | ***639823*** |
| 639824 | 639826 | ***639827*** | 639828 | 639830 | ***639832*** | ***639833*** | 639834 | 639835 | ***639836*** | 639837 | 639838 | ***640543*** | 640544 | 647478 | 647479 | 647480 | 647481 | 647482 |
| 647483 | 647484 | 647486 | 647487 | 647488 | 647794 | 647801 | 647802 | ***649507*** | ***649508*** | 649509 | 649510 | ***650089*** | ***650090*** | 650091 | ***650092*** | ***650093*** | ***650094*** | 650095 |
| ***650096*** | 650379 | 650382 | 650383 | 650384 | 650387 | 650388 | ***650389*** | 650392 | 650393 | 650395 | 650398 | 650399 | 650400 | 650403 | 650406 | ***650407*** | 650408 | 650409 |
| 650415 | 650418 | 650419 | 650420 | 650425 | 650426 | 650428 | ***650432*** | 650438 | ***650440*** | ***650441*** | 650442 | 650443 | 650447 | 650453 | 650456 | 650457 | 650469 | 650472 |
| 650476 | 650486 | 650487 | 650495 | 650496 | 650511 | ***650516*** | 650519 | ***650521*** | 650529 | 650531 | 650535 | 650537 | ***650538*** | 650542 | 650543 | 650544 | 650559 | ***650565*** |
| 650569 | ***650573*** | 650582 | 650587 | 650592 | ***650594*** | 650599 | 650603 | ***650617*** | ***650625*** | ***650630*** | ***650634*** | 650636 | 650637 | ***650641*** | ***650650*** | 650655 | 650659 | 650682 |
| 650687 | ***650688*** | 650695 | 650697 | 650698 | ***650704*** | 650708 | ***650710*** | 650715 | 650717 | 650721 | 650744 | ***650746*** | 650747 | 650748 | 650749 | 650750 | ***650752*** | 650755 |
| ***650756*** | ***650760*** | 650761 | 650773 | 650777 | 650779 | ***650780*** | ***650781*** | 650789 | 650792 | 650795 | 650796 | 650797 | 650798 | 650799 | 650801 | 650803 | 650806 | 650809 |
| 650810 | 650813 | ***650814*** | 650815 | 650816 | ***650817*** | 650818 | 650823 | 650825 | ***650828*** | 650829 | 650830 | 650831 | 650832 | 650833 | 650835 | 650836 | 650838 | 650840 |
| 650841 | 650842 | ***650845*** | 650848 | 650849 | 650850 | 650852 | 650853 | 650855 | 650857 | 650858 | 650859 | 650864 | ***650865*** | 650868 | 650872 | 650875 | 650876 | 650879 |
| 650880 | 650881 | 650882 | 650884 | 650886 | 650888 | 650889 | 650890 | 650892 | ***650893*** | ***650894*** | 650895 | 650896 | 650897 | 650898 | 650900 | 650901 | 650902 | 650905 |
| ***650907*** | 650909 | 650911 | 650912 | 650913 | 650914 | ***650918*** | ***650919*** | 650920 | 650921 | 650922 | 650923 | 650927 | 650928 | 650929 | 650932 | ***650934*** | ***650940*** | 650941 |
| 650947 | 650950 | 650953 | 650956 | 650962 | 650972 | 650974 | 650981 | 650988 | 650996 | 651004 | 651007 | 651581 | 651585 | ***651587*** | 651588 | 651589 | 651595 | ***651596*** |
| 651597 | ***651600*** | 651601 | 651603 | 651605 | 651608 | ***651611*** | 651613 | 651614 | 651618 | 651626 | 651627 | ***651628*** | 651631 | 651633 | 651640 | 651643 | 651644 | 651645 |
| 651646 | 651647 | 651648 | 651649 | 651654 | 651656 | 651658 | 651659 | ***651660*** | 651665 | ***651666*** | ***651667*** | 651668 | 651669 | 651671 | 651674 | 651678 | 651680 | 651682 |
| ***651684*** | 651685 | 651688 | 651691 | 651694 | 651696 | 651698 | 651700 | 651701 | ***651702*** | 651704 | 651705 | ***651708*** | 651710 | 651712 | 651714 | 651715 | 651721 | 651723 |
| 651724 | 651726 | 651727 | 651728 | 651730 | ***651731*** | ***651732*** | 651733 | ***651736*** | 651737 | 651739 | 651740 | 651741 | 651743 | 651744 | 651746 | 651747 | ***651748*** | 651749 |
| 651751 | 651752 | 651753 | 651754 | 651756 | 651757 | ***651761*** | 651763 | 651764 | 651765 | 651767 | 651769 | 651774 | ***651775*** | 651778 | 651779 | 651780 | 651781 | 651782 |

# ALL MRAPs in the Enterprise by Serial Number

Vehicles in OEF are ***BOLD***

**MRAPs that are part of Enduring Requirement - Cont.**

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 651783 | 651784 | 651785 | 651788 | 651791 | 651794 | 651796 | 651797 | 651798 | 651799 | 651800 | 651801 | 651802 | 651803 | 651808 | 651811 | 651813 | 651814 | 651816 |
| ***651817*** | 651823 | 651824 | 651830 | 651831 | ***651835*** | 651838 | ***651843*** | 651848 | 651849 | 651851 | 651852 | 651855 | 651857 | 651858 | 651860 | 651863 | 651864 | ***651866*** |
| 651867 | 651869 | 651870 | 651871 | 651873 | 651876 | 651877 | 651878 | 651880 | ***651881*** | 651886 | 651892 | 651893 | 651894 | 651895 | 651902 | 651906 | 651908 | 651909 |
| 651910 | 651911 | 651915 | 651916 | 651918 | 651919 | ***651920*** | 651923 | 651924 | 651926 | 651928 | 651929 | 651932 | 651933 | 651944 | 651951 | ***651952*** | 651954 | 651957 |
| 651958 | 651964 | 651965 | 651966 | 651967 | 651972 | 651983 | 651990 | 651992 | 651993 | 651995 | 652001 | 652002 | ***652003*** | 652004 | 652007 | 652009 | 652011 | 652016 |
| 652020 | 652025 | 652026 | 652029 | 652030 | ***652032*** | 652033 | ***652035*** | 652038 | 652044 | 652046 | ***652047*** | 652049 | 652054 | ***652058*** | 652059 | 652062 | 652065 | 652067 |
| 652068 | 652069 | 652070 | 652072 | 652073 | ***652074*** | 652076 | 652088 | 652089 | 652091 | 652093 | 652094 | 652097 | 652098 | 652102 | 652103 | 652104 | 652107 | ***652108*** |
| 652109 | ***652110*** | 652111 | 652112 | 652114 | 652115 | 652116 | 652118 | 652122 | 652124 | 652125 | 652127 | 652129 | 652130 | 652131 | 652133 | 652134 | 652136 | 652138 |
| 652142 | 652143 | 652144 | 652145 | ***652148*** | 652150 | 652151 | 652156 | 652158 | 652160 | ***652162*** | 652167 | ***652168*** | ***652171*** | 652174 | 652176 | 652178 | 652179 | 652180 |
| ***652183*** | 652185 | 652189 | 652190 | 652192 | ***652194*** | 652196 | 652200 | 652203 | 652204 | 652208 | 652209 | 652213 | 652214 | 652217 | 652218 | 652219 | 652220 | 652221 |
| 652222 | 652223 | 652227 | 652228 | 652229 | 652232 | ***652234*** | 652235 | 652236 | 652237 | 652239 | 652245 | 652246 | 652248 | 652251 | 652253 | 652255 | 652258 | 652260 |
| 652263 | ***652264*** | 652265 | ***652266*** | ***652267*** | 652268 | 652272 | 652278 | 652282 | 652283 | 652284 | 652285 | 652287 | 652529 | 652530 | 652531 | 652532 | 652533 | 652534 |
| 652535 | 652536 | 652538 | 652539 | 652540 | 652541 | 652542 | 652543 | 652544 | 652545 | 652546 | 652547 | 652548 | 652549 | 652550 | 652551 | 652552 | 652554 | 652555 |
| 652556 | 652557 | 652558 | 652559 | 652560 | 652561 | 652562 | 652563 | 652564 | 652565 | 652566 | 652567 | 654877 | ***654878*** | ***654880*** | 654881 | 654882 | 654884 | 654886 |
| 654887 | 654888 | 654893 | 654894 | 654895 | 654899 | ***654900*** | 654901 | 654902 | 654904 | 654905 | 654906 | ***654907*** | ***654915*** | 654917 | 654920 | ***654922*** | 654928 | 654930 |
| 654932 | 654933 | ***654934*** | 654936 | ***654940*** | 656604 | ***656605*** | 656611 | 656624 | 666746 | 666747 | ***666749*** | 666750 | ***666751*** | ***666752*** | ***666753*** | 666754 | 666755 | 666756 |
| ***666757*** | 666758 | ***666759*** | ***666760*** | ***666761*** | 666762 | ***666763*** | ***666764*** | 666765 | 666766 | 666767 | 666768 | 666769 | 666770 | 666771 | ***666772*** | 666773 | 666775 | ***666776*** |
| ***666777*** | ***666778*** | ***666779*** | 666780 | 666781 | ***666782*** | ***666783*** | 666784 | ***666785*** | ***666786*** | ***666787*** | ***666788*** | 666789 | 666790 | ***666791*** | 666792 | ***666794*** | 666795 | ***666796*** |
| ***666797*** | 666798 | ***666799*** | ***666800*** | ***666801*** | ***666802*** | 666803 | ***666804*** | ***666805*** | ***666806*** | 666807 | 666808 | ***666809*** | ***666810*** | ***666813*** | 666814 | 666817 | 666819 | ***666820*** |
| ***666821*** | 666822 | ***666823*** | 666824 | 666825 | 666826 | ***666827*** | ***666828*** | ***666829*** | 666830 | 666831 | 666832 | 666833 | ***666834*** | ***666835*** | ***666836*** | 666837 | ***666838*** | 666839 |
| ***666840*** | ***666841*** | 666842 | ***666843*** | 666844 | ***666845*** | ***666846*** | 666847 | ***666848*** | ***666849*** | ***666850*** | ***666851*** | 666852 | 666853 | 666854 | 666855 | ***666856*** | ***666858*** | ***666859*** |
| 666861 | 667093 | ***667100*** | 667105 | ***667126*** | ***667130*** | ***667131*** | ***667133*** | ***667138*** | ***667146*** | ***667155*** | 667158 | ***667171*** | ***667177*** | ***667178*** | ***667182*** | ***667187*** | ***667193*** | ***667205*** |
| ***667207*** | ***667209*** | ***667217*** | ***667283*** | 667293 | ***667294*** | 667295 | 667296 | ***667299*** | ***667300*** | ***667302*** | ***667303*** | 667304 | ***667305*** | ***667308*** | ***667309*** | ***667310*** | ***667311*** | ***667312*** |
| ***667313*** | ***667314*** | ***667316*** | ***667318*** | ***667319*** | ***667320*** | ***667321*** | ***667322*** | ***667323*** | ***667325*** | 667326 | ***667327*** | ***667328*** | ***667329*** | ***667330*** | 667331 | ***667332*** | ***667336*** | ***667337*** |
| ***667338*** | 667339 | ***667340*** | ***667341*** | ***667342*** | 667580 | 667582 | 667583 | 667584 | 667585 | 667586 | 667587 | 667588 | 667589 | 667590 | 667591 | 667592 | 667593 | 667594 |
| 667595 | 667596 | 667597 | 667600 | 667601 | 667602 | 667603 | 667604 | 667605 | 667606 | 667607 | 667608 | 667609 | 667610 | 667611 | 667612 | 667613 | 667614 | 667615 |
| 667616 | 667617 | 667618 | 667619 | 667620 | 667621 | 667622 | 667623 | 667624 | 667625 | 667626 | ***667627*** | 667628 | 667629 | 667630 | 667631 | 667632 | 667634 | 667635 |
| 667636 | 667637 | 667638 | 667639 | 667640 | 667641 | 667642 | 667644 | 667645 | 667646 | 667647 | 667648 | 667649 | 667650 | 667651 | 667652 | 667653 | 667654 | 667655 |
| 667656 | 667657 | 667658 | 667659 | 667660 | 667661 | 667662 | 667663 | 667664 | 667665 | 667666 | 667667 | 667668 | 667669 | 667671 | 667672 | 667674 | 667675 | 669277 |
| 669278 | 669279 | 669280 | 669281 | | | | | | | | | | | | | | | |

# A0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0003: TRSS DAY/NIGHT IMAGER, V2 (IMAGER 2)

The Day/Night Imager (V)2, (IMAGER 2), AN/PSQ-21 is a hand emplaced, passive thermal infrared electro-optical imaging sensor used to classify and identify active targets within its field of view. The image collected on detected targets is then either transmitted over Radio Frequency (RF) links to sensor monitoring systems, or stored for retrieval at a later date.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 605 | 0 |
| AAO (FY17) | 605 | |
| O/H | 299 | 0 |
| Shortfall/Excess | -306 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 153 | 153 | 102 | 0 | 153 | 44 | 0 | 0 | 0 | 0 |
| 153 | 153 | 102 | 0 | 153 | 44 | 0 | 0 | 0 | 0 |
| 111 | 17 | 79 | 0 | 56 | 5 | 0 | 6 | 0 | 0 |
| -42 | -136 | -23 | 0 | -97 | -39 | 0 | 6 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855015218616 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0004: PARTS KIT, ELECTRONIC EQUIPMENT

The Accessory Maintenance Kit, Telephone, MX-1823(V)/TT provides printed circuit boards and termination cards to vary functional and performance capabilities of Switchboard, Telephone SB-3614(V)/TT. It is also used in maintenance/repair procedures for the switchboard.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 0 | 0 |
| Shortfall/Excess | 0 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5999010321692 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0007: MULTI-BAND MANPACK RECIEVER (ROVER III)

The ROVER displays digital images of threats received from the UAV/RAVEN (Unmanned Aerial Vehicle).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 34 | 0 | 7 | 4 | 0 | 5 | 7 | 5 | 0 | 1 | 0 | 0 |
| Shortfall/Excess | 34 | 0 | 7 | 4 | 0 | 5 | 7 | 5 | 0 | 1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015313493 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | Yes | No | Yes | 0 | 0 | 0 |
| 5895015624190 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is Capt. Steven M. Stepanic PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0008: SATELLITE COMMUNICATION SUBSYSTEM

The Basic Network Virtual Storage Wide Area Network (VSWAN) is a Commercial-Off-The-Shelf (COTS) product comprised of three major functional group packages: Ku VSAT antenna, power amplifier, modem, IP/TV server suite, storage, routers, switches, and KG-175. The Ku VSAT terminal and networking equipment are High Mobility Multipurpose Wheeled Vehicle (HMMWV) transportable and packaged in transit cases.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 44 | 0 |
| AAO (FY17) | 0 | |
| O/H | | 0 |
| Shortfall/Excess | | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 15 | 14 | 6 | 0 | 9 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -15 | -14 | -6 | 0 | -9 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015313135 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | TBD | TBD | No | No | No | No | No | No | 0 | 0 | 0 |
| 5895015766176 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | TBD | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0009: CONVERTER, MODEM

The Advanced Narrowband Digital Voice Terminal/Tactical (ANDVT/TACTERM), CV-3591(P)/U provides secure voice, data and/or transmission capability for tactical and strategic military users who have access to bandwidth limited communications equipment such as radio, satellite systems and wireline networks. The ANDVT/TACTERM system consists of the Basic Terminal Unit CV-3591, Interface Unit J-3953 and the Communications Security (COMSEC) module KYV-5. The system is designed for operation in tactical and fixed plant environments.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 249 | 0 | 57 | 57 | 45 | 0 | 42 | 48 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 325 | 0 | 42 | 19 | 33 | 0 | 12 | 26 | 0 | 193 | 0 | 0 |
| Shortfall/Excess | 76 | 0 | -15 | -38 | -12 | 0 | -30 | -22 | 0 | 193 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895012509557 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5895012527359 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Mixed strategy. Retrograde NSN 9557 and dispose of NSN 7359 in theater. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Remove CCI and ship separately.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0012 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0012: CHARGER, BATTERY (SOLDIER PORTABLE CHARGER)

State-of-the-art, high performance, lightweight, portable battery charger designed for field deployment or shop usage. It is capable of simultaneously charging up to eight batteries. Item does not require calibration.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 3,043 | 0 |
| AAO (FY17) | 2,968 | |
| O/H | 4,598 | 20 |
| Shortfall/Excess | 1,555 | 20 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 578 | 527 | 342 | 0 | 531 | 268 | 0 | 0 | 356 | 78 |
| 521 | 473 | 342 | 323 | 514 | 254 | 0 | 0 | 356 | 145 |
| 692 | 749 | 339 | 298 | 651 | 337 | 0 | 1,053 | 326 | 78 |
| 114 | 222 | -3 | 298 | 120 | 69 | 0 | 1,053 | -30 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6130014952839 | 20 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 20 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0013: THEATER BATTLE MANAGEMENT CORE SYSTEM (TBMCS)

The Tactical Battle Management Core System (TBMCS), AN/TYY-2 also known as the Tactical Command System (TCS) is the air war planning tool which provides the ACE Commander the automated tools necessary to generate, disseminate and execute the Air Tasking Order (ATO)/Airspace Control Order (ACO). TBMCS is the principal aviation command-and-control system within the Tactical Air Command Center (TACC), with remotes located throughout the Marine Air Ground Task Force (MAGTF). TBMCS is composed of a 27-workstation host system which has the ability to receive, parse, display, store, and forward information required to generate and manage ATOs. TBMCS contains computer workstations, servers, and

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 12 | 0 | 1 | 1 | 1 | 0 | 1 | 8 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 12 | | 1 | 1 | 1 | 0 | 1 | 8 | 0 | 0 | 0 | 0 |
| O/H | 5 | 0 | 2 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -7 | 0 | 1 | 0 | 0 | 0 | -1 | -7 | 0 | 0 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015346283 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Send to MCLC and WIR for transport to Idaho Falls - attempt to salvage whatever possible. Harddrives are sensitive - need to be destroyed/removed before shipping (PEOLANT SYSTEM)

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0015: WORKSTATION, CAPABILITY, VIDEO EXPLOITATION

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 209 | 0 | 51 | 50 | 27 | 0 | 30 | 2 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 204 | | 48 | 47 | 27 | 48 | 31 | 2 | 0 | 0 | 0 | 0 |
| O/H | 325 | 1 | 89 | 72 | 37 | 71 | 24 | 5 | 0 | 26 | 0 | 0 |
| Shortfall/Excess | 116 | 1 | 38 | 22 | 10 | 71 | -6 | 3 | 0 | 26 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5836090004317 | 1 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | Yes | No | 0 | 0 | 0 |

**Notes**: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 4 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# A0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0019: TROPO/SATELLITE SPT RADIO

The AN/GRC-239 Radio Set is a full duplex LOS microwave radio designed for quick deployable military applications. Also known as the TSSR, this radio's ease of set-up, transport, and reliable operations make it a great substitute for long cable runs. The TSSR is used with almost all existing TRI-TAC equipment. The TSSR is capable of providing connectivity to a single TRI-TAC DTG with a data rate from 72-4608 KB/s. The TSSR can also support a balanced NRZ group from the AN/TAC-1 at a 6.144 MB/s data rate. An analog voice order-wire capability is also modulated onto the RF carrier.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 293 | 0 | 21 | 3 | 2 | 0 | 12 | 4 | 0 | 251 | 0 | 0 |
| Shortfall/Excess | 293 | 0 | 21 | 3 | 2 | 0 | 12 | 4 | 0 | 251 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820013788778 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | Y | Yes | Y | 0 | 0 | 0 |

**Notes**: This item is an UUNs - Use until exhausted. Use no water. Clean radios and components in accordance with technical manuals. Cleaning instructions can be found in the Tech Manual - TO 31R2-2GRC239-1

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0021: COMM DATA LINK SYTEM (CDLS)

The AN/TYQ-101A is a modular suite of Commercial-Off-The-Shelf (COTS) and Government-Off-The-Shelf (GOTS) computer and communications equipment that is mounted in a Light Weight Multipurpose Shelter (LMS), mounted on a Heavy Variant-High Mobility Multipurpose Wheeled Vehicle (H-HMMWV). The AN/TYQ-101A is an automated interface system, which provide ground and correlated air situation display using information received from multiple intelligence, (Deployable Common Ground Station, etc.) and operation (E-3A, E-2C, Air Operations Center, Control and Reporting Center, etc.) sources.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 8 | 0 | 2 | 2 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 8 | | 2 | 2 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| O/H | 9 | 0 | 1 | 2 | 2 | 0 | 2 | 0 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | 1 | 0 | -1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015128683 | 0 | 0% | 50% | 0% | 50% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 4.4 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0025: COMMUNICATIONS PLATFORM, AIR DEFENSE (ADCP)

The AN/MSQ-124 is composed of radio and computer equipment housed in a Lightweight Multipurpose Shelter, mounted on a heavy High Mobility Multipurpose Wheeled Vehicle. The AN/MSQ-124 is powered by a towed generator. The AN/MSQ-124 receives Tactical Ballistic Missile (TBM) data from the AN/TPS-59(V)3 radar and performs a TBM Reporting Responsibility function on the TADIL-J network. The AN/MSQ-124 also distributes Air Breathing Threat data to Short Range Air Defense units. The AN/MSQ-124 possesses an organic voice communications capability via radios and telephones.

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 14 | 0 | 3 | 3 | 2 | 0 | 3 | 3 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 14 | | 3 | 3 | 2 | 0 | 3 | 3 | 0 | 0 | 0 | 0 |
| O/H | 14 | 0 | 2 | 2 | 2 | 0 | 3 | 3 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | 0 | 0 | -1 | -1 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1430014079647 | 0 | 0% | 50% | 0% | 50% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 221 | 0 | 6.1 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0026 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0026: RADIAC SET

The AN/PDR-77 RADIAC Set is a set of portable radiation detection equipment used for detecting Alpha, Beta/Gamma, and X-ray radiation.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 734 | 0 |
| AAO (FY17) | 1,304 | |
| O/H | 231 | 9 |
| Shortfall/Excess | -503 | 9 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 217 | 226 | 149 | 0 | 116 | 15 | 0 | 0 | 0 | 0 |
| 434 | 439 | 188 | 10 | 217 | 15 | 0 | 0 | 0 | 0 |
| 18 | 64 | 2 | 0 | 0 | 24 | 0 | 63 | 0 | 27 |
| -199 | -162 | -147 | 0 | -116 | 9 | 0 | 63 | 0 | 27 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665013476100 | 9 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 9 | 0 |

**Notes**: Must come back to LOGCOM to LTI and calibration

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0028: BIOMETRICS AUTOMATED TOOLKIT (BAT-CLIENT)

This is the Biometric Automated Toolset (BAT). BAT collects fingerprints, iris scans, facial photos and biographical information of persons of interest into a searchable data base.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 288 | 0 | 0 | 0 | 0 | 0 | 0 | 98 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 288 | | 0 | 0 | 0 | 0 | 0 | 98 | 0 | 0 | 0 | 0 |
| O/H | 43 | 37 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |
| Shortfall/Excess | -245 | 37 | 0 | 0 | 0 | 0 | 0 | -98 | 0 | 4 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940016085764 | 37 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 37 |
| 5895070001280 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | Y | No | Y | 0 | 0 | 0 |
| 9999015314667 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | YES | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: This is the UUNs for the IDS program. ARMY NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 100% | 0% | 0% | 0% | 0% |

# A0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0030: COMMAND SYSTEM,TACT

is a Mine Resistant Ambush Protected (MRAP) Cougar-based, on-the-move, beyond line-of-sight, command and control (C2) system.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 3 | 3 |
| Shortfall/Excess | 3 | 3 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015799992 | 3 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 3 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The M2C2 is integrated onto the MRAP platform. Per MROC DM 24-3013 which names the assets should be retrograded CONUS.SEND TO MCLC TO THEN HAVE SENT TO SSE LANT SPAWAR. Currently there are three (3) M2C2 systems fielded to OEF in support of UUNS to fulfill capability gaps. M2C2 is a theater asset. System consist of one (1) A0030, four (4) A0386, thirteen (13) A0324 and one (1) Tactical Entry Point (TEP). Systems 2 & 3 fielded TEP A0325. System 1 fielded TEP ****

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0042: DIGITAL STILL CAMERA SUITE, ADVANCED

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 188 | 0 | 29 | 29 | 25 | 0 | 45 | 12 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 181 | | 26 | 26 | 24 | 48 | 45 | 12 | 0 | 0 | 0 | 0 |
| O/H | 175 | 1 | 23 | 28 | 10 | 68 | 25 | 17 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | -13 | 1 | -6 | -1 | -15 | 68 | -20 | 5 | 0 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6720090004308 | 1 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 5 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# A0043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0043: POSITION LOCATION INDICATOR (MTX)

This is an MTX, DoD Blue Force Tracking (BFT) System that gives commanders the ability to track and receive position location information from dismounted teams and vehicles equipped with the devices. This system employs the COBRA architecture by coordinating with national system managers and war fighting units to collect, process, and disseminate operational BFT data.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 116 | 0 | 0 | 0 | 0 | 99 | 0 | 0 | 0 | 17 | 0 | 0 |
| Shortfall/Excess | 116 | 0 | 0 | 0 | 0 | 99 | 0 | 0 | 0 | 17 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015322062 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | No | Y | No | Y | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A0045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0045: POWER MODULE

The power electronic module provides the physical containment for several power components, usually Power semiconductor devices. The power module provides an easy way to cool the devices and to connect them to the outer circuit.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 6 | 0 |
| Shortfall/Excess | 6 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6130015322591 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Disposal Plan is to be developed and published in the near term. Item exit date has expired and will not be extended.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A0047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0047: COMMUNICATION-ELECTRONICS EQUIPMENT MAINTENANCE COMPLEX (CEEMC)

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 119 | 0 |
| AAO (FY17) | 99 | |
| O/H | 47 | 1 |
| Shortfall/Excess | -72 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 31 | 33 | 23 | 0 | 24 | 0 | 0 | 4 | 0 | 0 |
| 23 | 25 | 18 | 4 | 25 | 0 | 0 | 4 | 0 | 0 |
| 14 | 16 | 8 | 0 | 5 | 1 | 0 | 2 | 0 | 0 |
| -17 | -17 | -15 | 0 | -19 | 1 | 0 | -2 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5411015870839 | 1 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 1 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0057: ANTENNA MAST KIT

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | | 0 |
| Shortfall/Excess | | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5985011812593 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | N | No | N | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 24 | 0 | 0.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0059: DIGITAL TERRIAN ANALYSIS MAPPING SYSTEMS LIGHT

The DTAMS-L is an Intel-based portable system that runs the Windows XP Professional operating system. Its role is to augment the DTAMS configuration. The deployable workstation provides geospatial intelligence analysis capabilities for small unit operations in a defined area of interest. The DTAMS-L hosts an internal 120GB hard drive and an external drive yielding approximately 2TB of available on-line storage. Each DTAMS-L is supplied with an additional internal and external HDD to be used for classified processing. Backup and archival storage is available through the use of a FDD and a DVD +/- R/RW.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 80 | 0 | 16 | 17 | 9 | 0 | 14 | 8 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 83 | | 16 | 18 | 10 | 14 | 15 | 8 | 0 | 0 | 0 | 0 |
| O/H | 87 | 0 | 16 | 28 | 17 | 20 | 0 | 3 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 7 | 0 | 0 | 11 | 8 | 20 | -14 | -5 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6675090004321 | 0 | 0% | 0% | 0% | 50% | 50% | 0% | NO | NO | No | No | No | n | No | n | 0 | 0 | 0 |

**Notes**: This system is on schedule to be refreshed 100% in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment. No longer procurable.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0060: AN/TSQ-179B V2 Joint Services Work Station

JSTARS CGS-type capability without High Mobility Multi-Purpose Wheeled Vehicle and organic communications equipment:. Same H/W and S/W architecture. Supports all CGS sensor interfaces and CGS communications links. Transportable in Integrated Transit Cases

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 9 | 0 | 2 | 2 | 1 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 9 | | 2 | 2 | 1 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| O/H | 5 | 0 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -4 | 0 | 0 | 0 | 0 | 0 | -2 | -2 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865090004327 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: DO NOT POWER WASH THE TRANSIT CASES. The transit cases contain sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1935 | 0.5 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0061: TACT ELEVATED ANTENNA MAST SYS (TEAMS)

TEAMS is an independent telescopic antenna mast system, designed to extend to a maximum of 34 meters. TEAMS is designed to support various LOS antenna systems (AN/MRC142_, ELPRS, TSSR) by increasing its operational range or overcoming obstacles. Can be Trailer Mounted or Mounted on Unarmored MRC-142C.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 590 | 0 | 149 | 143 | 103 | 0 | 106 | 26 | 0 | 0 | 63 | 0 |
| AAO (FY17) | 534 | | 136 | 133 | 85 | 0 | 91 | 26 | 0 | 0 | 63 | 0 |
| O/H | 702 | 2 | 168 | 149 | 90 | 0 | 77 | 24 | 0 | 125 | 57 | 0 |
| Shortfall/Excess | 112 | 2 | 19 | 6 | -13 | 0 | -29 | -2 | 0 | 125 | -6 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5985015494609 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | N | No | N | 0 | 0 | 0 |
| 5985015678104 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | N | No | N | 0 | 0 | 2 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 115 | 0 | 1.6 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0067: HIGH FREQUENCY VEHICLE SYSTEM

The AN/MRC-148 is a vehicular mounted, 150 watt variant the AN/PRC-150 radio set. The AN/MRC-148 is virtually identical to the AN/VRC-104 but is distinguished by being a dedicated communication asset whose use is directed by the G6/S6. The AN/MRC-148 provides 150 watts PEP/average in the HF portion of the frequency range (1.6 to 29.99999MHz) and 60 watts PEP/average for the VHF portion (30 to 59.99999 MHz) in a mobile configuration. The AN/MRC-148 is a vehicular mounted, 150 watt variant the AN/PRC-150 radio set. The AN/MRC-148 is virtually identical to the AN/VRC-104 but is distinguished by being a dedicated communication asset whose use is directed by the G6/S6. The AN/MRC-148 provides 150 watts PEP/average in the

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,107 | 0 | 284 | 252 | 167 | 0 | 213 | 47 | 0 | 0 | 138 | 0 |
| AAO (FY17) | 1,142 | | 301 | 264 | 167 | 0 | 226 | 40 | 0 | 0 | 138 | 0 |
| O/H | 1,548 | 2 | 254 | 289 | 155 | 0 | 149 | 51 | 0 | 488 | 143 | 10 |
| Shortfall/Excess | 441 | 2 | -30 | 37 | -12 | 0 | -64 | 4 | 0 | 488 | 5 | 10 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015336762 | 2 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | no | N | No | N | 0 | 2 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded for disposal. This is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. Conduct all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting. Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS rep will be contacted.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 114 | 0 | 5 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0068: RADIO SET, TACTICAL LONG HAUL DIGITAL LINK-11, AN/GRC-256

The AN/GRC-256 Radio Set consists of a Digital HF/SSB Transceiver (RT-9000) and a Solid State 500 Watt Linear Power Amplifier (LPA-9500). Both the RT and the LPA with selected EPROMS make them Marine Corps unique items. The RT-9000 is capable of providing communications from 1.6 to 29.99999 MHz transmit and 100 kHz to 29.99999 MHz receive.

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 26 | 0 | 4 | 4 | 4 | 0 | 4 | 10 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 26 | | 4 | 4 | 4 | 0 | 4 | 10 | 0 | 0 | 0 | 0 |
| O/H | 23 | 0 | 3 | 5 | 4 | 0 | 3 | 8 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -3 | 0 | -1 | 1 | 0 | 0 | -1 | -2 | 0 | 0 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015340006 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |

**Notes**: Owning unit will remove SSRI, UURI, radios, and crypto equipment and coordinate with program office and item manager for item to be sent through IROAN/SLEP and rebuild at depot. Any missing or damaged SSRI, UURI, radios, and crypto will be repaired/replaced through organic or depot maintenance cycle as appropriate. DO NOT POWER WASH. Radio contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0069: RADIO SET

The AN/VRC-111 Dual Vehicle Adaptor (DVA) is a standardized, Vehicular Radio Set Amplification Kit, that amplifies, and houses the AN/PRC-148 THHR. The AN/VRC 111 provides secure, multi-band communications in the 30-512 MHz (AM & FM) frequency spectrum. The AN/PRC-148 housed in the DVA contains embedded Type I encryption and is interoperable with VHF/UHF /AM/FM, SINCGARS, HAVEQUICK I/II and ANDVT and can be operated in the single-channel mode and can also be used in ECCM frequency hopping modes.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 277 | 0 | 0 | 0 | 0 | 0 | 0 | 43 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 242 | | 0 | 0 | 0 | 234 | 0 | 8 | 0 | 0 | 0 | 0 |
| O/H | 347 | 0 | 0 | 8 | 0 | 126 | 0 | 14 | 0 | 199 | 0 | 0 |
| Shortfall/Excess | 70 | 0 | 0 | 8 | 0 | 126 | 0 | -29 | 0 | 199 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015360983 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | no | N | No | N | 0 | 0 | 0 |
| 6625013124134 | 0 | 25% | 25% | 0% | 50% | 0% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0079: TCWS

TCWS provides an expedient capability based on modern technologies including server virtualization, storage arrays and storage networks, portal/asynchronous and synchronous collaboration, systems management, replication, backup and restoration, and Enterprise Services Management features.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 10 | 0 |
| Shortfall/Excess | 10 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 2 | 5 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |
| 0 | 2 | 5 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7035015385759 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: This TAMCN should be sent to the MEFs to fill any home station shortfalls. MEFs should use the A0079 until 2nd Qtr FY12 when the replacement TAMCN, A0342 is fielded. A0079 is warranteed. If warranty expires and no longer supportable, owning commands will request local disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 46 | 1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0081: RADIAC SET

The AN/UDR-13 RADIAC Set is a portable radiation detector used for detecting neutron/gamma radiation dose and gamma dose rate. The set is a miniaturized radiacmeter that can be carried in a Marine's pocket.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 9,985 | 0 | 2,891 | 2,943 | 1,577 | 0 | 2,209 | 210 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 9,330 | | 2,756 | 2,577 | 1,594 | 156 | 2,035 | 212 | 0 | 0 | 0 | 0 |
| O/H | 4,861 | 5 | 0 | 16 | 0 | 0 | 0 | 51 | 0 | 4,258 | 0 | 346 |
| Shortfall/Excess | -5,124 | 5 | -2,891 | -2,927 | -1,577 | 0 | -2,209 | -159 | 0 | 4,258 | 0 | 346 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665014071237 | 5 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 5 | 0 |

**Notes**: Needs to come back to LOGCOM to LTI and calibrate.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0082: PORTABLE AUTONOMOUS REPORTS COLLECTION SYSTEM

The Portable Autonomous Reports Collection System (PARCS), 2000R is a stand-alone test tool, which allows radar technical personnel to collect, analyze, and play back radar data. PARCS supports Marine Air Control Squadron Radar and Tactical Data Systems.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 13 | 0 | 2 | 2 | 1 | 0 | 2 | 6 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 13 | | 2 | 2 | 1 | 0 | 2 | 6 | 0 | 0 | 0 | 0 |
| O/H | 24 | 0 | 2 | 3 | 2 | 0 | 1 | 4 | 0 | 12 | 0 | 0 |
| Shortfall/Excess | 11 | 0 | 0 | 1 | 1 | 0 | -1 | -2 | 0 | 12 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014118466 | 0 | 0% | 0% | 0% | 25% | 75% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: No wash down. Unit normally remains in environmentally controlled shelter. Item is Test Equipment/Computer Kit. Potentially sensitive information on the hard drive.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# A0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0086: SHOP EQUIPMENT,CONT

Contact maintenance vehicle for the Avenger System.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 0 | 0 |
| Shortfall/Excess | 0 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940013982615 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: It was basically a mobile workshop (HMMWV with a Gitchner Shelter) to repair mechanical and electronic components of the Avenger system. This system was taken out of the OpFors years ago. The TAMCN needs to be archived and done away with. Problem is that the net asset posture shows 2 - one at II MEF and one in the War Reserve. This has to go away before TFSMS will let it be archived. By rights of anti-air weapons, the GBAD folks would own this. I suggest we turn it over to the TFSMS support contracts that work for AC LCL and let them get rid of it for us.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 3.7 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0090 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0090: TRANSPORTABLE GROUND RECEIVE SUITE, ENHANCED

The DAGR is a lightweight, hand-held, self-contained, SAASM based GPS receiver. It provides Position, Velocity, Navigation, and Timing (PVNT) data using the GPS dual-frequency (L1/L2) Precise Positioning Service(PPS) for vehicular, hand-held, sensor and gun laying applications.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 127 | 0 |
| AAO (FY17) | 129 | |
| O/H | 98 | 3 |
| Shortfall/Excess | -29 | 3 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 22 | 23 | 19 | 0 | 18 | 9 | 0 | 0 | 0 | 0 |
| 22 | 24 | 20 | 36 | 18 | 9 | 0 | 0 | 0 | 0 |
| 18 | 13 | 18 | 17 | 12 | 7 | 0 | 9 | 0 | 0 |
| -4 | -10 | -1 | 17 | -6 | -2 | 0 | 9 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015306497 | 3 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 3 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. All four cases should be shipped as a set/complete end item. There are 3 computers per GBS. So, receiving unit may be required to purchase 3 new Hard Drives at a cost of $593.36 per hard drive. MILAIR is the preferred form of shipment. Remove CCI before DRMO.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 46 | 0.3 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0091: VIDEO SCOUT REMOTE VIDEO EXPLOITATION UNIT

Video Scout is a man-portable Remote Video Exploitation Terminal for use by Tactical Air Control Parties (TACP). System provides a video terminal capability which is self-contained recording capability and has an on-board receiver and antenna group.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 430 | 0 |
| AAO (FY17) | 410 | |
| O/H | 466 | 24 |
| Shortfall/Excess | 36 | 24 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 91 | 90 | 61 | 0 | 115 | 32 | 0 | 0 | 0 | 0 |
| 80 | 80 | 62 | 41 | 115 | 32 | 0 | 0 | 0 | 0 |
| 72 | 72 | 21 | 61 | 29 | 33 | 0 | 144 | 0 | 0 |
| -19 | -18 | -40 | 61 | -86 | 1 | 0 | 144 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015674768 | 2 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | No | No | Yes | No | Yes | 0 | 0 | 0 |
| 5998015853681 | 22 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | No | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The transportation cost of $138 is far less than the $100K item cost. All PEIs are required to be retrograded to satisfy already obligated upgrade contract to satisfy DoD Windows 7 mandate.Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. If maintenance is beyond the unit capablitiy, a WIR will be submitted. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 46 | 0.3 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0096 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0096: RADIO, HP IED JAMMING SYSTEM (CHAMELEON) (CREW II)

The Transmitting Set, Countermeasures is a complete electronic set for the propagation of radio frequency energy specifically designed to be utilized for countermeasures. It also adds a Force Protection capability to specifically counter radio controlled IEDs.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 14 | 0 |
| AAO (FY17) | 0 | |
| O/H | 10 | 0 |
| Shortfall/Excess | -4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 14 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | -14 | 0 | 10 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865015534770 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 5865015557913 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 599801DTQC044 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components.Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A0097 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0097: RADIO SET, DUAL VEHICLE ADAPTER, 50-WATT (DVA)

The AN/VRC-110_ series of vehicular radios employs the Harris RT-1916C (SSRI). The RT-1916C is a multi-band, hand-held radio that is used in multiple radio configurations throughout the Marine Corps. Commonly referred to as the AN/PRC-152. The PRC-152 has multiple prepositioning criteria issues (Li Batt., HUB, Software).

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 9,546 | 0 | 2,208 | 1,976 | 1,339 | 0 | 1,725 | 785 | 0 | 0 | 1,226 | 0 |
| AAO (FY17) | 9,238 | | 2,072 | 1,824 | 1,368 | 274 | 1,687 | 774 | 0 | 0 | 1,226 | 0 |
| O/H | 11,159 | 50 | 2,373 | 2,285 | 1,201 | 112 | 1,169 | 740 | 0 | 1,543 | 1,205 | 39 |
| Shortfall/Excess | 1,613 | 50 | 165 | 309 | -138 | 112 | -556 | -45 | 0 | 1,543 | -21 | 39 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015659999 | 50 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | no | N | No | N | 0 | 0 | 50 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0100: MEDIA EXPLOITATION SUITE (LIGHT)

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 265 | 0 | 57 | 57 | 39 | 0 | 46 | 12 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 265 | | 57 | 57 | 39 | 54 | 46 | 12 | 0 | 0 | 0 | 0 |
| O/H | 150 | 6 | 19 | 80 | 12 | 28 | 0 | 2 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -115 | 6 | -38 | 23 | -27 | 28 | -46 | -10 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7030015737801 | 6 | 25% | 0% | 0% | 0% | 100% | 0% | NO | NO | 0 | No | No | No | No | No | 0 | 0 | 2 |

**Notes**: You can wash the Pelican case; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0104: RADIO SET, AOR 8200 MKII B

The AR8200 is a hand portable receiver with 3GHz coverage. It has a frequency range of 530 kHz - 3000 Mhz.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 37 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 28 | 0 | 0 |
| Shortfall/Excess | 37 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 28 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015084395 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0116 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0116: SURVEY INTRUMENT, AZIMUTH

IPADS is a HMMWV-mounted precision survey system. It is a replacement for the presently fielded AN/USQ-70 Position Azimuth Determination System.



*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 52 | 0 | 14 | 10 | 9 | 0 | 10 | 3 | 0 | 0 | 4 | 2 |
| AAO (FY17) | 52 | | 14 | 10 | 9 | 0 | 10 | 3 | 0 | 0 | 4 | 2 |
| O/H | 51 | 0 | 12 | 11 | 8 | 0 | 8 | 3 | 0 | 2 | 5 | 2 |
| Shortfall/Excess | -1 | 0 | -2 | 1 | -1 | 0 | -2 | 0 | 0 | 2 | 1 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6675015154610 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: No direct water contact on electrical components

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 115 | 0 | 3 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0117 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0117: MAINTENANCE KIT,ELE

The MK-3804 is a maintence kit used for troubleshooting the AN/MRC-142C



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015698814 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | no | N | No | N | 0 | 0 | 0 |

**Notes**: Ultimately this item goes through MCLC and the inventory manager back to SPAWAR, Charleston. AAO's need to be established. Use no water. Clean radios and components in accordance with technical manuals.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0118 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0118: RADIO SET, INTEGRATED INTRA-SQUAD

The IISR represents a commercially and militarily proven solution that is technologically mature and stable. The IISR is a form, fit radio modified slightly for use by the Marine Corps. The two primary components for the IISR are the radio and QuietPro tactical headset. The radio provides lightweight handheld tactical communications capability intended for short range urban warfare, open terrain, and heavy vegetation environments. The IISR is capable of both analog and digital operation. The headset consists of two lightweight earpieces and a control unit. The headset's advanced digital design analyses the surrounding sound and adapts the hearing protector continuously to provide full hearing protection and maximum acoustical

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 47,677 | 0 | 13,553 | 12,626 | 7,782 | 0 | 11,322 | 2,193 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 26,580 | | 7,157 | 6,281 | 4,438 | 0 | 6,517 | 2,002 | 0 | 0 | 0 | 0 |
| O/H | 49,426 | 1708 | 13,789 | 11,193 | 4,986 | 5 | 9,641 | 2,712 | 0 | 5,062 | 0 | 0 |
| Shortfall/Excess | 1,749 | 1,708 | 236 | -1,433 | -2,796 | 5 | -1,681 | 519 | 0 | 5,062 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015450334 | 1702 | 0% | 0% | 0% | 95% | 0% | 5% | NO | NO | No | No | no | N | No | N | 1617 | 0 | 85 |
| 5820015456349 | 4 | 0% | 0% | 0% | 95% | 0% | 5% | NO | NO | No | No | no | N | No | N | 4 | 0 | 0 |
| 5820015456358 | 2 | 0% | 0% | 0% | 95% | 0% | 5% | NO | NO | No | No | no | N | No | N | 2 | 0 | 0 |
| 5820015487056 | 0 | 0% | 0% | 0% | 95% | 0% | 5% | NO | NO | No | No | no | N | No | N | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, this asset has a split reset strategy; of remaining assets on hand in OEF dispose of no more than 87 assets. Retrograde remaining qty to home station. Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0121 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0121: MICRO UNMANNED AERIAL VEHICLE (MUAV)

The Battlefield Air Targeting Micro Aerial Vehicle (WASP) is a hand-launched reconnaissance and surveillance tool. The Wasp Air Vehicle transmits live airborne video images and location information to a Ground Control Station (GCS). This capability enables operators to navigate, search for targets, recognize terrain, and record all information for analysis.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 70 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 70 | | 0 | 0 | 0 | 70 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 16 | 0 | 0 | 11 | 0 | 2 | 0 | 0 | 0 | 3 | 0 | 0 |
| Shortfall/Excess | -54 | 0 | 0 | 11 | 0 | 2 | 0 | 0 | 0 | 3 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1550015610012 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. If maintenance is beyond the unit capablitiy, a WIR will be submitted. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# A0122 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0122: SATELLITE COMMUNICATION SYSTEM

(27 JULY 11) Phoenix is an ECV mounted (M1152 with integrated armor package), multi-channel, quad-band tactical satellite terminal with a multi-band capability in the SHF range, incorporating a military Ka-Band capability to operate over commercial and military SHF satellites.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 44 | 0 |
| AAO (FY17) | 44 | |
| O/H | 34 | 0 |
| Shortfall/Excess | -10 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 10 | 10 | 7 | 0 | 10 | 3 | 0 | 0 | 0 | 0 |
| 10 | 10 | 7 | 4 | 10 | 3 | 0 | 0 | 0 | 0 |
| 8 | 9 | 5 | 0 | 3 | 5 | 0 | 4 | 0 | 0 |
| -2 | -1 | -2 | 0 | -7 | 2 | 0 | 4 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015427716 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 5895015625632 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Priority item for LTI in theater before leaving. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Do not separate weapon system from HMMWV. Use care when maneuvering system to not damage the reflector panel. It is made out of carbon fiber and very delicate. Ship via MILAIR. Reflector repair costs are estimated at and could potentially exceed $100,000.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0124 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0124: REMOTE SUBSCRIBER ACCESS MODULE

The TSM provides a flexible unit level switch that bridges legacy TRI-TAC switches (SB-3614, SB-3865, AN/TTC-42) with more robust voice/data switching, data transport, and bandwidth management capabilities. The TSM consists of three functional suites of equipment mounted in transit cases: 1) the DEOS, 2) the RSAM, and 3) the DITS. TSM will maintain USMC joint interoperability as the other services transition to COTS switching technologies. The modular design of the TSM provides the capability to add or delete equipment without adversely affecting existing communications architectures. A further goal is to be capable of easily incorporating new communications technology as it evolves.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 666 | 0 | 181 | 176 | 124 | 0 | 126 | 59 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 651 | | 181 | 163 | 123 | 0 | 125 | 59 | 0 | 0 | 0 | 0 |
| O/H | 883 | 0 | 188 | 205 | 140 | 0 | 129 | 113 | 0 | 97 | 0 | 0 |
| Shortfall/Excess | 217 | 0 | 7 | 29 | 16 | 0 | 3 | 54 | 0 | 97 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015439861 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 82 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0125 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0125: DEPLOYABLE END OFFICE SUITE

The TSM provides a flexible unit level switch that bridges legacy TRI-TAC switches (SB-3614, SB-3865, AN/TTC-42) with more robust voice/data switching, data transport, and bandwidth management capabilities. The TSM consists of three functional suites of equipment mounted in transit cases: 1) the DEOS, 2) the RSAM, and 3) the DITS. TSM will maintain USMC joint interoperability as the other services transition to COTS switching technologies. The modular design of the TSM provides the capability to add or delete equipment without adversely affecting existing communications architectures. A further goal is to be capable of easily incorporating new communications technology as it evolves.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 230 | 0 | 57 | 57 | 44 | 0 | 42 | 30 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 218 | | 55 | 55 | 40 | 0 | 38 | 30 | 0 | 0 | 0 | 0 |
| O/H | 239 | 0 | 41 | 51 | 41 | 0 | 34 | 24 | 0 | 41 | 0 | 0 |
| Shortfall/Excess | 9 | 0 | -16 | -6 | -3 | 0 | -8 | -6 | 0 | 41 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015439738 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 0.5 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0126 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0126: MULTI-BAND RADIO, VEHICLE MOUNTED

The AN/VRC-103(V)2 is a vehicular mounted, 50 watt capable variant of the AN/PRC-117F MBR radio. The VRC-103(V)2 MBR covers the entire 30 to 512 MHz frequency range while offering embedded COMSEC, SATCOM, and ECCM capabilities. The VRC-103(V)2 provides secure interoperability with SINCGARS and a host of other tactical radios. The VRC-103(V) 2 can be configured for man-pack, vehicular and base station applications suitable for operation in a multimode service environment. The radio is interoperable with legacy encryption systems and acts as a translator between otherwise incompatible radios. The hardware can be reconfigured and software reprogrammed to optimize performance and add capabilities without opening the

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 2,432 | 0 |
| AAO (FY17) | 2,273 | |
| O/H | 2,664 | 8 |
| Shortfall/Excess | 232 | 8 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 557 | 476 | 311 | 0 | 454 | 143 | 0 | 0 | 138 | 0 |
| 504 | 414 | 303 | 347 | 418 | 143 | 0 | 0 | 138 | 0 |
| 496 | 633 | 411 | 166 | 423 | 228 | 0 | 32 | 153 | 16 |
| -61 | 157 | 100 | 166 | -31 | 85 | 0 | 32 | 15 | 16 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015377562 | 7 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | no | Y | No | Y | 0 | 7 | 0 |
| 5820015659629 | 1 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | no | Y | No | Y | 0 | 1 | 0 |

**Notes**: Recommendation is to back fill the units that have an AAO deficiency, with current back order resident in WOLPH. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0129 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0129: TACTICAL HANDHELD RADIO (THHR)

The AN/PRC-152 is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz (AM & FM) frequency spectrum. The system can be configured for handheld (AN/PRC-152) or vehicular (AN/VRC-110) applications. The AN/PRC-152 contains embedded Type I COMSEC and is interoperable with SINCGARS and HAVEQUICK II in the single-channel and the ECCM frequency hopping modes.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 10,619 | 0 | 2,641 | 2,433 | 1,340 | 0 | 2,087 | 2,002 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 9,608 | | 2,199 | 2,076 | 1,328 | 54 | 2,087 | 1,802 | 0 | 0 | 0 | 0 |
| O/H | 13,976 | 565 | 2,979 | 3,301 | 1,023 | 6 | 1,242 | 1,961 | 0 | 2,801 | 0 | 0 |
| Shortfall/Excess | 3,357 | 565 | 338 | 868 | -317 | 6 | -845 | -41 | 0 | 2,801 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015549530 | 0 | 10% | 0% | 0% | 90% | 0% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 5820015660746 | 565 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | no | N | No | N | 0 | 282 | 282 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.AAO for this item is expected to increase

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0130 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0130: SPARES KIT WIRELESS POINT TO POINT LINK (WPPL) D

WPPL D is an integrated communications system consisting of Commercial Off-The-Shelf (COTS) antennas, radios, power line conditioning and backup, and Internet Protocol (IP) networking equipment. All WPPL versions provide Non-secure Internet Router Protocol

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 9 | 0 | 0 | 4 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| Shortfall/Excess | 9 | 0 | 0 | 4 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015704775 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | no | Y | No | Y | 0 | 0 | 0 |

**Notes**: Ship all assets to owning unit. Unit, with coordination from program office and item manager, will place unit in for maintenance. Use no water. Clean radios and components in accordance with technical manuals. Cleaning instructions can be found in the Tech Manual - TO 31R2-2GRC239-1

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0132 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0132: DEPLOYABLE INTEGRATED TRANSPORT SUITE

The TSM provides a flexible unit level switch that bridges legacy TRI-TAC switches (SB-3614, SB-3865, AN/TTC-42) with more robust voice/data switching, data transport, and bandwidth management capabilities. The TSM consists of three functional suites of equipment mounted in transit cases: 1) the DEOS, 2) the RSAM, and 3) the DITS. TSM will maintain USMC joint interoperability as the other services transition to COTS switching technologies. The modular design of the TSM provides the capability to add or delete equipment without adversely affecting existing communications architectures. A further goal is to be capable of easily incorporating new communications technology as it evolves.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 146 | 0 | 37 | 37 | 24 | 0 | 28 | 20 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 148 | | 37 | 39 | 24 | 0 | 28 | 20 | 0 | 0 | 0 | 0 |
| O/H | 144 | 0 | 25 | 23 | 24 | 0 | 19 | 19 | 0 | 29 | 0 | 0 |
| Shortfall/Excess | -2 | 0 | -12 | -14 | 0 | 0 | -9 | -1 | 0 | 29 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015439865 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 18 | 0.4 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0134 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0134: WIRELESS POINT TO P

LSWAN (Ku VSAT) is a small, lightweight, hand-portable, low cost satellite terminal that provides NIPRNET/SIPRNET capability. The Ku VSAT can be quickly set up to tie into the existing commercial Ku infrastructure as an alternate source of transmission for high bandwidth intensive capabilities. LSWAN is an integrated COTS solution. The major functional groups of the LSWAN package are: Ku VSAT antenna, power amplifier, modem, routers, and KG-175s. The Ku VSAT terminal and baseband equipment are packaged in HMMWV transportable transit cases.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Shortfall/Excess | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015437811 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | no | Y | No | Y | 0 | 0 | 0 |
| 5820015437816 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | no | Y | No | Y | 0 | 0 | 0 |
| 5895015449175 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | no | Y | No | Y | 0 | 0 | 0 |

**Notes**: Crypto must be removed before being disposed in theater. Follow in accordance to the Disposal Plan reference DP 11348.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

| | |
|---|---|
| ☑ **Sensitive** | ☑ **CCI** |
| ☐ **Multi-Modal** | ☐ **Rotational** |
| ☑ **Associated TAMCNs (See Appendix)** | |
| ☐ **Sensitive Associated TAMCNs (see Appendix)** | |

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A0137 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0137: VHP HUNTER SYSTEM

A0137 is the Hunter UAV System.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 6 | 0 |
| Shortfall/Excess | 6 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015545423 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic componentsPlease direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager Graves-Reynolds CIV Judy A, judy.graves@usmc.mil, (229) 639-8283

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 8 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A0138 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0138: TACTICAL EXPLOITATION GROUP REMOTE WORKSTATION (TEG-RWS)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 42 | 0 |
| Shortfall/Excess | 42 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 17 | 0 | 1 | 0 | 4 | 20 | 0 | 0 | 0 | 0 |
| 17 | 0 | 1 | 0 | 4 | 20 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895090004453 | 0 | 0% | 0% | 0% | 70% | 30% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Depot maintenance will be done at SPAWAR. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 11 | 0.1 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0139: RADIO SET, AN/TRC-209

The AN/TRC-209 is the HF/VHF transit case transceiver system using the AN/PRC-150(C). It provides high output power (150 watts in HF, 60 Watts in VHF) in a series of transportable cases allowing for use in a variety of dismounted configurations. Key features include: shock mounting of all components; separate HF and VHF antenna outputs; and DC power filtering for supply noise and voltage spike suppression.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 733 | 0 | 140 | 137 | 92 | 0 | 102 | 94 | 0 | 0 | 63 | 0 |
| AAO (FY17) | 756 | | 156 | 162 | 104 | 104 | 109 | 57 | 0 | 0 | 63 | 0 |
| O/H | 901 | 3 | 135 | 148 | 94 | 58 | 73 | 50 | 0 | 249 | 59 | 0 |
| Shortfall/Excess | 168 | 3 | -5 | 11 | 2 | 58 | -29 | -44 | 0 | 249 | -4 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015419208 | 3 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | N | Yes | N | 0 | 3 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 12 | 0.1 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0141 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0141: TACTICAL AIR CONTROL PARTY (TACP) SUITE

This TAMCN is in process of being deleted

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 42 | 0 |
| AAO (FY17) | 42 | |
| O/H | 9 | 0 |
| Shortfall/Excess | -33 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 14 | 14 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | 14 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| -8 | -14 | -14 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015427911 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0142 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0142: SUPPORT WIDE AREA NETWORK (GSWAN/SWAN C)

GSWAN provides remote teams access into the tactical network (NIPRNET, SIPRNET, and DSN) via beyond line-of-sight SATCOM Capability.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 31 | 0 | 13 | 13 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -31 | 0 | -13 | -13 | 0 | 0 | 0 | -5 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015427735 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Disassociate the CCI equipment and identify as used with SWAN, then dispose of the item in theater. If mission capable, then DRMO in theater IAW Disposal Plan 11137. AAO needs to be zeroed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

| | |
|---|---|
| ☑ **Sensitive** | ☑ **CCI** |
| ☑ **Multi-Modal** | ☐ **Rotational** |
| ☑ **Associated TAMCNs (See Appendix)** | |
| ☑ **Sensitive Associated TAMCNs (see Appendix)** | |

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A0145 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0145: STINGRAY

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | | 0 |
| Shortfall/Excess | | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: RADBNMODS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 662501W00F262 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0147 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0147: TACTICAL INTEROPERABLE GROUND DATA LINK-II (TIGDL-II

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 5 | 0 |
| AAO (FY17) | 5 | |
| O/H | 1 | 0 |
| Shortfall/Excess | -4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 1 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 1 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -1 | -1 | 0 | 0 | -1 | -1 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810090004482 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 97 | 0 | 2.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0149 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0149: ANTENNA,COMMUNICATIONS,TRAILER MOUNTED

The AS-4429D/TSC is a rugged, high-performance Multi-Band antenna subsystem that provides field commanders with a high mobility antenna capable of efficient TACSAT resource utilization. The AS-4429D/TSC can be used with the LMST, AN/TSC-85, and AN/TSC-93.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 33 | 0 | 9 | 9 | 6 | 0 | 9 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 29 | | 9 | 5 | 6 | 0 | 9 | 0 | 0 | 0 | 0 | 0 |
| O/H | 29 | 0 | 7 | 8 | 5 | 0 | 2 | 2 | 0 | 5 | 0 | 0 |
| Shortfall/Excess | -4 | 0 | -2 | -1 | -1 | 0 | -7 | 2 | 0 | 5 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5985015410767 | 0 | 0% | 75% | 0% | 25% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Ensure embarkation specialist utilizes the Technical manual for proper tie down procedures. Any cargo straps place over the main reflector will cause damage rendering the system non-mission capable. Do not move with stabalizing wheel in position. Ship via MILAIR. Reflector repair costs are estimated at and could potentially exceed $100,000.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1333 | 2.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0150: W2W LAST TACTICAL MILE KITS

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 66 | 0 |
| AAO (FY17) | 62 | |
| O/H | 0 | 0 |
| Shortfall/Excess | -66 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 7 | 7 | 4 | 0 | 8 | 16 | 0 | 0 | 0 | 0 |
| 7 | 7 | 0 | 0 | 8 | 16 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -7 | -7 | -4 | 0 | -8 | -16 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015561720 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0152: DIGITAL STILL CAMERA SUITE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 413 | 0 |
| AAO (FY17) | 370 | |
| O/H | 474 | 3 |
| Shortfall/Excess | 61 | 3 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 83 | 83 | 67 | 0 | 109 | 23 | 0 | 0 | 0 | 0 |
| 66 | 66 | 58 | 48 | 109 | 23 | 0 | 0 | 0 | 0 |
| 93 | 127 | 68 | 56 | 117 | 0 | 0 | 10 | 0 | 0 |
| 10 | 44 | 1 | 56 | 8 | -23 | 0 | 10 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855016103175 | 3 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6720015868004 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This TAMCN is currently in its refresh cycle, therefore if any are returned condemmed, they should be Demil'd and DRMO'd. There is no requirement to return the obsolete gear back to the unit. When the unit returns to their home station, they will receive their refreshed equipment. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# A0153 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0153: RADIO SET (AN/MRC-142C)

The AN/MRC-142_ is a vehicular-mounted, multi-channel system providing two-way secure digital wideband transmission . The AN/MRC-142C is a replacement for the AN/MRC-142A. It will provide a 16.364 Kb/s bandwidth data path with an increased frequency spectrum.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 432 | 0 | 93 | 93 | 60 | 0 | 63 | 60 | 0 | 0 | 63 | 0 |
| AAO (FY17) | 434 | | 93 | 95 | 60 | 0 | 63 | 60 | 0 | 0 | 63 | 0 |
| O/H | 344 | 0 | 44 | 66 | 61 | 0 | 38 | 23 | 0 | 55 | 50 | 1 |
| Shortfall/Excess | -88 | 0 | -49 | -27 | 1 | 0 | -25 | -37 | 0 | 55 | -13 | 1 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015456691 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | no | N | No | N | 0 | 0 | 0 |

**Notes**: Use no water. Clean radios and components in accordance with technical manuals.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 118 | 0 | 4.3 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0156 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0156: GYROCAM VOSS II

OIF UUNS, mounted on rear of MRAP Cougar variant (6x6, 4x4).

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 265 | 0 |
| AAO (FY17) | 265 | |
| O/H | 108 | 96 |
| Shortfall/Excess | -157 | 96 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 6 | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 12 | 6 |
| 6 | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 12 | 6 |
| 0 | 6 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 |
| -6 | 0 | -2 | 0 | 0 | 0 | 0 | 6 | -12 | -6 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5836015450098 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | y | No | y | 0 | 0 | 0 |
| 5895015450098 | 13 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 13 | 0 |
| 5895015647999 | 80 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | y | No | y | 0 | 78 | 0 |
| 5895016101587 | 3 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 3 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

| | |
|---|---|
| ☐ **Sensitive** | ☐ **CCI** |
| ☐ **Multi-Modal** | ☐ **Rotational** |
| ☐ **Associated TAMCNs (See Appendix)** | |
| ☐ **Sensitive Associated TAMCNs (see Appendix)** | |

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0168 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0168: HANDHELD INTERAGENCY IDENTITY DETECTION EQUIP (HIIDE)

HIIDE is the world's first hand-held biometric identification device that can enroll, identify or verify subjects using any of the three primary biometrics: iris, finger, face.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 1 | 1 |
| Shortfall/Excess | 1 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015453002 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | Yes | No | Yes | 0 | 0 | 0 |
| 5895090004458 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | Yes | No | Yes | 0 | 0 | 0 |
| 6350016087587 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | No | No | No | No | No | 0 | 0 | 1 |

**Notes**: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A0169 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0169: AN/TPQ-48 COUNTER MORTAR RADAR (LCMR)

The LCMR is a two-man portable mortar locating radar. It provides continuous 360 degree surveillance and locates mortar firing positions by detecting and backtracking the projectile trajectory to the weapon position.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 42 | 0 |
| AAO (FY17) | 42 | |
| O/H | 49 | 3 |
| Shortfall/Excess | 7 | 3 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 12 | 10 | 7 | 0 | 5 | 6 | 0 | 2 | 0 | 0 |
| 12 | 10 | 7 | 0 | 5 | 6 | 0 | 2 | 0 | 0 |
| 15 | 9 | 7 | 0 | 5 | 6 | 0 | 1 | 0 | 0 |
| 3 | -1 | 0 | 0 | 0 | 0 | 0 | -1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5840015418783 | 3 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 3 | 0 |

**Notes**: Assets should be sent to MCLB Albany for inventory and op check prior to entering a planned system refresh at SRCTec. The LCMR is an electronic piece of equipment and should not be washed. It can be cleaned by hand, by trained personnel.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 166 | 0 | 2.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0172 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0172: POWER SUPPLY, UNINTERRUPTIBLE (DDSR-PM)

The current TDN Family of Systems (FoS) consists of Gateways (TDN GW), Data Distribution Systems (TDN DDS/DDS-R/DDS-M), and Information Assurance Boundary (IAB). Together these systems provide the backbone data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 129 | 0 | 31 | 31 | 27 | 0 | 27 | 13 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 129 | | 31 | 31 | 27 | 0 | 27 | 13 | 0 | 0 | 0 | 0 |
| O/H | 391 | 5 | 61 | 48 | 57 | 0 | 67 | 88 | 0 | 58 | 0 | 0 |
| Shortfall/Excess | 262 | 5 | 30 | 17 | 30 | 0 | 40 | 75 | 0 | 58 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6130015460023 | 5 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 5 | 0 |
| 6130015652835 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1BBatteries do not constitute failure, replace upon receipt at new unit.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 4 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0173 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0173: SECURITY DATA SYSTEM (DDSR-CSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 517 | 0 |
| AAO (FY17) | 505 | |
| O/H | 494 | 0 |
| Shortfall/Excess | -23 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 151 | 147 | 104 | 0 | 97 | 18 | 0 | 0 | 0 | 0 |
| 150 | 144 | 102 | 0 | 91 | 18 | 0 | 0 | 0 | 0 |
| 153 | 147 | 104 | 0 | 23 | 41 | 0 | 12 | 0 | 0 |
| 2 | 0 | 0 | 0 | -74 | 23 | 0 | 12 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810015460020 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5810015681184 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: The TAMCN for DDS-R (NSN 5810-01-546-0020) should be a consolidation of assets to obtain maximum complete PMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete CSMs to fill any home station shortfalls and DRMO in theater remaining PMs. Will be flown in it's entirety back to MEF. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 8 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0174 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0174: SWITCHING SET COMMUNICATION (DDSR-LSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 517 | 0 |
| AAO (FY17) | 505 | |
| O/H | 495 | 0 |
| Shortfall/Excess | -22 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 151 | 147 | 104 | 0 | 97 | 18 | 0 | 0 | 0 | 0 |
| 150 | 144 | 102 | 0 | 91 | 18 | 0 | 0 | 0 | 0 |
| 154 | 137 | 105 | 0 | 22 | 47 | 0 | 14 | 0 | 0 |
| 3 | -10 | 1 | 0 | -75 | 29 | 0 | 14 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015460016 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5895015682669 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: The TAMCN for DDS-R (NSN 5895-01-546-0016) should be a consolidation of assets to obtain maximum complete LSMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 9 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0175 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0175: COMPUTER DIGITAL DATA TRANSFER (DDSR-CM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 671 | 0 |
| AAO (FY17) | 661 | |
| O/H | 585 | 0 |
| Shortfall/Excess | -86 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 192 | 188 | 131 | 0 | 122 | 38 | 0 | 0 | 0 | 0 |
| 191 | 187 | 129 | 0 | 116 | 38 | 0 | 0 | 0 | 0 |
| 194 | 176 | 129 | 0 | 20 | 47 | 0 | 3 | 0 | 0 |
| 2 | -12 | -2 | 0 | -102 | 9 | 0 | 3 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015466466 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5895015681194 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | | No | No | 0 | 0 | 0 |

**Notes**: SIPRNET Harddrives are handled in course with classifed storage and transport. Transport back unit in possession. All SIPR HDs must be removed from the CM laptop PCs and consolidated in an appropriate secure storage container for MIL-AIR transport from OEF to CONUS with the using unit. NO SIPRs HDs will be vehicle transported through Pakistan for surface nor air shipment for commercial cargo carriers. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.Batteries (Qty 2) do not constitute failure, replace upon receipt at new unit.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0176 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0176: SWITCHING GROUP, DIGITAL (DDSR-LEM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 2,060 | 0 |
| AAO (FY17) | 1,999 | |
| O/H | 1,944 | 0 |
| Shortfall/Excess | -116 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 603 | 587 | 413 | 0 | 385 | 72 | 0 | 0 | 0 | 0 |
| 599 | 559 | 406 | 0 | 363 | 72 | 0 | 0 | 0 | 0 |
| 598 | 583 | 408 | 0 | 87 | 158 | 0 | 52 | 0 | 0 |
| -5 | -4 | -5 | 0 | -298 | 86 | 0 | 52 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015460013 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5895015725551 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: The TAMCN for DDS-R (NSN 5895-01-546-0013) should be a consolidation of assets to obtain maximum complete LEMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Batteries do not constitute failure, replace upon receipt at new unit.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0177 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0177: COMPUTER SYSTEM DIGITAL (DDSR-ACM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 517 | 0 |
| AAO (FY17) | 505 | |
| O/H | 511 | 0 |
| Shortfall/Excess | -6 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 151 | 147 | 104 | 0 | 97 | 18 | 0 | 0 | 0 | 0 |
| 150 | 144 | 102 | 0 | 91 | 18 | 0 | 0 | 0 | 0 |
| 153 | 149 | 104 | 0 | 22 | 47 | 0 | 19 | 0 | 0 |
| 2 | 2 | 0 | 0 | -75 | 29 | 0 | 19 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015460027 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 7010015681206 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: The TAMCN for DDS-R (NSN 7010-01-546-0027) should be a consolidation of assets to obtain maximum complete LEMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Must remove hard drive prior to shipping.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0180 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0180: AN/TYQ-145 BEYOND LINE OF SIGHT GATEWAY

JRE is an implementation of beyond line of sight transmission for TADIL-J. The current system is a stand-alone COTS/NDI configured with a JTIDS radio.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 14 | 0 | 2 | 2 | 2 | 0 | 2 | 6 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 14 | | 2 | 2 | 2 | 0 | 2 | 6 | 0 | 0 | 0 | 0 |
| O/H | 20 | 0 | 2 | 2 | 2 | 0 | 2 | 12 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015476773 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Return to owning unit but take out of service until maintenance is completed. DO NOT POWER WASH. Item contains sensitive electronics, computer, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0182 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0182: RECORDER-REPRODUCER

The Tactical ONEROOF system is a family of applications that allows for automated collection, storage, retrieval and playback of digital voice signals.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 14 | 0 | 0 | 10 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | 14 | 0 | 0 | 10 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5835090004505 | 0 | 0% | 0% | 0% | 66% | 34% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: This item will be retired next year, but still needs to be maintained until replacement is fielded. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. Conduct all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 30 | 0.2 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0183 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0183: CIHEP DATA PROCESSING MODULE

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 410 | 0 |
| AAO (FY17) | 409 | |
| O/H | 325 | 8 |
| Shortfall/Excess | -85 | 8 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 71 | 75 | 71 | 0 | 71 | 61 | 0 | 0 | 0 | 0 |
| 71 | 75 | 71 | 54 | 71 | 61 | 0 | 0 | 0 | 0 |
| 71 | 79 | 59 | 42 | 16 | 44 | 0 | 0 | 0 | 0 |
| 0 | 4 | -12 | 42 | -55 | -17 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865090004485 | 8 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Rotates in and out with the unit. Item is obsolete. You can wash the Pelican case; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0184 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0184: CIHEP ADVANCED IMAGERY MODULE

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 161 | 0 | 19 | 22 | 23 | 0 | 19 | 22 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 161 | | 19 | 22 | 23 | 54 | 19 | 22 | 0 | 0 | 0 | 0 |
| O/H | 131 | 2 | 22 | 30 | 18 | 32 | 5 | 18 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -30 | 2 | 3 | 8 | -5 | 32 | -14 | -4 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865070001269 | 2 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Rotates in and out with the unit. Item is obsolete. You can wash the Pelican case; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0186 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0186: CIHEP TACTICAL SATCOM SET

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 217 | 0 |
| Shortfall/Excess | 217 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 58 | 76 | 34 | 44 | 0 | 2 | 0 | 0 | 0 | 0 |
| 58 | 76 | 34 | 44 | 0 | 2 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865070001270 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Rotates in and out with the unit. Item is obsolete. You can wash the Pelican case; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0188 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0188: CIHEP COMMERCIAL SATCOM SET

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 272 | 0 | 41 | 43 | 38 | 0 | 64 | 30 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 272 | | 41 | 43 | 38 | 54 | 64 | 30 | 0 | 0 | 0 | 0 |
| O/H | 198 | 5 | 46 | 59 | 36 | 41 | 0 | 5 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -74 | 5 | 5 | 16 | -2 | 41 | -64 | -25 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865070001272 | 5 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: You can wash the Pelican case; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0189 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0189: CIHEP COMMERCIAL HANDHELD SATCOM SET

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 398 | 0 | 80 | 82 | 70 | 0 | 80 | 30 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 390 | | 80 | 74 | 70 | 54 | 80 | 30 | 0 | 0 | 0 | 0 |
| O/H | 203 | 9 | 41 | 50 | 29 | 31 | 0 | 14 | 0 | 22 | 0 | 0 |
| Shortfall/Excess | -195 | 9 | -39 | -32 | -41 | 31 | -80 | -16 | 0 | 22 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895070001277 | 9 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: None of this electronic equipment should be subjected to water washdown. This includes the case.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0193 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0193: CIHEP VEHICLE ACCESSORY MODULE

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 145 | 0 |
| AAO (FY17) | 145 | |
| O/H | 174 | 4 |
| Shortfall/Excess | 29 | 4 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 18 | 20 | 32 | 0 | 18 | 10 | 0 | 0 | 0 | 0 |
| 18 | 20 | 32 | 45 | 18 | 10 | 0 | 0 | 0 | 0 |
| 51 | 53 | 29 | 34 | 0 | 2 | 0 | 0 | 0 | 0 |
| 33 | 33 | -3 | 34 | -18 | -8 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895070001279 | 4 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: You can wash the Pelican case; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 4 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0194 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0194: PERSISTENT SURVEILLENCE SYSTEM (G-BOSS) (80' TOWER)

A self-erecting, trailer-mounted tower serves as the base of the G-BOSS. It is designed to provide a stable, elevated platform for the sensor suite and communication devices. Cameras are mounted on a self erecting, telescoping tower. Other associated equipment includes capability for video capture, storage, transmission, and power generation.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 126 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 126 | | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| O/H | 57 | 17 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 39 | 0 | 0 |
| Shortfall/Excess | -69 | 17 | 0 | 1 | 0 | 0 | 0 | -2 | 0 | 39 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6350016077713 | 11 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 11 | 0 |
| 6650070001274 | 6 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | Yes | No | Yes | 0 | 6 | 0 |
| 6650090004488 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | Yes | No | Yes | 0 | 0 | 0 |
| 6650090006502 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Systems will be shipped to NSWC Crane, where they will be refurbished and tested to unsure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. Should be shipped with B0077. Prior to wash down system should be in stowed and/or shipping configuration with all connector caps installed. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions.There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquistion Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0195: INTELLIGENCE OPERATIONS SERVER (V3)

The IAS FoS program consists of a three-tiered approach to Intelligence Operations. The first tier, the MEF IAS, consists of M1152A1B2 with M101 trailer, BASE-X 305 tent, and containerized stacked server suite, designed to support intelligence operations .

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 116 | 0 | 22 | 24 | 20 | 0 | 17 | 13 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 115 | | 22 | 23 | 21 | 16 | 16 | 13 | 0 | 0 | 0 | 0 |
| O/H | 104 | 0 | 18 | 21 | 19 | 12 | 12 | 22 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -12 | 0 | -4 | -3 | -1 | 12 | -5 | 9 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015762585 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: If it requires maintenance, it goes to MCLC for DRMO. Eventually will be replaced. No maintenance will be performed. Water may damage system electronics.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0197 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0197: DATA STORAGE MODULE (DDSR-DSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 517 | 0 |
| AAO (FY17) | 507 | |
| O/H | 460 | 0 |
| Shortfall/Excess | -57 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 151 | 147 | 104 | 0 | 97 | 18 | 0 | 0 | 0 | 0 |
| 150 | 146 | 102 | 0 | 91 | 18 | 0 | 0 | 0 | 0 |
| 145 | 135 | 98 | 0 | 22 | 40 | 0 | 8 | 0 | 0 |
| -6 | -12 | -6 | 0 | -75 | 22 | 0 | 8 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015494303 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5895015653698 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5895015924487 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: The TAMCN for DDS-R (NSN 5895-01-549-4303), should be a consolidation of assets to obtain maximum complete DSMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Remove hard drives

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 4 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0234 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0234: SATELLITE COMMUNICATION SUBSYSTEM (SWAN-D V1 DISH)

The SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 170 | 0 |
| AAO (FY17) | 167 | |
| O/H | 166 | 0 |
| Shortfall/Excess | -4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 40 | 37 | 23 | 0 | 32 | 38 | 0 | 0 | 0 | 0 |
| 38 | 35 | 23 | 0 | 33 | 38 | 0 | 0 | 0 | 0 |
| 37 | 26 | 24 | 0 | 24 | 39 | 0 | 12 | 0 | 0 |
| -3 | -11 | 1 | 0 | -8 | 1 | 0 | 12 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015504868 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | no | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☐ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0238 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0238: MAINTENANCE KIT,ELECTRONIC EQUIP (SWAN-D V3 RF SPARES)

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 8 | 0 |
| AAO (FY17) | 0 | |
| O/H | 1 | 0 |
| Shortfall/Excess | -7 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 2 | 2 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| -2 | -2 | -2 | 0 | -1 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015515306 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Ship with SWAN D V3 to MCLC Alb for resale to Army.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0239 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0239: MAINTENANCE KIT,ELECTRONIC EQUIP (SWAN-D V1/V2 RF SPARES)

SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 48 | 0 | 14 | 14 | 6 | 0 | 14 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 8 | 0 | 0 | 0 | 1 | 0 | 5 | 0 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | -40 | 0 | -14 | -14 | -5 | 0 | -9 | 0 | 0 | 2 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015514019 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0240 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0240: MAINTENANCE KIT,ELECTRONIC EQUIPMENT

SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 32 | 0 |
| AAO (FY17) | 0 | |
| O/H | 12 | 0 |
| Shortfall/Excess | -20 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 9 | 9 | 5 | 0 | 9 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 2 | 0 | 0 | 4 | 0 | 0 | 3 | 0 | 0 |
| -6 | -7 | -5 | 0 | -5 | 0 | 0 | 3 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015513812 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |
| 5895015686670 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. This TAMCN is a spares kit that will be disassembled and placed into the MEF RIPs.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0241 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0241: SATELLITE COMMUNICATION SUBSYSTEM

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 66 | 0 |
| AAO (FY17) | 66 | |
| O/H | 66 | 0 |
| Shortfall/Excess | 0 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 15 | 13 | 8 | 0 | 13 | 17 | 0 | 0 | 0 | 0 |
| 15 | 13 | 8 | 0 | 13 | 17 | 0 | 0 | 0 | 0 |
| 14 | 12 | 15 | 0 | 8 | 16 | 0 | 0 | 0 | 0 |
| -1 | -1 | 7 | 0 | -5 | -1 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015513530 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | no | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0242 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0242: SATELLITE COMMUNICATION SUBSYSTEM (SWAN-D V3 DISH)

The SWAN is an integrated COTS solution utilizing Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-The-Pause (OTP) communications asset that can be set up in 30 minutes or less. SWAN fills a void of Beyond-Line-Of-sight (BLOS).

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 64 | 0 | 15 | 15 | 12 | 0 | 14 | 8 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 64 | | 15 | 15 | 12 | 0 | 14 | 8 | 0 | 0 | 0 | 0 |
| O/H | 118 | 0 | 33 | 33 | 23 | 0 | 15 | 10 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | 54 | 0 | 18 | 18 | 11 | 0 | 1 | 2 | 0 | 2 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015514320 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | no | Yes | No | Yes | 0 | 0 | 0 |
| 5895015805073 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: This TAMCN NSN 5895-01-551-4320 shoud be transported to MCLC Alb. with SWAN D V3 PEI. This TAMCN should be sent to MCLC. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. TAMCN NSN 5895-01-551-4320 will be sold back to the Army.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0243 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0243: NETWORK MANAGEMENT SYSTEM (SWAN-D)

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 300 | 0 |
| AAO (FY17) | 297 | |
| O/H | 289 | 0 |
| Shortfall/Excess | -11 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 70 | 65 | 43 | 0 | 59 | 63 | 0 | 0 | 0 | 0 |
| 68 | 63 | 43 | 0 | 60 | 63 | 0 | 0 | 0 | 0 |
| 70 | 49 | 59 | 0 | 34 | 56 | 0 | 13 | 0 | 0 |
| 0 | -16 | 16 | 0 | -25 | -7 | 0 | 13 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015513590 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | no | Y | No | Y | 0 | 0 | 0 |
| 5895015686944 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | N | No | N | 0 | 0 | 0 |

**Notes**: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0244 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0244: NETWORK MANAGEMENT SYSTEM (SWAN-D MRT)

The SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 63 | 0 |
| AAO (FY17) | 65 | |
| O/H | 64 | 0 |
| Shortfall/Excess | 1 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 11 | 11 | 9 | 0 | 11 | 21 | 0 | 0 | 0 | 0 |
| 11 | 11 | 11 | 0 | 11 | 21 | 0 | 0 | 0 | 0 |
| 13 | 8 | 20 | 0 | 5 | 12 | 0 | 4 | 0 | 0 |
| 2 | -3 | 11 | 0 | -6 | -9 | 0 | 4 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015513833 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | no | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0245 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0245: SATELITE COMM SUB SYSTEM

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015596098 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Crypto will be kept and utilized. Crypto must have a NAVMC 1018 Tag with PEI Serial #, PEI Unit Shipped To, PEI Condition Code. DP11137 PCN 13158950100. This TAMCN is in the process of Disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

- ☑ **Sensitive**
- ☑ **CCI**
- ☑ **Multi-Modal**
- ☐ **Rotational**
- ☐ **Associated TAMCNs (See Appendix)**
- ☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A0246 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0246: AN/USC-67 SWE-DISH FA150 MIL FLY-AWAY

The AN/USC-67 (FA-150 Hub) NSN: 2840-01-587-7961, configuration is a portable high-bandwidth, secure satellite communications package capable of operating at the Top Secret/Sensitive Compartmented Information level. The AN/USC-67 serves as the Hub in a Hub-Spoke architecture and components include a 1.5m antenna and baseband network equipment. The AN/USC-67 is C, Ku, and X band capable.

AN/USC-67 FA-150 (Hub)

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 6 | 0 | 0 |
| Shortfall/Excess | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 6 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2840015877956 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | No | Y | No | Y | 0 | 0 | 0 |

**Notes**: Obsolete item, but will maintain in order to bridge capability gap. Must dispose of in CONUS because of sensitivity. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory, notify PG-12/PMM123 for maintenance, and coordinate shipment with MARCORSYSCOM for maintenance. Please direct inquires about this system to Commander, MARCORSYSCOM, PM-Intelligence Systems. ATTN: SCI Comms Project Officer

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0247 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0247: AN/USC-68 SWE-DISH IPT MIL SUITCASE (VSAT SPOKE)

The AN/USC-68 (IPT Suite) NSN: 2840-01-587-7956, configuration is a portable high-bandwidth, secure satellite communications package capable of operating at the Top Secret/Sensitive Compartmented Information level. It consists of a suitcase satellite communication solution and a suitcase secure networking solution. The AN/USC-68 serves as a Spoke in a Hub-Spoke architecture and components include a .9m auto-acquiring antenna and baseband network equipment. The AN/USC-68 is only Ku band capable.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 21 | 0 | 9 | 1 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 0 |
| Shortfall/Excess | 21 | 0 | 9 | 1 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2840015877961 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Equipment is obsolete

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0254 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0254: COMBAT OPS CENTER, SET III (UOC)

The Combat Operations Center is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems.

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 80 | 0 | 19 | 19 | 13 | 0 | 11 | 15 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 78 | | 19 | 19 | 14 | 0 | 11 | 15 | 0 | 0 | 0 | 0 |
| O/H | 69 | 0 | 19 | 17 | 14 | 2 | 6 | 8 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -11 | 0 | 0 | -2 | 1 | 2 | -5 | -7 | 0 | 0 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015204341 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: The COC configuration includes many weather-resistant transit cases and two trailer types: the Operational Trailer (OT), consisting of an M1102 trailer with multiple transit-cased COTS IT components and electrical connections, and the Generator ECU Tent Trailer (GETT), consisting of an extended-bed M1102 chassis, a commercial 23kW generator, a commercial 120K BTU Environmental Control Unit, and a commercial Base-X 305 shelter. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment and the GETT's generator and ECU control panel. COC's are routinely shipped packed in an ISO container; recommend using ISO containers to ship the COC.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 9.4 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0255 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0255: COMBAT OPS CENTER, SET IV (UOC)

The COC is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems. It is predominantly a COTS IT integration.

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 168 | 0 | 44 | 36 | 21 | 0 | 26 | 28 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 123 | | 33 | 25 | 15 | 0 | 22 | 28 | 0 | 0 | 0 | 0 |
| O/H | 166 | 0 | 41 | 35 | 23 | 2 | 22 | 28 | 0 | 13 | 0 | 0 |
| Shortfall/Excess | -2 | 0 | -3 | -1 | 2 | 2 | -4 | 0 | 0 | 13 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015204360 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: The COC configuration includes many weather-resistant transit cases and two trailer types: the Operational Trailer (OT), consisting of an M1102 trailer with multiple transit-cased COTS IT components and electrical connections, and the Generator ECU Tent Trailer (GETT), consisting of an extended-bed M1102 chassis, a commercial 23kW generator, a commercial 120K BTU Environmental Control Unit, and a commercial Base-X 305 shelter. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment and the GETT's generator and ECU control panel. COC's are routinely shipped packed in an ISO container; recommend using ISO containers to ship the COC.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 6 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0261 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0261: BIOMETRICS AUTOMATED TOOLSET (BAT-SERVER

The Biometrics System consists of three tiers: the BAT-Client, the BAT-Server and the HIIDE. The BAT-Client will collect and store biometric information, to include fingerprints, iris scans and facial images, and will be able to "match" personnel whose bi

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 20 | 0 |
| AAO (FY17) | 20 | |
| O/H | 27 | 27 |
| Shortfall/Excess | 7 | 27 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7021016094479 | 27 | 0% | 0% | 0% | 0% | 33% | 67% | NO | NO | No | No | No | No | No | No | 0 | 9 | 18 |
| 7021090004486 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | Y | No | Y | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, this asset has a split retrograde strategy; of remaining assets on hand in OEF dispose of no more than 18 assets in theater. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0.2 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0266 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0266: RADIO SET, VEH, AN/VRC-104 (UHF/VHF)

AN/PRC 104 Radio Set.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 810 | 0 | 214 | 183 | 137 | 0 | 157 | 29 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 739 | | 197 | 158 | 125 | 88 | 140 | 29 | 0 | 0 | 0 | 0 |
| O/H | 1,349 | 0 | 272 | 197 | 146 | 42 | 65 | 63 | 0 | 327 | 1 | 0 |
| Shortfall/Excess | 539 | 0 | 58 | 14 | 9 | 42 | -92 | 34 | 0 | 327 | 1 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015681631 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | no | N | No | N | 0 | 0 | 0 |
| 5820015694438 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | no | N | No | N | 0 | 0 | 0 |

**Notes**: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0271 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0271: COMBAT OPERATIONS CENTER

The Combat Operations Center is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 13 | 0 |
| AAO (FY17) | 12 | |
| O/H | 12 | 0 |
| Shortfall/Excess | -1 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 3 | 4 | 4 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 3 | 3 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| 3 | 4 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | -1 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015573118 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: The COC(V)2 configuration includes many weather-resistant transit cases and the Operations Trailer (OT). The OT is an M1102 trailer with a rack supporting many COTS IT servers, routers, switches, etc. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment; recommend using ISO containers to ship the COC(V)2.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 46 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0272 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0272: RADIO REMOTE CONTROL UNIT RC 111

The RF-5800R-RC111 Remote Control System with High Speed Interface provides full remote control capability for the Falcon II family of manpack radios.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 2,532 | 0 |
| AAO (FY17) | 2,605 | |
| O/H | 3,160 | 20 |
| Shortfall/Excess | 628 | 20 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 722 | 693 | 432 | 0 | 540 | 120 | 0 | 0 | 0 | 0 |
| 743 | 704 | 458 | 25 | 555 | 120 | 0 | 0 | 0 | 0 |
| 841 | 881 | 468 | 127 | 525 | 110 | 0 | 161 | 0 | 0 |
| 119 | 188 | 36 | 127 | -15 | -10 | 0 | 161 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015196016 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 5820015709290 | 20 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | N | No | N | 0 | 0 | 20 |
| 5895015627515 | 0 | 0% | 50% | 0% | 50% | 0% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0273 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0273: RADIO SET, VRC-110, 20 WATT (AN/PRC152)

The AN/VRC-110_ series of vehicular radios employs the Harris RT-1916C (SSRI). The RT-1916C is a multi-band, hand-held radio that is used in multiple radio configurations throughout the Marine Corps. Commonly referred to as the AN/PRC-152. The PRC-152 has multiple prepositioning criteria issues (Li Batt., HUB, Software).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 186 | 0 | 15 | 33 | 0 | 0 | 4 | 23 | 0 | 111 | 0 | 0 |
| Shortfall/Excess | 186 | 0 | 15 | 33 | 0 | 0 | 4 | 23 | 0 | 111 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015578450 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | no | N | No | N | 0 | 0 | 0 |

**Notes**: TAMCN is being upgraded to A0097.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0278 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0278: WIRELESS POINT-TO POINT LINK (WPPL-D)

WPPL D is an integrated communications system consisting of Commercial Off-The-Shelf (COTS) antennas, radios, power line conditioning and backup, and Internet Protocol (IP) networking equipment. All WPPL versions provide Non-secure Internet Router Protocol.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 296 | 0 | 72 | 72 | 47 | 0 | 60 | 45 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 296 | | 72 | 72 | 47 | 0 | 60 | 45 | 0 | 0 | 0 | 0 |
| O/H | 260 | 0 | 50 | 62 | 35 | 0 | 15 | 47 | 0 | 45 | 0 | 0 |
| Shortfall/Excess | -36 | 0 | -22 | -10 | -12 | 0 | -45 | 2 | 0 | 45 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015631703 | 0 | 25% | 0% | 0% | 75% | 0% | 0% | NO | NO | No | No | no | Y | No | Y | 0 | 0 | 0 |
| 5820015836833 | 0 | 25% | 0% | 0% | 75% | 0% | 0% | NO | NO | No | No | no | Y | No | Y | 0 | 0 | 0 |

**Notes**: Item must be put through maintenance before placing into service at owning unit. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0282 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0282: TEAM PORTABLE COLLECTION SYS (TPCS)

The TPCS-MPC will be a mission configurable, multi-platform SIGINT collection system incorporating plug-and-play technologies that provides the Marine Air Ground Task Force commander with a modular and saleable carry-on/carry-off equipment capability for operations onboard non-dedicated air, ground, and waterborne platforms.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 70 | 0 |
| AAO (FY17) | 70 | |
| O/H | 20 | 1 |
| Shortfall/Excess | -50 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 22 | 22 | 16 | 0 | 0 | 10 | 0 | 0 | 0 | 0 |
| 22 | 22 | 16 | 0 | 0 | 10 | 0 | 0 | 0 | 0 |
| 6 | 11 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| -16 | -11 | -16 | 0 | 0 | -10 | 0 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5825015293279 | 1 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 1 | 0 | 0 |

**Notes**: Owning unit will perform inventory and detailed maintenance for return to full mission capable. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Follow preventive maintenance procedures as listed in O&M TM 11109A-OI.PG-12/PMM123 has situational awareness for this system. Please direct inquires about this system to Commander, MARCORSYSCOM, PM-Intelligence Systems, ATTN: TPCS-MPC Project Officer, 2200 Lester Street, Quantico, VA 22134-6050.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0285 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0285: DISMTD DIGITAL AUTOMATED COMM TERMINAL (DDACT)

The D-DACT is a handheld, stylus operated Rugged Personal Digital Assistant. It has a built in Global Positioning System, a modem and comes loaded with Command and Control Compact Edition Software.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 227 | 0 |
| Shortfall/Excess | 227 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 72 | 51 | 39 | 0 | 8 | 20 | 0 | 37 | 0 | 0 |
| 72 | 51 | 39 | 0 | 8 | 20 | 0 | 37 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015221228 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A0286 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0286: CERBERUS LONG RANGE (GBOSS LITE)

The G-BOSS Lite is an integrated system, based on the Cerberus trailer-mounted surveillance system, and employs multiple detection and assessment technologies, all self-contained on a single mobile platform. G-BOSS Lite uses the Star SAFIRE IIIFP with laser pointer and range finder; and the MSTAR radar as its primary image sensors.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 76 | 0 |
| AAO (FY17) | 76 | |
| O/H | 17 | 6 |
| Shortfall/Excess | -59 | 6 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 1 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |
| 0 | 1 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5840015874722 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | no | Yes | No | Yes | 0 | 0 | 0 |
| 5895015874722 | 6 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 6 | 0 |

**Notes**: Systems will be shipped to NSWC Crane through MCLC, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. Prior to wash down system should be in stowed and/or shipping configuration. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions.There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquistion Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0288 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0288: CERBERUS MANPACK SYSTEM (CERBERUS LITE)

The Cerberus Lite is a man-portable, tripod-mounted surveillance system developed by PM NVESD for use in austere environments, or where ground transportation is unavailable or undesirable. The Cerberus Lite uses a FLIR Recon III and Advanced Radar Surveillance System (ARSS) as its primary image sensors. Use of the Miniature Intrusion Detection Systems (MIDS) unattended ground sensors is optional.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 62 | 0 |
| AAO (FY17) | 62 | |
| O/H | 12 | 3 |
| Shortfall/Excess | -50 | 3 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 5 | 0 | 2 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 5 | 0 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMO-23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895011328799 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 6350016061742 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6350090006681 | 3 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | no | Yes | No | Yes | 0 | 0 | 3 |

**Notes**: Systems will be shipped to NSWC Crane through MCLC, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions.There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquistion Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0291 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0291: CVRJ @ 1:2 VEH RATIO (RPLCS A0096 / A0137)

The primary purpose of the CVRJ System is to defeat existing Radio Frequency (RF) threats and newly identified Hard-to-Kill RF threats. The CVRJ system accomplishes its primary mission by jamming each threat's transmitted RF signals. The secondary prupose of the CVRJ System is to add the capability to combine multiple internal RF signals and external RF inputs from other systems, and serve as the conduit for transmitting those RF signals while maintaining system interoperability. It accomplishes both missions via 15 waveform programmable RF channels.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,000 | 0 | 0 | 0 | 0 | 0 | 0 | 146 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 1,000 | | 0 | 0 | 0 | 0 | 0 | 146 | 0 | 0 | 0 | 0 |
| O/H | 579 | 36 | 0 | 7 | 0 | 0 | 0 | 100 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | -421 | 36 | 0 | 7 | 0 | 0 | 0 | -46 | 0 | 2 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865015534738 | 36 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | No | I/P | No | 0 | 36 | 0 |

**Notes**: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager Graves-Reynolds CIV Judy A, judy.graves@usmc.mil, (229) 639-8283

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0298 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0298: OPTICAL READER, DATA ENTRY

Devices enable and facilitate data collection and transmission to Automated Information Systems. These devices improve the Marine Corps' logistical business processes and enhance war fighting capabilities by facilitating the collection of initial source data, reducing processing times and improving data accuracy.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 3,892 | 0 |
| AAO (FY17) | 3,482 | |
| O/H | 901 | 0 |
| Shortfall/Excess | -2,991 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 1,289 | 1,223 | 743 | 0 | 618 | 0 | 0 | 0 | 0 | 0 |
| 1,135 | 1,042 | 678 | 15 | 608 | 0 | 0 | 0 | 0 | 0 |
| 231 | 215 | 177 | 4 | 218 | 30 | 0 | 9 | 0 | 0 |
| -1,058 | -1,008 | -566 | 4 | -400 | 30 | 0 | 9 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7025014759974 | 0 | 0% | 0% | 0% | 75% | 25% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Project office will coordinate refresh with MEF.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 49 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0299 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0299: PRINTER, PORTABLE

AIT devices enable and facilitate data collection and transmission to Automated Information Systems (AISs). AIT devices improve the Marine Corps' logistical business processes and enhance warfighting capabilities by facilitating the collection of initial source data, reducing processing times and improving data accuracy. The AIT program is currently focused on implementing barcode technology - both linear and 2D barcodes and integrating Radio Frequency Data Collection (RFDC) technology to allow near real time processing of data. Successful AIT implementation is dependent on the AIT software development expertise of our information system developers and the ability of the user community to have well documented AIT

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 139 | 0 | 31 | 14 | 40 | 2 | 48 | 0 | 0 | 4 | 0 | 0 |
| Shortfall/Excess | 139 | 0 | 31 | 14 | 40 | 2 | 48 | 0 | 0 | 4 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7490014759671 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A0300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0300: PRINTING MACHINE,LA

Devices enable and facilitate data collection and transmission to Automated Information Systems. These devices improve the Marine Corps' logistical business processes and enhance war fighting capabilities by facilitating the collection of initial source data

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,272 | 0 | 357 | 384 | 204 | 0 | 233 | 78 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 1,229 | | 363 | 341 | 199 | 16 | 232 | 78 | 0 | 0 | 0 | 0 |
| O/H | 177 | 0 | 76 | 12 | 31 | 6 | 33 | 18 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -1,095 | 0 | -281 | -372 | -173 | 6 | -200 | -60 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7490015589256 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0301 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0301: GRAPHICS PLOTTER

The Graphics Plotter is a HP Designjet 1050c Plus Printer. The maximum print length for this printer is 300 ft.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 18 | 1 | 8 | 0 | 1 | 0 | 0 | 7 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 18 | 1 | 8 | 0 | 1 | 0 | 0 | 7 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: SPAWAR)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7025014774041 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 1 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A0321 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0321: DEPLOYABLE INTEGRATED TRANSPORT SUITE

The Raven B is a unmanned aircraft sensor system utilized at the small unit level that provides situational awareness within the employing unit's area of operations. The Digital Data Link enables a given area to include more Ravens and provides greater communication security through signal encryption.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 174 | 0 |
| AAO (FY17) | 172 | |
| O/H | 261 | 4 |
| Shortfall/Excess | 87 | 4 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 47 | 50 | 26 | 0 | 36 | 15 | 0 | 0 | 0 | 0 |
| 49 | 46 | 26 | 0 | 36 | 15 | 0 | 0 | 0 | 0 |
| 41 | 101 | 14 | 37 | 19 | 5 | 0 | 36 | 0 | 0 |
| -6 | 51 | -12 | 37 | -17 | -10 | 0 | 36 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1550015780205 | 4 | 35% | 0% | 0% | 65% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 3 | 1 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. PM Office is reutilizing recoverable assemblies as a bridge solution to obsolescence associated with DMS/MS. The $436 transportation cost is far less than the $156K procurement cost.Owning unit will inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. Maintenance will be complete by the owning unit through organic. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0324 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0324: COMMAND SYSTEM,TACT

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | | 0 |
| Shortfall/Excess | | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015800080 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0325 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0325: MOBILE MODULAR COMMAND CENTER (M2C2) TACTICAL ENTRY POINT

(satcom dish at the COC end, same as a SWAN V3 but with a different modem)

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015800008 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Item will be sent to SPAWAR through MCLC. Nothing beyond standard procedures.This TAM is part of the M2C2 system see additional comments associated with TAM A0030.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0326 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0326: THOR III

Each Thor III system consists of three dismounted man-pack subsystems. Each subsystem contains a chassis (low band, mid band or high band), a Remote Control Unit (RCU), an integration/pack frame, an Rx/Tx antenna (low band, mid band, or high band), a GPS antenna, cables, and software. Each unit is housed in a separate transit case with protective covers.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 650 | 0 |
| AAO (FY17) | 650 | |
| O/H | 118 | 101 |
| Shortfall/Excess | -532 | 101 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 85 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 85 | 0 | 0 | 0 | 0 |
| 0 | 11 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 11 | 0 | 3 | 0 | -85 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMO-23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865015804819 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 5865015804854 | 101 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | no | No | No | No | 0 | 0 | 101 |

**Notes**: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Upon returning from Theater units should conduct a compete detailed SL3 inventory. If any missing SL3 is note please contact the USMC CREW Product Support Integrator at USMC CREW Product Support Operations Center.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0331 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0331: RADIO SET, LOW PROFILE SINGLE VEHICLE ADAPTER, 50-WATT (VRC)

The AN/VRC-113(C) operates over a 30-512 MHz frequency range with either Frequency Modulated (FM), or Amplitude Modulated (AM) Radio Frequency (RF) output, with a user-selectable power output from 0.1 to 5 watts (depending on operating mode). The radio can interoperate with both 12 kbps (FED-STD-1023) and 16 kbps (VINSON-compatible) equipment. The Basic radio provides the following capabilities: SINCGARS, HAVEQUICK, ANDVT, retransmission, and High Throughput Waveform (HTW).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 8,875 | 0 |
| AAO (FY17) | 8,348 | |
| O/H | 6,077 | 6 |
| Shortfall/Excess | -2,798 | 6 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 2,516 | 2,106 | 1,588 | 0 | 1,821 | 166 | 0 | 0 | 585 | 0 |
| 2,317 | 1,922 | 1,419 | 93 | 1,846 | 166 | 0 | 0 | 585 | 0 |
| 824 | 374 | 2 | 71 | 30 | 162 | 0 | 3,954 | 600 | 0 |
| -1,692 | -1,732 | -1,586 | 71 | -1,791 | -4 | 0 | 3,954 | 15 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015826675 | 6 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | no | N | No | N | 0 | 6 | 0 |

**Notes**: Item was sent to OEF on a limited fielding decision. Equipment should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0332 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0332: PHOENIX NETWORK PLANNING TOOL (PNPT)

The Phoenix Network Planning Tool is used by the terminal operator to configure the syste to support missions and users.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 36 | 0 |
| AAO (FY17) | 35 | |
| O/H | 228 | 20 |
| Shortfall/Excess | 192 | 20 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 7 | 7 | 7 | 0 | 6 | 5 | 0 | 0 | 0 | 0 |
| 7 | 6 | 7 | 4 | 6 | 5 | 0 | 0 | 0 | 0 |
| 109 | 52 | 4 | 0 | 20 | 6 | 0 | 17 | 0 | 0 |
| 102 | 45 | -3 | 0 | 14 | 1 | 0 | 17 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015859031 | 20 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 20 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 74 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 1% | 0% | 0% | 0% |

# A0336 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0336: SCA MULTIBAND NETWORKING RADIO

The AN/PRC-117G (V)1(C) is an advanced multiband multi-mission manpack radio set, which provides reliable tactical communications through U.S. Government Type I encryption for enhanced secure voice (Communications Security (COMSEC), Transmission Security (TRANSEC)), high-speed data, Electronic Counter-Countermeasures (ECCM), and Satellite Communications (SATCOM) capabilities.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 2,406 | 0 |
| AAO (FY17) | 2,636 | |
| O/H | 2,580 | 92 |
| Shortfall/Excess | 174 | 92 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 584 | 520 | 308 | 0 | 474 | 197 | 0 | 0 | 0 | 0 |
| 557 | 504 | 343 | 546 | 489 | 197 | 0 | 0 | 0 | 0 |
| 733 | 656 | 333 | 203 | 265 | 209 | 0 | 32 | 0 | 0 |
| 149 | 136 | 25 | 203 | -209 | 12 | 0 | 32 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015862327 | 92 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | no | N | No | N | 0 | 92 | 0 |

**Notes**: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0338 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0338: DIGITAL STILL CAMERA SUITE, ADVANCED (DSCS-A)

The DSCS-A provides an increased digital still photographic capability required for the advanced user which enables higher grade photos to be captured and also provides an increased standoff capability for imagery collection.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 760 | 0 | 154 | 165 | 97 | 0 | 151 | 145 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 715 | | 134 | 144 | 94 | 48 | 150 | 145 | 0 | 0 | 0 | 0 |
| O/H | 697 | 4 | 113 | 187 | 55 | 3 | 318 | 0 | 0 | 8 | 0 | 0 |
| Shortfall/Excess | -63 | 4 | -41 | 22 | -42 | 3 | 167 | -145 | 0 | 8 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6720015938038 | 4 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# A0339 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0339: DIGITAL STILL CAMERA SUITE, Basic (DSCS-B)

The DSCS-B provides basic digital still photographic capabilities required for imagery collection by the novice user.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,312 | 0 | 355 | 364 | 199 | 0 | 283 | 15 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 1,215 | | 311 | 317 | 193 | 96 | 283 | 15 | 0 | 0 | 0 | 0 |
| O/H | 793 | 5 | 248 | 245 | 75 | 53 | 118 | 17 | 0 | 20 | 0 | 0 |
| Shortfall/Excess | -519 | 5 | -107 | -119 | -124 | 53 | -165 | 2 | 0 | 20 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6720015937979 | 5 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# A0340 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0340: CAMERA SUITE DIGITAL VIDEO

The DVCS-B provides a basic digital video photography capability and consists of a low-end commercial digital video camera for imagery collection.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 283 | 0 |
| AAO (FY17) | 284 | |
| O/H | 104 | 0 |
| Shortfall/Excess | -179 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 85 | 97 | 47 | 0 | 44 | 10 | 0 | 0 | 0 | 0 |
| 88 | 96 | 46 | 0 | 44 | 10 | 0 | 0 | 0 | 0 |
| 28 | 30 | 29 | 2 | 4 | 2 | 0 | 7 | 0 | 0 |
| -57 | -67 | -18 | 2 | -40 | -8 | 0 | 7 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5836015922160 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. A full scale refresh for this item is scheduled for FY13. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# A0350 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0350: DETECTION SYSTEM,WE

A sensor used to detect the direction and distance of incoming bullets.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 907 | 0 |
| AAO (FY17) | 907 | |
| O/H | 513 | 0 |
| Shortfall/Excess | -394 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 25 | 25 | 25 | 0 | 0 | 144 | 0 | 0 | 0 | 0 |
| 25 | 25 | 25 | 0 | 0 | 144 | 0 | 0 | 0 | 0 |
| 27 | 50 | 30 | 0 | 0 | 50 | 0 | 356 | 0 | 0 |
| 2 | 25 | 5 | 0 | 0 | -94 | 0 | 356 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6350015910219 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: REPLACED BY C0104.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A0351 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0351: REMOTE CONTROL RADI

The RCS is a compact, rugged system that allows users full remote control capability of any Harris Falcon II or Falcon III radio. The RCS supports full control using the Keypad Display Unit (KDU) and transmits and receives audio and data. The transmitting radio, connected to the Local Control Unit (LCU), can be seperated from the Remote Control Unit (RCU) by distances of up to 3.5 km using standard military field wire. Greater distances are possible using an external fiber modem or HCLOS transceiver. The RCS consists of two identical units designated as the RCU (operator site) and as the LCU (radio site).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 1,585 | 0 |
| AAO (FY17) | 1,536 | |
| O/H | 2,644 | 21 |
| Shortfall/Excess | 1,059 | 21 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 372 | 388 | 242 | 0 | 301 | 74 | 0 | 0 | 0 | 0 |
| 337 | 375 | 241 | 208 | 301 | 74 | 0 | 0 | 0 | 0 |
| 427 | 512 | 215 | 93 | 278 | 89 | 0 | 985 | 0 | 0 |
| 55 | 124 | -27 | 93 | -23 | 15 | 0 | 985 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015883075 | 21 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | N | No | N | 0 | 0 | 21 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0352 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0352: RADIO SET

The AN/VRC-114(V)1 is a SCA MULTIBAND NETWORKING VEHICULAR RADIO SYSTEM - SINGLE MOUNT (RF-300M-V150).

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 1,214 | 0 |
| AAO (FY17) | 1,231 | |
| O/H | 744 | 0 |
| Shortfall/Excess | -470 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 356 | 303 | 197 | 0 | 329 | 29 | 0 | 0 | 0 | 0 |
| 342 | 288 | 233 | 0 | 339 | 29 | 0 | 0 | 0 | 0 |
| 351 | 62 | 83 | 0 | 26 | 29 | 0 | 191 | 0 | 0 |
| -5 | -241 | -114 | 0 | -303 | 0 | 0 | 191 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015892203 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | no | Y | Yes | Y | 0 | 0 | 0 |

**Notes**: It was claimed that the number in theater is far being under reported in SASSY. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☐ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0357 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0357: MONITOR, PHASE

The Interim Sensor Monitoring Group is a tactical, dismounted sensor monitoring and control suite for the TRSS SoS that allows the operators to receive, decode, monitor, and report remote unattended ground sensors activity. The primary components of the Interim-SMG are an antenna subsystem, and integrated transit case assembly of networking devices and sensor communications devices as well as a sensor monitoring workstation.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 42 | 0 |
| AAO (FY17) | 42 | |
| O/H | 5 | 0 |
| Shortfall/Excess | -37 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 9 | 9 | 6 | 0 | 9 | 9 | 0 | 0 | 0 | 0 |
| 9 | 9 | 6 | 0 | 9 | 9 | 0 | 0 | 0 | 0 |
| 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -9 | -9 | -1 | 0 | -9 | -9 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015911110 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0375 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0375: GROUND RENEWABLE EX

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 613 | 0 |
| AAO (FY17) | 553 | |
| O/H | 34 | 0 |
| Shortfall/Excess | -579 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 202 | 168 | 104 | 0 | 118 | 13 | 0 | 0 | 0 | 0 |
| 168 | 146 | 100 | 8 | 118 | 13 | 0 | 0 | 0 | 0 |
| 6 | 17 | 3 | 1 | 0 | 4 | 0 | 0 | 0 | 0 |
| -196 | -151 | -101 | 1 | -118 | -9 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6117015981836 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | yes | y | i/p | y | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| | | | |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0383 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

**TAMCN A0383:**

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 180 | 0 |
| AAO (FY17) | 170 | |
| O/H | 140 | 13 |
| Shortfall/Excess | -40 | 13 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 52 | 46 | 29 | 0 | 40 | 7 | 0 | 0 | 0 | 0 |
| 49 | 45 | 23 | 3 | 40 | 7 | 0 | 0 | 0 | 0 |
| 30 | 43 | 35 | 0 | 2 | 5 | 0 | 8 | 0 | 0 |
| -22 | -3 | 6 | 0 | -38 | -2 | 0 | 8 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895016011042 | 13 | 0% | 0% | 0% | 70% | 30% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| | | | |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0413 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

**TAMCN A0413:**

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 34 | 0 |
| AAO (FY17) | 34 | |
| O/H | 96 | 36 |
| Shortfall/Excess | 62 | 36 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 6 | 6 | 6 | 0 | 8 | 8 | 0 | 0 | 0 | 0 |
| 6 | 6 | 6 | 0 | 8 | 8 | 0 | 0 | 0 | 0 |
| 5 | 5 | 4 | 0 | 0 | 2 | 0 | 44 | 0 | 0 |
| -1 | -1 | -2 | 0 | -8 | -6 | 0 | 44 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820016068590 | 36 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 36 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The TFSMS AAO is inaccurate based upon the current concept of employment in support of SPMAGTFs, etc. PM Office has been coordinating with CD&I and waiting for the change in TFSMS. The transportation cost of is far less than the $30K replacement cost.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| | | | |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0425 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0425: TERMINAL, COMM, AUTOMATED, DATA MTD (M-DACT)

The M-DACT system can provide mounted commanders with a full suite of Command & Control capabilities which include messaging, mapping, overlays, route planning, navigation and situational awareness.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 157 | 0 |
| Shortfall/Excess | 157 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 0 | 11 | 0 | 8 | 5 | 0 | 117 | 0 | 0 |
| 16 | 0 | 11 | 0 | 8 | 5 | 0 | 117 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015220639 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Goes to SPAWAR

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A0501 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0501: WORKSTATION, GEOSPATIAL INFO LIBR, DEPLOY (DGIL)OL-730/TSQ

The Topographic Production Capability (TPC) is the only Marine Corps' Family of Systems (FoS) that provides an integrated, independently deployed, self-contained Geospatial Information System (GIS) designed for data acquisition, manipulation, analysis, and dissemination, providing commanders and staff with Geospatial Information (GI) and Geographic Intelligence (GINT) support to all levels of the Marine Air Ground Task Force (MAGTF).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 68 | 0 | 16 | 16 | 8 | 0 | 16 | 12 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 66 | | 16 | 14 | 8 | 0 | 16 | 12 | 0 | 0 | 0 | 0 |
| O/H | 61 | 1 | 16 | 28 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -7 | 1 | 0 | 12 | 8 | 0 | -16 | -12 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010090004208 | 1 | 0% | 0% | 50% | 50% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |

**Notes**: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0503: SERVER, GEOSPATIAL INFO LIBR, DEPLOY (DGIL) OL-731/TSQ

This is the Deployable Geospatial Intelligence Library Server.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 21 | 0 |
| AAO (FY17) | 21 | |
| O/H | 18 | 1 |
| Shortfall/Excess | -3 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 4 | 5 | 2 | 0 | 4 | 6 | 0 | 0 | 0 | 0 |
| 4 | 5 | 2 | 0 | 4 | 6 | 0 | 0 | 0 | 0 |
| 4 | 7 | 4 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 0 | 2 | 2 | 0 | -4 | -4 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010090004210 | 1 | 0% | 0% | 50% | 50% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |

**Notes**: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0504 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0504: DTAMS

The Digital Terrain Analysis Mapping System (DTAMS), is a transportable subsystem of the Topographic Set. The DTAMS is housed within five rugged transport cases, each capable of two-man transport. Included within these five cases are Sun Spark workstations with CD ROM as well as high capacity hard disk drives and an 8 MM tape drive.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 72 | 0 |
| AAO (FY17) | 68 | |
| O/H | 69 | 1 |
| Shortfall/Excess | -3 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 16 | 17 | 9 | 0 | 14 | 11 | 0 | 0 | 0 | 0 |
| 15 | 14 | 9 | 5 | 14 | 11 | 0 | 0 | 0 | 0 |
| 12 | 24 | 18 | 7 | 0 | 3 | 0 | 1 | 0 | 0 |
| -4 | 7 | 9 | 7 | -14 | -8 | 0 | 1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6675013862679 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010090004207 | 1 | 0% | 0% | 50% | 50% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |

**Notes**: Split strategy, refer to NSN for dispo action.Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 0% |

# A0652 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0652: CONVERTER SET, FIBER OPTIC

The Converter Set, Fiber Optic, AN/GSC-54 when used with a Tactical Fiber Optic Cable Assembly (TFOCA), forms a part of the Fiber Optic Cable System (FOCS). The FOCS provides a full duplex fiber optic transmission link between a compatible pair of TRI-TAC equipment. The AN/GSC-54 and the FOCA configuration provides an optical communication link for up to 6 kilometers in length, operating at group data rates ranging from 72 kilobits per second to 4,608 kilobits per second.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 170 | 0 | 29 | 16 | 9 | 0 | 40 | 0 | 0 | 1 | 75 | 0 |
| Shortfall/Excess | 170 | 0 | 29 | 16 | 9 | 0 | 40 | 0 | 0 | 1 | 75 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6020012372218 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: DRMO in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A0806 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0806: SAT TERMINAL, MULTIBAND, LTWT (LMST) MAXI-HUB

The Lightweight Multi-Band Satellite Terminal, AN/USC-65(V), is a SHF tri-band SATCOM system that can be used as either the hub or spoke terminal in a SATCOM network. A0806 is (V) 1; A0807 is (V) 2.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 13 | 0 | 3 | 3 | 2 | 0 | 3 | 2 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 13 | | 3 | 3 | 2 | 0 | 3 | 2 | 0 | 0 | 0 | 0 |
| O/H | 11 | 0 | 3 | 3 | 2 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -2 | 0 | 0 | 0 | 0 | 0 | -2 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014959105 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Priority Item for LTI in theater before leaving theater. Commercial Depot is located at Harris Corporation in Melbourne, FL. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. DO NOT SEPARATE transit cases, ship together. If one transit is missing the weapon system will be non mission capable. A0806 (V)1 = 5 Transit Cases.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 912 | 3.6 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0807 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0807: SAT TERMINAL, MULTIBAND LTWT (LMST) MINI HUB

The AN/USC-65(V)1 and AN/USC-65(V)2 are SHF quad-band (C-band, X-band, Ku-band, and Ka-band) wideband satellite communications ground terminals. The LMST provides a smaller, lighter, modular, more flexible terminal with a hub and spoke capability. The LMST is packaged in two configurations consisting of 3 or 4 transit cases and one 2.5-meter antenna. The AN/USC65(V)1 is contained in 4 transit cases. It has the capability to simultaneously transmit two (one mission and one orderwire) communications carriers and receive seven (six mission and one orderwire) communications carriers through either the terminal's internal antenna or a user-supplied external antenna. The AN/USC-65(V)2 is contained in 3

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 37 | 0 |
| AAO (FY17) | 36 | |
| O/H | 25 | 0 |
| Shortfall/Excess | -12 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 8 | 8 | 8 | 0 | 8 | 5 | 0 | 0 | 0 | 0 |
| 8 | 7 | 8 | 0 | 8 | 5 | 0 | 0 | 0 | 0 |
| 7 | 7 | 6 | 0 | 1 | 4 | 0 | 0 | 0 | 0 |
| -1 | -1 | -2 | 0 | -7 | -1 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014959106 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Priority Item for LTI in theater before leaving theater. Commercial Depot is located at Harris Corporation in Melbourne, FL. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. DO NOT SEPARATE transit cases, ship together. If one transit is missing the weapon system will be non mission capable. A0807 (V)2 = 4 Transit Cases

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 114 | 0 | 3.5 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0808 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0808: SURVEY SYSTEM, NAVIGATION

The Navigation System, AN/GSN-14, is a man packable system designed to obtain terrain data easily in an unknown area.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 20 | 0 |
| AAO (FY17) | 20 | |
| O/H | 1 | 0 |
| Shortfall/Excess | -19 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 5 | 4 | 4 | 0 | 4 | 3 | 0 | 0 | 0 | 0 |
| 5 | 4 | 4 | 0 | 4 | 3 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| -5 | -4 | -4 | 0 | -4 | -3 | 0 | 1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6675014677441 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Need confirmation that this item will be DRMO'd. Highly pilferable - should not go down the GLOC. Do not send to MEF without being SL-3 complete.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 45 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0819 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0819: GLOBAL COMMAND AND CONTROL SYSTEM (GCCS)

The Global Command and Control System establishes a joint Command, Control, Communication, Computing, and Intelligence Surveillance Reconnaissance system to provide total battle space information to the warrior. It is a distributed client-server based architecture that incorporates a Common Operating Environment infrastructure with interfaces that support the hosting and execution of heterogeneous applications.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 6 | |
| O/H | 92 | 0 |
| Shortfall/Excess | 92 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 22 | 5 | 22 | 0 | 13 | 28 | 0 | 2 | 0 | 0 |
| 22 | 5 | 22 | 0 | 13 | 28 | 0 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010090004281 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: This equipment should resides on the Using Units Consolidated Memornadum Receipt (CMR), each units should have their own equipment. No reset because there is a scheduled refresh in FY12. Harddrives may be classified and should be removed before transport.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 26 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A0872 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0872: SERVER, INTEL OPS(IOS-OPS)

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data. The first tier, the Marine Expeditionary Force IAS (MEF IAS), is a mobile system that supports the MEF Command Element. The second tier, the Intelligence Operations Server (IOSv2), is a team portable system designed to support the Intelligence Operations of the Major Subordinate Commands (MSC). The third tier, the Intelligence Operations Workstation (IOW), serves as the Intelligence link for the battalion and squadron commands to higher headquarters or as a stand-alone system.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 325 | 0 | 47 | 44 | 39 | 0 | 17 | 161 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 327 | | 47 | 45 | 40 | 5 | 17 | 161 | 0 | 0 | 0 | 0 |
| O/H | 223 | 0 | 55 | 44 | 51 | 0 | 21 | 37 | 0 | 14 | 0 | 0 |
| Shortfall/Excess | -102 | 0 | 8 | 0 | 12 | 0 | 4 | -124 | 0 | 14 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014824470 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 5895015711777 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5895090004283 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 7010015711777 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This equipment should resides on the Using Units Consolidated Memornadum Receipt (CMR), each units should have their own equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A0873 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0873: AN/UYQ-91A(V)2

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 31 | 0 | 5 | 5 | 8 | 0 | 2 | 10 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 33 | | 5 | 6 | 9 | 1 | 2 | 10 | 0 | 0 | 0 | 0 |
| O/H | 88 | 0 | 13 | 18 | 20 | 1 | 11 | 10 | 0 | 15 | 0 | 0 |
| Shortfall/Excess | 57 | 0 | 8 | 13 | 12 | 1 | 9 | 0 | 0 | 15 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014824634 | 0 | 0% | 0% | 50% | 50% | 0% | 0% | NO | NO | No | No | no | No | Yes | No | 0 | 0 | 0 |
| 5895090004191 | 0 | 0% | 0% | 50% | 50% | 0% | 0% | NO | NO | No | No | no | No | Yes | No | 0 | 0 | 0 |
| 5895090004424 | 0 | 0% | 0% | 50% | 50% | 0% | 0% | NO | NO | No | No | no | No | Yes | No | 0 | 0 | 0 |

**Notes**: Maintenance done by CLS through the MEFs. Water may damage system electronics. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and preventative maintenance assessment. Provide systems to CLS for all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 8 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0874 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0874: AN/UYQ-88(V)2

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,701 | 0 | 601 | 559 | 370 | 0 | 323 | 492 | 0 | 159 | 0 | 0 |
| AAO (FY17) | 2,730 | | 580 | 571 | 384 | 129 | 347 | 492 | 0 | 159 | 0 | 0 |
| O/H | 3,814 | 28 | 946 | 932 | 466 | 171 | 190 | 954 | 0 | 92 | 0 | 0 |
| Shortfall/Excess | 1,113 | 28 | 345 | 373 | 96 | 171 | -133 | 462 | 0 | -67 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015806326 | 0 | 0% | 0% | 50% | 50% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |
| 7010090004323 | 28 | 0% | 0% | 50% | 50% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 14 | 0 |

**Notes**: This systems has received a complete technology refresh in the last year and all units have been fielded their AAO. Any mission capable systems will be returned to Engineering Support Activity for re-distribution. Water may damage system electronics. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and preventative maintenance assessment. Provide systems to CLS for all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 5 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0878 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0878: EXPLOITATION WORKSTATION

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 32 | 0 |
| AAO (FY17) | 32 | |
| O/H | 5 | 0 |
| Shortfall/Excess | -27 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 8 | 8 | 8 | 0 | 0 | 8 | 0 | 0 | 0 | 0 |
| 8 | 8 | 8 | 0 | 0 | 8 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 |
| -8 | -8 | -8 | 0 | 0 | -8 | 0 | 5 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895090000310 | 0 | 0% | 0% | 50% | 50% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |
| 5895090004451 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Split strategy, refer to NSN for dispo action.Depot level maintenance will be done at SPAWAR through the MEFs. The NSN ending in 4451 is obsolete and should be DRMO'd. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 11 | 0.1 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0879 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0879: EXPLOITATION GROUP, TACTICAL, MAIN (TEG-M)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 4 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 4 | | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| O/H | 3 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -1 | 0 | 0 | 0 | 0 | 0 | 0 | -1 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015774129 | 0 | 0% | 0% | 50% | 50% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |

**Notes**: DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filt

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 217591 | 18.9 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0880 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0880: AN/UPX-37 INTERROGATOR SET

The Interrogator, Digital, AN/UPX-37 Identification Friend or Foe (IFF) Interrogator has replaced the AN/UPX-27 IFF Interrogators. It will be used for Mark XII and Next Generation IFF processing including Mode S and Mode 5. Its modular/digital architecture affords customized configurations and performance optimization for most applications including Air Defense, Weapon Systems, Air Traffic Control and Range Instrumentation. Digital target reports can be provided in addition to wide band video for subsequent passive/active decoding.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 48 | 0 | 10 | 10 | 7 | 0 | 8 | 13 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 48 | | 10 | 10 | 7 | 0 | 8 | 13 | 0 | 0 | 0 | 0 |
| O/H | 34 | 0 | 4 | 3 | 5 | 0 | 6 | 12 | 0 | 4 | 0 | 0 |
| Shortfall/Excess | -14 | 0 | -6 | -7 | -2 | 0 | -2 | -1 | 0 | 4 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014605448 | 0 | 0% | 75% | 0% | 25% | 0% | 0% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 0 |

**Notes**: MEF will control and will get support from Tobyhanna Army Depot if necessary. Unit normally remains in environmentally controlled shelter. USN/PMA 213 is Program Manager for the UPX-37 Interrogator.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 8 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0882 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0882: JT TACT INFO DISTR SYS (JTIDS)

The Class 2 JTIDS radio terminal is a multi-microprocessor controlled system combining radio, modem, message processor, and message switching system. The JTIDS terminal operates between 960 and 1215 MHz, frequency hopping 77,000 times per second. The JTIDS employs direct sequence frequency spreading as a further anti-jamming measure. The terminal is capable of data transfer at a rate of 115,000 bps and transmit power of 200 watts.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 18 | 0 | 3 | 3 | 2 | 0 | 3 | 7 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 18 | | 3 | 3 | 2 | 0 | 3 | 7 | 0 | 0 | 0 | 0 |
| O/H | 22 | 0 | 3 | 2 | 2 | 0 | 3 | 11 | 0 | 1 | 0 | 0 |
| Shortfall/Excess | 4 | 0 | 0 | -1 | 0 | 0 | 0 | 4 | 0 | 1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820014421073 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Return item to owning unit but take out of service until maintenance is completed. Item must be put through maintenance before placing into service at owning unit. Cannot be DRMO'd in theater. DO NOT POWER WASH. Item contains sensitive electronics, radios, computers, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0892 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0892: FASCIMILE SET, BLACKJACK

The Blackjack Facsimile Set, AN/UXC-10 is a self-contained, portable, rugged tactical multifunctional system for use in harsh field environments. It withstands the toughest military applications, allowing installation in tracked and wheeled vehicles, aircraft and ships. AN/UXC-10 receives/sends data at 64 kbps-transmission rate and provides photographic quality imagery far superior to typical half tones dithered technology. The AN/UXC-10 is a North Atlantic Treaty Organization/Military standard digital facsimile, scanner, printer, and copier.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 82 | 0 | 25 | 23 | 15 | 0 | 16 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 66 | 0 | 27 | 13 | 15 | 0 | 10 | 0 | 0 | 0 | 1 | 0 |
| Shortfall/Excess | -16 | 0 | 2 | -10 | 0 | 0 | -6 | 0 | 0 | 0 | 1 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5815014787095 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A0905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0905: DIGITAL IMAGING SET

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 238 | 0 | 35 | 35 | 31 | 0 | 55 | 34 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 225 | | 30 | 30 | 28 | 48 | 55 | 34 | 0 | 0 | 0 | 0 |
| O/H | 315 | 1 | 35 | 41 | 26 | 72 | 67 | 38 | 0 | 28 | 0 | 0 |
| Shortfall/Excess | 77 | 1 | 0 | 6 | -5 | 72 | 12 | 4 | 0 | 28 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014200425 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 6760090004316 | 1 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This equipment was refereshed within the past 2 years and the reset of these assets is already paid for through SPAWAR. The $100 transportation cost is far less than the replacement cost of $1,500 and these assets can be used for long-term sustainment of the AAO.Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# A0907 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0907: DIGITAL CAMERA SUITE ADV NV

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 437 | 0 | 93 | 89 | 69 | 0 | 115 | 23 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 391 | | 74 | 71 | 60 | 48 | 115 | 23 | 0 | 0 | 0 | 0 |
| O/H | 401 | 3 | 85 | 125 | 9 | 64 | 99 | 2 | 0 | 4 | 0 | 0 |
| Shortfall/Excess | -36 | 3 | -8 | 36 | -60 | 64 | -16 | -21 | 0 | 4 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6720016076672 | 3 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6760090004309 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This TAMCN is currently in its refresh cycle, therefore if any are returned non mission capable, they should be Demil'd and DRMO'd. There is no requirement to return the obsolete gear back to the unit. When the unit returns to their home station, they will receive their refreshed equipment. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# A0908 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0908: PRODUCTION SUITE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 109 | 0 | 21 | 20 | 15 | 0 | 25 | 7 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 102 | | 18 | 17 | 14 | 21 | 25 | 7 | 0 | 0 | 0 | 0 |
| O/H | 280 | 0 | 48 | 27 | 25 | 101 | 48 | 8 | 0 | 22 | 0 | 0 |
| Shortfall/Excess | 171 | 0 | 27 | 7 | 10 | 101 | 23 | 1 | 0 | 22 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6760090004315 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# A0909 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0909: COMPUTER SYSTEM, DIG

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 459 | 0 | 93 | 89 | 69 | 0 | 115 | 45 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 413 | | 74 | 71 | 60 | 48 | 115 | 45 | 0 | 0 | 0 | 0 |
| O/H | 605 | 3 | 115 | 128 | 45 | 85 | 144 | 38 | 0 | 47 | 0 | 0 |
| Shortfall/Excess | 146 | 3 | 22 | 39 | -24 | 85 | 29 | -7 | 0 | 47 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895090004314 | 3 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 3 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 4 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# A0910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0910: BASE STATION WS/COMM INTERFACE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 235 | 0 | 50 | 46 | 34 | 0 | 57 | 27 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 216 | | 42 | 39 | 30 | 21 | 57 | 27 | 0 | 0 | 0 | 0 |
| O/H | 239 | 1 | 48 | 36 | 17 | 73 | 41 | 23 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 4 | 1 | -2 | -10 | -17 | 73 | -16 | -4 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895090004307 | 1 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **SPAWAR** |
| if | **Not Mission Capable MEF** | then | **SPAWAR** |
| if | **Not Mission Capable** | then | **SPAWAR** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A0921 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0921: TELECOMMUNICATIONS EQUIP, AN/TSQ-226(V)1 (TROJAN LITE)

The Trojan Lite is a man-transportable transit case providing a flyaway intelligence dissemination capability and voice and data connectivity from Marine Expeditionary Units or Brigades to the Marine Expeditionary Forces.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 31 | 0 | 9 | 9 | 7 | 0 | 1 | 5 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 31 | | 9 | 9 | 7 | 0 | 1 | 5 | 0 | 0 | 0 | 0 |
| O/H | 33 | 1 | 7 | 6 | 5 | 0 | 0 | 3 | 0 | 10 | 0 | 0 |
| Shortfall/Excess | 2 | 1 | -2 | -3 | -2 | 0 | -1 | -2 | 0 | 10 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015036100 | 1 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 1 | 0 | 0 |

**Notes**: Depot level maintenance is performed at regional depots, and, if necessary, will be sent via MCLC. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory, notify PG-12/PMM123 for maintenance, a

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 1.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A0932 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A0932: INTELLIGENCE/OPERATIONS WORKSTATION AN/UYQ88

This workstation consists of the following:
1. Designated UNIX server is the Intelligence Operations Server Version 1 (IOS V1)
2. Designated Windows workstation is the Intelligence Operations Workstation Version 1 (IOW V1)

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 1,462 | 0 |
| AAO (FY17) | 1,370 | |
| O/H | 1,820 | 10 |
| Shortfall/Excess | 358 | 10 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 281 | 265 | 211 | 0 | 150 | 466 | 0 | 0 | 0 | 0 |
| 226 | 232 | 209 | 28 | 148 | 466 | 0 | 0 | 0 | 0 |
| 533 | 400 | 368 | 55 | 107 | 220 | 0 | 119 | 0 | 0 |
| 252 | 135 | 157 | 55 | -43 | -246 | 0 | 119 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010014600494 | 10 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 10 |
| 7010015753698 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010090000931 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A1078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1078: MULTIPLEXER

The Radio Repeater Set, AN/GRQ-32 is a sensor communications relay that enables communication between deployed sensors and monitoring sites when radio Line of Sight is precluded by terrain. This system provides the capability to transmit real-time sensor activation data to the Sensor Mobile Monitor System, the Signal Data Recorder, and the Portable Monitor; or to receive, store, and upon command from the monitoring site, re-transmit the stored sensor data.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 44 | 0 | 6 | 2 | 7 | 0 | 1 | 0 | 0 | 0 | 27 | 0 |
| Shortfall/Excess | 44 | 0 | 6 | 2 | 7 | 0 | 1 | 0 | 0 | 0 | 27 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820011452458 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Disposal Plan 08792A is published with disposal actions starting in 3rd quarter FY12.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A1214 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1214: PANEL, PATCHING, COMMUNICATION

The Panel, Patching, Communications, SB-4097/U, is designed for field use with the 26-pair system to provide patching, monitoring, and testing of up to 156 each two-wire circuits.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 5 | 0 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 5 | 0 | 2 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895011022100 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Disposal Plan 08229A is published with disposal actions starting in 4th quarter FY12.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 34 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A1220 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1220: RADIO RECON EQUIPMENT, S

The RREP SS-3 consists of the following key components: a Special Purpose Receiver, XR2000, AR-8200, MJ-08 and HIDRAH. Additionally the SS-3 has semi rugged laptop computers for control and communication, and a series of wiring harnesses for LAN and power connectivity.

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 42 | 0 | 9 | 6 | 8 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 42 | | 9 | 6 | 8 | 18 | 0 | 1 | 0 | 0 | 0 | 0 |
| O/H | 31 | 0 | 7 | 6 | 6 | 11 | 0 | 0 | 0 | 1 | 0 | 0 |
| Shortfall/Excess | -11 | 0 | -2 | 0 | -2 | 11 | 0 | -1 | 0 | 1 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820015249479 | 0 | 0% | 0% | 30% | 70% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |

**Notes**: Depot level maintenance will occure at NSWC Crane, send these items to MCLC so maintenance can be coordinated with the OEM. DO NOT POWER WASH. Item contains sensitive electronics, radios, computers, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of supply support needed.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 30 | 0.1 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A1221 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1221: MONITOR, PORTABLE, HAND HELD, AN/USQ-121

Tactical Remote Sensor Systems (TRSS) are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area. At a minimum, TRSS is capable of detecting human activity and/or the presence and movement of vehicles, providing real time, near-real time, or non-real time monitoring of sensors ashore and/or over the horizon. Monitoring equipment is lightweight and mobile to support fast-moving amphibious and expeditionary operations. Individual sensors can be emplaced by air or ground forces. Sensors and relays have sufficient power sources to operate continuously for 30 days.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 237 | 0 |
| AAO (FY17) | 237 | |
| O/H | 113 | 0 |
| Shortfall/Excess | -124 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 54 | 54 | 36 | 0 | 54 | 39 | 0 | 0 | 0 | 0 |
| 54 | 54 | 36 | 0 | 54 | 39 | 0 | 0 | 0 | 0 |
| 29 | 38 | 21 | 0 | 14 | 5 | 0 | 2 | 0 | 0 |
| -25 | -16 | -15 | 0 | -40 | -34 | 0 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7035015218607 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |

**Notes**: The MEFs SSP are the field level maintainers of this equipment, otherwise send to LOGCOM for repair or disposal. This is electronic gear and should not be agriculturally washed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A1225 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1225: NETWORK MANAGER, EPLRS

ENM is a software program capable of running on virtually any Pentium computer. The EPLRS Project Office has opted to acquire and field this software aboard a suite of equipment based upon the MCHS ruggedized Panasonic Tough Book model 28/29 laptop computer. The suite also includes a printer, sheet feeder, GPIB, and assorted other accessories all housed for transport in a single high impact plastic transit suitcase.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 165 | 0 | 40 | 34 | 20 | 0 | 24 | 47 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 165 | | 40 | 34 | 20 | 0 | 24 | 47 | 0 | 0 | 0 | 0 |
| O/H | 136 | 0 | 22 | 41 | 22 | 0 | 19 | 27 | 0 | 4 | 0 | 0 |
| Shortfall/Excess | -29 | 0 | -18 | 7 | 2 | 0 | -5 | -20 | 0 | 4 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895090002382 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | N | No | N | 0 | 0 | 0 |

**Notes**: Use no water. Clean computers and components in accordance with technical manuals.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A1260 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1260: NAVIGATION SET, SATELLITE SIGNALS, AN/PSN-13 DAGR

The DAGR is a lightweight, hand-held, self-contained, SAASM based GPS receiver. It provides Position, Velocity, Navigation, and Timing (PVNT) data using the GPS dual-frequency (L1/L2) Precise Positioning Service(PPS) for vehicular, hand-held, sensor and gun laying applications.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 11,551 | 0 | 2,108 | 1,970 | 1,120 | 0 | 1,595 | 1,017 | 0 | 512 | 21 | 0 |
| AAO (FY17) | 11,187 | | 1,954 | 1,776 | 1,140 | 3,192 | 1,567 | 1,009 | 0 | 512 | 21 | 0 |
| O/H | 19,432 | 170 | 3,782 | 3,134 | 1,548 | 2,432 | 1,698 | 1,208 | 0 | 5,158 | 132 | 20 |
| Shortfall/Excess | 7,881 | 170 | 1,674 | 1,164 | 428 | 2,432 | 103 | 191 | 0 | 4,646 | 111 | 20 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5825013953513 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 5825015168038 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 5825015264783 | 170 | 25% | 75% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 170 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The DAGR systems contain an embedded chip set known as Selective Availability Anti-Spoofing Modulue (SAASM) that must be demilitarized at the designated depot which is Rockwell Collins. Rockwell Collins performs repairs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. All information for identified TAMCN A1260 is DAGR; PLGR is obsolete. Must be zeroized IAW TM 09880C-OR. Pack individually IAW MILSTD to avoid damage.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A1500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1500: RADAR SET, AN/TPS-63B

The AN/TPS-63 is a two dimensional,medium range, medium altitude, transportable air surveillance radarsystem that supports the MAGTF. TheAN/TPS-63B Radar complements theco-employed AN/TPS-59(V)3 LongRange Radar

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 13 | 0 |
| AAO (FY17) | 13 | |
| O/H | 14 | 0 |
| Shortfall/Excess | 1 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 2 | 2 | 2 | 0 | 2 | 3 | 0 | 2 | 0 | 0 |
| 2 | 2 | 2 | 0 | 2 | 3 | 0 | 2 | 0 | 0 |
| 1 | 1 | 1 | 0 | 1 | 3 | 0 | 7 | 0 | 0 |
| -1 | -1 | -1 | 0 | -1 | 0 | 0 | 5 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5840013550092 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Item will be updated at the MEF. The AN/TPS-63 Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 6.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A1503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1503: RADAR, AN/TPS-59(V3)

The AN/TPS-59(V)3 RADAR system is the Marine Corps' only long-range, 3-D, air surveillance, Tactical Ballistic Missile (TBM) capable RADAR. The AN/TPS-59(V)3 RADAR system is a transportable, solid-state, L band RADAR.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 11 | 0 | 2 | 2 | 2 | 0 | 2 | 2 | 0 | 1 | 0 | 0 |
| AAO (FY17) | 11 | | 2 | 2 | 2 | 0 | 2 | 2 | 0 | 1 | 0 | 0 |
| O/H | 11 | 0 | 2 | 2 | 2 | 0 | 1 | 2 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | 0 | 0 | 0 | 0 | 0 | 0 | -1 | 0 | 0 | 1 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5840014129653 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |
| 5840015840224 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | yes | no | no | no | 0 | 0 | 0 |

**Notes**: Rotation plan is: two years deployed and then go through LOGCOM to Tobyhanna Army Depot. The AN/TPS-59 Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna Transiever Group or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 4.4 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A1520 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1520: COMMON GROUND STATION (CGS)

Radar System Attack Target JT, AN/TSQ-179B(V)2

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 4 | 0 |
| AAO (FY17) | 4 | |
| O/H | 3 | 0 |
| Shortfall/Excess | -1 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | -1 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865014374914 | 0 | 0% | 0% | 50% | 50% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |

**Notes**: Depot maintenance is performed at Tobyhanna Army Depot. DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. The system will be secured and should not be opened. Use compressed air and a vacuum to dust and clean any exterior areas. Damp rags may be used to wipe exterior areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, Tobyhanna Army Depot needs to complete a detailed inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic depot level maintenance required.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1081 | 4.7 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A1818 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1818: RADIO SET

The AN/GRC-171B(V)4 is a UHF transceiver designed for ground mobile or shipboard installation and operations. This radio set is a modular design which contains Built-In-Test features and has an integral guard receiver.

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 127 | 0 | 17 | 17 | 15 | 0 | 17 | 61 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 127 | | 17 | 17 | 15 | 0 | 17 | 61 | 0 | 0 | 0 | 0 |
| O/H | 259 | 0 | 17 | 19 | 16 | 0 | 18 | 65 | 0 | 124 | 0 | 0 |
| Shortfall/Excess | 132 | 0 | 0 | 2 | 1 | 0 | 1 | 4 | 0 | 124 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820013268947 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. System is not excess to USMCDO NOT POWER WASH. Radio contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A1956 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1956: KIT, MAINT, ELECTRONIC EQUIPMENT

The Mk-2713/MRC-142 is a module/CCA set for fault isolation of Radio Set AN/MRC-142 to the lowest reparable unit.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 26 | 0 | 2 | 3 | 3 | 0 | 1 | 0 | 0 | 17 | 0 | 0 |
| Shortfall/Excess | 26 | 0 | 2 | 3 | 3 | 0 | 1 | 0 | 0 | 17 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895013649337 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | N | No | N | 0 | 0 | 0 |

**Notes**: Depot maintenance is done at SPAWAR, Charleston via the MEFs. Use no water. Clean radios and components in accordance with technical manuals.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A1957 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1957: RADIO SET

The AN/MRC-145A is an AN/VRC-92D Radio Set mounted in a 1/4 ton HMMWV, M998. It provides two-way FM transmitting and receiving facilities in the very high frequency band.

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 1,435 | 0 |
| AAO (FY17) | 1,156 | |
| O/H | 1,227 | 0 |
| Shortfall/Excess | -208 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 378 | 313 | 191 | 0 | 299 | 55 | 0 | 0 | 196 | 0 |
| 339 | 283 | 190 | 0 | 286 | 55 | 0 | 0 | 0 | 0 |
| 298 | 290 | 163 | 0 | 220 | 68 | 0 | 29 | 157 | 0 |
| -80 | -23 | -28 | 0 | -79 | 13 | 0 | 29 | -39 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820013618536 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | N | No | N | 0 | 0 | 0 |
| 5820014318931 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | N | No | N | 0 | 0 | 0 |

**Notes**: This is not a system that is currently being actively fielded, all dispositions are the responsibility of the LOGCOM Material Manager. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 115 | 0 | 3.8 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A1958 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A1958: KIT, MAINT, ELECTRONIC EQUIPMENT

The MK-2745/MRC-142 is used to assist in isolating failures with in the Radio Set, AN/MRC-142.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 28 | 0 | 6 | 1 | 5 | 0 | 2 | 0 | 0 | 14 | 0 | 0 |
| Shortfall/Excess | 28 | 0 | 6 | 1 | 5 | 0 | 2 | 0 | 0 | 14 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895013695560 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | N | No | N | 0 | 0 | 0 |

**Notes**: Depot maintenance is done at SPAWAR, Charleston via the MEFs. Use no water. Clean radios and components in accordance with technical manuals.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 7 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A2042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2042: RADIO SET, HIGH FREQUENCY, MANPACK, AN/PRC-150

The AN/PRC-150 provides half duplex HF and VHF tactical radio communications. It provides voice or data (using a modem) through Single Sideband modulation selectable for either USB or LSB. The AN/PRC-150 is capable of ALE compatible with MILSTD-188-141A ALE for frequency analysis. The AN/PRC-150s 20 watt power output is provided by either battery or external electrical power. Transmission security is provided through its embedded Type 1 encryption.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 4,549 | 0 | 961 | 916 | 528 | 0 | 828 | 649 | 0 | 0 | 238 | 0 |
| AAO (FY17) | 4,406 | | 914 | 872 | 568 | 391 | 755 | 630 | 0 | 0 | 238 | 0 |
| O/H | 6,576 | 17 | 1,203 | 1,186 | 682 | 505 | 854 | 680 | 0 | 1,065 | 306 | 0 |
| Shortfall/Excess | 2,027 | 17 | 242 | 270 | 154 | 505 | 26 | 31 | 0 | 1,065 | 68 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820014787615 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | no | N | No | N | 0 | 0 | 0 |
| 5820014923628 | 17 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | Y | No | Y | 0 | 17 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. NSN 3628 is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.NSN 5820-01-478-7615 is obsolete and should not contain crypto so can be DRMO'd in theater. Other NSNs DO contain crypto. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☐ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2043: RADIO SET, MULTIBAND (URBAN) AN/PRC-148V2

The THHR is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz (AM & FM) frequency spectrum. Initially used by recon & infantry units (platoon, squad, & team), the system later served as a lightweight alternative to the AN/PRC-119 and can be configured for handheld (AN/PRC-148) or vehicular (AN/VRC-111) applications. The AN/PRC-148 contains embedded Type I COMSEC and is interoperable with SINCGARS and HAVEQUICK II in the single-channel and the ECCM frequency hopping modes.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 5,628 | 0 | 1,131 | 1,419 | 842 | 0 | 1,254 | 948 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 5,089 | | 1,142 | 1,308 | 805 | 0 | 1,052 | 748 | 0 | 0 | 0 | 0 |
| O/H | 5,838 | 0 | 1,512 | 1,740 | 732 | 3 | 816 | 403 | 0 | 531 | 0 | 0 |
| Shortfall/Excess | 210 | 0 | 381 | 321 | -110 | 3 | -438 | -545 | 0 | 531 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810014601607 | 0 | 0% | 50% | 0% | 50% | 0% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 5810090000353 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | N | No | N | 0 | 0 | 0 |
| 5820012868792 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 5820014601605 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2044: RADIO SET, MULTIBAND (MARITIME) AN/PRC-148

The Tactical Handheld Radio, AN/PRC-148, is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz frequency spectrum.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 4,442 | 0 | 585 | 561 | 389 | 0 | 755 | 117 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 4,165 | | 484 | 460 | 314 | 2,035 | 755 | 117 | 0 | 0 | 0 | 0 |
| O/H | 4,001 | 49 | 573 | 570 | 515 | 1,885 | 268 | 63 | 0 | 78 | 0 | 0 |
| Shortfall/Excess | -441 | 49 | -12 | 9 | 126 | 1,885 | -487 | -54 | 0 | 78 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810090000354 | 10 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | EDA | Yes | no | N | No | N | 0 | 10 | 0 |
| 5820015729367 | 39 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | N | No | N | 0 | 39 | 0 |

**Notes**: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2065: RADIO SET, F/LVTC7

The Radio Set AN/PRC-104 and AN/PRC-104B(V) are lightweight portable HF/SSB transceivers. Each Radio Set has adaptable configurations and is man-portable, vehicular and airborne.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 105 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 100 | 0 | 0 |
| Shortfall/Excess | 105 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 100 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820010279071 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | no | Y | No | Y | 0 | 0 | 0 |

**Notes**: Follow in accordance to the Disposal Plan.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A2068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2068: RADIO SET, MULTIBAND, FALCON II, AN/PRC-117F

A family of Joint Multi-Radio/Multi-Mode, Software-Defined, Reprogrammable Tactical Radio Systems. Provides high capacity LOS and BLOS plain and secure voice, data, and video while operating in frequency bands from 2 MHz to 2 GHz. Provides network connectivity across the RF spectrum and supports tactical digital information exchanges. JTRS includes the WNW to support the networked communication requirements of the warfighter not achievable with today's systems.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 8,630 | 0 | 1,893 | 1,759 | 1,165 | 0 | 1,763 | 1,164 | 0 | 0 | 222 | 0 |
| AAO (FY17) | 8,023 | | 1,708 | 1,606 | 1,080 | 566 | 1,598 | 1,147 | 0 | 0 | 222 | 0 |
| O/H | 9,018 | 180 | 2,362 | 2,238 | 1,352 | 444 | 974 | 892 | 0 | 230 | 246 | 1 |
| Shortfall/Excess | 388 | 180 | 469 | 479 | 187 | 444 | -789 | -272 | 0 | 230 | 24 | 1 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820014622484 | 180 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | N | No | N | 0 | 180 | 0 |
| 5820015210291 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.Recommendation is to back fill the units that have an AAO deficiency, with current back order resident in WOLPH. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☐ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2070: RADIO SET, MANPACK, AN/PRC-119A

The Radio Set, AN/PRC-119A, operates as a ground based manpack radio for tactical communication of voice-frequency FSK or digital data. Communication can be secured and/or frequency hopped for COMSEC or ECCM purposes.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 1,790 | 0 | 508 | 483 | 95 | 0 | 411 | 144 | 0 | 2 | 58 | 0 |
| Shortfall/Excess | 1,790 | 0 | 508 | 483 | 95 | 0 | 411 | 144 | 0 | 2 | 58 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820012679482 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | no | N | No | N | 0 | 0 | 0 |

**Notes**: Although this item is listed as obsolete, a number are being brought home and converted to A2079. For those in unserviceable condition, DRMO in theater. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A2073 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2073: RADIO SET

The Radio Set, Manpack, AN/PRC-119D operates as a ground-based manpack radio for tactical communication ofvoice frequency, Frequency Shift Keying (FSK), or digital data. Communication can be secured and/or frequencyhopped for Communications Security (COMSEC) or Electronic Counter-Countermeasures (ECCM) purposes. TheAN/PRC-119D incorporated the technological advances of the RT-1523C(C)/U to support enhanced transmissionand reception of synchronous and asynchronous data. RT-1523C(C)/U has a internalmounted options for a Global Positioning System (GPS) receiver and a Network Access Unit (NAU).



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 269 | 0 | 105 | 40 | 50 | 0 | 8 | 63 | 0 | 1 | 0 | 0 |
| Shortfall/Excess | 269 | 0 | 105 | 40 | 50 | 0 | 8 | 63 | 0 | 1 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: PMO-23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820013636929 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | UNK | No | No | No | N | No | 0 | 0 | 0 |
| 5820014210801 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | no | N | No | N | 0 | 0 | 0 |

**Notes**: Item is listed as obsolete. For those in theater, send to MCLC in order to be DRMOed. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A2074 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2074: RADIO SET, VEH

The Radio Set, AN/VRC-88D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 55 | 0 | 15 | 17 | 5 | 0 | 15 | 1 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 55 | 0 | 15 | 17 | 5 | 0 | 15 | 1 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820013521694 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | no | N | No | N | 0 | 0 | 0 |

**Notes**: Item is listed as obsolete, but is still used in the ambulances. Item is considered CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A2075 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2075: RADIO SET, VEH

The Radio Set, AN/VRC-89D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 1,339 | 0 | 390 | 456 | 27 | 0 | 109 | 93 | 0 | 85 | 161 | 18 |
| Shortfall/Excess | 1,339 | 0 | 390 | 456 | 27 | 0 | 109 | 93 | 0 | 85 | 161 | 18 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820014206619 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | no | N | No | N | 0 | 0 | 0 |

**Notes**: Item is listed as obsolete, but is still used in Tanks, AAVs, and LAVs, and will be returned to the MEFs. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A2077 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2077: RADIO SET, VEHICULAR

The AN/VRC-91 adds the components needed to operate as a manpack radio; otherwise, it is identical to the AN/VRC-89. It does not replace any similar single radio set. The closest configuration would be a combination of a manpack (AN/PRC-77) radio and a vehicular radio (AN/VRC-43 or AN/VRC-46) kept in the same vehicle.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 119 | 0 |
| Shortfall/Excess | 119 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 30 | 8 | 0 | 0 | 0 | 0 | 74 | 0 | 0 |
| 7 | 30 | 8 | 0 | 0 | 0 | 0 | 74 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820014206621 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | no | N | No | N | 0 | 0 | 0 |

**Notes**: Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A2078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2078: RADIO SET, VEHICULAR

The Radio Set, AN/VRC-92D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 192 | 0 | 63 | 39 | 29 | 0 | 52 | 9 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 164 | | 55 | 35 | 27 | 0 | 38 | 9 | 0 | 0 | 0 | 0 |
| O/H | 781 | 7 | 169 | 156 | 56 | 0 | 87 | 31 | 0 | 75 | 191 | 9 |
| Shortfall/Excess | 589 | 7 | 106 | 117 | 27 | 0 | 35 | 22 | 0 | 75 | 191 | 9 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820014212605 | 7 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | no | N | No | N | 0 | 7 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A2079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2079: RADIO SET, MANPACK

The Radio Set, Manpack, AN/PRC-119F operates as a ground-based manpack radio for tactical communication ofvoice frequency, Frequency Shift Keying (FSK), or digital data. Communication can be secured and/or frequencyhopped for Communications Security (COMSEC) or Electronic Counter-Countermeasures (ECCM) purposes. TheAN/PRC-119F incorporated the technological advances of the RT-1523E(C)/U to support enhanced transmissionand reception of synchronous and asynchronous data. RT-1523E(C)/U improvements include substantial decreasein physical size and weight, an embedded battery box for manpack operation, extended battery life and internalmounted options for a Global Positioning System (GPS)

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,785 | 0 | 616 | 583 | 367 | 0 | 672 | 547 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 4,178 | 8 | 1,144 | 1,110 | 437 | 1 | 839 | 549 | 0 | 66 | 0 | 0 |
| Shortfall/Excess | 1,393 | 8 | 528 | 527 | 70 | 1 | 167 | 2 | 0 | 66 | 0 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820014441219 | 0 | 0% | 0% | 0% | 0% | 0% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 5820014518252 | 8 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | N | No | N | 0 | 8 | 0 |
| 5820015353667 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.Recommendation is to back fill the units. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit need to complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☐ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2152: RADIO SET, EPLRS AN/VSQ2C

EPLRS currently consists of an ENM and radios that can be configured for man-pack or various ground platforms use. The AN/VSQ-2D(V)1 is a Data Net Radio that provides secure, jam-resistant radio frequency connectivity and positional location capabilities to the user. The main components of the Radio Set are a RT (RT-1720_(C)/G), an EDPA, a URO device for entering and receiving messages, and the appropriate installation kit for the platform from which it is to be operated. The ENM is a ruggedized laptop-based software program used to establish, monitor and maintain the EPLRS network. The ENM replaces the Enhanced Downsized Net Control Station that was initially fielded with the EPLRS. The ENM offers increased capability and

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,477 | 0 | 428 | 361 | 187 | 0 | 364 | 137 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 1,384 | | 399 | 304 | 180 | 0 | 364 | 137 | 0 | 0 | 0 | 0 |
| O/H | 1,838 | 0 | 601 | 528 | 191 | 1 | 278 | 160 | 0 | 60 | 14 | 1 |
| Shortfall/Excess | 361 | 0 | 173 | 167 | 4 | 1 | -86 | 23 | 0 | 60 | 14 | 1 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PMO-23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820014628411 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | no | N | No | N | 0 | 0 | 0 |
| 5820015141408 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | UNK | No | No | No | N | No | 0 | 0 | 0 |

**Notes**: Use no water. Clean radios and components in accordance with technical manuals.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2167 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2167: RADIO SET, VEH

The Radio Set, AN/VRC-88A, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 43 | 0 |
| Shortfall/Excess | 43 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 6 | 7 | 0 | 18 | 8 | 0 | 0 | 0 | 0 |
| 4 | 6 | 7 | 0 | 18 | 8 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820012679481 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | no | N | No | N | 0 | 0 | 0 |

**Notes**: Item is obsolete and disposal plan is in place, however, item may be able to be cannibalized in CONUS if serviceable. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A2168 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2168: RADIO SET, VEH

AN/VRC-89A is a tactical, long-range/short-range vehicular radio for tactical communications of voice-frequency, frequency shift keying or digital data. Communication can be secured and/or frequency hopped for communications security or electronic counter counter-measure purposes. The AN/VRC-89A capabilities have been replaced by the AN/VRC-89D and exceeded by several other radio systems. This is not a one-for-one exchange with any other radio system. The AN/VRC-89A has become obsolete with the fielding of the AN/VRC-89D, AN/VRC-103, AN/VRC-114 and AN/VRC-110 radio systems.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 548 | 0 | 310 | 29 | 52 | 0 | 11 | 2 | 0 | 0 | 126 | 14 |
| Shortfall/Excess | 548 | 0 | 310 | 29 | 52 | 0 | 11 | 2 | 0 | 0 | 126 | 14 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820012679479 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | no | N | No | N | 0 | 0 | 0 |

**Notes**: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A2169 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2169: RADIO SET, VEHICULAR

The Legacy SINCGARS AN/VRC-90A radio is equipped with a power amplifier, and is used for long-range communications (up to 35 km).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 225 | 2 | 64 | 54 | 5 | 0 | 20 | 30 | 0 | 0 | 44 | 6 |
| Shortfall/Excess | 225 | 2 | 64 | 54 | 5 | 0 | 20 | 30 | 0 | 0 | 44 | 6 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820012685105 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | no | N | No | N | 0 | 2 | 0 |

**Notes**: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A2171 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2171: RADIO SET, VEH

The AN/VRC-92A is a tactical, long-range/short-range vehicular radio for tactical communications of voice-frequency, frequency shift keying or digital data. Communication can be secured and/or frequency hopped for communications security or electronic counter countermeasure purposes. The AN/VRC-92A capabilities have been replaced by the AN/VRC-92D and exceeded by several other radio systems. The AN/VRC-92A has become obsolete with the fielding of the AN/VRC-92D, AN/VRC-103, AN/VRC-114, and AN/VRC-110 radio systems.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 60 | 0 |
| Shortfall/Excess | 60 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 41 | 2 | 0 | 0 | 16 | 1 | 0 | 0 | 0 | 0 |
| 41 | 2 | 0 | 0 | 16 | 1 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820012679477 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | no | N | No | N | 0 | 0 | 0 |

**Notes**: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☐ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A2179 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2179: TERMINAL, RADIO, TROPOSCATTER, DIGITAL

The AN/TRC-170 is a transportable, self-enclosed troposcatter terminal (multichannel) capable of transmitting and receiving digital data over varying distances (up to 100 miles). This terminal is comprised of modular electronic equipment in various configurations with GFE multiplexers and cryptographic items all housed in a modified S-250/G shelter.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 147 | 0 |
| AAO (FY17) | 147 | |
| O/H | 150 | 0 |
| Shortfall/Excess | 3 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 28 | 28 | 24 | 0 | 28 | 6 | 0 | 9 | 24 | 0 |
| 28 | 28 | 24 | 0 | 28 | 6 | 0 | 9 | 24 | 0 |
| 29 | 27 | 24 | 0 | 19 | 6 | 0 | 21 | 24 | 0 |
| 1 | -1 | 0 | 0 | -9 | 0 | 0 | 12 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015602957 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | N | Yes | N | 0 | 0 | 0 |

**Notes**: Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 119 | 0 | 6.6 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A2293 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2293: SHELTER, RIGID WALL, MODULAR, EXTENDABLE

Two Modular Extendable Rigid Wall Shelter (MERWS) complexes; each consisting of a MERWS kit attached to an S-786/G ISO 3:1 shelter of the Army Standard Family of expandable rigid wall shelters.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 8 | 0 |
| AAO (FY17) | 8 | |
| O/H | 14 | 0 |
| Shortfall/Excess | 6 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 2 | 2 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 2 | 2 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 2 | 3 | 3 | 0 | 2 | 0 | 0 | 4 | 0 | 0 |
| 0 | 1 | 1 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5411013129084 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Power washing may be completed on the inside and outside of this item. Care should be taken around power outlets and wiring to prevent damage. Unservicable outlets will be replaced during rebuild as well as the wiring. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A2300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2300: RADIO REPEATER SET

Tactical Remote Sensor Systems (TRSS) are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area. At a minimum, TRSS is capable of detecting human activity and/or the presence and movement of vehicles, providing real time, near-real time, or non-real time monitoring of sensors ashore and/or over the horizon. Monitoring equipment is lightweight and mobile to support fast-moving amphibious and expeditionary operations. Individual sensors can be emplaced by air or ground forces. Sensors and relays have sufficient power sources to operate continuously for 30 days. TRSS is employed by the Marine Corps Ground Sensor Platoon.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 555 | 0 | 144 | 144 | 64 | 0 | 144 | 59 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 555 | | 144 | 144 | 64 | 0 | 144 | 59 | 0 | 0 | 0 | 0 |
| O/H | 470 | 0 | 115 | 135 | 72 | 0 | 65 | 20 | 0 | 48 | 0 | 0 |
| Shortfall/Excess | -85 | 0 | -29 | -9 | 8 | 0 | -79 | -39 | 0 | 48 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5820014863797 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2306 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2306: SENSOR SYSTEM, MONITOR, MOBILE

The SMMS is a Tactical Remote Sensor System consisting of an AN/USQ-126 Sensor Monitor System (SMS) mounted on a High Mobility Multi-purpose Wheeled Vehicle and a skid-mounted generator towed on a trailer.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 20 | 0 |
| Shortfall/Excess | 20 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6350013821826 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | no | No | Yes | No | 0 | 0 | 0 |

**Notes**: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. Else, the gear should be sent to LOGCOM for repair or disposal. The exterior of the vehicle can be powerwashed, but the electronic gear within the shelter should NOT be agriculturally washed. Should the electronic equipment within the TAMCN be powerwashed it would be ruined beyond economical repair and would have to be reprocured. Recommend no local nationals transport this gear as it contains equipment that is considered highly pilferable.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 4.2 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A2333 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2333: SHELTER, TACTICAL, EXPANDABLE, TWO-SIDED

*Representative Picture*

The S-786/G Two-Sided Expandable Tactical Shelter is a self-contained transportable multi-application utility shelter. As a member of family of standard rigid wall International Standard Organizational (ISO) shelters, it is equipped with standard ISO fittings. It is also equipped with mobilizer fittings (for mobilizer transportation) and built-in fork lift provisions. It is designed for all weather operation, and has an environmentally controlled interior, rigid wall construction, and external electrical power connection. Its design incorporates a door activated blackout switch to facilitate operation under blackout conditions.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 24 | 0 | 6 | 6 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 24 | | 6 | 6 | 6 | 0 | 6 | 0 | 0 | 0 | 0 | 0 |
| O/H | 42 | 5 | 7 | 3 | 5 | 0 | 5 | 6 | 0 | 11 | 0 | 0 |
| Shortfall/Excess | 18 | 5 | 1 | -3 | -1 | 0 | -1 | 6 | 0 | 11 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5411012949866 | 5 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 5 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Power washing may be completed on the inside and outside of this item. Care should be taken around power outlets and wiring to prevent damage. Unservicable outlets will be replaced during rebuild as well as the wiring. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 2.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A2335 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2335: SHELTER, 10FT, EMI, MAINT COMPLEX

The Non-expandable, 10 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 233 | 0 | 52 | 45 | 49 | 0 | 42 | 0 | 0 | 11 | 24 | 3 |
| AAO (FY17) | 231 | | 48 | 47 | 38 | 7 | 42 | 0 | 0 | 11 | 24 | 14 |
| O/H | 304 | 3 | 67 | 58 | 48 | 0 | 35 | 1 | 0 | 68 | 23 | 0 |
| Shortfall/Excess | 71 | 3 | 15 | 13 | -1 | 0 | -7 | 1 | 0 | 57 | -1 | -3 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5411013046122 | 3 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 3 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Planned modernization effort underway, assets are required for seed assets to the modernization asset and to address current readiness issues due to high washout rates.AAO is being reshaped, as options for modernization are being evaluated.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 1.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A2336 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2336: SHELTER, 20FT, EMI, MAINT COMPLEX

The Non-expandable, 20 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 148 | 0 |
| AAO (FY17) | 137 | |
| O/H | 211 | 2 |
| Shortfall/Excess | 63 | 2 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 28 | 32 | 32 | 0 | 23 | 0 | 0 | 5 | 26 | 2 |
| 22 | 26 | 21 | 0 | 22 | 0 | 0 | 5 | 26 | 15 |
| 31 | 29 | 33 | 0 | 16 | 0 | 0 | 65 | 31 | 2 |
| 3 | -3 | 1 | 0 | -7 | 0 | 0 | 60 | 5 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5411013046121 | 2 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 2 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Planned modernization effort underway, assets are required for seed assets to the modernization asset and to address current readiness issues due to high washout rates.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 1.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A2337 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2337: SHELTER, 20FT, RIGID, MAINT COMPLEX

The Non-expandable, 20 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 186 | 1 |
| AAO (FY17) | 186 | |
| O/H | 230 | 12 |
| Shortfall/Excess | 44 | 11 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 46 | 44 | 33 | 0 | 37 | 0 | 1 | 8 | 14 | 2 |
| 45 | 45 | 27 | 1 | 39 | 0 | 0 | 8 | 14 | 7 |
| 51 | 34 | 31 | 1 | 32 | 0 | 0 | 53 | 15 | 1 |
| 5 | -10 | -2 | 1 | -5 | 0 | -1 | 45 | 1 | -1 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5411013057366 | 12 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 12 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Planned modernization effort underway, assets are required for seed assets to the modernization asset and to address current readiness issues due to high washout rates.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 1.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A2338 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2338: SHELTER, 10FT, RIGID, MAINT COMPLEX

The Non-expandable, 10 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 197 | 10 |
| AAO (FY17) | 190 | |
| O/H | 246 | 2 |
| Shortfall/Excess | 49 | -8 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 47 | 52 | 41 | 0 | 40 | 0 | 10 | 5 | 0 | 0 |
| 48 | 47 | 34 | 2 | 44 | 0 | 10 | 5 | 0 | 0 |
| 64 | 55 | 41 | 2 | 35 | 1 | 0 | 46 | 0 | 0 |
| 17 | 3 | 0 | 2 | -5 | 1 | -10 | 41 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5411013046123 | 2 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 2 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Planned modernization effort underway, assets are required for seed assets to the modernization asset and to address current readiness issues due to high washout rates.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 1.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A2390 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2390: FACILITY, ANTI-AIR WARFARE, SECTOR

The SAAWF provides a work site for the Sector Air Defense Coordinator to manage the execution of the air defense plan in his assigned sector. The SAAWF consists of eight COTS computers connected via an Ethernet backbone to two dual System Server Unit server groups (the SAAWF can be configured to include up to twenty workstations).

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 15 | 0 |
| AAO (FY17) | 15 | |
| O/H | 7 | 0 |
| Shortfall/Excess | -8 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 3 | 3 | 2 | 0 | 3 | 4 | 0 | 0 | 0 | 0 |
| 3 | 3 | 2 | 0 | 3 | 4 | 0 | 0 | 0 | 0 |
| 1 | 1 | 1 | 0 | 0 | 3 | 0 | 1 | 0 | 0 |
| -2 | -2 | -1 | 0 | -3 | -1 | 0 | 1 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015344772 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |

**Notes**: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter can be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 30 | 0.2 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2525 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2525: TACTICAL AIR OPERATIONS MODULE

The Air Defense System, AN/TYQ-23(V)4, includes both hardware and software configured as an automated Tactical Air Operations Central. Each Air Defense System is a transportable module that can operate independently.

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 17 | 0 |
| AAO (FY17) | 17 | |
| O/H | 31 | 0 |
| Shortfall/Excess | 14 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 2 | 2 | 2 | 0 | 2 | 9 | 0 | 0 | 0 | 0 |
| 2 | 2 | 2 | 0 | 2 | 9 | 0 | 0 | 0 | 0 |
| 2 | 2 | 2 | 0 | 2 | 9 | 0 | 14 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014619786 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter can be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 8.3 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A2534 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2534: DATA DISTRIBUTION

The Data Distribution System, known as Tactical Data Network (TDN) Server, augments existing Marine Air-Ground Task Force (MAGTF) tactical communications infrastructure to provide the MAGTF Commander an integrated data network. This data network supports MAGTF Tactical Data Systems (TDSs) and the Defense Message System (DMS) by providing a network of communication nodes (gateways & servers) interconnected with one another and their subscribers via a combination of common user long haul transmission systems, local area networks (LANs), the Enhanced Position Location Reporting System (PLRS), and switch telephone systems.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014740355 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This TAMCN is in the process of Disposal. DP5895 PCN 13110834000. REMOVE HARDRIVE AND EKMS PRIOR TO IN THEATER DISPOSAL.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 12 | 0.1 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A2536 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2536: TACTICAL DEFENSE MESSAGE SYSTEM

The Tactical Defense Message System provides users access to the DMS global address directory and the capability to exchange signed and encrypted messages using a class four Public Key Infrastructure hardware token.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 16 | 0 | 0 | 4 | 1 | 0 | 0 | 11 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 16 | 0 | 0 | 4 | 1 | 0 | 0 | 11 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010090002686 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should remain with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2538 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2538: DATA DISTRIBUTION

The Data Distribution System, referred to as the Tactical Data Network Server, augments the existing Marine Air- Ground Task Force tactical communications infrastructure to provide the MAGTF Commander an integrated data network. This data network will support MAGTF Tactical Data Systems and the Defense Message System by providing a network of communication nodes (gateways and servers) interconnected with one another and their subscribers via a combination of common user long haul transmission systems, local area networks, the Enhanced Position Location Reporting System, and switch telephone systems.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 12 | 0 |
| Shortfall/Excess | 12 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015040650 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This TAMCN is in the process of Disposal. DP5895 PCN 13110834000. REMOVE HARDRIVE AND EKMS PRIOR TO IN THEATER DISPOSAL.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 12 | 0.1 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A2546 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2546: COMPUTER, RUGGEDIZED, ULTRAPORT, LAPTOP

Fully Ruggedized Laptop. i.e. Panasonic CF-29 or CF-30 or GETAC-B300. There are multiple vendors for this TAMCN.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 7,544 | 0 | 2,350 | 2,100 | 1,505 | 0 | 1,438 | 82 | 0 | 0 | 23 | 0 |
| AAO (FY17) | 6,997 | | 2,166 | 1,912 | 1,434 | 0 | 1,334 | 82 | 0 | 0 | 23 | 0 |
| O/H | 10,208 | 59 | 3,853 | 2,503 | 1,905 | 247 | 675 | 789 | 0 | 8 | 31 | 15 |
| Shortfall/Excess | 2,664 | 59 | 1,503 | 403 | 400 | 247 | -763 | 707 | 0 | 8 | 8 | 15 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015321325 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010015643767 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010015892117 | 9 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 9 |
| 7010090000382 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010090003753 | 8 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 8 |
| 7010090003756 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010090004287 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010090004288 | 16 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 16 |
| 7010090004289 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7021090006225 | 22 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 22 |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7022014779089 | 4 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 4 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should remain with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

- ☑ **Sensitive**
- ☐ **CCI**
- ☑ **Multi-Modal**
- ☐ **Rotational**
- ☐ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2548 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2548: COMPUTER

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 944 | 0 |
| AAO (FY17) | 927 | |
| O/H | 1,162 | 0 |
| Shortfall/Excess | 218 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 258 | 239 | 193 | 0 | 134 | 116 | 0 | 0 | 0 | 0 |
| 247 | 233 | 191 | 0 | 136 | 116 | 0 | 0 | 0 | 0 |
| 359 | 279 | 188 | 0 | 0 | 318 | 0 | 7 | 0 | 0 |
| 101 | 40 | -5 | 0 | -134 | 202 | 0 | 7 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010090002543 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 7025015881055 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A2551 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2551: COMMAND SYSTEM, TACTICAL

The Intelligence Broadcast Receiver program is a family of terminals specifically designed to receive and process broadcast intelligence information. It consists of the currently fielded AN/USC-55A, or Commanders Tactical Terminal Three-Channel, the AN/USC-62(V)x(c), or Joint Tactical Terminal, the future Embedded National Tactical Receiver, and other hardware products and software modules that may be developed for integration with Marine Corps C4I systems.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 14 | 0 | 2 | 4 | 2 | 0 | 2 | 4 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 14 | | 2 | 4 | 2 | 0 | 2 | 4 | 0 | 0 | 0 | 0 |
| O/H | 12 | 0 | 0 | 2 | 2 | 0 | 3 | 4 | 0 | 1 | 0 | 0 |
| Shortfall/Excess | -2 | 0 | -2 | -2 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014439072 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Item has reached its end of service life, and will be replaced by TAMCN A0280, Universal Serial Bus Embedded National Tactical Receiver. Item will be disposed of at MCLB Albany. DO NOT POWER WASH. Item contains sensitive electronics, computer, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0.1 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2555 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2555: ADVANCED FIELD ARTY TACTICAL DATA SYSTEM AN/GYK-60

The Advanced Field Artillery Tactical Data System, AN/GYK-60, is an automated Command and Control system for fire support operations.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 906 | 29 |
| AAO (FY17) | 856 | |
| O/H | 1,450 | 11 |
| Shortfall/Excess | 544 | -18 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 201 | 149 | 120 | 0 | 153 | 250 | 29 | 0 | 0 | 0 |
| 175 | 133 | 112 | 0 | 153 | 250 | 29 | 0 | 0 | 0 |
| 288 | 266 | 161 | 1 | 199 | 250 | 0 | 268 | 0 | 0 |
| 87 | 117 | 41 | 1 | 46 | 0 | -29 | 268 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1220015256305 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5895015729499 | 11 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 11 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Will be repaired with spare parts at the MEFs. For the most part, no depot level maintenance will be performed. If it is damaged beyond repair, will procure new.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 15 | 0 |

☑ **Sensitive** ☐ **CCI**
☐ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2560 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2560: TARGET LOC, DESIG & HAND-OFF SYS (TLDHS)(BLK II)

The Target Location Designation and Hand-off System is a man-portable, automated equipment suite that provides Fire Support Observer/Controllers with the ability to accurately acquire, locate, then digitally transmit (hand-off) target data to Fire Support platforms and agencies.

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 835 | 0 | 206 | 182 | 105 | 0 | 237 | 82 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 782 | | 180 | 156 | 104 | 12 | 237 | 82 | 0 | 0 | 0 | 0 |
| O/H | 887 | 0 | 173 | 162 | 110 | 50 | 157 | 128 | 0 | 87 | 0 | 0 |
| Shortfall/Excess | 52 | 0 | -33 | -20 | 5 | 50 | -80 | 46 | 0 | 87 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015244120 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010015716450 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Item is under warranty and all will go through MCLC. Complete system contains one PRC-117F radio TAMCN: A2068.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 7 | 0 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2628 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2628: TECHNICAL CONTROL ANALYSIS CENTER, TRANS WRKSTN

The Tactical Control Analysis Center provides automated processing, analysis and reporting functions of the RadBn in order to fulfill its mission of providing timely, accurate SIGINT/EW support to MAGTF combat operations.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 336 | 0 | 79 | 87 | 72 | 0 | 0 | 44 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 334 | | 79 | 85 | 72 | 54 | 0 | 44 | 0 | 0 | 0 | 0 |
| O/H | 477 | 16 | 162 | 149 | 82 | 59 | 1 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 141 | 16 | 83 | 62 | 10 | 59 | 1 | -44 | 0 | 0 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010014653223 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010016183391 | 16 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 16 | 0 |
| 7010090004435 | 0 | 0% | 0% | 0% | 50% | 50% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS representative will be contacted. The CLS representative will provide a replacement LRU to organic maintenance to conduct the repair. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2634 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2634: TCAC ANALYSIS WORKSTATION, REMOTE (TCAC RAWS)

The Tactical Control Analysis Center provides automated processing, analysis and reporting functions of the RadBn in order to fulfill its mission of providing timely, accurate SIGINT/EW support to MAGTF combat operations.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 56 | 0 | 11 | 15 | 10 | 0 | 0 | 8 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 55 | | 11 | 14 | 10 | 12 | 0 | 8 | 0 | 0 | 0 | 0 |
| O/H | 46 | 2 | 11 | 10 | 11 | 8 | 0 | 1 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | -10 | 2 | 0 | -5 | 1 | 8 | 0 | -7 | 0 | 2 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010090004436 | 2 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 2 | 0 | 0 |

**Notes**: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS representative will be contacted. The CLS representative will provide a replacement LRU to organic maintenance to conduct the repair. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 94 | 0.2 |

☑ **Sensitive** ☐ **CCI**
☐ **Multi-Modal** ☐ **Rotational**
☐ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2740 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2740: TEST SET, FIELD CABLE

The Cable Test Set is a portable testing unit for checking the continuity and insulation resistance of field-installed 26 pair cable assemblies and patching panels.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 238 | 0 |
| AAO (FY17) | 215 | |
| O/H | 90 | 0 |
| Shortfall/Excess | -148 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 66 | 63 | 40 | 0 | 48 | 2 | 0 | 0 | 16 | 3 |
| 63 | 59 | 22 | 0 | 48 | 2 | 0 | 0 | 16 | 5 |
| 21 | 19 | 13 | 0 | 22 | 2 | 0 | 0 | 13 | 0 |
| -45 | -44 | -27 | 0 | -26 | 0 | 0 | 0 | -3 | -3 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625012577921 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 0 |

**Notes**: This TAMCN should be sent to the MEFs in order to fill any home station shortfalls. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A2808 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A2808: TEST SET, OPTICAL COMMUNICATIONS

The Test Set, Optical Communications, AN/GSM-317 is a self-contained test set used in a field environment to test and troubleshoot Fiber Optic Cable Assembly communication links.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 39 | 0 | 3 | 3 | 4 | 0 | 3 | 4 | 0 | 0 | 22 | 0 |
| Shortfall/Excess | 39 | 0 | 3 | 3 | 4 | 0 | 3 | 4 | 0 | 0 | 22 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625012388954 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Disposal Plan 09010A is published with disposal actions starting in 4th quarter FY11. However, until the requirements at the MEFs are reduced, items will be returned to the MEFs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A3013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A3013: MAINT KIT, TRSS, ELECTRONIC EQUIP

Tactical Remote Sensor Systems are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 22 | 0 |
| AAO (FY17) | 22 | |
| O/H | 8 | 0 |
| Shortfall/Excess | -14 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 4 | 4 | 3 | 0 | 4 | 7 | 0 | 0 | 0 | 0 |
| 4 | 4 | 3 | 0 | 4 | 7 | 0 | 0 | 0 | 0 |
| 0 | 3 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 |
| -4 | -1 | -3 | 0 | -4 | -2 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMO-INTEL)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015925176 | 0 | 15% | 0% | 0% | 0% | 85% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 5895090004022 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: The Pelican case can be washed; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.Recommend no local nationals transport this gear as it contains equipment that is considered highly pilferable. (i.e COTS ITE)

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 12 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A3200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A3200: TRAILER,MAINTENANCE

The Trailer, Bolster, M-796A1 is a 4 ton, 4 wheel trailer used to haul utility poles in a tactical environment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | | 0 |
| Shortfall/Excess | | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330002154211 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Item is Obsolete and will be DRMO'd in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 2.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A3232 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A3232: TACTICAL SATCOM, TRANSPORTABLE (SMART-T)

The SMART-T provides tactical users with secure, jam-resistant data and voice satellite communications up to 2.24 Mbps via Milstar Extremely high Frequency (EHF) satellites and compatible payloads. In addition, the SMART-T provides Marine Air Ground Task Force (MAGTF) commanders with extremely reliable, survivable, long-haul connectivity for core command and control links. The AN/TSC-154A Advanced EHF (AEHF) upgrade, together with the AN/PYQ-14 AEHF planning tool will enable SMART-Ts to communicate over new AEHF satellites at up to 8 Mbps.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 49 | 0 | 13 | 13 | 10 | 0 | 13 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 47 | | 13 | 11 | 10 | 0 | 13 | 0 | 0 | 0 | 0 | 0 |
| O/H | 27 | 0 | 8 | 6 | 5 | 0 | 4 | 0 | 0 | 4 | 0 | 0 |
| Shortfall/Excess | -22 | 0 | -5 | -7 | -5 | 0 | -9 | 0 | 0 | 4 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014350571 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Preparing to go through upgrades, as item has been used heavily in theater. Else, send to MCLC for routing to Tobyhanna Army Depot. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Do not separate weapon system from HMMWV. Reset schedule established by Army and subject to change, contact Project Officer prior to fielding shortfall. Always ship MILAIR, due to detailed handling requirements to prevent antenna damage. Embedded Crypto must be removed prior to shipping.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 797 | 4.3 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A3252 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A3252: UAV SYSTEM, DRAGON EYE RAVEN-B

The Drone System is a hand launched reconnaissance and surveillance tool. The system transmits live airborne video images, compass headings and location information to a ground control station.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 58 | 0 | 18 | 17 | 5 | 3 | 1 | 0 | 0 | 14 | 0 | 0 |
| Shortfall/Excess | 58 | 0 | 18 | 17 | 5 | 3 | 1 | 0 | 0 | 14 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1550015303912 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 1550015389256 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 1550015495291 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: No LTI necessary. All items are going to have commercial depot strategy and will be 1-1 swap with A0321. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is Capt. Steven M. Stepanic PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 8 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A3255 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A3255: SENSOR, GROUND, UNATTENDED AN/GSQ-257

The Unattended Ground Sensor Set, AN/GSQ-257, is a suite of hand emplaced sensors that operate unattended and detects activity through seismic, acoustic, infrared, and magnetic sensing technologies.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 37 | 0 |
| AAO (FY17) | 37 | |
| O/H | 32 | 0 |
| Shortfall/Excess | -5 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 9 | 9 | 6 | 0 | 9 | 4 | 0 | 0 | 0 | 0 |
| 9 | 9 | 6 | 0 | 9 | 4 | 0 | 0 | 0 | 0 |
| 8 | 9 | 5 | 0 | 6 | 2 | 0 | 1 | 0 | 0 |
| -1 | 0 | -1 | 0 | -3 | -2 | 0 | 1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMMI)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6350013437134 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A3270 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A3270: COMM INTERFACE SYSTEM, MRQ-12

The CIS, AN/MRQ-12 (V)1 and (V)2, has a common shelter/vehicle configuration which consists of an M1097A2 Heavy variant-High Mobility Multipurpose Wheeled Vehicle mounted with a LMS model S-788/G.

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 0 | 0 |
| Shortfall/Excess | 0 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015800283 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches. DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 874 | 3.5 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7001: TEST SET, OPTICAL POWER

The Optical Loss Test Set is used to perform precise optical measurements in the field. The test set is composed of a power meter (Techlite Model PX-B220) and two different light sources (Techlite model numbers PX-C202 and PX-C205). The set is used to determine the level of optical power being emitted from a transmitter and to perform fiber loss measurements or splice tuning operations of current and future fiber optic cables. The test set also gives the technician the ability to determine power loss in fiber, connectors, attenuators, or other passive optical components.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 245 | 17 | 58 | 57 | 45 | 0 | 43 | 25 | 17 | 0 | 0 | 0 |
| AAO (FY17) | 245 | | 58 | 57 | 43 | 0 | 45 | 25 | 17 | 0 | 0 | 0 |
| O/H | 179 | 0 | 30 | 45 | 30 | 0 | 18 | 47 | 0 | 9 | 0 | 0 |
| Shortfall/Excess | -66 | -17 | -28 | -12 | -15 | 0 | -25 | 22 | -17 | 9 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6650015107502 | 0 | 33% | 33% | 0% | 34% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Serviceable items will be returned to the MEFs. For unserviceable condition, the item will be sent to commercial depot via the MEFs.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7002: ANALYZER, SPECTRUM HAND HELD

A hand held spectrum analyzer capable of analyzing radio frequency signals from 100KHz to 6GHz.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 390 | 0 | 83 | 81 | 43 | 0 | 66 | 97 | 0 | 20 | 0 | 0 |
| AAO (FY17) | 369 | | 77 | 64 | 48 | 0 | 63 | 97 | 0 | 20 | 0 | 0 |
| O/H | 496 | 0 | 94 | 104 | 60 | 0 | 41 | 101 | 0 | 90 | 0 | 0 |
| Shortfall/Excess | 106 | 0 | 11 | 23 | 17 | 0 | -25 | 4 | 0 | 70 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015306573 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7004: MICROSCOPE, OPTICAL

A hand held device used to view and measure fiber optic cable connections.

FT600/AN

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 185 | 0 | 50 | 47 | 39 | 0 | 41 | 8 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 183 | | 50 | 47 | 37 | 0 | 41 | 8 | 0 | 0 | 0 | 0 |
| O/H | 171 | 0 | 51 | 29 | 39 | 0 | 16 | 31 | 0 | 5 | 0 | 0 |
| Shortfall/Excess | -14 | 0 | 1 | -18 | 0 | 0 | -25 | 23 | 0 | 5 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6650015309446 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A7005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7005: ANALYZER,SPECTRUM

These are Micro Wave spectrum analyzers that operate over the freq ranges of 9 kHz to 40 GHz with pre-selection to at least 26.5 GHz. They include synthesized tuning and built in frequency counters, marker-aided frequency and amplitude measurements (relative and absolute) of RF and microwave signals, and digital trace and signal storage.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 477 | 0 |
| AAO (FY17) | 436 | |
| O/H | 777 | 0 |
| Shortfall/Excess | 300 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 116 | 111 | 56 | 0 | 90 | 64 | 0 | 4 | 36 | 0 |
| 105 | 79 | 61 | 0 | 87 | 64 | 0 | 4 | 36 | 0 |
| 123 | 100 | 58 | 0 | 35 | 215 | 0 | 111 | 14 | 0 |
| 7 | -11 | 2 | 0 | -55 | 151 | 0 | 107 | -22 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625012591060 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | Yes | No | 0 | 0 | 0 |
| 6625012707786 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | Yes | No | 0 | 0 | 0 |
| 6625014651844 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | No | Yes | No | 0 | 0 | 0 |
| 6625015229603 | 0 | 34% | 0% | 0% | 66% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Split strategy, refer to NSN for dispo action.Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7009: ANALYZER, SPECTRUM FST-6-NTG3(CREW)

The FSH6-NTG/K-6NUSMC Spectrum Analyzer is a wide band, very sensitive receiver. It works on the principle of "super heterodyne receiver" to convert higher frequencies (normally ranging up to several 10s of GHz) to measurable quantities. The received frequency spectrum is slowly swept through a range of pre-selected frequencies, converting the selected frequency to a measurable DC level (usually logarithmic scale), and displaying the same on the CRT of the FSH6-NTG/K-6NUSMC. The CRT displays received signal strength (y-axis) against frequency ( x-axis).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 31 | 0 | 0 | 0 | 0 | 0 | 0 | 23 | 0 | 8 | 0 | 0 |
| AAO (FY17) | 31 | | 0 | 0 | 0 | 0 | 0 | 23 | 0 | 8 | 0 | 0 |
| O/H | 168 | 0 | 5 | 0 | 0 | 0 | 0 | 63 | 0 | 100 | 0 | 0 |
| Shortfall/Excess | 137 | 0 | 5 | 0 | 0 | 0 | 0 | 40 | 0 | 92 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015406124 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | Yes | Yes | Yes | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7010: DIGITAL DATA ANALYZER

Device used to measure and compare timing of digital electroninc signals. Used by electronic technicans to monitor, test, and repair electronic systems.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 8 | 0 |
| Shortfall/Excess | 8 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 2 | 0 | 0 | 6 | 0 | 0 | 0 | 0 |
| 0 | 0 | 2 | 0 | 0 | 6 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMO-31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625012055224 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Item is obsolete and will be DRMO'd in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | |
| if | **Not Mission Capable** | then | |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A7021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7021: COUNTER, ELECTRONIC, DIGITAL READOUT

This instrument is used to measure period, period average, time interval, time interval average and ratio of RF signals. This item is intended to support all equipment and systems that generate RF signals up to 3GHz.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 301 | 0 | 56 | 54 | 27 | 0 | 40 | 92 | 0 | 0 | 28 | 4 |
| AAO (FY17) | 273 | | 46 | 48 | 9 | 0 | 36 | 92 | 0 | 0 | 28 | 14 |
| O/H | 493 | 1 | 55 | 57 | 26 | 0 | 37 | 153 | 0 | 143 | 21 | 0 |
| Shortfall/Excess | 192 | 1 | -1 | 3 | -1 | 0 | -3 | 61 | 0 | 143 | -7 | -4 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625012713012 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6625013992298 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6625015309444 | 1 | 70% | 0% | 0% | 30% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 1 |

**Notes**: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7035: ALIBRATOR, FREQUENCY

The Frequency Calibrator, 585B, is a rugged transportable Frequency Calibrator that automatically measures pulsed radio frequency signals up to 20 GHz with pulse widths as narrow as 50 nanoseconds.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 47 | 0 | 14 | 11 | 8 | 0 | 11 | 3 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 33 | | 8 | 8 | 6 | 0 | 8 | 3 | 0 | 0 | 0 | 0 |
| O/H | 46 | 0 | 5 | 6 | 5 | 0 | 1 | 10 | 0 | 17 | 2 | 0 |
| Shortfall/Excess | -1 | 0 | -9 | -5 | -3 | 0 | -10 | 7 | 0 | 17 | 2 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895012810072 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 6625013584903 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Item is obsolete and will be DRMO'd in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A7036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7036: GENERATOR, FUNCTION, ELEC TEST

The Function Generator, model number 33220A, is a general-purpose function generator designed to assist technicians with troubleshooting and repairing communication and electronic equipment. It is a high-performance 20 MHz synthesized function generator with built-in arbitrary waveform capability. The Function Generator uses direct digital-synthesis techniques to create a stable, accurate output signal for clean, low-distortion waveforms. It provides fast rise- and fall-time square wave, and linear ramp waveforms down to 100uHz.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 606 | 0 | 57 | 55 | 38 | 0 | 45 | 363 | 0 | 0 | 45 | 3 |
| AAO (FY17) | 584 | | 53 | 49 | 15 | 0 | 43 | 363 | 0 | 0 | 45 | 16 |
| O/H | 958 | 0 | 56 | 52 | 17 | 0 | 15 | 453 | 0 | 317 | 47 | 0 |
| Shortfall/Excess | 352 | 0 | -1 | -3 | -21 | 0 | -30 | 90 | 0 | 317 | 2 | -3 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625014164444 | 0 | 30% | 0% | 0% | 70% | 0% | 0% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |
| 6625015498266 | 0 | 30% | 0% | 0% | 70% | 0% | 0% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |

**Notes**: Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7040: ADAPTER TEST (TRSS)

Tactical Remote Sensor Systems are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 22 | 0 | 4 | 4 | 3 | 0 | 4 | 7 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 22 | | 4 | 4 | 3 | 0 | 4 | 7 | 0 | 0 | 0 | 0 |
| O/H | 19 | 0 | 3 | 4 | 2 | 0 | 0 | 6 | 0 | 4 | 0 | 0 |
| Shortfall/Excess | -3 | 0 | -1 | 0 | -1 | 0 | -4 | -1 | 0 | 4 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015051143 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A7046 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7046: GENERATOR, SIGNAL

The Anritsu model 68369A/NV microwave signal generator is a microprocessor-based, synthesized signal source with a high resolution phase-lock capability. It possesses and replaces all required capabilities of the phased-out TAMCN A7050.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 203 | 0 | 42 | 42 | 42 | 0 | 34 | 37 | 0 | 6 | 0 | 0 |
| AAO (FY17) | 181 | | 42 | 36 | 26 | 0 | 34 | 37 | 0 | 6 | 0 | 0 |
| O/H | 282 | 0 | 35 | 38 | 31 | 0 | 21 | 23 | 0 | 125 | 9 | 0 |
| Shortfall/Excess | 79 | 0 | -7 | -4 | -11 | 0 | -13 | -14 | 0 | 119 | 9 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625013959570 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | no | No | Yes | No | 0 | 0 | 0 |
| 6625014252550 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | no | No | Yes | No | 0 | 0 | 0 |
| 6625014955275 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | i/p | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 5 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A7051 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7051: METER, POWER

Intended to support microwave systems. This meter measures continuous wave power output from 10MHz to 18GHz. TAMCN A7053 should be used to measure pulsed type microwave signals in the same bandwidth.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 192 | 0 | 37 | 35 | 30 | 0 | 32 | 17 | 0 | 0 | 25 | 0 |
| AAO (FY17) | 203 | | 37 | 35 | 29 | 16 | 32 | 17 | 0 | 0 | 25 | 12 |
| O/H | 309 | 0 | 31 | 64 | 47 | 7 | 28 | 34 | 0 | 76 | 21 | 0 |
| Shortfall/Excess | 117 | 0 | -6 | 29 | 17 | 7 | -4 | 17 | 0 | 76 | -4 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625014066941 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |
| 6625015311947 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |

**Notes**: Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7052 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7052: GENERATOR, SIGNAL

The 8643A Synthesized Signal Generator is a high performance programmable signal generator intended for the most demanding out-of-channel RF receiver measurements and other stringent RF applications.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 302 | 0 | 48 | 48 | 35 | 0 | 42 | 120 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 271 | | 44 | 41 | 17 | 9 | 40 | 120 | 0 | 0 | 0 | 0 |
| O/H | 437 | 0 | 49 | 46 | 43 | 5 | 24 | 69 | 0 | 201 | 0 | 0 |
| Shortfall/Excess | 135 | 0 | 1 | -2 | 8 | 5 | -18 | -51 | 0 | 201 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625013675551 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |

**Notes**: Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7053: METER, SPECIAL SCALE

This item is intended to support all equipment and systems that generate pulse-type microwave radio frequency (RF) electronic signals up to 18 GHz and which require this capability in applicable technical manuals. TAMCN A7051 should be used to measure continuous wave type signals.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 29 | 0 | 4 | 4 | 6 | 0 | 4 | 11 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 29 | | 4 | 4 | 6 | 0 | 4 | 11 | 0 | 0 | 0 | 0 |
| O/H | 103 | 0 | 4 | 5 | 8 | 23 | 3 | 15 | 0 | 45 | 0 | 0 |
| Shortfall/Excess | 74 | 0 | 0 | 1 | 2 | 23 | -1 | 4 | 0 | 45 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625013815741 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |
| 6625015440062 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Split strategy, refer to NSN for dispo action.Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A7055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7055: MONITOR UNIT, RADIO FREQUENCY

The 4410-030 Test Set is an insertion type RF wattmeter designed to measure power flow and load match in 50 ohm RF coaxial transmission lines and is intended for use on CW or FM modulated signals only.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,089 | 0 | 269 | 259 | 159 | 0 | 221 | 73 | 0 | 9 | 0 | 3 |
| AAO (FY17) | 1,017 | | 255 | 243 | 121 | 93 | 220 | 73 | 0 | 9 | 0 | 0 |
| O/H | 810 | 3 | 201 | 206 | 101 | 54 | 95 | 77 | 0 | 26 | 44 | 0 |
| Shortfall/Excess | -279 | 3 | -68 | -53 | -58 | 54 | -126 | 4 | 0 | 17 | 44 | -3 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625012175631 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |
| 6625014439916 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |
| 6625015134644 | 3 | 50% | 50% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 2 | 2 |
| 6625015682691 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |

**Notes**: Split strategy, refer to NSN for dispo action.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A7057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7057: OHMMETER

The Model 3711M simply clamps around the ground conductor or rod and measures the resistance to ground. Performs measurements on intact ground systems, it verifies the quality of the grounding connections and bonds.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 244 | 0 | 53 | 58 | 43 | 0 | 43 | 26 | 0 | 18 | 0 | 0 |
| AAO (FY17) | 250 | | 56 | 59 | 43 | 0 | 45 | 26 | 0 | 18 | 0 | 0 |
| O/H | 530 | 3 | 54 | 48 | 45 | 2 | 31 | 116 | 0 | 228 | 0 | 0 |
| Shortfall/Excess | 286 | 3 | 1 | -10 | 2 | 2 | -12 | 90 | 0 | 210 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625013778030 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |
| 6625014943112 | 3 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 3 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A7059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7059: OHMMETER (EARTH GROUND RESISTANCE TESTER)

The Model R1L-C is a portable ground resistance ohmmeter, designed to measure grounding system resistance, as well as soil resistively, over ranges from two ohms to 20 kilohms full scale.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 564 | 0 | 122 | 117 | 83 | 0 | 98 | 27 | 0 | 26 | 0 | 0 |
| AAO (FY17) | 529 | | 116 | 111 | 60 | 78 | 98 | 27 | 0 | 26 | 0 | 0 |
| O/H | 878 | 1 | 166 | 147 | 117 | 55 | 77 | 59 | 0 | 253 | 0 | 0 |
| Shortfall/Excess | 314 | 1 | 44 | 30 | 34 | 55 | -21 | 32 | 0 | 227 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625013776166 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A7060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7060: OSCILLOSCOPE (54825A AND TDS5054B)

Device used to measure electronic signals. Used by electronic technicans to monitor, test, & repair electronic systems (radios, radars, switching networks, night vision devices, and many others)

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 331 | 0 | 61 | 62 | 36 | 0 | 42 | 125 | 0 | 0 | 0 | 3 |
| AAO (FY17) | 298 | | 57 | 54 | 17 | 0 | 40 | 125 | 0 | 0 | 0 | 3 |
| O/H | 442 | 0 | 75 | 80 | 48 | 0 | 34 | 90 | 0 | 102 | 9 | 3 |
| Shortfall/Excess | 111 | 0 | 14 | 18 | 12 | 0 | -8 | -35 | 0 | 102 | 9 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625014518727 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6625015196497 | 0 | 30% | 0% | 0% | 70% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Split strategy, refer to NSN for dispo action.Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A7061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7061: OSCILLOSCOPE (FLK-199C/AN)

Device used to measure electronic signals. Used by electronic technicans to monitor, test, & repair electronic systems (radios, radars, switching networks, night vision devices, and many others)

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,430 | 0 | 220 | 218 | 135 | 0 | 174 | 459 | 0 | 32 | 174 | 5 |
| AAO (FY17) | 1,370 | | 203 | 197 | 114 | 0 | 173 | 459 | 0 | 32 | 174 | 5 |
| O/H | 1,811 | 1 | 279 | 278 | 188 | 2 | 158 | 541 | 0 | 207 | 150 | 3 |
| Shortfall/Excess | 381 | 1 | 59 | 60 | 53 | 2 | -16 | 82 | 0 | 175 | -24 | -2 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625012754766 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | No | No | 0 | 0 | 1 |
| 6625014735174 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |
| 6625014940438 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7072: ADAPTER, TEST, SINCGARS RADIO

This item is used to test SINCGARS radios and must be used with TAMCN A7082. All of the J-4843/GRM-114B items should have been modified to the new J-4843A/GRM-122 configuration.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 453 | 0 | 105 | 100 | 50 | 0 | 62 | 134 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 331 | | 71 | 70 | 14 | 2 | 40 | 134 | 0 | 0 | 0 | 0 |
| O/H | 673 | 1 | 140 | 134 | 70 | 0 | 106 | 30 | 0 | 159 | 31 | 0 |
| Shortfall/Excess | 220 | 1 | 35 | 34 | 20 | 0 | 44 | -104 | 0 | 159 | 31 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625013092827 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | Yes | No | 0 | 0 | 0 |
| 6625014328368 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | no | No | Yes | No | 0 | 0 | 1 |
| 6625014360419 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | no | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A7080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7080: TEST SET, RADIO VHF

The Radio Test Set (Model #3515N) is a hand held General Purpose Electronic Test Equipment (GPETE) device intended to be used by personnel at the Field Level of maintenance [Direct Support]. It allows the technician to perform maintenance checks of radio systems (including antennas & cables) operating below 1GHz. It is replacing the legacy Bird TS-4291/P.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 1,479 | 0 |
| AAO (FY17) | 1,405 | |
| O/H | 1,673 | 9 |
| Shortfall/Excess | 194 | 9 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 376 | 356 | 211 | 0 | 343 | 81 | 0 | 0 | 0 | 0 |
| 362 | 322 | 191 | 109 | 337 | 81 | 0 | 0 | 0 | 0 |
| 382 | 372 | 187 | 78 | 250 | 185 | 0 | 163 | 1 | 0 |
| 6 | 16 | -24 | 78 | -93 | 104 | 0 | 163 | 1 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625012396715 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | Yes | No | 0 | 0 | 0 |
| 6625015380285 | 9 | 0% | 50% | 0% | 50% | 0% | 0% | NO | NO | No | No | yes | No | No | No | 2 | 6 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The transportation cost of $26 is far less than the $9,064 replacement cost. There are no replacement procurements planned or scheduled for the lifecycle of this item. Recommend retrograding to support the lifetime lifecycle requirement.Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7081: TEST SET, TELECOMMUNICATION SYSTEM

The FB6000-NAVY-P1 and FB6000-NAVY-P2 are portable telecommunication system sets with analog and digital testing capabilities capable of transmission impairment, bit error and protocol analysis measurements and testing.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 358 | 0 | 58 | 58 | 43 | 0 | 52 | 81 | 0 | 10 | 36 | 0 |
| AAO (FY17) | 348 | | 58 | 39 | 52 | 20 | 52 | 81 | 0 | 10 | 36 | 0 |
| O/H | 753 | 4 | 100 | 94 | 71 | 9 | 38 | 246 | 0 | 156 | 31 | 0 |
| Shortfall/Excess | 395 | 4 | 42 | 36 | 28 | 9 | -14 | 165 | 0 | 146 | -5 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625013401781 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 0 |
| 6625014627492 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 0 |
| 6625015358961 | 4 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 4 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A7082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7082: TEST SET, RADIO

The TS-4317/GRM provides the capability to test and maintain all Marine Corps tactical Radios, which operate below 1 GHz. It is used to verify radio performance characteristics and diagnose failures in both a manual and automatic mode.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 555 | 0 | 123 | 118 | 69 | 0 | 77 | 138 | 0 | 28 | 0 | 0 |
| AAO (FY17) | 463 | | 102 | 100 | 28 | 2 | 65 | 138 | 0 | 28 | 0 | 0 |
| O/H | 1,241 | 3 | 199 | 191 | 126 | 5 | 157 | 154 | 0 | 389 | 14 | 0 |
| Shortfall/Excess | 686 | 3 | 76 | 73 | 57 | 5 | 80 | 16 | 0 | 361 | 14 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625013092825 | 3 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | Yes | No | 0 | 0 | 3 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A7083 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7083: ANALYZER, WIDE AREA NETWORK

This test set is a general-purpose networking tool designed to assist technicians with monitoring and troubleshooting networks.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 131 | 0 | 23 | 23 | 21 | 0 | 17 | 47 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 131 | | 23 | 23 | 21 | 0 | 17 | 47 | 0 | 0 | 0 | 0 |
| O/H | 108 | 0 | 12 | 16 | 10 | 0 | 2 | 51 | 0 | 17 | 0 | 0 |
| Shortfall/Excess | -23 | 0 | -11 | -7 | -11 | 0 | -15 | 4 | 0 | 17 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015229579 | 0 | 66% | 0% | 0% | 34% | 0% | 0% | NO | NO | No | No | yes | No | I/P | No | 0 | 0 | 0 |

**Notes**: Items will be returned to the MEFs to fill homestation shortfalls.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7084: ANALYZER, NETWORK

A LAN Analyzer is a general-purpose networking tool designed to assist technicians with testing, monitoring, troubleshooting, and repairing Local Area Networks and equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 787 | 0 |
| AAO (FY17) | 763 | |
| O/H | 390 | 4 |
| Shortfall/Excess | -397 | 4 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 206 | 203 | 140 | 0 | 151 | 83 | 0 | 0 | 0 | 0 |
| 202 | 183 | 136 | 0 | 155 | 83 | 0 | 0 | 0 | 0 |
| 131 | 43 | 98 | 0 | 12 | 83 | 0 | 17 | 0 | 0 |
| -75 | -160 | -42 | 0 | -139 | 0 | 0 | 17 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625014561561 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | Yes | No | 0 | 0 | 1 |
| 6625014848826 | 0 | 66% | 0% | 0% | 34% | 0% | 0% | NO | NO | No | No | yes | No | I/P | No | 0 | 0 | 0 |
| 6625015378768 | 3 | 66% | 0% | 0% | 34% | 0% | 0% | NO | NO | No | No | yes | No | I/P | No | 1 | 0 | 2 |

**Notes**: Split strategy, refer to NSN for dispo action.Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7086: TEST SET, OPTICAL TDR, HANDHELD

The MTS-NV-P3 Optical Time Domain Reflectometer is a field modular optical tester used for fiber network installation, maintenance, and troubleshooting. Two field interchangeable module slots allow users to quickly mix and match configurations to cover any fiber test application from 635 to 1625nm.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 309 | 0 |
| AAO (FY17) | 311 | |
| O/H | 340 | 0 |
| Shortfall/Excess | 31 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 65 | 63 | 50 | 0 | 44 | 43 | 0 | 5 | 36 | 0 |
| 65 | 63 | 48 | 0 | 48 | 43 | 0 | 5 | 36 | 0 |
| 31 | 50 | 35 | 0 | 26 | 170 | 0 | 27 | 0 | 0 |
| -34 | -13 | -15 | 0 | -18 | 127 | 0 | 22 | -36 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625013884989 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |
| 6625015253080 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | I/P | No | 0 | 0 | 0 |
| 6625015602325 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A7102 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7102: RECORDING-REPRODUCING

Professional grade video camera that allows PA Marines to acquire broadcast quality video in high, regular and low light conditions.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 2 | 0 |
| Shortfall/Excess | 2 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5836015281482 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Recommend removal of this - PAE legacy equipment replaced by A7203

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A7103 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7103: PUBLIC AFFAIRS STILL ACQUISITION SYSTEM, SMALL

Professional grade still camera that allows PA Marines to acquire professional quality still photos in high, regular and low light conditions.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 6 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| Shortfall/Excess | 6 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6720015150429 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A7104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7104: VIIES (VISUAL INFORMATION IMAGERY EDITING SYSTEM)

The VIIES consists of a laptop based video and still imagery editing platform. The system includes professional grade, industry standard digital equipment. It is a still and video imagery editing and product development system.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 221 | 0 |
| AAO (FY17) | 225 | |
| O/H | 204 | 0 |
| Shortfall/Excess | -17 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 49 | 49 | 45 | 0 | 7 | 55 | 0 | 0 | 0 | 0 |
| 49 | 49 | 45 | 1 | 11 | 55 | 0 | 0 | 0 | 0 |
| 69 | 31 | 58 | 0 | 13 | 33 | 0 | 0 | 0 | 0 |
| 20 | -18 | 13 | 0 | 6 | -22 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5836015425653 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A7105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7105: CVAS (COMBAT VIDEO ACQUISITION SYSTEM)

The CVAS consists of a professional quality digital video camera with all necessary accessories and a protective shoulder sling or backpack carrying case to operate in the field, independently for 4 days. The CVAS camera operates using rechargeable batteries.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 94 | 0 | 18 | 20 | 14 | 0 | 2 | 33 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 95 | | 18 | 20 | 14 | 1 | 3 | 33 | 0 | 0 | 0 | 0 |
| O/H | 95 | 0 | 21 | 20 | 22 | 1 | 4 | 27 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 1 | 0 | 3 | 0 | 8 | 1 | 2 | -6 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5836015003247 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |
| 5836015458734 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A7111 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7111: NVCS (NIGHT VISION SYSTEM)

The NVSC consists of a night vision monocular and adapters allowing it to adapt to digital cameras currently used by Combat Camera Marines forward deployed. The NVSC allows these cameras to acquire high-resolution imagery in low light.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 73 | 0 | 18 | 18 | 13 | 0 | 2 | 18 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 74 | | 18 | 18 | 13 | 1 | 3 | 18 | 0 | 0 | 0 | 0 |
| O/H | 49 | 0 | 12 | 18 | 5 | 1 | 4 | 7 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | -24 | 0 | -6 | 0 | -8 | 1 | 2 | -11 | 0 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855015429059 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7112 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7112: COMBAT IMAGERY SEAR

The CISAD consists of video, still photo, and graphics hardware and software. It is capable of importing, cataloging, archiving and retrieving digital imagery, thereby making it available to commanders via a web based searchable database.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 6 | 0 |
| AAO (FY17) | 6 | |
| O/H | 1 | 0 |
| Shortfall/Excess | -5 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 1 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| -1 | -2 | -2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015464691 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7200: VIDEO EDITING SYSTEM (VES)

The PAVES consists of peripherals and a laptop loaded with software to allow for Combat Correspondents to write scripts and load and manipulate digital video while forward deployed or redeployed to bases and stations. This system also provides Marines with the capability to reformat digital video to better distribute to world markets.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 453 | 0 |
| AAO (FY17) | 453 | |
| O/H | 236 | 0 |
| Shortfall/Excess | -217 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 73 | 75 | 57 | 0 | 15 | 208 | 0 | 0 | 0 | 0 |
| 73 | 75 | 57 | 4 | 15 | 208 | 0 | 0 | 0 | 0 |
| 74 | 22 | 14 | 0 | 43 | 83 | 0 | 0 | 0 | 0 |
| 1 | -53 | -43 | 0 | 28 | -125 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5836015430022 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A7201 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7201: FIELD EDITING SYSTEM (FES)

An editing platform (laptop) that allows PA Marines to create and edit digital written, still, audio and video communications products in a field environment.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 116 | 0 |
| AAO (FY17) | 118 | |
| O/H | 17 | 0 |
| Shortfall/Excess | -99 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 33 | 35 | 26 | 0 | 12 | 1 | 0 | 0 | 0 | 0 |
| 33 | 35 | 26 | 0 | 17 | 1 | 0 | 0 | 0 | 0 |
| 2 | 4 | 5 | 2 | 1 | 3 | 0 | 0 | 0 | 0 |
| -31 | -31 | -21 | 2 | -11 | 2 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6740015430653 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7202 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7202: VIDEO CAMERA SYSTEM

The Public Affairs Video Acquisition System consists of professional digital video cameras and associated peripherals integrated into a man-portable system for combat correspondents to use while forward deployed or redeployed to bases and stations. This system also provides Marines with the capability to record in multiple digital video formats to better distribute to world markets. This system will provide Marines with the MOS 4341 equipment necessary to perform specialized missions of imagery acquisition in support of mission readiness and external and internal information campaigns. The system is designed for operation by one Combat Correspondent.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 26 | 0 | 7 | 7 | 6 | 0 | 1 | 5 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 26 | | 7 | 7 | 6 | 0 | 1 | 5 | 0 | 0 | 0 | 0 |
| O/H | 55 | 0 | 16 | 6 | 24 | 0 | 1 | 8 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 29 | 0 | 9 | -1 | 18 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5836015430308 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 17 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A7203 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7203: PUBLIC AFFAIRS STILL ACQUISITION SYSTEM (PASAS)

The Public Affairs Still Acquisition System consists of a set of professional digital cameras and associated lenses and peripherals integrated into a man-portable system for combat correspondents to use while forward deployed or redeployed to bases and stations. This system will provide Marines with the MOS 4341 equipment necessary to perform specialized missions of imagery acquisition in support of mission readiness and external and internal information campaigns. The system is designed for operation by one Combat Correspondent.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 276 | 0 |
| AAO (FY17) | 276 | |
| O/H | 92 | 0 |
| Shortfall/Excess | -184 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 56 | 53 | 40 | 0 | 13 | 103 | 0 | 0 | 0 | 0 |
| 56 | 53 | 40 | 2 | 13 | 103 | 0 | 0 | 0 | 0 |
| 31 | 13 | 10 | 2 | 1 | 35 | 0 | 0 | 0 | 0 |
| -25 | -40 | -30 | 2 | -12 | -68 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6720015430652 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 7 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A7204 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7204: PUBLIC AFFAIRS NEW LINK SYSTEM (PANLS)

Transmission unit that allows PA Marines to transmit live, broadcast quality, digital video and audio from remote locations in near real time. This unit is man portable and more robust than the PASTS system.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 26 | 0 |
| AAO (FY17) | 26 | |
| O/H | 19 | 1 |
| Shortfall/Excess | -7 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 7 | 7 | 6 | 0 | 1 | 5 | 0 | 0 | 0 | 0 |
| 7 | 7 | 6 | 0 | 1 | 5 | 0 | 0 | 0 | 0 |
| 6 | 3 | 5 | 1 | 0 | 3 | 0 | 0 | 0 | 0 |
| -1 | -4 | -1 | 1 | -1 | -2 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015707690 | 1 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | Yes | No | 1 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 26 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A7205 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7205: NIGHT CAMERA ADAPTOR SYSTEM

Attachment for still and video cameras that allows PA Marines to acquire still and video images in darkness.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 108 | 0 |
| AAO (FY17) | 114 | |
| O/H | 9 | 0 |
| Shortfall/Excess | -99 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 27 | 28 | 24 | 0 | 9 | 1 | 0 | 0 | 0 | 0 |
| 27 | 32 | 24 | 4 | 13 | 1 | 0 | 0 | 0 | 0 |
| 7 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| -20 | -28 | -24 | 0 | -9 | 1 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855015579470 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A7206 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7206: SECONDARY TRANSMISSION SYSTEM (PAST)

A man packable individual transmission unit that allows PA Marines to transmit still and video products in austere environments.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 52 | 0 |
| AAO (FY17) | 52 | |
| O/H | 17 | 0 |
| Shortfall/Excess | -35 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 14 | 14 | 12 | 0 | 2 | 10 | 0 | 0 | 0 | 0 |
| 14 | 14 | 12 | 0 | 2 | 10 | 0 | 0 | 0 | 0 |
| 3 | 4 | 2 | 0 | 0 | 2 | 0 | 6 | 0 | 0 |
| -11 | -10 | -10 | 0 | -2 | -8 | 0 | 6 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015702488 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7420: MAINTENANCE FACILITY, TRANSPORTABLE

The Maintenance Facility, Transportable, AN/TSM-214, provides deployable and garrison Test, Measurement, and Diagnostic Equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 13 | 0 |
| AAO (FY17) | 11 | |
| O/H | 13 | 1 |
| Shortfall/Excess | 0 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 4 | 3 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| 4 | 3 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| 4 | 3 | 3 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | -2 | 1 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940014904064 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Item has been phased out, but will continue to be sent to the MEFs until the replacement comes online.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 32 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A7501 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7501: TEST STATION, ELECTRICAL-ELECTRONIC EQUIPMENT

Device used to test and troubleshoot electronic circuit cards.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 235 | 0 |
| AAO (FY17) | 219 | |
| O/H | 187 | 1 |
| Shortfall/Excess | -48 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 43 | 43 | 34 | 0 | 36 | 76 | 0 | 3 | 0 | 0 |
| 43 | 40 | 21 | 0 | 36 | 76 | 0 | 3 | 0 | 0 |
| 33 | 30 | 37 | 0 | 16 | 56 | 0 | 14 | 0 | 0 |
| -10 | -13 | 3 | 0 | -20 | -20 | 0 | 11 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625014849160 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |
| 6625015347363 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |
| 6625015347365 | 1 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 1 | 0 |

**Notes**: Split strategy, refer to NSN for dispo action.Items will be returned to the MEFs to fill homestation shortfalls. Item can be easily purchased from commercial vendors. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 30 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A7503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7503: PROGRAM SET APPL

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 48 | 0 | 13 | 8 | 4 | 0 | 11 | 12 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 43 | | 11 | 7 | 2 | 0 | 11 | 12 | 0 | 0 | 0 | 0 |
| O/H | 38 | 0 | 17 | 8 | 4 | 0 | 2 | 6 | 0 | 1 | 0 | 0 |
| Shortfall/Excess | -10 | 0 | 4 | 0 | 0 | 0 | -9 | -6 | 0 | 1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015500389 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 18 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7507 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7507: PROGRAM SET, APPL

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 23 | 0 |
| AAO (FY17) | 22 | |
| O/H | 24 | 0 |
| Shortfall/Excess | 1 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 6 | 6 | 1 | 0 | 2 | 8 | 0 | 0 | 0 | 0 |
| 6 | 6 | 0 | 0 | 2 | 8 | 0 | 0 | 0 | 0 |
| 2 | 5 | 4 | 0 | 4 | 7 | 0 | 1 | 0 | 0 |
| -4 | -1 | 3 | 0 | 2 | -1 | 0 | 1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015588041 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This asset is unable to be reprocured due to obscelence, however the asset is required to sustain the long term lifecycle of the AAO. The $129 transportation cost is minimal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7508 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7508: APS AN/PSM-119

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 18 | 0 | 4 | 4 | 3 | 0 | 2 | 5 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 18 | | 4 | 4 | 3 | 0 | 2 | 5 | 0 | 0 | 0 | 0 |
| O/H | 13 | 0 | 4 | 2 | 3 | 0 | 1 | 3 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -5 | 0 | 0 | -2 | 0 | 0 | -1 | -2 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015453668 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Items will be returned to the MEFs to fill homestation shortfalls. Item can be easily purchased from commercial vendors.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 8 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7513 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7513: PROGRAM SET, APPLICATION, 3D ECH, F/TOW II

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 15 | 0 | 4 | 2 | 3 | 0 | 4 | 2 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 6 | | 0 | 0 | 2 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| O/H | 26 | 0 | 5 | 2 | 3 | 0 | 4 | 0 | 0 | 12 | 0 | 0 |
| Shortfall/Excess | 11 | 0 | 1 | 0 | 0 | 0 | 0 | -2 | 0 | 12 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015244047 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7517 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7517: TEST SET RADIO

The ATS-2000 is a fully functional communications test set with the capacity to evaluate the operational performance of communications equipment, such as radios, vehicular antennas, RF cables, and other ancillary Line Replaceable Units (LRUs). Evaluations are performed manually or automated using UUT Interface Devices. The ATS-2000 is capable of providing quantitative measurements of transmitted RF power, receiver sensitivity, frequency accuracy, modulation and waveform metering, spectral analysis (both frequency and time domains), swept antenna measurement, bit error rate, and vehicular platform/environmental RF noise levels. The ATS-2000 features a bail handle, corner protectors, milled front and rear panels, and wraparound

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 579 | 0 | 127 | 125 | 81 | 0 | 100 | 140 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 563 | | 126 | 118 | 67 | 6 | 106 | 140 | 0 | 0 | 0 | 0 |
| O/H | 1,379 | 0 | 48 | 66 | 80 | 3 | 3 | 102 | 0 | 253 | 0 | 0 |
| Shortfall/Excess | 800 | 0 | -79 | -59 | -1 | 3 | -97 | -38 | 0 | 253 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015634671 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | No | Yes | No | 0 | 0 | 0 |

**Notes**: Items will be returned to the MEFs to fill homestation shortfalls.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7519 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7519: TEST SET,ELECTRONIC

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 46 | 0 | 13 | 7 | 3 | 0 | 8 | 15 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 43 | | 11 | 6 | 3 | 0 | 8 | 15 | 0 | 0 | 0 | 0 |
| O/H | 41 | 0 | 15 | 10 | 4 | 0 | 5 | 3 | 0 | 4 | 0 | 0 |
| Shortfall/Excess | -5 | 0 | 2 | 3 | 1 | 0 | -3 | -12 | 0 | 4 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015659818 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7522 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7522: PROGRAM SET, APPLICATION, AN/PSM-123 (LAV25-A2 LRU)

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 53 | 0 | 16 | 9 | 4 | 0 | 9 | 15 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 31 | | 6 | 4 | 2 | 0 | 4 | 15 | 0 | 0 | 0 | 0 |
| O/H | 35 | 0 | 4 | 4 | 2 | 0 | 2 | 4 | 0 | 19 | 0 | 0 |
| Shortfall/Excess | -18 | 0 | -12 | -5 | -2 | 0 | -7 | -11 | 0 | 19 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015754978 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7550 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7550: APPLICATION PROGRAM SET F/TOW SYSTEM LRV

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 15 | 0 | 4 | 2 | 3 | 0 | 4 | 2 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 6 | | 0 | 0 | 2 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| O/H | 27 | 0 | 5 | 2 | 4 | 0 | 2 | 0 | 0 | 14 | 0 | 0 |
| Shortfall/Excess | 12 | 0 | 1 | 0 | 1 | 0 | -2 | -2 | 0 | 14 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015154038 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 22 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7596 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7596: TEST SYSTEM, 3D ECH (RF VERSION)

The Third Echelon Test Set is a portable automated testing unit that provides the capability to screen, test and diagnose electronic, electro-mechanical, and electro-optical LRUs and CCAs for a wide variety of Weapons Systems.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 221 | 0 | 46 | 42 | 29 | 0 | 32 | 64 | 0 | 8 | 0 | 0 |
| AAO (FY17) | 210 | | 44 | 41 | 21 | 0 | 32 | 64 | 0 | 8 | 0 | 0 |
| O/H | 150 | 0 | 25 | 28 | 18 | 0 | 12 | 24 | 0 | 41 | 0 | 0 |
| Shortfall/Excess | -71 | 0 | -21 | -14 | -11 | 0 | -20 | -40 | 0 | 33 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015659249 | 0 | 0% | 50% | 0% | 50% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |
| 6625015685523 | 0 | 0% | 50% | 0% | 50% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 32 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7597 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7597: TEST SYSTEM, 3RD ECHELON

TETS is a portable, automated test unit that is controlled by a Laptop computer. It is a modular design configuration using mature and proven Non-developmental Item components and modules to accommodate 3 configurations: Radio Frequency (RF), Electro-Optical (EO), and a combined RF/EO.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 45 | 0 |
| AAO (FY17) | 41 | |
| O/H | 91 | 0 |
| Shortfall/Excess | 46 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 6 | 6 | 8 | 0 | 0 | 22 | 0 | 3 | 0 | 0 |
| 6 | 6 | 4 | 0 | 0 | 22 | 0 | 3 | 0 | 0 |
| 4 | 11 | 7 | 0 | 4 | 5 | 0 | 59 | 0 | 0 |
| -2 | 5 | -1 | 0 | 4 | -17 | 0 | 56 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015678650 | 0 | 0% | 50% | 0% | 50% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The transportation cost of $2,297 is far less than the $916K replacement cost. There are no replacement procurements planned or scheduled for the lifecycle of this item. Recommend retrograding to support the lifetime lifecycle requirement.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 32 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7700 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7700: ANALYZER-CHARGER, BATTERY

The Battery Analyzer-Charger (PP-8333/U) is a programmable battery support system designed for maintaining rechargeable batteries used in portable battery powered equipment. TAMCN E0935 (TOW) is the only MPF asset that requires the PP-8333/U to charge its' batteries. The A7700 is being replaced by TAMCN A0012.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 79 | 0 | 17 | 7 | 14 | 0 | 22 | 9 | 0 | 0 | 10 | 0 |
| AAO (FY17) | 68 | | 17 | 7 | 3 | 0 | 22 | 9 | 0 | 0 | 10 | 0 |
| O/H | 962 | 0 | 20 | 13 | 16 | 0 | 69 | 1 | 0 | 816 | 27 | 0 |
| Shortfall/Excess | 883 | 0 | 3 | 6 | 2 | 0 | 47 | -8 | 0 | 816 | 17 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6130013412073 | 0 | 0% | 0% | 0% | 50% | 50% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: DRMO/Dispose of In Theater; do NOT return to CONUS.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7705 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7705: POWER SUPPLY, 18 - 30 VDC

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,786 | 0 | 472 | 430 | 286 | 0 | 362 | 75 | 0 | 0 | 100 | 18 |
| AAO (FY17) | 1,614 | | 428 | 380 | 175 | 35 | 341 | 75 | 0 | 0 | 100 | 72 |
| O/H | 2,488 | 11 | 473 | 494 | 260 | 27 | 305 | 48 | 0 | 693 | 130 | 18 |
| Shortfall/Excess | 702 | 11 | 1 | 64 | -26 | 27 | -57 | -27 | 0 | 693 | 30 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6130014528403 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | N/A | No | 0 | 0 | 0 |
| 6130014754999 | 11 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | N/A | No | 0 | 0 | 11 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 19 | 0.3 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7706 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7706: POWER SUPPLY, 0-40 VDC

This is a general purpose power supply converter which provides the capability to convert 115 VAC power to 0-40 VDC power, 0-25 amperes. The power supply will be used in the maintenance of communication-electronics equipment as a bench top power supply.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 2,843 | 0 |
| AAO (FY17) | 2,686 | |
| O/H | 5,551 | 38 |
| Shortfall/Excess | 2,708 | 38 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 717 | 669 | 456 | 0 | 551 | 229 | 0 | 0 | 106 | 65 |
| 705 | 636 | 410 | 0 | 550 | 229 | 0 | 0 | 106 | 0 |
| 729 | 715 | 426 | 15 | 413 | 206 | 0 | 2,686 | 287 | 8 |
| 12 | 46 | -30 | 15 | -138 | -23 | 0 | 2,686 | 181 | -57 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6130015261311 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6130015319927 | 31 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 31 |
| 6130219116149 | 7 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 7 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7900: TOOL KIT, MAINT, ELECTRONIC

Tool Kit used by electroninc technicans (MOS 28xx and 59xx). This item is being replaced by TAMCN A7902.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 121 | 0 |
| Shortfall/Excess | 121 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13 | 19 | 35 | 2 | 29 | 22 | 0 | 1 | 0 | 0 |
| 13 | 19 | 35 | 2 | 29 | 22 | 0 | 1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180012241290 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5180012441290 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Obsolete tool kit, but most of the tools can be used in other kits - strategy is to reallocate in theater. Do not reset. Retain in theater for reutilization.The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A7902 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7902: TOOL KIT, MAINT, ELECTRONIC CREW OPERATOR

The TK-2800 is intened to be issued to individual Marine Corps electronci technicians in the Military Occupational Specialties (MOS) 28xx and 59xx.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 3,447 | 0 |
| AAO (FY17) | 3,387 | |
| O/H | 6,120 | 12 |
| Shortfall/Excess | 2,673 | 12 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 810 | 787 | 489 | 0 | 563 | 402 | 0 | 0 | 250 | 42 |
| 756 | 701 | 489 | 94 | 547 | 402 | 0 | 0 | 250 | 138 |
| 837 | 877 | 625 | 54 | 476 | 309 | 0 | 1,364 | 182 | 42 |
| 27 | 90 | 136 | 54 | -87 | -93 | 0 | 1,364 | -68 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940015540475 | 12 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 12 |
| 5180015837479 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Split strategy, refer to NSN for dispo action.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A7905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7905: TOOL KIT INTERMEDIA

Tool Kit Intermediate, is an intermediate tool kit used by the 59XX to complete field and depot level repair of the AN/TYQ-23. This tool is required due to no common tool sets meeting the needs for this piece of equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 10 | 0 |
| AAO (FY17) | 10 | |
| O/H | 6 | 0 |
| Shortfall/Excess | -4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 2 | 2 | 2 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| 2 | 2 | 2 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| 1 | 1 | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| -1 | -1 | -1 | 0 | -1 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014527551 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: All items will be returned to CONUS. DO NOT POWER WASH ELECTRONIC ITEMS OR TOOLS. Compressed air, vacuums, and damp rags should be used to clean the tools and tool box. Hand tools (sockets, screwdrivers, etc.) should be lightly coated with oil. Electronic tools need to remain dry.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MEF** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7906: TOOL KIT, ELECTRONIC SYS (MINI-SOLDER KIT)

The A7906 (TK-8641) is a 37% smaller version of the A7955 2M Pace kit currently fielded throughout the Marine Corps. This kit contains an array of specialized tools to assist the technician in making highly reliable repairs ranging from basic soldering to 2M repairs for forward deployed units.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 177 | 0 |
| AAO (FY17) | 164 | |
| O/H | 209 | 2 |
| Shortfall/Excess | 32 | 2 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 32 | 33 | 30 | 0 | 30 | 28 | 0 | 0 | 24 | 0 |
| 32 | 33 | 17 | 0 | 30 | 28 | 0 | 0 | 24 | 0 |
| 32 | 34 | 30 | 3 | 7 | 13 | 0 | 63 | 24 | 1 |
| 0 | 1 | 0 | 3 | -23 | -15 | 0 | 63 | 0 | 1 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015416262 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 2 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 5 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7910: TOOL KIT, FIBER OPTIC, GP

The Fiber Optic tool kit is a general purpose kit used to repair fiber optic cables and connectors. This kit is used in support of all USMC fiber optic cables and connectors except those associated with TAOM. This Tool Kit, along with the A7001 Optical Loss Test Set, the A7004 Fiber Inspector, A7086 OTDR, and A7920 Splicing Kit, belongs to a suite of Fiber Optic test equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 287 | 17 | 75 | 74 | 48 | 0 | 48 | 24 | 17 | 0 | 0 | 0 |
| AAO (FY17) | 286 | | 76 | 75 | 42 | 0 | 50 | 24 | 18 | 0 | 0 | 0 |
| O/H | 157 | 0 | 35 | 39 | 27 | 0 | 24 | 16 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | -130 | -17 | -40 | -35 | -21 | 0 | -24 | -8 | -17 | 2 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180014763023 | 0 | 30% | 0% | 0% | 70% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5180015167227 | 0 | 30% | 0% | 0% | 70% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7920 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7920: FIBER OPTICS FUSION SPLICER

The S121A is the first fully functional fusion splicer. It's designed for splicing single to 4-ribbon fibers. The S121A is about one-third the size of a typical mini-splicer, weighs just 2.2 pounds without the battery and does not require a flat surface. The unit features fully automatic fiber feed, alignment, splicing arc, and tension test. You can monitor all splicing operations for accuracy using the unit's integrated CCD camera and 2.5-inch LCD display.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 239 | 16 | 51 | 50 | 39 | 0 | 44 | 38 | 16 | 0 | 0 | 0 |
| AAO (FY17) | 237 | | 51 | 50 | 37 | 0 | 44 | 38 | 16 | 0 | 0 | 0 |
| O/H | 285 | 0 | 48 | 55 | 36 | 0 | 30 | 65 | 0 | 47 | 1 | 0 |
| Shortfall/Excess | 46 | -16 | -3 | 5 | -3 | 0 | -14 | 27 | -16 | 47 | 1 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6080015208198 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | N | No | N | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7942: TOOL KIT, DATA NETWORK, GP

The Data Network Tool Kit, model number TK-0656, is a general purpose tool kit designed to assist technicians perform testing, monitoring, troubleshooting, and maintenance of the Marine Corps data networks.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 499 | 27 | 114 | 102 | 72 | 0 | 82 | 25 | 27 | 0 | 0 | 0 |
| AAO (FY17) | 499 | | 114 | 97 | 75 | 75 | 84 | 25 | 27 | 0 | 0 | 0 |
| O/H | 413 | 2 | 101 | 105 | 59 | 48 | 55 | 29 | 0 | 7 | 0 | 0 |
| Shortfall/Excess | -86 | -25 | -13 | 3 | -13 | 48 | -27 | 4 | -27 | 7 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015247623 | 2 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | No | No | No | No | 1 | 0 | 1 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A7955 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A7955: KIT, MAINT, EQUIPMENT, ELECTRONIC

The Maintenance Kit, Electronic Equipment, MK-2663/U, contains special electronic units, tools and materials to make high-reliability repairs to electronic equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 264 | 8 | 54 | 52 | 38 | 0 | 42 | 70 | 8 | 0 | 0 | 0 |
| AAO (FY17) | 249 | | 54 | 52 | 23 | 0 | 42 | 70 | 8 | 0 | 0 | 0 |
| O/H | 67 | 0 | 22 | 13 | 13 | 0 | 6 | 11 | 0 | 1 | 1 | 0 |
| Shortfall/Excess | -197 | -8 | -32 | -39 | -25 | 0 | -36 | -59 | -8 | 1 | 1 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895013229872 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5895015429039 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5895015662941 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 7 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A8010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8010: TERMINAL EQUIPMENT, TELEPHONE, SECURE

The Secure Terminal Equipment (STE) Telephone, STE OFFIC-442 is the standard telephone for secure-multimedia communications. STE are engineered to operate on the digital Integrated Services Digital Network (ISDN) or analog networks.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 3,096 | 0 |
| AAO (FY17) | 3,051 | |
| O/H | 5,951 | 13 |
| Shortfall/Excess | 2,855 | 13 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 559 | 589 | 462 | 0 | 432 | 430 | 0 | 0 | 0 | 0 |
| 585 | 533 | 456 | 322 | 423 | 430 | 0 | 0 | 0 | 0 |
| 601 | 884 | 474 | 146 | 521 | 1,045 | 0 | 2,236 | 0 | 0 |
| 42 | 295 | 12 | 146 | 89 | 615 | 0 | 2,236 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810014596438 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5810014596441 | 13 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 13 |

**Notes**: Equipment is obsolete. WIR to dispose of in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A8018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8018: INTERROGATOR COMPUTER

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System (EADS), Targets and target support, Stinger Ground Support Equipment (GSE), and trainers/simulators.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 106 | 0 | 37 | 37 | 14 | 0 | 11 | 7 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 106 | | 37 | 37 | 14 | 0 | 11 | 7 | 0 | 0 | 0 | 0 |
| O/H | 90 | 0 | 22 | 31 | 14 | 0 | 4 | 6 | 0 | 13 | 0 | 0 |
| Shortfall/Excess | -16 | 0 | -15 | -6 | 0 | 0 | -7 | -1 | 0 | 13 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810000613388 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5810012737819 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8019: TRANSPONDER COMPUTER

The Transponder Computer, TSEC/KIT-1C is used in conjunction with the TSEC/KIR-1C (TAMCN A80187G).

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 62 | 0 | 13 | 13 | 8 | 0 | 9 | 19 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 62 | | 13 | 13 | 8 | 0 | 9 | 19 | 0 | 0 | 0 | 0 |
| O/H | 77 | 0 | 10 | 8 | 6 | 0 | 4 | 7 | 0 | 42 | 0 | 0 |
| Shortfall/Excess | 15 | 0 | -3 | -5 | -2 | 0 | -5 | -12 | 0 | 42 | 0 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810000613386 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8023: TRANSFER UNIT,CRYPT

The AN/CYZ-10 Data Transfer Device, often called a Crazy 10, is a portable, hand-held fill device, for securely receiving, storing, and transferring data between compatible cryptographic and communications equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 8,678 | 0 |
| AAO (FY17) | 8,068 | |
| O/H | 17,210 | 113 |
| Shortfall/Excess | 8,532 | 113 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 2,510 | 2,292 | 1,132 | 0 | 1,968 | 372 | 0 | 0 | 0 | 0 |
| 2,313 | 1,956 | 1,096 | 358 | 1,961 | 338 | 0 | 0 | 0 | 0 |
| 2,754 | 2,531 | 927 | 380 | 1,740 | 819 | 0 | 7,869 | 0 | 0 |
| 244 | 239 | -205 | 380 | -228 | 447 | 0 | 7,869 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810013431194 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5810013841996 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5810013887634 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5810013931973 | 8 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 8 | 0 |
| 5810015173587 | 105 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | no | No | No | No | 0 | 105 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☐ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8024 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8024: READER,PUNCHED TAPE

The KOI-18 tape reader is a battery operated, hand carried device used for converting eight-level standard paper and Mylar tape to serial electronic information.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 277 | 1 | 85 | 52 | 34 | 0 | 44 | 16 | 0 | 45 | 0 | 0 |
| Shortfall/Excess | 277 | 1 | 85 | 52 | 34 | 0 | 44 | 16 | 0 | 45 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810010269620 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 1 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8025: KYK-13 TRANSFER DEVICE

The KYK-13 is a battery operated electronic transfer device, hand or pocket carried, transfer and storage device, which can store up to six keys.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 126 | 0 |
| Shortfall/Excess | 126 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 17 | 1 | 7 | 0 | 67 | 2 | 0 | 32 | 0 | 0 |
| 17 | 1 | 7 | 0 | 67 | 2 | 0 | 32 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810010269618 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8027: VEHICLE POWER ADAPTER HYP-57

The Vehicular Power Adapter, HYP-57/TSEC replaces the battery and battery case, Z-AIJ, of either the KY-57 or HYX-57. Its purpose is to provide TEMPEST and EMI filtering, and mechanical connector conversion to adapt a vehicular power source to the KY-57 or HYX-57.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 146 | 0 | 0 | 0 | 0 | 0 | 0 | 146 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 146 | | 0 | 0 | 0 | 0 | 0 | 146 | 0 | 0 | 0 | 0 |
| O/H | 4,930 | 0 | 284 | 93 | 42 | 0 | 108 | 126 | 0 | 4,276 | 1 | 0 |
| Shortfall/Excess | 4,784 | 0 | 284 | 93 | 42 | 0 | 108 | -20 | 0 | 4,276 | 1 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810010269621 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: All equipment should be disposed of in theater.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A8028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8028: WLA ASSEMBLY

The Wireline Adapter, HYX-57/TSEC, is designed to provide the appropriate wireline interface for the TSEC/KY-57. TSEC/KY-38, and the TSEC/KY-65 to allow their use over a point to point wireline link or through certain military switchboards.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 3,956 | 0 | 126 | 24 | 26 | 0 | 134 | 108 | 0 | 3,538 | 0 | 0 |
| Shortfall/Excess | 3,956 | 0 | 126 | 24 | 26 | 0 | 134 | 108 | 0 | 3,538 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810010269622 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A8031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8031: SECURITY EQP, TSEC/KY-57

The TSEC/KY-57 is a small, lightweight, wideband, secure voice, digital communications equipment. It is designed to provide on-line encryption and decryption of all classifications of tactical traffic transmitted over FM and AM, VHF and UHF radio communions.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 2,321 | 0 | 217 | 52 | 41 | 0 | 84 | 23 | 0 | 1,904 | 0 | 0 |
| Shortfall/Excess | 2,321 | 0 | 217 | 52 | 41 | 0 | 84 | 23 | 0 | 1,904 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810004343644 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8032: SECURITY EQP, SPEECH, TACT, HALF-DUP, W-B AIRBORNE

The Speech Security Equipment (VINSON), TSEC/KY-58-2, -58-3, -58-4, and -58-5 are members of the VINSON family. The VINSON family consists of Wide Band Secure Voice (WBSV) units developed by the National Security Agency to provide line of sight half-duplex voice and data encryption at 16 kbps. The TSEC/KY-58-2, -58-3, -58-4, and -58-5 provides security for AM/FM, VHF, UHF, half-duplex Public Telephone and Telegraph combat net radios and tactical wireline systems when used with the HYX-57.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 955 | 0 | 219 | 235 | 178 | 0 | 158 | 141 | 0 | 0 | 24 | 0 |
| AAO (FY17) | 951 | | 219 | 231 | 178 | 0 | 158 | 141 | 0 | 0 | 24 | 0 |
| O/H | 1,466 | 0 | 178 | 144 | 145 | 0 | 129 | 114 | 0 | 732 | 24 | 0 |
| Shortfall/Excess | 511 | 0 | -41 | -91 | -33 | 0 | -29 | -27 | 0 | 732 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810004490154 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8036: GENERATOR, KEY, COMSEC

KGV-8C JTIDS COMSEC MODULE

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 35 | 0 |
| AAO (FY17) | 35 | |
| O/H | 35 | 0 |
| Shortfall/Excess | 0 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 6 | 6 | 5 | 0 | 6 | 12 | 0 | 0 | 0 | 0 |
| 6 | 6 | 5 | 0 | 6 | 12 | 0 | 0 | 0 | 0 |
| 4 | 5 | 6 | 0 | 3 | 7 | 0 | 10 | 0 | 0 |
| -2 | -1 | 1 | 0 | -3 | -5 | 0 | 10 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810013687752 | 0 | 0% | 75% | 0% | 25% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. No associated TAMCNs. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8038: GENERATOR, KEY, ELECTRONIC'

The Half-Duplex Digital Key Generator, TSEC/KG-40 is a micro-miniature, half-duplex, digital electronic key generator designed to provide cryptographic security for Link II High Frequency/Ultra High Frequency (HF/UHF) communications and for any communications which meet Tactical Digital Information Link data standards. The TSEC/KG-40 will interface between a computer and a data terminal. The TSEC/KG-40 is available in serial and parallel interface configurations.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 58 | 0 | 11 | 15 | 8 | 0 | 11 | 13 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 57 | | 11 | 14 | 8 | 0 | 11 | 13 | 0 | 0 | 0 | 0 |
| O/H | 53 | 0 | 7 | 6 | 7 | 0 | 9 | 12 | 0 | 12 | 0 | 0 |
| Shortfall/Excess | -5 | 0 | -4 | -9 | -1 | 0 | -2 | -1 | 0 | 12 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810010168052 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 5810013513000 | 0 | 75% | 0% | 0% | 25% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8047: SECU VOICE KY 99A

The Advanced Narrowband Digital Voice Terminal/Miniature Terminal (ANDVT/MINTERM), TSEC/KY-99A is a lightweight, battery-powered, tactical manpack terminal that provides voice or data communications over wideband (16 kbps) radio channels and is inter-operable with KY-57 VINSON/Single Channel Ground and Airborne Radio System equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 2,390 | 0 | 157 | 3 | 21 | 0 | 21 | 5 | 0 | 2,129 | 50 | 4 |
| Shortfall/Excess | 2,390 | 0 | 157 | 3 | 21 | 0 | 21 | 5 | 0 | 2,129 | 50 | 4 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810013910187 | 0 | 75% | 0% | 0% | 25% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8050 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8050: CASE,BATTERY ASSEMB

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 879 | 0 | 285 | 171 | 0 | 0 | 257 | 5 | 0 | 161 | 0 | 0 |
| Shortfall/Excess | 879 | 0 | 285 | 171 | 0 | 0 | 257 | 5 | 0 | 161 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6140010488167 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: All equipment should be disposed of in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A8067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8067: FLEET BROADCAST SEC EQUIPMENT

KWR-46

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 |
| Shortfall/Excess | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810011608398 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8072: REMOTE REKEY EQUIPMENT

The Remote Re-key Equipment, KOK-13A is controlled by a user-supplied host computer. The KOK-13A is capable of generating electronic keys for Over-The-Air- Keys, manual distribution, or memory storage.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 2 | | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 15 | 0 | 4 | 2 | 0 | 0 | 3 | 1 | 0 | 5 | 0 | 0 |
| Shortfall/Excess | 13 | 0 | 4 | 1 | -1 | 0 | 3 | 1 | 0 | 5 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810012486018 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | N | No | N | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A8081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8081: ANDVT/TACTERM COMSEC MODULE

The Advanced Narrowband Digital Voice Terminal Communications Security Module, TSEC/KYV-5 is a removable module designed to plug into the front panel of the CV-3591 Basic Terminal Unit. The TSEC/KYV-5 provides communications security capability to the Advanced Narrowband Digital Voice Terminal/Tactical Terminal.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 167 | 0 | 38 | 38 | 27 | 0 | 24 | 40 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 166 | | 38 | 38 | 26 | 0 | 24 | 40 | 0 | 0 | 0 | 0 |
| O/H | 233 | 0 | 51 | 40 | 21 | 0 | 10 | 40 | 0 | 71 | 0 | 0 |
| Shortfall/Excess | 66 | 0 | 13 | 2 | -6 | 0 | -14 | 0 | 0 | 71 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810012240202 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8082: ENCRYPTION-DECRYPTI

The General Purpose Encryption Equipment, TSEC/KG-84A, -84C is a high capacity key generator used to encrypt and decrypt teletypewriter and digital data traffic on dedicated links in both tactical and fixed plant environments. Future replacement for the TSEC/KG-84A, -84C will be the TSEC/KIV-7M or TSEC/KIV-19M.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 533 | 0 |
| Shortfall/Excess | 533 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 88 | 13 | 34 | 0 | 79 | 107 | 0 | 212 | 0 | 0 |
| 88 | 13 | 34 | 0 | 79 | 107 | 0 | 212 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810011463260 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5810012506618 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☐ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8084: ENCRYPTION-DECRYPTION EQUIPMENT

The KIV High Speed B Communications Security encryption model is designed to operate in Time Division Multiple Access architectures which allows it to provide secure high bandwidth, wide area, networked data exchange via MILSTAR satellites.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 2,692 | 0 |
| AAO (FY17) | 2,691 | |
| O/H | 6,093 | 11 |
| Shortfall/Excess | 3,401 | 11 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 723 | 722 | 460 | 0 | 407 | 306 | 0 | 0 | 0 | 0 |
| 729 | 693 | 464 | 31 | 425 | 306 | 0 | 0 | 0 | 0 |
| 1,352 | 685 | 851 | 16 | 333 | 439 | 0 | 2,276 | 86 | 2 |
| 629 | -37 | 391 | 16 | -74 | 133 | 0 | 2,276 | 86 | 2 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810014146656 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5810014304225 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5810014318264 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5810014876582 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5810015302811 | 11 | 25% | 0% | 0% | 75% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 11 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.See sensitive equipment instructions in the appendix. NSNs 6656, 4225, and 8264 should be disposed of through MCLC. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

- ☑ **Sensitive**
- ☑ **CCI**
- ☑ **Multi-Modal**
- ☐ **Rotational**
- ☐ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8085: ENCRYPTION-DECRYPTION EQUIPMENT (KIV-19)

The KIV-19 is COMSEC equipment and is a controlled cryptographic item. The KIV-19 is a miniaturized version of the existing KG-194 trunk encryption device. It performs data encryption / decryption in full duplex synchronous operation.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 1,048 | 0 |
| AAO (FY17) | 1,048 | |
| O/H | 1,464 | 13 |
| Shortfall/Excess | 416 | 13 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 203 | 203 | 164 | 0 | 174 | 303 | 0 | 0 | 0 | 0 |
| 203 | 203 | 164 | 1 | 174 | 303 | 0 | 0 | 0 | 0 |
| 278 | 225 | 184 | 0 | 61 | 148 | 0 | 535 | 0 | 0 |
| 75 | 22 | 20 | 0 | -113 | -155 | 0 | 535 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810014497179 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5810014925165 | 13 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 13 | 0 |
| 5810014989537 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8088 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8088: ENCRYPTOR, NETWORK, IN-LINE

The TACLANE®-Micro is the next generation High Assurance IP Encryptor Interoperability Specification (HAIPE® IS) and Crypto Modernization Compliant encryptor. Optimized for both tactical and strategic environments, the TACLANE-Micro is high-speed, compact and mobile.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 715 | 0 | 128 | 138 | 103 | 0 | 108 | 137 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 778 | | 147 | 154 | 122 | 74 | 117 | 137 | 0 | 0 | 0 | 0 |
| O/H | 4,122 | 40 | 896 | 595 | 475 | 36 | 275 | 704 | 0 | 1,089 | 0 | 0 |
| Shortfall/Excess | 3,407 | 40 | 768 | 457 | 372 | 36 | 167 | 567 | 0 | 1,089 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810014630133 | 8 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 8 | 0 |
| 5810014861987 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 5810015279296 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 5810015474520 | 32 | 25% | 0% | 0% | 75% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 32 | 0 |
| 5999015326578 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8089 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8089: ENCRYPTION DEVICE, TRUNK

The Trunk Encryption Device, TSEC/KG-194, -194A are full-duplex key generators designed to provide trunk encryption and decryption for digital data traffic. The TSEC/KG-194 is a non-ruggedized, rack mounted equipment. The TSEC/KG-194A is a tactical, ruggedized equipment with a rack mounting capability. TSEC/KG-194, -194A are enhanced versions which have been modified to incorporate the FIREFLY remote re-key capability. Future replacement for the TSEC/KG-194, -194A will be the TSEC/KIV-17M or TSEC/KIV-19M.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 49 | 0 | 11 | 38 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 46 | | 11 | 35 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 921 | 0 | 187 | 4 | 54 | 0 | 6 | 68 | 0 | 602 | 0 | 0 |
| Shortfall/Excess | 872 | 0 | 176 | -34 | 54 | 0 | 6 | 68 | 0 | 602 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810012831394 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. All equipment will be disposed of through MCLC. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8091: ENCRYPTION, KG 250

The AltaSec® KG-250 from ViaSat offers seamless foreign interoperability and programmable information assurance. This inline network encryptor is certified by the National Security Agency for use on classified U.S. Government communication networks.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 65 | 0 |
| AAO (FY17) | 65 | |
| O/H | 392 | 1 |
| Shortfall/Excess | 327 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 3 | 3 | 0 | 0 | 6 | 0 | 0 | 0 | 0 |
| 0 | 3 | 3 | 50 | 0 | 6 | 0 | 0 | 0 | 0 |
| 73 | 27 | 57 | 17 | 6 | 17 | 0 | 190 | 0 | 0 |
| 73 | 24 | 54 | 17 | 6 | 11 | 0 | 190 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810015246615 | 1 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 1 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a NSA type 1 Controlled Cryptographic item and requires special handling and demil in CONUS.See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8098 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8098: TSECST31 TEST SET

ST-31A KG-40A TEST SET

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 13 | 0 |
| AAO (FY17) | 13 | |
| O/H | 9 | 0 |
| Shortfall/Excess | -4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 3 | 3 | 3 | 0 | 3 | 1 | 0 | 0 | 0 | 0 |
| 3 | 3 | 3 | 0 | 3 | 1 | 0 | 0 | 0 | 0 |
| 2 | 1 | 0 | 0 | 1 | 0 | 0 | 5 | 0 | 0 |
| -1 | -2 | -3 | 0 | -2 | -1 | 0 | 5 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5810010060622 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5810013517228 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A8100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A8100: CONTROL GROUP, RADIO

The Control Group, Receiver-Transmitter, OK-648/U, provides for remote control operation of SINCGARS radios. The Remote Control Unit is connected with the radio by two-way field wire and may be located up to 4 km away from the remotely controlled radio.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 3,124 | 0 |
| AAO (FY17) | 2,894 | |
| O/H | 1,977 | 0 |
| Shortfall/Excess | -1,147 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 964 | 802 | 452 | 0 | 567 | 83 | 0 | 0 | 256 | 0 |
| 864 | 690 | 434 | 0 | 567 | 83 | 0 | 0 | 256 | 0 |
| 448 | 502 | 202 | 0 | 374 | 139 | 0 | 82 | 223 | 0 |
| -516 | -300 | -250 | 0 | -193 | 56 | 0 | 82 | -33 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014294556 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Item will be returned to owning unit. Owning unit then inventory SL-3 and completed a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply systems. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# A9001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9001: COMPUTER SET, DIGITAL (BLUE FORCE TRACKER)

A computer which processes information represented by combinations of discrete or discontinuous data. It is a computer for performing sequences of arithmetic and logical operations, not only on external data but also on its own internally stored instructions.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 10,042 | 0 |
| AAO (FY17) | 10,702 | |
| O/H | 2,686 | 88 |
| Shortfall/Excess | -7,356 | 88 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 2,806 | 2,434 | 1,317 | 0 | 2,302 | 928 | 0 | 0 | 0 | 0 |
| 3,179 | 2,724 | 1,309 | 255 | 2,307 | 928 | 0 | 0 | 0 | 0 |
| 665 | 620 | 181 | 7 | 2 | 368 | 0 | 291 | 17 | 5 |
| -2,141 | -1,814 | -1,136 | 7 | -2,300 | -560 | 0 | 291 | 17 | 5 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015138459 | 88 | 20% | 0% | 0% | 80% | 0% | 0% | NO | NO | No | No | no | y | No | y | 70 | 0 | 18 |

**Notes**: Not CCI as of Sep 2011, but will be within a year. Item is in many other TAMCNs - just about every rolling stock. Will be shipped with associated vehicles, and needs to be associated in TFSMS with all of the rolling stock. It is a computer system - HIGHLY SENSITIVE TO WATER INTRUSION.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A9002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9002: BLUE FORCE TRACKER

Blue Force Tracking system consists of a computer, a satellite antenna, and a Global Positioning System receiver. The system displays the location of the host vehicle on the computer's terrain-map display along with other platforms in their respective locations.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865015335325 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A9003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9003: COMPUTER SET, DIGITAL, (BFT) CF-29 (VEHICLE), (BACKPACK VARIANT - OBSOLETE)

Satellite-based, two-way BFSA and command and control system. Compatible world-wide with Army FBCB2 systems, and provides over-the horizon BFSA and communications link via L-band satellite.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 190 | 4 | 13 | 9 | 1 | 97 | 0 | 50 | 0 | 16 | 0 | 0 |
| Shortfall/Excess | 190 | 4 | 13 | 9 | 1 | 97 | 0 | 50 | 0 | 16 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865015335336 | 4 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | Yes | No | Yes | 0 | 0 | 4 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# A9004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9004: COMPUTER SYSTEM, DIGITAL

The Backup Computer System Block II is a small, portable, Ruggedized Personal Data Assistant that is capable of performing and displaying artillery survey computations and artillery technical firing solutions, safety computations and serve as a back up for the technical fire direction functions of AFATDS.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 395 | 17 | 88 | 68 | 60 | 0 | 70 | 92 | 17 | 0 | 0 | 0 |
| AAO (FY17) | 371 | | 76 | 60 | 56 | 0 | 70 | 92 | 17 | 0 | 0 | 0 |
| O/H | 506 | 4 | 148 | 119 | 90 | 0 | 64 | 70 | 0 | 11 | 0 | 0 |
| Shortfall/Excess | 111 | -13 | 60 | 51 | 30 | 0 | -6 | -22 | -17 | 11 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015154216 | 4 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 4 | 0 |
| 7010015154227 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: NSN: 7010-01-515-4227 (RPDA-5500 OR 3900) DRMO NSN: 7010-01-515-4216 (RPDA-5700) Ship to MCLB Albany

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A9010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9010: UNIT MOVE WORK STATION

MCEITS is the Marine Corps enterprise IT infrastructure in the MAGTF C2 framework. MCEITS consolidates IT infrastructure, hardware, software and services to achieve economies of scale, reduce redundancy and reduce overall USMC IT portfolio costs. MCEITS implements DoD Net-Centric Enterprise Services (NCES), supports Global Information Grid (GIG) and enables effective, efficient IT portfolio management.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 467 | 6 | 208 | 10 | 39 | 26 | 147 | 31 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 467 | 6 | 208 | 10 | 39 | 26 | 147 | 31 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015431630 | 6 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 6 |

**Notes**: Item is obsolete

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A9011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9011: MINI DEPLOYMENT EMBARK SUSTAINMENT KIT MINI-DESK

This is the Mini-deployment Embarkation Sustainment Kit.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 18 | 0 |
| AAO (FY17) | 14 | |
| O/H | 4 | 0 |
| Shortfall/Excess | -14 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 4 | 0 | 3 | 11 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 3 | 11 | 0 | 0 | 0 | 0 |
| 0 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | -1 | 0 | -2 | -11 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7050015444379 | 0 | 0% | 0% | 0% | 50% | 50% | 0% | NO | NO | No | No | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Project Office will take care of the warranty in coordination with the MEFs.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A9013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9013: HANDHELD COMPUTER

The Theater Medical Information Program-Maritime (TMIP-M) provides an integrated theater medical information system addressing the functional areas of Command and Control (C2)(including medical capabilities assessment and sustainability analysis, medical surveillance and collaborative planning capability), Medical Logistics (including assemblage management and blood product management), and Force Health Protection (including medical threat, surveillance, and health care delivery).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 2,068 | 0 |
| AAO (FY17) | 2,014 | |
| O/H | 6 | 0 |
| Shortfall/Excess | -2,062 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 530 | 523 | 345 | 0 | 398 | 113 | 0 | 0 | 0 | 0 |
| 500 | 483 | 341 | 144 | 418 | 113 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 |
| -530 | -523 | -345 | 0 | -398 | -113 | 0 | 6 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7021015504906 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A9014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9014: LAPTOP COMPUTER

TMIP-M provides clinical data collection and transport capability at Care Echelons 1 (BAS), 2 (Surgical Company Field Hospital), and 3 (In-Theater Fleet Hospital or Hospital Ship - Navy Only) in combat or hostile environments involving deployed forces. TMIP-M is the naval services component of TMIP which is a DOD directed joint program. TMIP-M is a Navy led program with participation from the Marine Corps and Coast Guard. It is an AIS which provides medical information processing capabilities to medical staffs in theater as well as medical planners and command and control elements at all echelons. TMIP-M provides a full suite for user configurable AIS support for all aspects of theater health services from patient encounter data to

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 135 | 0 | 36 | 35 | 25 | 0 | 22 | 15 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 131 | | 33 | 33 | 25 | 2 | 23 | 15 | 0 | 0 | 0 | 0 |
| O/H | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -133 | 0 | -36 | -35 | -23 | 0 | -22 | -15 | 0 | 0 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7022015508555 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A9015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9015: LAPTOP COMPUTER

TMIP-M provides clinical data collection and transport capability at Care Echelons 1 (BAS), 2 (Surgical Company Field Hospital), and 3 (In-Theater Fleet Hospital or Hospital Ship - Navy Only) in combat or hostile environments involving deployed forces. TMIP-M is the naval services component of TMIP which is a DOD directed joint program. TMIP-M is a Navy led program with participation from the Marine Corps and Coast Guard. It is an AIS which provides medical information processing capabilities to medical staffs in theater as well as medical planners and command and control elements at all echelons. TMIP-M provides a full suite for user configurable AIS support for all aspects of theater health services from patient encounter data to

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 819 | 0 | 206 | 201 | 130 | 0 | 150 | 100 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 796 | | 199 | 192 | 129 | 26 | 144 | 100 | 0 | 0 | 0 | 0 |
| O/H | 7 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Shortfall/Excess | -812 | 0 | -206 | -201 | -124 | 0 | -150 | -100 | 0 | 1 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7022015508375 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A9020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9020: TABLET RUGGED

Laptop Computer

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 5,920 | 0 | 1,433 | 1,396 | 840 | 0 | 1,099 | 50 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 5,405 | | 1,213 | 1,188 | 777 | 1,102 | 1,075 | 50 | 0 | 0 | 0 | 0 |
| O/H | 5,154 | 28 | 1,470 | 1,843 | 666 | 634 | 329 | 71 | 0 | 85 | 0 | 1 |
| Shortfall/Excess | -766 | 28 | 37 | 447 | -174 | 634 | -770 | 21 | 0 | 85 | 0 | 1 |

### Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7021090006232 | 28 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 28 | 0 |
| 7021090006470 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Follow EKMS procedures for hard drive. DRMO in theater.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A9023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9023: COMPUTER, LAPTOP

High Performance Laptop. This is missidentified as a A90237G. In accuality, this is an A90237GA, which is a component of an Intel System, A0874. There are multiple vendors for this TAMCN.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 433 | 0 |
| AAO (FY17) | 379 | |
| O/H | 1,473 | 45 |
| Shortfall/Excess | 1,040 | 45 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 86 | 123 | 81 | 0 | 58 | 0 | 0 | 0 | 0 | 0 |
| 79 | 119 | 41 | 0 | 55 | 0 | 0 | 0 | 0 | 0 |
| 489 | 245 | 97 | 0 | 73 | 502 | 0 | 8 | 0 | 0 |
| 403 | 122 | 16 | 0 | 15 | 502 | 0 | 8 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015955256 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 1 |
| 7010090006435 | 44 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 44 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Follow EKMS procedures for hard drive. DRMO in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A9068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9068: BATTLE COMMAND SUPPORT SUSTAINMENT SYSTEM (BCS3)

Computer purchased for the purpose of running the BCS3 program - similar to CPOF. BCS3 is a map-centric logistics COP.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 343 | 0 |
| AAO (FY17) | 367 | |
| O/H | 250 | 2 |
| Shortfall/Excess | -93 | 2 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 77 | 77 | 53 | 0 | 22 | 110 | 0 | 0 | 0 | 0 |
| 77 | 77 | 53 | 0 | 46 | 110 | 0 | 0 | 0 | 0 |
| 45 | 65 | 72 | 5 | 0 | 47 | 0 | 6 | 0 | 0 |
| -32 | -12 | 19 | 5 | -22 | -63 | 0 | 6 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015682004 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | Yes | Yes | Yes | 0 | 0 | 0 |
| 5895015703725 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | Yes | Yes | Yes | 0 | 0 | 0 |
| 5895015729492 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | Yes | Yes | Yes | 0 | 0 | 0 |
| 7010015329207 | 2 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | Yes | Yes | Yes | 0 | 2 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A9071 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9071: COMPUTER, LAPTOP

This is a Semi-rugged Laptop. i.e. Panasonic CF-74. There are multiple vendors for this TAMCN.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,840 | 0 | 494 | 539 | 333 | 0 | 474 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 1,515 | | 382 | 433 | 279 | 0 | 421 | 0 | 0 | 0 | 0 | 0 |
| O/H | 1,446 | 0 | 532 | 562 | 220 | 0 | 53 | 59 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -394 | 0 | 38 | 23 | -113 | 0 | -421 | 59 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010016009722 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010090006216 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Follow EKMS procedures for hard drive. DRMO in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A9089 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9089: COMPUTER SET, DIGITAL (BLUE FORCE TRACKER) TOC LITE

The TOC is a variant of the Blue Force Tracking (BFT) that brings the BFT capability into Operation Centers. The TOC possess similar capabilities to the BFT.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 1,310 | 0 |
| AAO (FY17) | 1,291 | |
| O/H | 545 | 10 |
| Shortfall/Excess | -765 | 10 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 266 | 248 | 160 | 0 | 180 | 337 | 0 | 0 | 0 | 0 |
| 256 | 239 | 160 | 119 | 180 | 337 | 0 | 0 | 0 | 0 |
| 211 | 28 | 155 | 31 | 0 | 57 | 0 | 34 | 0 | 0 |
| -55 | -220 | -5 | 31 | -180 | -280 | 0 | 34 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010015354168 | 0 | 0% | 0% | 0% | 0% | 0% | 0% | YES | 0 | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |
| 7010015542356 | 5 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | Yes | No | Yes | 5 | 0 | 0 |
| 7010015690604 | 5 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | Yes | No | Yes | 5 | 0 | 0 |
| 7010015869675 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 100% | 0% | 0% | 0% |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

- ☑ **Sensitive**
- ☐ **CCI**
- ☐ **Multi-Modal**
- ☐ **Rotational**
- ☑ **Associated TAMCNs (See Appendix)**
- ☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 100% | 0% | 0% | 0% |

# A9100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9100: COMPUTER, GP, LAPTOP

ADP Central Processing Unit (CPU, Computer), Hybrid.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 41,417 | 0 |
| AAO (FY17) | 40,318 | |
| O/H | 49,610 | 2190 |
| Shortfall/Excess | 8,193 | 2,190 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 12,314 | 12,679 | 7,539 | 0 | 7,224 | 229 | 0 | 0 | 0 | 0 |
| 11,755 | 12,024 | 7,242 | 0 | 7,636 | 229 | 0 | 0 | 0 | 0 |
| 15,461 | 15,957 | 8,119 | 185 | 968 | 6,042 | 0 | 68 | 0 | 0 |
| 3,147 | 3,278 | 580 | 185 | -6,256 | 5,813 | 0 | 68 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015325434 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010014649363 | 4 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 4 |
| 7010015385013 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010016009733 | 1447 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 1447 |
| 7010090000294 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010090000346 | 11 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 11 |
| 7010090002538 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010090002539 | 101 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 101 |
| 7010090002540 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010090004272 | 9 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 9 |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010090004448 | 606 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 606 |
| 7010090006210 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7022014779043 | 12 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 12 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. All equipment is going to be procured new. Destroy the hard drive and DRMO in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

- [x] **Sensitive**
- [ ] **CCI**
- [ ] **Multi-Modal**
- [ ] **Rotational**
- [ ] **Associated TAMCNs (See Appendix)**
- [ ] **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A9200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9200: COMPUTER, TECH WORKSTATION

The Marine Corps Common Hardware Suite (MCHS) is a level-of-effort program that provides high performance and general purpose client workstations (desktop/laptop)and file application servers that support both UNIX (RISC) and Intel (CISC) based applications. The program includes two components: 1) Workstations and Servers for Tactical and stand-alone Functional C4I programs and 2)/Servers Modernization.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 16 | 0 |
| Shortfall/Excess | 16 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 14 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010090000350 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: This TAMCN is obsolete and should be DRMOd or disposed of in theater.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# A9300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9300: COMPUTER SYSTEM,DIG

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,742 | 0 | 364 | 542 | 415 | 0 | 221 | 20 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 2,713 | | 375 | 537 | 372 | 0 | 229 | 20 | 0 | 0 | 0 | 0 |
| O/H | 9,032 | 3 | 520 | 701 | 517 | 21 | 48 | 6,986 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | 6,290 | 3 | 156 | 159 | 102 | 21 | -173 | 6,966 | 0 | 2 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010014649346 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010016009726 | 3 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 3 |
| 7010090000349 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7010090006211 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 7022014778695 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

- ☑ **Sensitive**
- ☐ **CCI**
- ☐ **Multi-Modal**
- ☐ **Rotational**
- ☐ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A9400 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9400: SERVER, ENTERPRISE

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 213 | 0 |
| AAO (FY17) | 233 | |
| O/H | 69 | 2 |
| Shortfall/Excess | -144 | 2 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 11 | 6 | 4 | 0 | 32 | 94 | 0 | 0 | 0 | 0 |
| 11 | 17 | 13 | 0 | 32 | 94 | 0 | 0 | 0 | 0 |
| 15 | 4 | 2 | 0 | 0 | 46 | 0 | 0 | 0 | 0 |
| 4 | -2 | -2 | 0 | -32 | -48 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7010090000347 | 2 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 2 |
| 7035014778957 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# A9500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN A9500: COMPUTER, SERVER

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 1,377 | 0 |
| AAO (FY17) | 1,377 | |
| O/H | 302 | 0 |
| Shortfall/Excess | -1,075 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 60 | 60 | 36 | 0 | 26 | 1,046 | 0 | 0 | 0 | 0 |
| 60 | 60 | 36 | 0 | 26 | 1,046 | 0 | 0 | 0 | 0 |
| 75 | 58 | 30 | 0 | 1 | 130 | 0 | 3 | 0 | 0 |
| 15 | -2 | -6 | 0 | -25 | -916 | 0 | 3 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 10)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7035014649366 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0003: AIR CONDITIONER, HORIZONTAL, 1.5T, 60HZ, 18K BTU

The Air Conditioner, 1.5-Ton, 18,000 BTU/hr, is an electric motor driven ECU. These units are capable of providing cooled, dehumidified, heated, and filtered air to a shelter or van. The 1.5-Ton ECU is comprised of an electrical subsystem, a refrigeration subsystem and the structure, i.e., the cabinet and frame. The electrical subsystem is designed to accept 208 VAC, 3 phase, 50/60 Hz input power. The 1.5-Ton ECU weighs approximately 245 pounds and is capable of providing 18,000 BTU/hr of cooling and 13,400 BTU/hr of heating. Low setting provides a minimum of 7,000 BTU/hr of heat.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 502 | 39 | 130 | 130 | 76 | 0 | 106 | 21 | 39 | 0 | 0 | 0 |
| AAO (FY17) | 460 | | 130 | 88 | 76 | 0 | 106 | 21 | 39 | 0 | 0 | 0 |
| O/H | 1,437 | 2 | 188 | 180 | 113 | 0 | 60 | 22 | 0 | 872 | 0 | 0 |
| Shortfall/Excess | 935 | -37 | 58 | 50 | 37 | 0 | -46 | 1 | -39 | 872 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4120015261588 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 2 |
| 4120015810399 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. For NSN 4120-01-526-1588 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-0399 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 9 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0006: AIR CONDITIONER, MCS VERTICAL, 400HZ, 36K BTU

The Air Conditioner, Marine Corps Standard (MCS), Vertical, 400 Hz, 3-Ton unit is a complete, self-contained, vertical, air conditioner driven by an air-cooled motor and designed for continuous operation under vary ing load conditions. It is used primarily in van-type enclosures for providing filtered, conditioned, cooled, or heated air, as required, to maintain service conditions necessary for the efficient operation of electronic equipment housed within the van. The unit provides complete environmental air conditioning including cooling, heating, ventilation, dehumidification, and filtering and has a nominal cooling capacity of 36,000 BTU and a nominal heating capacity of 28,600 BTU.

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 73 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 73 | 0 | 0 |
| Shortfall/Excess | 73 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 73 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4120004443921 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 4120009264137 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 4120010726388 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 4120011608886 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 4120011755902 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 4120012446385 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 22 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 22 | 0.2 |

| | |
|---|---|
| ☐ **Sensitive** | ☐ **CCI** |
| ☐ **Multi-Modal** | ☐ **Rotational** |
| ☐ **Associated TAMCNs (See Appendix)** | |
| ☐ **Sensitive Associated TAMCNs (see Appendix)** | |

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0008: AIR CONDITIONER, 5T, 60K

The Air Conditioner, 5-Ton, 60,000 BTU/hr, is a packaged system designed to operate in a portable field capacity, providing conditioned air to a shelter or van. The 5-Ton ECU is controlled with a built-in control box or remote controller and operates using 2O8VAC/3-Phase, 50/60 Hz power supplied by a generator or shore power via a power plug located on the ECU. The refrigerant system uses R-22 refrigerant and has a cooling capacity at 60 Hz of not less than 60,000 BTU/hr at 95°F ambient outside temperature. The heating system is furnished with a 37,000 BTU/hr resistive type heater in addition to fan heat.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 712 | 11 | 172 | 157 | 110 | 0 | 136 | 62 | 11 | 0 | 0 | 25 |
| AAO (FY17) | 727 | | 168 | 164 | 111 | 39 | 144 | 62 | 23 | 0 | 0 | 16 |
| O/H | 1,306 | 79 | 199 | 203 | 146 | 39 | 110 | 48 | 0 | 419 | 7 | 28 |
| Shortfall/Excess | 594 | 68 | 27 | 46 | 36 | 39 | -26 | -14 | -11 | 419 | 7 | 3 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4120015261060 | 66 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 66 |
| 4120015410646 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4120015812260 | 13 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 13 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. For NSN 4120-01-526-1060 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-2260 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 49 | 0.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0010: AIR CONDITIONER

The Air Conditioner, 10-Ton, 120,000 BTU/hr, is a packaged system designed to provide conditioned air to a shelter or van. The 10-Ton ECU is controlled with a built-in control box or remote controller and operates using 208VAC 3-phase 50/60 Hz power supplied by a generator or shore power via a power plug located on the ECU. The refrigerant system uses R-22 or R-407c refrigerant and has a cooling capacity at 60Hz of not less than 120,000 BTU/hr at 95°F ambient outside temperature. The heating system is furnished with a 47,000 BTU/hr resistive type heater in addition to fan heat.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 77 | 12 | 16 | 18 | 12 | 0 | 11 | 4 | 12 | 0 | 0 | 0 |
| AAO (FY17) | 82 | | 17 | 20 | 13 | 4 | 12 | 4 | 12 | 0 | 0 | 0 |
| O/H | 155 | 0 | 21 | 30 | 16 | 2 | 10 | 4 | 0 | 68 | 0 | 0 |
| Shortfall/Excess | 78 | -12 | 5 | 12 | 4 | 2 | -1 | 0 | -12 | 68 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: PMO-31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4120015261120 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4120015647844 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4120015811227 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | |
| if | **Not Mission Capable** | then | |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 57 | 0.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B0011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0011: AIR CONDITIONER

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 18 | 0 |
| Shortfall/Excess | 18 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 1 | 0 | 0 | 17 | 0 | 0 |
| 0 | 0 | 0 | 0 | 1 | 0 | 0 | 17 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4120003237780 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 4120011508112 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 4120014490459 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: DRMO/Dispose of In theater; do NOT return to CONUS. Eligible for FMS.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0013: AIR CONDITIONER

The B0013 is a quieter, more reliable, vertical, compact 36,000 BTU/HR air conditioner that can be remotely operated.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 6 | 0 |
| Shortfall/Excess | 6 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4120013590083 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: DRMO/Dispose of In theater; do NOT return to CONUS. Eligible for FMS.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0014: ENVIRONMENTAL CONTROL UNIT, HORIZONTAL, 36K BTU

The Air Conditioner, 3-Ton, 36,000 BTU/hr, is a packaged system designed to operate in a portable field capacity, providing conditioned air to a shelter or van. The 3-Ton ECU is controlled with a built-in control box or remote controller and operates using 2O8VAC/3-Phase, 50/60 Hz power supplied by a generator or shore power via a power plug located on the ECU. The refrigerant system uses R-22 refrigerant and has a cooling capacity at 60 Hz of not less than 36,000 BTU/hr at 95 F ambient outside temperature. The heating system is furnished with a 31,000 BTU/hr resistive type heater in addition to fan heat.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,985 | 0 | 745 | 743 | 508 | 0 | 516 | 222 | 0 | 0 | 172 | 35 |
| AAO (FY17) | 2,877 | | 708 | 694 | 455 | 41 | 525 | 222 | 0 | 0 | 172 | 57 |
| O/H | 4,553 | 73 | 769 | 755 | 565 | 34 | 395 | 143 | 0 | 1,571 | 154 | 57 |
| Shortfall/Excess | 1,568 | 73 | 24 | 12 | 57 | 34 | -121 | -79 | 0 | 1,571 | -18 | 22 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4120015262397 | 55 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 55 |
| 4120015811276 | 18 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 18 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. For NSN 4120-01-526-2397 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN: 4120-01-581-1276 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 44 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0015: VAN, Z BACKSCATTER

The Backscatter X-ray Van is a low-cost, extremely maneuverable screening system built into a commercially available delivery van. It allows for immediate deployment in response to security threats.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 3 | 0 |
| AAO (FY17) | 3 | |
| O/H | 7 | 7 |
| Shortfall/Excess | 4 | 7 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | -3 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330015640135 | 4 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 4 |
| 6665015314806 | 3 | 0% | 0% | 0% | 0% | 0% | 100% | YES | NO | No | Yes | No | No | No | No | 0 | 0 | 3 |

**Notes**: Not currently a POR

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 4.8 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 0% |

# B0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0018: INTEGRATED TRAILER, ECU AND GENERATOR

The Integrated Trailer-Environmental Control Unit (ECU), Generator (ITEG) is an integrated HMMWV-tow able unit that is designed to support highly mobile command and control systems and other forward-deployed operations centers and activities that displace often and have limited access to external power sources. The generator produces 22 kW of electrical power (maximum of 9 kW for external use) and can parallel with other GET units and the MEP-805B Tactical Quiet Generator. The ECU provides complete environmental air conditioning including cooling, heating, ventilation, and filtering and has a nominal cooling capacity of 120,000 BTU and a nominal heating capacity of 47,000 BTU. The integral trailer is based on the standard

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 74 | 2 | 16 | 17 | 7 | 0 | 7 | 5 | 2 | 0 | 0 | 0 |
| AAO (FY17) | 123 | | 32 | 32 | 22 | 20 | 9 | 5 | 3 | 0 | 0 | 0 |
| O/H | 315 | 2 | 38 | 40 | 26 | 18 | 38 | 12 | 0 | 137 | 0 | 0 |
| Shortfall/Excess | 241 | 0 | 22 | 23 | 19 | 18 | 31 | 7 | -2 | 137 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330015569648 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 2 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 102 | 0 | 2 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0023: EXPLOSIVE DETECTOR EVD 3000

The EVD3000 is the world's first and most recognized portable explosives trace detector with comprehensive explosives detection capabilities. It can detect even minute traces of C-4, TNT, Dynamite, PETN, Semtex, EGDN, DMNB, RDX, and Nitroglycerine, including ICAO taggants and tagged plastic explosives.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 119 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 119 | 0 | 0 |
| Shortfall/Excess | 119 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 119 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665015315570 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Item is obsolete and should be disposed of in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B0024 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0024: DISTRIBUTOR, WATER, TANK TYPE

The 613C Water Distributor transports and distributes a maximum of 2,525 gal. (9,558 L) of water, providing soil stabilization, dust control and compaction capabilities. The machine also provides power washing and deicing operations when required.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 26 | 0 | 7 | 7 | 3 | 0 | 6 | 0 | 0 | 3 | 0 | 0 |
| AAO (FY17) | 29 | | 7 | 7 | 6 | 0 | 6 | 0 | 0 | 3 | 0 | 0 |
| O/H | 29 | 1 | 7 | 7 | 5 | 0 | 4 | 0 | 0 | 5 | 0 | 0 |
| Shortfall/Excess | 3 | 1 | 0 | 0 | 2 | 0 | -2 | 0 | 0 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3825014970690 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | Yes | No | Yes | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 299 | 0 | 17 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0025: HYDRO SEEDER, DUST ABATEMENT, TRAILER MOUNTED

The T-90 Hydroseeder is a trailer-mounted machine that provides dust control on helipads, airfields, lines of communications, and base camps. Dust palliatives are loaded into the palliative tank either full strength or diluted with water. When diluted, the mixture is kept in suspension by a hydraulically powered agitator and recirculation system.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 33 | 3 | 7 | 7 | 7 | 0 | 6 | 0 | 3 | 3 | 0 | 0 |
| AAO (FY17) | 32 | | 7 | 7 | 6 | 0 | 6 | 0 | 3 | 3 | 0 | 0 |
| O/H | 64 | 0 | 15 | 12 | 13 | 0 | 7 | 0 | 0 | 17 | 0 | 0 |
| Shortfall/Excess | 31 | -3 | 8 | 5 | 6 | 0 | 1 | 0 | -3 | 14 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3710015357449 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Items in OEF can be DRMO'd - candidate for FMS. There is a replacement item coming online.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 119 | 0 | 2.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0026 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0026: HYDRO SEEDER, DUST ABATEMENT, SKID MOUNTED

The T-120 Hydroseeder is a skid-mounted machine that provides dust control on helipads, airfields, lines of communications, and base camps. Dust palliatives are loaded into the palliative tank either full strength or diluted with water. When diluted, the mixture is kept in suspension by a hydraulically powered agitator and recirculation system.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 36 | 3 | 7 | 7 | 7 | 0 | 6 | 0 | 3 | 6 | 0 | 0 |
| AAO (FY17) | 35 | | 7 | 7 | 6 | 0 | 6 | 0 | 3 | 6 | 0 | 0 |
| O/H | 63 | 0 | 14 | 12 | 12 | 0 | 5 | 0 | 0 | 20 | 0 | 0 |
| Shortfall/Excess | 27 | -3 | 7 | 5 | 5 | 0 | -1 | 0 | -3 | 14 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3710015349817 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Items in OEF can be DRMO'd - candidate for FMS. There is a replacement item coming online.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 700 | 2.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0027: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 5KW (INDOOR)

The 5 kW GFCI protected, Indoor model, Power Distribution Box is part of the Mobile Electric Power Distribution-Replacement (MEPDIS-R) system. MEPDIS-R is designed to provide electrical power distribution in a field environment. The MEPDIS-R system provides a flexible, modular, recoverable, safe power distribution capability that can be quickly emplaced and recovered for later reuse. The 5 kW Indoor Power Distribution Box provides 18 GFCI-protected single-phase 15A receptacles to power tent lighting or other equipment. It is designed to be deployed in a tent or sheltered environment.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,091 | 0 | 254 | 253 | 178 | 0 | 172 | 5 | 0 | 0 | 100 | 39 |
| AAO (FY17) | 1,120 | | 261 | 250 | 192 | 90 | 182 | 5 | 0 | 0 | 100 | 40 |
| O/H | 2,178 | 25 | 294 | 256 | 181 | 67 | 183 | 12 | 0 | 934 | 94 | 39 |
| Shortfall/Excess | 1,087 | 25 | 40 | 3 | 3 | 67 | 11 | 7 | 0 | 934 | -6 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6110015321794 | 25 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 25 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0028: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 5KW (OUTDOOR)

The 5 kW Non-GFCI protected, outdoor model Power Distribution Box is part of the Mobile Electric Power Distribution-Replacement (MEPDIS-R) system. MEPDIS-R is designed to provide electrical power distribution in a field environment. The MEPDIS-R system provides a flexible, modular, recoverable, safe power distribution capability that can be quickly emplaced and recovered for later reuse. The 5 kW Outdoor Power Distribution Box provides (6) 20A and (3) 30A single phase pin and sleeve connectors for its associated output cord sets. The output cords each provide (4) 15A receptacles to power tent lighting, conveniences, or other equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,998 | 0 | 478 | 471 | 332 | 0 | 334 | 4 | 0 | 0 | 300 | 54 |
| AAO (FY17) | 2,057 | | 480 | 471 | 347 | 25 | 350 | 4 | 0 | 0 | 300 | 80 |
| O/H | 2,979 | 72 | 484 | 476 | 324 | 24 | 327 | 21 | 0 | 802 | 230 | 54 |
| Shortfall/Excess | 981 | 72 | 6 | 5 | -8 | 24 | -7 | 17 | 0 | 802 | -70 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6110015321821 | 72 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 72 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0029 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0029: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 15KW

The 15 kW Power Distribution Box is part of the Mobile Electric Power Distribution-Replacement (MEPDIS-R) system. MEPDIS-R is designed to provide electrical power distribution in a field environment. The MEPDIS-R system provides a flexible, modular, recoverable, safe power distribution capability that can be quickly emplaced and recovered for later reuse. The 15 kW Power Distribution Box has two 60A input connectors to permit load parallel ing and load transfer. The panel provides (4) 30A 3-Phase, (3) 20A single-phase output connectors, and a covered duplex receptacle.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 797 | 0 | 168 | 169 | 122 | 0 | 118 | 5 | 0 | 0 | 120 | 47 |
| AAO (FY17) | 800 | | 177 | 172 | 132 | 48 | 130 | 5 | 0 | 0 | 120 | 16 |
| O/H | 1,318 | 52 | 167 | 188 | 135 | 47 | 134 | 14 | 0 | 337 | 83 | 47 |
| Shortfall/Excess | 521 | 52 | -1 | 19 | 13 | 47 | 16 | 9 | 0 | 337 | -37 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6110015321764 | 52 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 52 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 5 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0030: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 30KW

The 30 kW Power Distribution Box is part of the Mobile Electric Power Distribution-Replacement (MEPDIS-R) system. MEPDIS-R is designed to provide electrical power distribution in a field environment. The MEPDIS-R system provides a flexible, modular, recoverable, safe power distribution capability that can be quickly emplaced and recovered for later reuse. The 30 kW Power Distribution Box has two 100A input connectors to permit load parallel ing and load transfer. The Power Distribution Box provides multiple output connectors to allow the connection of other Power Distribution Boxes to create a Power Distribution System.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 713 | 0 | 141 | 134 | 103 | 0 | 94 | 26 | 0 | 0 | 136 | 28 |
| AAO (FY17) | 759 | | 156 | 145 | 113 | 30 | 104 | 26 | 0 | 0 | 136 | 28 |
| O/H | 1,884 | 71 | 144 | 131 | 107 | 28 | 109 | 38 | 0 | 978 | 105 | 29 |
| Shortfall/Excess | 1,171 | 71 | 3 | -3 | 4 | 28 | 15 | 12 | 0 | 978 | -31 | 1 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6110015321809 | 71 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 71 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 10 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0031: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 100KW

The 100 kW Power Distribution Box is part of the Mobile Electric Power Distribution-Replacement (MEPDISR) system. MEPDIS-R is designed to provide electrical power distribution in a field environment. The MEPDIS-R system provides a flexible, modular, recoverable, safe power distribution capability that can be quickly emplaced and recovered for later reuse. The 100 kW Power Distribution Box has two sets of cam-type 5-Wire inputs to permit load paralleling and load transfer. The Power Distribution Box provides multiple output connectors to allow the connection of other Power Distribution Boxes to create a Power Distribution System.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 377 | 0 | 86 | 82 | 66 | 0 | 63 | 6 | 0 | 0 | 48 | 11 |
| AAO (FY17) | 396 | | 93 | 89 | 70 | 15 | 67 | 6 | 0 | 0 | 48 | 8 |
| O/H | 974 | 36 | 100 | 82 | 77 | 13 | 66 | 11 | 0 | 489 | 34 | 12 |
| Shortfall/Excess | 597 | 36 | 14 | 0 | 11 | 13 | 3 | 5 | 0 | 489 | -14 | 1 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6110015321835 | 36 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 36 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 17 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0032: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 300KW

The 300 kW Power Distribution Box is part of the Mobile Electric Power Distribution-Replacement (MEPDISR) system. MEPDIS-R is designed to provide electrical power distribution in a field environment. The MEPDIS-R system provides a flexible, modular, recoverable, safe power distribution capability that can be quickly emplaced and recovered for later reuse. The 300 kW Power Distribution Box has three sets of cam-type 5-Wire inputs to permit load paralleling and load transfer. The Power Distribution Box provides multiple output connectors to allow the connection of other Power Distribution Boxes to create a Power Distribution System.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 70 | 0 | 16 | 16 | 12 | 0 | 12 | 2 | 0 | 0 | 12 | 0 |
| AAO (FY17) | 73 | | 17 | 18 | 12 | 0 | 12 | 2 | 0 | 0 | 12 | 0 |
| O/H | 229 | 5 | 20 | 16 | 16 | 0 | 8 | 2 | 0 | 139 | 10 | 0 |
| Shortfall/Excess | 159 | 5 | 4 | 0 | 4 | 0 | -4 | 0 | 0 | 139 | -2 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6110015321776 | 5 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | N/A | No | 0 | 0 | 5 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 17 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0033: JOINT ENGINEER RAPI

The Joint Engineer Rapid Response Vehicle is a Joint Service MRAP Category II, hardened EOD / engineering vehicle, with Level I armor protection.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 24 | 0 |
| Shortfall/Excess | 24 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015322159 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This TAMCN is obsolete and should be DRMOd or disposed of in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B0034 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0034: VEHICLE MOUNTED MINE DETECTOR (VMMD) HUSKY

The VMMD system can detect buried metallic anti-tank mines, explosive obstacles and unexploded ordnance. The VMMD system is comprised of two Husky Mine Detection Vehicles, one Red Pack sustainment trailer and three Mine Detonation Trailers.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 11 | 0 |
| Shortfall/Excess | 11 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355015602318 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: TAMCN being archived and equipment being reported under B0092, B0093 or B0094 TAMCNs.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0035: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT III

A truck, usually with a platform or cargo type body, equipped with a monorail mounting hoist or hydraulic lifting boom, designed to lift and/or transport bombs.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 24 | 0 | 3 | 3 | 0 | 0 | 0 | 6 | 0 | 0 | 6 | 3 |
| AAO (FY17) | 24 | | 3 | 3 | 0 | 0 | 0 | 6 | 0 | 0 | 6 | 3 |
| O/H | 60 | 6 | 6 | 3 | 0 | 0 | 0 | 6 | 0 | 36 | 0 | 0 |
| Shortfall/Excess | 36 | 6 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 36 | -6 | -3 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355015316425 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | Yes | Yes | Yes | 0 | 0 | 0 |
| 2355015811171 | 6 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | Yes | Yes | Yes | 0 | 6 | 0 |

**Notes**: Per MROC DM 10-2014, Marine Corps established MRAP enduring requirement of 2,510. All MRAPs remaining in OEF, with exception of designated inter-service transfers, will retrograde to CONUS. By serial number list of ER MRAPs is provided in this playbook for reference. Remove all C4I asset and disassociate prior to wash down. Both Variants of CAT III Buffalos are returning to MCLB Albany for Reset prior to fielding according to R2C and enduring requirements. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 237 | 0 | 12.5 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0036: GROUND EXPEDIENT FUEL SYSTEM MEDIUM

The Ground Expedient Refueling System (GERS) provides storage, transport, and issue of fuel to ground equipment and vehicles. The medium GERS system will provide units and isolated sites with the means to extend the range and operating time of vehicles, equipment, and weapon systems.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 363 | 20 |
| AAO (FY17) | 324 | |
| O/H | 359 | 0 |
| Shortfall/Excess | -4 | -20 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 92 | 81 | 60 | 0 | 71 | 2 | 20 | 0 | 20 | 8 |
| 78 | 70 | 45 | 9 | 72 | 2 | 18 | 0 | 20 | 10 |
| 96 | 76 | 50 | 9 | 50 | 2 | 0 | 38 | 21 | 10 |
| 4 | -5 | -10 | 9 | -21 | 0 | -20 | 38 | 1 | 2 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4930015339826 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: All liners can not be transported back to CONUS if they have been utilized.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 931 | 0.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# B0037 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0037: GROUND EXPEDIENT REFUELING SYSTEM SMALL

The Ground Expedient Refueling System (GERS) provides storage, transport, and issue of fuel to ground equipment and vehicles. The small GERS system will provide units and isolated sites with the means to extend the range and operating time of vehicles, equipment, and weapon systems.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 346 | 17 |
| AAO (FY17) | 313 | |
| O/H | 359 | 0 |
| Shortfall/Excess | 13 | -17 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 90 | 79 | 58 | 0 | 69 | 2 | 17 | 0 | 20 | 11 |
| 75 | 68 | 50 | 0 | 70 | 2 | 18 | 0 | 20 | 10 |
| 99 | 74 | 49 | 1 | 54 | 2 | 0 | 41 | 20 | 11 |
| 9 | -5 | -9 | 1 | -15 | 0 | -17 | 41 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4930015339830 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: All liners cannot be transported back to CONUS if it has been utilized.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 365 | 0.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# B0038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0038: ALL TERRAIN CRANE (ATC) MAC-50

The All Terrain Crane (ATC) is a rubber tired, hydraulic boom, all terrain crane capable of lifting and swing ing a maximum of 80,000 pounds. The ATC will support construction and materiel handling tasks, as well as, loading and unloading supplies and equipment. It will be used to load/unload break bulk cargo from a fixed port or pier; on and off airfield runways; and over unprepared and uneven surfaces. It will also be capable of being driven over primary and secondary highways to include sand, snow, and mud. The ATC is fielded with a set of lifting slings. The lifting capacity of these slings is 40-Ton.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 125 | 0 | 23 | 23 | 18 | 0 | 24 | 12 | 0 | 6 | 16 | 3 |
| AAO (FY17) | 146 | | 26 | 25 | 27 | 0 | 26 | 12 | 0 | 6 | 16 | 8 |
| O/H | 164 | 6 | 25 | 23 | 17 | 0 | 10 | 14 | 0 | 40 | 18 | 8 |
| Shortfall/Excess | 39 | 6 | 2 | 0 | -1 | 0 | -14 | 2 | 0 | 34 | 2 | 5 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3810015384030 | 3 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 3 |
| 3810015793981 | 3 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 3 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. 3981 is the armored variant.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 318 | 0 | 34.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0039: AIRFIELD DAMAGE REPAIR (ADR) KIT

The Airfield Damage Repair (ADR) Kit provides Marine Wing Support Squadrons and Engineer Support Battalions with the capability to create usable landing surfaces by means of new construction and/or repair of existing facilities. The ADR Kit includes a Caterpillar Model 277B Multi Terrain Loader (MTL) with multiple work tool attachments, tools, and consumable supplies.



*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 31 | 0 | 9 | 9 | 5 | 0 | 7 | 1 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 33 | | 10 | 9 | 6 | 0 | 7 | 1 | 0 | 0 | 0 | 0 |
| O/H | 42 | 0 | 9 | 9 | 5 | 0 | 3 | 4 | 0 | 12 | 0 | 0 |
| Shortfall/Excess | 11 | 0 | 0 | 0 | 0 | 0 | -4 | 3 | 0 | 12 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3895015390585 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: All need to come back through MCLC.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 35.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0040: 277B MULTI-TERRAIN LOADER (MTL)

The 277C MTL is a full-tracked, diesel engine driven, hydraulically operated, multi-terrain loader with a roll over/falling object protective structure. It is used for earth moving as well as general construction work.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 220 | 0 | 64 | 52 | 20 | 0 | 44 | 3 | 0 | 8 | 20 | 9 |
| AAO (FY17) | 222 | | 50 | 52 | 27 | 0 | 48 | 3 | 0 | 8 | 20 | 14 |
| O/H | 306 | 5 | 74 | 55 | 27 | 0 | 29 | 5 | 0 | 78 | 21 | 10 |
| Shortfall/Excess | 86 | 5 | 10 | 3 | 7 | 0 | -15 | 2 | 0 | 70 | 1 | 1 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3805015393925 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 0 |
| 3805015500883 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 0 |
| 3805015696091 | 5 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 5 |
| 3805015804542 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 75 | 0 | 4.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B0044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0044: BLADE,MINE CLEARING

The FWMP is an associated TAMCN of the Assault Breacher Vehicle.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 62 | 12 |
| AAO (FY17) | 65 | |
| O/H | 72 | 2 |
| Shortfall/Excess | 10 | -10 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 7 | 7 | 0 | 0 | 0 | 14 | 12 | 10 | 10 | 2 |
| 7 | 7 | 0 | 0 | 0 | 14 | 12 | 10 | 10 | 5 |
| 7 | 7 | 0 | 0 | 0 | 11 | 0 | 30 | 13 | 2 |
| 0 | 0 | 0 | 0 | 0 | -3 | -12 | 20 | 3 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2590992389283 | 2 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 2 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a low density item with a long lead time for procurement. The $21K for transportation is far less than the $460K replacement cost. Associated to the ABV. Equipment needs to be refreshed regardless of maintenance condition.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0048 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0048: PACBOT

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 42 | 0 |
| AAO (FY17) | 42 | |
| O/H | 84 | 0 |
| Shortfall/Excess | 42 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 6 | 6 | 0 | 0 | 0 | 12 | 0 | 0 | 12 | 6 |
| 6 | 6 | 0 | 0 | 0 | 12 | 0 | 0 | 12 | 6 |
| 0 | 0 | 0 | 0 | 3 | 59 | 0 | 22 | 0 | 0 |
| -6 | -6 | 0 | 0 | 3 | 47 | 0 | 22 | -12 | -6 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1385015936219 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1484 | 4.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0049 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0049: LARGE FIELD REFRIGERATION SYS (LFRS)

The LFRS will comprise a 8x8x20 insulated container that meets ISO Type 1, 20 foot standards (ISO-20). The LFRS will be dual mode to refrigerate or freeze perishable items. The LFRS will support numerous custom ers, to include Marine Corps Field Food Service System (FFSS) and will be also support Mortuary Affairs. Exact configuration is still to be determined, but will be accomplished with a kit added to the LFRS basic unit.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 94 | 5 | 19 | 21 | 14 | 0 | 13 | 10 | 5 | 0 | 0 | 11 |
| AAO (FY17) | 107 | | 27 | 26 | 13 | 0 | 14 | 10 | 5 | 0 | 0 | 11 |
| O/H | 150 | 0 | 19 | 23 | 12 | 0 | 13 | 7 | 0 | 63 | 0 | 11 |
| Shortfall/Excess | 56 | -5 | 0 | 2 | -2 | 0 | 0 | -3 | -5 | 63 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4130015629914 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | N/A | No | 0 | 0 | 0 |

**Notes**: Many of these items were ARMY assets and are not ours - follow instructions only if they are our assets. If serviceable, distribute to MEF, if unserviceable DRMO. Depot Level Maintenance is NOT part of the maintenance concept for this item. A pressure washer can be used on the interior and exterior of the box, excluding the Refrigeration Unit (RU). The RU needs to be cleaned using compressed air and coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11574A. MARCORSYSCOM has not shipped ANY of this TAMCN / NSN to OEF, so none of these are in OEF to our knowledge. Commercial boxes may look similar, but are white in color and do not have the safety features of the USMC LFRS.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 4.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B0055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0055: BATH SHOWER UNIT, EXPEDITIONARY, FIELD

The Field Expeditionary Bath Shower unit consists of six separate but identical and interchangeable shower modules, with interconnecting hoses, electric feed water and drain pumps, and a drain hose. The M-80 Water Heater supplied with the unit is a self-contained, oil-fired boiler capable of providing 120°F water at 18-GPM. Each module consists of a fiberglass base, a top frame, six vertical supports, a cover, and two-shower heads. The individual modules can be connected together in any quantity desired.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 250 | 0 | 63 | 63 | 42 | 0 | 42 | 4 | 0 | 0 | 24 | 12 |
| AAO (FY17) | 241 | | 59 | 52 | 44 | 0 | 46 | 4 | 0 | 0 | 24 | 12 |
| O/H | 333 | 0 | 62 | 65 | 41 | 0 | 23 | 8 | 0 | 89 | 31 | 12 |
| Shortfall/Excess | 83 | 0 | -1 | 2 | -1 | 0 | -19 | 4 | 0 | 89 | 7 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4510011636775 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Not classified

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 108 | 0.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# B0058 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0058: LTWT VEH MOUNTED MINE ROLLER SYS

The Mine Roller System (MRS) is a countermine system that is mounted on wheeled vehicles to reduce the impact of pressure-activated explosive devices. The MRS detects and neutralizes mines and improvised explosive devices before the host vehicle passes over them.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 308 | 0 | 47 | 45 | 11 | 0 | 16 | 37 | 0 | 63 | 30 | 9 |
| AAO (FY17) | 299 | | 37 | 41 | 13 | 0 | 19 | 37 | 0 | 63 | 30 | 9 |
| O/H | 741 | 102 | 50 | 43 | 8 | 0 | 0 | 33 | 0 | 452 | 0 | 0 |
| Shortfall/Excess | 433 | 102 | 3 | -2 | -3 | 0 | -16 | -4 | 0 | 389 | -30 | -9 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2590015439655 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | yes | Yes | No | Yes | 0 | 0 | 0 |
| 2590015447173 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | yes | Yes | No | Yes | 0 | 0 | 0 |
| 2590015456776 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | yes | Yes | No | Yes | 0 | 0 | 0 |
| 2590015536517 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | yes | Yes | No | Yes | 0 | 0 | 2 |
| 2590015794990 | 100 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | yes | Yes | No | Yes | 0 | 0 | 100 |
| 2590015890393 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Current strategy is to dispose of the obsolete NSNs. AAO for 4990 is probably going to be reduced, but items should still go to fill shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 166 | 0 | 2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 166 | 0 | 2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0060: MEDIUM CRAWLER TRACTOR (JOHN DEERE)

The MCT is a COTS, militarized crawler type tractor, with a medium-drawbar pull of 35,000 lbs. The tractor is equipped with a hydraulically powered semi-U (straight) type blade, with all components necessary to enable the tractor to function with a 3-shank ripper or a rear-mounted winch. the MCT has an armored cab (U0013) that is a modular kit that can be installed/uninstalled based on mission profile.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 309 | 40 | 53 | 52 | 29 | 0 | 47 | 32 | 40 | 14 | 36 | 6 |
| AAO (FY17) | 327 | | 53 | 49 | 41 | 0 | 56 | 32 | 40 | 14 | 36 | 6 |
| O/H | 384 | 13 | 58 | 51 | 33 | 0 | 43 | 34 | 0 | 101 | 45 | 6 |
| Shortfall/Excess | 75 | -27 | 5 | -1 | 4 | 0 | -4 | 2 | -40 | 87 | 9 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015585671 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2320015895117 | 13 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 13 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.5117 is armored, all of the rest are unarmored. The armored variant will be sent back to MCLC for depot maintenance. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 155 | 0 | 34.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0061: COOLING AND REFRIGERATION EXPEDITIONARY TOOL KIT (CREK)

The CREK consists of four transport cases comprised of hand tools, cylinders, fluxes, solder, brazing alloys and equipment for testing and repairing the family of ECUs and field refrigeration systems. The kit also includes equipment for charging, purging and testing refrigerant in a hermetically sealed refrigerating unit. Some tools require 120/24OVAC, 50/60HZ.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 377 | 0 | 93 | 87 | 69 | 0 | 79 | 5 | 0 | 0 | 27 | 12 |
| AAO (FY17) | 373 | | 92 | 83 | 60 | 5 | 83 | 5 | 0 | 0 | 27 | 18 |
| O/H | 537 | 5 | 101 | 84 | 69 | 4 | 69 | 17 | 0 | 138 | 27 | 16 |
| Shortfall/Excess | 160 | 5 | 8 | -3 | 0 | 4 | -10 | 12 | 0 | 138 | 0 | 4 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4120015585664 | 5 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 5 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. This is a tool kit that may be incomplete and require replacement tools/components be reordered. IMA and Depot Level Maintenance are NOT part of the maintenance concept for this item. Highly pilferable, should not go down the GLOC. All tools need to be wiped down and the exterior of the cases can be cleaned with low pressure washer. SL-3: SL-3-11502A

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 32 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0062: TOOL KIT, LINESMAN ELECTRICAL

The Tool Kit, Lineman's is a standardized lineman's basic tool kit that provides a wide range of necessary tools for the basic electrician. The Tool Kit, Lineman's will enable Marines at the organizational level in Military Occupational Specialty (MOS) 1141, to install, operate and maintain heating equipment, mobile electric power generating sources, electrical distributions systems and repair of elephone/telegraph wire. The tools in the Tool Kit, Lineman's are warranted for life and are configuration-controlled.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 370 | 0 | 93 | 85 | 39 | 0 | 64 | 4 | 0 | 0 | 54 | 14 |
| AAO (FY17) | 399 | | 93 | 87 | 49 | 17 | 68 | 4 | 0 | 0 | 54 | 27 |
| O/H | 487 | 1 | 93 | 86 | 47 | 3 | 53 | 7 | 0 | 107 | 59 | 27 |
| Shortfall/Excess | 117 | 1 | 0 | 1 | 8 | 3 | -11 | 3 | 0 | 107 | 5 | 13 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015500145 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 5 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0063: LOADER, SCOOP TYPE

The Multi-Purpose Tractor is a diesel-powered, four-wheel drive, rubber-tired, articulated steering tractor. The TRAM is designed for shoveling, hoisting, and discharging bulk materials such as earth, aggregate, and snow.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 681 | 40 |
| AAO (FY17) | 675 | |
| O/H | 872 | 63 |
| Shortfall/Excess | 191 | 23 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 126 | 119 | 86 | 0 | 105 | 41 | 40 | 28 | 88 | 37 |
| 121 | 122 | 84 | 11 | 103 | 41 | 40 | 28 | 88 | 37 |
| 136 | 118 | 77 | 12 | 95 | 43 | 0 | 172 | 106 | 37 |
| 10 | -1 | -9 | 12 | -10 | 2 | -40 | 144 | 18 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3805015497814 | 27 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 27 |
| 3805015891659 | 36 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 36 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Also, per HQMC OEF surplus MCATS results 22 May 14, this asset is uneconomical to retrograde/reset. Dispose of asset in Afghanistan. 7814 is unarmored variant.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 186 | 0 | 18.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0065: ARMORED EXCAVATOR WITH BRUSH HOG

The Backhoe, Excavator is a pneumatic hydraulically operated excavator. It is used in the development of field fortifications, trenching operations, emplacement of culverts, drainage ditch construction and maintenance, quarry support operations and loading.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |
| Shortfall/Excess | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3815015503454 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | Yes | Yes | Yes | 0 | 0 | 2 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 31.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0066 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0066: CONTAINERIZED BATCH LAUNDRY

The Containerized Batch Laundry (CBL) is a lOOK Generator powered COTS Laundry item configured into a standard 8 x 8 x 20 foot ISO Container and consists of two individual 55 pound washers, two industrial 75 pound dryers, and a 30 GPM supply pump. Ancillary equipment required for the operation of the CBL will be stored and shipped in a TRICON from the manufacturer with each initial issue CBL.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 121 | 0 | 24 | 26 | 24 | 0 | 24 | 4 | 0 | 6 | 8 | 5 |
| AAO (FY17) | 141 | | 28 | 25 | 38 | 0 | 28 | 4 | 0 | 6 | 8 | 4 |
| O/H | 134 | 4 | 24 | 26 | 22 | 0 | 14 | 4 | 0 | 27 | 8 | 5 |
| Shortfall/Excess | 13 | 4 | 0 | 0 | -2 | 0 | -10 | 0 | 0 | 21 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3510015498384 | 4 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 4 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 7.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0067: GROUND TORCH

The Ground Torch is a trailer mounted unit designed to burn vegetation along rivers, canals, and roads. It can also be used to open up supply routes through thick vegetation, or wherever the tactical situation requires that vegetation be cleared.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 0 | 0 |
| Shortfall/Excess | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1040015503421 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: No current requirement for item across the USMC. Candidate for FMS.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0069: CLIMBERS SET, TREE AND POLE

The Climber's Set, Tree and Pole, Model TK-1141/C, provides climbing equipment which allows the Line man to ascend poles or trees and secure himself without the aid of a ladder. This permits freedom of the hands while working aloft. The set also contains tools for hoisting needed items from ground level, as well as required personal protective equipment. The set consists of a case, three trays of equipment, and equipment stored in the bottom of the case. Trays are numbered 1 through 3 starting with the top tray.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 368 | 0 | 92 | 84 | 52 | 0 | 66 | 2 | 0 | 0 | 54 | 14 |
| AAO (FY17) | 367 | | 85 | 75 | 52 | 4 | 68 | 2 | 0 | 0 | 54 | 27 |
| O/H | 137 | 0 | 34 | 32 | 16 | 5 | 19 | 2 | 0 | 1 | 28 | 0 |
| Shortfall/Excess | -231 | 0 | -58 | -52 | -36 | 5 | -47 | 0 | 0 | 1 | -26 | -14 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4240002739668 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | YES | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5180015508373 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **OEF ARMY** |
| if | **Not Mission Capable MEF** | then | **OEF ARMY** |
| if | **Not Mission Capable** | then | **OEF ARMY** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 16 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 100% | 0% | 0% | 0% |

# B0071 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0071: LIGHT WEIGHT WATER PURIFICATION SYSTEM

The Lightweight Water Purification System (LWPS) is a lightweight, modular, highly transportable, self-contained water purification system consisting of four functional components: 1) Raw Water, 2) Pre-filtration, 3)Reverse Osmosis, and 4) Product Water. It also provides four optional extended capability modules: 1) Ocean Intake Structure System 2) Nuclear, Biological, Chemical (NBC) Water Treatment System, 3) Cold Weather, and 4) NBC Survivability. Employed and recovered from operational sites by four personnel (Threshold) or two personnel (Objective) After employment, put into operation by one Marine (MOS 1171, Basic Water Support Technician) within 45 minutes Daily operational setup and shutdown shall require no more

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 246 | 0 | 48 | 50 | 39 | 0 | 41 | 8 | 0 | 7 | 38 | 15 |
| AAO (FY17) | 259 | | 52 | 49 | 41 | 0 | 45 | 8 | 0 | 7 | 38 | 19 |
| O/H | 232 | 2 | 38 | 40 | 37 | 0 | 17 | 9 | 0 | 51 | 34 | 0 |
| Shortfall/Excess | -14 | 2 | -10 | -10 | -2 | 0 | -24 | 1 | 0 | 44 | -4 | -15 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4610015728283 | 2 | 0% | 50% | 0% | 0% | 50% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 2 | 0 |

**Notes**: All should go to the MCLC as they are designated WRMR items. MEFs should recieve new units in about a year, from once full fielding is complete.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0074 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0074: AIR CONDITIONER, MCS HORIZONTAL, 60HZ, 9K BTU

The 9,000 BTU ECU will provide a replacement for the current 9,000 BTU Shelter Mounted Air Conditioner and be capable of providing complete environmental control, to include cooling, heating, dehumidification, ventilation, and filtering for various types of portable military shelters or tactical vehicles. The 9K address a specialize need that certain units in the Marine Corp have for a highly mobile power and environmental control source.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 216 | 33 | 47 | 47 | 37 | 0 | 45 | 7 | 33 | 0 | 0 | 0 |
| AAO (FY17) | 191 | | 47 | 20 | 39 | 0 | 45 | 7 | 33 | 0 | 0 | 0 |
| O/H | 443 | 0 | 135 | 76 | 58 | 0 | 26 | 4 | 0 | 141 | 2 | 0 |
| Shortfall/Excess | 227 | -33 | 88 | 29 | 21 | 0 | -19 | -3 | -33 | 141 | 2 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4120015525223 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | N/A | No | 0 | 0 | 0 |
| 4120015812650 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | N/A | No | 0 | 0 | 0 |

**Notes**: For NSN 4120-01-552-5223 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-2650 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-4120 The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0075 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0075: SMALL FIELD REFRIGERATOR

The SFRS will be comprised of an 8'x8'x6.5' (TRICON container) insulated container that can be interlocked to meet ISO standards. The SFRS will be dual mode to refrigerate or freeze perishable items. SFRS will support numerous customers, to include Marine Corps Field Food Service System (FFSS).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 426 | 8 | 107 | 104 | 71 | 0 | 76 | 42 | 8 | 0 | 2 | 14 |
| AAO (FY17) | 479 | | 122 | 104 | 79 | 0 | 81 | 42 | 8 | 0 | 2 | 39 |
| O/H | 912 | 27 | 128 | 108 | 80 | 0 | 71 | 37 | 0 | 411 | 4 | 45 |
| Shortfall/Excess | 486 | 19 | 21 | 4 | 9 | 0 | -5 | -5 | -8 | 411 | 2 | 31 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4130015657655 | 27 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 27 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Funding has already been obtained for replacing all in theater, so return to CONUS only if serviceable. Depot Level Maintenance is NOT part of the maintenance concept for this item. A pressure washer can be used on the interior and exterior of the box, excluding the Refrigeration Unit (RU). The RU needs to be cleaned using compressed air and coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11609A.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 312 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0076 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0076: MTL WORK TOOL SET

The Multi-Terrain Loader Work Tool Carrier consists of two stackable storage units that allow for the storage and transportation of the attachments that are associated to the Multi-Terrain Loader, TAMCN B0040.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 89 | 0 | 19 | 18 | 10 | 0 | 14 | 1 | 0 | 6 | 10 | 5 |
| AAO (FY17) | 103 | | 21 | 20 | 16 | 6 | 18 | 1 | 0 | 6 | 10 | 5 |
| O/H | 154 | 3 | 28 | 22 | 10 | 2 | 21 | 2 | 0 | 47 | 11 | 5 |
| Shortfall/Excess | 65 | 3 | 9 | 4 | 0 | 2 | 7 | 1 | 0 | 41 | 1 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3805015534073 | 3 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 3 |

**Notes**: Used with B0040

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 105 | 0 | 3.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0077 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0077: DIESEL ENGINE GENERATOR SET 5KW TACTICAL QUIET GENERATOR

The 5 kW Generator Set, MEP-802A, is a self contained, skid mounted, portable unit. It is equipped with controls, instruments and accessories necessary for operation. The generator set consists of a diesel engine, brushless generator, excitation system, speed governing system, fuel system, 24 Vdc starting system, control system and fault system. The generator set is designed to be used with any equipment requiring a small source of A/C power and operates in a "Hot and Basic" climatic condition range of -25°F to 120°F.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 257 | 0 | 82 | 66 | 60 | 0 | 38 | 11 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 201 | | 46 | 46 | 60 | 0 | 38 | 11 | 0 | 0 | 0 | 0 |
| O/H | 993 | 0 | 58 | 95 | 62 | 0 | 0 | 13 | 0 | 765 | 0 | 0 |
| Shortfall/Excess | 736 | 0 | -24 | 29 | 2 | 0 | -38 | 2 | 0 | 765 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6115012747387 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Used with the GBOSS system and should be reassociated at MCLC. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 33 | 0.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0078: GRADER, MOTORIZED

The 120M Motorized Road Grader is a self-propelled grading machine powered by a diesel engine. It has rubber tires, six-wheel drive, and an articulated frame with front-wheel steer design. It is equipped with a 12' blade with a minimum shoulder reach of 6' outside the wheels and has a minimum lift above ground of 16". It is reconfigurable to accept an armored cab. The advanced joystick control system replaces the traditional array of levers and steering wheel, which greatly simplifies motor grader operation by placing total machine, drawbar, and moldboard control into both of the operator's hands. Applications of the 120M include grading coarse and fine soil, creating low and high bank slopes, flat and V-ditches, scarifying,

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 120 | 7 | 21 | 20 | 14 | 0 | 17 | 14 | 7 | 8 | 14 | 5 |
| AAO (FY17) | 130 | | 23 | 21 | 17 | 0 | 21 | 14 | 7 | 8 | 14 | 5 |
| O/H | 165 | 4 | 23 | 21 | 14 | 0 | 16 | 16 | 0 | 49 | 17 | 5 |
| Shortfall/Excess | 45 | -3 | 2 | 1 | 0 | 0 | -1 | 2 | -7 | 41 | 3 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3805015660558 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 3805015982715 | 4 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 4 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2181 | 15.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0078: GRADER, MOTORIZED

The 120M Motorized Road Grader is a self-propelled grading machine powered by a diesel engine. It has rubber tires, six-wheel drive, and an articulated frame with front-wheel steer design. It is equipped with a 12' blade with a minimum shoulder reach of 6' outside the wheels and has a minimum lift above ground of 16". It is reconfigurable to accept an armored cab. The advanced joystick control system replaces the traditional array of levers and steering wheel, which greatly simplifies motor grader operation by placing total machine, drawbar, and moldboard control into both of the operator's hands. Applications of the 120M include grading coarse and fine soil, creating low and high bank slopes, flat and V-ditches, scarifying,

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 120 | 7 | 21 | 20 | 14 | 0 | 17 | 14 | 7 | 8 | 14 | 5 |
| AAO (FY17) | 130 | | 23 | 21 | 17 | 0 | 21 | 14 | 7 | 8 | 14 | 5 |
| O/H | 165 | 4 | 23 | 21 | 14 | 0 | 16 | 16 | 0 | 49 | 17 | 5 |
| Shortfall/Excess | 45 | -3 | 2 | 1 | 0 | 0 | -1 | 2 | -7 | 41 | 3 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3805015660558 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 3805015982715 | 4 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 4 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2181 | 15.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0079: RIPPER FOR MCT

The Ripper Attachment, 3-Shank, Rear Mounting is mounted on the Medium Crawler Tractor (B0060) and is used to break up hard materials too compacted to be cut by the blades of tractors, graders, or scrapers. It is not normally used for breaking concrete or large tree roots.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 116 | 10 | 21 | 19 | 13 | 0 | 17 | 12 | 10 | 3 | 18 | 3 |
| AAO (FY17) | 128 | | 23 | 21 | 17 | 0 | 21 | 12 | 10 | 3 | 18 | 3 |
| O/H | 149 | 7 | 23 | 19 | 14 | 0 | 18 | 13 | 0 | 31 | 21 | 3 |
| Shortfall/Excess | 33 | -3 | 2 | 0 | 1 | 0 | 1 | 1 | -10 | 28 | 3 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3830015626715 | 7 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 7 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. This item is an attachment for B0060.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 218 | 2.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0081: WINCH ATTACHMENT, SINGLE DRUM

The Winch, Attachment, Single Drum is a hydraulically powered winch. It is mounted on the Medium Crawler Tractor (TAMCN B0060). The winch is used for towing, loading, recovery, and self-recovery operations.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 154 | 10 | 30 | 26 | 21 | 0 | 26 | 15 | 10 | 5 | 18 | 3 |
| AAO (FY17) | 145 | | 26 | 24 | 19 | 0 | 25 | 15 | 10 | 5 | 18 | 3 |
| O/H | 168 | 6 | 38 | 29 | 21 | 0 | 26 | 16 | 0 | 11 | 18 | 3 |
| Shortfall/Excess | 14 | -4 | 8 | 3 | 0 | 0 | 0 | 1 | -10 | 6 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3830015626695 | 6 | 0% | 0% | 0% | 50% | 0% | 50% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 3 | 3 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, this asset has a split reset strategy; of remaining assets on hand in OEF dispose of no more than 5 assets. Retrograde remaining qty to home station. This item is used with B0060. Request separate WIRs for B0060 and B0081.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 64 | 1.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0091: TANK,FUEL,PORTABLE

Fuel Containers

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2910015879196 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | no | y | No | y | 0 | 0 | 1 |

**Notes**: Items in OEF can be DRMO'd - candidate for FMS.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 6.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B0092 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0092: TRAILER SET,MINE DE

The three mine detonation trailers are pulled by a single husky vehicle in order to produce large ground pressure in order to initiate pressure plate firing systems in mines and IEDs. The tires of the three trailers are staggered in a manner that ensures pressure is applied to the entire width of the travelled lane.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 28 | 0 | 10 | 0 | 0 | 0 | 0 | 3 | 0 | 15 | 0 | 0 |
| Shortfall/Excess | 28 | 0 | 10 | 0 | 0 | 0 | 0 | 3 | 0 | 15 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330015294229 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: AAO's are being established. Used by B0093.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0093 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0093: MINE DETECTOR SYSTE

The Husky is an armored vehicle that can detect buried metallic anti-tank mines, explosive obstacles and unexploded ordnance. It imparts low ground pressure and can be repaired in the field if it is struck by an explosive device.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 46 | 0 | 6 | 6 | 0 | 0 | 0 | 10 | 0 | 6 | 12 | 6 |
| AAO (FY17) | 46 | | 6 | 6 | 0 | 0 | 0 | 10 | 0 | 6 | 12 | 6 |
| O/H | 111 | 15 | 10 | 10 | 0 | 0 | 0 | 14 | 0 | 60 | 0 | 0 |
| Shortfall/Excess | 65 | 15 | 4 | 4 | 0 | 0 | 0 | 4 | 0 | 54 | -12 | -6 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355015602306 | 15 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | Yes | No | Yes | 0 | 0 | 15 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. AAO's are being established.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0102 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0102: DETECTING SET,MINE

Handheld Low Metallic Signature detector.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 1,042 | 24 |
| AAO (FY17) | 988 | |
| O/H | 882 | 9 |
| Shortfall/Excess | -160 | -15 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 244 | 190 | 120 | 0 | 174 | 34 | 24 | 50 | 112 | 30 |
| 190 | 190 | 120 | 64 | 174 | 34 | 24 | 50 | 112 | 30 |
| 200 | 139 | 102 | 60 | 126 | 38 | 0 | 201 | 0 | 0 |
| -44 | -51 | -18 | 60 | -48 | 4 | -24 | 151 | -112 | -30 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665123710357 | 9 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | Yes | i/p | Yes | 0 | 9 | 0 |

**Notes**: UUNs requirement only, no AAO established for after the war. FMS is pending - hold in country at MCLC Fwd until determination is made.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0105: METAL DETECTOR

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 690 | 24 |
| AAO (FY17) | 742 | |
| O/H | 1,982 | 322 |
| Shortfall/Excess | 1,292 | 298 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 135 | 105 | 68 | 0 | 90 | 232 | 24 | 0 | 0 | 0 |
| 133 | 123 | 80 | 36 | 114 | 232 | 24 | 0 | 0 | 0 |
| 217 | 318 | 39 | 219 | 60 | 227 | 0 | 544 | 0 | 0 |
| 82 | 213 | -29 | 219 | -30 | -5 | -24 | 544 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665151952879 | 322 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 322 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| | | | |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0106 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0106: GENERATOR SET,DIESE

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 198 | 3 |
| Shortfall/Excess | 198 | 3 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31 | 61 | 40 | 0 | 28 | 1 | 0 | 34 | 0 | 0 |
| 31 | 61 | 40 | 0 | 28 | 1 | 0 | 34 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6115014351567 | 3 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | N/A | No | 0 | 0 | 3 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| | | | |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B0120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0120: BRIDGE ERECTION SET -MGB

The Bridge Erection set contains those components necessary to erect the single story and double story Medium Girder Bridge (MGB) (TAMCN B0152, pg. 2-50).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 24 | 0 |
| AAO (FY17) | 22 | |
| O/H | 28 | 0 |
| Shortfall/Excess | 4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 3 | 3 | 2 | 0 | 9 | 2 | 0 | 2 | 2 | 1 |
| 3 | 3 | 0 | 0 | 9 | 2 | 0 | 2 | 2 | 1 |
| 4 | 3 | 2 | 0 | 6 | 1 | 0 | 10 | 2 | 0 |
| 1 | 0 | 0 | 0 | -3 | -1 | 0 | 8 | 0 | -1 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5420001723519 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Associated with B0152

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 729 | 3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0152: BRIDGE, MEDIUM GIRDER, DRY GAP - (MGB)

The Medium Girder Bridge (MGB) is a deck-type, two-girder bridge system providing a 4-meter wide road way to span wet or dry gaps. The MGB is a lightweight, bridging system quickly erected by hand in various con figurations and lengths with minimum site preparation. Bridges up to Military Load Class (MLC) 70 (tracked) or 100 (wheeled) can be constructed and dismantled quickly by trained Marine Corps Engineer units to keep pace with operations.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 35 | 0 | 4 | 4 | 2 | 0 | 12 | 2 | 0 | 8 | 2 | 1 |
| AAO (FY17) | 35 | | 4 | 4 | 2 | 0 | 12 | 2 | 0 | 8 | 2 | 1 |
| O/H | 42 | 0 | 3 | 3 | 2 | 0 | 6 | 2 | 0 | 21 | 4 | 1 |
| Shortfall/Excess | 7 | 0 | -1 | -1 | 0 | 0 | -6 | 0 | 0 | 13 | 2 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5420001723520 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 571 | 3.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0160 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0160: ASSAULT BREACHER VEHICLE

The Assault Breacher Vehicle (ABV) is based on the MIAI chassis. Integrated subsystems include an armored turret, Full-Width Mine Plow (FWMP), Combat Dozer Blade (CDB), Linear Demolition Charge System (LDCS), Lane Marking System (LMS), Integrated Vision System (IVS), Thermal Weapon Sight (TWS), Vehicle Intercommunication Set (ANNIC-3), ANNRC-103 Radio System, Embedded Diagnostics (ED) System, Defense Advanced Global Positioning System (GPS) Receiver (DAGR), and a Weapon Platform Station (WPS). The inclusion of the Rapid Ordnance Removal System (RORS) and the Surface Mine Plow (SMP) as part of the Front End Equipment (FEE) will be addressed at a later date. The ABV is assigned to and employed by

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 52 | 5 | 7 | 7 | 0 | 0 | 0 | 14 | 5 | 7 | 10 | 2 |
| AAO (FY17) | 52 | | 7 | 7 | 0 | 0 | 0 | 14 | 5 | 7 | 10 | 2 |
| O/H | 50 | 0 | 7 | 7 | 0 | 0 | 0 | 14 | 0 | 5 | 15 | 2 |
| Shortfall/Excess | -2 | -5 | 0 | 0 | 0 | 0 | 0 | 0 | -5 | -2 | 5 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2350015117783 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Remove cameras before washdown and leaving theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 312 | 0 | 65 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0171 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0171: BUCKET, CLAMSHELL

The Bucket, Clamshell is hydraulically operated and capable of working at, above and below ground level. It is capable of digging loose to medium type soils and suitable for excavating vertical shafts or footings, filling bins or hoppers, and unloading aggregate from flat bottom gondola railroad cars. The Bucket, Clamshell is used on the All Terrain Crane MAC-50 (TAMCN B0038).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 56 | 0 | 13 | 13 | 5 | 0 | 11 | 3 | 0 | 0 | 8 | 3 |
| AAO (FY17) | 52 | | 10 | 10 | 9 | 0 | 8 | 3 | 0 | 0 | 8 | 4 |
| O/H | 101 | 0 | 15 | 14 | 10 | 0 | 9 | 13 | 0 | 12 | 24 | 4 |
| Shortfall/Excess | 45 | 0 | 2 | 1 | 5 | 0 | -2 | 10 | 0 | 12 | 16 | 1 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3815015515938 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Used with B0038.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 71 | 1.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0176 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0176: BUCKET, CONCRETE

The Bucket, Concrete is an upright type that can be used on any crane with at least one drum and sufficient capacity to handle the bucket with wet concrete loads of approximately 3,550 pounds. All welded construction is designed to handle concrete of normal slump mixtures. Discharge gates can be operated by one man and dis charge of load can be controlled by the operator. The Bucket, Concrete is used on the Crane, High Speed, High Mobility (TAMCN B0043).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 26 | 0 | 6 | 6 | 2 | 0 | 5 | 1 | 0 | 0 | 4 | 2 |
| AAO (FY17) | 30 | | 6 | 6 | 6 | 0 | 5 | 1 | 0 | 0 | 4 | 2 |
| O/H | 45 | 0 | 8 | 6 | 7 | 0 | 4 | 1 | 0 | 11 | 6 | 2 |
| Shortfall/Excess | 19 | 0 | 2 | 0 | 5 | 0 | -1 | 0 | 0 | 11 | 2 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3815012919223 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 3815015999774 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: All should be DRMO'd in country - currently purchasing replacements - same TAMCN new NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 86 | 0.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0215 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0215: BUCKET,MULTI-PURPOS

The Bucket, Multi-Purpose, 4-in-1, 2.47 Cubic Yard is used as a front end scoop bucket for picking up various types of fill material and loading the same into fill haulers.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 628 | 40 | 124 | 116 | 86 | 0 | 81 | 34 | 40 | 54 | 45 | 37 |
| AAO (FY17) | 665 | | 128 | 123 | 85 | 11 | 108 | 34 | 40 | 54 | 45 | 37 |
| O/H | 624 | 28 | 129 | 102 | 72 | 5 | 60 | 20 | 0 | 123 | 58 | 16 |
| Shortfall/Excess | -4 | -12 | 5 | -14 | -14 | 5 | -21 | -14 | -40 | 69 | 13 | -21 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3830014828567 | 28 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 28 | 0 |

**Notes**: AAO's are pending. Used with B0063.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 21 | 0 | 0.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0281 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0281: CAMERA SUITE, DIGITAL, ADVANCED (TACPHOTO)

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 14 | 0 | 4 | 1 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 14 | 0 | 4 | 1 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMO-INTEL)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6720090004310 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | Yes | Yes | Yes | 0 | 0 | 0 |

**Notes**: This TAMCN is obsolete and is now reflected as A0338 (instructions for the "A" TAMCN is also included in this R2 Playbook).

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | |
| if | **Not Mission Capable** | then | |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0282 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0282: CAMERA SUITE, DIGITAL, BASIC

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMO-INTEL)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6720090004311 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This TAMCN is obsolete and is now reflected as A0339 (instructions for the "A" TAMCN is also included in this R2 Playbook).

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | |
| if | **Not Mission Capable** | then | |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0283 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0283: CAMERA SUITE, DIGITAL, VIDEO

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 8 | 0 | 2 | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 8 | 0 | 2 | 3 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMO-INTEL)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5836090004313 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | |
| if | **Not Mission Capable** | then | |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0360 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0360: COMPRESSOR UNIT,REC

An assembled unit consisting of a commonly mounted reciprocating compressor(s) and a prime mover(s).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 45 | 0 |
| Shortfall/Excess | 45 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 2 | 5 | 4 | 0 | 0 | 0 | 33 | 1 | 0 |
| 0 | 2 | 5 | 4 | 0 | 0 | 0 | 33 | 1 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4310012501034 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | 0 | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 8 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B0392 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0392: CONTAINER HANDLER, RT, KALMAR

The RTCH-RT 240 is designed to lift, move, stack, or unstuck 20 to 40 ft (6.10 to 12.19 m) by 8 ft (2.44 m) wide ISO containers. The RTCH-RT 240 has a lift capacity of 53,000 lb (24,040 kg) and operates on hard and or unimproved surfaces, including beach operations.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 96 | 0 | 14 | 13 | 12 | 0 | 11 | 6 | 0 | 8 | 28 | 3 |
| AAO (FY17) | 92 | | 14 | 13 | 11 | 1 | 8 | 6 | 0 | 8 | 28 | 3 |
| O/H | 156 | 10 | 15 | 14 | 8 | 1 | 5 | 8 | 0 | 56 | 31 | 3 |
| Shortfall/Excess | 60 | 10 | 1 | 1 | -4 | 1 | -6 | 2 | 0 | 48 | 3 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3930015227364 | 10 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 10 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Also, per HQMC OEF surplus MCATS results 22 May 14, this asset is uneconomical to retrograde/reset. Dispose of asset in Afghanistan.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 591 | 0 | 59 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0395 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0395: COMPRESSOR, AIR, 260CFM, W/PNEUMATIC TOOLS

The portable air compressor is a trailer mounted unit which will furnish compressed air at the rate of 260 CFM at a pressure of 100 psi. It is designed to run at its rated capacity under adverse conditions of heat, cold, rain and dust, and will operate pneumatic tools as well as provide compressed air for bridging and bulk fuel oper ations. The compressor is used by Combat Engineers Battalion, Engineer Support Battalion, Artillery Regiment, Ground Combat Support and Marine Aircraft Wing units. Pneumatic tools are components (SL-3 items) of the compressor unit.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 190 | 0 |
| AAO (FY17) | 182 | |
| O/H | 227 | 2 |
| Shortfall/Excess | 37 | 2 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 42 | 38 | 23 | 0 | 39 | 6 | 0 | 10 | 20 | 8 |
| 37 | 33 | 20 | 4 | 42 | 6 | 0 | 10 | 20 | 10 |
| 41 | 37 | 23 | 2 | 23 | 8 | 0 | 58 | 24 | 8 |
| -1 | -1 | 0 | 2 | -16 | 2 | 0 | 48 | 4 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3820009508584 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 3820015427652 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 1 |
| 4310014988886 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 134 | 0 | 4.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0446 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0446: AIR MOBILE CRANE, RT, HYDRAULIC, LT (SLEP)

The Mobile Air Crane, is an air transportable, diesel-powered, rubber-tired, four-wheel drive, four-wheel steer, 7.5-Ton capacity, hydraulically operated crane. It performs general material handling, construction tasks, and aviation support. It is capable of operating in or over unimproved areas and rough terrain. The attachment is the Maintenance Platform, Air Mobile Crane (TAMCN B1300).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 104 | 0 | 17 | 16 | 11 | 0 | 12 | 11 | 0 | 12 | 22 | 3 |
| AAO (FY17) | 111 | | 17 | 16 | 12 | 0 | 11 | 11 | 0 | 12 | 22 | 10 |
| O/H | 228 | 0 | 15 | 16 | 10 | 0 | 15 | 13 | 0 | 116 | 29 | 10 |
| Shortfall/Excess | 124 | 0 | -2 | 0 | -1 | 0 | 3 | 2 | 0 | 104 | 7 | 7 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3810011650646 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |
| 3810015169718 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 3810015789682 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 210 | 0 | 11.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0465 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0465: B0465 INVENTORY ONLY

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 3 | 0 |
| Shortfall/Excess | 3 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4230014705826 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B0471 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0471: DEMOLITION EQUIPMENT, ENGINEER SQUAD

The Squad Demolition Kit (SDK) consists of tools and equipment that enable Marines to conduct demolition operations. It includes crimpers, wire reels, pelican case, bandoleers, backpack, electrical circuit test equipment, and blasting machines. This kit also includes the MK-152 Remote Control Firing Device to give the capability of remotely firing electrical blasting caps at a nominal range of 2 to 5 kilometers.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 415 | 0 | 93 | 81 | 49 | 0 | 86 | 17 | 0 | 0 | 72 | 10 |
| AAO (FY17) | 420 | | 79 | 78 | 55 | 7 | 96 | 17 | 0 | 0 | 72 | 16 |
| O/H | 685 | 1 | 127 | 66 | 46 | 5 | 78 | 19 | 0 | 271 | 59 | 11 |
| Shortfall/Excess | 270 | 1 | 34 | -15 | -3 | 5 | -8 | 2 | 0 | 271 | -13 | 1 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1375000473750 | 1 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | i/p | No | 0 | 1 | 0 |
| 1375002124589 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | i/p | No | 0 | 0 | 0 |
| 1375016062596 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | i/p | No | 0 | 0 | 0 |

**Notes**: Split strategy, refer to NSN for dispo action.This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. No longer using nsn ending in 4589, but will be brought back, use some of the parts and upgrade the rest. This TAMCN is associated with E0359. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 4 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0472 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0472: DEMOLITION EQUIPMENT, INDIV

The Demolition Equipment Set is for use by individual demolitionists. It consists of tools, accessories, and specially designed containers and carrying attachments, less explosives, for performing demolition tasks.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,511 | 0 | 395 | 330 | 188 | 0 | 344 | 0 | 0 | 0 | 208 | 37 |
| AAO (FY17) | 1,421 | | 327 | 299 | 206 | 9 | 372 | 0 | 0 | 0 | 208 | 0 |
| O/H | 2,162 | 0 | 421 | 329 | 138 | 6 | 340 | 0 | 0 | 750 | 178 | 0 |
| Shortfall/Excess | 651 | 0 | 26 | -1 | -50 | 6 | -4 | 0 | 0 | 750 | -30 | -37 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1375000473751 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0475 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0475: DETECTING SET, MINE, METALLIC, PORTABLE

The AN/PSS-12 Mine Detector is a man-portable metallic mine-detection system that is used to detect AntiPersonnel land mines. The AN/PSS-12 is designed to detect mines with very small proportions of metal content above ground and beneath the surface of fresh or salt water. Its compact, lightweight frame, makes the AN/PSS 12 ideal for fast and accurate terrain reconnaissance.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 284 | 0 | 1 | 1 | 2 | 0 | 9 | 0 | 0 | 271 | 0 | 0 |
| Shortfall/Excess | 284 | 0 | 1 | 1 | 2 | 0 | 9 | 0 | 0 | 271 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665001447655 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 6665219061023 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Item is obsolete - DRMO in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B0476 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0476: DETECTOR, MINE, ADVANCED

The Handheld Standoff Mine Detection Systems (HSTAMIDS), AN/PSS-14 is a man-portable mine detector that enables the accurate detection of anti-tank and anti-personnel, metallic and non-metallic mines and Unexploded Ordnance (UXO). It comes with Through-the Wall detection capabilities.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 967 | 0 | 183 | 38 | 18 | 10 | 56 | 0 | 0 | 530 | 132 | 0 |
| Shortfall/Excess | 967 | 0 | 183 | 38 | 18 | 10 | 56 | 0 | 0 | 530 | 132 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665015047769 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | yes | No | No | No | 0 | 0 | 0 |
| 6665015274643 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: NSN ending in 7769 is being replaced by NSN 4643. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B0571 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0571: DRUM, FABRIC, COLLAPSIBLE, 500 GAL. CAP., WATER

The 500 Gallon Collapsible Potable Water Drum is a durable non-vented, hermetically sealed, collapsible fabric container used to store and transport drinking water. It is cylindrical when filled to capacity. It is designed for use with the Forward Area Water Point Supply System FAWPSS (B0676, pg. 2-81). The drum is fitted with two 2-inch cam-lock type filler/discharge ports and may be folded for storage. Yoke, towing and lifting (TAMCN B2730, pg. 2-175) is required if the drum is to be towed or lifted. This equipment is associated with the FAWPSS (B0676, pg. 2-81).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 90 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 84 | 6 |
| AAO (FY17) | 90 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 84 | 6 |
| O/H | 348 | 0 | 68 | 78 | 54 | 0 | 4 | 0 | 0 | 54 | 84 | 6 |
| Shortfall/Excess | 258 | 0 | 68 | 78 | 54 | 0 | 4 | 0 | 0 | 54 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8110011220015 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 8110014089013 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | TBD | YES | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 8110014090789 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | TBD | YES | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Item is considered serviceable only if not previously used (new). Items in theater can be DRMO'd and is also a candidate for FMS.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 112 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# B0572 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0572: TANK, FABRIC, COLLAPSIBLE, 50K

The 50,000 Gallon Collapsible Tank is constructed of impregnated fabric and equipped with 4-inch elbow hose connections for storage of bulk petroleum products. The 50,000 Gallon Collapsible Coated-Fabric, Fuel Tank assembly includes an aluminum tank chest, ground cloth, emergency repair kit, and required components for venting and draining. This assembly is designed for use with the Tactical Airfield Fuel Dispensing System (TAFDS) B0675, pg. 2-80) and the Amphibious Assault Fuel System (AAFS) (TAMCN B0685, pg. 2-82).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 968 | 0 | 140 | 140 | 82 | 0 | 312 | 4 | 0 | 0 | 224 | 66 |
| AAO (FY17) | 849 | | 117 | 113 | 36 | 0 | 243 | 4 | 0 | 0 | 224 | 112 |
| O/H | 1,397 | 8 | 175 | 63 | 162 | 0 | 54 | 7 | 0 | 734 | 190 | 0 |
| Shortfall/Excess | 429 | 8 | 35 | -77 | 80 | 0 | -258 | 3 | 0 | 734 | -34 | -66 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5430014795099 | 1 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | No | Yes | No | No | No | No | 0 | 0 | 1 |
| 5430014795116 | 7 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | No | Yes | No | No | No | No | 0 | 0 | 7 |

**Notes**: Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 110 | 0.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# B0573 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0573: TANK, FUEL, FABRIC, COLLAPSIBLE, 3000-GAL CAP

The 3,000 Gallon Collapsible Tank is constructed of impregnated fabric and equipped with 2-inch and 4-inch elbow hose connections for storage of bulk petroleum products. The 3,000 Gallon Collapsible Tank assembly includes a ground cloth, emergency repair kit, and required components for venting and draining. This assembly is designed for use with the Helicopter Expedient Refueling System (HERS) (TAMCN B1135, pg. 2-102) and associated with the Expedient Refueling System (ERS) (TAMCN B1570, pg. 2-111).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 390 | 6 | 60 | 66 | 42 | 0 | 159 | 3 | 6 | 0 | 36 | 18 |
| AAO (FY17) | 396 | | 89 | 80 | 48 | 0 | 102 | 3 | 20 | 0 | 36 | 18 |
| O/H | 469 | 0 | 45 | 36 | 19 | 0 | 4 | 5 | 0 | 328 | 32 | 0 |
| Shortfall/Excess | 79 | -6 | -15 | -30 | -23 | 0 | -155 | 2 | -6 | 328 | -4 | -18 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2910015391071 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5430014850103 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5430014858340 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5430015427938 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 41 | 0.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# B0579 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0579: DUMMY LOAD, GENERATOR SET, ELECT, 100KW, TRLR-MTD

The Dummy Load, Generator Set, 100kW provides electrical load simulating capabilities for maintenance and operational evaluation of mobile electrical power sources. It is a self-contained, air-cooled, skid-mounted unit, suitable for indoor and outdoor use. The unit contains all instruments, controls, and power loads for testing AC generators. The unit is capable of being trailer mounted.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 229 | 0 | 55 | 55 | 32 | 0 | 45 | 19 | 0 | 0 | 14 | 4 |
| AAO (FY17) | 240 | | 59 | 59 | 30 | 5 | 49 | 19 | 0 | 0 | 14 | 5 |
| O/H | 338 | 6 | 54 | 51 | 33 | 5 | 35 | 26 | 0 | 103 | 15 | 5 |
| Shortfall/Excess | 109 | 6 | -1 | -4 | 1 | 5 | -10 | 7 | 0 | 103 | 1 | 1 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6150013062943 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | N/A | No | 0 | 0 | 0 |
| 6150015571304 | 6 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | N/A | No | 0 | 0 | 6 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. For NSN 6150-01-306-2943: Dispose of In Theater; Do NOT return to CONUS. For NSN 6150-01-557-1304 (new AVTRON model): Re-distribute within MEF FWD to fill EDL shortages. Upon retrograde, conduct LTI and determine worth returning to CONUS or not. If returned to CONUS, return to Condition Code "A" at Using Unit or IMA and make SL-3 complete. Re-distribute to fill any shortages within the Marine Corps; store any excess at MARCORLOGCOM. Load banks require special consideration for washdown. The internals of a load bank should never be cleaned with running water. Damp cloths can be used to wipe out any residue vacuums won't remove. Water can be used to clean the exterior of a load bank as long as all doors are tightly closed and high pressure water is not directed into any seem or opening on the load bank. SL-3: SL-3-07500C The Forecasted Reset Strategy For Distribution shown below is TAMCN

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 46 | 1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0585 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0585: NSN NOT PROCURABLE

B0585 is obsolete.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 0 | 0 |
| Shortfall/Excess | 0 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6110011715398 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 9999011715398 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B0589 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0589: EXCAVATOR COMBAT (M9 ACE)

The M9 ACE is a tracked, highly mobile, armored earthmover capable of supporting the maneuver element in offensive and defensive operations. It accomplishes critical combat engineer tasks such as preparing hull def ilade fighting positions for guns and tanks, and preparing protected positions for other critical battlefield systems to increase their survivability. The M9 ACE will prepare combat roads, remove roadblocks and other obstacles, and prepare access routes at water obstacles. It also performs countermobility tasks such as preparing antitank ditches. The M9 ACE requires a single operator and can attain a speed of 30 mph on land. The system is configured for on and off-loading in C130 and CS aircraft.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 101 | 6 | 16 | 16 | 12 | 0 | 20 | 9 | 6 | 8 | 12 | 2 |
| AAO (FY17) | 101 | | 16 | 16 | 12 | 0 | 20 | 9 | 6 | 8 | 12 | 2 |
| O/H | 123 | 0 | 9 | 8 | 8 | 0 | 4 | 7 | 0 | 68 | 19 | 0 |
| Shortfall/Excess | 22 | -6 | -7 | -8 | -4 | 0 | -16 | -2 | -6 | 60 | 7 | -2 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2350008087100 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2430015818572 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Needs to be refreshed regardless of maintenance condition. Remove IVS cameras before washdown.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 187 | 0 | 23 |

☑ **Sensitive** ☑ **CCI**
☐ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0595 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0595: POWER DISTRIBUTION

The 15 kW Power Distribution System is a skid-mounted unit used in combination to provide a network of multiple 120/208V, 1-Phase loads and 120V, 1-Phase loads from a remote generator or facility power. Circuit breakers are accessed through a hinged cabinet cover and input/output receptacles are covered. Cables inter connect the individual power distribution panel board assemblies. All assemblies consist of a box and frame assembly and a cover assembly. It is equipped with a circuit board assembly, indicator lights, and input/output receptacles. It includes one input and two output cables.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 148 | 0 | 11 | 4 | 11 | 0 | 3 | 0 | 0 | 119 | 0 | 0 |
| Shortfall/Excess | 148 | 0 | 11 | 4 | 11 | 0 | 3 | 0 | 0 | 119 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6110012732387 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This TAMCN is obsolete and has been replaced by the B0029. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 4 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0600 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0600: DISTRIBUTION SYSTEM, POWER, ELECT, 30KW

The 30 kW Power Distribution System is a skid-mounted unit used in combination to provide electrical power to a network of multiple 120/208V, 1-Phase loads and 120V, 1-Phase loads from a remote generator or facility power. Circuit breakers are accessed through a hinged cabinet cover and input/output receptacles are covered. Cables interconnect the individual power distribution panel board assemblies. All assemblies consist of a box, a frame assembly, and a cover assembly. It is equipped with a circuit breaker, rear access door assemblies, and front andrear receptacles. This set includes one input and nine output cables, and an eyebolt for lifting.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 5 | 1 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 5 | 1 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6110012228958 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 6110012726953 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 1 |

**Notes**: This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 24 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0605 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0605: DISTRIBUTION SYSTEM, POWER, ELECT, 100KW

The 100 kW Power Distribution System is a skid-mounted unit used in combination to provide electric power to a network of multiple 120/208V/1-Phase loads and 120V/1-Phase loads from a remote generator or facility power. Circuit breakers are accessed through a hinged cabinet cover and input/output receptacles are covered. Cables interconnect the individual power distribution panel board assemblies. All assemblies consist of a box, a frame assembly, and a cover assembly. It is equipped with rear access door assemblies, and front and rear panel receptacles. This set includes five input and 17 output cables, and an eyebolt for lifting.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 14 | 0 | 2 | 1 | 2 | 0 | 9 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 14 | 0 | 2 | 1 | 2 | 0 | 9 | 0 | 0 | 0 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6110012726952 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This TAMCN is obsolete and has been replaced by the B0031. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 36 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0608 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0608: WIRING HARNESS,FIEL

The Field Wiring Harness MLK-0000 provides electrical power distribution and illumination through receptacle circuits/power outlets for various field unit complexes. The unit is portable and suitable for the use in indoor/outdoor environments. Standard electrical requirements for the Field Wiring Harness are the electrical power distribution panels. The, cable assemblies are grouped into separate duffel bags and labeled as follows, “GP” Tent 10 duffel bags, “CP” Tent 2 duffel bags and “Maintenance Tent” 1 duffel bag.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 45 | 0 |
| Shortfall/Excess | 45 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31 | 3 | 5 | 0 | 6 | 0 | 0 | 0 | 0 | 0 |
| 31 | 3 | 5 | 0 | 6 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6230012541666 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 32 | 0.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B0626 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0626: FIRE SUPPRESSION SYSTEM, MOBILE (AVIATION TYPE)

The Fire Suppression System (FSS) is comprised of a twin agent fire extinguishing assembly mounted inside the bed of a M1097A2 High Mobility Multi-Purpose Wheeled Vehicle (HMMWV). The system consist of 80-gallons of pre-mixed Aqueous Film Forming Foam (AFFF) and 200 pounds of dry chemical (Potassium Bicar bonate), both fire suppressants are expelled by compressed gas through a twinned hand line and a single nozzle. The FSS's mission is to provide fire suppression and fire fighting capability for class A and B type fires in support of bulk fuel storage sites, Ammunition Supply Points (ASP), and base camp operations, and Forward Arming and Refueling Point (FARP) missions.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 137 | 0 | 25 | 29 | 19 | 0 | 33 | 1 | 0 | 8 | 16 | 6 |
| AAO (FY17) | 132 | | 25 | 28 | 16 | 0 | 30 | 1 | 0 | 8 | 16 | 8 |
| O/H | 163 | 0 | 17 | 27 | 20 | 0 | 5 | 1 | 0 | 78 | 10 | 0 |
| Shortfall/Excess | 26 | 0 | -8 | -2 | 1 | 0 | -28 | 0 | 0 | 70 | -6 | -6 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4210014944642 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 4210015696073 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 4210015791563 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. This equipment is highly pilferable and should not be transported by Local nationals.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 692 | 4 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0635 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0635: FLOODLIGHT SET,ELEC

The Floodlight Set is a skid mounted unit designed to accept a 10 kw, 60 Hz, MEP-003A Generator Set or external power with a minimum requirement of 6 kw, single phase, 3 wire 120/240 vac, 60 Hz.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 0 | 0 |
| Shortfall/Excess | 0 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6230011701408 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: NSN 6230-01-170-1408: DRMO/Dispose of In Theater; do NOT return to CONUS. (Replaced by B0640, NSN 6230-01-530-8890 New Floodlight Set with integral diesel engine & generator.) Eligible for FMS.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 216 | 1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B0640 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0640: FLOODLIGHT SET

The Floodlight Set (FLS) is a self-contained system with a power plant capable of providing up to five acres of 360 degree general illumination and security use. It can also provide accessory power with at least 12 hours of continuous operation. It has a primary tower with three mast-mounted lights and tripod-mounted ground lights that are capable of continuous field deployment in a wide variety of environmental extremes and rough terrain. For flexibility, the set is configured so that it can be mounted on the USMC M116A3 and LTT-MCC trailers.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 817 | 25 |
| AAO (FY17) | 758 | |
| O/H | 1,284 | 110 |
| Shortfall/Excess | 467 | 85 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 169 | 158 | 117 | 0 | 142 | 39 | 25 | 0 | 108 | 29 |
| 145 | 142 | 102 | 30 | 142 | 39 | 25 | 0 | 108 | 25 |
| 152 | 153 | 111 | 26 | 139 | 79 | 0 | 350 | 111 | 29 |
| -17 | -5 | -6 | 26 | -3 | 40 | -25 | 350 | 3 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6230014966523 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6230015308890 | 110 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 110 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 207 | 1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0647 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0647: FLOODLIGHT SET

A power-driven fork-type elevating unit designed to be mounted on a tractor. May be cable- or hydraulically-operated. Used for lifting, transporting and stacking material.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 678 | 40 |
| AAO (FY17) | 722 | |
| O/H | 897 | 60 |
| Shortfall/Excess | 219 | 20 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 124 | 116 | 87 | 0 | 81 | 34 | 40 | 60 | 88 | 37 |
| 129 | 127 | 87 | 11 | 109 | 34 | 40 | 60 | 88 | 37 |
| 141 | 117 | 95 | 12 | 84 | 35 | 0 | 220 | 86 | 37 |
| 17 | 1 | 8 | 12 | 3 | 1 | -40 | 160 | -2 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3830014828569 | 60 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 60 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The Program Office only procured enough sasets to fulfill the AAO. The NAP is incorrect, all assets are required to be retrograded.All need to return to CONUS - MCLC already has repair line established.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0675 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0675: FUEL SYSTEM, AIRFIELD, TACTICAL(FIRESTONE)

The primary purpose of the Tactical Airfield Fuel Dispensing is used for receiving, storing, and dispensing aviation fuel in support of expeditionary airfields. With the single fuel on the battlefield concept, the system will be able to supply fuel to both aviation and ground assets. The system has a storage capacity of 320,000-gallons and a pump capability up to 600 GPM. The system has 12 aircraft dispensing points for a multi-aircraft refueling capability and a capability to receive fuel from multiple sources.



*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 56 | 0 | 12 | 12 | 7 | 0 | 9 | 1 | 0 | 0 | 10 | 5 |
| AAO (FY17) | 56 | | 12 | 12 | 7 | 0 | 9 | 1 | 0 | 0 | 10 | 5 |
| O/H | 67 | 2 | 4 | 4 | 7 | 0 | 1 | 2 | 0 | 32 | 10 | 5 |
| Shortfall/Excess | 11 | 2 | -8 | -8 | 0 | 0 | -8 | 1 | 0 | 32 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4930001813272 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | YES | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 4930010940026 | 2 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | No | Yes | No | No | No | No | 0 | 0 | 2 |

**Notes**: This equipment is highly pilferable and should not be transported by Local nationals. If tank has had fuel in it, using unit must WIR as Code H.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 16.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# B0676 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0676: WATER POINT SUPPLY SYSTEM, FWD AREA

The Forward Area Water Point Supply System (FAWPSS) is an expedient, self-contained potable water storage and dispensing system. It consists of a 150 GPM pump, hoses, 500-gallon, collapsible coated-fabric water drum, and ancillary components necessary to establish four distribution points. The FAWPSS is used in conjunction with the 500-gallon, collapsible coated-fabric water drum (TAMCN B0571, 2-66).



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 55 | 0 | 14 | 14 | 1 | 0 | 9 | 2 | 0 | 0 | 14 | 1 |
| AAO (FY17) | 60 | | 12 | 12 | 10 | 0 | 9 | 2 | 0 | 0 | 14 | 1 |
| O/H | 67 | 0 | 15 | 14 | 11 | 0 | 3 | 2 | 0 | 6 | 15 | 1 |
| Shortfall/Excess | 12 | 0 | 1 | 0 | 10 | 0 | -6 | 0 | 0 | 6 | 1 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4320011101993 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 120 | 0.3 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# B0685 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0685: FUEL SYSTEM, AMPHIB ASSAULT, 600K GAL CAP

The primary purpose of the Amphibious Assault Fuel System (AAFS) is used for receiving, storing, transferring, and dispensing bulk fuel for all elements of the Marine Air-Ground Task Force (MAGTF). The system has the capability to transfer bulk fuel to outlying expeditionary airfields, receiving from various sources, dispensing to ground vehicles, pumping capability up to 600 GPM, and storing up to 1,120,000-gallons of bulk fuel product.



*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 32 | 0 | 4 | 4 | 2 | 0 | 12 | 0 | 0 | 0 | 8 | 2 |
| AAO (FY17) | 25 | | 3 | 3 | 0 | 0 | 9 | 0 | 0 | 0 | 8 | 2 |
| O/H | 49 | 0 | 2 | 2 | 2 | 0 | 1 | 0 | 0 | 30 | 8 | 4 |
| Shortfall/Excess | 17 | 0 | -2 | -2 | 0 | 0 | -11 | 0 | 0 | 30 | 0 | 2 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4930011139173 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | YES | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 70.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# B0695 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0695: LABORATORY, PETROLEUM, TACTICAL, MEDIUM

*Representative Picture*

The Tactical Petroleum Laboratory, Medium (TPLM) provides those essential testing components integrated in an ISO shelter to monitor the critical physical and chemical characteristics of aviation and ground fuels. Military and commercial fuels (to include captured fuels) can be tested for composition and quality against minimum standards as specified in MIL-STD-3004A, Quality Surveillance for Fuels, Lubricants and related products. The TPLM also serves as the primary source for monthly correlation testing for filter effectiveness in support of the Marine Wing Support Squadrons. Operational and ancillary equipment include the Air Conditioner, 36,000 BTU, Vertical, b0013; Air Conditioner Skid Assembly, B2006 and 30 kW TOG,

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 21 | 0 | 3 | 3 | 3 | 0 | 9 | 1 | 0 | 0 | 2 | 0 |
| AAO (FY17) | 4 | | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 2 | 0 |
| O/H | 10 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 3 | 0 |
| Shortfall/Excess | -11 | 0 | -1 | -3 | -2 | 0 | -9 | -1 | 0 | 4 | 1 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6640013990483 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: If item is serviceable, it should go to the MEFs. Depot Level Maintenance is NOT part of the maintenance concept for this item. New systems are being purchased, but fielding is not complete yet. This equipment is highly pilferable and should not be transported by Local nationals. New TAMCN B0087 will eventually replace this.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 5 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B0696 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0696: TESTER,FLASH POINT

The MARFLASH, Fuel Tester is a fully automatic, microprocessor controlled, flameless flash point tester used by USMC Bulk Fuel Distribution units, to test the flash points of different types of fuels. The device provides direct field test measurements of flash point for fuel acceptance of JP5, JP8/Jet A1, Diesel DF-2, and Non-specification fuels with flash points between 68°F-240°F.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 161 | 0 | 36 | 36 | 27 | 0 | 27 | 2 | 0 | 0 | 22 | 11 |
| AAO (FY17) | 158 | | 36 | 33 | 27 | 0 | 27 | 2 | 0 | 0 | 22 | 11 |
| O/H | 147 | 1 | 33 | 8 | 29 | 0 | 21 | 7 | 0 | 41 | 2 | 4 |
| Shortfall/Excess | -14 | 1 | -3 | -28 | 2 | 0 | -6 | 5 | 0 | 41 | -20 | -7 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6630005300987 | 0 | 66% | 0% | 0% | 34% | 0% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 6630015341774 | 1 | 66% | 0% | 0% | 34% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 1 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0730 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0730: GENERATOR SET, 3KW, 60HZ, SKID-MTD

The 3 kW Generator Set, MEP-831A, is a self-contained, skid mounted, portable unit. It is equipped with controls, instruments and accessories necessary for operation. The generator set consists of a diesel engine, permanent magnet A/C generator, control box assembly, output/load panel, primary and auxiliary fuel systems, enclosure cooling and ventilation system, engine exhaust assembly, and a 24 Vdc battery. The generator set is designed to be used with any equipment requiring a small source of NC power and operates in a "Hot and Basic" climatic condition range of -25 F to 120 F. The generator set is portable and requires a six-person lift.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,875 | 0 | 439 | 392 | 255 | 0 | 359 | 39 | 0 | 34 | 292 | 26 |
| AAO (FY17) | 1,811 | | 413 | 364 | 259 | 39 | 349 | 39 | 0 | 34 | 292 | 22 |
| O/H | 4,262 | 3 | 502 | 401 | 272 | 48 | 252 | 47 | 0 | 2,355 | 294 | 85 |
| Shortfall/Excess | 2,387 | 3 | 63 | 9 | 17 | 48 | -107 | 8 | 0 | 2,321 | 2 | 59 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6115012853012 | 3 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | Yes Other | Yes | yes | No | Yes | No | 0 | 0 | 3 |

**Notes**: For NSN 6115-01-150-414- MEP-016B and NSN 6115-01-456-5046: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-285-3012, MEP-831A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 15 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0891 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0891: GENERATOR SET, SKID MTD, 10KW/60HZ, TQG

The 10 kW Generator Set, MEP-803A, is a fully enclosed, self-contained, skid-mounted, portable unit. It is equipped with controls, instruments and accessories necessary for operation. The generator set consists of a diesel engine, brushless generator, excitation system, speed governing system, fuel system, 24 Vdc starting system, control system and fault system. The generator set is designed to be used with any equipment requiring a small source of A/C power and operates in a "Hot and Basic" climatic condition range of -25 F to 120 F.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,441 | 25 | 349 | 320 | 198 | 0 | 294 | 77 | 25 | 19 | 84 | 50 |
| AAO (FY17) | 1,520 | | 391 | 358 | 190 | 25 | 306 | 77 | 32 | 19 | 84 | 38 |
| O/H | 5,325 | 28 | 522 | 467 | 325 | 29 | 216 | 88 | 0 | 3,494 | 78 | 50 |
| Shortfall/Excess | 3,884 | 3 | 173 | 147 | 127 | 29 | -78 | 11 | -25 | 3,475 | -6 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6115012755061 | 28 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 28 |
| 6115015617455 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. For NSN 6115-00-465-1030, MEP-003A: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-275-5061, MEP-803A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 42 | 0.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B0921 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0921: GENERATOR SET, SKID MTD, 10KW/400HZ, TQG

The 10 kW Generator Set, MEP-813A, is a fully enclosed, self-contained, skid-mounted, portable unit. It is equipped with controls, instruments and accessories necessary for operation. The generator set consists of a diesel engine, brushless generator, excitation system, speed governing system, fuel system, 24 Vdc starting system, control system, and fault system. The generator set is designed to be used with any equipment requiring a small source of NC power and operates in a "Hot and Basic" climatic condition range of -25 F to 120 F.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 91 | 0 | 19 | 19 | 21 | 0 | 12 | 2 | 0 | 6 | 12 | 0 |
| AAO (FY17) | 88 | | 19 | 19 | 18 | 0 | 12 | 2 | 0 | 6 | 12 | 0 |
| O/H | 257 | 0 | 19 | 19 | 29 | 0 | 18 | 4 | 0 | 154 | 12 | 2 |
| Shortfall/Excess | 166 | 0 | 0 | 0 | 8 | 0 | 6 | 2 | 0 | 148 | 0 | 2 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6115012747392 | 0 | 25% | 0% | 0% | 75% | 0% | 0% | NO | NO | No | No | yes | No | N/A | No | 0 | 0 | 0 |

**Notes**: For NSN 6115-00-465-1027, MEP-112A: Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-274-7392, MEP-813A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 42 | 0.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0930 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0930: GENERATOR SET 20KW MMG-25 (REPLACES F60297B)

The MMG 25 is a fully enclosed, self-contained, skid-mounted, portable unit. It is equipped with controls, instruments, and accessories necessary for operation as a single unit. The generator set consists of a diesel engine, brushless generator, fuel system, 12 Vdc starting system, control system, and automatic safety shut down system. The generator set is designed to be used with any piece of equipment requiring a medium source of NC power.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 331 | 0 | 104 | 90 | 50 | 0 | 82 | 5 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 295 | | 90 | 68 | 50 | 0 | 82 | 5 | 0 | 0 | 0 | 0 |
| O/H | 263 | 5 | 49 | 61 | 27 | 0 | 23 | 7 | 0 | 90 | 0 | 0 |
| Shortfall/Excess | -68 | 5 | -55 | -29 | -23 | 0 | -59 | 2 | 0 | 90 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6115015310571 | 5 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | N/A | No | 5 | 0 | 0 |

**Notes**: NSN 6115-01-531-0571: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 86 | 1.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0953 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0953: GENERATOR SET, SKID MTD, 30KW/60HZ, TQG, MEP005A

The 30 kW Generator Set, MEP-805A, is a fully enclosed, self-contained, skid-mounted, portable unit. It is equipped with controls, instruments, and accessories necessary for operation as a single unit or in parallel with another unit of the same class and mode. The generator set consists of a diesel engine, brushless generator, excitation system, speed governing system, fuel system, 24 Vdc starting system, control system, and fault system. The generator set is designed to be used with any piece of equipment requiring a medium source of A/C power and operates in a "Hot and Basic" climatic condition range of -25 F to 120 F.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,531 | 8 | 366 | 347 | 230 | 0 | 246 | 86 | 8 | 0 | 156 | 43 |
| AAO (FY17) | 1,578 | | 369 | 356 | 225 | 34 | 262 | 86 | 8 | 0 | 156 | 67 |
| O/H | 3,968 | 21 | 506 | 443 | 312 | 34 | 109 | 113 | 0 | 2,197 | 161 | 52 |
| Shortfall/Excess | 2,437 | 13 | 140 | 96 | 82 | 34 | -137 | 27 | -8 | 2,197 | 5 | 9 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6115001181240 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | N/A | No | 0 | 0 | 0 |
| 6115012747389 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | N/A | No | 0 | 0 | 0 |
| 6115014619335 | 21 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | N/A | No | 0 | 0 | 21 |
| 6115015617718 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | N/A | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. For NSN 6115-00-118-1240, MEP-005A and NSN 6115-01-274-7389, MEP-805A: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-461-9335, MEP-805B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 91 | 1.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B0971 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0971: GENERATOR SET, SKID MTD, 30KW/400HZ, TQG

The 30 kW Generator Set, MEP-815A, is a fully enclosed, self-contained, skid-mounted, portable unit. It is equipped with controls, instruments, and accessories necessary for operation as a single unit or in parallel with another unit of the same class and mode. The generator set consists of a diesel engine, brushless generator, excitation system, speed governing system, fuel system, 24 Vdc starting system, control system, and fault system. The generator set is designed to be used with any piece of equipment requiring a medium source of A/C power and operates in a "Hot and Basic" climatic condition range of -25 F to 120 F.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1 | 0 | *Influences R2 Distribution* | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 1 | | | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| O/H | 58 | 0 | | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 55 | 0 | 0 |
| Shortfall/Excess | 57 | 0 | | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 55 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6115014620290 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | No | No | N/A | No | 0 | 0 | 0 |

**Notes**: For NSN 6115-00-118-1248, MEP-114A and NSN 6115-01-274-7394, MEP-815A: Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-462-0290, MEP-815B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 1.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B0980 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B0980: GENERATOR, LTWT, MAN-PORTABLE

The 2kW Military Tactical Generator Set, (MTG) MEP-531A, is a self-contained, skid mounted, portable unit. It is equipped with controls, instruments and accessories necessary for operation. The generator set consists of a diesel engine, direct drive AC alternator, speed governing system, fuel system, 24VDC auxiliary cold weather starting system (23°F or below), and generator control system. The generator set is designed to be used with any equipment requiring a small source of AC power and operates in a "Hot and Basic" climatic condition range of -25°F to +120°F. The generator set is portable and requires a four-person lift.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 628 | 0 | 185 | 168 | 123 | 0 | 130 | 4 | 0 | 0 | 0 | 18 |
| AAO (FY17) | 620 | | 186 | 150 | 128 | 0 | 140 | 4 | 6 | 0 | 0 | 6 |
| O/H | 1,952 | 0 | 313 | 255 | 187 | 4 | 132 | 43 | 0 | 943 | 22 | 42 |
| Shortfall/Excess | 1,324 | 0 | 128 | 87 | 64 | 4 | 2 | 39 | 0 | 943 | 22 | 24 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6115014351565 | 0 | 75% | 0% | 0% | 25% | 0% | 0% | NO | NO | No | No | No | No | N/A | No | 0 | 0 | 0 |

**Notes**: NSN 6115-01-435-1565: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B1016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1016: GENERATOR SET, 60KW, 400HZ, SKID-MTD

The 60 kW Generator Set, MEP-816A, is a fully enclosed, self-contained, skid-mounted, portable unit. It is equipped with controls, instruments, and accessories necessary for operation as a single unit or in parallel with another unit of the same class and mode. The generator set consists of a diesel engine, brushless generator, excitation system, speed governing system, fuel system, 24 Vdc starting system, control system, and fault system. The generator set is designed to be used with any piece of equipment requiring a medium source of A/C power and operates in a "Hot and Basic" climatic condition range of -25 F to 120 F.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 68 | 0 | 12 | 12 | 12 | 0 | 12 | 2 | 0 | 0 | 16 | 2 |
| AAO (FY17) | 71 | | 12 | 12 | 12 | 0 | 12 | 2 | 0 | 0 | 16 | 5 |
| O/H | 112 | 0 | 12 | 11 | 12 | 0 | 6 | 6 | 0 | 49 | 14 | 2 |
| Shortfall/Excess | 44 | 0 | 0 | -1 | 0 | 0 | -6 | 4 | 0 | 49 | -2 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6115012747395 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | N/A | No | 0 | 0 | 0 |
| 6115014620292 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | No | No | N/A | No | 0 | 0 | 0 |
| 6115015617895 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | N/A | No | 0 | 0 | 0 |

**Notes**: Split strategy, refer to NSN for dispo action.For NSN 6115-00-118-1253, MEP-115A and NSN 6115-01-274-7395, MEP-816A: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-462-0292, MEP-816B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 106 | 2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B1021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1021: GENERATOR SET, SKID-MTD, 60KW/60HZ, TQG

The Generator Set, Diesel Engine Driven, Skid Mounted, 100 kW, MEP-007A, is a self-contained, transport able source of A/C power. A 100 kW synchronous, brushless generator is directly powered by a six-cylinder, water-cooled, four-cycle, turbocharged diesel engine. Both the engine and generator are mounted on a welded Ibeam skid base and contained within a steel-paneled housing enclosure. The generator set is provided with the controls, instruments, and accessories necessary for its operation, monitoring, and control. The generator set is designed to be used with any piece of equipment requiring a large source of external A/C power and operates in a "Hot and Basic" climatic condition range of-25 F to 125 F.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,055 | 5 | 241 | 241 | 178 | 0 | 184 | 24 | 5 | 12 | 92 | 31 |
| AAO (FY17) | 1,046 | | 234 | 232 | 175 | 47 | 196 | 24 | 5 | 12 | 92 | 29 |
| O/H | 3,229 | 18 | 358 | 310 | 231 | 40 | 127 | 47 | 0 | 1,951 | 94 | 32 |
| Shortfall/Excess | 2,174 | 13 | 117 | 69 | 53 | 40 | -57 | 23 | -5 | 1,939 | 2 | 1 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6115012747390 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | yes | No | No | No | 0 | 0 | 2 |
| 6115014620291 | 13 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 13 |
| 6115015617788 | 3 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 3 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. For NSN 6115-00-118-1243, MEP-006A and NSN 6115-01-274-7390, MEP-806A: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-462-0291, MEP-806B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 106 | 2.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B1045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1045: GENERATOR SET, 100KW, 60HZ, SKID-MTD, TQG

The Generator Set, Diesel Engine Driven, Skid Mounted, 100 kW, MEP-007A, is a self-contained, transport able source of A/C power. A 100 kW synchronous, brushless generator is directly powered by a six-cylinder, water-cooled, four-cycle, turbocharged diesel engine. Both the engine and generator are mounted on a welded Ibeam skid base and contained within a steel-paneled housing enclosure. The generator set is provided with the controls, instruments, and accessories necessary for its operation, monitoring, and control. The generator set is designed to be used with any piece of equipment requiring a large source of external A/C power and operates in a "Hot and Basic" climatic condition range of-25 F to 125 F.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 529 | 30 | 116 | 114 | 89 | 0 | 95 | 7 | 30 | 8 | 40 | 17 |
| AAO (FY17) | 535 | | 120 | 115 | 86 | 13 | 99 | 7 | 27 | 8 | 40 | 20 |
| O/H | 656 | 22 | 119 | 113 | 88 | 12 | 63 | 10 | 0 | 182 | 40 | 3 |
| Shortfall/Excess | 127 | -8 | 3 | -1 | -1 | 12 | -32 | 3 | -30 | 174 | 0 | -14 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6115001339101 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | yes | No | No | No | 0 | 0 | 2 |
| 6115010366374 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 6115012961463 | 20 | 50% | 0% | 0% | 0% | 50% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 10 | 10 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, NSN 1463 should be retrograded. For NSN 1463, the replacement program for this asset is not fully funded, these assets may be required for SLEP. The $17,500 replacement cost is less than the $67,000 For NSN 6115-00-1133-9101, MEP 007A, NSN 6115-01-036-6374, MEP-007B and NSN 6115-01-470-9058: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-296-1463: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 159 | 3.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B1082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1082: GRADER, ROAD, MOTORIZED

The Motorized Road Grader is a self-propelled grading machine powered by a diesel engine, It is rubbertired, four-wheel drive, and has an articulated frame and front-wheel steer design. The primary use is for building and maintaining roads and airfields. The fuel capacity is 75 gal. (284 L) with a maximum travel speed of 24.5 mph (39.4 kph).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 80 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 77 | 0 | 0 |
| Shortfall/Excess | 80 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 77 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3805002615826 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | TBD | TBD | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 3805011504795 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 3805013036152 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 3805015736518 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Items in OEF can be DRMO'd - candidate for FMS. Replacement TAMCN is B0078.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 215 | 0 | 15.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B1135 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1135: REFUELING SYSTEM, EXPEDIENT, HELO

The Helicopter Expedient Refueling System is designed for support of helicopter refueling operations in forward areas and remote sites. It is normally used in Forward Arming and Refueling Point (FARP) operations. Versatility, easily transportable, and quick setup are the key elements of the system. The HERS has a maximum capacity of 18,000-gallons with 500-gallon bladders and 3,000-gallon collapsible tanks and a pumping capability of 150 GPM. It may be deployed as a whole, in part, or with other tactical fuel systems.



*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 60 | 0 | 12 | 12 | 8 | 0 | 9 | 1 | 0 | 0 | 12 | 6 |
| AAO (FY17) | 60 | | 12 | 12 | 8 | 0 | 9 | 1 | 0 | 0 | 12 | 6 |
| O/H | 92 | 1 | 13 | 12 | 7 | 0 | 8 | 1 | 0 | 29 | 15 | 6 |
| Shortfall/Excess | 32 | 1 | 1 | 0 | -1 | 0 | -1 | 0 | 0 | 29 | 3 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4930011149930 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | YES | No | Yes | No | No | No | No | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Any drums and hoses that have been used with fuel should be left in theater. If tank has had fuel in it, using unit must WIR as Code H.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 3.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B1139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1139: HOSE REEL SYSTEM

The Hose Reel System (HRS) provides bulk fuel transfer capability within the Marine Air-Ground Task Force (MAGTF). Each system has a total of five miles of 6-inch lay-flat lightweight fuel hose on eleven hose reels (each reel contains 2,400 foot or four sections of 6-inch by 600-foot lay-flat lightweight fuel hose). The HRS system consists of two base units, two power units, eleven hose reels, and ancillary components necessary to interconnect to the other tactical fuel systems. The HRS has a manual deployment capability of 5 mph and a powered deployment and retrieval capability of 2 to 2.5 mph.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 35 | 0 |
| AAO (FY17) | 28 | |
| O/H | 43 | 0 |
| Shortfall/Excess | 8 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 4 | 4 | 4 | 0 | 12 | 1 | 0 | 0 | 8 | 2 |
| 3 | 3 | 0 | 0 | 9 | 1 | 0 | 0 | 8 | 4 |
| 5 | 2 | 4 | 0 | 2 | 1 | 0 | 17 | 8 | 4 |
| 1 | -2 | 0 | 0 | -10 | 0 | 0 | 17 | 0 | 2 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4930014621304 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Any hoses that have been used with fuel should be left in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 32768 | 7.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B1140 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1140: HYPOCHLORINATION UNIT, PURIFICATION, 2-100 GPH

The Hypochlorination Unit, Purification is designed to mix a proportional amount of hypochlorite solution (sanitizing agent) with water in the Tactical Water Distribution System (TWDS). The unit may be positioned in the TWDS so that water is chlorinated prior to entering the storage tank or before delivery to the user.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 52 | 0 | 8 | 10 | 8 | 0 | 13 | 1 | 0 | 0 | 10 | 2 |
| AAO (FY17) | 66 | | 13 | 11 | 12 | 0 | 17 | 1 | 2 | 0 | 10 | 0 |
| O/H | 95 | 1 | 11 | 12 | 8 | 0 | 7 | 2 | 0 | 37 | 10 | 6 |
| Shortfall/Excess | 43 | 1 | 3 | 2 | 0 | 0 | -6 | 1 | 0 | 37 | 0 | 4 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4610002690163 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4610012503724 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | YES | No | No | No | No | No | No | 0 | 0 | 0 |
| 4610013644485 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | YES | No | No | No | No | No | No | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 32 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B1170 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1170: GRADE CONTROL SYSTE

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 29 | 0 |
| AAO (FY17) | 31 | |
| O/H | 10 | 0 |
| Shortfall/Excess | -19 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 9 | 8 | 3 | 0 | 7 | 2 | 0 | 0 | 0 | 0 |
| 8 | 8 | 6 | 0 | 7 | 2 | 0 | 0 | 0 | 0 |
| 5 | 3 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| -4 | -5 | -3 | 0 | -5 | -2 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6675015634405 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B1281 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1281: LIGHT SET,GENERAL I

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 2,530 | 0 |
| Shortfall/Excess | 2,530 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 357 | 1,560 | 300 | 7 | 22 | 110 | 0 | 0 | 0 | 0 |
| 357 | 1,560 | 300 | 7 | 22 | 110 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6230014658931 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: DRMO/Dispose of In theater; do NOT return to CONUS.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B1291 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1291: DECONTAMINATION SYSTEM, LTWT

The Lightweight Decontamination System is a compact and lightweight decontamination system capable of applying water or selected decontaminates to chemically and biologically contaminated items of equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 74 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 17 | 34 | 15 |
| Shortfall/Excess | 74 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 17 | 34 | 15 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4230013463122 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 4230014921540 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: WIR in theater. Disposition in accordance with WIR instructions.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 34 | 0.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B1298 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1298: KIT, LAUNCH, LINE CHARGE, TRLR-MTD

The MK 155 MOD Oil is a hydraulically elevated launch rail and container frame for the M58 Linear Demolition Charge (LDC). It mounts to the M353 general purpose trailer chassis. This mobility allows it to provide the only responsive, explosive minefield/obstacle clearing capability in the Marine Corps inventory. The system is operated from inside the host vehicle thus protecting the operators from direct and indirect fires during employment. The M58 Linear Demolition Charge will breach a lane approximately 8 m wide by 100 m long. When combined with the M353 or M200 trailer chassis, and M58168 line charge and MK22 rocket, the MK 155 becomes the MK 2 MOD 0 Mine Clearance System. (M68 is the inert round).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 255 | 0 | 67 | 47 | 24 | 0 | 55 | 13 | 0 | 9 | 36 | 2 |
| AAO (FY17) | 246 | | 48 | 48 | 28 | 0 | 53 | 13 | 0 | 9 | 36 | 9 |
| O/H | 291 | 0 | 79 | 44 | 22 | 0 | 12 | 13 | 0 | 66 | 43 | 9 |
| Shortfall/Excess | 36 | 0 | 12 | -3 | -2 | 0 | -43 | 0 | 0 | 57 | 7 | 7 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1055012035883 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Remove all Class V prior to wash down

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 123 | 0 | 3.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B1300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1300: PLATFORM, MAINT, CRANE, AIR MOBILE

The Maintenance Platform is a boom-attached work platform, provides a leveling platform intended for raising personnel and equipment to a work situation. Allowable load including personnel and equipment is 600 pounds. The Platform is used with Air Mobile Crane (B0446 pg. 2-59).



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 38 | 0 | 8 | 8 | 5 | 0 | 6 | 0 | 0 | 3 | 6 | 2 |
| AAO (FY17) | 39 | | 8 | 8 | 5 | 0 | 6 | 0 | 0 | 3 | 6 | 3 |
| O/H | 42 | 1 | 8 | 8 | 7 | 0 | 4 | 0 | 0 | 5 | 7 | 2 |
| Shortfall/Excess | 4 | 1 | 0 | 0 | 2 | 0 | -2 | 0 | 0 | 2 | 1 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320013122616 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 185 | 0.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B1420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1420: TEST KIT, PETROLEUM

The Aviation Fuel Contamination Test Kit is a portable petroleum quality surveillance kit consisting of com ponents and testing equipment capable of determining contamination levels in aviation fuels. The kit has the capability to take in-line samples in tactical fuel systems, mobile refueling equipment, and commercial refueling equipment. The kit can test for specific gravity, free-water, and particulate contamination in aviation fuel samples. The Aviation Fuel Contamination Test Kit is associated with the (TAMCN B0675, pg. 2-80) Tactical Airfield Fuel Dispensing System and (TAMCN B0685, pg. 2-82) Amphibious Assault Fuel System.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 22 | 0 |
| AAO (FY17) | 27 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 22 | 5 |
| O/H | 181 | 0 | 34 | 37 | 32 | 0 | 21 | 13 | 0 | 10 | 26 | 3 |
| Shortfall/Excess | 159 | 0 | 34 | 37 | 32 | 0 | 21 | 13 | 0 | 10 | 4 | 3 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6630010085524 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6630013479670 | 0 | 75% | 0% | 0% | 25% | 0% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 6630013495245 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: This equipment is highly pilferable and should not be transported by Local nationals. Depot Level Maintenance is NOT part of the maintenance concept for this item.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 5 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B1570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1570: PUMPING ASSEMBLY,FL

The Expedient Refueling System is an easily transportable and high mobile tactical fuel system designed for refueling of ground vehicles in advanced positions and consists of 150 GPM pump and ancillary components necessary to establish two refueling points. The system is normally used in conjunction with the 500-gallon bladder and 3,000-gallon collapsible tank.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 338 | 0 | 50 | 54 | 30 | 0 | 110 | 0 | 0 | 0 | 60 | 34 |
| AAO (FY17) | 253 | | 41 | 37 | 16 | 0 | 67 | 0 | 0 | 0 | 60 | 32 |
| O/H | 356 | 6 | 41 | 36 | 24 | 0 | 14 | 0 | 0 | 123 | 73 | 34 |
| Shortfall/Excess | 18 | 6 | -9 | -18 | -6 | 0 | -96 | 0 | 0 | 123 | 13 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4320013139442 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | YES | No | No | No | No | No | No | 0 | 0 | 0 |
| 4930011825028 | 6 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | No | No | No | No | No | No | 0 | 0 | 6 |

**Notes**: Needs to be certified fuel-free before returning. Depot Level Maintenance is NOT part of the maintenance concept for this item.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 35 | 1.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B1580 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1580: PUMP MODULE, FUEL (SIXCON)

The Six Container (SIXCON) Fuel Pump Module is a component of the SIXCON system, a module system consisting of five tank modules and one pump module. The six modules attached together to form an ISO/ANSI configured 8 x 8 x 20 foot module. The SIXCON Fuel Pump Module has the capability for refueling and defueling both aircraft and ground vehicles, it has a 150 GPM pumping rate, aviation grade fuel filtration, 50-foot of 2-inch refueling hose with pressure and open port refueling nozzles, and ancillary components necessary for inter-connecting to the (TAMCN B2085 pg. 2-128) SIXCON Fuel Tank Module. The SIXCON fuel modules can be used as a mobile refueling asset or as a stationary refueling capability.



*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 783 | 0 | 176 | 161 | 106 | 0 | 139 | 40 | 0 | 31 | 96 | 29 |
| AAO (FY17) | 708 | | 159 | 133 | 80 | 5 | 135 | 40 | 0 | 31 | 96 | 29 |
| O/H | 939 | 6 | 180 | 144 | 86 | 5 | 66 | 40 | 0 | 259 | 103 | 29 |
| Shortfall/Excess | 156 | 6 | 4 | -17 | -20 | 5 | -73 | 0 | 0 | 228 | 7 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4320013908214 | 0 | 33% | 33% | 0% | 34% | 0% | 0% | NO | NO | UNK | No | No | No | Yes | No | 0 | 0 | 0 |
| 4320015478729 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | UNK | No | No | No | Yes | No | 0 | 0 | 0 |
| 4930012404579 | 6 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 6 |

**Notes**: MCLC has repair line established.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 208 | 1.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 0% |

# B1581 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1581: PUMP MODULE, WATER

The SIXCON Water Pump Module is a component of the SIXCON system, a module system consisting of five tank modules and one pump module. The six modules attached together to form an ISO/ANSI configured 8 x 8 x 20 foot module. The SIXCON Water Pump Module has the capability for dispensing potable water, it has a 150 GPM pumping rate and includes ancillary components for two dispensing points. It is used with the (TAMCN B2086, pg. 2-129) SIXCON Water Tank Module. The SIXCON Water modules can be used as a mobile water dispensing asset or as a stationary dispensing capability.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 506 | 0 | 105 | 97 | 82 | 0 | 79 | 17 | 0 | 16 | 86 | 21 |
| AAO (FY17) | 487 | | 91 | 81 | 71 | 3 | 79 | 17 | 0 | 16 | 86 | 43 |
| O/H | 737 | 1 | 105 | 88 | 48 | 3 | 33 | 17 | 0 | 314 | 84 | 20 |
| Shortfall/Excess | 231 | 1 | 0 | -9 | -34 | 3 | -46 | 0 | 0 | 298 | -2 | -1 |

## Reset Strategy & Plan (Product Group: PMO-31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4320011563873 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |
| 4320011900417 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |
| 4320013181853 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. MCLC has repair line established.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 208 | 1.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B1582 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1582: PUMP SET, 350 GPM

The 350 GPM Water Pump is designed specifically to transfer water, and is the primary pump within the Tank Farm Interconnection Sets. It consists of an air-cooled, three-cylinder diesel engine and a self-priming centrifugal pump mounted on a two-wheel frame assembly. The pump has an output volume of 350 GPM at 275 foot of head and a designed working pressure of 125 psi. It is used in the (TAMCN B2138, pg. 2-140) 350 GPM Pump Tank Farm Interconnection Set.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 24 | 0 |
| Shortfall/Excess | 24 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 1 | 1 | 0 | 10 | 12 | 0 |
| 0 | 0 | 0 | 0 | 1 | 1 | 0 | 10 | 12 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4320013359671 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS. Replaced by B2394.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 214 | 1.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B1583 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1583: PUMP, FUEL 600 GPM

The 600 GPM Fuel Pump is designed specifically to transfer fuel, and is the primary pump within the (TAMCN B0675, pg. 2-80) Tactical Airfield Fuel Dispensing System and the (TAMCN B0685, pg. 2-82) Amphibious Assault Fuel System. It consists of a turbo-charged, four-cylinder diesel engine and a self-priming centrifugal pump mounted on a two-wheel frame assembly. The pump has an output volume of 600 GPM at 340 foot of head and a designed working pressure of 150 psi. It is an SL-3 component of AAFS and TAFDS.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 973 | 0 | 152 | 152 | 83 | 0 | 267 | 7 | 0 | 37 | 206 | 69 |
| AAO (FY17) | 881 | | 135 | 128 | 49 | 0 | 216 | 7 | 0 | 37 | 206 | 103 |
| O/H | 1,286 | 16 | 69 | 83 | 66 | 0 | 57 | 18 | 0 | 673 | 201 | 103 |
| Shortfall/Excess | 313 | 16 | -83 | -69 | -17 | 0 | -210 | 11 | 0 | 636 | -5 | 34 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4320015336417 | 14 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 14 |
| 4320015889165 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 2 |
| 4930013927579 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, this asset is uneconomical to retrograde/reset. Dispose of asset in Afghanistan.Replaced by B6417.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 446 | 3.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B1585 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1585: SEPARATOR, FILTER, 350 GPM

Filter Separator is designed to remove solid contaminants and water from tactical fuel systems.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 458 | 0 | 88 | 88 | 50 | 0 | 102 | 0 | 0 | 0 | 92 | 38 |
| AAO (FY17) | 432 | | 84 | 78 | 42 | 0 | 90 | 0 | 0 | 0 | 92 | 46 |
| O/H | 841 | 16 | 64 | 35 | 69 | 0 | 30 | 10 | 0 | 530 | 87 | 0 |
| Shortfall/Excess | 383 | 16 | -24 | -53 | 19 | 0 | -72 | 10 | 0 | 530 | -5 | -38 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4330001778485 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4330015338221 | 16 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 16 |

**Notes**: NSN 8485 can be DRMO'd in country. NSN 8221 can go to MEF if serviceable.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 205 | 1.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B1620 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1620: PUMP UNIT SET

The 65 GPM Pump Set is a compact, frame mounted, general-purpose pump. It is comprised of a centrifugal pump, gas or diesel engine, and ancillary hoses. The pump set is used in conjunction with the Tactical Water Distribution System, Tank Farm Interconnection Sets, or as a general-use pump.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 350 | 0 | 69 | 61 | 45 | 0 | 94 | 8 | 0 | 0 | 64 | 9 |
| AAO (FY17) | 313 | | 54 | 53 | 35 | 0 | 73 | 8 | 0 | 0 | 64 | 26 |
| O/H | 348 | 2 | 81 | 68 | 46 | 0 | 23 | 4 | 0 | 30 | 64 | 26 |
| Shortfall/Excess | -2 | 2 | 12 | 7 | 1 | 0 | -71 | -4 | 0 | 30 | 0 | 17 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4320002030197 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4320011497857 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4320013571930 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | UNK | No | No | No | Yes | No | 0 | 0 | 0 |
| 4320014764795 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | YES | No | Yes | No | No | No | No | 0 | 0 | 2 |

**Notes**: Depot Level Maintenance is NOT part of the maintenance concept for this item.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 9 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B1645 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1645: REFRIGERATION UNIT, ENHANCED F/RIGID BOX

The Refrigeration Unit is a 4,500 BTU, one-piece condenser/evaporator refrigeration unit. It is designed to be used with an insulated container of rigid construction to form a complete combination freezer and chill box and is used to cool/chill the 350 cubic foot capacity Refrigerator, Rigid Box, (TAMCN B1710).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 19 | 0 | 2 | 1 | 0 | 0 | 15 | 1 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 19 | 0 | 2 | 1 | 0 | 0 | 15 | 1 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4110011521946 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 4110014689792 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B1710 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1710: REFRIGERATOR, RIGID BOX, 350 CUFT

The Refrigerator, Rigid Box is an insulated 350 cubic foot capacity container without a refrigeration unit. The overall refrigerated container assembly is a one-piece welded steel frame with permanently assembled riveted aluminum panels and is designed to be used with the Refrigeration Unit, Enhanced (TAMCN B1645).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 21 | 0 |
| Shortfall/Excess | 21 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 16 | 1 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 16 | 1 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4110011079078 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B1713 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1713: RECLAIMER, REFRIGERATOR

Obsolete kit used by Refrigerant Mechanics (MOS 1161) to recover refrigerant from a variety of Environmental Control Equipment. Replaced by B0061, Cooling and Refrigeration Expeditionary Kit (CREK).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 96 | 0 | 15 | 34 | 17 | 2 | 8 | 14 | 0 | 0 | 2 | 0 |
| Shortfall/Excess | 96 | 0 | 15 | 34 | 17 | 2 | 8 | 14 | 0 | 0 | 2 | 0 |

### Reset Strategy & Plan (Product Group: PMO-31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4250011411724 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4250013382707 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 4250014117240 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 21 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B1720 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1720: REINFORCEMENT SET - MGB

The Reinforcement Set consists of reinforcing links that are connected to form a pair of chains beneath each bridge girder. Links are connected to bottom panels at the ends of the bridge by reinforcing posts that enable the system to be tensioned as the posts are pulled towards a vertical position by cable jacks. The kit is manufac tured in the same light alloy material as the bridge. It is used with the Medium Girder Bridge (MGB) (TAMCN B0152, pg. 2-50).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 24 | 0 |
| AAO (FY17) | 22 | |
| O/H | 24 | 0 |
| Shortfall/Excess | 0 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 3 | 3 | 2 | 0 | 9 | 2 | 0 | 2 | 2 | 1 |
| 3 | 3 | 0 | 0 | 9 | 2 | 0 | 2 | 2 | 1 |
| 3 | 3 | 2 | 0 | 4 | 1 | 0 | 7 | 3 | 1 |
| 0 | 0 | 0 | 0 | -5 | -1 | 0 | 5 | 1 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5420011391503 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1280 | 7.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B1775 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1775: RIPPER, TRACTOR, MOUNT

The Ripper Attachment, is mounted on the Tractor, Medium, Full-Tracked (TAMCN B2462, pg. 2-158) and is used to break up hard materials too compacted to be cut by the blades of tractors, graders, or scrapers. It is not normally used for breaking concrete or large tree roots.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 0 | 0 |
| Shortfall/Excess | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3830011715776 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: OBSOLETE

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 350 | 2.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B1785 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1785: ROLLER, COMPACTOR, VIBRATORY,SELF-PROPELLED

Vibratory Compactor is diesel powered, articulated steering, with a bolt on padded shell kit, to support various types of horizontal construction. The Vibratory Compactor will maintain the following capabilities: construction of roads, airfield complexes, dams, open storage areas, hard stands for vehicle and equipment parks, repair of bomb damage on airfields, compaction of building sites.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 58 | 0 | 12 | 12 | 9 | 0 | 10 | 0 | 0 | 7 | 6 | 2 |
| AAO (FY17) | 59 | | 12 | 12 | 10 | 0 | 10 | 0 | 0 | 7 | 6 | 2 |
| O/H | 81 | 0 | 12 | 12 | 9 | 0 | 8 | 0 | 0 | 30 | 8 | 2 |
| Shortfall/Excess | 23 | 0 | 0 | 0 | 0 | 0 | -2 | 0 | 0 | 23 | 2 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3895014538573 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 3895015508369 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 3895015733847 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Also, per HQMC OEF surplus MCATS results 22 May 14, this asset is uneconomical to retrograde/reset. Dispose of asset in Afghanistan.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 149 | 0 | 11.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B1922 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1922: SCRAPER-TRACTOR, WHEELED

The Scraper-Tractor is an open bowl, pneumatic-tired, 2-Axle, 14 to 18 cubic yard capacity, single dieselpowered, articulated frame-steer scraper. It is employed by engineer units in earthmoving operations in the main battle area. It can be used as an earthmover and extractor during road or airfield construction, construction of anti-armor ditches, weapon emplacements, and the hauling and employment of material for obstacles. It is not approved for transporting by air mode.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 100 | 0 | 21 | 23 | 14 | 0 | 19 | 5 | 0 | 6 | 10 | 2 |
| AAO (FY17) | 119 | | 27 | 24 | 20 | 0 | 25 | 5 | 0 | 6 | 10 | 2 |
| O/H | 158 | 0 | 22 | 23 | 14 | 0 | 13 | 5 | 0 | 66 | 13 | 2 |
| Shortfall/Excess | 58 | 0 | 1 | 0 | 0 | 0 | -6 | 0 | 0 | 60 | 3 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3805011531854 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 3805015507164 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | TBD | TBD | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 3805015820743 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Obsolete - candidate for FMS. Currently being replaced by another asset. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 471 | 0 | 32.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B1942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1942: SHOP EQUIPMENT KIT, CONSTRUCTION #1

The Construction Shop Kit consists of construction corded hand and battery powered tools for building construction and repair missions. It is stowed and transported in 5 ruggedized cases.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 65 | 2 |
| AAO (FY17) | 72 | |
| O/H | 99 | 1 |
| Shortfall/Excess | 34 | -1 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 13 | 13 | 10 | 0 | 12 | 5 | 2 | 0 | 8 | 2 |
| 15 | 13 | 12 | 0 | 15 | 5 | 2 | 0 | 8 | 2 |
| 13 | 15 | 10 | 0 | 12 | 5 | 0 | 32 | 8 | 2 |
| 0 | 2 | 0 | 0 | 0 | 0 | -2 | 32 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910015507118 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 1 |
| 5180010619292 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: This equipment is highly pilferable and should not be transported by Local nationals.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 17 | 0.6 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B1951 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B1951: SHOP EQUIPMENT SET, GP, #1

The Shop Equipment, General Purpose Repair, Semitrailer Mounted (SEGPRSM) is a semitrailer mounted machinist van containing tools and equipment for use in maintenance and repair of mechanical equipment from 1St to 4th echelon. It contains a 10 KW MEP-803A generator or can be driven by alternate AC power source. The van requires input power of 208 volt, 3-phase, 60 Hz for operation. It has an air compressor, and capabilities include drilling, welding, grinding, valve grinding, and honing. It can be open-weather or self contained, including a person nel heater. It has expanding canopies, and frames and curtain assemblies so that an enclosed work area may be set up around the semitrailer.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 30 | 1 | 8 | 8 | 4 | 0 | 9 | 0 | 1 | 0 | 0 | 0 |
| AAO (FY17) | 27 | | 8 | 8 | 1 | 0 | 9 | 0 | 1 | 0 | 0 | 0 |
| O/H | 62 | 0 | 3 | 4 | 3 | 0 | 3 | 0 | 0 | 49 | 0 | 0 |
| Shortfall/Excess | 32 | -1 | -5 | -4 | -1 | 0 | -6 | 0 | -1 | 49 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940012355080 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 15.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B2006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2006: SKID MOUNTING ASSEMBLY, REMOTE, AIR CONDTNR TYPE C

The Skid-Mounting Assembly, Large, Remote, Air Conditioner is an aluminum structural assembly with accessories. It is used to mount standard military vertical air conditioners (TAMCN B0006 only) where it is necessary for the unit to be located outside and away from a shelter, van or other temporary style enclosure.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 8 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 8 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4120005757200 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 118 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B2085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2085: STORAGE TANK MODULE, FUEL (SIXCON)

The SIXCON Fuel Storage Module is a component of the SIXCON system, a module system consisting of five tank modules and one pump module. The six modules attached together to form an ISO/ANSI configured 8 x 8 x 20 foot module. The SIXCON Fuel Storage Module is a stainless steel tank encased within the module frame and has a capacity of 900-gallons. It has the ancillary components necessary for inter-connecting to other SIXCON Fuel Storage Modules and the (TAMCN B1580, pg. 2-112) SIXCON Fuel Pump Module. The SIXCON fuel modules can be used as a mobile refueling asset or as a stationary refueling capability.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,181 | 0 | 520 | 509 | 329 | 0 | 401 | 74 | 0 | 68 | 192 | 70 |
| AAO (FY17) | 2,117 | | 527 | 453 | 286 | 18 | 429 | 74 | 0 | 68 | 192 | 70 |
| O/H | 2,279 | 89 | 542 | 414 | 302 | 20 | 167 | 71 | 0 | 407 | 192 | 9 |
| Shortfall/Excess | 98 | 89 | 22 | -95 | -27 | 20 | -234 | -3 | 0 | 339 | 0 | -61 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5430012404578 | 89 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 89 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 208 | 1.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B2086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2086: STORAGE TANK MODULE, WATER (SIXCON)

*Representative Picture*

The SIXCON Water Storage Module is a component of the SIXCON system, a module system consisting of five tank modules and one pump module. The six modules attached together to form an ISO/ANSI configured 8 x 8 x 20 foot module. The SIXCON Water Storage Module is a stainless steel tank encased within the module frame and has a capacity of 900-gallons. The water tank is covered with at least 1 inch of foam insulation to keep stored water from freezing or heating up. It has the ancillary components necessary for inter-connecting to other SIXCON Water Storage Modules and the (TAMCN 81581) SIXCON Water Pump Module. The SIXCON Water Modules can be used as a mobile water dispensing asset or as a stationary

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,766 | 0 | 341 | 344 | 281 | 0 | 291 | 44 | 0 | 59 | 330 | 58 |
| AAO (FY17) | 1,577 | | 307 | 269 | 185 | 18 | 307 | 44 | 0 | 59 | 330 | 58 |
| O/H | 2,256 | 13 | 356 | 317 | 176 | 20 | 84 | 46 | 0 | 830 | 322 | 25 |
| Shortfall/Excess | 490 | 13 | 15 | -27 | -105 | 20 | -207 | 2 | 0 | 771 | -8 | -33 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5430012039971 | 13 | 25% | 75% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 10 | 3 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 205 | 1.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B2118 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2118: SURVEY SET TOPO

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | | 0 |
| Shortfall/Excess | | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6675010883181 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B2120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2120: SURVEY SET, GP

The Surveying Set, General Purpose is an instrument used for measuring vertical and horizontal angles. It is capable of providing an erect, bright, high contrast image at 30X magnification that permits precise pointing even in poor light.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 45 | 3 |
| AAO (FY17) | 39 | |
| O/H | 28 | 0 |
| Shortfall/Excess | -17 | -3 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 13 | 11 | 6 | 0 | 9 | 3 | 3 | 0 | 0 | 0 |
| 10 | 9 | 5 | 0 | 9 | 3 | 3 | 0 | 0 | 0 |
| 5 | 5 | 1 | 0 | 5 | 2 | 0 | 9 | 0 | 0 |
| -8 | -6 | -5 | 0 | -4 | -1 | -3 | 9 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6675012737812 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 45 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B2127 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2127: SWEEPER, ROTARY, VEHICLE MOUNTING

The Sweeper is truck mounted on a 32,000 pound Gross Vehicle Weight Ratio (GVWR) International 4300/DT 466 cab chassis with diesel engine and an automatic transmission. The optimal sweeping speed is 10 to 15 mph (16 to 24 km/h). The unit also comes equipped with a rear mounted, spring arm suspended vacuum hose to spot clean difficult to reach areas. The Sweeper will operate in dry and wet conditions. The Sweeper module includes a 115 hp (86 kW) diesel auxiliary engine, centrifugal fan, vacuum pick-up hood, dust separator, dust control system and a hydraulically tilting 8 cubic yard debris hopper. The Sweeper is equipped with dual steering, brake and accelerator controls for right and left-hand driving. It can also supply

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 40 | 4 | 8 | 8 | 6 | 0 | 6 | 1 | 4 | 0 | 5 | 2 |
| AAO (FY17) | 40 | | 8 | 8 | 6 | 0 | 6 | 1 | 4 | 0 | 5 | 2 |
| O/H | 71 | 1 | 7 | 8 | 6 | 0 | 5 | 3 | 0 | 34 | 5 | 1 |
| Shortfall/Excess | 31 | -3 | -1 | 0 | 0 | 0 | -1 | 2 | -4 | 34 | 0 | -1 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3830015042618 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | Yes | No | 0 | 0 | 1 |

**Notes**: DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 204 | 0 | 7.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2130 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2130: TANK, FABRIC, COLLAPSIBLE, WATER, 3000 GAL

The purpose of 3,000 Gallon Collapsible Fabric Water Tank is for storage of potable and non-potable water in support of Water Supply Support Equipment and tactical water purification systems. It is constructed of impregnated fabric and designed for quick set-up/tear-down. The tank is equipped with a zipper top to prevent contamination and two 2-inch valves.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,176 | 184 | 554 | 536 | 327 | 0 | 363 | 31 | 184 | 0 | 99 | 72 |
| AAO (FY17) | 2,087 | | 533 | 470 | 320 | 10 | 387 | 31 | 144 | 0 | 99 | 93 |
| O/H | 2,907 | 2 | 653 | 484 | 259 | 0 | 139 | 20 | 0 | 1,141 | 101 | 93 |
| Shortfall/Excess | 731 | -182 | 99 | -52 | -68 | 0 | -224 | -11 | -184 | 1,141 | 2 | 21 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5430011706984 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | YES | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 5430013594774 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | YES | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 5430015405357 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | YES | EDA | Yes | No | No | No | No | 0 | 0 | 2 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 41 | 0.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2131 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2131: TANK FARM INTERCONNECTION SET, DUAL TANK

The Dual Tank Kit is designed to interconnect two (TAMCN 2631) 50,000 gallon and/or (TAMCN 2632) 20,000 gallon collapsible storage tanks. The kit consists of four-inch hoses, valves, and connectors necessary to inter-connect the collapsible water storage tanks within the water supply tank farm.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 106 | 0 | 21 | 22 | 4 | 0 | 21 | 4 | 0 | 0 | 32 | 2 |
| AAO (FY17) | 127 | | 23 | 22 | 21 | 0 | 23 | 4 | 0 | 0 | 32 | 2 |
| O/H | 172 | 0 | 22 | 22 | 18 | 0 | 12 | 5 | 0 | 58 | 33 | 2 |
| Shortfall/Excess | 66 | 0 | 1 | 0 | 14 | 0 | -9 | 1 | 0 | 58 | 1 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4610011207526 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 78 | 0.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2133 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2133: TANK FARM INTERCONNECTION SET, 4" HOSE

The Four Inch Hose Tank Set is designed to provide the medium to high volume discharge point from the water supply support tank farm. This interconnecting set contains four-inch hoses, valves, couplings and assorted hardware.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 97 | 3 | 25 | 26 | 12 | 0 | 21 | 1 | 3 | 0 | 8 | 1 |
| AAO (FY17) | 106 | | 27 | 26 | 17 | 0 | 23 | 1 | 3 | 0 | 8 | 1 |
| O/H | 100 | 0 | 27 | 26 | 12 | 0 | 1 | 1 | 0 | 24 | 8 | 1 |
| Shortfall/Excess | 3 | -3 | 2 | 0 | 0 | 0 | -20 | 0 | -3 | 24 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4610011406775 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 17 | 0.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2134 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2134: TANK FARM INTERCONNECTION SET, 2" HOSE

The Two Inch Tank Set is designed to provide the low to medium volume distribution points from the water supply tank farm. This interconnecting set contains two-inch hoses, valves, couplings, and assorted hardware.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 123 | 0 |
| AAO (FY17) | 140 | |
| O/H | 170 | 0 |
| Shortfall/Excess | 47 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 29 | 30 | 10 | 0 | 26 | 1 | 0 | 0 | 24 | 3 |
| 31 | 30 | 23 | 0 | 28 | 1 | 0 | 0 | 24 | 3 |
| 29 | 31 | 20 | 0 | 13 | 1 | 0 | 45 | 28 | 3 |
| 0 | 1 | 10 | 0 | -13 | 0 | 0 | 45 | 4 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4610011406776 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 17 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2135 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2135: TANK FARM INTERCONNECTION SET, 4" DISCHARGE HOSE

The Four Inch Tank Hose Interconnection Set, Discharge Hose provides the two crossover hose lines for the water supply tank farm. The kit contains all required four-inch hoses, tees, couplings, and hardware for either input or discharge to the Water Supply Support System.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 42 | 0 | 9 | 10 | 4 | 0 | 9 | 1 | 0 | 0 | 8 | 1 |
| AAO (FY17) | 51 | | 11 | 10 | 9 | 0 | 11 | 1 | 0 | 0 | 8 | 1 |
| O/H | 47 | 0 | 9 | 11 | 5 | 0 | 4 | 1 | 0 | 6 | 9 | 1 |
| Shortfall/Excess | 5 | 0 | 0 | 1 | 1 | 0 | -5 | 0 | 0 | 6 | 1 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4610011207522 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 17 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2136 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2136: TANK FARM INTERCONNECTION SET, HOSE NOZZLE

The Hose Nozzle Tank Interconnection Set provides the low volume, hand held nozzle discharge points for the water supply tank farm. The kit contains the required four, two, and I Y2-inch hoses, valves, reducers, couplings, nozzles, and nozzle stands for installation.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 63 | 0 | 13 | 14 | 4 | 0 | 13 | 1 | 0 | 0 | 16 | 2 |
| AAO (FY17) | 76 | | 15 | 14 | 13 | 0 | 15 | 1 | 0 | 0 | 16 | 2 |
| O/H | 88 | 0 | 13 | 13 | 10 | 0 | 5 | 1 | 0 | 25 | 18 | 2 |
| Shortfall/Excess | 25 | 0 | 0 | -1 | 6 | 0 | -8 | 0 | 0 | 25 | 2 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4610011237705 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 17 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2137 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2137: TANK FARM INTERCONNECTION SET, ACCESSORY KIT

The Accessory Kit is designed to aid in overall water supply tank farm connection. The kit contains four, two, and 1 %-inch hoses; victaulic, threaded, and cam-lock type adapters; required valves; and associated hardware.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 14 | 0 |
| AAO (FY17) | 14 | |
| O/H | 21 | 0 |
| Shortfall/Excess | 7 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 2 | 2 | 2 | 0 | 2 | 1 | 0 | 0 | 4 | 1 |
| 2 | 2 | 2 | 0 | 2 | 1 | 0 | 0 | 4 | 1 |
| 2 | 2 | 2 | 0 | 0 | 1 | 0 | 9 | 4 | 1 |
| 0 | 0 | 0 | 0 | -2 | 0 | 0 | 9 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4610011207525 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | YES | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 702 | 1.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2139: TANK FARM INTERCONNECTION SET, 125 GPM PUMP

The Tank Interconnection Set is designed to install the auxiliary 125 GPM pump into the water supply tank farm. The kit contains two-inch hoses, reducers, valves, and associated couplings.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 35 | 0 | 8 | 8 | 2 | 0 | 7 | 1 | 0 | 0 | 8 | 1 |
| AAO (FY17) | 39 | | 8 | 8 | 6 | 0 | 7 | 1 | 0 | 0 | 8 | 1 |
| O/H | 48 | 0 | 9 | 8 | 5 | 0 | 3 | 0 | 0 | 13 | 9 | 1 |
| Shortfall/Excess | 13 | 0 | 1 | 0 | 3 | 0 | -4 | -1 | 0 | 13 | 1 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4320011207524 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 13 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2150: TEST SET, SOIL

The Test Set, Soil is a collection of equipment necessary for the testing of stratification, degree of compactness, cementation, moisture, and drainage of soils in the construction of roads and runways.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 40 | 0 |
| AAO (FY17) | 50 | |
| O/H | 71 | 0 |
| Shortfall/Excess | 31 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 10 | 11 | 8 | 0 | 9 | 2 | 0 | 0 | 0 | 0 |
| 13 | 12 | 11 | 0 | 12 | 2 | 0 | 0 | 0 | 0 |
| 13 | 10 | 9 | 0 | 13 | 6 | 0 | 20 | 0 | 0 |
| 3 | -1 | 1 | 0 | 4 | 4 | 0 | 20 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6635006413643 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6635014891524 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6635015823197 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 17 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B2210 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2210: TOOL KIT,CARPENTER'

The Carpenter Kit consists of carpentry hand tools, materials and battery powered tools used to perform basic woodworking and wood construction operations at the company level. The kit is comprised of 1 Carpenter Platoon assembly, sub-kit, and three Carpenter Squad sub-kits per total Carpenter Kit, NSN 5180-01-550-8250. It is stowed and transported in 5 ruggedized cases transported with a 5-Ton forklift.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 212 | 0 | 53 | 46 | 23 | 0 | 49 | 4 | 0 | 0 | 24 | 8 |
| AAO (FY17) | 182 | | 41 | 40 | 19 | 4 | 43 | 4 | 0 | 0 | 24 | 6 |
| O/H | 280 | 2 | 49 | 46 | 21 | 3 | 47 | 7 | 0 | 75 | 18 | 6 |
| Shortfall/Excess | 68 | 2 | -4 | 0 | -2 | 3 | -2 | 3 | 0 | 75 | -6 | -2 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180002932873 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 5180002932875 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5180014472199 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5180015518250 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 2 |
| 5180015877997 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: This equipment is highly pilferable and should not be transported by Local nationals.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 52 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B2238 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2238: TOOL KIT, IM, ENG/CHASSIS REPAIR, CATERPILLAR

The Tool Kit, Intermediate is a 3rd and 4th echelon tool kit for the repair of D7G Caterpillar Bulldozer (B2462) Chassis and Caterpillar Bulldozer Family of Engines at 4th echelon.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 16 | 0 |
| AAO (FY17) | 15 | |
| O/H | 15 | 0 |
| Shortfall/Excess | -1 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 5 | 5 | 2 | 0 | 4 | 0 | 0 | 0 | 0 | 0 |
| 5 | 5 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 1 |
| 3 | 1 | 1 | 0 | 3 | 0 | 0 | 5 | 2 | 0 |
| -2 | -4 | -1 | 0 | -1 | 0 | 0 | 5 | 2 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180012547723 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 264 | 2.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2250 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2250: TOOL KIT, PIONEER, ENGR PLT

The Pioneer Platoon Kit consists of hand tools and materials used for clearing land, building emplacements, fortications, and other construction missions. It is stowed and transported in 3 ruggedized cases.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 149 | 0 | 27 | 28 | 24 | 0 | 29 | 4 | 0 | 0 | 26 | 8 |
| AAO (FY17) | 164 | | 29 | 26 | 27 | 3 | 36 | 4 | 0 | 0 | 26 | 13 |
| O/H | 223 | 1 | 31 | 31 | 23 | 2 | 26 | 7 | 0 | 57 | 32 | 13 |
| Shortfall/Excess | 74 | 1 | 4 | 3 | -1 | 2 | -3 | 3 | 0 | 57 | 6 | 5 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015508112 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. This equipment is highly pilferable and should not be transported by Local nationals.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 41 | 0.6 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B2260 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2260: PIONEER KIT

The Pioneer Squad Kit consists of hand tools and materials used for clearing land, building emplacements, fortications, and other construction missions. It is stowed and transported in 2 ruggedized cases.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 548 | 0 |
| AAO (FY17) | 593 | |
| O/H | 801 | 1 |
| Shortfall/Excess | 253 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 112 | 100 | 59 | 0 | 141 | 3 | 0 | 0 | 112 | 18 |
| 115 | 106 | 69 | 3 | 132 | 3 | 0 | 0 | 112 | 53 |
| 114 | 96 | 56 | 15 | 108 | 3 | 0 | 243 | 135 | 23 |
| 2 | -4 | -3 | 15 | -33 | 0 | 0 | 243 | 23 | 5 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180005961547 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 5180015508116 | 1 | 75% | 0% | 0% | 25% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 1 |

**Notes**: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 20 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B2370 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2370: TOOL SET, MASON

The Masonry Kit consists of hand tools and battery powered tools used in shaping and laying stone, brick and block. It is stowed and transported in 6 ruggedized cases transported with a 5-Ton forklift.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 36 | 0 |
| AAO (FY17) | 48 | |
| O/H | 74 | 0 |
| Shortfall/Excess | 38 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 9 | 10 | 7 | 0 | 7 | 3 | 0 | 0 | 0 | 0 |
| 12 | 11 | 9 | 0 | 13 | 3 | 0 | 0 | 0 | 0 |
| 11 | 11 | 7 | 0 | 8 | 3 | 0 | 31 | 0 | 3 |
| 2 | 1 | 0 | 0 | 1 | 0 | 0 | 31 | 0 | 3 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015513550 | 0 | 75% | 0% | 0% | 25% | 0% | 0% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 345 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B2394 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2394: PUMP UNIT CENTRIFUGAL

The 600 GPM Pump assembly is designed to be used as the lead pumping station and up to a maximum of five boost pumping stations, within the Tactical Water Distribution System (TWDS).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 82 | 0 | 18 | 18 | 4 | 0 | 16 | 4 | 0 | 4 | 12 | 6 |
| AAO (FY17) | 92 | | 18 | 18 | 14 | 0 | 16 | 4 | 0 | 4 | 12 | 6 |
| O/H | 184 | 1 | 18 | 18 | 15 | 0 | 4 | 6 | 0 | 106 | 10 | 6 |
| Shortfall/Excess | 102 | 1 | 0 | 0 | 11 | 0 | -12 | 2 | 0 | 102 | -2 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4320015336418 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | I/P | No | 0 | 0 | 1 |
| 4320015891113 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 109 | 0 | 3.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B2395 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2395: SEGMENT KIT 5 MILES

The TWDS 5 Mile Hose Segment contains the Hoseline Repair Kit, Puilboard Assembly, Displacement and Evaluation Kit, Roadway Crossing Guards, Suspension Kits, hoseline swivel joints, tools, and associated hardware required to install the Hose Assemblies for the Tactical Water Distribution System (TWDS).



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 10 | 0 | 2 | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 1 |
| AAO (FY17) | 12 | | 2 | 2 | 2 | 0 | 2 | 1 | 0 | 0 | 2 | 1 |
| O/H | 7 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| Shortfall/Excess | -3 | 0 | 0 | -1 | 1 | 0 | -2 | -1 | 0 | 0 | 1 | -1 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4320013774577 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: If item is unused (new) can send to a MEF. DRMO if item has been used.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1412 | 0.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2410 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2410: TOOL KIT, M9 ACE, 2D ECH, OM

This Tool Kit supports organizational level maintenance for the M9 Armored Combat Earthmover (ACE). Refer to SL-3-1 0259A for required general and special tools.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 27 | 0 |
| Shortfall/Excess | 27 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 2 | 4 | 0 | 7 | 0 | 0 | 2 | 3 | 0 |
| 9 | 2 | 4 | 0 | 7 | 0 | 0 | 2 | 3 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180014280959 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This equipment is highly pilferable and should not be transported by Local nationals.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2420: TOOL KIT, M9 ACE, 3D/4TH ECH, IM

This Tool Kit supports intermediate level maintenance for the M9 Armored Combat Earthmover (ACE). Refer to SL-3-10258A for required general and special tools.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 75 | 0 |
| AAO (FY17) | 68 | |
| O/H | 83 | 0 |
| Shortfall/Excess | 8 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 25 | 17 | 9 | 0 | 16 | 3 | 0 | 0 | 4 | 1 |
| 19 | 19 | 6 | 0 | 16 | 3 | 0 | 0 | 4 | 1 |
| 6 | 6 | 4 | 0 | 1 | 2 | 0 | 56 | 8 | 0 |
| -19 | -11 | -5 | 0 | -15 | -1 | 0 | 56 | 4 | -1 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180014292683 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This equipment is highly pilferable and should not be transported by Local nationals.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2460 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2460: TRACTOR, FT, W/ANGLE BLADE

The 1150 Tractor is a full-tracked, diesel engine driven tractor with a hydraulically operated angle blade and winch. It is air transportable. It is used for earthmoving and general construction work. The manufacturer is Case and it travels up to 6.3 mph (10 km/h).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 165 | 0 |
| AAO (FY17) | 176 | |
| O/H | 223 | 0 |
| Shortfall/Excess | 58 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 35 | 35 | 10 | 0 | 28 | 19 | 0 | 14 | 24 | 0 |
| 35 | 35 | 21 | 0 | 28 | 19 | 0 | 14 | 24 | 0 |
| 33 | 33 | 9 | 0 | 9 | 18 | 0 | 79 | 33 | 9 |
| -2 | -2 | -1 | 0 | -19 | -1 | 0 | 65 | 9 | 9 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2410012541667 | 0 | 0% | 0% | 0% | 50% | 0% | 50% | NO | NO | No | Yes | No | No | Yes | No | 0 | 0 | 0 |
| 3805015735861 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 145 | 0 | 12.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# B2462 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2462: TRACTOR, MEDIUM, FULL-TRACKED, D7G

The Tractor is a diesel-powered, full-tracked, medium size tractor (Model D7G) for earthmoving and general construction work. The tractor is capable of mine clearing. Manufactured by Caterpillar.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 78 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 77 | 0 | 0 |
| Shortfall/Excess | 78 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 77 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2410011551588 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 2430015330934 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: OBSOLETE

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 208 | 0 | 23.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B2464 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2464: TRACTOR, FT, W/MULTIPURPOSE BUCKET

The 1155 Bucket Tractor is a diesel engine-driven, hydraulically operated, crawler-type front-end loader. The multipurpose bucket is capable of performing operations of clamshell, dozer, and scraper, as well as front and shovel. The tractor is intended for digging, lifting, transporting, and dumping operations under rough terrain conditions.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 41 | 0 |
| AAO (FY17) | 46 | |
| O/H | 110 | 0 |
| Shortfall/Excess | 69 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 8 | 8 | 0 | 0 | 8 | 7 | 0 | 0 | 10 | 0 |
| 8 | 8 | 5 | 0 | 8 | 7 | 0 | 0 | 10 | 0 |
| 8 | 8 | 4 | 0 | 5 | 6 | 0 | 60 | 14 | 5 |
| 0 | 0 | 4 | 0 | -3 | -1 | 0 | 60 | 4 | 5 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3805013151091 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |
| 3805015735867 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 111 | 0 | 13.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B2483 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2483: ARMORED, BACKHOE, LOADER (BHL)

The Backhoe Loader (BHL) is a highly mobile, lightweight, rubber-tired tractor equipped with a front-endloader and backhoe excavator. It can maintain pace with other wheeled vehicles of the maneuver force and can reach road speeds in excess of 20 mph. The BHL has the capability to operate hydraulic power tools and can be externally transported by CH-53 helicopter.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 206 | 0 | 51 | 40 | 27 | 0 | 30 | 22 | 0 | 8 | 17 | 7 |
| AAO (FY17) | 203 | | 43 | 40 | 28 | 4 | 34 | 22 | 0 | 8 | 17 | 7 |
| O/H | 283 | 2 | 48 | 40 | 26 | 2 | 28 | 22 | 0 | 88 | 20 | 7 |
| Shortfall/Excess | 77 | 2 | -3 | 0 | -1 | 2 | -2 | 0 | 0 | 80 | 3 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3805015147166 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 3805015733850 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 2 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 172 | 0 | 10.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B2561 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2561: TRK, FORKLIFT, VARIABLE REACH

The Extendable Boom Forklift (EBFL) is a diesel powered, telehandler for lifting loads up to 10,000 pounds, air transportable, rough-terrain, self-deployable material handler. Its primary function is to provide operating forces, provides the capability to move/load/unload supplies, equipment, vehicles, containers, and palletized cargo from amphibious/merchant ships, aircraft, and vehicles over beaches as well as inland via unimproved/hard surfaces.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 473 | 0 |
| AAO (FY17) | 490 | |
| O/H | 856 | 27 |
| Shortfall/Excess | 383 | 27 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 91 | 81 | 57 | 0 | 64 | 22 | 0 | 30 | 92 | 31 |
| 89 | 81 | 60 | 5 | 64 | 22 | 0 | 30 | 92 | 47 |
| 88 | 91 | 53 | 5 | 71 | 28 | 0 | 282 | 108 | 47 |
| -3 | 10 | -4 | 5 | 7 | 6 | 0 | 252 | 16 | 16 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3930014862151 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | yes | No | No | No | 0 | 0 | 0 |
| 3930015080886 | 22 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 22 |
| 3930015735868 | 5 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 5 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Also, per HQMC OEF surplus MCATS results 22 May 14, this asset is uneconomical to retrograde/reset. Dispose of asset in Afghanistan.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 231 | 0 | 15.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B2565 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2565: TRLR ENGR EQUIPMENT

The Engineer Equipment Trailer (EET) is designed to transport the Backhoe Loader (BHL), Light-Capability Rough Terrain Forklift (LRTF), or ammunition loads. The trailer is capable of hauling 10 tons on highways, improved roads (graded gravel), and off roads.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 511 | 0 | 128 | 103 | 77 | 0 | 92 | 21 | 0 | 18 | 46 | 20 |
| AAO (FY17) | 469 | | 99 | 91 | 76 | 5 | 90 | 21 | 0 | 18 | 46 | 22 |
| O/H | 730 | 6 | 133 | 103 | 76 | 5 | 97 | 21 | 0 | 226 | 39 | 20 |
| Shortfall/Excess | 219 | 6 | 5 | 0 | -1 | 5 | 5 | 0 | 0 | 208 | -7 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330015183809 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 2330015470272 | 6 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | yes | No | Yes | No | 0 | 0 | 6 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 250 | 0 | 5.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B2566 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2566: FORKLIFT, RT, LT CAPABILITY (LRTF)

The Rough Terrain Forklift is a lightweight, diesel powered, air transportable forklift used for lifting palletized loads up to 5,070 pounds. Equipped with a telescopic boom, 4-wheel, crab, and circle steering modes. It will be employed by the combat engineer battalion, artillery units, the engineer support battalion, landing support battalion company, other ground support combat service support units, and various Marine aircraft wing units. It is required to clear landing zones of supplies and equipment, to load and unload combat vehicles, aircraft, and ISO containers.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 600 | 58 | 117 | 100 | 77 | 0 | 90 | 39 | 58 | 25 | 59 | 24 |
| AAO (FY17) | 587 | | 110 | 97 | 75 | 10 | 89 | 39 | 58 | 25 | 59 | 24 |
| O/H | 1,127 | 7 | 168 | 161 | 120 | 10 | 128 | 77 | 0 | 332 | 56 | 45 |
| Shortfall/Excess | 527 | -51 | 51 | 61 | 43 | 10 | 38 | 38 | -58 | 307 | -3 | 21 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3930012756420 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | Yes | No | 0 | 0 | 1 |
| 3930014783519 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | Yes | No | 0 | 0 | 0 |
| 3930015330855 | 5 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 5 |
| 3930015735873 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 1 |
| 3930016051984 | 0 | 10% | 90% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: NSN 3930015735873 should not be sent to the MEFs, only send to MCLC. NSN 3930015330855 can be redistributed to the fields. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 128 | 0 | 5.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 128 | 0 | 5.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B2567 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2567: LOADER,SCOOP TYPE

The Multi-Purpose Tractor is a diesel-powered, four-wheel drive, rubber-tired, articulated steering tractor capable of operating in rough terrain and in 60 inches of water. The TRAM is outfitted with a Bucket, Multi-Purpose, 4-In-i, 2-1/2 Yard (TAMCN B0215) and a Forklift Attachment, 10,000 pounds (TAMCN B0647). The TRAM will travel a maximum of 24 mph (39 km/h) and is manufactured by John Deere Co.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 4 | 0 |
| Shortfall/Excess | 4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 0 | 0 |
| 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3805012793635 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |
| 3805015735881 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | Yes Other | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: OBSOLETE - Transfer to US ARMY

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 192 | 0 | 16.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 100% |

# B2605 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2605: PURIFICATION SYSTEM, WATER, TACTICAL

The TWPS (MC-TWPS) is a skid -mounted unit transportable by the Medium Tactical Vehicle Replacement (MTVR) truck (MK 23, MK 25) or by a 5-Ton forklift. The system includes the basic TWPS skid, 6,000-gallon water storage capability, and all BII, but does not include the power source (i.e. generator) or the extended capability modules. The system can be powered by a 60 kW, 4I6VAC high, WYE source. Five extended capability modules are purchased and deployed separately as required by their mission; (a) Ocean Intake Structure System, (b) Supplemental Cleaning, Waste and Storage, (c) Cold Weather, and (d) Nuclear Biological and Chemical (NBC) Treatment and (e) MBC Survivability.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 221 | 0 | 46 | 46 | 31 | 0 | 33 | 10 | 0 | 9 | 36 | 10 |
| AAO (FY17) | 221 | | 43 | 42 | 28 | 0 | 33 | 10 | 0 | 9 | 36 | 20 |
| O/H | 253 | 3 | 42 | 46 | 33 | 0 | 13 | 18 | 0 | 42 | 36 | 20 |
| Shortfall/Excess | 32 | 3 | -4 | 0 | 2 | 0 | -20 | 8 | 0 | 33 | 0 | 10 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4610014886961 | 3 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 3 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 6.4 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# B2628 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2628: WATER PURIFIER, LIGHTWEIGHT, LMT3000

The Water Purification System provides a fully portable and completely self-contained water purification system for purifying turbid and bacteria polluted water at the rate of 1500 to 3000 gph.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4610013664640 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Obsolete - DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting. Being replaced by B0071.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 67 | 0.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B2630 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2630: ANALYSIS SET, QUALITY, PURIFICATION, WATER

The WQAS-P is a one person portable suitcase-set containing equipment for testing and monitoring water quality. The set is self-contained in a watertight, airtight, dustproof, crush resistant case containing Commercial-Off-The-Shelf components capable of measuring the temperature, chlorine, pH, turbidity, and total dissolved sol ids (TDS), concentration of the water being tested and monitored.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 77 | 12 | 14 | 16 | 12 | 0 | 14 | 6 | 12 | 0 | 0 | 0 |
| AAO (FY17) | 87 | | 18 | 16 | 14 | 3 | 18 | 6 | 12 | 0 | 0 | 0 |
| O/H | 67 | 1 | 18 | 8 | 6 | 0 | 12 | 6 | 0 | 16 | 0 | 0 |
| Shortfall/Excess | -10 | -11 | 4 | -8 | -6 | 0 | -2 | 0 | -12 | 16 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6630014772395 | 1 | 75% | 0% | 0% | 25% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 1 |

**Notes**: This equipment is highly pilferable and should not be transported by Local nationals.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B2631 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2631: TANK, WATER, 50K GAL

The 50,000 Gallon Collapsible Fabric Potable Water Tank is a pillow type, synthetic rubber-impregnated nylon tank. It is fitted with 4-inch camlock type filler/discharge ports and may be folded for storage. A repair kit is also provided.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 53 | 0 |
| AAO (FY17) | 57 | |
| O/H | 142 | 0 |
| Shortfall/Excess | 89 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 4 | 4 | 4 | 0 | 4 | 1 | 0 | 0 | 36 | 0 |
| 4 | 4 | 4 | 0 | 4 | 1 | 0 | 0 | 36 | 4 |
| 10 | 4 | 4 | 0 | 0 | 3 | 0 | 66 | 37 | 0 |
| 6 | 0 | 0 | 0 | -4 | 2 | 0 | 66 | 1 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5430011069677 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | YES | No | No | No | No | No | No | 0 | 0 | 0 |
| 5430012004831 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | YES | No | No | No | No | No | No | 0 | 0 | 0 |
| 5430013861544 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | YES | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. If tank has had fuel in it, using unit must WIR as Code H. NSNs ending in 4831 and 1544 are FMS.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 117 | 0.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B2632 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2632: TANK ASSEMBLY, WATER, FABRIC, COLLAPSIBLE

The 20,000 Gallon Collapsible Fabric Potable Water Tank is a pillow type, synthetic rubber-impregnated nylon tank. It is fitted with 4-inch camlock type filler/discharge ports and may be folded for storage. A repair kit is also provided.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 172 | 0 | 38 | 38 | 16 | 0 | 30 | 4 | 0 | 0 | 36 | 10 |
| AAO (FY17) | 182 | | 38 | 36 | 22 | 0 | 30 | 4 | 0 | 0 | 36 | 16 |
| O/H | 193 | 1 | 34 | 37 | 22 | 0 | 4 | 4 | 0 | 67 | 24 | 0 |
| Shortfall/Excess | 21 | 1 | -4 | -1 | 6 | 0 | -26 | 0 | 0 | 67 | -12 | -10 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5430013517813 | 1 | 100% | 0% | 0% | 0% | 0% | 0% | NO | YES | No | No | No | No | No | No | 0 | 0 | 1 |
| 5430013726902 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | TBD | YES | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. If tank has had fuel in it, using unit must WIR as Code H.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 44 | 0.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B2685 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2685: WELDING SHOP, MARINE CORPS TACTICAL

The Marine Corps Tactical Welding Shop (MCTWS) consists of selected tools and equipment integrated with an enclosure mounted on a 1/2-Ton modified, two-wheeled military trailer, chassis model M103A3. The MCTWS provides compressed air on demand, electrical power for lights and electric hand tools, and an illumi nated work surface with a vise. The welder can also be operated by external 230V/3-Phase/single phase power. This self-contained shop set will enable Marine maintenance personnel to perform a variety of welding processes for maintenance and repair of equipment in remote locations.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 194 | 0 | 47 | 44 | 18 | 0 | 39 | 5 | 0 | 0 | 30 | 6 |
| AAO (FY17) | 176 | | 38 | 35 | 20 | 5 | 36 | 5 | 0 | 0 | 30 | 7 |
| O/H | 214 | 3 | 30 | 23 | 20 | 1 | 32 | 9 | 0 | 58 | 30 | 4 |
| Shortfall/Excess | 20 | 3 | -17 | -21 | 2 | 1 | -7 | 4 | 0 | 58 | 0 | -2 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3431014984423 | 3 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 3 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 104 | 0 | 3.3 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B2686 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2686: KIT, WELDING, ARMOR

The Armor Welding Kit consists of selected tools and equipment that are integrated with the existing equipment on the Marine Corps Tactical Weld Shop (MCTWS), which allows the user to perform field-welding repairs of armor plate equipment. Welding repairs of armor plate using GAS Metal Arc Welding (GMAW) (preferred) and Shielded Metal Arc Welding (SMAW) secondary repair option.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 29 | 0 |
| AAO (FY17) | 28 | |
| O/H | 31 | 0 |
| Shortfall/Excess | 2 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 10 | 8 | 2 | 0 | 4 | 5 | 0 | 0 | 0 | 0 |
| 10 | 8 | 1 | 0 | 4 | 5 | 0 | 0 | 0 | 0 |
| 9 | 5 | 4 | 0 | 2 | 4 | 0 | 2 | 5 | 0 |
| -1 | -3 | 2 | 0 | -2 | -1 | 0 | 2 | 5 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3431015050248 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Associated with B2685 - If they come back together, two WIRs need to be completed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 708 | 3.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B2687 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B2687: KIT, WELDING, TITANIUM

The Titanium Kit consists of selected tools and equipment that are integrated with the existing equipment on the Marine Corps Tactical Weld Shop (MCTWS), which allows the user to perform field-expedient repairs of titanium-based metals and equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 20 | 0 |
| AAO (FY17) | 19 | |
| O/H | 28 | 0 |
| Shortfall/Excess | 8 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 6 | 6 | 1 | 0 | 2 | 5 | 0 | 0 | 0 | 0 |
| 6 | 6 | 0 | 0 | 2 | 5 | 0 | 0 | 0 | 0 |
| 3 | 2 | 2 | 0 | 3 | 4 | 0 | 6 | 8 | 0 |
| -3 | -4 | 1 | 0 | 1 | -1 | 0 | 6 | 8 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3431015050888 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Associated with B2685 -If they come back together, two WIRs need to be completed.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# B5000 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B5000: CONTROL MINE DETECT (SWEEP MONITORING SYSTEM)

Training apparatus for the B0476

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 20 | 0 | 8 | 2 | 4 | 0 | 3 | 0 | 0 | 3 | 0 | 0 |
| Shortfall/Excess | 20 | 0 | 8 | 2 | 4 | 0 | 3 | 0 | 0 | 3 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665015314689 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# B7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B7001: ANALYZER, ELECTRICAL PULSE

The Analyzer, Electrical Pulse (Fluke 41/43B-AV) is a hand-held, liquid crystal display power analyzer with the capability of measuring and displaying power harmonics in three different views: waveform, bar graph (showing harmonic levels), and numeric values.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 666 | 57 |
| AAO (FY17) | 632 | |
| O/H | 54 | 1 |
| Shortfall/Excess | -612 | -56 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 185 | 166 | 99 | 0 | 136 | 23 | 57 | 0 | 0 | 0 |
| 160 | 156 | 97 | 0 | 139 | 23 | 57 | 0 | 0 | 0 |
| 5 | 15 | 3 | 0 | 0 | 5 | 0 | 15 | 0 | 0 |
| -180 | -151 | -96 | 0 | -136 | -18 | -57 | 15 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625014385312 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6625015260788 | 1 | 30% | 0% | 0% | 70% | 0% | 0% | NO | NO | No | No | No | No | No | No | 1 | 0 | 0 |

**Notes**: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# B7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN B7900: INTERMEDIATE LEVEL ELECTRICIANS TOOL KIT

The I-Level Tool Kit is comprised of various hand tools and accessories to aide Marines in Military Occupational Specialty (MOS) 1141 to install and maintain interior wiring in fixed structures. The I-Level Tool Kit will come in a rugged/transportable case, and will include electrician's tools, testers, and meters contained within its own rugged/transportable case with foam inserts and molded plastic trays for tool storage and protection. These new modernized tools are configuration controlled. Refer to SL-3-1 1 390A for complete listing and description of tools.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 40 | 6 | 12 | 11 | 6 | 0 | 4 | 1 | 6 | 0 | 0 | 0 |
| AAO (FY17) | 43 | | 11 | 11 | 8 | 0 | 6 | 1 | 6 | 0 | 0 | 0 |
| O/H | 22 | 0 | 3 | 7 | 5 | 0 | 4 | 1 | 0 | 2 | 0 | 0 |
| Shortfall/Excess | -18 | -6 | -9 | -4 | -1 | 0 | 0 | 0 | -6 | 2 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015468026 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 18 | 0.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C0001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C0001: MILITARY CYPRES 1 A

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 1,419 | 0 |
| AAO (FY17) | 1,130 | |
| O/H | 1,266 | 0 |
| Shortfall/Excess | -153 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 281 | 281 | 268 | 0 | 344 | 77 | 0 | 0 | 0 | 0 |
| 198 | 198 | 228 | 168 | 261 | 77 | 0 | 0 | 0 | 0 |
| 215 | 0 | 145 | 342 | 99 | 36 | 0 | 429 | 0 | 0 |
| -66 | -281 | -123 | 342 | -245 | -41 | 0 | 429 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1670015181268 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | 0 | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C0005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C0005: PERS,BACKSCATTER IM

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 14 | 0 |
| AAO (FY17) | 14 | |
| O/H | 2 | 2 |
| Shortfall/Excess | -12 | 2 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 4 | 4 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| 4 | 4 | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -4 | -4 | -3 | 0 | -3 | 0 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895015314671 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 2 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# C0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C0008: TRANSLATION DEVICE

This mobile, ruggedly designed translation device with one-way, handheld, speech-to-speech translation system available. NOTE: The C0008 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 97 | 0 |
| Shortfall/Excess | 97 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 23 | 0 | 0 | 5 | 0 | 0 | 0 | 69 | 0 | 0 |
| 23 | 0 | 0 | 5 | 0 | 0 | 0 | 69 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5805015315590 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# C0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C0019: FORCE PRO KIT - ATFP KIT (PART OF C0020)

A versatile package of Commercial-Off-The-Shelf (COTS) and Government-Off-The-Shelf (GOTS) Non-Lethal equipment. The contents (COTS/GOTS) can be divided into four distinct categories: personnel protectors; personnel and materiel effectors; mission enhancers; and training devices. The items enable the individual Marine or a small team or unit to be proactive in retaining the initiative in peacekeeping environments; to respond to provocation more subtly than through the use of deadly force; and to effectively control the non-traditional battlefield within the constraints levied by Rules of Engagement (ROE). NOTE: The C0019 capability has been replaced by the Escalation of Force-Mission Modules (C01047B). SEE DP 5500

No Illustration Available

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 9 | 0 | 2 | 2 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 9 | 0 | 2 | 2 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6910015403090 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# C0020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C0020: ANTI-TERRORISM/FORCE PROTECTION CHECKPOINT SET (ATFPCS)

The Anti-Terrorism/Force Protection Capability Set (C00207B) enables Marines to more accurately andthoroughly inspect vehicles and personnel for weapons and explosives by providing Commercial-Off-The-Shelf(COTS) and Government-Off-The-Shelf (GOTS) materiel solutions. The set provides lighting (tripods andhandheld), explosive detection, vehicle impairment, and vehicle undercarriage inspection capabilities. The Anti-Terrorism/Force Protection Capability Set increases the survivability for Marines from potential threats by givingearlier warning and reaction capability to those manning the checkpoints. Additionally, the capability increases the survivability of noncombatants approaching Vehicle Check Points and Entry Control

No Illustration Available

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 10 | 0 | 1 | 8 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 10 | 0 | 1 | 8 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6910015403064 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# C0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C0104: ESCALATION OF FORCE-MISSION MODULES (EOF-MM)

The C0104 is know as the Escalation of Force-Mission Module. The EoF-MM consists of multifunctional non-lethal weapons systems and force protection equipment needed to satisfy the operational requirement in order to minimize friendly and civilian casualties. The EoF-MM is the replacement of the existing Non-Lethal Capability Sets (NLCS) and Force Protection Capability Sets (FPCS) procured in the middle 1990s and early 2000s. The EoF-MM consist of selected equipment that provides operational capabilities for use during escalation of force situations found primarily, but not exclusively, while operating under restricted Rules of Engagement (ROE). The EoF-MM consists entirely of equipment that is COTS/GOTS.

No Illustration Available

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 95 | 5 | | 12 | 24 | 13 | 0 | 9 | 20 | 5 | 0 | 0 | 0 |
| AAO (FY17) | 95 | | | 12 | 24 | 13 | 0 | 9 | 20 | 5 | 0 | 0 | 0 |
| O/H | 80 | 2 | | 13 | 20 | 10 | 0 | 5 | 16 | 0 | 9 | 0 | 0 |
| Shortfall/Excess | -15 | -3 | | 1 | -4 | -3 | 0 | -4 | -4 | -5 | 9 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1367015794067 | 2 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 2 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C2032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C2032: MONITOR,CHEMICAL AG

The Chemical Agent Monitor is a handheld device capable of detecting various levels of nerve and blister agents. The CAMs detect vapors of chemical agents by sensing molecular ions of specific mobilities (time of flight) and uses timing and microprocessor techniques to reject interferences.

No Illustration Available

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 100 | 0 | 0 | 6 | 0 | 0 | 0 | 2 | 0 | 92 | 0 | 0 |
| Shortfall/Excess | 100 | 0 | 0 | 6 | 0 | 0 | 0 | 2 | 0 | 92 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665997259996 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C2104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C2104:

Unlike conventional fielding methodologies the M4 JCADs (and all other CBRN Defense Equipment) are fielded directly to the CSFs. The Operating Forces will draw their allotment of M4 JCADs based on the manning allocation in TFSMS and operational requirements. Quantities fielded to each CSF are based on the type of using units, the manning of those using units, and the Basis of Issue (BOI) requirement. The BOI requirement for the M4 JCADs is as follows: (1) CE is 1 per 20 individuals; (2) GCE is 1 per 13 individuals; (3) ACE is 1 per 20 individuals; and, (4) LCE is 1 per 20 individuals. Per ALMAR 070/03, Consolidated Storage Facilities (CSFs) are the designated storage and management activities for CBRN Defense Equipment. See

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 9,985 | 0 | 2,891 | 2,943 | 1,577 | 0 | 2,209 | 210 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 9,450 | | 2,741 | 2,664 | 1,620 | 156 | 2,057 | 212 | 0 | 0 | 0 | 0 |
| O/H | 578 | 42 | 6 | 38 | 0 | 0 | 9 | 65 | 0 | 50 | 0 | 348 |
| Shortfall/Excess | -9,407 | 42 | -2,885 | -2,905 | -1,577 | 0 | -2,200 | -145 | 0 | 50 | 0 | 348 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665015522704 | 42 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 42 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C2108 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C2108: ALARM,CHEMICAL AGEN

The Automatic Chemical Agent Detection Alarm (ACADA) is a man-portable chemical warfare agent detection system, which detects the presence of nerve and blister agents.

No Illustration Available

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 8 | 0 |
| Shortfall/Excess | 8 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 2 | 0 | 6 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 2 | 0 | 6 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665014386963 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C2278 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C2278: MASK ASSY

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 1,359 | 0 |
| AAO (FY17) | 1,359 | |
| O/H | 1,047 | 0 |
| Shortfall/Excess | -312 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 281 | 281 | 258 | 0 | 344 | 27 | 0 | 0 | 0 | 0 |
| 281 | 281 | 258 | 168 | 344 | 27 | 0 | 0 | 0 | 0 |
| 119 | 68 | 124 | 260 | 150 | 60 | 0 | 266 | 0 | 0 |
| -162 | -213 | -134 | 260 | -194 | 33 | 0 | 266 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1660090004118 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | 0 | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C2286 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C2286: PHAOS BOTTLE ASSY

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 1,359 | 0 |
| AAO (FY17) | 1,359 | |
| O/H | 814 | 0 |
| Shortfall/Excess | -545 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 281 | 281 | 258 | 0 | 344 | 27 | 0 | 0 | 0 | 0 |
| 281 | 281 | 258 | 168 | 344 | 27 | 0 | 0 | 0 | 0 |
| 120 | 97 | 120 | 264 | 150 | 63 | 0 | 0 | 0 | 0 |
| -161 | -184 | -138 | 264 | -194 | 36 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1660090004098 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | 0 | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C4120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C4120: NON-LETHAL WEAPONS

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 20 | 0 |
| Shortfall/Excess | 20 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 9 | 1 | 0 | 2 | 2 | 0 | 4 | 0 | 0 |
| 2 | 9 | 1 | 0 | 2 | 2 | 0 | 4 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 9999014642285 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 3.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# C4431 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C4431: BOX,SHIPPING

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 63,669 | 372 |
| AAO (FY17) | 58,906 | |
| O/H | 42,307 | 100 |
| Shortfall/Excess | -21,362 | -272 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 19,086 | 18,581 | 10,725 | 0 | 13,654 | 68 | 372 | 0 | 0 | 0 |
| 17,407 | 16,046 | 10,314 | 750 | 13,531 | 68 | 357 | 0 | 0 | 0 |
| 13,357 | 11,363 | 6,862 | 644 | 7,769 | 566 | 0 | 1,217 | 0 | 0 |
| -5,729 | -7,218 | -3,863 | 644 | -5,885 | 498 | -372 | 1,217 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8115011999207 | 5 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | 0 | No | No | No | No | No | 2 | 0 | 2 |
| 8115013713690 | 95 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | 0 | No | No | No | No | No | 48 | 0 | 48 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 52 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C4431 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C4431: BOX,SHIPPING

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 63,669 | 372 |
| AAO (FY17) | 58,906 | |
| O/H | 42,307 | 100 |
| Shortfall/Excess | -21,362 | -272 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 19,086 | 18,581 | 10,725 | 0 | 13,654 | 68 | 372 | 0 | 0 | 0 |
| 17,407 | 16,046 | 10,314 | 750 | 13,531 | 68 | 357 | 0 | 0 | 0 |
| 13,357 | 11,363 | 6,862 | 644 | 7,769 | 566 | 0 | 1,217 | 0 | 0 |
| -5,729 | -7,218 | -3,863 | 644 | -5,885 | 498 | -372 | 1,217 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8115011999207 | 5 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | 0 | No | No | No | No | No | 2 | 0 | 2 |
| 8115013713690 | 95 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | 0 | No | No | No | No | No | 48 | 0 | 48 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 52 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C4433 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C4433: BOX,SHIPPING

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 23,302 | 0 |
| AAO (FY17) | 22,083 | |
| O/H | 24,564 | 607 |
| Shortfall/Excess | 1,262 | 607 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 6,804 | 6,339 | 3,866 | 0 | 5,355 | 139 | 0 | 0 | 0 | 0 |
| 6,541 | 5,734 | 3,567 | 727 | 5,306 | 136 | 0 | 0 | 0 | 0 |
| 7,467 | 6,192 | 3,024 | 802 | 4,175 | 753 | 0 | 988 | 0 | 110 |
| 663 | -147 | -842 | 802 | -1,180 | 614 | 0 | 988 | 0 | 110 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8115014747089 | 312 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | 0 | No | No | No | No | No | 156 | 0 | 156 |
| 8145015561313 | 105 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | 0 | No | No | No | No | No | 52 | 0 | 52 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 0.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C4433 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C4433: BOX,SHIPPING

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 23,302 | 0 |
| AAO (FY17) | 22,083 | |
| O/H | 24,564 | 607 |
| Shortfall/Excess | 1,262 | 607 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 6,804 | 6,339 | 3,866 | 0 | 5,355 | 139 | 0 | 0 | 0 | 0 |
| 6,541 | 5,734 | 3,567 | 727 | 5,306 | 136 | 0 | 0 | 0 | 0 |
| 7,467 | 6,192 | 3,024 | 802 | 4,175 | 753 | 0 | 988 | 0 | 110 |
| 663 | -147 | -842 | 802 | -1,180 | 614 | 0 | 988 | 0 | 110 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8115014747089 | 312 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | 0 | No | No | No | No | No | 156 | 0 | 156 |
| 8145015561313 | 105 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | 0 | No | No | No | No | No | 52 | 0 | 52 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 0.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C4765 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C4765: EXTINGUISHER, FIRE, DRY CHEM, SELF-CONTND

The Fire Extinguisher is a self-contained unit designed and constructed to be particularly effective in fighting fire generated by hydrocarbon fuels. This twin agent fire extinguisher is skid-mounted and easily relocated when necessary.

No Illustration Available

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 489 | 0 | 74 | 81 | 50 | 0 | 131 | 3 | 0 | 23 | 98 | 29 |
| AAO (FY17) | 507 | | 82 | 87 | 31 | 0 | 133 | 3 | 0 | 23 | 98 | 50 |
| O/H | 979 | 8 | 72 | 27 | 56 | 0 | 16 | 5 | 0 | 632 | 117 | 43 |
| Shortfall/Excess | 490 | 8 | -2 | -54 | 6 | 0 | -115 | 2 | 0 | 609 | 19 | 14 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4210001072082 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 4210012052246 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 4210013549893 | 8 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 8 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 214 | 1.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C4906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C4906: PALLET,MATERIAL HAN

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 3 | 0 |
| Shortfall/Excess | 3 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3990011907165 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 78 | 0 | 1.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# C5105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C5105: JOINING CORRIDOR

The Joining Corridor provides a means of connecting two shelters.

No Illustration Available

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 33 | 0 |
| Shortfall/Excess | 33 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 6 | 0 | 0 | 6 | 0 | 0 | 18 | 0 | 0 |
| 3 | 6 | 0 | 0 | 6 | 0 | 0 | 18 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5411012066037 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# C5269 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C5269: TESTER,LEAKAGE,PROT

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 243 | 0 |
| AAO (FY17) | 249 | |
| O/H | 109 | 0 |
| Shortfall/Excess | -134 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 71 | 71 | 48 | 0 | 43 | 6 | 0 | 0 | 0 | 0 |
| 74 | 74 | 47 | 0 | 44 | 6 | 0 | 0 | 0 | 0 |
| 1 | 3 | 0 | 0 | 0 | 4 | 0 | 101 | 0 | 0 |
| -70 | -68 | -48 | 0 | -43 | -2 | 0 | 101 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665015069002 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 5 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C5649 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C5649: MULTI MISSION PARAC

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 1,389 | 0 |
| AAO (FY17) | 1,100 | |
| O/H | 1,391 | 0 |
| Shortfall/Excess | 2 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 281 | 281 | 268 | 0 | 344 | 47 | 0 | 0 | 0 | 0 |
| 198 | 198 | 228 | 168 | 261 | 47 | 0 | 0 | 0 | 0 |
| 181 | 104 | 118 | 320 | 160 | 43 | 0 | 465 | 0 | 0 |
| -100 | -177 | -150 | 320 | -184 | -4 | 0 | 465 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1670015316383 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | 0 | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 5 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C5810 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C5810: KITCHEN,COMPANY LEV

The FFSS kitchen system is composed of three shipping containers and can serve 850 Marines two meals a day.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 4 | 0 |
| Shortfall/Excess | 4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 | 0 |
| 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7360332012934 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 14.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# C6115 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C6115: SHELTER,NONEXPANDAB

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 68 | 0 |
| Shortfall/Excess | 68 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 29 | 12 | 4 | 10 | 0 | 13 | 0 | 0 | 0 | 0 |
| 29 | 12 | 4 | 10 | 0 | 13 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5411012066077 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# C7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7001: TESTER, AUTOMATIC TRANSMISSION

Handheld testing device used to test & adjust HUMVEE vehicle transmissions.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 224 | 0 |
| AAO (FY17) | 209 | |
| O/H | 240 | 1 |
| Shortfall/Excess | 16 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 46 | 42 | 34 | 0 | 43 | 55 | 0 | 4 | 0 | 0 |
| 42 | 41 | 24 | 0 | 43 | 55 | 0 | 4 | 0 | 0 |
| 43 | 41 | 30 | 4 | 44 | 50 | 0 | 21 | 1 | 0 |
| -3 | -1 | -4 | 4 | 1 | -5 | 0 | 17 | 1 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910015592405 | 1 | 0% | 50% | 0% | 50% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7007: SHOP EQUIPMENT, CONTACT MAINTENANCE, COMMON #21

HUMVEE based platform that includes a maintenance shelter & equipment used by Electro-Optic Technicans (MOS 2171) and Ground Radar Technicans (MOS 2887) to perform on-site maintenance.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 220 | 23 | 57 | 52 | 36 | 0 | 40 | 5 | 23 | 1 | 4 | 0 |
| AAO (FY17) | 205 | | 52 | 48 | 27 | 2 | 40 | 5 | 26 | 1 | 4 | 0 |
| O/H | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | | -23 | -57 | -52 | -36 | 0 | -40 | -5 | -23 | -1 | -4 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940015521599 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 4.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C7023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7023: TEST STAND,FUEL INJ

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 23 | 0 |
| AAO (FY17) | 20 | |
| O/H | 19 | 0 |
| Shortfall/Excess | -4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 3 | 3 | 3 | 0 | 0 | 14 | 0 | 0 | 0 | 0 |
| 3 | 3 | 0 | 0 | 0 | 14 | 0 | 0 | 0 | 0 |
| 3 | 3 | 4 | 0 | 3 | 4 | 0 | 2 | 0 | 0 |
| 0 | 0 | 1 | 0 | 3 | -10 | 0 | 2 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910014602822 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 158 | 1.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# C7025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7025: TESTER,HYDRAULIC HO

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 164 | 0 |
| AAO (FY17) | 163 | |
| O/H | 80 | 0 |
| Shortfall/Excess | -84 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 25 | 21 | 17 | 0 | 8 | 54 | 0 | 0 | 32 | 3 |
| 26 | 23 | 10 | 4 | 8 | 54 | 0 | 0 | 32 | 6 |
| 13 | 20 | 10 | 4 | 0 | 14 | 0 | 12 | 7 | 0 |
| -12 | -1 | -7 | 4 | -8 | -40 | 0 | 12 | -25 | -3 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940015475287 | 0 | 100% | 0% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7033: SHOP EQUIPMENT,CONT - UNARMORED (RPLCS B1951)

The Shop Equipment, Contact Maintenance Common #20 is a self-contained tool & equipment shelter mounted on a HMMWVA2 chassis. The Common #20 is for contact maintenance and immediate on-site emergency maintenance. It consists of hand tools, power tools, oxy/acetylene (gas) cutting & welding capability, with compressor and pneumatic tools all located within easy reach of the mechanic. The drawers in the workbench have foam cut outs to expedite inventory, provide standardization/configuration management, and minimize tool loss.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 222 | 3 |
| AAO (FY17) | 212 | |
| O/H | 147 | 0 |
| Shortfall/Excess | -75 | -3 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 66 | 59 | 30 | 0 | 36 | 7 | 3 | 11 | 7 | 3 |
| 60 | 56 | 26 | 0 | 39 | 7 | 3 | 11 | 7 | 3 |
| 31 | 22 | 18 | 0 | 14 | 7 | 0 | 40 | 7 | 4 |
| -35 | -37 | -12 | 0 | -22 | 0 | -3 | 29 | 0 | 1 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940013338471 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 121 | 0 | 4.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C7035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7035: TOOL KIT,TRANSMISSI

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 35 | 1 |
| AAO (FY17) | 28 | |
| O/H | 15 | 0 |
| Shortfall/Excess | -20 | -1 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 11 | 11 | 6 | 0 | 6 | 0 | 1 | 0 | 0 | 0 |
| 11 | 11 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 |
| 3 | 3 | 3 | 0 | 2 | 0 | 0 | 4 | 0 | 0 |
| -8 | -8 | -3 | 0 | -4 | 0 | -1 | 4 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180011994018 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 23 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7038: DYNAMOMETER,RUN-IN

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 10 | 0 |
| AAO (FY17) | 9 | |
| O/H | 4 | 0 |
| Shortfall/Excess | -6 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 3 | 3 | 1 | 0 | 2 | 1 | 0 | 0 | 0 | 0 |
| 3 | 3 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 |
| 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -3 | 1 | -1 | 0 | -2 | -1 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910015975999 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **I MEF** |
| if | **Not Mission Capable MEF** | then | **I MEF** |
| if | **Not Mission Capable** | then | **I MEF** |
| if | **Condemned** | then | **I MEF** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 7.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 0% |

# C7042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7042: NOZZLE TEST MASTER2

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 10 | 0 |
| AAO (FY17) | 9 | |
| O/H | 7 | 0 |
| Shortfall/Excess | -3 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 3 | 3 | 1 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |
| 3 | 3 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |
| 1 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| -2 | -1 | 1 | 0 | 0 | -1 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5825014731977 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 9 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7061: TESTER,FUEL INJECTO

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 8 | 0 |
| AAO (FY17) | 6 | |
| O/H | 9 | 0 |
| Shortfall/Excess | 1 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 2 | 2 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 2 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 1 | 1 | 3 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |
| -1 | -1 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910011249123 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 48 | 0.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7072: TEST STAND,AUTOMOTI

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 6 | 0 |
| AAO (FY17) | 2 | |
| O/H | 19 | 0 |
| Shortfall/Excess | 13 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 1 | 1 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 2 | 3 | 5 | 0 | 1 | 8 | 0 | 0 | 0 | 0 |
| 1 | 2 | 3 | 0 | 1 | 6 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910013831130 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4910015978824 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 203 | 2.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7072: TEST STAND,AUTOMOTI

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 6 | 0 |
| AAO (FY17) | 2 | |
| O/H | 19 | 0 |
| Shortfall/Excess | 13 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 1 | 1 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 2 | 3 | 5 | 0 | 1 | 8 | 0 | 0 | 0 | 0 |
| 1 | 2 | 3 | 0 | 1 | 6 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910013831130 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4910015978824 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 203 | 2.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7072: TEST STAND,AUTOMOTI

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 6 | 0 |
| AAO (FY17) | 2 | |
| O/H | 19 | 0 |
| Shortfall/Excess | 13 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 1 | 1 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 2 | 3 | 5 | 0 | 1 | 8 | 0 | 0 | 0 | 0 |
| 1 | 2 | 3 | 0 | 1 | 6 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910013831130 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4910015978824 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 203 | 2.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7072: TEST STAND,AUTOMOTI

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 6 | 0 |
| AAO (FY17) | 2 | |
| O/H | 19 | 0 |
| Shortfall/Excess | 13 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 1 | 1 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 2 | 3 | 5 | 0 | 1 | 8 | 0 | 0 | 0 | 0 |
| 1 | 2 | 3 | 0 | 1 | 6 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910013831130 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4910015978824 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 203 | 2.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 17 | 2 |
| AAO (FY17) | 17 | |
| O/H | 18 | 1 |
| Shortfall/Excess | 1 | -1 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 3 | 4 | 3 | 0 | 1 | 2 | 2 | 0 | 0 | 0 |
| 3 | 4 | 3 | 0 | 1 | 2 | 2 | 0 | 0 | 0 |
| 3 | 1 | 2 | 0 | 1 | 0 | 0 | 10 | 0 | 0 |
| 0 | -3 | -1 | 0 | 0 | -2 | -2 | 10 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 23)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5836015016979 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5836015253637 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5836015450581 | 1 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 1 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The Program Office has not procured the entire AAO of 17 to date. The NAP is in error, all assets are required to be retrograded. The $173K transportation cost is far less than the $1.9M replacement cost.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 30.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7900: TOOL KIT,AIR CONDIT

The Too Kit, Air Conditioning (TKAC) is a programmable system capable of storing, recycling, evacuating and charging air conditioning systems with R134A refrigerant and refrigerant oil quickly and accurately. The TKAC is equipped with O-rings, refrigerant, leak detectors and hand tools unique to air conditioning repair. The maintainer will also be able to recover, recycle, evacuate, and recharge the system.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 203 | 0 | 33 | 43 | 20 | 0 | 40 | 31 | 0 | 0 | 20 | 7 |
| AAO (FY17) | 195 | | 33 | 34 | 17 | 9 | 43 | 31 | 0 | 0 | 20 | 8 |
| O/H | 244 | 3 | 34 | 40 | 24 | 6 | 22 | 35 | 0 | 53 | 19 | 4 |
| Shortfall/Excess | 41 | 3 | 1 | -3 | 4 | 6 | -18 | 4 | 0 | 53 | -1 | -3 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4120015414688 | 3 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 3 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 91 | 0.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7901: SHOP EQUIPMENT,TIRE

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 20 | 0 |
| AAO (FY17) | 19 | |
| O/H | 2 | 1 |
| Shortfall/Excess | -18 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 5 | 5 | 3 | 0 | 5 | 1 | 0 | 0 | 0 | 1 |
| 5 | 5 | 2 | 0 | 5 | 1 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| -5 | -5 | -3 | 0 | -5 | 0 | 0 | 0 | 0 | -1 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940015223536 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 4940015515941 | 1 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 1 | 0 |
| 4940015683817 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Split strategy, refer to NSN for dispo action.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 10.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7903 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7903: AIR BAG LIFT SYSTEM

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 140 | 0 |
| AAO (FY17) | 138 | |
| O/H | 247 | 0 |
| Shortfall/Excess | 107 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 40 | 39 | 24 | 0 | 33 | 4 | 0 | 0 | 0 | 0 |
| 37 | 37 | 25 | 0 | 35 | 4 | 0 | 0 | 0 | 0 |
| 76 | 81 | 26 | 1 | 14 | 4 | 0 | 43 | 0 | 0 |
| 36 | 42 | 2 | 1 | -19 | 0 | 0 | 43 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4220015041223 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7904 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7904: SHOP EQUIPMENT, GP, COMMON #10

Quad-Con based Tool Container with heavy duty shelving and straping. Used by maintenance shops to store and transport a variety of outsized tools and other shop equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 371 | 31 |
| AAO (FY17) | 350 | |
| O/H | 404 | 4 |
| Shortfall/Excess | 33 | -27 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 101 | 84 | 51 | 0 | 86 | 8 | 31 | 0 | 0 | 0 |
| 90 | 76 | 48 | 10 | 87 | 8 | 31 | 0 | 0 | 0 |
| 120 | 96 | 50 | 7 | 104 | 6 | 0 | 12 | 0 | 0 |
| 19 | 12 | -1 | 7 | 18 | -2 | -31 | 12 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940015219685 | 4 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 4 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 264 | 1.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C7905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7905: SHOP EQUIPMENT, GENERAL PURPOSE COMMON #22

The Common #22 is part of the Common 2x family of shop sets, all with similar tool loads and maintenance capabilities. The Common #22 is a tool shelter mounted on a standard M1102 Cargo Trailer intended to be towed by a HMMWV. The shelter contains tool cabinets with drawers, storage spaces and various mounting brackets for oversized tools and other standard shop type equipment. The Common #22 provides compressed air and electricity to operate pneumatic & electric powered tools.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 320 | 4 | 86 | 67 | 45 | 0 | 69 | 8 | 4 | 9 | 17 | 6 |
| AAO (FY17) | 290 | | 69 | 58 | 43 | 9 | 68 | 8 | 3 | 9 | 17 | 6 |
| O/H | 363 | 2 | 68 | 75 | 47 | 5 | 61 | 11 | 0 | 56 | 22 | 6 |
| Shortfall/Excess | 43 | -2 | -18 | 8 | 2 | 5 | -8 | 3 | -4 | 47 | 5 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940015504312 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 2 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 2.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C7907 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7907: SHOP EQPT,GEN PURPO

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 155 | 0 |
| AAO (FY17) | 165 | |
| O/H | 199 | 1 |
| Shortfall/Excess | 44 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 44 | 39 | 23 | 0 | 35 | 8 | 0 | 0 | 0 | 0 |
| 46 | 41 | 27 | 6 | 37 | 8 | 0 | 0 | 0 | 0 |
| 44 | 73 | 28 | 4 | 30 | 6 | 0 | 12 | 0 | 0 |
| 0 | 34 | 5 | 4 | -5 | -2 | 0 | 12 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940015637780 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 264 | 1.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7908 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7908: LUBE UNIT

The Lubricating Unit, Power Operated (LUPO) is a self contained, diesel powered, mobile field lubrication system equipped to provide or recover oil, lubricant, or coolant to all types of motor transport, engineer, and ordnance vehicles as well as other systems that contain engines or moving mechanical components.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 156 | 0 |
| AAO (FY17) | 159 | |
| O/H | 122 | 0 |
| Shortfall/Excess | -34 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 40 | 33 | 23 | 0 | 31 | 4 | 0 | 4 | 12 | 4 |
| 37 | 33 | 25 | 5 | 33 | 4 | 0 | 4 | 12 | 6 |
| 30 | 28 | 19 | 2 | 16 | 3 | 0 | 10 | 10 | 3 |
| -10 | -5 | -4 | 2 | -15 | -1 | 0 | 6 | -2 | -1 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4930015497112 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 5.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C7911 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7911: SHOP EQUIPMENT,GENE

The Common #24 is part of the Common 2x family of shop sets, all with similar tool loads and maintenance capabilities. The Common #24 consists of a pair of 5 ft. Pit Box type tool containers with roll up doors on each side of the Pit Box, various mounting brackets for oversized tools and other shop type equipment and fork lift pockets for loading/unloading. The Common #24 also includes four cabinets for tool storage. The Common #24 includes a steering system and pneumatic wheels for ease of movement.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 301 | 24 |
| AAO (FY17) | 304 | |
| O/H | 337 | 8 |
| Shortfall/Excess | 36 | -16 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 73 | 67 | 45 | 0 | 65 | 13 | 24 | 0 | 0 | 0 |
| 72 | 65 | 48 | 13 | 69 | 13 | 23 | 0 | 0 | 0 |
| 74 | 78 | 51 | 9 | 73 | 17 | 0 | 23 | 1 | 0 |
| 1 | 11 | 6 | 9 | 8 | 4 | -24 | 23 | 1 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940015504900 | 8 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 8 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. TAMCN is not classified as sensitive. DO NOT WASHDOWN - CLEAN BY HAND.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 143 | 1.9 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7912 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7912: SHOP EQUIPMENT,MACH

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 30 | 0 |
| AAO (FY17) | 28 | |
| O/H | 3 | 1 |
| Shortfall/Excess | -27 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 8 | 8 | 3 | 0 | 7 | 0 | 0 | 1 | 3 | 0 |
| 8 | 8 | 1 | 0 | 7 | 0 | 0 | 1 | 3 | 0 |
| 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| -8 | -8 | -3 | 0 | -7 | 1 | 0 | 0 | -3 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3470015752955 | 1 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | I/P | No | 0 | 1 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 12.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C7913 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7913: SHOP EQUIPMENT, GENERAL PURPOSE COMMON #34

Large Pit-Box based platform that includes two rolling tool storage Pit-Boxes, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform maintenance. Intended for 3rd Echelon or General Support Maintenance.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 106 | 0 |
| AAO (FY17) | 90 | |
| O/H | 86 | 1 |
| Shortfall/Excess | -20 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 28 | 25 | 16 | 0 | 22 | 13 | 0 | 0 | 0 | 0 |
| 24 | 23 | 6 | 2 | 22 | 13 | 0 | 0 | 0 | 0 |
| 14 | 20 | 18 | 2 | 10 | 17 | 0 | 1 | 0 | 0 |
| -14 | -5 | 2 | 2 | -12 | 4 | 0 | 1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940015659593 | 1 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 142 | 2.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7920 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7920: ANALYZER SET,VEHICU

Handheld testing device used to test & adjust all USMC ground vehicles (contained in a transit case with associated cables and test items). Includes specialized software designed for specific vehicle subsystems (engines, transmissions, tire inflation systems, etc).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 865 | 0 | 204 | 188 | 116 | 0 | 182 | 173 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 796 | | 176 | 158 | 105 | 0 | 182 | 173 | 0 | 0 | 0 | 0 |
| O/H | 399 | 9 | 92 | 77 | 58 | 6 | 36 | 109 | 0 | 10 | 0 | 0 |
| Shortfall/Excess | -466 | 9 | -112 | -111 | -58 | 6 | -146 | -64 | 0 | 10 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910014865131 | 1 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 1 | 0 | 0 |
| 4910015350413 | 3 | 30% | 0% | 0% | 70% | 0% | 0% | NO | NO | No | No | No | No | No | No | 2 | 1 | 0 |
| 4910015694435 | 5 | 30% | 0% | 0% | 70% | 0% | 0% | NO | NO | No | No | No | No | No | No | 4 | 2 | 0 |

**Notes**: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 4 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# C7930 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C7930: SHOP EQUIPMENT, GP, COMMON NO. 30

Flat-Rack based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform maintenance. Also includes a 90KW Generator and extendable boom Crane. Intended for 3rd Echelon or General Support Maintenance.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 105 | 0 | 28 | 25 | 14 | 0 | 23 | 6 | 0 | 5 | 0 | 0 |
| AAO (FY17) | 96 | | 21 | 19 | 17 | 4 | 24 | 6 | 0 | 5 | 0 | 0 |
| O/H | 72 | 0 | 14 | 18 | 8 | 0 | 8 | 5 | 0 | 19 | 0 | 0 |
| Shortfall/Excess | -33 | 0 | -14 | -7 | -6 | 0 | -15 | -1 | 0 | 14 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015187339 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 11.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C8010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C8010: MOBILE TRAUMA BAY

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 9 | 1 |
| Shortfall/Excess | 9 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 1 | 1 | 0 | 0 | 0 | 0 | 5 | 0 | 0 |
| 1 | 1 | 1 | 0 | 0 | 0 | 0 | 5 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5411015757079 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | Y | No | Y | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# C9657 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN C9657: STAND,MAINTENANCE,A

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 77 | 0 |
| AAO (FY17) | 60 | |
| O/H | 73 | 0 |
| Shortfall/Excess | -4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 16 | 16 | 17 | 0 | 14 | 14 | 0 | 0 | 0 | 0 |
| 16 | 16 | 0 | 0 | 14 | 14 | 0 | 0 | 0 | 0 |
| 14 | 16 | 13 | 0 | 0 | 13 | 0 | 17 | 0 | 0 |
| -2 | 0 | -4 | 0 | -14 | -1 | 0 | 17 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910011174344 | 0 | 0% | 0% | 0% | 66% | 0% | 33% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, this asset has a split reset strategy; of remaining assets on hand in OEF dispose of no more than 1. Retrograde remaining qty to home station.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 52 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# D0002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0002: TRLR, EQUIP TRANSPORTER, SEMI-TRLR, LOWBED, 50T

The M870A2E1, is a 10-ft wide lowbed semi trailer capable of transporting cargo up to 50 tons.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 38 | 0 | 8 | 8 | 7 | 0 | 10 | 2 | 0 | 3 | 0 | 0 |
| AAO (FY17) | 46 | | 12 | 12 | 7 | 0 | 10 | 2 | 0 | 3 | 0 | 0 |
| O/H | 33 | 19 | 0 | 2 | 2 | 0 | 0 | 2 | 0 | 8 | 0 | 0 |
| Shortfall/Excess | -5 | 19 | -8 | -6 | -5 | 0 | -10 | 0 | 0 | 5 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330014838000 | 19 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | Yes | Yes | Yes | 0 | 19 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, although potentially uneconomical/surplus, asset should be retrograded. A Distribution Study is currently underway to reflect changes in the AAO based on the MLG Reorganization and the initial results indicate we have a deficiency in lift capability. These are critical, low density items, and are still needed for expeditionary operations. There are no funds to procure more or open production lines to procure additional assets.No special Agriculture wash down instruction apply. Apply standard local SOP.Currently no allowance for CONUS units for this TAMCN. Allowances must be identified prior to shipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 0 | 0 | 11.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0003: MTVR, TRK ARMD, CARGO, 7T W/O, NON REDUCIBLE (AMK23)

The AMK23 is the MK23/MK23A1 with non-reducible MTVR Armor System (MAS) installed. The AMK23A1 is the MK23/MK23A1 with reducible MAS installed. Reducible MAS is reducible to a height of 98 in, and was designed to meet the height restrictions aboard naval ships. The MAS kits are designed for the 7-ton MTVR. The kits provide complete 360-degree protection as well as overhead and underbody protection for the crew compartment. A Troop Carrier is available as an option for either kit.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,890 | 0 | 683 | 517 | 384 | 0 | 473 | 140 | 0 | 10 | 534 | 73 |
| AAO (FY17) | 2,684 | | 570 | 460 | 358 | 51 | 463 | 140 | 0 | 10 | 534 | 73 |
| O/H | 2,843 | 41 | 574 | 504 | 315 | 47 | 87 | 164 | 0 | 287 | 682 | 73 |
| Shortfall/Excess | -47 | 41 | -109 | -13 | -69 | 47 | -386 | 24 | 0 | 277 | 148 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015305676 | 21 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 21 | 0 |
| 2320015305677 | 3 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 3 | 0 |
| 2320015519433 | 6 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 6 | 0 |
| 2320015520273 | 1 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 1 | 0 |
| 2320015890553 | 6 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 6 | 0 |
| 2320015891000 | 2 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 2 | 0 |
| 2320015894386 | 2 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 2 | 0 |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 214 | 0 | 16.7 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, although potentially uneconomical to R2, asset should be retrograded. A Distribution Study is currently underway to reflect changes in the AAO based on the MLG Reorganization and the initial results indicate we have a deficiency in lift capability. These are the prime movers for enhanced cargo lift capability, specially outfitted with armor for expeditionary combat logistics operations, and are essential for future expeditionary ops. There is no procurement funding to purchase more or to outfit non-armored trucks with armor and ancillary systems necessary for combat operations. If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31. All items eventually need to go to MCLC for upgrades and repairs. If

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 214 | 0 | 16.7 |

| | |
|---|---|
| ☐ **Sensitive** | ☐ **CCI** |
| ☑ **Multi-Modal** | ☐ **Rotational** |
| ☑ **Associated TAMCNs (See Appendix)** | |
| ☐ **Sensitive Associated TAMCNs (see Appendix)** | |

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0005: TRK, ARMORED, 7T, EXTRA LONG WHEELBASE, W/O WINCH (AMK27)

The AMK27 is the MK27/MK27A1 with non-reducible MAS installed. The AMK27A1 is the MK27/MK27A1 with reducible MAS installed. The AMK27A1 also features an extra long wheel base. Reducible MAS is reducible to a height of 98 in, and was designed to meet the height restrictions aboard naval ships. The MAS kits are designed for the 7-ton MTVR. The kits provide complete 360-degree protection as well as overhead and underbody protection for the crew compartment.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 593 | 0 | 133 | 127 | 65 | 0 | 74 | 12 | 0 | 5 | 112 | 37 |
| AAO (FY17) | 570 | | 115 | 105 | 68 | 23 | 84 | 12 | 0 | 5 | 112 | 41 |
| O/H | 509 | 55 | 41 | 76 | 53 | 21 | 0 | 16 | 0 | 104 | 120 | 10 |
| Shortfall/Excess | -84 | 55 | -92 | -51 | -12 | 21 | -74 | 4 | 0 | 99 | 8 | -27 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015305678 | 29 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 29 | 0 |
| 2320015305681 | 5 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 5 | 0 |
| 2320015519434 | 8 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 8 | 0 |
| 2320015522762 | 13 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 13 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, although potentially uneconomical to R2, asset should be retrograded. A Distribution Study is currently underway to reflect changes in the AAO based on the MLG Reorganization and the initial results indicate we have a deficiency in lift capability. These are the prime movers for enhanced cargo lift capability, specially outfitted with armor for expeditionary combat logistics operations, and are essential for future expeditionary ops. There is no procurement funding to purchase more or to outfit non-armored trucks with armor and ancillary systems necessary for combat operations. If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 262 | 0 | 17.9 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0006: MTVR, TRK ARMD, XLWB CARGO, 7T W/W NON REDUCIBLE, AMK28

The AMK28 is the MK28/MK28A1 with non-reducible MAS installed; additionally, the AMK28 has a winch and an extra long wheel base. The AMK28A1 is the MK28/MK28A1 with reducible MAS installed, a winch and an extra long wheel base. Reducible MAS is reducible to a height of 98 in, and was designed to meet the height restrictions aboard naval ships. The MAS kits are designed for the 7-ton MTVR. The kits provide complete 360-degree protection as well as overhead and underbody protection for the crew compartment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015534118 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 279 | 0 | 18.4 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0007: MTVR, TRK DUMP, ARMD, 7T, W/O WINCH, AMK29

The AMK29 is MK29/MK29A1 with non-reducible MAS installed. The AMK29A1 is MK29/MK29A1 with reducible MAS installed. Reducible MAS is reducible to a height of 98 in, and was designed to meet the height restrictions aboard naval ships. The MAS kits are designed for the 7-ton MTVR. The kits provide complete 360-degree protection as well as overhead and underbody protection for the crew compartment.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 207 | 0 | 41 | 39 | 35 | 0 | 34 | 0 | 0 | 3 | 44 | 8 |
| AAO (FY17) | 213 | | 42 | 40 | 35 | 0 | 40 | 0 | 0 | 3 | 44 | 6 |
| O/H | 288 | 14 | 29 | 41 | 36 | 0 | 2 | 0 | 0 | 63 | 95 | 5 |
| Shortfall/Excess | 81 | 14 | -12 | 2 | 1 | 0 | -32 | 0 | 0 | 60 | 51 | -3 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015305684 | 5 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 5 | 0 |
| 2320015305685 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2320015520250 | 7 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | Yes Other | Yes | yes | No | Yes | No | 0 | 7 | 0 |
| 2320015520269 | 2 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | Yes Other | Yes | yes | No | Yes | No | 0 | 2 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, although potentially uneconomical/surplus, asset should be retrograded. A Distribution Study is currently underway to reflect changes in the AAO based on the MLG Reorganization and the initial results indicate we have a deficiency in lift capability. These are critical items that are no longer in production and there is no funding to replace shortfalls.If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 215 | 0 | 16 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 215 | 0 | 16 |

| | |
|---|---|
| ☐ **Sensitive** | ☐ **CCI** |
| ☐ **Multi-Modal** | ☐ **Rotational** |
| ☑ **Associated TAMCNs (See Appendix)** | |
| ☐ **Sensitive Associated TAMCNs (see Appendix)** | |

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0009: TRUCK TRACTOR

The MK31A1, 7-ton tractor variant, replaces the M818, M931 and the M931A1 5-ton tractor series. This vehicle is equipped with all wheel steering and a sliding 5th wheel. The MK31A1 was procured as the prime mover for the MK970 5,000 gallon refueler. MK31A1 is referred to as "ready to accept armor" (RTAA). This model has upgraded cab mounts, armored flooring, upgraded suspension, and air conditioning.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 103 | 0 | 32 | 32 | 11 | 0 | 19 | 0 | 0 | 1 | 0 | 8 |
| AAO (FY17) | 85 | | 24 | 23 | 12 | 0 | 19 | 0 | 0 | 1 | 0 | 6 |
| O/H | 208 | 4 | 51 | 41 | 23 | 0 | 28 | 0 | 0 | 39 | 0 | 15 |
| Shortfall/Excess | 105 | 4 | 19 | 9 | 12 | 0 | 9 | 0 | 0 | 38 | 0 | 7 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015305693 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2320015311975 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | EDA | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2320015520403 | 4 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 4 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. A Distribution Study is currently underway to reflect changes in the AAO based on the MLG Reorganization and the initial results indicate we have a deficiency in lift capability. These are critical items that are no longer in production and there is no funding to replace shortfalls.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 202 | 0 | 13.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0011: CARRIER, TROOP, ARMORED, MTVR (ARMADILLO)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 666 | 0 | 123 | 114 | 67 | 0 | 78 | 76 | 0 | 5 | 130 | 30 |
| AAO (FY17) | 593 | | 89 | 90 | 61 | 13 | 78 | 76 | 0 | 5 | 130 | 21 |
| O/H | 564 | 19 | 120 | 121 | 36 | 4 | 0 | 27 | 0 | 167 | 10 | 30 |
| Shortfall/Excess | -102 | 19 | -3 | 7 | -31 | 4 | -78 | -49 | 0 | 162 | -120 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2510015352385 | 5 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 5 | 0 |
| 2510015380714 | 14 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 14 | 0 |

**Notes**: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 720 | 2.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0013: TRK TRACTOR, ARMD, 7T, 5TH WHEEL, NONREDUCIBLE, AMK31

The AMK31 is MK31/MK31A1 with non-reducible MAS installed. The AMK31A1 is MK31A1 with reducible MAS installed. Reducible MAS is reducible to a height of 98 in, and was designed to meet the height restrictions aboard naval ships. The MAS kits are designed for the 7-ton MTVR. The kits provide complete 360-degree protection as well as overhead and underbody protection for the crew compartment.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 262 | 0 | 44 | 44 | 36 | 0 | 50 | 7 | 0 | 3 | 55 | 18 |
| AAO (FY17) | 273 | | 59 | 42 | 34 | 0 | 54 | 7 | 0 | 3 | 55 | 14 |
| O/H | 287 | 17 | 43 | 40 | 18 | 0 | 20 | 14 | 0 | 41 | 61 | 18 |
| Shortfall/Excess | 25 | 17 | -1 | -4 | -18 | 0 | -30 | 7 | 0 | 38 | 6 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015305687 | 5 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 5 | 0 |
| 2320015520282 | 12 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 12 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, although potentially uneconomical/surplus, asset should be retrograded. A Distribution Study is currently underway to reflect changes in the AAO based on the MLG Reorganization and the initial results indicate we have a deficiency in lift capability. These are critical items that are no longer in production and there is no funding to replace shortfalls.If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 201 | 0 | 15.3 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0015: MTVR, TRK WRECKER, ARMD, 7T W/W, NON-REDUCIBLE, AMK36

The AMK36 is an MK36 with MAS kits installed. The MAS kits are designed for the 7-ton MTVR. The kits provide complete 360-degree protection as well as overhead and underbody protection for the crew compartment.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 323 | 0 | 67 | 57 | 39 | 0 | 53 | 19 | 0 | 3 | 66 | 13 |
| AAO (FY17) | 340 | | 75 | 70 | 33 | 0 | 55 | 19 | 0 | 3 | 66 | 13 |
| O/H | 348 | 12 | 60 | 51 | 34 | 2 | 52 | 22 | 0 | 38 | 63 | 4 |
| Shortfall/Excess | 25 | 12 | -7 | -6 | -5 | 2 | -1 | 3 | 0 | 35 | -3 | -9 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320014652300 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 2320015305691 | 10 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 10 | 0 |
| 2320015520268 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 2355015535400 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 2355015902719 | 2 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | no | No | No | No | 0 | 2 | 0 |

**Notes**: NSN 2719 is the MRV variant, specifically designed for MRAP recovery. The MRV will be transferred to the Army in Afghanistan and will not retrograde to CONUS. NSN 5691 will retrograde to MCLC for reset.If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 264 | 0 | 24.4 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0016: TRLR, CARGO

The M1102H is a single axle, two wheel, aluminum frame trailer designed to be towed by the HMMWV. The body is equipped with a tailgate and mounting brackets for cargo racks and a frame for a tarpaulin cover. A steel A-frame is bolted to the frame with an attached one -position lunette, landing gear and two hand brake levers. The M1102H is designed to operate on all types of roads, cross-country terrain and in all weather conditions. There are no restrictions on the M1102H for movement over primary and secondary roads; however, it is restricted to a maximum speed of 20-mph cross-country.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,639 | 0 | 731 | 603 | 368 | 0 | 520 | 74 | 0 | 0 | 200 | 56 |
| AAO (FY17) | 2,485 | | 674 | 539 | 359 | 76 | 504 | 66 | 0 | 0 | 200 | 56 |
| O/H | 3,815 | 0 | 955 | 744 | 409 | 77 | 391 | 78 | 0 | 930 | 130 | 56 |
| Shortfall/Excess | 1,176 | 0 | 224 | 141 | 41 | 77 | -129 | 4 | 0 | 930 | -70 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330013875426 | 0 | 25% | 0% | 0% | 75% | 0% | 0% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 82 | 0 | 0.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# D0017 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0017: LIGHT TACTICAL TRAILER, MARINE CORPS CHASSIS (LTT-MCC)

The M1102 LTT-MCC is a single axle, two wheeled chassis trailer, designed to meet the needs of the USMC. It is equipped with a solid flat bed with pre-drilled holes designed to secure various pieces of power generation, lighting, environmental control units, and general-purpose equipment. The M1102 LTTMCC is designed to be towed behind the HMMWV on all types of roads, cross-country terrain, and in all weather conditions.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,123 | 0 | 499 | 444 | 284 | 0 | 400 | 54 | 0 | 0 | 328 | 92 |
| AAO (FY17) | 2,065 | | 443 | 423 | 300 | 22 | 387 | 54 | 0 | 0 | 328 | 108 |
| O/H | 2,767 | 0 | 586 | 577 | 452 | 21 | 167 | 87 | 0 | 452 | 307 | 108 |
| Shortfall/Excess | 644 | 0 | 87 | 133 | 168 | 21 | -233 | 33 | 0 | 452 | -21 | 16 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330015435794 | 0 | 25% | 0% | 0% | 75% | 0% | 0% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 82 | 0 | 0.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# D0022 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0022: TRUCK UTILITY

The M1152 is a 2-door vehicle designed to replace the M1037/M1042 and M1097A2 variants. The M1152 can be configured as a cargo/troop carrier or as a shelter carrier. The M1152 is an un-armored HMMWV.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 1,827 | 0 |
| AAO (FY17) | 1,778 | |
| O/H | 3,138 | 0 |
| Shortfall/Excess | 1,311 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 530 | 463 | 273 | 0 | 353 | 134 | 0 | 26 | 0 | 29 |
| 496 | 447 | 275 | 19 | 353 | 133 | 0 | 26 | 0 | 29 |
| 835 | 708 | 262 | 46 | 425 | 299 | 0 | 524 | 10 | 1 |
| 305 | 245 | -11 | 46 | 72 | 165 | 0 | 498 | 10 | -28 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015187332 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2320015402007 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 122 | 0 | 4.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0023: MINE RESISTANT AMBUSH PROTECTED (MRAP), AMBULANCE

The Cougar HEV is a versatile, diesel powered, pneumatic tired, heavily armored, multi-purpose vehicle that is urgently needed by Explosive Ordnance Disposal teams deployed in support of Operation Enduring Freedom and Operation Iraqi Freedom (OIF) to increase their survivability against Improvised Explosive Devices (IED). The Cougar HEV has adequate armor protection and possesses the capability to carry all required EOD equipment. The Cougar HEVs are also required for contingency operations in support of the Global War on Terrorism by Engineer Mine Clearing teams against IEDs.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 15 | 13 |
| AAO (FY17) | 15 | |
| O/H | 17 | 0 |
| Shortfall/Excess | 2 | -13 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 13 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 13 | 0 | 0 | 0 |
| 0 | 2 | 0 | 0 | 0 | 0 | 0 | 13 | 0 | 0 |
| 0 | 2 | 0 | 0 | 0 | 0 | -13 | 13 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355015626152 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | YES | NO | EDA | Yes | no | Yes | No | Yes | 0 | 0 | 0 |
| 2355015831029 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | EDA | Yes | yes | Yes | i/p | Yes | 0 | 0 | 0 |

**Notes**: Per MROC DM 10-2014, Marine Corps established MRAP enduring requirement of 2,510. All MRAPs remaining in OEF, with exception of designated inter-service transfers, will retrograde to CONUS. By serial number list of ER MRAPs is provided in this playbook for reference. This item has an organic depot strategy. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. NSN ending in 6152 is obsolete. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 215 | 0 | 20 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 100% | 0% |

# D0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0025: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT I

The Cougar Hardened Engineer Vehicle (HEV) 4x4 is a member of the Mine Resistant Ambush Protected (MRAP) Family of Vehicles (FOV) which is capable of transporting personnel and cargo within the current theater of operations. All weather and rugged off road capability. It enables forces to survive when engaged, maintain battle space awareness and retain flexibility to accomplish a variety of missions, to include EOD, combat engineer, convoy escort/security, direct Close Air Support (CAS), medical support, troop/cargo transport, reconnaissance and mobile command and control.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 401 | 163 |
| AAO (FY17) | 398 | |
| O/H | 1,102 | 161 |
| Shortfall/Excess | 701 | -2 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 25 | 25 | 16 | 0 | 0 | 17 | 163 | 0 | 18 | 9 |
| 31 | 30 | 2 | 0 | 0 | 17 | 163 | 0 | 18 | 9 |
| 19 | 18 | 13 | 0 | 0 | 79 | 0 | 682 | 0 | 0 |
| -6 | -7 | -3 | 0 | 0 | 62 | -163 | 682 | -18 | -9 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355015198173 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | no | No | No | No | 0 | 0 | 0 |
| 2355015322174 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | yes | Yes | No | Yes | 0 | 0 | 0 |
| 2355015525565 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | EDA | Yes | yes | Yes | Yes | Yes | 0 | 0 | 0 |
| 2355015643420 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2355015672879 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 0 |
| 2355015798929 | 21 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | yes | Yes | Yes | Yes | 0 | 21 | 0 |
| 2355015812392 | 140 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | EDA | Yes | yes | Yes | Yes | Yes | 0 | 140 | 0 |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 174 | 0 | 16 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 100% | 0% |

**Notes**: Per MROC DM 10-2014, Marine Corps established MRAP enduring requirement of 2,510. All MRAPs remaining in OEF, with exception of designated inter-service transfers, will retrograde to CONUS. By serial number list of ER MRAPs is provided in this playbook for reference. All JERRVs or HEVs are considered obsolete. They should be sent to MCLC for further disposition. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 174 | 0 | 16 |

- ☑ **Sensitive**
- ☑ **CCI**
- ☑ **Multi-Modal**
- ☐ **Rotational**
- ☑ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 100% | 0% |

# D0027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0027: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT II

The Cougar HEV 6x6 is a member of the Mine Resistant Ambush Protected (MRAP) Family of Vehicles (FOV) which is capable of transporting personnel and cargo within the current theater of operations. Can be employed in all weather and rugged off road conditions. It enables forces to survive when engaged, maintain battle space awareness and retain flexibility to accomplish a variety of missions, to include EOD, combat engineer, convoy escort/security, direct Close Air Support (CAS), medical support, troop/cargo transport, reconnaissance and mobile command and control. As with other MRAP vehicles.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 217 | 205 | 0 | 0 | 0 | 0 | 0 | 1 | 205 | 0 | 0 | 0 |
| AAO (FY17) | 217 | | 0 | 0 | 0 | 0 | 0 | 1 | 205 | 0 | 0 | 0 |
| O/H | 348 | 120 | 32 | 38 | 3 | 0 | 0 | 4 | 0 | 140 | 0 | 0 |
| Shortfall/Excess | 131 | -85 | 32 | 38 | 3 | 0 | 0 | 3 | -205 | 140 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355015198172 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | no | Yes | No | Yes | 0 | 0 | 0 |
| 2355015292246 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | no | No | No | No | 0 | 0 | 0 |
| 2355015525199 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | EDA | Yes | yes | Yes | Yes | Yes | 0 | 0 | 0 |
| 2355015643423 | 1 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | yes | Yes | Yes | Yes | 0 | 1 | 0 |
| 2355015798920 | 19 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | yes | Yes | Yes | Yes | 0 | 19 | 0 |
| 2355015798931 | 100 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | EDA | Yes | yes | Yes | Yes | Yes | 0 | 100 | 0 |
| 2355015811076 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | no | Yes | No | Yes | 0 | 0 | 0 |

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 220 | 0 | 20.6 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 100% | 0% |

**Notes**: Per MROC DM 10-2014, Marine Corps established MRAP enduring requirement of 2,510. All MRAPs remaining in OEF, with exception of designated inter-service transfers, will retrograde to CONUS. By serial number list of ER MRAPs is provided in this playbook for reference. All JERRVs or HEVs are considered obsolete. They should be sent to MCLC for further disposition. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 220 | 0 | 20.6 |

| | |
|---|---|
| ☑ **Sensitive** | ☑ **CCI** |
| ☑ **Multi-Modal** | ☐ **Rotational** |
| ☑ **Associated TAMCNs (See Appendix)** | |
| ☐ **Sensitive Associated TAMCNs (see Appendix)** | |

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 100% | 0% |

# D0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0030: TRUCK, UTIL, EXPANDED CAPACITY ARMT CARRIER, M1151

The M1151A1 provides mounting and firing of the MK19 automatic grenade launcher; M2 Caliber .50 machine gun; M60, 7.62mm machine gun; M240G, 7.62mm machine gun; and M249, 5.56mm Squad Assault (SAW); ring mounted with a 360 degree arc of fire, with armor protection.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 3,453 | 0 | 831 | 760 | 499 | 0 | 750 | 245 | 0 | 80 | 180 | 95 |
| AAO (FY17) | 3,236 | | 747 | 690 | 477 | 13 | 741 | 213 | 0 | 80 | 180 | 95 |
| O/H | 3,961 | 0 | 883 | 880 | 426 | 29 | 650 | 245 | 0 | 555 | 166 | 95 |
| Shortfall/Excess | 508 | 0 | 52 | 120 | -73 | 29 | -100 | 0 | 0 | 475 | -14 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320014133739 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2320015187330 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | YES | NO | EDA | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2320015231316 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2320015402038 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 117 | 0 | 6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0031: TRUCK, UTILITY: EXPANDED CAPACITY, C2/GP VEHICLE

The M1165 Base Model Expanded Capacity Vehicle is an upgrade from the M998/M1038 and the M1123. The M1165 Base Model is a Marine Force Special Operations Command (MARFORSOC) configured armored/unarmored four-door Command Variant Vehicle.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 805 | 11 | 183 | 166 | 88 | 0 | 120 | 46 | 11 | 15 | 0 | 0 |
| AAO (FY17) | 810 | | 196 | 144 | 102 | 176 | 120 | 46 | 11 | 15 | 0 | 0 |
| O/H | 1,450 | 0 | 333 | 301 | 81 | 25 | 164 | 294 | 0 | 238 | 3 | 0 |
| Shortfall/Excess | 645 | -11 | 150 | 135 | -7 | 25 | 44 | 248 | -11 | 223 | 3 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015401993 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2320015402017 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 0 | 0 | 5.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0033: TRUCK, UTILITY: ENHANCED CAPACITY, ENH, ARMOR (M1152A1B2)

The M1152A1can be used as a cargo/troop carrier or as a shelter carrier. As a cargo/troop carrier, it is capable of transporting a two-man crew and eight passengers. As a shelter carrier, it replaces the M1113 and provides the capability to secure and transport the S250 electrical equipment shelter.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,546 | 0 | 400 | 367 | 184 | 0 | 301 | 48 | 0 | 24 | 195 | 27 |
| AAO (FY17) | 1,497 | | 368 | 342 | 198 | 0 | 295 | 48 | 0 | 24 | 195 | 27 |
| O/H | 1,113 | 4 | 299 | 259 | 131 | 5 | 130 | 19 | 0 | 6 | 235 | 15 |
| Shortfall/Excess | -433 | 4 | -101 | -108 | -53 | 5 | -171 | -29 | 0 | -18 | 40 | -12 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015818566 | 4 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 4 | 0 |

**Notes**: All mission capable systems should be shipped to MEFs to fulfill deficiencies as required. All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Currently doing a data plate exchange to reflect new NSN on armoured version. New armored NSN is 2320-01-581-8566.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 117 | 0 | 5.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0034 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0034: TRUCK, UTIL, EXP CAPACITY, C2/GP, ARMORED 4-DOOR (M1165A1B3)

The M1165A1 w/B3 Kit combines the M1097A2 four door body with the M1113 ECV Chassis and is used as a Command and Control/General Purpose Vehicle.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,726 | 0 | 328 | 318 | 185 | 0 | 269 | 146 | 0 | 21 | 386 | 54 |
| AAO (FY17) | 1,599 | | 286 | 281 | 174 | 19 | 239 | 146 | 0 | 21 | 386 | 47 |
| O/H | 1,458 | 0 | 114 | 108 | 78 | 196 | 91 | 68 | 0 | 2 | 775 | 22 |
| Shortfall/Excess | -268 | 0 | -214 | -210 | -107 | 196 | -178 | -78 | 0 | -19 | 389 | -32 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015402017* | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | Yes | No | 0 | 0 | 0 |
| 2320015818787 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: All mission capable systems should be shipped to MEFs to fulfill deficiencies as required. All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Currently doing a data plate exchange to reflect new NSN on armoured version. New armored NSN is 2320-01-581-8787.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 117 | 0 | 5.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0035: TRAILER, PALLETIZED LOADING SYSTEM

The PLS Trailer is designed to carry loads behind the LVSR with minor preparation. The trailer may also be towed behind other USMC heavy tactical trucks. Is used in conjunction with the M1077/MK1077 flatracks. Capable of carrying payloads up to 16.5 tons, is equipped with a flatrack that is interchangeable between truck and trailer. The prime mover truck and trailer form a self-contained system that loads and unloads its cargo without the need for forklifts or other material handling equipment.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 404 | 0 | 141 | 105 | 35 | 0 | 48 | 35 | 0 | 9 | 0 | 26 |
| AAO (FY17) | 321 | | 72 | 57 | 51 | 0 | 48 | 35 | 0 | 9 | 0 | 44 |
| O/H | 657 | 6 | 163 | 146 | 75 | 0 | 32 | 37 | 0 | 148 | 0 | 26 |
| Shortfall/Excess | 253 | 6 | 22 | 41 | 40 | 0 | -16 | 2 | 0 | 139 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330013035197 | 6 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 6 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, although potentially uneconomical/surplus, asset should be retrograded. The AAO shown is inaccurate. The PLS Trailer requirement is 670 and this is a critical, low density item that needs to be retained.No special Agriculture wash down instruction apply. Apply standard local SOP.Coordinating with Army to use their Depot. Send WIR to LOGCOM Albany, GA for disposition instructions.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0036: MATV

The primary mission of the M-ATV is to provide protected ground mobility. The MATV is capable of operating in a threat environment involving ambushes employing the use of mines, Improvised Explosive Devices, Rocket Propelled Grenades, Explosively Formed Penetrators, and Small Arms Fire. The M-ATV was designed to enhance the effectiveness of ground combat forces with a focus on stability operations against unconventional enemy forces engaged in irregular warfare on a non-linear battlefield.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 490 | 198 | 10 | 10 | 10 | 0 | 0 | 1 | 198 | 0 | 0 | 0 |
| AAO (FY17) | 490 | | 10 | 10 | 10 | 0 | 0 | 1 | 198 | 0 | 0 | 0 |
| O/H | 722 | 47 | 54 | 43 | 28 | 2 | 0 | 64 | 0 | 251 | 0 | 0 |
| Shortfall/Excess | 232 | -151 | 44 | 33 | 18 | 2 | 0 | 63 | -198 | 251 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355015759632 | 3 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | yes | Yes | Yes | Yes | 0 | 3 | 0 |
| 2355015961330 | 44 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | EDA | Yes | yes | Yes | Yes | Yes | 0 | 44 | 0 |

**Notes**: Per MROC DM 10-2014, Marine Corps established MRAP enduring requirement of 2,510. All MRAPs remaining in OEF, with exception of designated inter-service transfers, will retrograde to CONUS. By serial number list of ER MRAPs is provided in this playbook for reference. Use a high pressure washer for cleaning exterior of engine, capsule and body. Rinse with hot water, if available. An ordinary garden hose, with nozzle, may be used if other equipment is not available. Ensure a complete rinsing. Do not allow a stream of water to contact Dash, Dashboard Components and other Electrical connections. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 0 | 0 | 12.3 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 100% | 0% |

# D0039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0039: KIT,M-ATV SPECIAL T

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 1 | 0 |
| AAO (FY17) | 1 | |
| O/H | 14 | 1 |
| Shortfall/Excess | 13 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 1 | 0 | 2 | 1 | 0 | 4 | 0 | 5 | 0 | 0 |
| 1 | 0 | 2 | 1 | 0 | 3 | 0 | 5 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2540015883500 | 1 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 1 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Based on MROC DM 10-2014 of 15 Apr 14, changes in MRAP Enduring Requirement increased; this TAMCN AAO needs to be revisited to determine if change in ER has resulted in an increase in AAO for these toolkits. Recommend revisit AAO for these two items with CD&I in view of MROC directed MRAP ER change.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# D0040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0040: MINE RESISTANT VEHICLE

The SABER system with TOW missiles are a proven highly accurate and effective weapon with a very low collateral damage against point targets at distances longer (3,750m max effective range) than the enemy can effectively engage friendly forces with direct fire weapons. The ability to employ the SABER TOW missile system from an MRAP CAT I or II Independent Suspension System (ISS) equipped MRAPs allows Commanders to provide greater protection for their gun crews and engage the enemy with a precision, low collateral damage weapon system at long ranges.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 24 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 19 | 0 | 0 | 0 |
| AAO (FY17) | 24 | | 0 | 0 | 0 | 0 | 0 | 0 | 19 | 0 | 0 | 0 |
| O/H | 53 | 5 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 37 | 0 | 0 |
| Shortfall/Excess | 29 | -14 | 0 | 0 | 0 | 0 | 0 | 6 | -19 | 37 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355015891279 | 5 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | EDA | Yes | yes | Yes | i/p | Yes | 0 | 5 | 0 |

**Notes**: Per MROC DM 10-2014, Marine Corps established MRAP enduring requirement of 2,510. All MRAPs remaining in OEF, with exception of designated inter-service transfers, will retrograde to CONUS. By serial number list of ER MRAPs is provided in this playbook for reference. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 100% | 0% |

# D0052 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0052: TRUCK,CARGO, ARMORED

The LVSR Cargo Variant (AMKR-18) replaces the LVS MK18/14 capability. LVSR is a self-loading cargo hauler which transports standardized containers; bulk, break-bulk, palletized cargo, and bridging equipment. The LVSR fulfills the role as the logistics distribution system with the primary mission of the LVSR is to provide bulk transport for the MAGTF.

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 296 | 45 | 18 | 15 | 12 | 0 | 1 | 30 | 0 | 83 | 92 | 0 |
| Shortfall/Excess | 296 | 45 | 18 | 15 | 12 | 0 | 1 | 30 | 0 | 83 | 92 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015927347 | 45 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 45 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 290 | 0 | 26.5 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0053: TRUCK,TRACTOR LVSR, ARMORED

The LVSR tractor will replace the MK48/16 and corresponding A1 models. The MKR16 tractor is a 10 x 10 truck designed for use on improved roads and highways and is capable of towing the M870 Series Semi Trailers over improved gravel roads with a 100,000 lbs. payload on the trailer. All vehicles are equipped with tie-down and lifting provisions, and a pintle hook used for towing trailers up to 53,000 pounds of gross trailer weight. The tractor is equipped with 60,000 lbs. self-recovery winch to winch equipment onto the trailer.

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 51 | 21 | 5 | 7 | 2 | 0 | 0 | 0 | 0 | 1 | 15 | 0 |
| Shortfall/Excess | 51 | 21 | 5 | 7 | 2 | 0 | 0 | 0 | 0 | 1 | 15 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015927353 | 21 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 21 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 278 | 0 | 20.8 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0054 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0054: Truck Wrecker 10X10 LVSR, ARMORED

The MKR15 wrecker is a 10 x 10 truck designed for use on improved roads, highways, and cross-country terrain. The wrecker is designed to operate in a full range of environmental conditions. Each cab has armor incorporated into the cab floor to provide protection from mine blast. Each LVSR variant incorporates a 600-horsepower diesel engine, a seven speed automatic transmission, single-speed transfer case, front tandem steering and driving axles, and rear tridem driving axles of which the two rear most axles steer, 16R20 single radial tires on all axles, and a CTIS.

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 46 | 12 | 6 | 5 | 5 | 0 | 0 | 4 | 0 | 9 | 5 | 0 |
| Shortfall/Excess | 46 | 12 | 6 | 5 | 5 | 0 | 0 | 4 | 0 | 9 | 5 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015939122 | 12 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 12 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 306 | 0 | 33.9 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0080: CHASSIS, TRLR, GP, 3 1/2T, 2-WHL

The M353 is a single axle, 2-wheel, heavy-duty chassis designed to be towed by 5-ton trucks or MTVRs. It is designed to haul general payloads of up to 7,000 pounds. Has a raised A-frame bolted in the front of the chassis with an attached lunette, safety chains, lifting shackles and bars for handling. Frame has steel wheel covers and two hand brake levers mounted forward of the wheels beside the swivel caster landing gears. Two rubber tires mounted on retractable landing gears located on the front corners. Maximum towing speed for the M353 is 50-mph on highways and 25-mph cross-country.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,688 | 0 | 446 | 425 | 199 | 0 | 251 | 39 | 0 | 56 | 224 | 33 |
| AAO (FY17) | 1,570 | | 340 | 345 | 199 | 0 | 251 | 39 | 0 | 56 | 224 | 101 |
| O/H | 2,180 | 0 | 507 | 456 | 260 | 19 | 214 | 48 | 0 | 354 | 218 | 101 |
| Shortfall/Excess | 492 | 0 | 61 | 31 | 61 | 19 | -37 | 9 | 0 | 298 | -6 | 68 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330005422831 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | i/p | No | 0 | 0 | 0 |

**Notes**: Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 125 | 0 | 1.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# D0085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0085: CHASSIS, TRLR, 3/4T, 2-WHL (Many Variants)

The M116A2 and M116A3 trailers are single axle, 2-wheeled, general-purpose chassis designed to be towed by the HMMWV. They are constructed to transport electric power generators but can be configured to haul other items adding different beds to the chassis. The M116A3 utilizes the HMMWV radial run flat wheel and tire assemblies. The M116A3 consists of a steel A-frame draw bar bolted to the frame with an attached one-position lunette, landing gear and two hand brake levers. It is designed to operate on primary and secondary roads at a maximum speed of 50-mph and cross-country at a maximum speed of 30-mph.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 303 | 0 | 93 | 45 | 25 | 0 | 77 | 7 | 0 | 39 | 14 | 2 |
| Shortfall/Excess | 303 | 0 | 93 | 45 | 25 | 0 | 77 | 7 | 0 | 39 | 14 | 2 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330011018434 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | Yes | No | 0 | 0 | 0 |
| 2330013590080 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | Yes | No | 0 | 0 | 0 |
| 2330014731623 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | Yes | No | 0 | 0 | 0 |

**Notes**: Obsolete trailer - a candidate for FMS. No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 86 | 0 | 0.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# D0187 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0187: TRUCK,UTILITY

The M1097A2, Heavy HMMWV will replace the M1037, M1042, M1097 and M1097A1 heavy shelter variants. It is designed to carry heavy electronic systems or weapons platforms. This variant may be configured to act as a command post shelter from which battlefield traffic may be monitored and a communication center from which personnel may monitor incoming and outgoing radio and telecommunication traffic during operations. The M1097A2 may also be configured as a troop carrier.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 517 | 0 | 107 | 73 | 50 | 0 | 40 | 5 | 0 | 225 | 13 | 0 |
| Shortfall/Excess | 517 | 0 | 107 | 73 | 50 | 0 | 40 | 5 | 0 | 225 | 13 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320013469317 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 2320013808604 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: All mission capable systems M1097A2s, D0187, should be returned to Depot for program platforms and FMS sales. No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 120 | 0 | 3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# D0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0195: LOAD SYSTEM, PALLETIZED, (PLS) FLATRACK

The PLS Flatrack Model M1077/MK1077 is a 20-foot long by 8-foot wide welded steel flat cargo body with a front wall equipped with a lifting point. The flatrack is equipped with ISO locks, sideboard kits and tie down fasteners. A fully loaded flatrack can be self-loaded and self offload by an LVS MK18A1 without the aid of additional material handling equipment and by an LVS MK18 equipped with container lifting and loading chains. There is no hydraulic air or electrical connections or equipment on the flatrack.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 95 | 95 | 0 | 0 | 0 | 0 | 0 | 0 | 95 | 0 | 0 | 0 |
| AAO (FY17) | 36 | | 0 | 0 | 0 | 0 | 0 | 0 | 36 | 0 | 0 | 0 |
| O/H | 1,481 | 33 | 493 | 371 | 135 | 5 | 49 | 112 | 0 | 0 | 194 | 39 |
| Shortfall/Excess | 1,386 | -62 | 493 | 371 | 135 | 5 | 49 | 112 | -95 | 0 | 194 | 39 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3990013077676 | 17 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 8 | 8 |
| 3990015371045 | 16 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 8 | 8 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The AAO shown is inaccurate. This item is associated to both the LVSR Cargo Variant and to the PLS Trailer, with a requirement of over 2,000 Flatracks. This is a critical, low density item that needs to be retained.Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with Flatrack. No special Agriculture wash down instruction apply. Apply standard local SOP. No repair beyond Field Level Maintenance.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 166 | 0 | 2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# D0201 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0201: MULTI-FUEL MOTORCYCLE

The M1030B1 Motorcycle is a two-wheeled, gasoline powered, dual purpose on and off road utility vehicle. The motorcycle is a commercially available Kawasaki KRL 650 modified for military use by Hayes Diversified Technologies. The M1030B1 will be employed in garrison and field environments and is designed to perform in all weather conditions (except snow and ice).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 12 | 4 |
| Shortfall/Excess | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 12 | 4 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2340014652533 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 2340015309371 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Return all mission capable vehicles to LOGCOM. All BII should remain with MILMO. No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 95 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# D0209 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0209: POWER UNIT, FRONT, 12 1/2T, 4X4, LVS ARMORED

The MK48/MK48A1 and their RBUs form the LVS. Used primarily by combat service support motor transport units to haul supplies in large quantities, the MK48/MK48A1 is an all metal, fully enclosed, 4x4 tactical front power unit with a crew of two. Improvements to the MK48A1 variant include a revised battery box and cover, a modified air intake cover, and added handles and steps to the top of the power unit. The low profile, cab-forward configuration of the MK48/48A1 permits loading aboard military aircraft with no preparation when coupled to any of the driven RBU.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 96 | 0 | 0 | 0 | 0 | 0 | 37 | 0 | 0 | 14 | 20 | 24 |
| Shortfall/Excess | 96 | 0 | 0 | 0 | 0 | 0 | 37 | 0 | 0 | 14 | 20 | 24 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320011775167 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 2320014173180 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 2320015797851 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: No special Agriculture wash down instruction apply. Apply standard local SOP.Being Replaced by LVSR MKR15, MKR16, MKR18. Will require a D0209 FPU for each D0877 and D0878 RBU being sent back. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 159 | 0 | 12.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# D0215 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0215: TRLR SEMI 5000GL REFUELER, MK970 (ARMORED PACKAGE)

The M970, 5,000-gallon mobile refueler (USMC TAMCN D0215) provides aircraft refueling/defueling and over-the-road transportation of bulk fuel. It is assigned to both the aviation combat element (ACE) and the Marine Logistics Group (Logistics Combat Element (LCE). Within the ACE, the M970 is organic to the MWSS and is used primarily to refuel aircraft. Within the LCE, the M970 is organic to the motor transport battalion and is assigned to LCE motor transport and/or engineer detachments. The LCE uses the M970 to transport bulk fuel between storage sites or directly to the customer.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 373 | 0 | 75 | 75 | 56 | 0 | 64 | 6 | 0 | 14 | 55 | 26 |
| AAO (FY17) | 307 | | 46 | 44 | 56 | 0 | 64 | 6 | 0 | 14 | 55 | 20 |
| O/H | 415 | 12 | 74 | 75 | 28 | 0 | 21 | 12 | 0 | 78 | 60 | 26 |
| Shortfall/Excess | 42 | 12 | -1 | 0 | -28 | 0 | -43 | 6 | 0 | 64 | 5 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330010505635 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |
| 2330015378217 | 6 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 6 | 0 |
| 2330015593657 | 6 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 6 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. A Distribution Study is currently underway to reflect changes in the AAO based on the MLG Reorganization and the initial results indicate we have a deficiency in lift capability. These are critical, low density items, and are still needed for expeditionary operations. There are no funds to procure more or open production lines to procure additional assets.All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 246 | 0 | 7.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0235 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0235: SEMI-TRLR, LOWBED, 40T

The M870A2-S is three axle Medium Heavy Equipment Transporter (MHET) that is replacing the M870A2 and is designed to haul a payload of 80,000 lbs. (40-ton) in conjunction with an LVS MK48/MK16 fifth wheel truck tractor, or LVSR tractor.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 320 | 0 | 70 | 68 | 53 | 0 | 53 | 10 | 0 | 17 | 31 | 14 |
| AAO (FY17) | 313 | | 66 | 66 | 50 | 1 | 55 | 10 | 0 | 17 | 31 | 14 |
| O/H | 379 | 17 | 68 | 74 | 34 | 2 | 44 | 12 | 0 | 82 | 31 | 5 |
| Shortfall/Excess | 59 | 17 | -2 | 6 | -19 | 2 | -9 | 2 | 0 | 65 | 0 | -9 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330014424975 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2330015344570 | 17 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 17 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, although potentially uneconomical and surplus, asset should be retrograded. A Distribution Study is currently underway to reflect changes in the AAO based on the MLG Reorganization and the initial results indicate we have a deficiency in lift capability. These are critical, low density items, and are still needed for expeditionary operations. There are no funds to procure more or open production lines to procure additional assets.NSN 2330015344570 - Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with trailer. NSN 2330014424975 - Return all non mission capable trailers to LOGCOM for system upgrade. All Basic Issue Items. No special Agriculture wash down instruction apply. Apply standard local SOP. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 331 | 0 | 9.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0850 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0850: TRLR, CARGO

The M101A3 is a single axle, two wheel, steel frame trailer designed to be towed by the HMMWV. It isused to transport general cargo. A welded steel body is bolted to the frame. The body is equipped with atailgate and mounting brackets for cargo racks and a frame for a tarpaulin cover. A steel A-frame is boltedto the frame with an attached one -position lunette, landing gear and two hand brake levers. The M101A3is designed to operate on all types of roads, cross-country terrain and in all weather conditions. There areno restrictions on the M101A3 for movement over primary and secondary roads; however, it is restricted toa maximum speed of 15-mph cross-country when towed by the M998/M1123 series trucks or other

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 198 | 0 | 42 | 12 | 11 | 0 | 54 | 5 | 0 | 74 | 0 | 0 |
| Shortfall/Excess | 198 | 0 | 42 | 12 | 11 | 0 | 54 | 5 | 0 | 74 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330008986779 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 2330013725641 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: No special Agriculture wash down instruction apply. Apply standard local SOP. FMS candidate.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 75 | 0 | 0.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# D0860 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0860: TRLR, CARGO, 1 1/2T, 2-WHL

The M105A2 is a 2-wheel, single axle trailer with a leaf-spring suspension designed to be towed by 5-ton trucks and MTVRs. It has a welded box cargo body mounted on a welded steel frame. The frame includes an integral A-frame with a towing lunette and retractable landing gear to support the front of the trailer when uncoupled from its prime mover. The M105A2 has a manually operated parking brake, 24-volt electrical system and automatic emergency braking system in case the trailer breaks away from the prime mover. The cargo body includes a tailgate, removable wooden side extensions and a tarpaulin.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,668 | 0 | 653 | 502 | 359 | 0 | 554 | 109 | 0 | 14 | 396 | 76 |
| AAO (FY17) | 2,427 | | 536 | 466 | 328 | 0 | 513 | 109 | 0 | 14 | 396 | 60 |
| O/H | 1,964 | 5 | 493 | 430 | 255 | 19 | 254 | 88 | 0 | 86 | 314 | 3 |
| Shortfall/Excess | -704 | 5 | -160 | -72 | -104 | 19 | -300 | -21 | 0 | 72 | -82 | -73 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330001418050 | 5 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 5 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, this asset is uneconomical to retrograde/reset. Dispose of asset in Afghanistan. Light trailers are not subject to reset as it is not economically feasible to do so. Likewise it is not economically feasible to bring light trailers back from in theater. It would be cheaper to buy new then ship back to CONUS. All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP. Item to be replaced in FY 12.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 95 | 0 | 1.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0861 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0861: TRLR, CARGO, RESUPPLY F/HIMARS

HIMARS is a transformational 24 hour, ground-based, responsive General Support / General Support-Reinforcing (GS/GSR) precision indirect fire support system which accurately engage targets at long ranges (60+ Km) with high volumes of lethal fire under all weather conditions throughout all phases of combat operations ashore. HIMARS is C-130 and amphibious transportable and with precision fires, supports both irregular and traditional warfare. One HIMARS system is defined as one launcher, two re-supply vehicles / trailers and munitions.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 94 | 6 |
| AAO (FY17) | 82 | |
| O/H | 81 | 3 |
| Shortfall/Excess | -13 | -3 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 48 | 0 | 0 | 0 | 36 | 4 | 6 | 0 | 0 | 0 |
| 36 | 0 | 0 | 0 | 36 | 4 | 6 | 0 | 0 | 0 |
| 36 | 0 | 0 | 0 | 36 | 4 | 0 | 2 | 0 | 0 |
| -12 | 0 | 0 | 0 | 0 | 0 | -6 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330015045014 | 3 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 3 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, although potentially uneconomical to R2, asset shall be retrograded. This is a unique asset associated with employment of HIMARS capability, still required to support HIMARS in future expeditionary operations. On;y excess assets should be disposed of. There are no funds to procure more or open production lines to procure additional assets.No Special Requirements. Must be packed and shipped by owning unit before sending to CONUS.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 0 | 0 | 11 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0876 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0876: TRLR, POWERED, 22 1/2T, CONTAINER HAULER, 4X4

The MK14/14A1 combines with the MK48/48A1 Power Unit (D0209) to form the container hauler variant of the LVS. Is a tandem axle, all metal, rear body unit that couples to the MK48/48A1 to form an integrated, articulated, wheeled vehicle. Primary mission is to transport ISO/ANSI containers from the beach to unit supply points. It is capable of accommodation up to six empty or four full fuel (B2085) or water (B2086) modules and one pump unit from the SIXCON system. The RBU is equipped with a towing pintle for towing trailers, howitzers and an additional MK14/MK14A1 RBU equipped with a tandem tow lunette extension kit.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 39 | 0 | 0 | 0 | 0 | 0 | 18 | 0 | 0 | 2 | 0 | 19 |
| Shortfall/Excess | 39 | 0 | 0 | 0 | 0 | 0 | 18 | 0 | 0 | 2 | 0 | 19 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320011760469 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |
| 2320014175294 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |

**Notes**: No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 160 | 0 | 8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# D0877 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0877: TRLR, POWERED, WRECKER/RECOVERY, 4X4

The MK15/15A1 RBU combines with the MK48/48A1 Front Power uni to form the wrecker/recovery variant of the LVS. The MK15/15A1 is equipped with a MHC used for removing power packs and loading equipment and standardized containers. An auxiliary hydraulic circuit in the vehicle provides power for hydraulic tools and can also be used to supply another RBU with hydraulics. Has an electrically operated hydraulic remote control unit allowing operation of the crane and winch from a distance. Has a remote control stowage unit for the MCH, and a Boom Angle Indicator which displays the angle of the MHC boom during operation.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 134 | 0 |
| AAO (FY17) | 109 | |
| O/H | 10 | 0 |
| Shortfall/Excess | -124 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 35 | 31 | 26 | 0 | 31 | 11 | 0 | 0 | 0 | 0 |
| 30 | 25 | 12 | 0 | 31 | 11 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 5 | 0 |
| -34 | -31 | -26 | 0 | -27 | -11 | 0 | 0 | 5 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320011766928 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |
| 2320014178144 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |

**Notes**: No special Agriculture wash down instruction apply. Apply standard local SOP.LVSR MKR15 will not reach FOC until Q4 FY14. Will require LVS for deficiencies, and use of parts for obsolete items. Each D0877 will require a D0209 FPU IOT be shipped back to CONUS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 160 | 0 | 14.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# D0878 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0878: TRLR, POWERED, 5TH WHL, SEMI-TRLR ADAPTER, 4X4

The MK16/16A1 combines with the MK48/48A1 Power unit to form the fifth wheel semi-trailer variant of the LVS. The MK16/16A1 is used to transport semi-trailers. Also transport towed type full trailers and semitrailers. Has fifth wheel support blocks, which are used to support the fifth wheel when disconnecting from the trailer. A rear winch mounted in front of the fifth wheel is capable of pulling a combat loaded M1 series tank onto a semi-trailer without using the tank's own power. The winch may also be used for recovery of other vehicles; the oscillating fifth wheel can be adjusted for highway and cross-country use.

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 386 | 0 | 81 | 87 | 139 | 0 | 68 | 11 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 236 | | 61 | 55 | 39 | 0 | 70 | 11 | 0 | 0 | 0 | 0 |
| O/H | 41 | 0 | 0 | 0 | 0 | 0 | 20 | 0 | 0 | 0 | 15 | 5 |
| Shortfall/Excess | -345 | 0 | -81 | -87 | -139 | 0 | -48 | -11 | 0 | 0 | 15 | 5 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320011760467 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |
| 2320014175293 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |

**Notes**: No special Agriculture wash down instruction apply. Apply standard local SOP.LVSR MKR16 will not reach FOC until Q4 FY14. Will require LVS for deficiencies, and use of parts for obsolete items. Each D0877 will require a D0209 FPU IOT be shipped back to CONUS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 124 | 0 | 8.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# D0880 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0880: TRLR, TANK, WATER, 400 GAL, 1 1/2T, 2-WHL

The M149A2 transports potable or non-potable water on highways and cross-country terrain. The water tank is constructed of stainless steel with double walls. Two inches of urethane foam is used as insulation between the walls.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,668 | 0 | 373 | 319 | 251 | 0 | 273 | 125 | 0 | 10 | 263 | 48 |
| AAO (FY17) | 1,639 | | 348 | 307 | 229 | 0 | 264 | 125 | 0 | 10 | 263 | 87 |
| O/H | 1,555 | 8 | 339 | 299 | 191 | 17 | 177 | 159 | 0 | 46 | 267 | 14 |
| Shortfall/Excess | -113 | 8 | -34 | -20 | -60 | 17 | -96 | 34 | 0 | 36 | 4 | -34 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330005422039 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | YES | NO | No | No | no | No | Yes | No | 0 | 0 | 0 |
| 2330011087367 | 8 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 8 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, although potentially uneconomical to R2, asset shall be retrograded. These are the USMCs only trailer-mounted mobile water distribution assets. They are critical low density items. There is no production line to procure more and no funding to procure more. Necessary for continued expeditionary operations inthe future. Cannot dispose of any of these assets that are not excess to 188.8K force.All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 100 | 0 | 1.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# D0881 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0881: TRLR, RIBBON BRIDGE MK18A1

The MK18 combines with the MK48/48A1 Power Unit (D0209) to form the ribbon bridge/container transporter variant of the Logistics Vehicle System.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 3 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 3 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320013920293 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | Yes | No | 0 | 0 | 0 |

**Notes**: This TAMCN is obsolete and should be DRMOd or disposed of in theater. No special Agriculture wash down instruction apply. Apply standard local SOP. Possible FMS candidate.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 203 | 0 | 10 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# D0886 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0886: TRK, CARGO 22.5 TON, 10X10, LVSR - MKR18

The LVSR Cargo Variant (AMKR-18) replaces the LVS MK18/14 capability. LVSR is a self-loading cargo hauler which transports standardized containers; bulk, break-bulk, palletized cargo, and bridging equipment. The LVSR fulfills the role as the logistics distribution system with the primary mission of the LVSR is to provide bulk transport for the MAGTF.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 1,486 | 0 |
| AAO (FY17) | 1,530 | |
| O/H | 1,231 | 0 |
| Shortfall/Excess | -255 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 329 | 283 | 188 | 0 | 325 | 88 | 0 | 25 | 195 | 44 |
| 351 | 287 | 206 | 4 | 325 | 88 | 0 | 25 | 195 | 44 |
| 314 | 268 | 127 | 5 | 121 | 191 | 0 | 37 | 102 | 19 |
| -15 | -15 | -61 | 5 | -204 | 103 | 0 | 12 | -93 | -25 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015427628 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, although potentially uneconomical to R2, asset shall be retrograded. No LVSR variants are excess to 188.8K AAO, and production is complete. No procurement funding exists to procure more.FSR required for equipment assessment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 290 | 0 | 26.5 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D0887 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D0887: TRUCK TRACTOR LVSR

The LVSR tractor will replace the MK48/16 and corresponding A1 models. The MKR16 tractor is a 10 x 10 truck designed for use on improved roads and highways and is capable of towing the M870 Series Semi Trailers over improved gravel roads with a 100,000 lbs. payload on the trailer. All vehicles are equipped with tie-down and lifting provisions, and a pintle hook used for towing trailers up to 53,000 pounds of gross trailer weight. The tractor is equipped with 60,000 lbs. self-recovery winch to winch equipment onto the trailer.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 321 | 0 |
| AAO (FY17) | 332 | |
| O/H | 314 | 0 |
| Shortfall/Excess | -7 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 70 | 66 | 45 | 0 | 57 | 20 | 0 | 15 | 30 | 14 |
| 70 | 68 | 52 | 4 | 59 | 20 | 0 | 15 | 30 | 14 |
| 66 | 63 | 50 | 2 | 37 | 46 | 0 | 13 | 17 | 10 |
| -4 | -3 | 5 | 2 | -20 | 26 | 0 | -2 | -13 | -4 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015429941 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: FSR Required for assessment of equipment at MCLC FWD

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 278 | 0 | 20.8 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D1001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D1001: 997 FIELD AMBULANCE

The M997 is capable of transporting up to four litter patients, eight ambulatory patients. The ambulance can be heated, ventilated or air conditioned. For operation in a NBC environment, the M997 is equipped with a Gas-Particulate Filter Unit (GPFU) with heaters capable of supporting up to seven personnel equipped with the M25 series protective masks or M13 series of patient protective masks. The GPFU forces temperature controlled filtered air to the mask face pieces, which increases protection, eases breathing and reduces stress and heat fatigue during extended periods of NBC operation.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 500 | 0 | 114 | 101 | 69 | 0 | 89 | 42 | 0 | 6 | 59 | 13 |
| AAO (FY17) | 488 | | 109 | 96 | 69 | 7 | 87 | 42 | 0 | 6 | 59 | 13 |
| O/H | 534 | 7 | 104 | 103 | 56 | 8 | 74 | 34 | 0 | 78 | 59 | 7 |
| Shortfall/Excess | 34 | 7 | -10 | 2 | -13 | 8 | -15 | -8 | 0 | 72 | 0 | -6 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2310013723934 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | no | No | No | No | 0 | 0 | 1 |
| 2310013808225 | 6 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 6 |

**Notes**: All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Current NSN is 8225, the other is old

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 128 | 0 | 3.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D1059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D1059: TRK, CARGO, 5T, 6X6, W/O WINCH

Medium Lift Cargo Truck.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 0 | 0 |
| Shortfall/Excess | 0 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320000508905 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 0 | 0 | 11.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# D1062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D1062: TRUCK, RTAA, XLWB CARGO, 7 TON, W/O WINCH

The MK27A1 is a 7-ton, 6x6 designed for use on all types of roads, highways and cross-country terrain. It is capable of traversing a 60 percent gradient, a 30 percent side slope up to 15 mph and a 40 percent side slope at 5 mph with its maximum cross country load. The MK27A1 variant is capable of being transported by highway, rail, sea and air. The MK27A1 is the "ready to accept armor (RTAA)" versions of the MK27, which include upgraded cab mounts, armored flooring, upgraded suspension, and air conditioning.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 758 | 17 |
| AAO (FY17) | 729 | |
| O/H | 650 | 0 |
| Shortfall/Excess | -108 | -17 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 188 | 180 | 137 | 0 | 145 | 46 | 17 | 5 | 0 | 36 |
| 186 | 178 | 118 | 4 | 141 | 46 | 30 | 5 | 0 | 21 |
| 178 | 154 | 88 | 2 | 97 | 57 | 0 | 36 | 0 | 32 |
| -10 | -26 | -49 | 2 | -48 | 11 | -17 | 31 | 0 | -4 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320014652182 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: This item does not exits on the EDL and is not deployed in theater. Romeve this item from the reset tasker. This item does not exits on the EDL and is not deployed in theater.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 263 | 0 | 15.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D1063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D1063: TRK, CARGO, RESUPPLY F/HIMARS

HIMARS is a transformational 24 hour, ground-based, responsive General Support / General Support-Reinforcing precision indirect fire support system which accurately engage targets at long ranges (60+ Km) with high volumes of lethal fire under all weather conditions throughout all phases of combat operations ashore. HIMARS is C-130 and amphibious transportable and with precision fires, supports both irregular and traditional warfare. One HIMARS system is defined as one launcher, two re-supply vehicles / trailers and munitions.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 96 | 6 |
| AAO (FY17) | 84 | |
| O/H | 101 | 3 |
| Shortfall/Excess | 5 | -3 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 48 | 0 | 0 | 0 | 36 | 4 | 6 | 2 | 0 | 0 |
| 36 | 0 | 0 | 0 | 36 | 4 | 6 | 2 | 0 | 0 |
| 49 | 0 | 0 | 0 | 36 | 4 | 0 | 9 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | -6 | 7 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015045218 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 2320015640834 | 3 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 3 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Return all Resupply vehicles (RSV). System is no longer in production. HIMARS BN is a low density, high demand unit and needs to be maintained at its full T/E. The unit price in TFSMS is for the old vehicle. The cost for a new RSV, for only 3 systems, would be cost prohibitive.All items should be wash IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 0 | 0 | 20 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D1064 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D1064: TRK, FIRE FIGHTING, AIRCRAFT AND STRUCTURE

Designed for aircraft crash and rescue operations. Used to fight other types of fires such as brush and structural fires. Contains s its own pressure pump and fire fighting equipment. Water, foam and halon are carried in tanks built into the truck body. Water or a combination of water and foam can be used to extinguish a fire. Agents are delivered through the cab mounted roof turret, the bumper turret or the hand line. These can be used alone or at the same time. The halon system uses its own hand line. The truck is fully enclosed, insulated and winterized.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 135 | 0 |
| AAO (FY17) | 127 | |
| O/H | 113 | 5 |
| Shortfall/Excess | -22 | 5 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 32 | 32 | 18 | 0 | 24 | 0 | 0 | 5 | 16 | 8 |
| 28 | 28 | 18 | 0 | 24 | 0 | 0 | 5 | 16 | 8 |
| 16 | 16 | 12 | 0 | 9 | 0 | 0 | 25 | 16 | 1 |
| -16 | -16 | -6 | 0 | -15 | 0 | 0 | 20 | 0 | -7 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4210011379943 | 5 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 5 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, although potentially uneconomical to R2, asset shall be retrograded. P-19A Fire Trucks are essential to expeditionary airbase operations, are critical low density items and are not excess to the AAO. P-19R replacement will not be available until FY17-18 timeframe, and there is no place to procure more P-19A.Return all trailers to LOGCOM for further evaluation. All Basic Issue Items (BII) are to remain with truck.No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 219 | 0 | 16.8 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D1072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D1072: TRUCK,DUMP

This version of the M817 differs from the other in that it is equipped with a 20,000 pound capacity winch located behind the front bumper. The winch feature affects truck length, weight, shipping dimensions and angle of approach.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320000508970 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 2320010478756 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 0 | 0 | 12.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# D1125 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D1125: TRK, UTIL, TOW CARR, W/SA, 2 1/4T, HMMWV (DELETED RFF 1081)

The M1045 is the Tube Launched, Optically-Tracked, Wire-Guided (TOW) missile carrier (with supplemental armor) model of the M998 series of tactical truck designed to provide added ballistic protection to the crew, equipment and ammunition. Designed to carry the M220E2 TOW missile launcher, six TOW missiles and a crew of two. Features a hatch on top of the body and an external mount for the M220E2 TOW launcher. When the VPC cables are connected, traverse is limited to 300 degrees left or right of the vehicle centerline. With the M220E2 installed, elevation is limited to 20 degrees and depression is limited to 10 degrees.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 90 | 0 | 11 | 11 | 0 | 0 | 0 | 13 | 0 | 13 | 38 | 4 |
| AAO (FY17) | 79 | | 11 | 0 | 0 | 0 | 0 | 13 | 0 | 13 | 38 | 4 |
| O/H | 546 | 0 | 22 | 1 | 0 | 0 | 96 | 10 | 0 | 324 | 85 | 8 |
| Shortfall/Excess | 456 | 0 | 11 | -10 | 0 | 0 | 96 | -3 | 0 | 311 | 47 | 4 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320013808229 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 111 | 0 | 3.6 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# D1158 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D1158: TRUCK,UTILITY

The M1123 HMMWV variant replaced the M998 and M1038 variant HMMWVs. The M1123 provides light troop and cargo transportation. Available in two and four person configurations, this model can accept installation of troop seats and other modifications. This variant can be used as the vehicle platform for mobile communication systems as well as other mobile alternate command posts. Marine Armor Kit (MAK) can be installed on M1123, in either two or four door configurations.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,832 | 27 | 472 | 465 | 417 | 0 | 537 | 134 | 27 | 97 | 560 | 67 |
| AAO (FY17) | 2,819 | | 498 | 445 | 416 | 44 | 534 | 119 | 27 | 97 | 560 | 67 |
| O/H | 7,043 | 0 | 1,111 | 870 | 854 | 21 | 631 | 162 | 0 | 2,568 | 391 | 395 |
| Shortfall/Excess | 4,211 | -27 | 639 | 405 | 437 | 21 | 94 | 28 | -27 | 2,471 | -169 | 328 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320014559593 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: To be used as FMS sales. Can be sold in theater or returned to stores. All BII should remain with truck. No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 107 | 0 | 2.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D1161 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D1161: TRUCK, UTILITY: INTERNALLY TRANSPORTABLE VEHICLE, LIGHT STRIKE VARIANT (ITV-

The M1043A2 variant has been produced to replace the M1043 and M1044 variants. The M1043A2 can be armed with the M240G 7.62 mm medium machine gun, M2 .50 caliber, heavy barrel machine gun or the MK19, 40mm, heavy machine gun. These vehicles provide immediate, mobile, suppressive and destructive fires in support of the maneuver unit commander. Marine Armor Kit (MAK) can be installed on the M1043A2.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 283 | 0 | 60 | 60 | 46 | 0 | 30 | 9 | 0 | 0 | 0 | 12 |
| AAO (FY17) | 283 | | 60 | 60 | 46 | 66 | 30 | 9 | 0 | 0 | 0 | 12 |
| O/H | 218 | 0 | 77 | 52 | 25 | 44 | 0 | 7 | 0 | 1 | 0 | 0 |
| Shortfall/Excess | -65 | 0 | 17 | -8 | -21 | 44 | -30 | -2 | 0 | 1 | 0 | -12 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015312701 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | i/p | No | 0 | 0 | 0 |

**Notes**: No special Agriculture wash down instruction apply. Apply standard local SOP.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 67 | 0 | 2.4 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# D1212 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D1212: TRK, WRECKER, 5T, 6X6

The M816 is the wrecker variant of the M809 series of 5 ton trucks. The wrecker is utilized to return disabled trucks for repair and to free mired trucks. It is equipped with a hydraulically powered, engine driven crane, drive shaft driven front winch and rear winch. The front winch is used mainly to free the wrecker when it becomes mired or to assist the rear winch by acting as an anchor point. The rear crane is used for lifting loads up to 20,000 pounds. The crane is utilized in operations such as removing and replacing engines, power packs and gun tubes. For safety reasons, the front winch is restricted to a maximum load of 9,500 pounds.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320012064078 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 284 | 0 | 18.3 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# D1214 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN D1214: TRK, WRECK, LVSR

The MKR15 wrecker is a 10 x 10 truck designed for use on improved roads, highways, and cross-country terrain. The wrecker is designed to operate in a full range of environmental conditions. Each cab has armor incorporated into the cab floor to provide protection from mine blast. Each LVSR variant incorporates a 600-horsepower diesel engine, a seven speed automatic transmission, single-speed transfer case, front tandem steering and driving axles, and rear tridem driving axles of which the two rear most axles steer, 16R20 single radial tires on all axles, and a CTIS.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 152 | 0 | 32 | 28 | 13 | 0 | 28 | 15 | 0 | 6 | 18 | 7 |
| AAO (FY17) | 174 | | 38 | 36 | 17 | 4 | 32 | 15 | 0 | 6 | 18 | 7 |
| O/H | 152 | 0 | 32 | 26 | 9 | 1 | 13 | 56 | 0 | 0 | 12 | 0 |
| Shortfall/Excess | 0 | 0 | 0 | -2 | -4 | 1 | -15 | 41 | 0 | -6 | -6 | -7 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015430651 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, although potentially uneconomical to R2, asset shall be retrograded. No LVSR variants are excess to 188.8K AAO, and production is complete. No procurement funding exists to procure more.FSR Required for assessment of equipment at MCLC FWD

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 306 | 0 | 33.9 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0001: THERMAL LASER SPOT IMAGER TLSI

AN/PAS 25 Thermal Laser Spot Imager.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 430 | 9 |
| AAO (FY17) | 403 | |
| O/H | 551 | 14 |
| Shortfall/Excess | 121 | 5 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 86 | 81 | 56 | 0 | 119 | 15 | 9 | 0 | 0 | 0 |
| 74 | 69 | 53 | 64 | 119 | 15 | 9 | 0 | 0 | 0 |
| 87 | 110 | 46 | 77 | 58 | 15 | 0 | 141 | 0 | 0 |
| 1 | 29 | -10 | 77 | -61 | 0 | -9 | 141 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855015629999 | 14 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 14 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The transportation cost of $23 is far less than the $45,000 replacement cost. The parts from these excess items can be used for long-term sustainment of the AAO.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0007: IED COUNTERMEASURES

Equipment used to counter improvised explosive devices.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 69 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 69 | 0 | 0 |
| Shortfall/Excess | 69 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 69 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865015315577 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# E0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0010: ADAPTER, TEST F/TOW VEH POWER

An adapter which provides facilities for electrically connecting an item to be tested and a piece of test equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 25 | 0 | 0 |
| Shortfall/Excess | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 25 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625011123068 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: T/E already established by CD

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# E0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0013: SCOUT SNIPER DAY SCOPE (SSDS)

The Scout Sniper Day Scope (SSDS) is a variable-power scope that provides the Scout Sniper with the capability to clearly, easily, and quickly acquire and engage targets out to the maximum effective range of the host weapon. The SSDS allows for the use of properly matched adjustment cams to fire from 100 yards to the maximum effective range for the M40 firing M118LR ammunition, and the M107 firing MK211 Raufoss ammunition. It is waterproof up to 33 feet and has a first focal plane, mil-dot, Gen II-type reticle.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 2,766 | 55 |
| AAO (FY17) | 2,589 | |
| O/H | 3,829 | 22 |
| Shortfall/Excess | 1,063 | -33 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 452 | 592 | 322 | 0 | 435 | 458 | 55 | 0 | 0 | 0 |
| 388 | 527 | 316 | 450 | 396 | 458 | 52 | 0 | 0 | 0 |
| 498 | 555 | 164 | 380 | 189 | 319 | 0 | 1,689 | 0 | 0 |
| 46 | -37 | -158 | 380 | -246 | -139 | -55 | 1,689 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1240015331854 | 22 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 22 | 0 |
| 1240015869839 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Total cost of RESET is $2,692, total cost to procure is $3,500+ with a procurement lead time of 2-4 years. Recommend retaining excess and send all from OEF to LOGCOM to retain in stores. E0013 has a LOGCOM managed, Comercial Depot Maintenance vehicle in place ISO repair via ELMP.This TAMCN is Readiness Reportable; it is the pimary optic associated to E1460, E1475, & E0103, which are also Readiness Reportable, that gives those weapons full capability. Retention of excess will facilitate sustainment during current fiscal austerity; the optics sustainment funding line continues to be decremented while the types of items requiring sustainment increases, thereby limiting the ability of the program office to satisfy future AAO shortfalls.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0017 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0017: RIFLE COMBAT OPTIC-M4

The AN/PVQ-3 is a fixed 4X optical targeting sight designed for use with service rifles configured with MIL-STD-1913 Rail Adapter System. The sight has an illuminated chevron reticle that incorporates a Bullet Drop Compensator (BDC) out to 800 meters, as well as a horizontal mil-scale graduated in 5 mil increments. The sight incorporates dual-illumination technology, using a combination of fiber optics and self-luminous Tritium.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 79,004 | 569 | 20,279 | 19,896 | 10,240 | 0 | 14,993 | 7,650 | 569 | 679 | 0 | 0 |
| AAO (FY17) | 73,208 | | 18,073 | 17,007 | 9,875 | 3,097 | 14,680 | 7,674 | 544 | 679 | 0 | 0 |
| O/H | 83,749 | 2470 | 20,119 | 22,243 | 8,711 | 2,916 | 15,642 | 7,797 | 0 | 3,024 | 0 | 0 |
| Shortfall/Excess | 4,745 | 1,901 | -160 | 2,347 | -1,529 | 2,916 | 649 | 147 | -569 | 2,345 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1240015341114 | 2470 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 2470 | 0 |

**Notes**: Category 1 Equipment

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0018: SCOUT SNIPER URBAN NIGHT SIGHT

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 224 | 0 |
| AAO (FY17) | 224 | |
| O/H | 686 | 19 |
| Shortfall/Excess | 462 | 19 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 20 | 20 | 20 | 0 | 0 | 40 | 0 | 0 | 0 | 0 |
| 20 | 20 | 20 | 4 | 0 | 40 | 0 | 0 | 0 | 0 |
| 9 | 20 | 23 | 16 | 0 | 40 | 0 | 416 | 0 | 0 |
| -11 | 0 | 3 | 16 | 0 | 0 | 0 | 416 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1010015912226 | 19 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | Y | No | Y | 0 | 19 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Total cost to RESET $6,412. Total cost to procure $9,679+. Through coordination with the Infantry Advocate (POG-30, PP&O) E0018 has been established as a program of record & determined to be sustained post 2014 OEF drawdown at the level of original investment (Qty 800). AAO refinement is currently in progress.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0019: TEST SET,GUN TUBE

Commonly referred to as the BG-10. Used to measure the wear of M242 25mm chain gun barrels by measuring the internal diameter of various spaces in the barrel.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 14 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 11 | 0 | 0 |
| Shortfall/Excess | 14 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 11 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PM LAV)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4933014418678 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Mission Capable equipment should be sent to the MEF for re-distribution.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0020: SCOUT-SNIPER MID-RANGE NIGHT SIGHT

The AN/PVS-27 is a lightweight, weapon-mounted, battery-operated, imaging-intensifying device used for detection, identification, and engagement of targets during nighttime and low light conditions. The device attaches to the MIL-STD 1913 rail adapter system directly in front of the Scout Sniper Day Scope (SSDS) and is designed to maintain the boresight of the SSDS and the inherent accuracy of the weapon system.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,761 | 39 | 459 | 752 | 299 | 0 | 540 | 348 | 39 | 0 | 0 | 0 |
| AAO (FY17) | 2,499 | | 373 | 667 | 270 | 324 | 481 | 348 | 36 | 0 | 0 | 0 |
| O/H | 3,671 | 14 | 520 | 1,089 | 249 | 375 | 497 | 386 | 0 | 539 | 0 | 0 |
| Shortfall/Excess | 910 | -25 | 61 | 337 | -50 | 375 | -43 | 38 | -39 | 539 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855015479489 | 14 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 14 | 0 |
| 5855015481555 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Category 1 Equipment

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0025: LAUNCHER,GRENADE

The M32A1 MSGL is a lightweight, multi-shot, 40 mm, semi-automatic, shoulder-fired weapon. It is capable of firing all standard Department of Defense Identification Code (DODIC) and NATO standard 40 mm, low-velocity ammunition. The M32A1 MSGL has a six-round cylinder incorporating a revolving action. The cylinder rotates by means of a spring assist. Rotation of the cylinder is controlled by a gas-operated indexing system.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 1,834 | 48 |
| AAO (FY17) | 1,746 | |
| O/H | 2,546 | 29 |
| Shortfall/Excess | 712 | -19 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 434 | 398 | 251 | 0 | 424 | 173 | 48 | 0 | 0 | 0 |
| 384 | 344 | 271 | 106 | 421 | 173 | 47 | 0 | 0 | 0 |
| 470 | 427 | 199 | 137 | 324 | 181 | 0 | 733 | 0 | 0 |
| 36 | 29 | -52 | 137 | -100 | 8 | -48 | 733 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1010015350989 | 1 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 1 | 0 |
| 1010015840703 | 28 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 28 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0028: SEMI AUTO SNIPER RIFLE MK11 MOD 1

The sniper rifle is a rifle used to ensure accurate placement of bullets at longer ranges than small arms. A typical sniper rifle is built for optimal levels of accuracy, fitted with a telescopic sight and chambered for a military center fire cartridge.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 179 | 0 |
| Shortfall/Excess | 179 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 23 | 0 | 156 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 23 | 0 | 156 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005015389643 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: UUNs - replaced by E0103 - DRMO all items regardless of condition. Serviceable items will go to fill shortfalls in FIS and FMS/disposal - dispose of by attrition.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# E0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0036: MARINE ARTILLERY SURVEY SET (MASS)

The MASS is the streamlined replacement for the Field Artillery Regiment Surveying Set and the Field Artillery Battalion Surveying Set. It consists of legacy equipment and components from those sets, a vehicle, and the Defense Advanced Global Positioning System (GPS) Receiver (DAGR). MASS consist of theodolites which are used to measure angular deviation and vertical interval, range measuring devices and the necessary ancillary equipment required to support the mission.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 34 | 0 |
| AAO (FY17) | 34 | |
| O/H | 38 | 0 |
| Shortfall/Excess | 4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 10 | 8 | 8 | 0 | 8 | 0 | 0 | 0 | 0 | 0 |
| 10 | 8 | 8 | 0 | 8 | 0 | 0 | 0 | 0 | 0 |
| 12 | 10 | 8 | 0 | 8 | 0 | 0 | 0 | 0 | 0 |
| 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6675015637465 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Using Unit owned assets return to home station. Item is at the tail end of it's life cycle. No direct water contact on electrical components

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 776 | 6 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# E0042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0042: RANGE FINDER, LASER, AN/PEQ-17 (RPLCS E10457B)

The Portable Lightweight Designator Rangefinder (PLDR) is an Electro-Optic unit, allowing observation, identification and designation of target. The PLDR is a robust compact, low-cost, very lightweight laser designation system, which can be easily carried and operated by an individual Marine.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 467 | 10 | 92 | 86 | 56 | 0 | 108 | 15 | 10 | 0 | 0 | 0 |
| AAO (FY17) | 440 | | 80 | 74 | 53 | 100 | 108 | 15 | 10 | 0 | 0 | 0 |
| O/H | 533 | 3 | 94 | 88 | 46 | 106 | 57 | 15 | 0 | 120 | 0 | 0 |
| Shortfall/Excess | 66 | -7 | 2 | 2 | -10 | 106 | -51 | 0 | -10 | 120 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1240015666510 | 3 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 3 | 0 |
| 1240015921355 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |
| 5860090004433 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, NSN 6510 should be retrograded. Total cost to RESET $6,412. Total cost to procure $9,679+. Through coordination with the Infantry Advocate (POG-30, PP&O) E0018 has been established as a program of record & determined to be sustained post 2014 OEF drawdown at the level of original investment (Qty 800). AAO refinement is currently in progress.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0043: TRUCK, MAINTENANCE (C7007 REPLACED)

E0043 is the Ordnance Support Vehicle.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 21 | 0 |
| AAO (FY17) | 18 | |
| O/H | 23 | 0 |
| Shortfall/Excess | 2 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 12 | 0 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 |
| 9 | 0 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 |
| 13 | 0 | 0 | 0 | 9 | 0 | 0 | 1 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2320015535269 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | no | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a high cost, low density item. The transportation cost of $57K is less than the $70K procurement cost. The parts from these excess items can be used for long-term sustainment of the AAO.Do Not Spray or wet any Electronic Components.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0044: EOD SEARCH KIT

Provides specialized tools and equipment to perform interior and exterior search operations involving IED, UXO and WMD.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 295 | 4 | 76 | 80 | 60 | 0 | 12 | 49 | 4 | 0 | 0 | 0 |
| AAO (FY17) | 293 | | 76 | 78 | 60 | 12 | 12 | 49 | 4 | 0 | 0 | 0 |
| O/H | 262 | 1 | 76 | 79 | 47 | 12 | 1 | 40 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -33 | -3 | 0 | -1 | -13 | 12 | -11 | -9 | -4 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5850015592664 | 1 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 1 | 0 |

**Notes**: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 180 | 0.2 |

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0046 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0046: EOD DISASSEMBLY KIT

The EOD Disassembly Kit provides the EOD Team with a variety of hand tools, bench equipment, and limited safety equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 60 | 2 | 12 | 13 | 8 | 0 | 3 | 16 | 2 | 0 | 0 | 0 |
| AAO (FY17) | 60 | | 12 | 13 | 8 | 6 | 3 | 16 | 2 | 0 | 0 | 0 |
| O/H | 56 | 1 | 12 | 13 | 9 | 3 | 0 | 18 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | -4 | -1 | 0 | 0 | 1 | 3 | -3 | 2 | -2 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1385015595502 | 1 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 180 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0047: EOD GENERAL PURPOSE KIT

Equips EOD technicians with a modern set of tools to support EOD operations such as locating, identifying and rendering safe.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 118 | 2 |
| AAO (FY17) | 118 | |
| O/H | 113 | 0 |
| Shortfall/Excess | -5 | -2 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 20 | 22 | 16 | 0 | 3 | 18 | 2 | 0 | 16 | 8 |
| 20 | 22 | 16 | 12 | 3 | 18 | 2 | 0 | 16 | 8 |
| 18 | 22 | 13 | 12 | 0 | 22 | 0 | 0 | 16 | 8 |
| -2 | 0 | -3 | 12 | -3 | 4 | -2 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015592933 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 180 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0049 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0049: EOD IED KIT

The EOD Improvised Explosive Device (IED) Kit provides the EOD Team's Command and Response Elements with the necessary tools and equipment to support operation involving IEDs and Weapons of Mass Destruction (WMD).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 327 | 4 | 76 | 80 | 60 | 0 | 12 | 33 | 4 | 0 | 32 | 16 |
| AAO (FY17) | 327 | | 76 | 80 | 60 | 12 | 12 | 33 | 4 | 0 | 32 | 16 |
| O/H | 286 | 0 | 72 | 79 | 39 | 7 | 0 | 36 | 0 | 0 | 48 | 0 |
| Shortfall/Excess | -41 | -4 | -4 | -1 | -21 | 7 | -12 | 3 | -4 | 0 | 16 | -16 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015594338 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 180 | 0.2 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0051 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0051: SPECIAL PURPOSE RIFLE, MK12 5.56

This weapon system is a heavily modified light sniper/designated marksman variation of the AR-15/M16 line of infantry weapons, and is chambered for NATO standard 5.56 x 45 mm caliber ammunition.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 120 | 0 | 30 | 30 | 20 | 0 | 20 | 20 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 521 | 16 | 11 | 0 | 8 | 0 | 57 | 1 | 0 | 428 | 0 | 0 |
| Shortfall/Excess | 401 | 16 | -19 | -30 | -12 | 0 | 37 | -19 | 0 | 428 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005070001255 | 16 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | EDA | Yes | No | Yes | No | Yes | 0 | 16 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a Serialized Control Accountable Weapon. To be in compliance with Small Arms and Light Weapons (SM/LW) Security and Controls required by Federal and ATF Regulation, this TAMCN should follow the OEF Reset Strategy and be returned to LOGCOM to be accounted for and disposed of.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# E0053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0053: GREEN BEAM DAZZLER

The Green Beam Dazzler is a non-lethal visual disruption device that is used to distract threats.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,642 | 0 | 108 | 171 | 99 | 0 | 81 | 59 | 0 | 740 | 0 | 0 |
| AAO (FY17) | 1,642 | | 108 | 171 | 99 | 240 | 81 | 59 | 0 | 740 | 0 | 0 |
| O/H | 1,177 | 104 | 31 | 110 | 14 | 219 | 0 | 31 | 0 | 656 | 0 | 0 |
| Shortfall/Excess | -465 | 104 | -77 | -61 | -85 | 219 | -81 | -28 | 0 | -84 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5860015447175 | 103 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 103 | 0 |
| 5860016131742 | 1 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 1 | 0 |

**Notes**: No wash down required

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0054 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0054: RANGE FINDER,LASER

Component of E1048 CLRF

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 6 | 0 |
| AAO (FY17) | 6 | |
| O/H | 1,200 | 1 |
| Shortfall/Excess | 1,194 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 348 | 291 | 105 | 14 | 93 | 57 | 0 | 258 | 0 | 0 |
| 348 | 289 | 103 | 14 | 93 | 57 | 0 | 258 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1240015723753 | 1 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 1 | 0 |

**Notes**: Do not wash. Clean with damp cloth. TAMCN should be associated with E1048.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0055: TOW IMPROVED SABER

The TOW Weapon System is a crew portable, heavy antitank weapon system designed to attack and defeat armored vehicles and other targets such as field fortifications by using a tube-launched, optically-tracked, wire command-link guided missile.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 744 | 100 | 106 | 108 | 51 | 0 | 92 | 79 | 100 | 100 | 100 | 8 |
| AAO (FY17) | 687 | | 90 | 66 | 50 | 0 | 92 | 79 | 100 | 100 | 100 | 10 |
| O/H | 705 | 11 | 100 | 118 | 34 | 0 | 119 | 82 | 0 | 133 | 99 | 0 |
| Shortfall/Excess | -39 | -89 | -6 | 10 | -17 | 0 | 27 | 3 | -100 | 33 | -1 | -8 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865015598728 | 11 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | no | No | Yes | No | 0 | 11 | 0 |

**Notes**: Everybody in CONUS is using WRMR assets so needs to go back to MCLC. The PADS (NSN 1240-01-557-1923) which is a subcomponent of the Saber can receive a crypto fill. Crypto should be dumped before shipping of system.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0056 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0056: MK41 ADVANCED RADIOGRAPHIC SYSTEM (EOD)

Provides EOD technicians a portable, fully-digital, X-ray systems with ground level imaging.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 313 | 4 | 76 | 80 | 60 | 0 | 12 | 31 | 4 | 0 | 0 | 0 |
| AAO (FY17) | 313 | | 76 | 80 | 60 | 48 | 12 | 31 | 4 | 0 | 0 | 0 |
| O/H | 108 | 1 | 26 | 20 | 27 | 7 | 1 | 23 | 0 | 1 | 0 | 0 |
| Shortfall/Excess | -205 | -3 | -50 | -60 | -33 | 7 | -11 | -8 | -4 | 1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6635015459905 | 1 | 0% | 0% | 0% | 50% | 50% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 1 | 0 |

**Notes**: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0057: MK32 MOD 4 EOD X-RAY

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 4 | 0 |
| Shortfall/Excess | 4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 0 |
| 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6635015037883 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# E0058 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0058: ILLUMINATOR,INTEGRA

The Mini Integrated Pointer Illuminator Module (MIPIM) is a multifunction laser device that emits visible or infrared (IR) light for precise weapon aiming and target / area illumination. It is also equipped with an integrated high intensity, variable focus, White Light Illuminator.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 55,364 | 550 | 13,110 | 12,418 | 6,942 | 0 | 10,738 | 8,006 | 550 | 625 | 0 | 0 |
| AAO (FY17) | 51,244 | | 10,772 | 10,232 | 7,231 | 2,975 | 10,896 | 7,993 | 520 | 625 | 0 | 0 |
| O/H | 58,118 | 1450 | 12,533 | 12,877 | 4,218 | 2,962 | 11,712 | 5,774 | 0 | 6,229 | 0 | 0 |
| Shortfall/Excess | 2,754 | 900 | -577 | 459 | -2,724 | 2,962 | 974 | ###### | -550 | 5,604 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855015502780 | 1449 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 1449 | 0 |
| 5865015494506 | 1 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 1 | 0 |

**Notes**: Category 1 Equipment

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0060: SABER ELECTRICAL CIRCUIT TEST SET (ECIRTS)

Electrical Circuit Test Set (ECIRTS) Tool Kit (ETK) is composed of a Type-4 ECIRTS, a Holdback Fixture, and a Coil Cable Wrench. The Type-4 ECIRTS is designed to test the M41A4 Saber by simulating all current TOW missiles by providing signals and loads to the weapon system that provide Missile ID, Pre-Fire, Fire, and Wire Cutter Squib circuit breakers, and decode the guidance signals. The signal test capability provides troubleshooting of the Saber wiring between the Fire Control Subsystem (FCS) and the missile connector in the traversing unit.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 78 | 12 |
| AAO (FY17) | 72 | |
| O/H | 65 | 3 |
| Shortfall/Excess | -13 | -9 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 15 | 15 | 6 | 0 | 10 | 16 | 12 | 0 | 2 | 2 |
| 13 | 11 | 6 | 0 | 10 | 16 | 12 | 0 | 2 | 2 |
| 12 | 13 | 7 | 0 | 10 | 15 | 0 | 0 | 3 | 0 |
| -3 | -2 | 1 | 0 | 0 | -1 | -12 | 0 | 1 | -2 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4935015688417 | 0 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6625015756647 | 3 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 3 | 0 |

**Notes**: Repairs are done at Army Facility in Huntsville, Alabama. T/E already established by CD&I.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0062: SIGHT, THERMAL

The IWNS-T is a clip-on, battery-operated style sight to be used in conjunction with the AN/PVQ-31A/B Rifle Combat Optic (RCO), to observe/orient, detect and recognize targets, conduct surveillance and engage targets during all lighting conditions and battlefield obscurants such as smoke, fog, and sandstorms without additional bore sighting or battle sight zero operations, other than that required by the primary optic.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 2,170 | 0 |
| AAO (FY17) | 2,170 | |
| O/H | 2,338 | 122 |
| Shortfall/Excess | 168 | 122 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 307 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 307 | 0 | 0 | 0 | 0 |
| 78 | 18 | 154 | 0 | 0 | 312 | 0 | 1,652 | 0 | 0 |
| 78 | 18 | 154 | 0 | 0 | 5 | 0 | 1,652 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855015597064 | 122 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | Yes | Yes | Yes | 0 | 122 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Total cost to RESET $6,515. Total cost to procure $9,987+. TAMCN E0062 has a LOGCOM managed, Comercial Depot Maintenance vehicle in place ISO repair via ELMP / continues as a 'bridge' capability to E01287D Squad Thermal Sight (STS), currently in source selection. STS planned IOC is 2nd QTR FY16.This is a deployment asset - should be brought in and out of theater with the unit. Send all to LOGCOM - will be replaced but still have value to the field through FMS.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0063: MINI THERMAL IMAGER (MTI)

The Mini Thermal Imager is a dual field of view, lightweight hand held/helmet mountable, pocket sized thermal imaging system.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 999 | 0 | 0 | 0 | 0 | 0 | 0 | 52 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 999 | | 0 | 0 | 0 | 0 | 0 | 52 | 0 | 0 | 0 | 0 |
| O/H | 1,081 | 13 | 2 | 23 | 0 | 0 | 0 | 50 | 0 | 988 | 0 | 0 |
| Shortfall/Excess | 82 | 13 | 2 | 23 | 0 | 0 | 0 | -2 | 0 | 988 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855015544673 | 13 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | Yes | Yes | Yes | 0 | 0 | 13 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, NSN 4673 should be retrograded. Total cost to RESET $6,515. Total cost to procure $9,987+. TAMCN E0062 has a LOGCOM managed, Comercial Depot Maintenance vehicle in place ISO repair via ELMP / continues as a 'bridge' capability to E01287D Squad Thermal Sight (STS), currently in source selection. STS planned IOC is 2nd QTR FY16. E00667G is primary EOD robotic platform to interrogate Improvised Explosive Devices. Through agteement bewteen MCSC PM CSS, Naval EOD Technology Division Indianhead, and MCLC, robots will be retrograded to Naval EOD Technology Division, repaired/refurbished and subsequently fielded to OPFOR and SE to replace E00647G MTRS Packbot which is nearing obsolescence as interim solution until Advanced EOD Robotic System (AEODRS) Joint Service EOD Program of Record family of robotic systems is fielded.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0064 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0064: ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (PACBOT)

The Robot, Explosive Ordnance Disposal is used for safe movement and disposal of live munitions. Used to perform EOD/IED mission.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 103 | 8 | 19 | 20 | 15 | 0 | 3 | 21 | 8 | 0 | 0 | 0 |
| AAO (FY17) | 103 | | 19 | 20 | 15 | 15 | 3 | 21 | 8 | 0 | 0 | 0 |
| O/H | 125 | 0 | 27 | 25 | 16 | 14 | 1 | 40 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 22 | -8 | 8 | 5 | 1 | 14 | -2 | 19 | -8 | 0 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMO-31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1385015349828 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | Yes | Yes | Yes | 0 | 0 | 0 |

**Notes**: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | |
| if | **Not Mission Capable** | then | |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1484 | 4.8 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0066 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0066: ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (TALON)

The Robot, Explosive Ordnance Disposal is used for safe movement and disposal of live munitions. Used to perform EOD/IED mission.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 188 | 8 | 38 | 40 | 30 | 0 | 6 | 47 | 8 | 0 | 0 | 0 |
| AAO (FY17) | 178 | | 38 | 40 | 30 | 24 | 6 | 30 | 8 | 0 | 0 | 0 |
| O/H | 200 | 16 | 34 | 38 | 31 | 15 | 1 | 49 | 0 | 13 | 0 | 0 |
| Shortfall/Excess | 12 | 8 | -4 | -2 | 1 | 15 | -5 | 2 | -8 | 13 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMO-31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1385015349826 | 16 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | Yes | No | Yes | 0 | 16 | 0 |

**Notes**: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | |
| if | **Not Mission Capable** | then | |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 25 | 0.1 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0067: ELECTRO OPTICAL MAINTENANCE SHELTER COMPLEX

The EOMSC is a common shelter maintenance field facility for the Electro-Optical Ordnance Repairer (MOS 2171) who is performing the duties and functions of inspecting, testing and repairing Marine Corps electro-optical ordnance equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 14 | 0 |
| AAO (FY17) | 13 | |
| O/H | 18 | 1 |
| Shortfall/Excess | 4 | 1 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 2 | 3 | 2 | 0 | 4 | 0 | 0 | 0 | 2 | 1 |
| 2 | 3 | 1 | 0 | 4 | 0 | 0 | 0 | 2 | 1 |
| 3 | 3 | 3 | 0 | 3 | 0 | 0 | 2 | 2 | 1 |
| 1 | 0 | 1 | 0 | -1 | 0 | 0 | 2 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5410015511127 | 1 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 1 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. Category 1 Equipment

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0069: DIRECT SUPPORT ELECTRICAL SYSTEM TEST SET (DSESTS) SUPPORT (DSS)SHELTER

The DSESTS MECC Shelter Assembly is highly mobile, quickly deployed, rugged container to provide a reliable, environmentally controlled facility for the execution of a variety of activities including total armored vehicle DSESTS diagnostics and repair facility designed for use of the military armed forces.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 23 | 0 | 8 | 8 | 1 | 0 | 1 | 0 | 0 | 0 | 4 | 1 |
| AAO (FY17) | 34 | | 12 | 12 | 5 | 0 | 1 | 0 | 0 | 0 | 4 | 0 |
| O/H | 21 | 1 | 5 | 4 | 1 | 0 | 2 | 1 | 0 | 1 | 4 | 2 |
| Shortfall/Excess | -2 | 1 | -3 | -4 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 1 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625015528270 | 1 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 1 | 0 | 0 |

**Notes**: Item will be repaired through CLS. No equipment conditions; however, care should be taken when utilizing high pressure wash around generator/ECU area. SL-3 should remain with PEI.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1280 | 8.5 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0070: DIRECT SUPPORT ELECTRICAL SYSTEM TEST SET (DSESTS) SUPPORT (DSS) TRAILER

The primary purpose of the MCCT is to transport containerized shelters and flat racks. It can be used on improved and unimproved roads. This trailer is designed to transport standard 20 feet ISO containerized shelter/flat rack systems .

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 49 | 0 | 12 | 12 | 6 | 0 | 9 | 1 | 0 | 0 | 8 | 1 |
| AAO (FY17) | 48 | | 12 | 12 | 5 | 0 | 9 | 1 | 0 | 0 | 8 | 1 |
| O/H | 165 | 5 | 44 | 33 | 30 | 0 | 9 | 3 | 0 | 13 | 18 | 9 |
| Shortfall/Excess | 116 | 5 | 32 | 21 | 24 | 0 | 0 | 2 | 0 | 13 | 10 | 8 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2330015528661 | 5 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 5 | 0 |

**Notes**: MCLC Stores pending redistribution. Associated with E0069. Ship with the System.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 223 | 0 | 4.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0076 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0076: MULTI-PURPOSE TANK BLADE

The mine blade clears the tank path of all mines by removing surface and buried mines that lie in front of tracks. This item is associated to the E1888.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 89 | 0 |
| AAO (FY17) | 83 | |
| O/H | 82 | 0 |
| Shortfall/Excess | -7 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 12 | 12 | 0 | 0 | 18 | 4 | 0 | 9 | 32 | 2 |
| 12 | 6 | 0 | 0 | 18 | 4 | 0 | 9 | 32 | 2 |
| 8 | 7 | 0 | 0 | 6 | 4 | 0 | 11 | 44 | 2 |
| -4 | -5 | 0 | 0 | -12 | 0 | 0 | 2 | 12 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2590995933083 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | I/P | No | 0 | 0 | 0 |

**Notes**: No equipment condition; however care should be taken around any and all electrical connections. SL-3 should remain with PEI.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0082: SQUAD DAY OPTIC (SDO)

The SDO is a magnified day optic that mounts to the M249 SAW and aids the automatic rifleman in target detection, recognition, and identification; thereby, increasing combat effectiveness and lethality of the fire team.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 11,224 | 594 | 2,350 | 2,505 | 1,276 | 0 | 1,898 | 2,294 | 594 | 0 | 0 | 0 |
| AAO (FY17) | 10,504 | | 2,032 | 2,101 | 1,304 | 288 | 1,933 | 2,273 | 554 | 0 | 0 | 0 |
| O/H | 15,523 | 259 | 2,546 | 2,480 | 1,220 | 340 | 2,133 | 2,089 | 0 | 4,311 | 0 | 0 |
| Shortfall/Excess | 4,299 | -335 | 196 | -25 | -56 | 340 | 235 | -205 | -594 | 4,311 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1240015751724 | 259 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 259 |

**Notes**: Category 1 Equipment

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0084: TAC BINOS / BINOCULAR 8X42

The tactical binocular allows individuals with different interpupillary distances to view the reticule horizontally, or to estimate range on targets that aren't perfectly level. Rugged and waterproof with a durable armor coating.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,918 | 0 | 0 | 0 | 0 | 0 | 0 | 2,918 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 2,883 | | 0 | 0 | 0 | 0 | 0 | 2,883 | 0 | 0 | 0 | 0 |
| O/H | 4,253 | 28 | 26 | 54 | 112 | 0 | 0 | 2,314 | 0 | 1,719 | 0 | 0 |
| Shortfall/Excess | 1,335 | 28 | 26 | 54 | 112 | 0 | 0 | -604 | 0 | 1,719 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6650015593648 | 28 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | Yes | SAC-1 | Yes | 0 | 0 | 28 |

**Notes**: Category 1 Equipment

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☑ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0085: M1021 DIAL BORE GAGE (M1021)

The Dial Bore Gage is used for the dimensional inspection of the inside diameter of the 60 mm and 81 mm mortar cannon. The dial bore gage contains the following components: the dial bore gage, centering guides, master ring, and head extensions.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 75 | 0 |
| AAO (FY17) | 73 | |
| O/H | 100 | 0 |
| Shortfall/Excess | 25 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 18 | 17 | 11 | 0 | 12 | 6 | 0 | 0 | 4 | 1 |
| 18 | 17 | 9 | 6 | 12 | 6 | 0 | 0 | 4 | 1 |
| 18 | 21 | 10 | 7 | 11 | 11 | 0 | 15 | 4 | 2 |
| 0 | 4 | -1 | 7 | -1 | 5 | 0 | 15 | 0 | 1 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6650015629944 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Mission Capable equipment should be sent to the MEF for re-distribution.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0086: EOD MARINE AIR SYSTEM (MAS) REMOTE FIRING DEVICE (RFD)

The MAS RFD is designed to command detonate explosives by UHF digital radio signals.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 329 | 4 | 76 | 80 | 60 | 0 | 12 | 47 | 4 | 0 | 0 | 0 |
| AAO (FY17) | 329 | | 76 | 80 | 60 | 48 | 12 | 47 | 4 | 0 | 0 | 0 |
| O/H | 309 | 2 | 71 | 78 | 64 | 48 | 1 | 39 | 0 | 1 | 0 | 0 |
| Shortfall/Excess | -20 | -2 | -5 | -2 | 4 | 48 | -11 | -8 | -4 | 1 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1375982065633 | 2 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 2 | 0 |

**Notes**: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0088 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0088: M240 DAY OPTIC (MDO)

The SU-260/P is a magnified day optic that aids the Machine Gunner in target detection, recognition, identification, and engagement. The sight provides 6X magnification and uses the Marine Corps' designed reticle that compensates for spindrift and incorporates a Bullet Drop Compensator (BDC). It allows for quick target acquisition at close range, utilizing an integrated Ruggedized Miniature Reflex (RMR) sight.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 8,325 | 509 | 1,808 | 1,664 | 853 | 0 | 1,437 | 1,269 | 509 | 0 | 76 | 0 |
| AAO (FY17) | 7,955 | | 1,611 | 1,491 | 854 | 280 | 1,450 | 1,255 | 509 | 0 | 76 | 0 |
| O/H | 10,750 | 328 | 1,977 | 1,754 | 792 | 335 | 1,377 | 1,278 | 0 | 2,664 | 122 | 0 |
| Shortfall/Excess | 2,425 | -181 | 169 | 90 | -61 | 335 | -60 | 9 | -509 | 2,664 | 46 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1240015780211 | 328 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | no | No | I/P | No | 0 | 328 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Total cost to RESET $1,053. Total cost to procure $1,585+. Procurement lead time 2-4 yrs. This TAMCN is the Day Optic Capability assoc'd to M240 series Mach Gun_ which are Readiness Reportable. Although avg annual attrition of 3-5% is reasonable, rec to redirect serviceable excess ISO Ground Equipment Review Working Group (GERWG) efforts toward determining quantity to retain to offset sustainment costs of active inventory. Category 1 Equipment

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0090 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0090: AN/PLT-5 CITADEL 2 (EOD)

The CITADEL II was procured as a special purpose Explosive Ordnance Disposal (EOD) tool

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 200 | 4 |
| AAO (FY17) | 200 | |
| O/H | 186 | 0 |
| Shortfall/Excess | -14 | -4 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 38 | 40 | 30 | 0 | 6 | 32 | 4 | 0 | 0 | 0 |
| 38 | 40 | 30 | 48 | 6 | 32 | 4 | 0 | 0 | 0 |
| 39 | 40 | 32 | 46 | 1 | 27 | 0 | 0 | 0 | 0 |
| 1 | 0 | 2 | 46 | -5 | -5 | -4 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865015623004 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0091: AN/PLT-4 CITADEL 1 (EOD)

AN/PLT-6448(V)1

Citadel II

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 14 | 0 |
| Shortfall/Excess | 14 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 2 | 2 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |
| 6 | 2 | 2 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5895014686173 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |

**Notes**: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# E0092 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0092: EOD AN/PLT-5 TRANSMITTER (CITADEL III)

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 200 | 4 |
| AAO (FY17) | 200 | |
| O/H | 179 | 10 |
| Shortfall/Excess | -21 | 6 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 38 | 42 | 30 | 0 | 6 | 32 | 4 | 0 | 0 | 0 |
| 38 | 42 | 30 | 48 | 6 | 32 | 4 | 0 | 0 | 0 |
| 28 | 39 | 22 | 47 | 1 | 21 | 0 | 8 | 0 | 0 |
| -10 | -3 | -8 | 47 | -5 | -11 | -4 | 8 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5865015884011 | 10 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 10 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0104: DRY POWDER SERVICING UNIT (DPSU)

The DPSU is a self contained dry powder servicing unit with ports for nitrogen and shop pressure air. Theunit has onboard gages and flow switches which support the recharging evolution. The DPSU provides a stable hold-down platform during bottle recharge



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 15 | 0 | 2 | 2 | 2 | 0 | 2 | 2 | 0 | 0 | 4 | 1 |
| AAO (FY17) | 14 | | 2 | 2 | 2 | 0 | 2 | 2 | 0 | 0 | 4 | 0 |
| O/H | 11 | 0 | 1 | 2 | 0 | 0 | 0 | 1 | 0 | 2 | 4 | 1 |
| Shortfall/Excess | -4 | 0 | -1 | 0 | -2 | 0 | -2 | -1 | 0 | 2 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4210014889655 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Item should be utilized for OPFOR T/E deficincies. No equipment condition. SL-3 should remain with PEI.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0106 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0106: SABER SMK

Saber Maintenance Kit (SMK) is a set of ancillary tools and equipment to be used in conjunction with the Tool Kit, Electro-Optical (TAMCN A7901) for Saber System diagnostics. The SMK is a basic tool set that provides the user with the capability to perform semi-annual Preventive Maintenance Checks and Services (PMCS), and will be utilized to perform system-level alignment checks. The SMK is composed of various hand tools, a torque wrench, power supply cable, DVO Aperture Restrictor, Switch Adjustment Gage, Multi-Purpose Target Board, and a Boresight Alignment Tube.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 68 | 0 | 12 | 12 | 9 | 0 | 12 | 19 | 0 | 0 | 2 | 2 |
| AAO (FY17) | 63 | | 10 | 10 | 8 | 0 | 12 | 19 | 0 | 0 | 2 | 2 |
| O/H | 58 | 0 | 13 | 15 | 7 | 0 | 7 | 12 | 0 | 0 | 2 | 0 |
| Shortfall/Excess | -10 | 0 | 1 | 3 | -2 | 0 | -5 | -7 | 0 | 0 | 0 | -2 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4935015795013 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0108 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0108: GLARE MOUNT 532-P (MINI GRN DAZZLER) LASER

Mini-Green iis a Class 3B laser that emits a green beam which is visible when focused on surfaces and extremely bright when directly viewed and used for hail and warning.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 885 | 0 |
| AAO (FY17) | 885 | |
| O/H | 1,216 | 36 |
| Shortfall/Excess | 331 | 36 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 108 | 171 | 99 | 0 | 81 | 63 | 0 | 219 | 0 | 0 |
| 108 | 171 | 99 | 0 | 81 | 63 | 0 | 219 | 0 | 0 |
| 0 | 93 | 0 | 122 | 0 | 109 | 0 | 832 | 0 | 0 |
| -108 | -78 | -99 | 122 | -81 | 46 | 0 | 613 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMO-13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1265015585814 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 1265015838057 | 36 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 36 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0117 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0117: JOINT TERMINAL ATTACK CONTROLLER LASER TARGET DESIGNATOR (JTACLTD)

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 84 | 0 |
| AAO (FY17) | 84 | |
| O/H | 137 | 25 |
| Shortfall/Excess | 53 | 25 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 15 | 15 | 13 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |
| 15 | 15 | 13 | 37 | 0 | 4 | 0 | 0 | 0 | 0 |
| 14 | 15 | 12 | 39 | 0 | 4 | 0 | 27 | 0 | 0 |
| -1 | 0 | -1 | 39 | 0 | 0 | 0 | 27 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1260015961264 | 25 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | Y | No | Y | 0 | 25 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The transportation cost of $23 is far less than the $75,150 replacement cost. The parts from these excess items can be used for long-term sustainment of the AAO.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0139: BORESCOPE, 58MM 8 IN.

The EOTK is intended to be issued as an individual tool kit for the Electro-Optical Ordnance Repairer (MOS 2171) who inspects, tests, and repairs Marine Corps electrical optics. The Electro-Optical Tool Kit will support all the Electro-Optical equipment in the Marine Corps



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 122 | 0 | 23 | 21 | 17 | 0 | 19 | 30 | 0 | 0 | 6 | 2 |
| AAO (FY17) | 120 | | 23 | 21 | 15 | 4 | 19 | 30 | 0 | 0 | 6 | 2 |
| O/H | 275 | 0 | 34 | 24 | 21 | 4 | 23 | 36 | 0 | 113 | 16 | 2 |
| Shortfall/Excess | 153 | 0 | 11 | 3 | 4 | 4 | 4 | 6 | 0 | 113 | 10 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6650010630035 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 6650015629886 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: NSN ending in 0035 is obsolete but still used by MEFs - use to fill shortfalls.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 4 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0149 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0149: BRIDGE, SCISSOR F/AVLB

The Armored Vehicle Launched Bridge consists of a turret less M60A1 Tank Chassis equipped with a bridge and bridge launching mechanism, in lieu of a gun turret.



*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 23 | 0 | 3 | 3 | 0 | 0 | 0 | 2 | 0 | 11 | 4 | 0 |
| Shortfall/Excess | 23 | 0 | 3 | 3 | 0 | 0 | 0 | 2 | 0 | 11 | 4 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5420005229599 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 5420013903933 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 5420013909559 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5420013909599 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The Program Office procured 30 assets, TFSMS currently shows an AAO of 0 with a TOECR to increase the AAO to 30. The NAP is in error, the assets in Afghanistan are required to meet the future AAO of 30. Item should be utilized for OPFOR T/E deficincies. No equipment condition. SL-3 should remain with PEI.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2557 | 14.7 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0150: ARMORED VEHICLE, LAUNCHER, BRIDGE

Bridge, Armored Vehicle Launched is mounted on an M60A1 chassis. It provides a transportable bridge that can be launched and retrieved. The mobility and flexibility allows dispersed and concentrated combat vehicle support over great distances. The armor provides maximum ballistic protection for the crew and is suitable for a nuclear, biological, and/or chemical environment.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 28 | 4 |
| AAO (FY17) | 28 | |
| O/H | 25 | 0 |
| Shortfall/Excess | -3 | -4 |

***Influences R2 Distribution***

**REQUIREMENTS**

| | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 5 | 5 | 0 | 0 | 0 | 4 | 4 | 4 | 4 | 2 |
| AAO (FY17) | 5 | 5 | 0 | 0 | 0 | 4 | 4 | 4 | 4 | 2 |
| O/H | 5 | 4 | 0 | 0 | 0 | 4 | 0 | 8 | 4 | 0 |
| Shortfall/Excess | 0 | -1 | 0 | 0 | 0 | 0 | -4 | 4 | 0 | -2 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5420008892020 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Low density high cost legacy piece of equipment that is no longer produced. Listed procurement cost of $527, 126 is inaccurate. Item contains piece parts that exceed retrograde and reset cost, i.e engine and tranmission exceed $500k per system.Item should be disacssociated from E0149. Armor deck (over powerpack) Removed. No high pressure wash in crew compartment and/or Exterior hydraulic cylinders. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 468 | 0 | 49 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0165 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0165: CHARGER,BATTERY

A device consisting of one or more components utilizing an alternating or direct current source to reactivate batteries in which reversible chemical reactions occur.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 15 | 0 | 4 | 2 | 1 | 0 | 2 | 2 | 0 | 2 | 2 | 0 |
| AAO (FY17) | 15 | | 4 | 2 | 1 | 0 | 2 | 2 | 0 | 2 | 2 | 0 |
| O/H | 136 | 0 | 6 | 2 | 1 | 0 | 2 | 2 | 0 | 123 | 0 | 0 |
| Shortfall/Excess | 121 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 121 | -2 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6130010189786 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0180 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0180: CIRCLE, AIMING

The Aiming Circle, M2A2, with its accessory equipment, has the general characteristics of a surveyor's transit. It is used for precise measurement of azimuth and elevation angles of a ground or aerial target.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 693 | 0 | 133 | 111 | 88 | 0 | 96 | 65 | 0 | 83 | 78 | 17 |
| AAO (FY17) | 639 | | 105 | 90 | 82 | 20 | 96 | 65 | 0 | 83 | 78 | 18 |
| O/H | 1,091 | 8 | 151 | 126 | 93 | 17 | 96 | 83 | 0 | 422 | 71 | 18 |
| Shortfall/Excess | 398 | 8 | 18 | 15 | 5 | 17 | 0 | 18 | 0 | 339 | -7 | 1 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6675010670687 | 8 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 8 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal. It will be repaired and recalibrated at Barstow if necessary.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0190 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0190: CARBINE, CQBW, 5.56MM

The M4A1 is a lightweight, air-cooled, gas-operated, magazine-fed, shoulder-fired weapon designed for automatic or semi-automatic (single shots) fire by using the selector lever. The weapon has a fully adjustable rear sight and is configured with a flat-top upper receiver and barrel assembly with a detachable carrying handle, integral rear aperture sight, and a modified compensator that allows attachment of a sound suppressor. The M4A1 Carbine's buttstock has four positions: closed, 1/2 open, 3/4 open, and full open.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 6,762 | 47 |
| AAO (FY17) | 6,164 | |
| O/H | 4,697 | 32 |
| Shortfall/Excess | -2,065 | -15 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 1,077 | 1,387 | 706 | 0 | 1,268 | 270 | 47 | 247 | 0 | 0 |
| 865 | 1,175 | 667 | 1,760 | 1,136 | 270 | 44 | 247 | 0 | 0 |
| 585 | 773 | 335 | 1,647 | 739 | 247 | 0 | 335 | 0 | 0 |
| -492 | -614 | -371 | 1,647 | -529 | -23 | -47 | 88 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005013820953 | 32 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 32 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0195: CARBINE, MWS, 5.56MM

The M4, and M4A1 Close Quarters Battle Weapon weapons are configured with a flat-top upper receiver and barrel assembly, a detachable carrying handle, and an integral rear sight aperture.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 71,848 | 522 | 19,202 | 18,509 | 9,535 | 0 | 13,721 | 7,349 | 522 | 71 | 0 | 4 |
| AAO (FY17) | 66,655 | | 17,201 | 15,797 | 9,231 | 1,337 | 13,491 | 7,425 | 500 | 71 | 0 | 0 |
| O/H | 90,599 | 2436 | 23,461 | 21,450 | 9,261 | 1,342 | 14,889 | 9,154 | 0 | 7,654 | 24 | 0 |
| Shortfall/Excess | 18,751 | 1,914 | 4,259 | 2,941 | -274 | 1,342 | 1,168 | 1,805 | -522 | 7,583 | 24 | -4 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005012310973 | 2436 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 2436 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0205 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0205: COLLIMATOR, INFINITY AIMING, REFERENCE

Tripod mounted primary aiming reference point for indirect laying operations for artillery/mortar. Illuminated with two C cell lithium battery pack -- 31 inches x 13 inches, weight 32 pounds.




*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 385 | 18 | 70 | 56 | 42 | 0 | 56 | 28 | 18 | 41 | 60 | 14 |
| AAO (FY17) | 347 | | 49 | 42 | 35 | 0 | 56 | 28 | 18 | 41 | 60 | 18 |
| O/H | 632 | 3 | 68 | 84 | 56 | 0 | 53 | 32 | 0 | 242 | 76 | 18 |
| Shortfall/Excess | 247 | -15 | -2 | 28 | 14 | 0 | -3 | 4 | -18 | 201 | 16 | 4 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1240003321780 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 1240014655452 | 3 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 3 | 0 |

**Notes**: Do not wash. Clean with damp cloth.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0207 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0207: JAVELIN

The Javelin Weapon System, Command Launch Unit (CLU), M98A2, is a medium-range, man-portable, recoilless, anti-tank assault weapon capable of defeating current and projected enemy armor and hovering enemy helicopters. The Javelin can be used during the day or night or during degraded weather conditions, including electronic and electro-optical countermeasures. The missile has a Top Attack and a Direct Attack mode to defeat enemy armor and hovering enemy helicopters.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 398 | 72 |
| AAO (FY17) | 366 | |
| O/H | 465 | 13 |
| Shortfall/Excess | 67 | -59 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 80 | 80 | 48 | 0 | 64 | 34 | 72 | 20 | 0 | 0 |
| 64 | 64 | 48 | 0 | 64 | 34 | 72 | 20 | 0 | 0 |
| 74 | 82 | 32 | 0 | 67 | 47 | 0 | 133 | 0 | 0 |
| -6 | 2 | -16 | 0 | 3 | 13 | -72 | 113 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1430015328900 | 13 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | I/P | No | 0 | 13 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Cost Comparison- JavelinUnits in CONUS are currently using WRMR assets. Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0311 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0311: RIFLE,7.62 MILLIMET

The M39 Enhanced Marksman Rifle (EMR) is a lightweight, air-cooled, gas-operated, 20-round magazinefed, shoulder weapon with semi-automatic fire, and is used primarily for precision. It is equipped with the Scout Sniper Day Scope and an adjustable bipod assembly.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 1,102 | 0 |
| Shortfall/Excess | 1,102 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 0 | 5 | 0 | 22 | 15 | 0 | 1,053 | 0 | 0 |
| 7 | 0 | 5 | 0 | 22 | 15 | 0 | 1,053 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005014586235 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 1005015535196 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# E0330 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0330: EQUIPMENT SET, NIGHT VISION

Guided Missile System, TOW 2 Weapon System, M220A3 is a portable wire-linked, heavy, anti-tank weapon designed to defeat armored vehicles and other hardened targets, such as field fortifications. It operates day or night under all weather conditions and provides a high first-round hit capability against both mobile and stationary targets. The TOW 2 can be tripod mounted, but is normally installed in the turret of the Light Armored Vehicle-Anti Tank (LAV-AT). It is capable of firing the complete BGM-71 family of missiles (to include RF-linked missiles).

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 231 | 10 | 36 | 20 | 7 | 0 | 28 | 15 | 10 | 107 | 8 | 0 |
| AAO (FY17) | 216 | | 28 | 16 | 4 | 0 | 28 | 15 | 10 | 107 | 8 | 0 |
| O/H | 506 | 0 | 62 | 17 | 8 | 0 | 36 | 13 | 0 | 363 | 7 | 0 |
| Shortfall/Excess | 275 | -10 | 26 | -3 | 1 | 0 | 8 | -2 | -10 | 256 | -1 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855013010158 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | I/P | No | 0 | 0 | 0 |

**Notes**: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 10 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0359 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0359: FIRING DEVICE, DEMOLITION

The Remote Demolition Firing Device is a collection of equipment necessary for firing electric demolitions remotely.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 301 | 0 |
| Shortfall/Excess | 301 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 136 | 75 | 1 | 3 | 29 | 5 | 0 | 43 | 6 | 0 |
| 136 | 75 | 1 | 3 | 29 | 5 | 0 | 43 | 6 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1375010210606 | 0 | 0% | 50% | 0% | 50% | 0% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 1375014684400 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: All items need to return to MCLC - not obsolete - need them back b/c they are being used in squad demolition kits for engineers.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 4 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0671 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0671: HOWITZER, LTWT, TOWED, 155MM

The M777A2 Howitzer is an extended-range weapon that can be towed by muzzle tow with any four-wheel drive vehicle over 2.5 tons. The Howitzer is also transportable by rotary fixed-wing aircraft. The body has trails, spades, and stabilizers that can be folded for transportation and storage. The Howitzer has a low profile, may be emplaced rapidly, and has a 6,400-mil speed shift capability.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 361 | 18 | 60 | 48 | 42 | 0 | 48 | 52 | 18 | 19 | 60 | 12 |
| AAO (FY17) | 325 | | 42 | 36 | 36 | 0 | 48 | 52 | 18 | 19 | 60 | 12 |
| O/H | 472 | 3 | 73 | 53 | 43 | 0 | 48 | 44 | 0 | 134 | 60 | 12 |
| Shortfall/Excess | 111 | -15 | 13 | 5 | 1 | 0 | 0 | -8 | -18 | 115 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PEO-LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1025014450991 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 1025994637551 | 3 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Barstow is setup to do any type of reset - IRON and rebuild line is already setup.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | |
| if | **Not Mission Capable** | then | |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 283 | 0 | 4.3 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0720 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0720: KIT, HOOK & LINE F/EOD

The Hook & Line Kit includes components for attaching lines, anchoring pulleys, and maneuvering objects.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 192 | 4 |
| AAO (FY17) | 198 | |
| O/H | 164 | 0 |
| Shortfall/Excess | -28 | -4 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 38 | 40 | 30 | 0 | 6 | 18 | 4 | 0 | 26 | 16 |
| 38 | 40 | 30 | 12 | 6 | 18 | 4 | 0 | 32 | 16 |
| 37 | 38 | 8 | 9 | 0 | 24 | 0 | 2 | 33 | 11 |
| -1 | -2 | -22 | 9 | -6 | 6 | -4 | 2 | 7 | -5 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1385996952988 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 1385999911200 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0759 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0759: KIT, DISASSEMBLY, FUZE, MECHANICAL, REMOTE (MK121 MOD0)

The MRFDK is used for conducting disassembly/inserting of fuses/ordnance items for either training or exploitation in combat environments. The MRFDK will provide operator safety during hazardous operations by allowing the operator to disassemble small munitions components and fuses from a remote distance of 6 to 10 ft.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 60 | 2 | 12 | 13 | 8 | 0 | 3 | 16 | 2 | 0 | 0 | 0 |
| AAO (FY17) | 60 | | 12 | 13 | 8 | 6 | 3 | 16 | 2 | 0 | 0 | 0 |
| O/H | 48 | 0 | 9 | 10 | 8 | 2 | 0 | 17 | 0 | 0 | 0 | 1 |
| Shortfall/Excess | -12 | -2 | -3 | -3 | 0 | 2 | -3 | 1 | -2 | 0 | 0 | 1 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1385012073619 | 0 | 50% | 0% | 0% | 50% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | A or B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 6 | 0 |

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0890 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0890: LAUNCHER, GRENADE, 40MM

The Launcher, Grenade, 40 mm, M79 is a single shot, break open, shoulder fired weapon. It is breach loading, has an open fixed front sight and open rear adjustable sight.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 182 | 2 |
| Shortfall/Excess | 182 | 2 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 4 | 0 | 30 | 0 | 2 | 0 | 136 | 0 | 0 |
| 8 | 4 | 0 | 30 | 0 | 2 | 0 | 136 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1010006911382 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 2 | 0 |
| 9999006911382 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a Serialized Control Accountable Weapon. To be in compliance with Small Arms and Light Weapons (SM/LW) Security and Controls required by Federal and ATF Regulation, this TAMCN should follow the OEF Reset Strategy and be returned to LOGCOM to be accounted for and disposed of. Cost of procurement – $1,064,405.00

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0890 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0890: LAUNCHER, GRENADE, 40MM

The Launcher, Grenade, 40 mm, M79 is a single shot, break open, shoulder fired weapon. It is breach loading, has an open fixed front sight and open rear adjustable sight.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 182 | 2 |
| Shortfall/Excess | 182 | 2 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 4 | 0 | 30 | 0 | 2 | 0 | 136 | 0 | 0 |
| 8 | 4 | 0 | 30 | 0 | 2 | 0 | 136 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1010006911382 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 2 | 0 |
| 9999006911382 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a Serialized Control Accountable Weapon. To be in compliance with Small Arms and Light Weapons (SM/LW) Security and Controls required by Federal and ATF Regulation, this TAMCN should follow the OEF Reset Strategy and be returned to LOGCOM to be accounted for and disposed of. Cost of procurement – $1,064,405.00

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0892 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0892: LAUNCHER, GRENADE, 40MM

The M203 40 mm Grenade Launcher is used while attached to a M16A2 rifle. It is a lightweight, compact, breech-loading, pump-action, single-shot launcher. Consists of a hand guard and sight assembly with an adjustable metallic folding blade; sight assembly; plastic handguard; and receiver assembly housing the barrel latch, barrel stop, and firing mechanism. Capable of firing a variety of 40 mm ammunition. The M203A1 40 mm Grenade Launcher is used while attached to the M4, 5.56 mm Carbine Series. It is a lightweight, compact, breech-loading, pump-action, single-shot launcher that is functionally identical to the M203.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 11,038 | 478 | 2,480 | 2,585 | 1,403 | 0 | 2,198 | 1,415 | 478 | 212 | 0 | 0 |
| AAO (FY17) | 10,081 | | 2,051 | 2,160 | 1,401 | 245 | 2,121 | 1,415 | 454 | 212 | 0 | 0 |
| O/H | 14,647 | 285 | 3,037 | 2,527 | 1,177 | 290 | 2,194 | 1,506 | 0 | 3,532 | 0 | 0 |
| Shortfall/Excess | 3,609 | -193 | 557 | -58 | -226 | 290 | -4 | 91 | -478 | 3,320 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1010001796447 | 5 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 5 | 0 |
| 1010014958511 | 280 | 0% | 0% | 0% | 50% | 50% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 280 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E0915 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0915: LAUNCHER, ROCKET, ASSAULT, 83MM, MK153

The Launcher, Assault, Rocket, 83 mm (SMAW), MK 153 Mod 0, is a simple-to-use, man-portable assault weapon employed against buildings, bunkers, field fortifications, armor vehicles, and other targets. The SMAW is capable of firing both tactical and practice rockets through the launch tube and tracer cartridges ballistically matched to these rockets through the spotting rifle. The SMAW launcher consists of the launch tube, 9 mm spotting rifle, electromechanical trigger mechanism, open battle sights, and a sight mount.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,542 | 297 | 315 | 261 | 135 | 0 | 243 | 170 | 297 | 69 | 0 | 0 |
| AAO (FY17) | 1,425 | | 243 | 216 | 135 | 52 | 243 | 170 | 297 | 69 | 0 | 0 |
| O/H | 1,460 | 4 | 290 | 255 | 81 | 52 | 213 | 173 | 0 | 368 | 0 | 0 |
| Shortfall/Excess | -82 | -293 | -25 | -6 | -54 | 52 | -30 | 3 | -297 | 299 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1055011644608 | 4 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | I/P | No | 0 | 4 | 0 |

**Notes**: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.Although this item is being replaced with a new version all launchers in theatre will need to be recovered as the new launcher is not in production yet.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0935 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0935: LAUNCHER, TUBULAR, F/GM TOW WPN SYSTEM

The TOW 2 Weapon System is a crew portable, heavy antitank weapon system designed to attack and defeat armored vehicles and other targets such as field fortifications by using a tube-launched, optically-tracked, wire command-link guided missile.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 220 | 10 | 36 | 20 | 6 | 0 | 26 | 9 | 10 | 105 | 8 | 0 |
| AAO (FY17) | 206 | | 28 | 16 | 4 | 0 | 26 | 9 | 10 | 105 | 8 | 0 |
| O/H | 374 | 0 | 53 | 17 | 8 | 0 | 40 | 14 | 0 | 234 | 8 | 0 |
| Shortfall/Excess | 154 | -10 | 17 | -3 | 2 | 0 | 14 | 5 | -10 | 129 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1440014118942 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | I/P | No | 0 | 0 | 0 |

**Notes**: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 79 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0942: LAV, ANTI-TANK

LAV - Anti-Tank (LAV-AT) is armed with the TOW II Anti-Tank Guided Missile (ATGM), which is fired from a modified Emerson Electric (M901A1) weapon station. The LAV-AT delivers accurate and destructive fire from defilade positions against enemy tanks. It carries a crew of four (driver, commander, gunner, and loader), the TOW weapon system, and ammunition.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 118 | 8 | 36 | 20 | 4 | 0 | 24 | 7 | 8 | 11 | 8 | 0 |
| AAO (FY17) | 106 | | 28 | 16 | 4 | 0 | 24 | 7 | 8 | 11 | 8 | 0 |
| O/H | 112 | 0 | 29 | 17 | 4 | 0 | 24 | 6 | 0 | 23 | 9 | 0 |
| Shortfall/Excess | -6 | -8 | -7 | -3 | 0 | 0 | 0 | -1 | -8 | 12 | 1 | 0 |

### Reset Strategy & Plan (Product Group: PM LAV)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355015393618 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 173 | 0 | 13.8 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0946 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0946: LAV, COMMAND & CONTROL (BN)

Light Armored Vehicle (LAV) - Command and Control (LAV-C2A1) is armed with a pintle-mounted Machine Gun, 7.62 mm, M240E1. The vehicle carries a suite of radios, a portable shelter, and an auxiliary power unit (APU) to substitute for vehicle power when needed. The LAV-C2A1 provides the battalion commander and his operational staff with the capability to effectively command and control the battalion or combat team. It carries a crew of two (driver and commander), plus six operations/staff personnel.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 69 | 16 | 17 | 9 | 1 | 0 | 10 | 3 | 16 | 10 | 2 | 1 |
| AAO (FY17) | 66 | | 15 | 8 | 1 | 0 | 10 | 3 | 16 | 10 | 2 | 1 |
| O/H | 61 | 0 | 16 | 7 | 1 | 0 | 10 | 4 | 0 | 20 | 2 | 1 |
| Shortfall/Excess | -8 | -16 | -1 | -2 | 0 | 0 | 0 | 1 | -16 | 10 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PM LAV)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355014947611 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2355015393589 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Will not be filling deficiencies in conus, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 172 | 0 | 14 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0947 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0947: LAV, LIGHT ASSAULT, 25MM

Armed with the stabilized M242, 25 mm Automatic Cannon and a coaxially mounted M240, 7.62 mm Machine Gun in a two-man turret. The LAV-25A1 delivers accurate and destructive direct fire against enemy personnel, lightly armored vehicles, and materiel targets. Its capability to rapidly deploy/redeploy troops within the battle area permits their arrival at the point of commitment with reduced casualties and fatigue. An Auxiliary Power Unit (APU) supplies power when the LAV-25A1 is operational with the engine shut down. The LAV-25A1 carries a crew of three (driver, gunner, and commander) plus six combat-equipped infantrymen.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 544 | 94 | 134 | 74 | 14 | 0 | 88 | 40 | 94 | 63 | 28 | 9 |
| AAO (FY17) | 502 | | 106 | 60 | 14 | 0 | 88 | 40 | 94 | 63 | 28 | 9 |
| O/H | 524 | 0 | 128 | 60 | 10 | 0 | 88 | 53 | 0 | 148 | 28 | 9 |
| Shortfall/Excess | -20 | -94 | -6 | -14 | -4 | 0 | 0 | 13 | -94 | 85 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PM LAV)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355014947606 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 2355015393639 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 176 | 0 | 13.9 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0948 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0948: LAV, LOGISTICS

Light Armored Vehicle (LAV) - Logistics (LAV-L) consists of a cargo crane, loading/unloading hatches, and a maximized payload capability for volume and weight. The LAV-L delivers rations, ammunition, fuel, spare parts, and equipment to LAV vehicles/units deployed away from main roads and networks. It carries a crew of three (driver, commander, and logistics crewman).

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 136 | 25 | 35 | 19 | 3 | 0 | 22 | 6 | 25 | 17 | 6 | 3 |
| AAO (FY17) | 127 | | 29 | 16 | 3 | 0 | 22 | 6 | 25 | 17 | 6 | 3 |
| O/H | 137 | 0 | 34 | 20 | 2 | 0 | 22 | 9 | 0 | 41 | 6 | 3 |
| Shortfall/Excess | 1 | -25 | -1 | 1 | -1 | 0 | 0 | 3 | -25 | 24 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PM LAV)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355015393634 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 175 | 0 | 14.1 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0949 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0949: LAV, MORTAR

Light Armored Vehicle (LAV) - Mortar (LAV-M) is armed with the 81 mm Mortar, which can be fired from inside or outside the vehicle. The LAV-M provides indirect fire support and carries a crew of five (driver, commander, gunner, loader, and ammo handler), the Mortar, and ammunition.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 71 | 10 | 18 | 10 | 2 | 0 | 12 | 4 | 10 | 9 | 4 | 2 |
| AAO (FY17) | 65 | | 14 | 8 | 2 | 0 | 12 | 4 | 10 | 9 | 4 | 2 |
| O/H | 65 | 0 | 16 | 10 | 2 | 0 | 12 | 3 | 0 | 16 | 4 | 2 |
| Shortfall/Excess | -6 | -10 | -2 | 0 | 0 | 0 | 0 | -1 | -10 | 7 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PM LAV)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355015393578 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Will not be filling deficiencies in conus, all should wind up going to MCLC to fill WRMR.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 173 | 0 | 13.5 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0950 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0950: LAV, MAINT/RECOVERY

Light Armored Vehicle (LAV) - Maintenance/Recovery (LAV-RA1) is equipped with a boom crane, winch, spade, compressed air for pneumatic tools, fuel, a transfer pump, and floodlights. The LAV-RA1 provides repair and recovery services at the organizational and intermediate maintenance levels. An Auxiliary Power Unit (APU) supplies additional power for the vehicle's maintenance and recovery equipment. The LAV-RA1 carries a crew of five (driver, rigger, commander, and two maintenance/recovery crewmen) and has additional stowage capabilities.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 48 | 4 | 13 | 7 | 1 | 0 | 8 | 5 | 4 | 7 | 2 | 1 |
| AAO (FY17) | 45 | | 11 | 6 | 1 | 0 | 8 | 5 | 4 | 7 | 2 | 1 |
| O/H | 45 | 0 | 12 | 6 | 1 | 0 | 8 | 8 | 0 | 6 | 3 | 1 |
| Shortfall/Excess | -3 | -4 | -1 | -1 | 0 | 0 | 0 | 3 | -4 | -1 | 1 | 0 |

### Reset Strategy & Plan (Product Group: PM LAV)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2355015393601 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 197 | 0 | 14.2 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0960 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0960: MACHINE GUN, LT, SQUAD, AUTOMATIC WEAPON

The M249 is a portable, gas-operated, magazine or disintegrating metallic, link-belt fed, light machine gun with fixed headspace. The M249 engages point targets out to 800 meters, firing the improved, NATO standard 5.56 mm cartridge (M855). It has a fixed regulator. The addition of accessory rails has been implemented.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 6,870 | 315 | 1,312 | 1,360 | 701 | 0 | 1,060 | 1,376 | 315 | 439 | 0 | 0 |
| AAO (FY17) | 6,541 | | 1,190 | 1,138 | 729 | 288 | 1,095 | 1,355 | 288 | 439 | 0 | 0 |
| O/H | 16,755 | 116 | 1,759 | 1,561 | 794 | 328 | 1,307 | 1,176 | 0 | 9,655 | 0 | 0 |
| Shortfall/Excess | 9,885 | -199 | 447 | 201 | 93 | 328 | 247 | -200 | -315 | 9,216 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005011277510 | 116 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 116 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0961 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0961: MACHINE GUN M240E1

The M240E1 is designed with front and rear sights, uses 7.62 mm ammunition, and is pintle-mounted on light armored vehicles. It is gas-operated and fires from the open bolt position. The M240E1 has a spade grip for closed-in space triggering for use on the Light Assault Vehicle (LAV).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 149 | 0 |
| Shortfall/Excess | 149 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 149 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 149 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMO-13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005012524288 | 0 | 25% | 0% | 0% | 75% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Items are being shipped back to the MEFs

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | |
| if | **Not Mission Capable** | then | |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0980 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0980: MACHINE GUN, CAL .50, BROWNING, HB FLEXIBLE

The M2 is an automatic, recoil-operated, disintegrating metallic, link-belt fed, air-cooled machine gun with an adjustable headspace that is crew-transportable. By repositioning some of the component parts, ammunition may be fed from either the left or the right side. The metallic link-belt is used to feed the ammunition into the weapon. This gun has a back plate with spade grips, trigger, safety selector, and bolt latch release. This gun may be mounted on most vehicles and tanks as an anti-personnel and anti-aircraft weapon. The weapon can be used in conjunction with current HMMWV MCTAG: OGPK configurations.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 3,975 | 24 | 794 | 739 | 428 | 0 | 636 | 327 | 24 | 591 | 83 | 49 |
| AAO (FY17) | 3,775 | | 713 | 665 | 400 | 168 | 642 | 310 | 32 | 591 | 83 | 35 |
| O/H | 6,493 | 94 | 779 | 755 | 399 | 180 | 546 | 308 | 0 | 3,152 | 85 | 0 |
| Shortfall/Excess | 2,518 | 70 | -15 | 16 | -29 | 180 | -90 | -19 | -24 | 2,561 | 2 | -49 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005007265636 | 94 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 94 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a Serialized Control Accountable Weapon. To be in compliance with Small Arms and Light Weapons (SM/LW) Security and Controls required by Federal and ATF Regulation, this TAMCN should follow the OEF Reset Strategy and be returned to LOGCOM to be accounted for and disposed of.Items are being shipped back to the MEFs

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0984 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0984: MACHINE GUN, CAL .50

The M48 Turret Type is an air-cooled, recoil-operated, alternate-feed, automatic, crew-served weapon. The weapon is mounted on the M1 and M1A1 Abrams main battle tank commander's station M88A2 recovery vehicle. It provides automatic weapon suppression fire for offensive and defensive purposes. This weapon can be used effectively against personnel, light armored vehicles, and low, slow-flying aircraft.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 495 | 0 | 97 | 93 | 1 | 0 | 100 | 43 | 0 | 12 | 133 | 12 |
| AAO (FY17) | 460 | | 95 | 61 | 1 | 0 | 100 | 43 | 0 | 12 | 133 | 11 |
| O/H | 661 | 0 | 95 | 91 | 4 | 0 | 85 | 42 | 0 | 200 | 140 | 0 |
| Shortfall/Excess | 166 | 0 | -2 | -2 | 3 | 0 | -15 | -1 | 0 | 188 | 7 | -12 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005009573893 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a Serialized Control Accountable Weapon. To be in compliance with Small Arms and Light Weapons (SM/LW) Security and Controls required by Federal and ATF Regulation, this TAMCN should follow the OEF Reset Strategy and be returned to MCLC to be accounted for and disposed of.This TAMCN is associated with the Tank and should return with it.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0989 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0989: MACHINE GUN, M240B

The M240B is the ground-employed version of the basic Machine Gun, 7.62 mm, M240. It is air-cooled, disintegrating metallic, link-belt fed, gas-operated with a fixed headspace, and is designed for all applications requiring 7.62 mm automatic firepower.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 8,674 | 0 |
| AAO (FY17) | 8,245 | |
| O/H | 12,237 | 330 |
| Shortfall/Excess | 3,563 | 330 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 1,802 | 1,658 | 841 | 0 | 1,437 | 1,254 | 0 | 879 | 76 | 18 |
| 1,588 | 1,469 | 822 | 280 | 1,444 | 1,240 | 0 | 879 | 76 | 18 |
| 1,770 | 1,689 | 748 | 335 | 1,356 | 1,176 | 0 | 4,157 | 77 | 16 |
| -32 | 31 | -93 | 335 | -81 | -78 | 0 | 3,278 | 1 | -2 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005014123129 | 330 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 330 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a Serialized Control Accountable Weapon. To be in compliance with Small Arms and Light Weapons (SM/LW) Security and Controls required by Federal and ATF Regulation, this TAMCN should follow the OEF Reset Strategy and be returned to MCLC to be accounted for and disposed of.Items are being shipped back to the MEFs

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 8 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0994 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0994: MACHINE GUN, GRENADE (MK 19 40MM MOD 3 W/BKT)

The MK19 W/BKT is an air-cooled, disintegrating metallic link-belt fed, blowback-operated, fully automatic weapon and is crew-transportable. It fires a variety of 40 mm grenades. The M430 (HEDP) 40 mm grenade will pierce armor up to 2 inches thick (at zero degrees obliquity) and will produce fragments to kill personnel within 5 meters and wound personnel within 15 meters of the point of impact. The weapon is used in conjunction with current HMMWV MCTAG: OGPK configurations.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,973 | 0 | 661 | 621 | 415 | 0 | 541 | 277 | 0 | 221 | 83 | 46 |
| AAO (FY17) | 2,810 | | 595 | 556 | 395 | 104 | 557 | 264 | 0 | 221 | 83 | 31 |
| O/H | 5,484 | 26 | 747 | 723 | 373 | 123 | 473 | 300 | 0 | 2,583 | 79 | 0 |
| Shortfall/Excess | 2,511 | 26 | 86 | 102 | -42 | 123 | -68 | 23 | 0 | 2,362 | -4 | -46 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1010011269063 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 1010014909697 | 26 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 26 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a Serialized Control Accountable Weapon. To be in compliance with Small Arms and Light Weapons (SM/LW) Security and Controls required by Federal and ATF Regulation, this TAMCN should follow the OEF Reset Strategy and be returned to MCLC to be accounted for and disposed of.Items are being shipped back to the MEFs. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0996 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0996: BLADE, MINE CLEARING

The Mine Clearing Blade (MCB), when mounted to the front of the M1 or M1A1 Abrams Tank, is used to clear 8-, 10- and 12-inch deep mines from a tank's path. As the tank pushes the MCB through a minefield, loose dirt and mines are rolled up onto moldboards and then pushed to the sides of tracks. A chain and dogbone attached between the moldboards detonate any tilt rod mines in the center lane. A control box located in the driver's compartment provides operator control for raising and lowering the moldboards. A manual release system allows moldboards to be lowered to the plowing position if the electrical system fails.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 74 | 0 | 12 | 12 | 0 | 0 | 18 | 6 | 0 | 8 | 16 | 2 |
| AAO (FY17) | 68 | | 12 | 6 | 0 | 0 | 18 | 6 | 0 | 8 | 16 | 2 |
| O/H | 88 | 0 | 10 | 8 | 0 | 0 | 6 | 6 | 0 | 42 | 16 | 0 |
| Shortfall/Excess | 14 | 0 | -2 | -4 | 0 | 0 | -12 | 0 | 0 | 34 | 0 | -2 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2590012308862 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B, C, or D |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 289 | 3.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E0998 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E0998: MACHINE GUN, 7.62MM, LH (M240)

The M240 is a lightweight, air-cooled, disintegrating metallic, link-belt fed, vehicle-mounted machine gun designed as a coaxial weapon for tanks and 7.62 mm firepower for lighter vehicles. It is gas-operated with a fixed headspace. It consists of a barrel assembly, buffer assembly, driving space assembly, bolt and operating rod assembly, trigger and frame assembly, cover assembly, feed tray, and receiver assembly.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 1,148 | 0 |
| AAO (FY17) | 1,050 | |
| O/H | 2,114 | 0 |
| Shortfall/Excess | 966 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 250 | 190 | 14 | 0 | 260 | 99 | 0 | 42 | 260 | 25 |
| 222 | 120 | 14 | 0 | 260 | 99 | 0 | 42 | 260 | 25 |
| 261 | 191 | 10 | 0 | 251 | 101 | 0 | 1,014 | 269 | 9 |
| 11 | 1 | -4 | 0 | -9 | 2 | 0 | 972 | 9 | -16 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005010258095 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: Item is associated with the Tank and LAV, should return with it.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1030: TARGET DESIGNATOR II, LASER, GROUND (GLTD II)

The GLTD II is a compact, lightweight, man portable, laser designator and rangefinder. Developed to enable combat soldiers to direct laser-guided munitions, such as Hellfire missiles and Laser Spot Tracking munitions. The GLTD II can be implemented as part of a sophisticated digitized fire control system with thermal or image-intensified sights.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 26 | 0 | 3 | 0 | 0 | 7 | 2 | 2 | 0 | 10 | 0 | 0 |
| Shortfall/Excess | 26 | 0 | 3 | 0 | 0 | 7 | 2 | 2 | 0 | 10 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5860070000768 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Obsolete item.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# E1035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1035: SYSTEM GROUP, METEOROLOGICAL (MSG), AN/TMQ49

The MSG consists of the Meteorological Measuring Set AN/TMQ-41, Surface Met Sensor AN/TPQ-50, and Electronic Met Theodolite. The MSG and its components are used to measure upper air conditions in order to determine met corrections for artillery.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 21 | 0 | 5 | 4 | 4 | 0 | 4 | 4 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 21 | | 5 | 4 | 4 | 0 | 4 | 4 | 0 | 0 | 0 | 0 |
| O/H | 21 | 0 | 0 | 3 | 4 | 0 | 3 | 3 | 0 | 8 | 0 | 0 |
| Shortfall/Excess | 0 | 0 | -5 | -1 | 0 | 0 | -1 | -1 | 0 | 8 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6660014289218 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Using unit owned assets return to home station. No direct water contact on electrical components.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0.3 |

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1047: BINOCULAR EYE SAFE

This eye safe Binocular is a device utilizing Erbium Glass Laser technology. The Optic Long Distance Laser Rangefinder Binocular unit is easy to use and withstands the harshest environmental conditions.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 6 | 0 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 6 | 0 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1240090001994 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Obsolete item

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1048 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1048: RANGE FINDER, LASER

The Common Laser Range Finder, formerly called the Laser Infrared Observation Set Replacement, is a set of small, lightweight, and eye-safe laser range finders and azimuth and inclination sensors that export targeting data.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 2,420 | 93 | 590 | 532 | 298 | 0 | 557 | 146 | 93 | 0 | 4 | 1 |
| AAO (FY17) | 2,234 | | 498 | 444 | 298 | 181 | 557 | 146 | 87 | 0 | 4 | 1 |
| O/H | 2,165 | 34 | 413 | 399 | 166 | 141 | 509 | 160 | 0 | 301 | 1 | 0 |
| Shortfall/Excess | -255 | -59 | -177 | -133 | -132 | 141 | -48 | 14 | -93 | 301 | -3 | -1 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1240015615149 | 33 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 33 | 0 | 0 |
| 1240090003576 | 1 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | Yes | No | Yes | 1 | 0 | 0 |
| 1240090003759 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1065: MORTAR,60 MILLIMETE

The M224A1 is a smooth bore, muzzle-loading, high-angle-of-fire weapon. Its design improvement from the legacy M224 system is a barrel composed of inconel, a lightweight and extremely durable nickel alloy. In addition, the bipod was constructed from lighter materials and components and an improved forging process allowed for weight reduction of the baseplate.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 613 | 27 | 98 | 98 | 62 | 0 | 72 | 122 | 27 | 36 | 0 | 0 |
| AAO (FY17) | 577 | | 80 | 80 | 62 | 98 | 72 | 122 | 27 | 36 | 0 | 0 |
| O/H | 921 | 17 | 89 | 112 | 44 | 95 | 76 | 133 | 0 | 346 | 0 | 0 |
| Shortfall/Excess | 308 | -10 | -9 | 14 | -18 | 95 | 4 | 11 | -27 | 310 | 0 | 0 |

## Reset Strategy & Plan (Product Group: PMO-13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1010010205626 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |
| 1010010445883 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 1010015862874 | 17 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | no | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, NSN 2874 should be retrograded. This is a Serialized Control Accountable Weapon. To be in compliance with Small Arms and Light Weapons (SM/LW) Security and Controls required by Federal and ATF Regulation, this TAMCN should follow the OEF Reset Strategy and be returned to MCLC to be accounted for and disposed of.All items must return to Depot.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 17 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1070: MORTAR, 120MM

Rifled-towed 120mm mortar, designated XM326, Weight 1798 lbs, transportable in MV-22 Osprey or CH-53 Helo.




*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 78 | 3 |
| AAO (FY17) | 78 | |
| O/H | 78 | 0 |
| Shortfall/Excess | 0 | -3 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 24 | 24 | 12 | 0 | 0 | 12 | 3 | 3 | 0 | 0 |
| 24 | 24 | 12 | 0 | 0 | 12 | 3 | 3 | 0 | 0 |
| 28 | 24 | 8 | 0 | 0 | 12 | 0 | 6 | 0 | 0 |
| 4 | 0 | -4 | 0 | 0 | 0 | -3 | 3 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1015015309102 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 203 | 0.8 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1095 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1095: MORTAR, MEDIUM, 81MM, EXTENDED RANGE

The M252 81 mm Mortar is a crew-served, lightweight mortar that is highly accurate and provides for a range of 4,500 to 5,650 meters. The cannon has a removable breech plug and firing pin. The muzzle end has a short tapered lead-in for the cartridge and Blast Attenuator Device (BAD). The breech end is finned for better cooling. Weapon Record Book, Part II (NAVMC 10558A) is provided with the Mortar.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 501 | 24 | 98 | 90 | 50 | 0 | 76 | 121 | 24 | 16 | 4 | 2 |
| AAO (FY17) | 463 | | 78 | 72 | 50 | 20 | 76 | 121 | 24 | 16 | 4 | 2 |
| O/H | 554 | 16 | 89 | 98 | 34 | 22 | 75 | 116 | 0 | 90 | 4 | 2 |
| Shortfall/Excess | 53 | -8 | -9 | 8 | -16 | 22 | -1 | -5 | -24 | 74 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1015011646651 | 16 | 0% | 0% | 100% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 16 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. This is a Serialized Control Accountable Weapon. To be in compliance with Small Arms and Light Weapons (SM/LW) Security and Controls required by Federal and ATF Regulation, this TAMCN should follow the OEF Reset Strategy and be returned to MCLC to be accounted for and disposed of.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 16 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1145 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1145: VELOCITY SYSTEM, MUZZLE (MVS)

The Radar Chronograph Set, M36 is a continuous wave doppler radar transmitter-receiver system. Its function is the measurement of velocity of artillery projectiles ranging in size from 40 to 280 mm, and encompassing the velocity range from 250 to 6100 fps.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 218 | 0 | 62 | 50 | 42 | 0 | 18 | 10 | 0 | 0 | 30 | 6 |
| AAO (FY17) | 182 | | 44 | 38 | 36 | 0 | 18 | 10 | 0 | 0 | 30 | 6 |
| O/H | 186 | 3 | 31 | 23 | 21 | 0 | 18 | 10 | 0 | 44 | 30 | 6 |
| Shortfall/Excess | -32 | 3 | -31 | -27 | -21 | 0 | 0 | 0 | 0 | 44 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1290014125760 | 3 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 3 | 0 | 0 |

**Notes**: Do not wash. Clean with damp cloth.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 100% | 0% | 0% | 0% | 0% | 0% |

# E1152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1152: GOGGLES, NIGHT VISION, INDIV

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 1,346 | 0 |
| Shortfall/Excess | 1,346 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 97 | 30 | 15 | 0 | 778 | 122 | 0 | 294 | 0 | 0 |
| 97 | 30 | 15 | 0 | 778 | 122 | 0 | 294 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855012280936 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5855012280937 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5855014225413 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Category 3 Equipment_ w/ published Disposal Plan (Column 'G').The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# E1154 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1154: INTENSIFIER, IMAGE, NIGHT VISION

The AN/PVS-14 is a lightweight, hand-held, head-mounted, or helmet-mounted night vision system that provides night vision by amplifying ambient light from the night sky. The device uses third generation (GEN III) image intensification technology and is equipped with an infrared illuminator, low-battery indicator, and gain control.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 106,595 | 647 | 28,348 | 26,183 | 15,334 | 0 | 23,596 | 9,479 | 647 | 0 | 0 | 0 |
| AAO (FY17) | 97,863 | | 24,299 | 22,059 | 14,764 | 2,995 | 23,629 | 9,479 | 618 | 0 | 0 | 0 |
| O/H | 123,616 | 2631 | 31,304 | 29,519 | 14,313 | 3,032 | 24,466 | ###### | 0 | 6,283 | 0 | 0 |
| Shortfall/Excess | 17,021 | 1,984 | 2,956 | 3,336 | -1,021 | 3,032 | 870 | 1,598 | -647 | 6,283 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855014320524 | 2631 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 2631 | 0 |

**Notes**: Category 1 Equipment

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1159 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1159: SIGHT, NIGHT VISION, WEAPON, CREW SERVED

The AN/TVS-5A is a weapon-mountable, battery-operated, third generation (GEN III) image-intensifying night sight. The device amplifies reflected ambient light such as moonlight, starlight, and sky glow so that the viewed scene becomes visible to the operator. The AN/TVS-5A can be mounted on the M2 .50 Caliber Machine Gun and the MK 19 40 mm Machine Gun.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 2,002 | 0 | 116 | 61 | 12 | 0 | 102 | 3 | 0 | 1,703 | 0 | 0 |
| Shortfall/Excess | 2,002 | 0 | 116 | 61 | 12 | 0 | 102 | 3 | 0 | 1,703 | 0 | 0 |

### Reset Strategy & Plan (Product Group: PMO-13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855010202211 | 0 | 0% | 0% | 0% | 75% | 25% | 0% | NO | NO | UNK | No | No | No | No | No | 0 | 0 | 0 |
| 5855014225777 | 0 | 0% | 0% | 0% | 75% | 25% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 5855014228777 | 0 | 0% | 0% | 0% | 75% | 25% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Category 1 Equipment

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1160 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1160: SIGHT, NIGHT VISION, MINI 4.5X

The AN/PVS-17C is a lightweight, compact, weapon-mountable night sight that utilizes GEN III image intensification technology. The device utilizes a circle dot reticle and has a 4.5X magnification, fixed-focus objective lens. Operator controls are provided for power (OFF/ON), reticle brightness, eyepiece focus, reticle windage and elevation reticle adjustments. The sight is submersible to 66 feet and comes with a MIL-STD- 1913 rail grabber interface, with a double throw lever mount for mounting to weapons. The AN/PVS-17C is intended for mount on the M249 Squad Automatic Weapon (SAW) and M240G Medium Machine Gun.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 8,000 | 315 | 1,754 | 1,655 | 1,009 | 0 | 1,417 | 1,307 | 315 | 0 | 0 | 0 |
| AAO (FY17) | 7,835 | | 1,647 | 1,411 | 1,075 | 624 | 1,480 | 1,307 | 288 | 0 | 0 | 0 |
| O/H | 13,079 | 126 | 2,320 | 1,839 | 1,045 | 823 | 2,128 | 1,182 | 0 | 3,475 | 0 | 0 |
| Shortfall/Excess | 5,079 | -189 | 566 | 184 | 36 | 823 | 711 | -125 | -315 | 3,475 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855014916967 | 126 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | yes | No | I/P | No | 0 | 0 | 126 |

**Notes**: This is a deployment asset - should be brought in and out of theater with the unit.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1161 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1161: RECHARGING UNIT, MON

The Recovery/Recharge system recovers HALON 1301 and recharges those bottles. HALON is an ozone-depleting substance used for fire suppression in some applications in certain ordnance vehicles.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 14 | 0 | 2 | 3 | 1 | 0 | 2 | 3 | 0 | 0 | 2 | 1 |
| AAO (FY17) | 13 | | 2 | 3 | 0 | 0 | 2 | 3 | 0 | 0 | 2 | 1 |
| O/H | 25 | 0 | 3 | 3 | 4 | 0 | 0 | 2 | 0 | 11 | 2 | 0 |
| Shortfall/Excess | 11 | 0 | 1 | 0 | 3 | 0 | -2 | -1 | 0 | 11 | 0 | -1 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3655014469335 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 22 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1245 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1245: PISTOL 9MM

The M9 (and M9A1) is a magazine-fed, recoil-operated, double-action semi-automatic pistol, chambered for the 9 mm cartridge. It is a defensive hand weapon, with a 15-round capacity, used for ranges less than 50 yards. The M9A1 lower receiver has an integral MIL-STD-1913 for mounting accessories.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 5,222 | 200 | 404 | 2,739 | 211 | 0 | 808 | 860 | 200 | 0 | 0 | 0 |
| AAO (FY17) | 4,971 | | 303 | 2,638 | 173 | 0 | 808 | 860 | 189 | 0 | 0 | 0 |
| O/H | 7,557 | 0 | 493 | 2,735 | 215 | 0 | 546 | 910 | 0 | 2,658 | 0 | 0 |
| Shortfall/Excess | 2,335 | -200 | 89 | -4 | 4 | 0 | -262 | 50 | -200 | 2,658 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005015257966 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1251 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1251: PISTOL, MEU (SOC), CAL .45

The M45 Close Quarters Battle Pistol (CQBP) .45 Caliber is an air-cooled, magazine-fed, recoil-operated, automatic-loading, defensive-hand weapon. It is fed from a seven-round, stainless steel magazine and is a semiautomatic weapon, firing one round each time the trigger is squeezed. The weapon can be carried in either a hip or shoulder holster and may be securely connected to the shooter by the pistol lanyard.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 3,397 | 0 | 329 | 322 | 273 | 0 | 528 | 185 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 3,626 | | 371 | 364 | 248 | 1,760 | 698 | 185 | 0 | 0 | 0 | 0 |
| O/H | 7,077 | 0 | 605 | 476 | 306 | 1,657 | 598 | 280 | 0 | 3,155 | 0 | 0 |
| Shortfall/Excess | 3,680 | 0 | 276 | 154 | 33 | 1,657 | 70 | 95 | 0 | 3,155 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005015754072 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | EDA | Yes | no | No | Yes | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# E1353 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1353: RECHARGING UNIT, CARBON DIOXIDE

Item discontinued

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 44 | 0 |
| Shortfall/Excess | 44 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 43 | 1 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 43 | 1 | 0 |

### Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3655010049873 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 37 | 0.4 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# E1378 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1378: RECOVERY VEHICLE, FT, HEAVY, W/EQUIP (M88)

The M88A2 Heavy Recovery Vehicle is an armored, full-tracked, low silhouette vehicle. It is used for hoisting, winching, and towing operations for all vehicles up to 70 tons (63.49 metric tons). It is equipped to assist in repairing disabled vehicles under field conditions. The vehicle carries a crew of three: commander, operator, and mechanic/rigger.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 111 | 0 | 27 | 25 | 5 | 0 | 22 | 7 | 0 | 8 | 14 | 2 |
| AAO (FY17) | 100 | | 25 | 19 | 1 | 0 | 22 | 7 | 0 | 8 | 14 | 3 |
| O/H | 94 | 0 | 22 | 22 | 0 | 0 | 6 | 7 | 0 | 20 | 14 | 2 |
| Shortfall/Excess | -17 | 0 | -5 | -3 | -5 | 0 | -16 | 0 | 0 | 12 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2350013904683 | 0 | 10% | 90% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**: Vehicle equipped with SL-3 to include SSRI items which should be packaged up and shipped such that it can marry up with his host vehicle. All need to go back to MCLC for full depot repair due to high number of miles on the equipment. Armor deck (over powerpack) Removed. No high pressure wash in crew compartment and/or Exterior hydraulic cylinders. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 319 | 0 | 64.2 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1385 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1385: NEUTRALIZATION DEVICE, ORDNANCE, REMOTE

The MK 36 Tool Set consists of an assortment of non-magnetic hand tools used to gain access to buried explosive ordnance.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 36 | 1 | 5 | 7 | 3 | 0 | 3 | 17 | 1 | 0 | 0 | 0 |
| AAO (FY17) | 34 | | 5 | 6 | 3 | 0 | 3 | 16 | 1 | 0 | 0 | 0 |
| O/H | 51 | 0 | 11 | 14 | 7 | 0 | 0 | 19 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 15 | -1 | 6 | 7 | 4 | 0 | -3 | 2 | -1 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1385014569129 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 37 | 0.6 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1441 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1441: RIFLE,5.56 MILLIMET

M16A2 is a Close Quarters Battle Weapon weapons are configured with a flat-top upper receiver and barrel assembly, a detachable carrying handle, and an integral rear sight aperture.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 124,423 | 0 | 14 | 0 | 487 | 2 | 262 | 147 | 0 | 123,511 | 0 | 0 |
| Shortfall/Excess | 124,423 | 0 | 14 | 0 | 487 | 2 | 262 | 147 | 0 | 123,511 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005011289936 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | no | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1442 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1442: RIFLE, 5.56MM

M16A4 is a Close Quarters Battle Weapon weapons are configured with a flat-top upper receiver and barrel assembly, a detachable carrying handle, and an integral rear sight aperture.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 141,343 | 566 | 26,740 | 29,990 | 15,100 | 0 | 18,251 | ###### | 566 | 3348 | 4 | 0 |
| AAO (FY17) | 127,646 | | 23,225 | 25,208 | 13,146 | 16 | 14,984 | ###### | 539 | 3348 | 4 | 0 |
| O/H | 160,331 | 1864 | 31,314 | 30,432 | 14,336 | 153 | 20,043 | ###### | 0 | 17,842 | 2 | 0 |
| Shortfall/Excess | 18,988 | 1,298 | 4,574 | 442 | -764 | 153 | 1,792 | ###### | -566 | 14,494 | -2 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005013832872 | 1864 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 1864 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1460 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1460: RIFLE,7.62 MILLIMET

The M40A5 is a heavy barrel, bolt-action, manually operated, magazine-fed, shoulder-fired weapon with an optical sight. The M40A5 closed-bolt design offers a high degree of accuracy and control while providing a greater degree of safety. An accessory rail has been added on at the front of the stock providing more area to mount accessories. The M40A5 is equipped with a muzzle break and suppressor.

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 826 | 12 | 134 | 130 | 93 | 0 | 157 | 185 | 12 | 91 | 0 | 0 |
| AAO (FY17) | 753 | | 106 | 102 | 84 | 24 | 149 | 185 | 12 | 91 | 0 | 0 |
| O/H | 1,190 | 14 | 142 | 126 | 75 | 37 | 132 | 201 | 0 | 461 | 0 | 0 |
| Shortfall/Excess | 364 | 2 | 8 | -4 | -18 | 37 | -25 | 16 | -12 | 370 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005014950843 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |
| 1005015677827 | 14 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 14 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# E1475 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1475: RIFLE, SCOPED, SPECIAL APPLICATION, .50 CAL.

The M107 is a semi-automatic, air-cooled, long-range rifle. It is used to destroy or disable targets at ranges greater than those achievable by conventional small arms, to engage lightly armored vehicles and light fortifications, and for use by explosive ordnance disposal personnel in destroying munitions and hazards from safe distances.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 601 | 9 | 114 | 107 | 67 | 0 | 83 | 70 | 9 | 0 | 0 | 0 |
| AAO (FY17) | 592 | | 106 | 101 | 79 | 150 | 75 | 70 | 10 | 0 | 0 | 0 |
| O/H | 683 | 12 | 116 | 109 | 57 | 173 | 79 | 75 | 0 | 60 | 0 | 0 |
| Shortfall/Excess | 82 | 3 | 2 | 2 | -10 | 173 | -4 | 5 | -9 | 60 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005014692133 | 12 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 6 | 6 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1500: ROCKET SYSTEM, ARTY, HIGH MOB (HIMARS)

HIMARS is a ground-based, precision indirect fire support system which accurately engages targets at long ranges, under all weather conditions.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 62 | 9 |
| AAO (FY17) | 56 | |
| O/H | 53 | 3 |
| Shortfall/Excess | -9 | -6 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 24 | 0 | 0 | 0 | 18 | 4 | 9 | 7 | 0 | 0 |
| 18 | 0 | 0 | 0 | 18 | 4 | 9 | 7 | 0 | 0 |
| 24 | 0 | 0 | 0 | 18 | 4 | 0 | 4 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | -9 | -3 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1055015367106 | 3 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 3 | 0 |

**Notes**: All should be brought back through the MEF, then MCLC. Do Not Spray or wet any Electronic Components

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 17.5 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1570: SET, GROUND HOP SUPPORT (GHSS)

The Ground Hop Support Set is utilized to operate, control, and monitor engine and transmission functions on the powerpack when removed from the M1A1 Tank for maintenance.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 25 | 0 |
| AAO (FY17) | 24 | |
| O/H | 35 | 0 |
| Shortfall/Excess | 10 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 4 | 4 | 1 | 0 | 3 | 5 | 0 | 0 | 6 | 2 |
| 4 | 4 | 0 | 0 | 3 | 5 | 0 | 0 | 6 | 2 |
| 5 | 4 | 0 | 0 | 2 | 4 | 0 | 12 | 6 | 2 |
| 1 | 0 | -1 | 0 | -1 | -1 | 0 | 12 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910012310343 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Mainly field or CLS repair - brain box needs to go up to Ohio for repair if necessary. No high presure wash. All POLs removed. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 133 | 0.6 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1710 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1710: RIFLE COMBAT OPTIC- A4

The AN/PVQ-3 is a fixed 4X optical targeting sight designed for use with service rifles configured with MIL-STD-1913 Rail Adapter System. The sight has an illuminated chevron reticle that incorporates a Bullet Drop Compensator (BDC) out to 800 meters, as well as a horizontal mil-scale graduated in 5 mil increments. The sight incorporates dual-illumination technology, using a combination of fiber optics and self-luminous Tritium.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 136,257 | 566 | 26,737 | 29,995 | 15,101 | 0 | 18,255 | ###### | 566 | 1858 | 0 | 0 |
| AAO (FY17) | 122,213 | | 23,207 | 25,074 | 12,944 | 16 | 15,113 | ###### | 539 | 1858 | 0 | 0 |
| O/H | 138,585 | 1832 | 29,239 | 30,638 | 11,911 | 206 | 20,766 | ###### | 0 | 8,129 | 0 | 0 |
| Shortfall/Excess | 2,328 | 1,266 | 2,502 | 643 | -3,190 | 206 | 2,511 | ###### | -566 | 6,271 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1240015251648 | 1832 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 1832 | 0 |

**Notes**: Category 1 Equipment

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1712 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1712: SHOP EQUIPMENT, ARTILLERY

The Shop Set, Equipment, Artillery Set is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of artillery equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 32 | 0 |
| AAO (FY17) | 27 | |
| O/H | 22 | 0 |
| Shortfall/Excess | -10 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 8 | 7 | 5 | 0 | 4 | 0 | 0 | 5 | 2 | 1 |
| 5 | 5 | 5 | 0 | 4 | 0 | 0 | 5 | 2 | 1 |
| 5 | 4 | 4 | 0 | 2 | 0 | 0 | 3 | 3 | 1 |
| -3 | -3 | -1 | 0 | -2 | 0 | 0 | -2 | 1 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4933015606595 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Using Unit owned assets return to home station. Do Not Spray or wet any Electronic Components

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1280 | 7.5 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1713 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1713: ELECTRO-OPTICS MAIN

The Shop Set, Maintenance, Electro-Optics, is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of optic, electro-optic, fire control and laser range finder equipment.

outside

Inside

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 26 | 0 |
| Shortfall/Excess | 26 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 6 | 3 | 0 | 1 | 2 | 0 | 8 | 1 | 1 |
| 3 | 6 | 3 | 0 | 1 | 2 | 0 | 8 | 1 | 1 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4931012732389 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Obsolete - Disposal plan is place, replacement TAMCN is already fielded.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 7.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# E1714 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1714: SHOP SET, MAINT, SMALL ARMS

The Shop set is a transportable facility designed to provide 3rd and 4th echelon maintenance capabilities for small arms and mortars.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 35 | 0 |
| AAO (FY17) | 31 | |
| O/H | 41 | 2 |
| Shortfall/Excess | 6 | 2 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 9 | 9 | 5 | 0 | 6 | 0 | 0 | 0 | 2 | 1 |
| 9 | 9 | 1 | 3 | 6 | 0 | 0 | 0 | 2 | 1 |
| 5 | 6 | 4 | 0 | 4 | 1 | 0 | 16 | 3 | 0 |
| -4 | -3 | -1 | 0 | -2 | 1 | 0 | 16 | 1 | -1 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4940015712584 | 2 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 2 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| TEU | 0 | 0 | 7.5 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1761 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1761: SHOTGUN, 12 GAUGE, COMBAT

The M1014 Combat Shotgun, is a semi-automatic weapon with a fixed, tubular magazine. It functions using the Auto Regulating Gas Operated (ARGO) Twin Operating System with rotating bolt head and dual-locking lugs. It is self-regulated for cartridges of varying length and power levels and functions reliably under all environmental conditions. All controls and sling attachment points allow for ambidextrous operation.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 3,261 | 113 |
| AAO (FY17) | 3,196 | |
| O/H | 4,412 | 12 |
| Shortfall/Excess | 1,151 | -101 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 450 | 862 | 278 | 0 | 394 | 1,059 | 113 | 0 | 0 | 0 |
| 455 | 851 | 275 | 66 | 345 | 1,059 | 106 | 0 | 0 | 0 |
| 501 | 1,039 | 308 | 163 | 384 | 989 | 0 | 1,016 | 0 | 0 |
| 51 | 177 | 30 | 163 | -10 | -70 | -113 | 1,016 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005014723147 | 12 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 12 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1762 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1762: SHOTGUN 12 GA

The Mossberg 500A2 is a manually operated, repeating, magazine-fed, shoulder-fired weapon. The action lock lever allows the action to be unlocked without engaging the trigger and is located on the right side of the trigger group. When in the locked ON position, the safety prevents the firing of the weapon. When the safety is OFF, a red dot will be exposed, indicating the weapon is fireable. The trigger controls the firing of the weapon. The foreend assembly is used to open and close the bolt assembly, permitting loading and firing of the weapon, and ejection of the spent cartridge.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 2,782 | 43 |
| AAO (FY17) | 2,702 | |
| O/H | 3,478 | 2 |
| Shortfall/Excess | 696 | -41 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 510 | 635 | 444 | 0 | 254 | 472 | 43 | 0 | 0 | 0 |
| 486 | 599 | 444 | 64 | 239 | 472 | 38 | 0 | 0 | 0 |
| 779 | 1,238 | 374 | 66 | 192 | 243 | 0 | 503 | 0 | 0 |
| 269 | 603 | -70 | 66 | -62 | -229 | -43 | 503 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005012518578 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 1005013715639 | 2 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 2 | 0 |

**Notes**: This is a deployment asset - should be brought in and out of theater with the unit.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 5 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1779 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1779: SIGHT, GRENADE LAUNCHER

The AN/PSQ-18A is a weapon-mounted, enhanced aiming device designed to enable Marines to rapidly and precisely fire the M203 in daylight, low-light, and night conditions. It possess integrated infrared (IR) aim and illumination lasers for nighttime employment, a built-in range scale, an anti-cant indicator, and integral iron sight for daytime employment. The AN/PSQ-18A provides for increased firing accuracy over quadrant and leaf sight systems, from 40 meters to 400 meters.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 5,557 | 258 | 1,244 | 1,244 | 777 | 0 | 1,059 | 626 | 258 | 88 | 0 | 0 |
| AAO (FY17) | 5,038 | | 1,016 | 989 | 760 | 245 | 1,059 | 626 | 239 | 88 | 0 | 0 |
| O/H | 5,362 | 38 | 626 | 1,012 | 390 | 350 | 626 | 274 | 0 | 1,940 | 0 | 0 |
| Shortfall/Excess | -195 | -220 | -618 | -232 | -387 | 350 | -433 | -352 | -258 | 1,852 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1010015160953 | 38 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | yes | No | No | No | 0 | 38 | 0 |

**Notes**: Category 1 Equipment

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1785 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1785: SYNCHRONIZATION SET, SIGHT, F/LAV

The Sight Synchronization Set provides a simplified means of synchronizing the LAV-25A1 DIM 36TH gunsights and eliminates the necessity of sloping the vehicle to detect and measure sighting elevation errors with the use of the following Major Components:

1. Adjustment Set Eccentric
2. Fixture Assembly, Sight Synchronization

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 49 | 0 | 15 | 10 | 2 | 0 | 5 | 12 | 0 | 0 | 4 | 1 |
| AAO (FY17) | 48 | | 15 | 10 | 2 | 0 | 5 | 12 | 0 | 0 | 4 | 0 |
| O/H | 53 | 0 | 11 | 9 | 2 | 0 | 6 | 8 | 0 | 14 | 3 | 0 |
| Shortfall/Excess | 4 | 0 | -4 | -1 | 0 | 0 | 1 | -4 | 0 | 14 | -1 | -1 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: PM LAV)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6650015385130 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Cannot be repaired - reset needs to assure all SL-3 components are included.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 11 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1790 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1790: SIGHT,NIGHT VISION

Used for observation and aimed fire of weapons at night. It amplifies reflected light such as moonlight, starlight, and sky glow so that the viewed scene becomes visible to the operator.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 81 | 0 |
| Shortfall/Excess | 81 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 2 | 0 | 0 | 1 | 0 | 0 | 74 | 0 | 0 |
| 4 | 2 | 0 | 0 | 1 | 0 | 0 | 74 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855014991239 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Obsolete - disposal plan is published - DRMO in country. FMS candidate.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# E1798 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1798: ILLUMINATOR,INFRARE

The AN/PEQ-15 is a weapon-mountable, multifunction, Class 3B laser device that emits visible and infrared (IR) light for precise weapon aiming and target/area illumination. The visible aiming laser assists in boresighting the device and provides for active target acquisition in low-light and close quarters combat situations without the need for night vision devices. The IR aim and illumination lasers provide for active, covert target acquisition in low light or complete darkness when used in conjunction with image intensifying night vision devices. The AN/PEQ-15 and the AN/PEQ-16A have replaced the AN/PEQ-2A.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 89,893 | 0 | 22,081 | 22,113 | 11,846 | 0 | 16,964 | ###### | 0 | 3050 | 0 | 0 |
| AAO (FY17) | 80,664 | | 19,328 | 18,488 | 10,826 | 904 | 15,109 | ###### | 0 | 3050 | 0 | 0 |
| O/H | 93,360 | 1147 | 20,920 | 19,331 | 9,209 | 460 | 11,598 | 8,392 | 0 | 21,756 | 0 | 0 |
| Shortfall/Excess | 3,467 | 1,147 | -1,161 | -2,782 | -2,637 | 460 | -5,366 | ###### | 0 | 18,706 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855014478992 | 15 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | no | No | No | No | 0 | 0 | 15 |
| 5855015345931 | 1132 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | yes | No | No | No | 0 | 1132 | 0 |
| 5855015356166 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | no | No | No | No | 0 | 0 | 0 |
| 5855015777174 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 0% | 0% |

# E1834 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1834: STAND MAINTENANCE A

The Stand, Maintenance, Automotive Power Train Assemblies is used to hold automotive power trains during repair or maintenance.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 27 | 0 | 5 | 3 | 1 | 0 | 2 | 15 | 0 | 1 | 0 | 0 |
| AAO (FY17) | 27 | | 5 | 3 | 1 | 0 | 2 | 15 | 0 | 1 | 0 | 0 |
| O/H | 24 | 0 | 4 | 2 | 0 | 0 | 6 | 6 | 0 | 6 | 0 | 0 |
| Shortfall/Excess | -3 | 0 | -1 | -1 | -1 | 0 | 4 | -9 | 0 | 5 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: PM LAV)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910219200678 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: No Special Requirements

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1888 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1888: TANK, COMBAT, FT, 120MM GUN

Tank, Combat, Full-Tracked, 120 mm Gun, M1A1 is a heavily armored, land combat vehicle operated by a four-man crew consisting of the commander, gunner, loader, and driver. It is powered by a 1,500 horsepower turbine engine, an automatic transmission, and two final drives. The main armament on the vehicle is the 120 mm M256 main gun mounted on a traversable turret. Additional fire power is provided by a coaxial-mounted 7.62 mm M240 machine gun, a 7.62 mm M240 at the loader's station, and a .50-caliber M48 machine gun mounted at the Commander's Weapon Station.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☑ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 399 | 0 | 58 | 58 | 0 | 0 | 84 | 28 | 0 | 43 | 116 | 8 |
| AAO (FY17) | 371 | | 58 | 30 | 0 | 0 | 84 | 28 | 0 | 43 | 116 | 8 |
| O/H | 417 | 0 | 65 | 62 | 0 | 0 | 48 | 33 | 0 | 70 | 127 | 8 |
| Shortfall/Excess | 18 | 0 | 7 | 4 | 0 | 0 | -36 | 5 | 0 | 27 | 11 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2350010871095 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**: All M1A1's be shipped directly to Anniston Army Depot (Anniston, Alabama) for refurb/repair. Disposition for PEI's will be established Armor deck removed. FUPP (full-up Power Pack) removed. V-Packs (air cleaners (three/3)) removed. Electrical connectors on FUPP and Tank Covered from water exposure. Air inlet on Tank covered. Final drives on Tank and FUPP covered. NO High pressure wash for crew compartment. No high pressure wash for main gun (interior) No high pressure wash for NBC seal (Turret and hull mate) All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | B or C |
| CAT II: | B or C |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| SQFT | 387 | 0 | 61.9 |

☑ **Sensitive** ☑ **CCI**
☑ **Multi-Modal** ☐ **Rotational**
☑ **Associated TAMCNs (See Appendix)**
☑ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1900: TELESCOPE, OBSERVATION W/EQUIP

The M49 Observation Telescope is a 20-power daytime telescope. The telescope is used for making ground observations of a target area and effective artillery fire. The M49 will be replaced by the Scout Sniper Observation Telescope (SSOT) within the sniper and reconnaissance communities.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 3,477 | 0 | 76 | 86 | 46 | 105 | 124 | 612 | 0 | 2,428 | 0 | 0 |
| Shortfall/Excess | 3,477 | 0 | 76 | 86 | 46 | 105 | 124 | 612 | 0 | 2,428 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6650005300960 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Category 1 Equipment

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# E1906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1906: TEST SET, ELECT SYSTEM, DIRECT SUPPORT

The Test Set, Electronic, AN/USM-615 is made up of the Direct Support Electric Systems Test Set Shelter System. The Shelter is a Mobile Expandable Container Configuration of an International Standards Organization container.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 47 | 9 | 9 | 9 | 3 | 0 | 5 | 4 | 9 | 0 | 4 | 1 |
| AAO (FY17) | 49 | | 9 | 9 | 3 | 3 | 5 | 4 | 12 | 0 | 4 | 0 |
| O/H | 26 | 0 | 5 | 5 | 0 | 1 | 2 | 6 | 0 | 2 | 4 | 1 |
| Shortfall/Excess | -21 | -9 | -4 | -4 | -3 | 1 | -3 | 2 | -9 | 2 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6625011200764 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: No High Pressure wash.. Use compressed air (low pressure) for cleaning. All SL-3 components removed for/Agricultural Inspection. SL-3 should remain with PEI for shipment.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 28 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1909 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1909: TEST SET, BORESIGHT COLLIMATOR

The Bore sight Collimator Test Set is used for testing and alignment of the bore sight collimator.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 20 | 0 |
| AAO (FY17) | 13 | |
| O/H | 51 | 0 |
| Shortfall/Excess | 31 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 7 | 0 | 8 | 0 | 0 | 0 | 4 | 1 |
| 0 | 0 | 0 | 0 | 8 | 0 | 0 | 0 | 4 | 1 |
| 2 | 2 | 0 | 0 | 0 | 1 | 0 | 39 | 6 | 1 |
| 2 | 2 | -7 | 0 | -8 | 1 | 0 | 39 | 2 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855011333587 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 5 | 0.1 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# E1911 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1911: TEST SET, MISSILE GUIDANCE

Test Set, Missile Guidance Set (MGS-TS), AN/TSM-152 provides capability for test and fault isolation of the TOW Guided Missile System, M220A3, and specifically the Missile Guidance Set (MGS) to the circuit card level.



*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 36 | 0 | 3 | 3 | 7 | 0 | 8 | 1 | 0 | 6 | 8 | 0 |
| AAO (FY17) | 30 | | 3 | 3 | 1 | 0 | 8 | 1 | 0 | 6 | 8 | 0 |
| O/H | 139 | 0 | 8 | 7 | 3 | 0 | 5 | 3 | 0 | 96 | 15 | 1 |
| Shortfall/Excess | 103 | 0 | 5 | 4 | -4 | 0 | -3 | 2 | 0 | 90 | 7 | 1 |

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4935011475999 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | I/P | No | 0 | 0 | 0 |

**Notes**: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1975 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1975: SIGHT, WEAPON, THERMAL, MEDIUM (MTWS) AN/PAS-13CV2

TWS is a self-contained, lightweight, compact, durable, battery-operated, infrared imaging weapon sight used for target acquisition and engagement. It can be used in limited visibility conditions such as darkness, smoke, fog, dust and haze, and is effective during daylight hours. The MWTS and HWTS have the same design, but have different telescope and software. The system comes with a MIL-STD-1913 rail grabber interface. The AN/PAS-13D (V)2 can be mounted on the M240B Medium Machine Gun and the M249 Squad Automatic Weapon. The AN/PAS-13D (V)3 can be mounted on the M2 Heavy Machine Gun and the MK19 Machine Gun.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 7,711 | 0 | 1,814 | 1,670 | 855 | 0 | 1,437 | 1,226 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 7,340 | | 1,628 | 1,511 | 836 | 280 | 1,444 | 1,212 | 0 | 0 | 0 | 0 |
| O/H | 8,478 | 106 | 1,865 | 1,723 | 766 | 293 | 1,201 | 1,168 | 0 | 817 | 0 | 0 |
| Shortfall/Excess | 767 | 106 | 51 | 53 | -89 | 293 | -236 | -58 | 0 | 817 | 0 | 0 |

***Influences R2 Distribution***

### Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855013836558 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 5855014643150 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | YES | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |
| 5855014643152 | 24 | 0% | 0% | 0% | 0% | 0% | 100% | YES | NO | No | No | yes | No | No | No | 0 | 0 | 24 |
| 5855015244313 | 82 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 82 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E1976 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1976: SIGHT, WEAPON, THERMAL, HVY (HTWS)

The AN/APS-13 Thermal Weapon Sight is a second generation FLIR for use on rifles, surveillance missions and shoulder-launched missiles. The PAS-13 can be used to see in total darkness, in adverse weather conditions, and through battlefield smoke.

*Representative Picture*

**TFSMS (Aug 2014)** ☑ MARES ☐ MEE ☑ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 5,895 | 0 | 1,467 | 1,372 | 865 | 0 | 1,177 | 602 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 5,791 | | 1,403 | 1,336 | 843 | 272 | 1,225 | 572 | 0 | 0 | 0 | 0 |
| O/H | 7,329 | 32 | 1,494 | 1,485 | 845 | 297 | 969 | 601 | 0 | 1,219 | 0 | 0 |
| Shortfall/Excess | 1,434 | 32 | 27 | 113 | -20 | 297 | -208 | -1 | 0 | 1,219 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855014643151 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 0 |
| 5855015244314 | 32 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | yes | No | No | No | 0 | 0 | 32 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E1978 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E1978: SIGHT,THERMAL

The AN/PAS-22 is a stand-alone, battery operated, hand-held portable thermal imaging binocular, used to observe/orient, detect and identify targets, conduct surveillance, long-range observation and reconnaissance, and assist in engaging targets during all lighting conditions. The AN/PAS-22 can be used under conditions of limited visibility and battlefield obscurants such as smoke, fog, and sandstorms. The AN/PAS-22 is able to detect man-sized targets at a range of 3,500 meters, vehicle targets at 10,000 meters, and integrates via the MIL-STD 1913 rail grabber interface with the AN/PEQ-13 Common Laser Range Finder (CLRF).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 1,582 | 118 | 351 | 282 | 162 | 0 | 357 | 132 | 118 | 0 | 0 | 0 |
| AAO (FY17) | 1,468 | | 299 | 238 | 153 | 180 | 353 | 132 | 113 | 0 | 0 | 0 |
| O/H | 1,714 | 3 | 336 | 302 | 131 | 275 | 276 | 120 | 0 | 256 | 0 | 0 |
| Shortfall/Excess | 132 | -115 | -15 | 20 | -31 | 275 | -81 | -12 | -118 | 256 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5855015363532 | 3 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 3 |
| 5855145219283 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | EDA | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Category 1 Equipment

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☑ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 0% | 100% | 0% |

# E2070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E2070: TOOL KIT, BORESIGHT, FIXTURE, ROCKET LAUNCHER

Tool Kit, Boresight Fixture, MK 145 MOD 0, consists of special tools used by Field Maintenance personnel to perform maintenance and boresight adjustments to the Launcher, Assault, Rocket, 83 mm (SMAW).

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 99 | 0 |
| AAO (FY17) | 85 | |
| O/H | 182 | 0 |
| Shortfall/Excess | 83 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 19 | 25 | 14 | 0 | 22 | 9 | 0 | 0 | 3 | 2 |
| 20 | 19 | 8 | 5 | 19 | 9 | 0 | 0 | 3 | 2 |
| 28 | 26 | 14 | 6 | 12 | 24 | 0 | 62 | 5 | 2 |
| 9 | 1 | 0 | 6 | -10 | 15 | 0 | 62 | 2 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4933015685726 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. Cost Comparison- Tool Kit, BoresightTAMCN is not classified. No classified SSRI.Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E2208 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E2208: TOOL KIT, ELECTRO-OPTICAL

The Tool Kit, E2208, is a general-purpose field and repair kit comprising various hand tools and accessories to aid in the repair of electronic and mechanical equipment.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 33 | 0 | 5 | 7 | 0 | 2 | 14 | 0 | 0 | 0 | 5 | 0 |
| Shortfall/Excess | 33 | 0 | 5 | 7 | 0 | 2 | 14 | 0 | 0 | 0 | 5 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180013821335 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: TAMCN is not classified. No classified SSRI.Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 1 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 0% | 100% | 0% | 0% |

# E2231 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E2231: TOOL & EQUIPMENT KIT, FLD ARTY F/M777

A group of items specifically designed to perform ordinance maintenance on field artillery weapons. It includes a limited quantity of common tools, such as wrenches or the like, and includes an assortment of specialized tools and equipment, such as pressure gages and testing outfit(s), purge pipes and adapters, spring compressor(s), chain puller(s) and the like.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 56 | 0 | 13 | 10 | 8 | 0 | 10 | 1 | 0 | 0 | 12 | 2 |
| AAO (FY17) | 51 | | 10 | 8 | 7 | 0 | 10 | 1 | 0 | 0 | 12 | 3 |
| O/H | 77 | 1 | 13 | 14 | 11 | 0 | 7 | 6 | 0 | 10 | 12 | 3 |
| Shortfall/Excess | 21 | 1 | 0 | 4 | 3 | 0 | -3 | 5 | 0 | 10 | 0 | 1 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015174962 | 1 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 1 | 0 |

**Notes**: No Special Requirements

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E2235 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E2235: TOOL KIT, INT MAINT

A group of items specifically designed to perform ordinance maintenance on field artillery weapons. It includes a limited quantity of common tools, such as wrenches or the like, and includes an assortment of specialized tools and equipment, such as pressure gages and testing outfit(s), purge pipes and adapters, spring compressor(s), chain puller(s) and the like.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 2 | 1 |
| AAO (FY17) | 7 | | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 2 | 1 |
| O/H | 25 | 1 | 5 | 5 | 4 | 0 | 0 | 5 | 0 | 1 | 3 | 1 |
| Shortfall/Excess | 18 | 1 | 5 | 5 | 4 | 0 | 0 | 1 | 0 | 1 | 1 | 0 |

## Reset Strategy & Plan (Product Group: PEO LS)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015250194 | 1 | 25% | 0% | 0% | 75% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 1 | 0 |

**Notes**: No Special Requirements

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E2650 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E2650: TOOL KIT, HAND, NON-MAGNETIC

The MK 36 Tool set (Rigging and Digging) consists of an assortment of non-magnetic hand tools used to gain access to buried explosive ordnance.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 62 | 2 |
| AAO (FY17) | 65 | |
| O/H | 78 | 0 |
| Shortfall/Excess | 16 | -2 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 8 | 9 | 4 | 0 | 3 | 12 | 2 | 0 | 13 | 8 |
| 8 | 9 | 4 | 3 | 3 | 12 | 2 | 0 | 16 | 8 |
| 12 | 11 | 9 | 6 | 0 | 14 | 0 | 9 | 11 | 6 |
| 4 | 2 | 5 | 6 | -3 | 2 | -2 | 9 | -2 | -2 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1385011118220 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: All items return to the MEF. If unserviceable MEF will use to fill shortfalls in other kits.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E2658 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E2658: TOOL KIT, LAV, 3RD ECHELON

The Toolkit Third Echelon is used for maintenance on Light Armored Vehicles.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 38 | 0 |
| AAO (FY17) | 38 | |
| O/H | 21 | 0 |
| Shortfall/Excess | -17 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 11 | 10 | 4 | 0 | 6 | 4 | 0 | 0 | 2 | 1 |
| 11 | 10 | 4 | 0 | 6 | 4 | 0 | 0 | 2 | 1 |
| 7 | 2 | 1 | 0 | 1 | 4 | 0 | 3 | 3 | 0 |
| -4 | -8 | -3 | 0 | -5 | 0 | 0 | 3 | 1 | -1 |

## Reset Strategy & Plan (Product Group: PM LAV)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180011762542 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Will be returned to Item Manager at LOGCOM, complete SL-3 gear.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E2660 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E2660: TOOL KIT, OM, LAV-25, 2D ECH

The Toolkit Second Echelon is used for maintenance on Light Armored Vehicles.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 42 | 0 |
| AAO (FY17) | 39 | |
| O/H | 36 | 0 |
| Shortfall/Excess | -6 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 13 | 10 | 3 | 0 | 9 | 2 | 0 | 0 | 4 | 1 |
| 11 | 9 | 3 | 0 | 9 | 2 | 0 | 0 | 4 | 1 |
| 10 | 10 | 1 | 0 | 6 | 3 | 0 | 2 | 4 | 0 |
| -3 | 0 | -2 | 0 | -3 | 1 | 0 | 2 | 0 | -1 |

## Reset Strategy & Plan (Product Group: PM LAV)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180011755559 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Will be returned to Item Manager at LOGCOM, complete SL-3 gear.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E2929 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E2929: TOOL KIT, FULL TRACK

The Tool Kit, Full Tracked Vehicle, Intermediate Maintenance, Third Echelon, is comprised of special tools, gages, and lifting devices required for mechanics use in third echelon field maintenance support of the vehicles.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 13 | 0 |
| AAO (FY17) | 12 | |
| O/H | 9 | 0 |
| Shortfall/Excess | -4 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 4 | 4 | 1 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| 4 | 4 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| 2 | 3 | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 0 |
| -2 | -1 | -1 | 0 | -1 | -1 | 0 | 2 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180006746823 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unserviceable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system.

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E2931 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E2931: TOOL SET, M1A1 TANK, 4TH ECH,ORD MAINT KIT

The Tool Set, MIA1 Tank, Fourth Echelon, Ordnance is comprised of tools used by mechanics at the intermediate maintenance level in support of the M1A1 Battle Tank.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 19 | 0 | 3 | 3 | 3 | 0 | 4 | 1 | 0 | 0 | 4 | 1 |
| AAO (FY17) | 19 | | 3 | 3 | 3 | 0 | 4 | 1 | 0 | 0 | 4 | 1 |
| O/H | 12 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 4 | 4 | 1 |
| Shortfall/Excess | -7 | 0 | -3 | -2 | -3 | 0 | -3 | 0 | 0 | 4 | 0 | 0 |

***Influences R2 Distribution***

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180013379983 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unserviceable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E2932 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E2932: TOOL SET, M1A1 HULL

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 15 | 0 |
| AAO (FY17) | 15 | |
| O/H | 12 | 0 |
| Shortfall/Excess | -3 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 3 | 3 | 2 | 0 | 2 | 1 | 0 | 0 | 4 | 0 |
| 3 | 3 | 2 | 0 | 2 | 1 | 0 | 0 | 4 | 0 |
| 3 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 6 | 0 |
| 0 | -2 | -2 | 0 | -1 | 0 | 0 | 0 | 2 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180013362879 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E2933 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E2933: TOOL SET, M1A1 TANK, 2D ECH

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 30 | 0 |
| AAO (FY17) | 28 | |
| O/H | 41 | 0 |
| Shortfall/Excess | 11 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 5 | 5 | 0 | 0 | 7 | 2 | 0 | 0 | 10 | 1 |
| 5 | 3 | 0 | 0 | 7 | 2 | 0 | 0 | 10 | 1 |
| 5 | 5 | 0 | 0 | 6 | 3 | 0 | 10 | 10 | 2 |
| 0 | 0 | 0 | 0 | -1 | 1 | 0 | 10 | 0 | 1 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180013362880 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E2934 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E2934: TOOL SET, M1A1 TANK, 3D ECH

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 29 | 0 |
| AAO (FY17) | 28 | |
| O/H | 15 | 0 |
| Shortfall/Excess | -14 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 8 | 7 | 2 | 0 | 6 | 1 | 0 | 0 | 4 | 1 |
| 8 | 7 | 1 | 0 | 6 | 1 | 0 | 0 | 4 | 1 |
| 5 | 4 | 0 | 0 | 1 | 1 | 0 | 0 | 3 | 1 |
| -3 | -3 | -2 | 0 | -5 | 0 | 0 | 0 | -1 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180013362878 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E3018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E3018: X-RAY APPARATUS,RAD

The Tool Set, X-Ray is a two-person man-portable, field worthy, filmless radiographic system utilizing the x-ray generator from the present MK 32 MOD 0/1 tool set (x-ray). It provides digital imaging, computerized image enhancement, storage of the internal features of IEDs. It is also capable of image transmission via datalink.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AAO (FY17) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| O/H | 22 | 0 | 0 | 0 | 2 | 18 | 0 | 1 | 0 | 0 | 0 | 0 |
| Shortfall/Excess | 22 | 0 | 0 | 0 | 2 | 18 | 0 | 1 | 0 | 0 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1385012704670 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| 6635014495163 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**: Follow standard procedures

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 4 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E3021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E3021: STANDOFF DISRUPTOR, IED (EOD)

The Tool Kit, IED is a Percussion Actuated Neutralization (PAN) device that utilizes specially designed 12 gauge ammunition to disrupt IEDs.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 270 | 4 | 57 | 60 | 45 | 0 | 9 | 41 | 4 | 0 | 26 | 16 |
| AAO (FY17) | 276 | | 57 | 60 | 45 | 9 | 9 | 41 | 4 | 0 | 32 | 16 |
| O/H | 317 | 0 | 71 | 78 | 68 | 15 | 1 | 38 | 0 | 1 | 26 | 15 |
| Shortfall/Excess | 47 | -4 | 14 | 18 | 23 | 15 | -8 | -3 | -4 | 1 | 0 | -1 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1385014826168 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | Yes | No | Yes | 0 | 0 | 0 |
| 1385015017546 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | No | No | Yes | No | Yes | 0 | 0 | 0 |

**Notes**: Per HQMC LP msg DTG 022008Z Jun 14, reset strategy has changed to 100% disposal.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 4 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E3141 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E3141: TOOL KIT, 2D ECH M88A2

The Tool Set, Field Maintenance, Second Echelon is comprised of special tools and test equipment utilized by maintenance personnel to perform tests, adjustments, and rebuild of components on the Recovery Vehicle, Full Tracked, M88A2.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 41 | 0 | 8 | 7 | 2 | 0 | 9 | 1 | 0 | 0 | 12 | 2 |
| AAO (FY17) | 39 | | 7 | 5 | 3 | 0 | 9 | 1 | 0 | 0 | 12 | 2 |
| O/H | 39 | 1 | 8 | 6 | 0 | 0 | 6 | 2 | 0 | 2 | 12 | 2 |
| Shortfall/Excess | -2 | 1 | 0 | -1 | -2 | 0 | -3 | 1 | 0 | 2 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180014806998 | 1 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 1 | 0 | 0 |

**Notes**: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unserviceable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system for disposition .' If PEI does not meet above criteria; Item should be utilized for OPFOR T/E.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 540 | 0.5 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E3142 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E3142: TOOL KIT, 3D ECH M88A2

The Tool Set, Field Maintenance Third Echelon is comprised of special tools and test equipment utilized by maintenance personnel to perform tests, adjustments, and rebuild of components on the Recovery Vehicle, Full Tracked, M88A2.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

***Influences R2 Distribution***

**REQUIREMENTS**

| | | | OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | OEF | I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| AAO (FY14) | 21 | 0 | 5 | 4 | 2 | 0 | 4 | 1 | 0 | 0 | 4 | 1 |
| AAO (FY17) | 22 | | 4 | 4 | 4 | 0 | 4 | 1 | 0 | 0 | 4 | 1 |
| O/H | 16 | 1 | 3 | 1 | 0 | 0 | 1 | 2 | 0 | 2 | 5 | 1 |
| Shortfall/Excess | -5 | 1 | -2 | -3 | -2 | 0 | -3 | 1 | 0 | 2 | 1 | 0 |

## Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180014806999 | 1 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | NO | No | 1 | 0 | 0 |

**Notes**: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unserviceable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system for disposition .' If PEI does not meet above criteria; Item should be utilized for OPFOR T/E.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MEF** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E3170 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E3170: TOOL SET, WRENCH IMPACT

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 92 | 0 |
| AAO (FY17) | 95 | |
| O/H | 104 | 0 |
| Shortfall/Excess | 12 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 21 | 21 | 7 | 0 | 16 | 3 | 0 | 0 | 22 | 2 |
| 24 | 21 | 5 | 0 | 16 | 3 | 0 | 0 | 22 | 4 |
| 20 | 13 | 9 | 0 | 8 | 3 | 0 | 23 | 25 | 3 |
| -1 | -8 | 2 | 0 | -8 | 0 | 0 | 23 | 3 | 1 |

### Reset Strategy & Plan (Product Group: 14)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180008934654 | 0 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 26 | 0.2 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# E5002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E5002: TRAINER LAUNCHER F/LAWS

Launcher, Trainer, Light Anti-Tank Weapon (LAW), M72AS, is a reusable trainer which fires the 21 mm Sub-Caliber Trainer Rocket (Department of Defense Identification Code [DODIC] HA21). There is no limitation of use of the sub-caliber rockets in the trainer if properly maintained and stored. The LAW Trainer is also equipped with a MIL-STD 1913 rail in order to mount a variety of night vision devices.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 971 | 0 |
| AAO (FY17) | 888 | |
| O/H | 5,755 | 0 |
| Shortfall/Excess | 4,784 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 251 | 230 | 122 | 0 | 213 | 125 | 0 | 0 | 0 | 0 |
| 210 | 188 | 122 | 30 | 213 | 125 | 0 | 0 | 0 | 0 |
| 229 | 244 | 86 | 30 | 223 | 122 | 0 | 4,821 | 0 | 0 |
| -22 | 14 | -36 | 30 | 10 | -3 | 0 | 4,821 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 13)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1055014950009 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**: Items should be sprayed with pressurized air and wiped down with a damp cloth to remove debris.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E7900: TOOL KIT, SMALL ARMS

Portable Tool Kit used by MOS 2111 personnel. Contains the hand-tools and devices used on a daily basis to perform maintenance on small arms & mortars.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 1,699 | 0 |
| AAO (FY17) | 1,658 | |
| O/H | 2,915 | 17 |
| Shortfall/Excess | 1,216 | 17 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 332 | 344 | 176 | 0 | 249 | 331 | 0 | 0 | 186 | 23 |
| 305 | 314 | 162 | 49 | 246 | 326 | 0 | 0 | 186 | 61 |
| 481 | 489 | 304 | 72 | 177 | 442 | 0 | 385 | 186 | 10 |
| 149 | 145 | 128 | 72 | -72 | 111 | 0 | 385 | 0 | -13 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015045663 | 17 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | Yes | No | 0 | 16 | 0 |

**Notes**: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# E7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN E7901: ELECTRO-OPTICAL TOOL KIT

Tool Kit used by MOS 2171 Technicans to repair Electro-Optical weapon systems like night vision devices, weapon sights, & missle tracking sights.

*Representative Picture*

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 852 | 0 |
| AAO (FY17) | 756 | |
| O/H | 1,140 | 8 |
| Shortfall/Excess | 288 | 8 |

***Influences R2 Distribution***

**REQUIREMENTS**

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 183 | 164 | 123 | 0 | 187 | 115 | 0 | 0 | 56 | 7 |
| 167 | 142 | 72 | 17 | 185 | 115 | 2 | 0 | 56 | 0 |
| 190 | 185 | 89 | 19 | 95 | 107 | 0 | 201 | 87 | 7 |
| 7 | 21 | -34 | 19 | -92 | -8 | 0 | 201 | 31 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5180015766593 | 8 | 0% | 0% | 0% | 100% | 0% | 0% | NO | NO | No | No | No | No | No | No | 6 | 2 | 0 |

**Notes**: Per HQMC OEF surplus MCATS results 22 May 14, item should be retrograded. The transportation cost of $172 is far less than the $3,585 replacement cost. There are no replacement procurements planned or scheduled for the lifecycle of this item. Recommend retrograding to support the lifetime lifecycle requirement.

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MEF** |
| if | **Not Mission Capable MEF** | then | **MEF** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | A or B |
| CAT II: | B |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 3 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 0% | 100% | 0% | 0% | 0% |

# J0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN J0006: SCHIEBEL MIMID

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 73 | 0 |
| Shortfall/Excess | 73 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 30 | 0 | 3 | 0 | 40 | 0 | 0 |
| 0 | 0 | 0 | 30 | 0 | 3 | 0 | 40 | 0 | 0 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6665015066219 | 0 | 0% | 0% | 0% | 0% | 0% | 100% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **DLA-DS** |
| if | **Not Mission Capable MEF** | then | **DLA-DS** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# U0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN U0013: KIT, ARMOR,MEDIUM CRAWLER TRACTOR

The Kit, Armor, is a 3rd and 4th echelon tool kit for the Medium Crawler Tractor (TAMCN B0060, pg. 2-30).

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 17 | 0 |
| AAO (FY17) | 17 | |
| O/H | 81 | 0 |
| Shortfall/Excess | 64 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 2 |
| 4 | 3 | 8 | 0 | 2 | 0 | 0 | 56 | 8 | 0 |
| 4 | 3 | 8 | 0 | 2 | 0 | 0 | 56 | -7 | -2 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 9515015630360 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 2748 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# U0014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN U0014: KIT, ARMOR, LOADER, SCOOP TYPE

Armored cab for B0063, is a modular kit that can be installed/uninstalled based on mission profile.

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 45 | 0 |
| AAO (FY17) | 45 | |
| O/H | 175 | 0 |
| Shortfall/Excess | 130 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 30 | 15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 30 | 15 |
| 12 | 5 | 18 | 0 | 3 | 0 | 0 | 115 | 21 | 0 |
| 12 | 5 | 18 | 0 | 3 | 0 | 0 | 115 | -9 | -15 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2540015633905 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **MCLC** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 350 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# U0016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN U0016: KIT, ARMOR, GRADER ROAD MOTORIZED

Bolt on Armored Cab for B0078

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | | |
|---|---|---|
| | Total | OEF |
| AAO (FY14) | 5 | 0 |
| AAO (FY17) | 5 | |
| O/H | 75 | 0 |
| Shortfall/Excess | 70 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 |
| 5 | 2 | 6 | 0 | 2 | 1 | 0 | 59 | 0 | 0 |
| 5 | 2 | 6 | 0 | 2 | 1 | 0 | 59 | -4 | -1 |

### Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3805015788145 | 0 | 0% | 100% | 0% | 0% | 0% | 0% | NO | NO | No | Yes | yes | No | Yes | No | 0 | 0 | 0 |

**Notes**:

### R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **MCLC** |
| if | **Condemned** | then | **DLA-DS** |

| *Lift Criteria* | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

### Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |

# U0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

## TAMCN U0018: RAKE,MINE CLEARING

**TFSMS (Aug 2014)** ☐ MARES ☐ MEE ☐ Top 50 TAMCN

| | Total | OEF |
|---|---|---|
| AAO (FY14) | 0 | 0 |
| AAO (FY17) | 0 | |
| O/H | 23 | 0 |
| Shortfall/Excess | 23 | 0 |

***Influences R2 Distribution***

**REQUIREMENTS**

*Representative Picture*

| OPERATING FORCES | | | | | | MCLC | | | |
|---|---|---|---|---|---|---|---|---|---|
| I MEF | II MEF | III MEF | SOC | RES | SE | WRMR | DMFA | MPF | MCPPN |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 0 | 0 |

## Reset Strategy & Plan (Product Group: 31)

**Forecasted Categories**

| NSN | O/H | Procure | Depot | PM Depot | Field | No Reset | Disposal | Transfer to Army? | DLA-DS if Used | Divesture | Auto Dispo | ELMP | Warranty | SOW | UUNS | CAT I | CAT II | CAT III |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3830015819490 | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | No | No | No | No | No | 0 | 0 | 0 |
| UNK | 0 | 0% | 0% | 0% | 0% | 100% | 0% | NO | NO | No | Yes | No | No | No | No | 0 | 0 | 0 |

**Notes**:

## R2 Distribution Plan

**Equipment Assessment Information**

| | | | |
|---|---|---|---|
| if | **Mission Capable** | then | **MCLC** |
| if | **Not Mission Capable MEF** | then | **MCLC** |
| if | **Not Mission Capable** | then | **DLA-DS** |
| if | **Condemned** | then | **DLA-DS** |

| ***Lift Criteria*** | |
|---|---|
| CAT I: | |
| CAT II: | |
| CAT III | |

**Transportation Information**

| Redeployment Lift Criteria CAT I: | Retrograde Lift Criteria CAT II: |
|---|---|
| A: Critical/Sensitive; M/S - AK or AC | B: Sensitive - MultiModal; M/S - AD to SE |
| B: Sensitive - MultiModal; M/S - AD to SE | C: Critical Non-Sensitive; M/S - AD to SC |
| C: Critical Non-Sensitive; M/S - AD to SC | D: Non-Sensitive; M/S - M/S LD to SC or D2D |

| EMBARK TYPE | IND SQFT | IND CUFT | IND STON |
|---|---|---|---|
| CUFT | 0 | 0 | 0 |

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal** ☐ **Rotational**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

## Forecasted Reset Strategy for Distribution

| *ASSESSMENT REQUIRED - Send to MCLC (FWD)* | *MCLC (FWD) FFT MCLC* | *MEFS* | *UNIT DRMO via DLA-DS* | *EDA* | *FMS CANDIDATES* |
|---|---|---|---|---|---|
| 0% | 100% | 0% | 0% | 0% | 0% |