Ground Equipment Reset Playbook

October 19, 2012

Version 20121019

Sample Reset Playbook Data Sheet

A8032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8032: SECURITY EQP, SPEECH, TACT, HALF-DUP, W-B AIRBORNE

The Speech Security Equipment (VINSON), TSEC/KY-58-2, -58-3, -58-4, and -58-5 are members of the VINSON family. The VINSON family consists of Wide Band Secure Voice (WBSV) units developed by the National Security Agency to provide line of sight half-duplex voice and data encryption at 16 kbps. The TSEC/KY-58-2, -58-3, -58-4, and -58-5 provides security for AM/FM, VHF, UHF, half-duplex Public Telephone and Telegraph combat net radios and tactical wireline systems when used with the HYX-57.

Representative Picture

TFSMS (2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,412	194
AAO (FY17)	1,337	
O/H	1,390	51
Shortfall/Excess	-22	-143

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
275	291	206	0	281	141	194	0	24	0
275	283	206	0	214	141	194	0	24	0
177	180	121	0	232	114	0	491	24	0
-98	-111	-85	0	-49	-27	-194	491	0	0

Reset Strategy & Plan (Product Group: 12)

NSN	O/H	Procure	Depot	PM Depot	Field	Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	[illegible]y?	SOW?	UUN[illegible]	CAT I	CAT II	CAT III
5810[illegible]4	51	0%	75%	0%	25%	0%	0%	NO	NO	No	yes	No	No	No	13	38	0

Forecasted Categories

Notes: [illegible]sitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system no[illegible]mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items [illegible]eturn through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand [illegible]rried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	Mission Capable	then	MCLC
if	Not Mission Capable MEF	then	MCLC
if	Not Mission Capable	then	MCLC
if	Condemned	then	MCLC

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

[illegible]EMBARK TYPE	IND SQFT	IND CUFT	IND STO[illegible]
CUFT	0	0	0

☐ Sensitive ☑ CCI

☑ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

Description of Playbook Contents:

1. **Strategic View of Equipment:** Provides general information on the equipment

   A. Identifies whether the TAMCN is listed on MARES/MEE/ MEF Top 50
   B. Requirements Data is from TFSMS.
   C. O/H Data from TLCM-OST.
   D. Shortfall/Excess is calculated as the difference between the O/H and AAO's. This shows the relative health of the enterprise for this item.

2. **Reset Strategy & Plan:** Provides information on reset strategies and forecasted categories for Equipment in OEF. Items A through C are collected from MCSC. The forecasted categories were calculated from the information provided.

   A. If there are multiple variants of a specific TAMCN in OEF, they are broken out by NSN along with their quantities. The cumulative quantity of the O/H at the NSN level matches with the total O/H from TLCM-OST OCT 2012 TAMCN data.
   B. Reset strategies broken down by NSN. These strategies represent best estimates of the level of repair necessary to reset the equipment.
   C. Identifies additional attributes of the item.
   D. Forecasted categories were calculated using: (1) the reset strategies to estimate the condition of the equipment when it returns to CONUS and (2) the forecasted final distribution information that was provided by MCLC. In this example we can see that two pieces of equipment are selected to fill shortfalls at I MEF but are predicted to require depot level maintenance, and therefore they will become CAT II.
   E. General information pertaining to reset of the item.

3. **Operational View of the R2 Distribution Plan:**

   A. LTI Disposition Information should be used to determine disposition instructions once a condition assessment of the item is performed. It is possible that once performed, the LTI will suggest a disposition that is different from the forecasted categories due to estimation error in the reset strategies.
   B&C. Lift criteria and transportation information that shows options for lift out of theater.
   D. Forecasted final distribution provided by MCLC from the Equipment Sourcing Tool (EST).
   E. Shows the footprint of the item.
   F. Shows constraints for this piece of equipment during transport to CONUS. If the Item has associated TAMCNs, the user is instructed to go to the appendix, where more specific information will be displayed.

RESET PLAYBOOK UPDATES

- Update TFSMS AAO Requirements (data pull on 3 October 2012)

- Utilizing MCLC Net Asset Posture (NAP) Data to articulate On Hand equipment quantities (10 October 2012). The following NAP DODAACs were included:

M94168	M94169	M94206	M94451	M94456	M94485	M95040	M95100
M95102	M95106	M95107	M95114	M95116	M95123	M95124	M95200
M95201	M95202	M95302	M95306	M95307	M95312	M95314	M95321
MMX170	MMX4GG	MX4002	MX4004				

- Added the following TAMCNs to match SYSCOMs …

A0008	A0375	A2538	A8072	B0011	B0282	C0008	C7110	D1072	E1047	E2933
A0045	A0377	A2548	A9011	B0023	B0283	C2032	C7110	D1212	E1070	E2934
A0122	A0806	A7004	A9013	B0033	B0465	C2108	C7110	E0007	E1160	E3170
A0137	A0807	A7010	A9071	B0034	B0695	C4120	D0004	E0010	E1245	
A0145	A0819	A7053	A9200	B0048	B1281	C4906	D0008	E0013	E1251	
A0150	A1078	A7102	A9400	B0077	B1582	C5105	D0039	E0057	E1353	
A0285	A1956	A7204	A9500	B0105	B1775	C6115	D0187	E0092	E1442	
A0316	A2065	A7508	B0010	B0106	B2118	C7035	D0201	E0117	E1779	
A0324	A2077	A7700	B0010	B0176	B2395	C7039	D1059	E0190	E1790	
A0357	A2536	A8050	B0010	B0281	B2628	C7061	D1062	E0195	E2650	

A0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0003: TRSS DAY/NIGHT IMAGER, V2 (IMAGER 2)

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	557	0
AAO (FY17)	608	
O/H	443	37
Shortfall/Excess	-114	37

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
153	153	102	0	102	47	0	0	0	0
153	153	102	0	153	47	0	0	0	0
137	110	58	0	2	25	0	69	0	0
-16	-43	-44	0	-100	-22	0	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855015218616	37	40%	0%	0%	35%	25%	0%	NO	NO	No	No	yes	No	No	22	0	15

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0004: PARTS KIT, ELECTRONIC EQUIPMENT

The Parts Kit, Electronic Equipment provides printed circuit boards and termination cards to vary functional and performance capabilities and for maintenance of switchboard, telephone SB-3614(V)/TT.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	20	1
Shortfall/Excess	20	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	2	0	0	3	0	0	13	0	0
2	2	0	0	3	0	0	13	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5999010321692	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	1

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0007: MULTI-BAND MANPACK RECIEVER (ROVER III)

The ROVER displays digital images of threats received from the UAV/RAVEN (Unmanned Aerial Vehicle).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	73	16
Shortfall/Excess	73	16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
10	9	0	5	7	5	0	21	0	0
10	9	0	5	7	5	0	21	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015313493	15	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	Yes	0	15	0
5895015624190	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	Yes	0	1	0

Notes: DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is Capt. Steven M. Stepanic PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0008: SATELLITE COMMUNICATION SUBSYSTEM

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	53	6
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	-53	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	14	9	0	9	0	6	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-15	-14	-9	0	-9	0	-6	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015313135	0	0%	0%	0%	0%	0%	100%	TBD	TBD	No	No	No	No	No	0	0	0
5895015766176	0	0%	0%	0%	0%	0%	100%	TBD	TBD	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DD**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0009: CONVERTER, MODEM

The Converter, Modem, CV-3591(P)/U provides high quality secure voice and data transmission capability for tactical and strategic military users.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	356	68
AAO (FY17)	0	
O/H	428	12
Shortfall/Excess	72	-56

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
65	65	45	0	65	48	68	0	0	0
0	0	0	0	0	0	0	0	0	0
50	32	43	0	32	42	0	217	0	0
-15	-33	-2	0	-33	-6	-68	217	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895012509557	12	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	12	0	0
5895012527359	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Remove CCI and ship separately.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0012 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0012: CHARGER, BATTERY (SOLDIER PORTABLE CHARGER)

The Soldier Portable Charger is a state of the art portable battery charger designed for field or depot use.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,779	218
AAO (FY17)	2,677	
O/H	4,251	289
Shortfall/Excess	1,472	71

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
614	567	291	299	513	262	218	0	15	0
579	507	298	299	513	248	218	0	15	0
624	750	467	173	697	336	0	724	236	56
10	183	176	-126	184	74	-218	724	221	56

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130014952839	289	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	144	144
6130014997305	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0013: THEATER BATTLE MANAGEMENT CORE SYSTEM (TBMCS)

TBMCS is comprised of a host system located in the Tactical Air Command Center with remotes located throughout the MAGTF.

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	14	2
AAO (FY17)	14	
O/H	9	1
Shortfall/Excess	-5	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	1	0	1	8	2	0	0	0
1	1	1	0	1	8	2	0	0	0
2	1	2	0	1	2	0	0	0	0
1	0	1	0	0	-6	-2	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015346283	1	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	1

Notes: Send to MCLC and WIR for transport to Idaho Falls - attempt to salvage whatever possible. Harddrives are sensitive - need to be destroyed/removed before shipping (PEOLANT SYSTEM)

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0015: WORKSTATION, CAPABILITY, VIDEO EXPLOITATION

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	235	9
AAO (FY17)	223	
O/H	122	10
Shortfall/Excess	-113	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
50	47	19	90	19	1	9	0	0	0
47	43	19	84	20	1	9	0	0	0
33	35	12	21	10	1	0	0	0	0
-17	-12	-7	-69	-9	0	-9	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836090004317	10	50%	0%	0%	30%	20%	0%	NO	NO	No	No	No	Yes	No	5	0	5

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0019: TROPO/SATELLITE SPT RADIO

The Tropo/Satellite Support Radio (TSSR), AN/GRC-239, is a full duplex LOS microwave radio designed for quick deployable military applications. The TSSR is used with almost all existing TRI-TAC equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	243	74
AAO (FY17)	245	
O/H	321	6
Shortfall/Excess	78	-68

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
45	45	26	0	39	14	74	0	0	0
47	47	28	0	35	14	74	0	0	0
65	61	31	0	33	39	0	92	0	0
20	16	5	0	-6	25	-74	92	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820013788778	6	0%	100%	0%	0%	0%	0%	NO	NO	N	yes	no	Y	Y	0	0	0

Notes: This item is an UUNs - Use until exhausted. Use no water. Clean radios and components in accordance with technical manuals. Cleaning instructions can be found in the Tech Manual - TO 31R2-2GRC239-1

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0021: COMM DATA LINK SYTEM (CDLS)

The AN/TYQ-101A is a modular suite of Commercial-Off-The-Shelf (COTS) and Government-Off-The-Shelf (GOTS) computer and communications equipment that is mounted in a Light Weight Multipurpose Shelter (LMS), mounted on a Heavy Variant-High Mobility Multipurpose Wheeled Vehicle (H-HMMWV). The AN/TYQ-101A is an automated interface system, which provide ground and correlated air situation display using information received from multiple intelligence, (Deployable Common Ground Station, etc.) and operation (E-3A, E-2C, Air Operations Center, Control and Reporting Center, etc.) sources.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	10	2	2	2	2	0	2	0	2	0	0	0
AAO (FY17)	10		2	2	2	0	2	0	2	0	0	0
O/H	7	1	1	1	2	0	1	0	0	1	0	0
Shortfall/Excess	-3	-1	-1	-1	0	0	-1	0	-2	1	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015128683	1	0%	50%	0%	50%	0%	0%	NO	NO	No	yes	No	y	No	1	0	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4.4

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0025: COMMUNICATIONS PLATFORM, AIR DEFENSE (ADCP)

The AN/MSQ-124 is composed of radio and computer equipment housed in a Lightweight Multipurpose Shelter, mounted on a heavy High Mobility Multipurpose Wheeled Vehicle. The AN/MSQ-124 is powered by a towed generator. The AN/MSQ-124 receives Tactical Ballistic Missile (TBM) data from the AN/TPS-59(V)3 radar and performs a TBM Reporting Responsibility function on the TADIL-J network. The AN/MSQ-124 also distributes Air Breathing Threat data to Short Range Air Defense units. The AN/MSQ-124 possesses an organic voice communications capability via radios and telephones.

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	17	2	3	3	2	0	4	3	2	0	0	0
AAO (FY17)	16		3	3	2	0	3	3	2	0	0	0
O/H	17	2	2	2	2	0	4	4	0	1	0	0
Shortfall/Excess	0	0	-1	-1	0	0	0	1	-2	1	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1430014079647	2	0%	50%	0%	50%	0%	0%	NO	NO	No	yes	No	Yes	No	2	0	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	221	0	6.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0026 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0026: RADIAC SET

The AN/PDR-77 RADIAC Set is a set of portable radiation detection equipment used for detecting Alpha, Beta/Gamma, and X-ray radiation.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	734	0
AAO (FY17)	685	
O/H	189	6
Shortfall/Excess	-545	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
224	239	140	10	106	15	0	0	0	0
212	183	139	10	126	15	0	0	0	0
0	65	0	0	0	63	0	55	0	0
-224	-174	-140	-10	-106	48	0	55	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665013476100	6	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	6	0

Notes: Must come back to LOGCOM to LTI and calibration

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0028: BIOMETRICS AUTOMATED TOOLKIT (BAT-CLIENT)

This is the Biometric Automated Toolset (BAT). BAT collects fingerprints, iris scans, facial photos and biographical information of persons of interest into a searchable data base.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	501	403
AAO (FY17)	501	
O/H	265	417
Shortfall/Excess	-236	14

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	98	403	0	0	0
0	0	0	0	0	98	403	0	0	0
0	4	0	0	0	40	0	5	0	0
0	4	0	0	0	-58	-403	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895070001280	417	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Y	0	0	0
9999015314667	0	0%	0%	0%	0%	100%	0%	YES	NO	No	No	No	No	Yes	0	0	0

Notes: This is the UUNs for the IDS program. Items will be sent to MCLC until there is a requirement registered in TFSMS. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. ARMY NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0030: COMMAND SYSTEM,TACT

is a Mine Resistant Ambush Protected (MRAP) Cougar-based, on-the-move, beyond line-of-sight, command and control (C2) system.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	2	2
Shortfall/Excess	2	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015799992	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	0	2	0

Notes: SEND TO MCLC TO THEN HAVE SENT TO SSE LANT SPAWAR. Currently there are three (3) M2C2 systems fielded to OEF in support of UUNS to fulfill capability gaps. M2C2 is a theater asset. System consist of one (1) A0030, four (4) A0386, thirteen (13) A0324 and one (1) Tactical Entry Point (TEP). Systems 2 & 3 fielded TEP A0325. System 1 fielded TEP ****

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0042: DIGITAL STILL CAMERA SUITE, ADVANCED

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	164	10
AAO (FY17)	156	
O/H	105	6
Shortfall/Excess	-59	-4

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	16	7	85	18	12	10	0	0	0
14	12	6	85	17	12	10	0	0	0
9	9	7	28	22	23	0	1	0	0
-7	-7	0	-57	4	11	-10	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6720090004308	6	60%	0%	0%	30%	10%	0%	NO	NO	No	No	No	No	No	2	0	4

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0043: POSITION LOCATION INDICATOR (MTX)

This is an MTX, DoD Blue Force Tracking (BFT) System that gives commanders the ability to track and receive position location information from dismounted teams and vehicles equipped with the devices. This system employs the COBRA architecture by coordinating with national system managers and war fighting units to collect, process, and disseminate operational BFT data.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	678	123
AAO (FY17)	678	
O/H	106	28
Shortfall/Excess	-572	-95

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	555	0	0	123	0	0	0
0	0	0	555	0	0	123	0	0	0
0	0	0	89	0	0	0	17	0	0
0	0	0	-466	0	0	-123	17	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015322062	28	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Y	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0045: POWER MODULE

The power electronic module provides the physical containment for several power components, usually Power semiconductor devices. The power module provides an easy way to cool the devices and to connect them to the outer circuit.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	28	28
AAO (FY17)	28	
O/H	6	0
Shortfall/Excess	-22	-28

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	28	0	0	0
0	0	0	0	0	0	28	0	0	0
0	0	0	0	0	0	0	6	0	0
0	0	0	0	0	0	-28	6	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130015322591	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	Yes	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Disposal Plan is to be developed and published in the near term. Item exit date has expired and will not be extended.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0047:

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	65	0
AAO (FY17)	65	
O/H	14	
Shortfall/Excess	-51	

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	18	14	0	15	0	0	0	0	0
18	18	14	0	15	0	0	0	0	0
6	8	0	0	0	0	0	0	0	0
-12	-10	-14	0	-15	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411015870839		0%	100%	0%	0%	0%	0%	NO	NO		yes		Y		0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0057: ANTENNA MAST KIT

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)		
AAO (FY17)		
O/H	0	0
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5985011812593	0	0%	0%	0%	100%	0%	0%	NO	NO	N	no	no	N	N	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	24	0	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0059: DIGITAL TERRIAN ANALYSIS MAPPING SYSTEMS LIGHT

The DTAMS-L is an Intel-based portable system that runs the Windows XP Professional operating system. Its role is to augment the DTAMS configuration. The deployable workstation provides geospatial intelligence analysis capabilities for small unit operations in a defined area of interest. The DTAMS-L hosts an internal 120GB hard drive and an external drive yielding approximately 2TB of available on-line storage. Each DTAMS-L is supplied with an additional internal and external HDD to be used for classified processing. Backup and archival storage is available through the use of a FDD and a DVD +/- R/RW.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	46	0	9	10	2	14	3	8	0	0	0	0
AAO (FY17)	50		9	9	2	14	8	8	0	0	0	0
O/H	31	2	6	6	6	7	0	1	0	3	0	0
Shortfall/Excess	-15	2	-3	-4	4	-7	-3	-7	0	3	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675090004321	2	0%	0%	0%	50%	50%	0%	NO	NO	n	No	No	No	n	2	0	0

Notes: This system is on schedule to be refreshed 100% in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment. No longer procurable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0060: AN/TSQ-179B V2 Joint Services Work Station

JSTARS CGS-type capability without High Mobility Multi-Purpose Wheeled Vehicle and organic communications equipment:. Same H/W and S/W architecture. Supports all CGS sensor interfaces and CGS communications links. Transportable in Integrated Transit Cases

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	8	0
AAO (FY17)	10	
O/H	2	1
Shortfall/Excess	-6	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	0	2	0	0	0	0
2	2	2	0	2	2	0	0	0	0
0	1	1	0	0	0	0	0	0	0
-2	-1	-1	0	0	-2	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865090004327	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: DO NOT POWER WASH THE TRANSIT CASES. The transit cases contain sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1935	0.5

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0061: TACT ELEVATED ANTENNA MAST SYS (TEAMS)

The Tactical Elevated Antenna Mast System (TEAMS) is an independent antenna mast system designed to support various LOS antenna systems. TEAMS has the ability to be towed by a HMMWV on a trailer or transported on top of a HMMWV (M998, M1123, M1165) using an installed roof rack assembly.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	632	38	148	143	97	0	117	26	38	0	63	0
AAO (FY17)	623		149	138	103	0	106	26	38	0	63	0
O/H	690	83	118	138	107	0	83	43	0	70	45	3
Shortfall/Excess	58	45	-30	-5	10	0	-34	17	-38	70	-18	3

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5985015494609	23	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	16	0	7
5985015678104	60	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	42	0	18

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	1.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0067: HIGH FREQUENCY VEHICLE SYSTEM

The AN/MRC-148 provides 150 watts PEP/average in the HF portion of the frequency range and 60 watts PEP/average for the VHF portion of the frequency range in a mobile configuration.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,279	137
AAO (FY17)	1,240	
O/H	1,370	4
Shortfall/Excess	91	-133

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
288	262	158	0	207	47	137	0	180	0
275	238	153	0	210	47	137	0	180	0
222	251	190	0	155	51	0	333	164	0
-66	-11	32	0	-52	4	-137	333	-16	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015336762	4	0%	50%	0%	50%	0%	0%	NO	NO	N	no	yes	N	N	4	0	0

Notes: Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. Conduct all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting. Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS rep will be contacted.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	114	0	5

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0068: RADIO SET, TACTICAL LONG HAUL DIGITAL LINK-11, AN/GRC-256

The AN/GRC-256 Radio Set consists of a Digital HF/SSB Transceiver (RT-9000) and a Solid State 500 Watt Linear Power Amplifier (LPA-9500). Both the RT and the LPA with selected EPROMS make them Marine Corps unique items. The RT-9000 is capable of providing communications from 1.6 to 29.99999 MHz transmit and 100 kHz to 29.99999 MHz receive.

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	26	0
AAO (FY17)	25	
O/H	18	1
Shortfall/Excess	-8	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	5	10	0	0	0	0
4	4	3	0	4	10	0	0	0	0
2	1	5	0	2	7	0	0	0	0
-2	-3	2	0	-3	-3	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015340006	1	0%	0%	0%	100%	0%	0%	NO	NO	No	no	No	No	No	0	0	0

Notes: Owning unit will remove SSRI, UURI, radios, and crypto equipment and coordinate with program office and item manager for item to be sent through IROAN/SLEP and rebuild at depot. Any missing or damaged SSRI, UURI, radios, and crypto will be repaired/replaced through organic or depot maintenance cycle as appropriate. DO NOT POWER WASH. Radio contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0069: RADIO SET

The AN/VRC-111 Dual Vehicle Adapter (DVA) consists of two MBITR radios, two MBITR Vehicle Adapters, and a standard SINCGARS interface tray. The MBITR provides troops with multiband secure communications. The vehicle adapter provides 20 watts of RF power amplification across the full 30-512

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	278	0	0	0	0	234	0	44	0	0	0	0
AAO (FY17)	243		0	0	0	234	0	9	0	0	0	0
O/H	371	42	3	7	0	196	0	43	0	122	0	0
Shortfall/Excess	93	42	3	7	0	-38	0	-1	0	122	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015360983	42	0%	0%	0%	100%	0%	0%	NO	NO	N	no	no	N	N	0	0	0

Notes: Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0081: RADIAC SET

The AN/UDR-13 RADIAC Set is a portable radiation detector used for detecting neutron/gamma radiation dose and gamma dose rate. The set is a miniaturized radiacmeter that can be carried in a Marine's pocket.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	10,240	0
AAO (FY17)	9,563	
O/H	773	71
Shortfall/Excess	-9,467	71

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3,301	3,158	1,246	156	2,276	103	0	0	0	0
3,070	2,738	1,284	177	2,192	102	0	0	0	0
0	196	0	0	0	204	0	302	0	0
-3,301	-2,962	-1,246	-156	-2,276	101	0	302	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665014071237	71	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	71	0

Notes: Needs to come back to LOGCOM to LTI and calibrate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0082: PORTABLE AUTONOMOUS REPORTS COLLECTION SYSTEM

The Portable Autonomous Reports Collection System (PARCS), 2000R is a stand-alone test tool, which allows radar technical personnel to collect, analyze, and play back radar data. PARCS supports Marine Air Control Squadron Radar and Tactical Data Systems.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	16	3	2	2	1	0	2	6	3	0	0	0
AAO (FY17)	16		2	2	1	0	2	6	3	0	0	0
O/H	25	2	2	3	2	0	2	4	0	10	0	0
Shortfall/Excess	9	-1	0	1	1	0	0	-2	-3	10	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014118466	2	0%	0%	0%	25%	75%	0%	NO	NO	No	No	No	No	No	2	0	0

Notes: No wash down. Unit normally remains in environmentally controlled shelter. Item is Test Equipment/Computer Kit. Potentially sensitive information on the hard drive.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0086: SHOP EQUIPMENT,CONT

Contact maintenance vehicle for the Avenger System.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	0	1
Shortfall/Excess	0	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940013982615	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: It was basically a mobile workshop (HMMWV with a Gitchner Shelter) to repair mechanical and electronic components of the Avenger system. This system was taken out of the OpFors years ago. The TAMCN needs to be archived and done away with. Problem is that the net asset posture shows 2 - one at II MEF and one in the War Reserve. This has to go away before TFSMS will let it be archived. By rights of anti-air weapons, the GBAD folks would own this. I suggest we turn it over to the TFSMS support contracts that work for AC LCL and let them get rid of it for us.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	3.7

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0090 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0090: TRANSPORTABLE GROUND RECEIVE SUITE, ENHANCED

GBS provides the capability to quickly disseminate large amounts of information to Marine Air Ground Task Forces.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	118	0
AAO (FY17)	117	
O/H	89	11
Shortfall/Excess	-29	11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
21	22	18	28	17	12	0	0	0	0
21	20	18	28	18	12	0	0	0	0
11	9	13	12	12	21	0	0	0	0
-10	-13	-5	-16	-5	9	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015306497	11	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	11	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. All four cases should be shipped as a set/complete end item. There are 3 computers per GBS. So, receiving unit may be required to purchase 3 new Hard Drives at a cost of $593.36 per hard drive. MILAIR is the preferred form of shipment. Remove CCI before DRMO.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	0.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0091: VIDEO SCOUT REMOTE VIDEO EXPLOITATION UNIT

Video Scout is a man-portable Remote Video Exploitation Terminal for use by Tactical Air Control Parties (TACP). System provides a video terminal capability which is self-contained recording capability and has an on-board receiver and antenna group.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	534	60
AAO (FY17)	520	
O/H	431	94
Shortfall/Excess	-103	34

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
101	100	46	41	104	32	60	50	0	0
95	82	45	41	115	32	60	50	0	0
57	86	26	57	28	39	0	44	0	0
-44	-14	-20	16	-76	7	-60	-6	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015674768	32	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	N	Yes	32	0	0
5998015853681	62	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	N	Yes	62	0	0

Notes: Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. If maintenance is beyond the unit capablitiy, a WIR will be submitted. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches. NSN ending in 4768 will get upgraded to 3681.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	0.3

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0096 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0096: RADIO, HP IED JAMMING SYSTEM (CHAMELEON) (CREW II)

The Transmitting Set, Countermeasures is a complete electronic set for the propagation of radio frequency energy specifically designed to be utilized for countermeasures. It also adds a Force Protection capability to specifically counter radio controlled IEDs.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	12,198	12184
AAO (FY17)	12,184	
O/H	14	1
Shortfall/Excess	-12,184	-12,183

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	14	12,184	0	0	0
0	0	0	0	0	0	12,184	0	0	0
0	0	0	0	0	14	0	0	0	0
0	0	0	0	0	0	-12,184	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015534770	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
5865015557913	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
599801DTQC044	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No				0	0	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components.Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0097 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0097: RADIO SET, DUAL VEHICLE ADAPTER, 50-WATT (DVA)

The Radio Set, AN/VRC-110, consist of 2 Vehicle Adapter Units with 2 AN/PRC-152 handheld Radios. The system provides encrypted Line of Sight communication with both fixed and Frequency Hopping Mode.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	8,095	0
AAO (FY17)	8,113	
O/H	10,045	629
Shortfall/Excess	1,950	629

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,205	2,018	1,061	288	1,738	785	0	0	0	0
2,252	1,924	1,171	274	1,718	774	0	0	0	0
1,859	1,766	1,279	101	867	836	0	1,840	831	37
-346	-252	218	-187	-871	51	0	1,840	831	37

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015659999	629	25%	0%	0%	75%	0%	0%	NO	NO	N	no	no	N	N	472	0	157

Notes: Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0104: RADIO SET, AOR 8200 MKII B

The AR8200 is a hand portable receiver with 3GHz coverage. It has a frequency range of 530 kHz - 3000 Mhz.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	153	157	0	13	0	0	0	0	0	50	0	0
Shortfall/Excess	153	157	0	13	0	0	0	0	0	50	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015084395	157	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	0	157	0

Notes: Pending SYSCOM input.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0116 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0116: SURVEY INTRUMENT, AZIMUTH

IPADS is a HMMWV-mounted precision survey system. It is a replacement for the presently fielded AN/USQ-70 Position Azimuth Determination System.



Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	61	0
AAO (FY17)	59	
O/H	51	5
Shortfall/Excess	-10	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	12	9	0	10	3	0	5	6	2
14	10	9	0	10	3	0	5	6	2
10	12	8	0	10	3	0	1	4	3
-4	0	-1	0	0	0	0	-4	-2	1

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675015154610	5	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: No direct water contact on electrical components

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0117 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0117: MAINTENANCE KIT,ELE

The MK-3804 is a maintence kit used for troubleshooting the AN/MRC-142C



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	2	1
Shortfall/Excess	2	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	1	0	0	0	0
0	0	0	0	0	1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015698814	1	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	0	1	0

Notes: Ultimately this item goes through MCLC and the inventory manager back to SPAWAR, Charleston. AAO's need to be established. Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0118 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0118: RADIO SET, INTEGRATED INTRA-SQUAD

The Integrated Intra Squad Radio is a Personal Pole Radio set designed to be used for Intra Squad and Inter Squad Communications.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	47,798	86
AAO (FY17)	44,000	
O/H	51,215	5504
Shortfall/Excess	3,417	5,418

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15,252	14,175	5,409	0	10,683	2,193	86	0	0	0
13,813	11,567	5,179	0	11,302	2,053	86	0	0	0
11,682	9,268	5,363	50	10,120	3,239	0	5,989	0	0
-3,570	-4,907	-46	50	-563	1,046	-86	5,989	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015450334	5092	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	5092	0	0
5820015456349	326	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	326	0	0
5820015456358	86	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	86	0	0
5820015487056	0	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	0	0	0

Notes: Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0121 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0121: MICRO UNMANNED AERIAL VEHICLE (MUAV)

The Battlefield Air Targeting Micro Aerial Vehicle (WASP) is a hand-launched reconnaissance and surveillance tool. The Wasp Air Vehicle transmits live airborne video images and location information to a Ground Control Station (GCS). This capability enables operators to navigate, search for targets, recognize terrain, and record all information for analysis.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	205	135
AAO (FY17)	205	
O/H	56	18
Shortfall/Excess	-149	-117

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	70	0	0	135	0	0	0
0	0	0	70	0	0	135	0	0	0
0	12	0	14	0	0	0	12	0	0
0	12	0	-56	0	0	-135	12	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1550015610012	18	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	No	No	Yes	0	18	0

Notes: Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. If maintenance is beyond the unit capablitiy, a WIR will be submitted. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0122 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0122: SATELLITE COMMUNICATION SYSTEM

(27 JULY 11) Phoenix is an ECV mounted (M1152 with integrated armor package), multi-channel, quad-band tactical satellite terminal with a multi-band capability in the SHF range, incorporating a military Ka-Band capability to operate over commercial and military SHF satellites.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	42	0
AAO (FY17)	42	
O/H	35	0
Shortfall/Excess	-7	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	7	2	10	3	0	0	0	0
10	10	7	2	10	3	0	0	0	0
7	10	5	2	3	3	0	5	0	0
-3	0	-2	0	-7	0	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015427716	0	100%	0%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	0	0
5895015625632	0	100%	0%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	0	0

Notes: Priority item for LTI in theater before leaving. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Do not separate weapon system from HMMWV. Use care when maneuvering system to not damage the reflector panel. It is made out of carbon fiber and very delicate. Ship via MILAIR. Reflector repair costs are estimated at and could potentially exceed $100,000.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0124 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0124: REMOTE SUBSCRIBER ACCESS MODULE

The Transition Switch Module (TSM) will provide a flexible Unit Level Switch capability that bridges legacy Tri-Tac switches with current commercial technology to provide Marine maneuver elements with more robust voice/data switching, data transport and bandwidth management capabilities. The TSM consists of three transit cased, functional suites; voice switching, remote subscriber access and multiplexing.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	940	0
AAO (FY17)	936	
O/H	865	9
Shortfall/Excess	-75	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
222	222	155	0	164	111	0	0	66	0
224	212	162	0	161	111	0	0	66	0
170	187	143	0	129	144	0	83	0	0
-52	-35	-12	0	-35	33	0	83	-66	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015439861	9	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	9	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	82	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0125 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0125: DEPLOYABLE END OFFICE SUITE

The Transition Switch Module will provide a flexible Unit Level Switch capability that bridges legacy Tri-Tac switches with current commercial technology to provide Marine maneuver elements with more robust voice/data switching, data transport and bandwidth management capabilities.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	261	0
AAO (FY17)	285	
O/H	243	2
Shortfall/Excess	-18	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
59	58	44	0	38	38	0	0	24	0
65	63	48	0	47	38	0	0	24	0
35	43	40	0	33	57	0	33	0	0
-24	-15	-4	0	-5	19	0	33	-24	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015439738	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	2	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0126 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0126: MULTI-BAND RADIO, VEHICLE MOUNTED

The Multi-Band Vehicle Radio, AN/VRC-103 (V)2 covers the entire 30 to 512 MHz frequency range while offering embedded COMSEC, SATCOM, and ECCM capabilities.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,928	55
AAO (FY17)	2,868	
O/H	2,124	218
Shortfall/Excess	-804	163

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
755	709	352	355	480	143	55	4	75	0
709	600	344	347	591	143	55	4	75	0
196	374	473	213	251	268	0	20	111	0
-559	-335	121	-142	-229	125	-55	16	36	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015377562	175	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	Y	175	0	0
5820015659629	43	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	Y	43	0	0

Notes: Recommendation is to back fill the units that have an AAO deficiency, with current back order resident in WOLPH. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0129 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0129: TACTICAL HANDHELD RADIO (THHR)

The AN/PRC-152 provides multi-band, multi-mode operation enabling a wide variety of applications such as ground-to-ground, ground-to-air, and tactical satellite communications. This communication includes both voice and data for the purpose of command and control on the battlefield.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	9,426	0	2,856	2,612	782	0	1,859	1,317	0	0	0	0
AAO (FY17)	8,438		2,588	2,117	782	0	1,834	1,117	0	0	0	0
O/H	14,591	2354	1,522	1,976	1,019	0	852	1,988	0	4,880	0	0
Shortfall/Excess	5,165	2,354	-1,334	-636	237	0	-1,007	671	0	4,880	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015660746	2354	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	2119	0	235

Notes: AAO for this item is expected to increase

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0130 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0130: SPARES KIT WIRELESS POINT TO POINT LINK (WPPL) D

WPPL D is an integrated communications system consisting of Commercial Off-The-Shelf (COTS) antennas, radios, power line conditioning and backup, and Internet Protocol (IP) networking equipment. All WPPL versions provide Non-secure Internet Router Protocol

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	8	2	0	4	2	0	0	0	0	0	0	0
Shortfall/Excess	8	2	0	4	2	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015704775	2	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	Y	1	0	1

Notes: Ship all assets to owning unit. Unit, with coordination from program office and item manager, will place unit in for maintenance. Use no water. Clean radios and components in accordance with technical manuals. Cleaning instructions can be found in the Tech Manual - TO 31R2-2GRC239-1

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0132 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0132: DEPLOYABLE INTEGRATED TRANSPORT SUITE

The TSM provides a flexible unit level switch that replaces legacy TRI-TAC switches (SB-3614, SB-3865, AN/TTC-42) with more robust voice/data switching, data transport, and bandwidth management capabilities.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	173	0	41	41	27	0	38	23	0	0	3	0
AAO (FY17)	168		41	40	28	0	33	23	0	0	3	0
O/H	144	1	22	24	24	0	19	31	0	23	0	0
Shortfall/Excess	-29	1	-19	-17	-3	0	-19	8	0	23	-3	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015439865	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.4

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0134 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0134: WIRELESS POINT TO P

LSWAN (Ku VSAT) is a small, lightweight, hand-portable, low cost satellite terminal that provides NIPRNET/SIPRNET capability. The Ku VSAT can be quickly set up to tie into the existing commercial Ku infrastructure as an alternate source of transmission for high bandwidth intensive capabilities. LSWAN is an integrated COTS solution. The major functional groups of the LSWAN package are: Ku VSAT antenna, power amplifier, modem, routers, and KG-175s. The Ku VSAT terminal and baseband equipment are packaged in HMMWV transportable transit cases.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0		0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0			0	0	0	0	0	0	0	0	0	0
O/H	5	3		0	3	1	0	1	0	0	0	0	0
Shortfall/Excess	5	3		0	3	1	0	1	0	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015437811	0	0%	0%	0%	0%	100%	0%	NO	NO	Y	no	no	N	Y	0	0	0
5820015437816	3	0%	0%	0%	0%	100%	0%	NO	NO	Y	no	no	N	Y	0	0	0
5895015449175	0	0%	0%	0%	0%	100%	0%	NO	NO	Y	no	no	N	Y	0	0	0

Notes: Crypto must be removed before being disposed in theater. Follow in accordance to the Disposal Plan reference DP 11348.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0137 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0137: VHP HUNTER SYSTEM

A0137 is the Hunter UAV System.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H		0
Shortfall/Excess		0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015545423	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic componentsPlease direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager Graves-Reynolds CIV Judy A, judy.graves@usmc.mil, (229) 639-8283

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0138 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0138: TACTICAL EXPLOITATION GROUP REMOTE WORKSTATION (TEG-RWS)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	199	0
AAO (FY17)	213	
O/H	68	2
Shortfall/Excess	-131	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
53	49	45	1	19	32	0	0	0	0
54	49	46	0	32	32	0	0	0	0
41	14	3	0	3	3	0	2	0	0
-12	-35	-42	-1	-16	-29	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895090004453	2	35%	0%	0%	35%	30%	0%	NO	NO	No	No	No	No	No	2	0	0

Notes: Depot maintenance will be done at SPAWAR. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0.1

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0139: RADIO SET, AN/TRC-209

The AN/TRC-209 is the HF/VHF transit case transceiver system using the AN/PRC-150(C). It provides high output power (150 watts in HF, 60 watts in VHF) in a series of transportable cases allowing for use in various situations. Key features include: shock mounting of all components; separate HF and VHF antenna outputs; and DC power filtering for supply noise and voltage spike suppression.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	825	37	146	144	94	97	105	89	37	50	63	0
AAO (FY17)	799		142	134	90	92	102	89	37	50	63	0
O/H	908	42	125	157	104	54	72	99	0	187	58	10
Shortfall/Excess	83	5	-21	13	10	-43	-33	10	-37	137	-5	10

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015419208	42	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	y	N	42	0	0

Notes: Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0141 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0141: TACTICAL AIR CONTROL PARTY (TACP) SUITE

This TAMCN is in process of being deleted

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	32	1
Shortfall/Excess	32	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
24	0	4	0	3	0	0	0	0	0
24	0	4	0	3	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015427911	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0142 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0142: SUPPORT WIDE AREA NETWORK (GSWAN/SWAN C)

GSWAN provides remote teams access into the tactical network (NIPRNET, SIPRNET, and DSN) via beyond line-of-sight SATCOM Capability.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	31	0
AAO (FY17)	0	
O/H	4	8
Shortfall/Excess	-27	8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	13	0	0	0	5	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	4	0	0	0	0
-13	-13	0	0	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015427735	8	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: Disassociate the CCI equipment and identify as used with SWAN, then dispose of the item in theater. If mission capable, then DRMO in theater IAW Disposal Plan 11137. AAO needs to be zeroed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0145 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0145: STINGRAY

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
662501W00F262	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No				0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0147 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0147: TACTICAL INTEROPERABLE GROUND DATA LINK-II (TIGDL-II

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	6	0
AAO (FY17)	7	
O/H	1	1
Shortfall/Excess	-5	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	1	0	0	1	0	0	0	0
2	2	1	0	1	1	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-2	-2	-1	0	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810090004482	1	0%	0%	0%	100%	0%	0%	NO	NO	Yes	No	No	No	No	1	0	0

Notes: DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	97	0	2.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0149 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0149: ANTENNA,COMMUNICATIONS,TRAILER MOUNTED

The AS-4429D/TSC is a rugged, high-performance Multi-Band antenna subsystem that provides field commanders with a high mobility antenna capable of efficient TACSAT resource utilization. The AS-4429D/TSC can be used with the LMST, AN/TSC-85, and AN/TSC-93.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	33	0
AAO (FY17)	33	
O/H	21	2
Shortfall/Excess	-12	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	6	0	9	0	0	0	0	0
9	9	6	0	9	0	0	0	0	0
7	3	2	0	2	2	0	3	0	0
-2	-6	-4	0	-7	2	0	3	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5985015410767	2	0%	75%	0%	25%	0%	0%	NO	NO	No	yes	No	Y	No	0	2	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Ensure embarkation specialist utilizes the Technical manual for proper tie down procedures. Any cargo straps place over the main reflector will cause damage rendering the system non-mission capable. Do not move with stabalizing wheel in position. Ship via MILAIR. Reflector repair costs are estimated at and could potentially exceed $100,000.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1333	2.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0150: W2W LAST TACTICAL MILE KITS

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	60	24
AAO (FY17)	68	
O/H	0	0
Shortfall/Excess	-60	-24

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	6	0	0	16	24	0	0	0
8	8	4	0	8	16	24	0	0	0
0	0	0	0	0	0	0	0	0	0
-7	-7	-6	0	0	-16	-24	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015561720	0	25%	0%	0%	75%	0%	0%	NO	NO	No	No	yes	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0152: DIGITAL STILL CAMERA SUITE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	578	72
AAO (FY17)	525	
O/H	90	9
Shortfall/Excess	-488	-63

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
84	84	48	150	117	23	72	0	0	0
71	63	39	144	113	23	72	0	0	0
2	4	0	8	66	1	0	0	0	0
-82	-80	-48	-142	-51	-22	-72	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6720015868004	9	20%	0%	0%	50%	30%	0%	NO	NO	No	No	No	No	No	7	0	2

Notes: This TAMCN is currently in its refresh cycle, therefore if any are returned condemmed, they should be Demil'd and DRMO'd. There is no requirement to return the obsolete gear back to the unit. When the unit returns to their home station, they will receive their refreshed equipment. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0153 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0153: RADIO SET (AN/MRC-142C)

The AN/MRC-142C is a vehicular-mounted integrated High Capacity Line-Of-Sight (HCLOS) radio system providing two-way secure voice and data transmission in the band I and band III+ frequency bands.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	441	21
AAO (FY17)	425	
O/H	414	31
Shortfall/Excess	-27	10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
85	85	56	0	71	60	21	0	63	0
85	81	56	0	59	60	21	0	63	0
48	63	60	0	39	73	0	59	41	0
-37	-22	4	0	-32	13	-21	59	-22	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015456691	31	0%	50%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	0	31	0

Notes: Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	118	0	4.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0156 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0156: GYROCAM VOSS II

OIF UUNS, mounted on rear of MRAP Cougar variant (6x6, 4x4).

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	105	105
AAO (FY17)	105	
O/H	165	144
Shortfall/Excess	60	39

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	105	0	0	0
0	0	0	0	0	0	105	0	0	0
0	12	0	0	0	2	0	7	0	0
0	12	0	0	0	2	-105	7	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836015450098	44	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	y	44	0	0
5895015647999	100	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	y	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0168 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0168: HANDHELD INTERAGENCY IDENTITY DETECTION EQUIP (HIIDE)

HIIDE is the world's first hand-held biometric identification device that can enroll, identify or verify subjects using any of the three primary biometrics: iris, finger, face.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	348	272
AAO (FY17)	348	
O/H	52	66
Shortfall/Excess	-296	-206

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	76	272	0	0	0
0	0	0	0	0	76	272	0	0	0
0	4	0	0	0	48	0	0	0	0
0	4	0	0	0	-28	-272	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015453002	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	Yes	0	0	0
5895090004458	66	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	Yes	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0169 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0169: AN/TPQ-48 COUNTER MORTAR RADAR (LCMR)

The LCMR is a two-man portable mortar locating radar. It provides continuous 360 degree surveillance and locates mortar firing positions by detecting and backtracking the projectile trajectory to the weapon position.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	46	6
AAO (FY17)	42	
O/H	28	8
Shortfall/Excess	-18	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	10	0	5	3	6	2	0	0
12	10	7	0	5	6	0	2	0	0
5	3	2	0	0	8	0	2	0	0
-5	-7	-8	0	-5	5	-6	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5840015418783	8	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	No	Yes	No	0	8	0

Notes: Assets should be sent to MCLB Albany for inventory and op check prior to entering a planned system refresh at SRCTec. The LCMR is an electronic piece of equipment and should not be washed. It can be cleaned by hand, by trained personnel.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0172 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0172: POWER SUPPLY, UNINTERRUPTIBLE (DDSR-PM)

The current TDN Family of Systems (FoS) consists of Gateways (TDN GW), Data Distribution Systems (TDN DDS/DDS-R/DDS-M), and Information Assurance Boundary (IAB). Together these systems provide the backbone data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	280	0
AAO (FY17)	250	
O/H	475	49
Shortfall/Excess	195	49

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
79	79	46	0	54	22	0	0	0	0
66	66	46	0	50	22	0	0	0	0
38	53	48	0	84	162	0	41	0	0
-41	-26	2	0	30	140	0	41	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130015460023	49	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	No	37	0	12
6130015652835	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1BBatteries do not constitute failure, replace upon receipt at new unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0173 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0173: SECURITY DATA SYSTEM (DDSR-CSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	494	0
AAO (FY17)	512	
O/H	441	19
Shortfall/Excess	-53	19

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
150	143	94	0	89	18	0	0	0	0
156	139	102	0	97	18	0	0	0	0
105	148	63	0	21	85	0	0	0	0
-45	5	-31	0	-68	67	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810015460020	19	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	No	14	0	5
5810015681184	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5810-01-546-0020) should be a consolidation of assets to obtain maximum complete PMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete CSMs to fill any home station shortfalls and DRMO in theater remaining PMs. Will be flown in it's entirety back to MEF. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0174 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0174: SWITCHING SET COMMUNICATION (DDSR-LSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	494	0
AAO (FY17)	512	
O/H	439	25
Shortfall/Excess	-55	25

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
150	143	94	0	89	18	0	0	0	0
156	139	102	0	97	18	0	0	0	0
107	151	70	0	21	65	0	0	0	0
-43	8	-24	0	-68	47	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015460016	18	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	No	14	0	4
5895015682669	7	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	No	5	0	2

Notes: The TAMCN for DDS-R (NSN 5895-01-546-0016) should be a consolidation of assets to obtain maximum complete LSMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0175 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0175: COMPUTER DIGITAL DATA TRANSFER (DDSR-CM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	494	0
AAO (FY17)	512	
O/H	427	13
Shortfall/Excess	-67	13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
150	143	94	0	89	18	0	0	0	0
156	139	102	0	97	18	0	0	0	0
111	150	67	0	18	68	0	0	0	0
-39	7	-27	0	-71	50	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015466466	13	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	No	10	0	3

Notes: SIPRNET Harddrives are handled in course with classifed storage and transport. Transport back unit in possession. All SIPR HDs must be removed from the CM laptop PCs and consolidated in an appropriate secure storage container for MIL-AIR transport from OEF to CONUS with the using unit. NO SIPRs HDs will be vehicle transported through Pakistan for surface nor air shipment for commercial cargo carriers. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.Batteries (Qty 2) do not constitute failure, replace upon receipt at new unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0176 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0176: SWITCHING GROUP, DIGITAL (DDSR-LEM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,968	0
AAO (FY17)	2,048	
O/H	1,733	88
Shortfall/Excess	-235	88

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
596	568	376	0	356	72	0	0	0	0
624	556	408	0	388	72	0	0	0	0
448	579	275	0	84	258	0	1	0	0
-148	11	-101	0	-272	186	0	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015460013	87	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	No	87	0	0
5895015725551	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	No	1	0	0

Notes: The TAMCN for DDS-R (NSN 5895-01-546-0013) should be a consolidation of assets to obtain maximum complete LEMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Batteries do not constitute failure, replace upon receipt at new unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0177 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0177: COMPUTER SYSTEM DIGITAL (DDSR-ACM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	494	0
AAO (FY17)	512	
O/H	441	23
Shortfall/Excess	-53	23

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
150	143	94	0	89	18	0	0	0	0
156	139	102	0	97	18	0	0	0	0
108	149	70	0	21	70	0	0	0	0
-42	6	-24	0	-68	52	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015460027	18	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	No	14	0	4
7010015681206	5	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	No	4	0	1

Notes: The TAMCN for DDS-R (NSN 7010-01-546-0027) should be a consolidation of assets to obtain maximum complete LEMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Must remove hard drive prior to shipping.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0180 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0180: AN/TYQ-145 BEYOND LINE OF SIGHT GATEWAY

JRE is an implementation of beyond line of sight transmission for TADIL-J. The current system is a stand-alone COTS/NDI configured with a JTIDS radio.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	15	0
AAO (FY17)	14	
O/H	22	2
Shortfall/Excess	7	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	3	6	0	0	0	0
2	2	2	0	2	6	0	0	0	0
4	2	2	0	2	9	0	0	0	0
2	0	0	0	-1	3	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015476773	2	0%	0%	0%	100%	0%	0%	NO	NO	No	yes	No	No	No	2	0	0

Notes: Return to owning unit but take out of service until maintenance is completed. DO NOT POWER WASH. Item contains sensitive electronics, computer, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0182 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0182: RECORDER-REPRODUCER

The Tactical ONEROOF system is a family of applications that allows for automated collection, storage, retrieval and playback of digital voice signals.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	56	4
AAO (FY17)	50	
O/H	37	4
Shortfall/Excess	-19	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	11	10	18	0	2	4	0	0	0
11	11	10	12	0	2	4	0	0	0
10	10	6	6	0	1	0	0	0	0
-1	-1	-4	-12	0	-1	-4	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5835090004505	4	0%	0%	0%	66%	34%	0%	NO	NO	No	No	No	No	No	4	0	0

Notes: This item will be retired next year, but still needs to be maintained until replacement is fielded. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. Conduct all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.2

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0194 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0194: PERSISTENT SURVEILLENCE SYSTEM (G-BOSS) (80' TOWER)

A self-erecting, trailer-mounted tower serves as the base of the G-BOSS. It is designed to provide a stable, elevated platform for the sensor suite and communication devices. Cameras are mounted on a self erecting, telescoping tower. Other associated equipment includes capability for video capture, storage, transmission, and power generation.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	177	172
AAO (FY17)	177	
O/H	80	70
Shortfall/Excess	-97	-102

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	2	172	3	0	0
0	0	0	0	0	2	172	3	0	0
0	1	0	8	0	2	0	16	0	0
0	1	0	8	0	0	-172	13	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650070001274	21	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	No	No	Yes	0	21	0
6650090004488	32	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	No	No	Yes	0	32	0
6650090006502	17	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	No	No	Yes	0	0	0

Notes: Systems will be shipped to NSWC Crane, where they will be refurbished and tested to unsure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. Should be shipped with B0077. Prior to wash down system should be in stowed and/or shipping configuration with all connector caps installed. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions.There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquistion Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0195: INTELLIGENCE OPERATIONS SERVER (V3)

The IAS FoS program consists of a three-tiered approach to Intelligence Operations. The first tier, the MEF IAS, consists of M1152A1B2 with M101 trailer, BASE-X 305 tent, and containerized stacked server suite, designed to support intelligence operations .

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	107	0
AAO (FY17)	108	
O/H	83	5
Shortfall/Excess	-24	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	24	20	16	12	13	0	0	0	0
22	21	20	16	16	13	0	0	0	0
13	20	20	2	7	14	0	2	0	0
-9	-4	0	-14	-5	1	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015762585	5	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	5	0	0

Notes: If it requires maintenance, it goes to MCLC for DRMO. Eventually will be replaced. No maintenance will be performed. Water may damage system electronics.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0197 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0197: DATA STORAGE MODULE (DDSR-DSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	494	0
AAO (FY17)	512	
O/H	392	20
Shortfall/Excess	-102	20

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
150	144	94	0	89	17	0	0	0	0
156	139	102	0	97	18	0	0	0	0
106	122	62	0	23	59	0	0	0	0
-44	-22	-32	0	-66	42	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015494303	16	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	12	0	4
5895015653698	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	No	3	0	1
5895015924487	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5895-01-549-4303), should be a consolidation of assets to obtain maximum complete DSMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Remove hard drives

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0234 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0234: SATELLITE COMMUNICATION SUBSYSTEM (SWAN-D V1 DISH)

The SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	173	0
AAO (FY17)	168	
O/H	137	15
Shortfall/Excess	-36	15

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	40	20	0	33	38	0	0	0	0
41	36	20	0	33	38	0	0	0	0
34	26	17	0	17	23	0	5	0	0
-8	-14	-3	0	-16	-15	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015504868	15	0%	0%	100%	0%	0%	0%	NO	NO	No	no	Yes	No	Yes	0	15	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0238 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0238: MAINTENANCE KIT,ELECTRONIC EQUIP (SWAN-D V3 RF SPARES)

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	8	0
AAO (FY17)	0	
O/H	7	3
Shortfall/Excess	-1	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	2	0	4	0	0	0	0	0
-1	-2	0	0	2	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015515306	3	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	Yes	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Ship with SWAN D V3 to MCLC Alb for resale to Army.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0239 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0239: MAINTENANCE KIT,ELECTRONIC EQUIP (SWAN-D V1/V2 RF SPARES)

SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	48	0
AAO (FY17)	0	
O/H	44	16
Shortfall/Excess	-4	16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	14	6	0	14	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
3	1	15	0	5	2	0	2	0	0
-11	-13	9	0	-9	2	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015514019	16	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	Yes	0	16	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0240 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0240: MAINTENANCE KIT,ELECTRONIC EQUIPMENT

SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	32	0
AAO (FY17)	0	
O/H	34	15
Shortfall/Excess	2	15

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	5	0	9	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
5	2	4	0	7	1	0	0	0	0
-4	-7	-1	0	-2	1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015513812	15	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	Yes	0	15	0
5895015686670	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	Yes	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. This TAMCN is a spares kit that will be disassembled and placed into the MEF RIPs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0241 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0241: SATELLITE COMMUNICATION SUBSYSTEM

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	68	0
AAO (FY17)	66	
O/H	57	2
Shortfall/Excess	-11	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	13	8	0	15	17	0	0	0	0
15	13	8	0	13	17	0	0	0	0
16	12	8	0	7	12	0	2	0	0
1	-1	0	0	-8	-5	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015513530	2	0%	0%	100%	0%	0%	0%	NO	NO	No	no	no	No	Yes	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0242 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0242: SATELLITE COMMUNICATION SUBSYSTEM (SWAN-D V3 DISH)

The SWAN is an integrated COTS solution utilizing Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-The-Pause (OTP) communications asset that can be set up in 30 minutes or less. SWAN fills a void of Beyond-Line-Of-sight (BLOS).

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	61	0
AAO (FY17)	51	
O/H	57	1
Shortfall/Excess	-4	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	15	12	0	11	8	0	0	0	0
11	10	12	0	10	8	0	0	0	0
17	8	15	0	4	10	0	2	0	0
2	-7	3	0	-7	2	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015514320	1	0%	0%	0%	0%	100%	0%	NO	NO	No	no	no	No	Yes	0	1	0
5895015805073	0	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	yes	No	Yes	0	0	0

Notes: This TAMCN NSN 5895-01-551-4320 shoud be transported to MCLC Alb. with SWAN D V3 PEI. This TAMCN should be sent to MCLC. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. TAMCN NSN 5895-01-551-4320 will be sold back to the Army.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0243 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0243: NETWORK MANAGEMENT SYSTEM (SWAN-D)

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	284	0
AAO (FY17)	235	
O/H	216	18
Shortfall/Excess	-68	18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
72	68	40	0	48	56	0	0	0	0
52	44	39	0	44	56	0	0	0	0
57	32	27	0	28	45	0	11	0	0
-15	-36	-13	0	-20	-11	0	11	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015513590	16	0%	0%	100%	0%	0%	0%	NO	NO	No	no	no	No	Y	0	16	0
5895015686944	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	N	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0244 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0244: NETWORK MANAGEMENT SYSTEM (SWAN-D MRT)

The SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	63	0
AAO (FY17)	63	
O/H	42	2
Shortfall/Excess	-21	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	11	9	0	11	21	0	0	0	0
11	11	9	0	11	21	0	0	0	0
7	4	12	0	5	12	0	0	0	0
-4	-7	3	0	-6	-9	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015513833	2	0%	0%	100%	0%	0%	0%	NO	NO	No	no	Yes	No	Yes	0	2	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0245 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0245: SATELITE COMM SUB SYSTEM

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	2	2
Shortfall/Excess	2	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015596098	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	2

Notes: Crypto will be kept and utilized. Crypto must have a NAVMC 1018 Tag with PEI Serial #, PEI Unit Shipped To, PEI Condition Code. DP11137 PCN 13158950100. This TAMCN is in the process of Disposal.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0246 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0246: AN/USC-67 SWE-DISH FA150 MIL FLY-AWAY

The AN/USC-67 (FA-150 Hub) NSN: 2840-01-587-7961, configuration is a portable high-bandwidth, secure satellite communications package capable of operating at the Top Secret/Sensitive Compartmented Information level. The AN/USC-67 serves as the Hub in a Hub-Spoke architecture and components include a 1.5m antenna and baseband network equipment. The AN/USC-67 is C, Ku, and X band capable.

AN/USC-67 FA-150 (Hub)

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	11	0	4	4	3	0	0	0	0	0	0	0
AAO (FY17)	11		4	4	3	0	0	0	0	0	0	0
O/H	8	4	0	0	2	0	0	2	0	0	0	0
Shortfall/Excess	-3	4	-4	-4	-1	0	0	2	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2840015877956	4	100%	0%	0%	0%	0%	0%	NO	NO	No	No	no	N	Y	4	0	0

Notes: Obsolete item, but will maintain in order to bridge capability gap. Must dispose of in CONUS because of sensitivity. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory, notify PG-12/PMM123 for maintenance, and coordinate shipment with MARCORSYSCOM for maintenance. Please direct inquires about this system to Commander, MARCORSYSCOM, PM-Intelligence Systems. ATTN: SCI Comms Project Officer

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0247 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0247: AN/USC-68 SWE-DISH IPT MIL SUITCASE (VSAT SPOKE)

The AN/USC-68 (IPT Suite) NSN: 2840-01-587-7956, configuration is a portable high-bandwidth, secure satellite communications package capable of operating at the Top Secret/Sensitive Compartmented Information level. It consists of a suitcase satellite communication solution and a suitcase secure networking solution. The AN/USC-68 serves as a Spoke in a Hub-Spoke architecture and components include a .9m auto-acquiring antenna and baseband network equipment. The AN/USC-68 is only Ku band capable.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	41	0
AAO (FY17)	41	
O/H	33	9
Shortfall/Excess	-8	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	16	9	0	0	0	0	0	0	0
16	16	9	0	0	0	0	0	0	0
9	0	9	0	0	1	0	5	0	0
-7	-16	0	0	0	1	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2840015877961	9	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	Yes	0	9	0

Notes: Equipment is obsolete

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0254 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0254: COMBAT OPS CENTER, SET III (UOC)

The Combat Operations Center is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	95	12	20	20	14	3	11	15	12	0	0	0
AAO (FY17)	93		19	18	14	3	12	15	12	0	0	0
O/H	78	7	20	20	14	3	6	8	0	0	0	0
Shortfall/Excess	-17	-5	0	0	0	0	-5	-7	-12	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015204341	7	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	7	0

Notes: The COC configuration includes many weather-resistant transit cases and two trailer types: the Operational Trailer (OT), consisting of an M1102 trailer with multiple transit-cased COTS IT components and electrical connections, and the Generator ECU Tent Trailer (GETT), consisting of an extended-bed M1102 chassis, a commercial 23kW generator, a commercial 120K BTU Environmental Control Unit, and a commercial Base-X 305 shelter. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment and the GETT's generator and ECU control panel. COC's are routinely shipped packed in an ISO container; recommend using ISO containers to ship the COC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	9.4

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0255 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0255: COMBAT OPS CENTER, SET IV (UOC)

The COC is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems. It is predominantly a COTS IT integration.

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	198	15
AAO (FY17)	182	
O/H	180	7
Shortfall/Excess	-18	-8

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
48	41	21	13	32	28	15	0	0	0
44	35	18	13	29	28	15	0	0	0
48	34	23	3	22	28	0	15	0	0
0	-7	2	-10	-10	0	-15	15	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015204360	7	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	7	0

Notes: The COC configuration includes many weather-resistant transit cases and two trailer types: the Operational Trailer (OT), consisting of an M1102 trailer with multiple transit-cased COTS IT components and electrical connections, and the Generator ECU Tent Trailer (GETT), consisting of an extended-bed M1102 chassis, a commercial 23kW generator, a commercial 120K BTU Environmental Control Unit, and a commercial Base-X 305 shelter. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment and the GETT's generator and ECU control panel. COC's are routinely shipped packed in an ISO container; recommend using ISO containers to ship the COC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0261 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0261: BIOMETRICS AUTOMATED TOOLSET (BAT-SERVER

The Biometrics System consists of three tiers: the BAT-Client, the BAT-Server and the HIIDE. The BAT-Client will collect and store biometric information, to include fingerprints, iris scans and facial images, and will be able to "match" personnel whose bi

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	20	20
AAO (FY17)	20	
O/H	26	24
Shortfall/Excess	6	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	20	0	0	0
0	0	0	0	0	0	20	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	-20	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7021090004486	24	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Y	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.2

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0265 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0265: COMM EMITTER SYS

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	22	0
AAO (FY17)	22	
O/H	5	3
Shortfall/Excess	-17	3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	6	0	0	0	0	0	0	0
8	8	6	0	0	0	0	0	0	0
0	0	2	0	0	0	0	0	0	0
-8	-8	-4	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865090003960	3	0%	0%	100%	0%	0%	0%	NO	NO	No	no	No	No	No	3	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

a0265 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = a0265:

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	22	0
AAO (FY17)	22	
O/H	5	3
Shortfall/Excess	-17	3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	6	0	0	0	0	0	0	0
8	8	6	0	0	0	0	0	0	0
0	0	2	0	0	0	0	0	0	0
-8	-8	-4	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865090003960	3	0%	0%	100%	0%	0%	0%	NO	NO	No	no	No	No	No	3	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0266 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0266: RADIO SET, VEH, AN/VRC-104 (UHF/VHF)

AN/PRC 104 Radio Set.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	792	11	216	200	127	90	133	15	11	0	0	0
AAO (FY17)	764		206	166	121	88	157	15	11	0	0	0
O/H	652	285	53	65	142	47	31	29	0	0	0	0
Shortfall/Excess	-140	274	-163	-135	15	-43	-102	14	-11	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015681631	22	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	22	0	0
5820015694438	263	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	263	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0271 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0271: COMBAT OPERATIONS CENTER

The Combat Operations Center is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	18	4
AAO (FY17)	19	
O/H	17	4
Shortfall/Excess	-1	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	4	1	2	0	4	0	0	0
3	4	4	1	3	0	4	0	0	0
2	4	4	1	1	1	0	0	0	0
-1	0	0	0	-1	1	-4	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015573118	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	4	0	0

Notes: The COC(V)2 configuration includes many weather-resistant transit cases and the Operations Trailer (OT). The OT is an M1102 trailer with a rack supporting many COTS IT servers, routers, switches, etc. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment; recommend using ISO containers to ship the COC(V)2.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	46

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0272 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0272: RADIO REMOTE CONTROL UNIT RC 111

The RF-5800R-RC111 Remote Control System with High Speed Interface provides full remote control capability for the Falcon II family of manpack radios.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,920	0
AAO (FY17)	2,802	
O/H	3,124	244
Shortfall/Excess	204	244

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
752	746	418	44	506	154	0	300	0	0
717	652	414	25	540	154	0	300	0	0
774	665	465	131	495	217	0	133	0	0
22	-81	47	87	-11	63	0	-167	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015709290	244	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	244	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0273 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0273: RADIO SET, VRC-110, 20 WATT (AN/PRC152)

The Radio Set, AN/VRC-110, consists of 2 Vehicle Adapter Units with 2 AN/PRC-152 handheld Radios. The system provides encrypted Line of Sight communications with both fixed and Frequency Hopping Modes.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1,355	12
Shortfall/Excess	1,355	12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
92	183	254	0	136	232	0	86	360	0
92	183	254	0	136	232	0	86	360	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015578450	12	0%	0%	0%	100%	0%	0%	NO	NO	Y	no	no	N	N	0	0	12

Notes: TAMCN is being upgraded to A0097.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0278 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0278: WIRELESS POINT-TO POINT LINK (WPPL-D)

WPPL D is an integrated communications system consisting of Commercial Off-The-Shelf (COTS) antennas, radios, power line conditioning and backup, and Internet Protocol (IP) networking equipment. All WPPL versions provide Non-secure Internet Router Protocol.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	284	0	72	72	47	0	48	45	0	0	0	0
AAO (FY17)	260		60	60	47	0	48	45	0	0	0	0
O/H	177	52	26	24	20	0	2	49	0	4	0	0
Shortfall/Excess	-107	52	-46	-48	-27	0	-46	4	0	4	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015631703	49	100%	0%	0%	0%	0%	0%	NO	NO	N	no	no	N	Y	49	0	0
5820015836833	3	100%	0%	0%	0%	0%	0%	NO	NO	N	no	no	N	Y	3	0	0

Notes: Item must be put through maintenance before placing into service at owning unit. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0282 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0282: TEAM PORTABLE COLLECTION SYS (TPCS)

The TPCS-MPC will be a mission configurable, multi-platform SIGINT collection system incorporating plug-and-play technologies that provides the Marine Air Ground Task Force commander with a modular and saleable carry-on/carry-off equipment capability for operations onboard non-dedicated air, ground, and waterborne platforms.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	70	0
AAO (FY17)	70	
O/H	63	14
Shortfall/Excess	-7	14

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	22	16	0	0	10	0	0	0	0
22	22	16	0	0	10	0	0	0	0
13	21	10	0	0	5	0	0	0	0
-9	-1	-6	0	0	-5	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5825015293279	14	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	14	0	0

Notes: Owning unit will perform inventory and detailed maintenance for return to full mission capable. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Follow preventive maintenance procedures as listed in O&M TM 11109A-OI.PG-12/PMM123 has situational awareness for this system. Please direct inquires about this system to Commander, MARCORSYSCOM, PM-Intelligence Systems, ATTN: TPCS-MPC Project Officer, 2200 Lester Street, Quantico, VA 22134-6050.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0285 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0285: DISMTD DIGITAL AUTOMATED COMM TERMINAL (DDACT)

The D-DACT is a handheld, stylus operated Rugged Personal Digital Assistant. It has a built in Global Positioning System, a modem and comes loaded with Command and Control Compact Edition Software.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	294	0
Shortfall/Excess	294	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
98	65	62	0	8	22	0	39	0	0
98	65	62	0	8	22	0	39	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015221228	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0286 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0286: CERBERUS LONG RANGE (GBOSS LITE)

The G-BOSS Lite is an integrated system, based on the Cerberus trailer-mounted surveillance system, and employs multiple detection and assessment technologies, all self-contained on a single mobile platform. G-BOSS Lite uses the Star SAFIRE IIIFP with laser pointer and range finder; and the MSTAR radar as its primary image sensors.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	49	49
AAO (FY17)	49	
O/H	26	14
Shortfall/Excess	-23	-35

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	49	0	0	0
0	0	0	0	0	0	49	0	0	0
0	1	0	1	0	0	0	10	0	0
0	1	0	1	0	0	-49	10	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5840015874722	14	0%	0%	0%	0%	100%	0%	NO	NO	No	no	Yes	No	Yes	0	14	0

Notes: Systems will be shipped to NSWC Crane through MCLC, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. Prior to wash down system should be in stowed and/or shipping configuration. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions.There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquistion Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0288 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0288: CERBERUS MANPACK SYSTEM (CERBERUS LITE)

The Cerberus Lite is a man-portable, tripod-mounted surveillance system developed by PM NVESD for use in austere environments, or where ground transportation is unavailable or undesirable. The Cerberus Lite uses a FLIR Recon III and Advanced Radar Surveillance System (ARSS) as its primary image sensors. Use of the Miniature Intrusion Detection Systems (MIDS) unattended ground sensors is optional.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	51	51
AAO (FY17)	51	
O/H	24	6
Shortfall/Excess	-27	-45

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	51	0	0	0
0	0	0	0	0	0	51	0	0	0
0	0	0	0	0	3	0	15	0	0
0	0	0	0	0	3	-51	15	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6350090006681	6	0%	0%	0%	0%	100%	0%	NO	NO	No	no	No	No	Yes	0	6	0

Notes: Systems will be shipped to NSWC Crane through MCLC, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions.There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquistion Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0291 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0291: CVRJ @ 1:2 VEH RATIO (RPLCS A0096 / A0137)

CVRJ is designed to respond to the full range of RCIED threats that have been encountered by our Warfighters and has demonstrated superior performance against the RCIED threats in both OIF and OEF. A primary strength of the system design is that it incorporates a proven adaptability to changes in the threat environment largely independent of specific threat signal attributes. It has a wide receive and transmit frequency coverage and handles multiple threats simultaneously.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	9,899	9753
AAO (FY17)	9,899	
O/H	286	191
Shortfall/Excess	-9,613	-9,562

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	146	9,753	0	0	0
0	0	0	0	0	146	9,753	0	0	0
0	0	0	0	0	95	0	0	0	0
0	0	0	0	0	-51	-9,753	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015534738	191	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	I/P	No	0	191	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager Graves-Reynolds CIV Judy A, judy.graves@usmc.mil, (229) 639-8283

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0298 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0298: OPTICAL READER, DATA ENTRY

Devices enable and facilitate data collection and transmission to Automated Information Systems. These devices improve the Marine Corps' logistical business processes and enhance war fighting capabilities by facilitating the collection of initial source data, reducing processing times and improving data accuracy.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	4,085	48
AAO (FY17)	3,918	
O/H	1,143	2
Shortfall/Excess	-2,942	-46

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,324	1,311	690	16	588	0	48	0	108	0
1,277	1,140	689	15	641	0	48	0	108	0
236	263	196	0	266	174	0	8	0	0
-1,088	-1,048	-494	-16	-322	174	-48	8	-108	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7025014759974	2	25%	0%	0%	75%	0%	0%	NO	NO	No	No	yes	No	No	0	0	0

Notes: Project office will coordinate refresh with MEF.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	49	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0299 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0299: PRINTER, PORTABLE

AIT devices enable and facilitate data collection and transmission to Automated Information Systems (AISs). AIT devices improve the Marine Corps' logistical business processes and enhance warfighting capabilities by facilitating the collection of initial source data, reducing processing times and improving data accuracy. The AIT program is currently focused on implementing barcode technology - both linear and 2D barcodes and integrating Radio Frequency Data Collection (RFDC) technology to allow near real time processing of data. Successful AIT implementation is dependent on the AIT software development expertise of our information system developers and the ability of the user community to have well documented AIT requirements.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	223	1
Shortfall/Excess	223	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
37	17	43	2	76	44	0	4	0	0
37	17	43	2	76	44	0	4	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7490014759671	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0300: PRINTING MACHINE,LA

Devices enable and facilitate data collection and transmission to Automated Information Systems. These devices improve the Marine Corps' logistical business processes and enhance war fighting capabilities by facilitating the collection of initial source data

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,259	7
AAO (FY17)	1,254	
O/H	231	1
Shortfall/Excess	-1,028	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
378	406	171	17	184	78	7	0	18	0
383	352	182	16	218	78	7	0	18	0
85	35	39	6	59	6	0	0	0	0
-293	-371	-132	-11	-125	-72	-7	0	-18	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7490015589256	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0301 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0301: GRAPHICS PLOTTER

The Graphics Plotter is a HP Designjet 1050c Plus Printer. The maximum print length for this printer is 300 ft.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	20	1
Shortfall/Excess	20	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
9	1	1	0	0	8	0	0	0	0
9	1	1	0	0	8	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7025014774041	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0316 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0316: TRANSMITTER GROUP C

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	423	423
AAO (FY17)	423	
O/H		
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	423	0	0	0
0	0	0	0	0	0	423	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0321 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0321: DEPLOYABLE INTEGRATED TRANSPORT SUITE

The Raven B is a unmanned aircraft sensor system utilized at the small unit level that provides situational awareness within the employing unit's area of operations. The Digital Data Link enables a given area to include more Ravens and provides greater communication security through signal encryption.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	488	58
AAO (FY17)	469	
O/H	162	47
Shortfall/Excess	-326	-11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
108	107	40	72	86	17	58	0	0	0
99	89	47	72	87	17	58	0	0	0
7	18	5	55	21	9	0	0	0	0
-101	-89	-35	-17	-65	-8	-58	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1550015780205	47	35%	0%	0%	65%	0%	0%	NO	NO	No	No	No	No	No	31	0	16

Notes: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. Maintenance will be complete by the owning unit through organic. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0324 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0324: COMMAND SYSTEM,TACT

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	0	2
Shortfall/Excess	0	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015800080	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0325 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0325: MOBILE MODULAR COMMAND CENTER (M2C2) TACTICAL ENTRY POINT

(satcom dish at the COC end, same as a SWAN V3 but with a different modem)

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1	1
Shortfall/Excess	1	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015800008	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	0	1	0

Notes: Item will be sent to SPAWAR through MCLC. Nothing beyond standard procedures.This TAM is part of the M2C2 system see additional comments associated with TAM A0030.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0326 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0326: THOR III

Each Thor III system consists of three dismounted man-pack subsystems. Each subsystem contains a chassis (low band, mid band or high band), a Remote Control Unit (RCU), an integration/pack frame, an Rx/Tx antenna (low band, mid band, or high band), a GPS antenna, cables, and software. Each unit is housed in a separate transit case with protective covers.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	893	733
AAO (FY17)	893	
O/H	739	739
Shortfall/Excess	-154	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	85	733	75	0	0
0	0	0	0	0	85	733	75	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	-85	-733	-75	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015804854	739	0%	0%	0%	0%	100%	0%	NO	NO	No	no	Yes	No	No	0	739	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Upon returning from Theater units should conduct a compete detailed SL3 inventory. If any missing SL3 is note please contact the USMC CREW Product Support Integrator at USMC CREW Product Support Operations Center.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0331 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0331: RADIO SET, LOW PROFILE SINGLE VEHICLE ADAPTER, 50-WATT (VRC)

The AN/VRC-113(C) operates over a 30-512 MHz frequency range with either Frequency Modulated (FM), or Amplitude Modulated (AM) Radio Frequency (RF) output, with a user-selectable power output from 0.1 to 5 watts (depending on operating mode). The radio can interoperate with both 12 kbps (FED-STD-1023) and 16 kbps (VINSON-compatible) equipment. The Basic radio provides the following capabilities: SINCGARS, HAVEQUICK, ANDVT, retransmission, and High Throughput Waveform (HTW).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	9,512	1054
AAO (FY17)	9,837	
O/H	4,144	89
Shortfall/Excess	-5,368	-965

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,559	2,329	1,432	93	1,579	166	1,054	300	0	0
2,450	2,167	1,619	93	1,988	166	1,054	300	0	0
22	0	0	0	0	0	0	4,033	0	0
-2,537	-2,329	-1,432	-93	-1,579	-166	-1,054	3,733	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015826675	89	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	89	0	0

Notes: Item was sent to OEF on a limited fielding decision. Equipment should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

a0332 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = a0332:

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	36	0
AAO (FY17)	34	
O/H	364	119
Shortfall/Excess	328	119

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	7	4	6	5	0	0	0	0
7	7	7	2	6	5	0	0	0	0
116	79	1	2	38	9	0	0	0	0
109	72	-6	-2	32	4	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015859031	119	0%	0%	0%	100%	0%	0%	NO	NO						0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	74	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	1%	0%	0%

A0336 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0336: SCA MULTIBAND NETWORKING RADIO

The AN/PRC-117G (V)1(C) is an advanced multiband multi-mission manpack radio set, which provides reliable tactical communications through U.S. Government Type I encryption for enhanced secure voice (Communications Security (COMSEC), Transmission Security (TRANSEC)), high-speed data, Electronic Counter-Countermeasures (ECCM), and Satellite Communications (SATCOM) capabilities.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	2,448	0	637	570	242	279	403	167	0	150	0	0
AAO (FY17)	2,393		585	501	242	279	469	167	0	150	0	0
O/H	1,525	298	350	315	209	138	0	215	0	0	0	0
Shortfall/Excess	-923	298	-287	-255	-33	-141	-403	48	0	-150	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015862327	298	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	298	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0338 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0338: DIGITAL STILL CAMERA SUITE, ADVANCED (DSCS-A)

The DSCS-A provides an increased digital still photographic capability required for the advanced user which enables higher grade photos to be captured and also provides an increased standoff capability for imagery collection.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	829	0
AAO (FY17)	769	
O/H	479	20
Shortfall/Excess	-350	20

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
149	159	73	172	131	145	0	0	0	0
134	128	71	166	125	145	0	0	0	0
21	89	0	3	330	11	0	5	0	0
-128	-70	-73	-169	199	-134	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6720015938038	20	50%	0%	0%	30%	20%	0%	NO	NO	N	No	Yes	N	No	10	0	10

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0339 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0339: DIGITAL STILL CAMERA SUITE, Basic (DSCS-B)

The DSCS-B provides basic digital still photographic capabilities required for imagery collection by the novice user.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,436	0
AAO (FY17)	1,310	
O/H	700	62
Shortfall/Excess	-736	62

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
370	380	147	255	271	13	0	0	0	0
340	310	141	249	257	13	0	0	0	0
154	284	0	45	130	10	0	15	0	0
-216	-96	-147	-210	-141	-3	0	15	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6720015937979	62	60%	0%	0%	30%	10%	0%	NO	NO	N	No	Yes	N	No	25	0	37

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0340 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0340: CAMERA SUITE DIGITAL VIDEO

The DVCS-B provides a basic digital video photography capability and consists of a low-end commercial digital video camera for imagery collection.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	324	0
AAO (FY17)	321	
O/H	89	4
Shortfall/Excess	-235	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
87	97	46	47	39	8	0	0	0	0
87	91	46	47	42	8	0	0	0	0
24	34	0	3	13	3	0	8	0	0
-63	-63	-46	-44	-26	-5	0	8	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836015922160	4	60%	0%	0%	30%	10%	0%	NO	NO	No	No	Yes	N	No	2	0	2

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. A full scale refresh for this item is scheduled for FY13. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0350 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0350: DETECTION SYSTEM,WE

A sensor used to detect the direction and distance of incoming bullets.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	907	688
AAO (FY17)	907	
O/H	321	316
Shortfall/Excess	-586	-372

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
25	25	25	0	0	144	688	0	0	0
25	25	25	0	0	144	688	0	0	0
25	0	30	0	0	0	0	169	0	0
0	-25	5	0	0	-144	-688	169	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6350015910219	316	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	0	0	316

Notes: REPLACED BY C0104.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

A0351 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0351: REMOTE CONTROL RADI

System Description: The RF-7800R-RC Remote Control Device provides full remote control capability for the AN/PRC-117F, AN/PRC-117G, AN/PRC-150, and the AN/PRC-152 radios. The package includes two remote control units whose modular design allows either unit to function as the Local Control Unit (LCU) or the Remote Control Unit (RCU). All radio functions controlled by the Keypad Display Unit (KDU) can also be controlled by the RCU, including Automatic Link Establishment (ALE), frequency hopping and modem selections. The system provides TX/RX voice and data and controls legacy functions using field wire, but also adds capabilities/interfaces for Ethernet and fiber optic. Allows for 3.5km of separation of radio and operator providing enhanced safety and transmission security.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY12)	1,622	0
AAO (FY17)	1,471	
O/H	2,440	97
Shortfall/Excess	818	97

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
429	455	183	184	302	69	0	0	0	0
371	363	183	184	301	69	0	0	0	0
352	440	232	88	265	69	0	897	0	0
-77	-15	49	-96	-37	0	0	897	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015883075	97	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	97	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0352 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0352: RADIO SET

The AN/VRC-114(V)1 is a SCA MULTIBAND NETWORKING VEHICULAR RADIO SYSTEM - SINGLE MOUNT (RF-300M-V150).

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,267	0
AAO (FY17)	1,264	
O/H	306	92
Shortfall/Excess	-961	92

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
379	322	159	0	297	29	0	81	0	0
369	294	162	0	329	29	0	81	0	0
122	19	28	0	0	45	0	0	0	0
-257	-303	-131	0	-297	16	0	-81	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015892203	92	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	Y	Y	92	0	0

Notes: It was claimed that the number in theater is far being under reported in SASSY. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0357 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0357: MONITOR, PHASE

The Interim Sensor Monitoring Group is a tactical, dismounted sensor monitoring and control suite for the TRSS SoS that allows the operators to receive, decode, monitor, and report remote unattended ground sensors activity. The primary components of the Interim-SMG are an antenna subsystem, and integrated transit case assembly of networking devices and sensor communications devices as well as a sensor monitoring workstation.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1	0
Shortfall/Excess	1	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	1	0	0	0	0	0	0	0
0	0	1	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015911110	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0375 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0375: GROUND RENEWABLE EX

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	235	235
AAO (FY17)	235	
O/H	85	47
Shortfall/Excess	-150	-188

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	235	0	0	0
0	0	0	0	0	0	235	0	0	0
10	16	2	5	0	5	0	0	0	0
10	16	2	5	0	5	-235	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6117015981836	47	0%	0%	100%	0%	0%	0%	NO	NO	No	yes	No	i/p	y	0	47	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0377 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0377: COUNTERBOMBER

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H		0
Shortfall/Excess		0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5840015995119	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0425 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0425: TERMINAL, COMM, AUTOMATED, DATA MTD (M-DACT)

The M-DACT system can provide mounted commanders with a full suite of Command & Control capabilities which include messaging, mapping, overlays, route planning, navigation and situational awareness.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	249	18
Shortfall/Excess	249	18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
58	11	26	0	29	7	0	118	0	0
58	11	26	0	29	7	0	118	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015220639	18	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: Goes to SPAWAR

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0501 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0501: WORKSTATION, GEOSPATIAL INFO LIBR, DEPLOY (DGIL)OL-730/TSQ

The Topographic Production Capability (TPC) is the only Marine Corps' Family of Systems (FoS) that provides an integrated, independently deployed, self-contained Geospatial Information System (GIS) designed for data acquisition, manipulation, analysis, and dissemination, providing commanders and staff with Geospatial Information (GI) and Geographic Intelligence (GINT) support to all levels of the Marine Air Ground Task Force (MAGTF).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	28	0
AAO (FY17)	36	
O/H	24	4
Shortfall/Excess	-4	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	0	0	0	12	0	0	0	0
8	8	0	0	8	12	0	0	0	0
8	4	8	0	0	0	0	0	0	0
0	-4	8	0	0	-12	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090004208	4	0%	0%	0%	50%	0%	0%	NO	NO	No	no	No	No	No	4	0	0

Notes: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0503: SERVER, GEOSPATIAL INFO LIBR, DEPLOY (DGIL) OL-731/TSQ

This is the Deployable Geospatial Intelligence Library Server.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	11	0
AAO (FY17)	12	
O/H	5	2
Shortfall/Excess	-6	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	3	0	0	0	6	0	0	0	0
2	2	0	0	2	6	0	0	0	0
0	1	2	0	0	0	0	0	0	0
-2	-2	2	0	0	-6	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090004210	2	0%	0%	0%	50%	0%	0%	NO	NO	No	no	No	No	No	2	0	0

Notes: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0504 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0504: DTAMS

The Digital Terrain Analysis Mapping System (DTAMS), is a transportable subsystem of the Topographic Set. The DTAMS is housed within five rugged transport cases, each capable of two-man transport. Included within these five cases are Sun Spark workstations with CD ROM as well as high capacity hard disk drives and an 8 MM tape drive.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	42	0
AAO (FY17)	39	
O/H	27	3
Shortfall/Excess	-15	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	10	2	5	6	10	0	0	0	0
8	8	1	5	7	10	0	0	0	0
1	3	7	4	10	0	0	0	0	0
-8	-7	5	-1	4	-10	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675013862679	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
7010090004207	2	0%	0%	0%	50%	0%	0%	NO	NO	No	no	No	No	No	2	0	0

Notes: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0652 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0652: CONVERTER SET, FIBER OPTIC

The Converter Set, Fiber Optic, AN/GSC-54 when used with a Tactical Fiber Optic Cable Assembly (TFOCA), forms a part of the Fiber Optic Cable System (FOCS). The FOCS provides a full duplex fiber optic transmission link between a compatible pair of TRI-TAC equipment. The AN/GSC-54 and the FOCA configuration provides an optical communication link for up to 6 kilometers in length, operating at group data rates ranging from 72 kilobits per second to 4,608 kilobits per second.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	3,479	1098		638	619	411	0	439	82	1,098	0	192	0
AAO (FY17)	3,468			628	605	417	0	446	82	1,098	0	192	0
O/H	1,591	3		268	263	106	0	185	0	0	577	155	37
Shortfall/Excess	-1,888	-1,095		-370	-356	-305	0	-254	-82	-1,098	577	-37	37

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6020012372218	3	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0806 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0806: SAT TERMINAL, MULTIBAND, LTWT (LMST) MAXI-HUB

The Lightweight Multi-Band Satellite Terminal, AN/USC-65(V), is a SHF tri-band SATCOM system that can be used as either the hub or spoke terminal in a SATCOM network. A0806 is (V) 1; A0807 is (V) 2.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	13	0
AAO (FY17)	13	
O/H	11	0
Shortfall/Excess	-2	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	3	2	0	0	0	0
3	3	2	0	3	2	0	0	0	0
2	3	1	0	1	2	0	2	0	0
-1	0	-1	0	-2	0	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014959105	0	100%	0%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	0	0

Notes: Priority Item for LTI in theater before leaving theater. Commercial Depot is located at Harris Corporation in Melbourne, FL. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. DO NOT SEPARATE transit cases, ship together. If one transit is missing the weapon system will be non mission capable. A0806 (V)1 = 5 Transit Cases.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	912	3.6

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0807 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0807: SAT TERMINAL, MULTIBAND LTWT (LMST) MINI HUB

The Lightweight Multi-Band Satellite Terminal, AN/USC-65(V), is a SHF tri-band SATCOM system that can be used as either the hub or spoke terminal in a SATCOM network. A0806 is (V) 1; A0807 is (V) 2.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	42	6
AAO (FY17)	43	
O/H	27	0
Shortfall/Excess	-15	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	8	0	7	5	6	0	0	0
8	8	8	0	8	5	6	0	0	0
7	6	7	0	1	3	0	3	0	0
-1	-2	-1	0	-6	-2	-6	3	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014959106	0	100%	0%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	0	0

Notes: Priority Item for LTI in theater before leaving theater. Commercial Depot is located at Harris Corporation in Melbourne, FL. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. DO NOT SEPARATE transit cases, ship together. If one transit is missing the weapon system will be non mission capable. A0807 (V)2 = 4 Transit Cases

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	114	0	3.5

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0808 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0808: SURVEY SYSTEM, NAVIGATION

The Navigation System, AN/GSN-14, is a man packable system designed to obtain terrain data easily in an unknown area.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	10	0
AAO (FY17)	10	
O/H	1	3
Shortfall/Excess	-9	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	2	0	0	0	0
2	2	2	0	2	2	0	0	0	0
0	0	0	0	0	1	0	0	0	0
-2	-2	-2	0	-2	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675014677441	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: Need confirmation that this item will be DRMO'd. Highly pilferable - should not go down the GLOC. Do not send to MEF without being SL-3 complete.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	45	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0819 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0819: GLOBAL COMMAND AND CONTROL SYSTEM (GCCS)

The Global Command and Control System establishes a joint Command, Control, Communication, Computing, and Intelligence Surveillance Reconnaissance system to provide total battle space information to the warrior. It is a distributed client-server based architecture that incorporates a Common Operating Environment infrastructure with interfaces that support the hosting and execution of heterogeneous applications.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	281	72
AAO (FY17)	279	
O/H	128	0
Shortfall/Excess	-153	-72

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
41	45	24	0	27	72	72	0	0	0
41	44	24	0	26	72	72	0	0	0
27	24	26	0	16	11	0	23	0	1
-14	-21	2	0	-11	-61	-72	23	0	1

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090004281	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: This equipment should resides on the Using Units Consolidated Memornadum Receipt (CMR), each units should have their own equipment. No reset because there is a scheduled refresh in FY12. Harddrives may be classified and should be removed before transport.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	26	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0872 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0872: SERVER, INTEL OPS(IOS-OPS)

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data. The first tier, the Marine Expeditionary Force IAS (MEF IAS), is a mobile system that supports the MEF Command Element. The second tier, the Intelligence Operations Server (IOSv2), is a team portable system designed to support the Intelligence Operations of the Major Subordinate Commands (MSC). The third tier, the Intelligence Operations Workstation (IOW), serves as the Intelligence link for the battalion and squadron commands to higher headquarters or as a stand-alone system.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY12)	186	0
AAO (FY17)	186	
O/H	69	3
Shortfall/Excess	-117	3

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
47	45	41	0	14	39	0	0	0	0
47	44	40	0	16	39	0	0	0	0
17	11	17	0	11	4	0	7	0	0
-30	-34	-24	0	-3	-35	0	7	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014824470	1	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	no	No	No	0	0	0
5895015711777	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	0	0	0
5895090004283	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	no	No	No	0	0	0
7010015711777	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	No	0	0	0

Notes: This equipment should resides on the Using Units Consolidated Memornadum Receipt (CMR), each units should have their own equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0873 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0873: AN/UYQ-91A(V)2

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	19	0	2	2	5	1	0	9	0	0	0	0
AAO (FY17)	21		2	2	5	1	2	9	0	0	0	0
O/H	126	6	12	36	30	15	12	15	0	2	0	0
Shortfall/Excess	107	6	10	34	25	14	12	6	0	2	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014824634	2	0%	0%	0%	50%	0%	0%	NO	NO	No	no	No	Yes	No	0	0	0
5895090004191	1	0%	0%	0%	50%	0%	0%	NO	NO	No	no	No	Yes	No	0	0	1
5895090004424	3	0%	0%	0%	50%	0%	0%	NO	NO	No	no	No	Yes	No	0	0	3

Notes: Maintenance done by CLS through the MEFs. Water may damage system electronics. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and preventative maintenance assessment. Provide systems to CLS for all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0874 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0874: AN/UYQ-88(V)2

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	1,671	10	391	395	198	155	163	359	10	0	0	0
AAO (FY17)	1,628		381	353	201	131	193	359	10	0	0	0
O/H	1,994	255	376	429	251	53	201	384	0	45	0	0
Shortfall/Excess	323	245	-15	34	53	-102	38	25	-10	45	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015806326	9	0%	0%	0%	50%	0%	0%	NO	NO	No	no	yes	N	No	9	0	0
7010090004323	246	0%	0%	0%	50%	0%	0%	NO	NO	No	no	yes	N	No	246	0	0

Notes: This systems has received a complete technology refresh in the last year and all units have been fielded their AAO. Any mission capable systems will be returned to Engineering Support Activity for re-distribution. Water may damage system electronics. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and preventative maintenance assessment. Provide systems to CLS for all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0878 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0878: EXPLOITATION WORKSTATION

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	26	0
AAO (FY17)	34	
O/H	21	13
Shortfall/Excess	-5	13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	8	0	0	2	0	0	0	0
8	8	8	0	8	2	0	0	0	0
0	0	7	1	0	0	0	0	0	0
-8	-8	-1	1	0	-2	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895090000310	5	0%	0%	0%	50%	0%	0%	NO	NO	No	no	No	No	No	0	0	0
5895090004451	8	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	8

Notes: Depot level maintenance will be done at SPAWAR through the MEFs. The NSN ending in 4451 is obsolete and should be DRMO'd. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0879 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0879: EXPLOITATION GROUP, TACTICAL, MAIN (TEG-M)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	4	0
AAO (FY17)	4	
O/H	1	1
Shortfall/Excess	-3	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	1	0	0	1	0	0	0	0
1	1	1	0	0	1	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-1	-1	-1	0	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015774129	1	0%	0%	0%	50%	0%	0%	NO	NO	No	no	No	No	No	1	0	0

Notes: DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filt

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	217591	18.9

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0880 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0880: AN/UPX-37 INTERROGATOR SET

The Interrogator, Digital, AN/UPX-37 Identification Friend or Foe (IFF) Interrogator has replaced the AN/UPX-27 IFF Interrogators. It will be used for Mark XII and Next Generation IFF processing including Mode S and Mode 5. Its modular/digital architecture affords customized configurations and performance optimization for most applications including Air Defense, Weapon Systems, Air Traffic Control and Range Instrumentation. Digital target reports can be provided in addition to wide band video for subsequent passive/active decoding.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	71	12
AAO (FY17)	68	
O/H	35	4
Shortfall/Excess	-36	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	14	7	0	11	13	12	0	0	0
14	14	7	0	8	13	12	0	0	0
4	3	5	0	6	12	0	1	0	0
-10	-11	-2	0	-5	-1	-12	1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014605448	4	0%	75%	0%	25%	0%	0%	NO	NO	No	yes	No	No	No	4	0	0

Notes: MEF will control and will get support from Tobyhanna Army Depot if necessary. Unit normally remains in environmentally controlled shelter. USN/PMA 213 is Program Manager for the UPX-37 Interrogator.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0882 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0882: JT TACT INFO DISTR SYS (JTIDS)

The Class 2 JTIDS radio terminal is a multi-microprocessor controlled system combining radio, modem, message processor, and message switching system. The JTIDS terminal operates between 960 and 1215 MHz, frequency hopping 77,000 times per second. The JTIDS employs direct sequence frequency spreading as a further anti-jamming measure. The terminal is capable of data transfer at a rate of 115,000 bps and transmit power of 200 watts.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	23	4
AAO (FY17)	22	
O/H	26	2
Shortfall/Excess	3	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	4	7	4	0	0	0
3	3	2	0	3	7	4	0	0	0
2	2	2	0	5	12	0	1	0	0
-1	-1	0	0	1	5	-4	1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014421073	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	2	0	0

Notes: Return item to owning unit but take out of service until maintenance is completed. Item must be put through maintenance before placing into service at owning unit. Cannot be DRMO'd in theater. DO NOT POWER WASH. Item contains sensitive electronics, radios, computers, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0892 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0892: FASCIMILE SET, BLACKJACK

The Blackjack Facsimile Set, AN/UXC-10 is a self-contained, portable, rugged tactical multifunctional system for use in harsh field environments. It withstands the toughest military applications, allowing installation in tracked and wheeled vehicles, aircraft and ships. AN/UXC-10 receives/sends data at 64 kbps-transmission rate and provides photographic quality imagery far superior to typical half tones dithered technology. The AN/UXC-10 is a North Atlantic Treaty Organization/Military standard digital facsimile, scanner, printer, and copier.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	86	8	25	23	15	0	15	0	8	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	199	1	28	32	20	0	14	0	0	104	0	1
Shortfall/Excess	113	-7	3	9	5	0	-1	0	-8	104	0	1

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5815014787095	1	0%	0%	0%	0%	0%	100%	NO	NO	N	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0905: DIGITAL IMAGING SET

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	271	24
AAO (FY17)	251	
O/H	275	14
Shortfall/Excess	4	-10

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	24	15	100	50	34	24	0	0	0
20	18	12	94	49	34	24	0	0	0
14	42	23	66	64	35	0	18	0	0
-10	18	8	-34	14	1	-24	18	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014200425	1	50%	0%	0%	30%	20%	0%	NO	NO	No	No	No	No	No	0	0	0
6760090004316	13	0%	0%	0%	30%	0%	70%	NO	NO	Yes	No	No	No	No	0	4	9

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0907 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0907: DIGITAL CAMERA SUITE ADV NV

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	557	72
AAO (FY17)	501	
O/H	436	36
Shortfall/Excess	-121	-36

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
95	90	49	69	159	23	72	0	0	0
80	68	40	63	155	23	72	0	0	0
88	131	3	33	146	6	0	0	0	0
-7	41	-46	-36	-13	-17	-72	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6760090004309	36	45%	0%	0%	30%	25%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: This TAMCN is currently in its refresh cycle, therefore if any are returned non mission capable, they should be Demil'd and DRMO'd. There is no requirement to return the obsolete gear back to the unit. When the unit returns to their home station, they will receive their refreshed equipment. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0908 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0908: PRODUCTION SUITE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	238	10
AAO (FY17)	227	
O/H	255	9
Shortfall/Excess	17	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
19	18	8	134	42	7	10	0	0	0
17	14	7	131	41	7	10	0	0	0
46	22	18	100	48	8	0	4	0	0
27	4	10	-34	6	1	-10	4	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6760090004315	9	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	6	0	3

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0909 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0909: COMPUTER SYSTEM, DIG

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	687	72	95	90	49	177	159	45	72	0	0	0
AAO (FY17)	631		80	68	40	171	155	45	72	0	0	0
O/H	411	27	18	49	45	39	174	58	0	1	0	0
Shortfall/Excess	-276	-45	-77	-41	-4	-138	15	13	-72	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895090004314	27	70%	30%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	8	0	19

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0910: BASE STATION WS/COMM INTERFACE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	301	34	43	38	22	95	43	26	34	0	0	0
AAO (FY17)	275		36	30	18	89	42	26	34	0	0	0
O/H	206	7	11	23	14	61	54	36	0	0	0	0
Shortfall/Excess	-95	-27	-32	-15	-8	-34	11	10	-34	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895090004307	7	50%	0%	0%	40%	10%	0%	NO	NO	No	No	No	No	No	4	0	4

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0921 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0921: TELECOMMUNICATIONS EQUIP, AN/TSQ-226(V)1 (TROJAN LITE)

The Trojan Lite is a man-transportable transit case providing a flyaway intelligence dissemination capability and voice and data connectivity from Marine Expeditionary Units or Brigades to the Marine Expeditionary Forces.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	33	4
AAO (FY17)	34	
O/H	23	4
Shortfall/Excess	-10	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	7	0	0	4	4	0	0	0
9	9	7	0	1	4	4	0	0	0
7	6	5	0	0	1	0	0	0	0
-2	-3	-2	0	0	-3	-4	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015036100	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	3	0

Notes: Depot level maintenance is performed at regional depots, and, if necessary, will be sent via MCLC. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory, notify PG-12/PMM123 for maintenance, a

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	1.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0932 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A0932: INTELLIGENCE/OPERATIONS WORKSTATION AN/UYQ88

This workstation consists of the following:
1. Designated UNIX server is the Intelligence Operations Server Version 1 (IOS V1)
2. Designated Windows workstation is the Intelligence Operations Workstation Version 1 (IOW V1)

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	908	0
AAO (FY17)	941	
O/H	1,060	82
Shortfall/Excess	152	82

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
207	206	164	40	117	174	0	0	0	0
214	209	156	36	152	174	0	0	0	0
268	199	230	31	115	60	0	75	0	0
61	-7	66	-9	-2	-114	0	75	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010014600494	53	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	53	0	0
7010015753698	29	0%	0%	0%	100%	0%	0%	NO	NO	n	No	Yes	No	No	29	0	0
7010090000931	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A1078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1078: MULTIPLEXER

The Radio Repeater Set, AN/GRQ-32 is a sensor communications relay that enables communication between deployed sensors and monitoring sites when radio Line of Sight is precluded by terrain. This system provides the capability to transmit real-time sensor activation data to the Sensor Mobile Monitor System, the Signal Data Recorder, and the Portable Monitor; or to receive, store, and upon command from the monitoring site, re-transmit the stored sensor data.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	607	0
Shortfall/Excess	607	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
67	60	43	0	28	1	0	342	47	19
67	60	43	0	28	1	0	342	47	19

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820011452458	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Disposal Plan 08792A is published with disposal actions starting in 3rd quarter FY12.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A1214 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1214: PANEL, PATCHING, COMMUNICATION

The Panel, Patching, Communications, SB-4097/U, is designed for field use with the 26-pair system to provide patching, monitoring, and testing of up to 156 each two-wire circuits.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	82	2
Shortfall/Excess	82	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
15	8	8	0	7	3	0	41	0	0
15	8	8	0	7	3	0	41	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895011022100	2	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Disposal Plan 08229A is published with disposal actions starting in 4th quarter FY12.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	34	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A1220 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1220: RADIO RECON EQUIPMENT, S

The RREP SS-3 consists of the following key components: a Special Purpose Receiver, XR2000, AR-8200, MJ-08 and HIDRAH. Additionally the SS-3 has semi rugged laptop computers for control and communication, and a series of wiring harnesses for LAN and power connectivity.

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	42	0
AAO (FY17)	42	
O/H	33	4
Shortfall/Excess	-9	4

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	6	8	18	0	1	0	0	0	0
9	6	8	18	0	1	0	0	0	0
8	5	7	6	0	3	0	0	0	0
-1	-1	-1	-12	0	2	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820015249479	4	0%	0%	0%	70%	0%	0%	NO	NO	No	no	Yes	No	No	4	0	0

Notes: Depot level maintenance will occure at NSWC Crane, send these items to MCLC so maintenance can be coordinated with the OEM. DO NOT POWER WASH. Item contains sensitive electronics, radios, computers, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of supply support needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1221 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1221: MONITOR, PORTABLE, HAND HELD, AN/USQ-121

Tactical Remote Sensor Systems (TRSS) are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area. At a minimum, TRSS is capable of detecting human activity and/or the presence and movement of vehicles, providing real time, near-real time, or non-real time monitoring of sensors ashore and/or over the horizon. Monitoring equipment is lightweight and mobile to support fast-moving amphibious and expeditionary operations. Individual sensors can be emplaced by air or ground forces. Sensors and relays have sufficient power sources to operate continuously for 30 days.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	244	24
AAO (FY17)	262	
O/H	108	17
Shortfall/Excess	-136	-7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
54	54	36	0	36	40	24	0	0	0
54	54	36	0	54	40	24	0	0	0
25	30	21	0	8	5	0	2	0	0
-29	-24	-15	0	-28	-35	-24	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7035015218607	17	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	Y	No	12	0	5

Notes: The MEFs SSP are the field level maintainers of this equipment, otherwise send to LOGCOM for repair or disposal. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1225 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1225: NETWORK MANAGER, EPLRS

Tactical Data Radio Systems (TDRS) Enhanced Position Location Reporting System Network Manager (ENM) is a software program capable of running on virtually any Pentium computer. The EPLRS Project Office has opted to acquire and field this software aboard a suite of equipment based upon the MCHS ruggedized Panasonic Tough Book model 28/29 laptop computer. The suite also includes a printer, sheet feeder, GPIB, and assorted other accessories all housed for transport in a single high impact plastic transit suitcase.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	169	0
AAO (FY17)	161	
O/H	98	1
Shortfall/Excess	-71	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
40	34	20	0	28	47	0	0	0	0
40	30	20	0	24	47	0	0	0	0
18	23	9	0	18	28	0	2	0	0
-22	-11	-11	0	-10	-19	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895090002382	1	30%	0%	0%	70%	0%	0%	NO	NO	N	no	no	N	N	0	0	0

Notes: Use no water. Clean computers and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1260 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1260: NAVIGATION SET, SATELLITE SIGNALS, AN/PSN-13 DAGR

The Navigation Set, Satellite Signals is commonly called the Precision Lightweight Global Positioning System (PLGR). PLGR is a highly accurate, durable, miniaturized receiver that provides position location information as well as other navigation functions.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	12,727	2209	2,301	2,073	913	2,234	1,529	1,027	2,209	420	21	0
AAO (FY17)	12,147		2,100	1,865	875	2,168	1,470	1,019	2,209	420	21	0
O/H	13,772	680	2,060	2,257	1,180	1,597	1,564	1,619	0	2,738	79	0
Shortfall/Excess	1,045	-1,529	-241	184	267	-637	35	592	-2,209	2,318	58	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5825013953513	1	0%	0%	0%	0%	0%	100%	NO	NO	y	yes	Yes	Yes	No	0	0	0
5825015168038	2	0%	0%	0%	0%	100%	0%	NO	NO	n	yes	Yes	Yes	No	0	0	0
5825015264783	677	25%	75%	0%	0%	0%	0%	NO	NO	No	yes	Yes	Yes	No	0	508	169

Notes: Rockwell Collins performs repairs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. All information for identified TAMCN A1260 is DAGR; PLGR is obsolete. Must be zeroized IAW TM 09880C-OR. Pack individually IAW MILSTD to avoid damage.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A1500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1500: RADAR SET, AN/TPS-63B

The AN/TPS-63 is a two dimensional,medium range, medium altitude, transportable air surveillance radarsystem that supports the MAGTF. TheAN/TPS-63B Radar complements theco-employed AN/TPS-59(V)3 LongRange Radar

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	13	0
AAO (FY17)	13	
O/H	17	1
Shortfall/Excess	4	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	3	0	2	0	0
2	2	2	0	2	3	0	2	0	0
1	1	1	0	1	3	0	9	0	0
-1	-1	-1	0	-1	0	0	7	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5840013550092	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	1	0	0

Notes: Item will be updated at the MEF. The AN/TPS-63 Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1503: RADAR, AN/TPS-59(V3)

The AN/TPS-59(V)3 RADAR system is the Marine Corps' only long-range, 3-D, air surveillance, Tactical Ballistic Missile (TBM) capable RADAR. The AN/TPS-59(V)3 RADAR system is a transportable, solid-state, L band RADAR.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	11	0
AAO (FY17)	11	
O/H	13	1
Shortfall/Excess	2	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	2	0	1	0	0
2	2	2	0	2	2	0	1	0	0
1	2	3	0	1	2	0	3	0	0
-1	0	1	0	-1	0	0	2	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5840014129653	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	1	0	0
5840015840224											yes						

Notes: Rotation plan is: two years deployed and then go through LOGCOM to Tobyhanna Army Depot. The AN/TPS-59 Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna Transiever Group or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.4

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1520 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1520: COMMON GROUND STATION (CGS)

Radar System Attack Target JT, AN/TSQ-179B(V)2

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	9	1
AAO (FY17)	12	
O/H	1	1
Shortfall/Excess	-8	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	0	0	1	0	0	0
3	3	2	0	3	0	1	0	0	0
0	0	1	0	0	0	0	0	0	0
-3	-3	-1	0	0	0	-1	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865014374914	1	0%	0%	0%	50%	0%	0%	NO	NO	No	no	No	No	No	0	0	0

Notes: Depot maintenance is performed at Tobyhanna Army Depot. DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. The system will be secured and should not be opened. Use compressed air and a vacuum to dust and clean any exterior areas. Damp rags may be used to wipe exterior areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, Tobyhanna Army Depot needs to complete a detailed inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic depot level maintenance required.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1081	4.7

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1818 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1818: RADIO SET

The AN/GRC-171B(V)4 is a UHF transceiver designed for ground mobile or shipboard installation and operations. This radio set is a modular design which contains Built-In-Test features and has an integral guard receiver.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	321	112
AAO (FY17)	304	
O/H	299	24
Shortfall/Excess	-22	-88

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
36	36	23	0	53	61	112	0	0	0
36	36	23	0	36	61	112	0	0	0
29	32	30	0	49	88	0	47	0	0
-7	-4	7	0	-4	27	-112	47	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820013268947	24	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	24	0	0

Notes: DO NOT POWER WASH. Radio contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A1956 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1956: KIT, MAINT, ELECTRONIC EQUIPMENT

The Mk-2713/MRC-142 is a module/CCA set for fault isolation of Radio Set AN/MRC-142 to the lowest reparable unit.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	76	36
AAO (FY17)	77	
O/H	36	0
Shortfall/Excess	-40	-36

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	9	0	8	5	36	0	0	0
9	9	9	0	9	5	36	0	0	0
7	4	7	0	2	1	0	15	0	0
-2	-5	-2	0	-6	-4	-36	15	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895013649337	0	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	0	0	0

Notes: Depot maintenance is done at SPAWAR, Charleston via the MEFs. Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1957 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1957: RADIO SET

The AN/MRC-145A is an AN/VRC-92D Radio Set mounted in a 1/4 ton HMMWV, M998. It provides two-way FM transmitting and receiving facilities in the very high frequency band.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,095	594
AAO (FY17)	1,963	
O/H	1,260	6
Shortfall/Excess	-835	-588

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
408	353	179	0	308	55	594	0	198	0
369	296	165	0	286	55	594	0	198	0
279	277	224	0	237	71	0	26	140	5
-129	-76	45	0	-71	16	-594	26	-58	5

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820013618536	1	0%	50%	0%	50%	0%	0%	NO	NO	Y	no	no	N	N	1	0	0
5820014318931	5	0%	50%	0%	50%	0%	0%	NO	NO	Y	no	no	N	N	0	0	0

Notes: This is not a system that is currently being actively fielded, all dispositions are the responsibility of the LOGCOM Material Manager. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	3.8

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A1958 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A1958: KIT, MAINT, ELECTRONIC EQUIPMENT

The MK-2745/MRC-142 is used to assist in isolating failures with in the Radio Set, AN/MRC-142.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	76	32
AAO (FY17)	85	
O/H	38	1
Shortfall/Excess	-38	-31

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12	7	9	0	8	8	32	0	0	0
13	13	9	0	10	8	32	0	0	0
6	3	8	0	3	1	0	16	0	1
-6	-4	-1	0	-5	-7	-32	16	0	1

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895013695560	1	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	0	0	0

Notes: Depot maintenance is done at SPAWAR, Charleston via the MEFs. Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2042: RADIO SET, HIGH FREQUENCY, MANPACK, AN/PRC-150

The AN/PRC-150 provides half duplex HF and VHF tactical radio communications. It provides voice or data (using a modem) through Single Sideband modulation selectable for either USB or LSB.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	5,324	500	1,078	1,041	496	390	824	557	500	153	285	0
AAO (FY17)	5,099		1,029	921	483	358	827	543	500	153	285	0
O/H	6,809	447	1,081	1,117	831	465	803	640	0	1,046	240	139
Shortfall/Excess	1,485	-53	3	76	335	75	-21	83	-500	893	-45	139

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014787615	45	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	no	N	N	0	0	45
5820014923628	402	0%	0%	0%	100%	0%	0%	NO	NO	N	no	no	N	Y	402	0	0

Notes: NSN 5820-01-478-7615 is obsolete and should not contain crypto so can be DRMO'd in theater. Other NSNs DO contain crypto. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2043: RADIO SET, MULTIBAND (URBAN) AN/PRC-148V2

The Tactical Handheld Radio, AN/PRC-148, is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz frequency spectrum.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	6,877	1321
AAO (FY17)	6,250	
O/H	6,552	57
Shortfall/Excess	-325	-1,264

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,190	1,487	770	0	940	947	1,321	222	0	0
1,021	1,299	768	0	872	747	1,321	222	0	0
1,461	1,929	887	3	1,039	890	0	286	0	0
271	442	117	3	99	-57	-1,321	64	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810090000353	57	0%	0%	0%	100%	0%	0%	NO	NO	N	no	no	N	N	57	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2044: RADIO SET, MULTIBAND (MARITIME) AN/PRC-148

The Tactical Handheld Radio, AN/PRC-148, is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz frequency spectrum.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	5,514	1159	574	550	352	2,007	755	117	1,159	0	0	0
AAO (FY17)	5,167		473	449	277	1,937	755	117	1,159	0	0	0
O/H	4,384	67	223	271	337	3,187	208	84	0	22	0	0
Shortfall/Excess	-1,130	-1,092	-351	-279	-15	1,180	-547	-33	-1,159	22	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810090000354	52	50%	0%	0%	50%	0%	0%	NO	NO	Y	no	no	N	N	52	0	0
5820015729367	15	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2065: RADIO SET, F/LVTC7

The Radio Set AN/PRC-104 and AN/PRC-104B(V) are lightweight portable HF/SSB transceivers. Each Radio Set has adaptable configurations and is man-portable, vehicular and airborne.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	740	0
Shortfall/Excess	740	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
7	6	0	0	10	0	0	696	21	0
7	6	0	0	10	0	0	696	21	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820010279071	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	no	N	Y	0	0	0

Notes: Follow in accordance to the Disposal Plan.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A2068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2068: RADIO SET, MULTIBAND, FALCON II, AN/PRC-117F

The AN/PRC-117F(V)1(C) is an advanced multi-band multi-mission manpack radio set, which provides reliable tactical communications through U.S. Government Type I encryption for enhanced secure voice (COMSEC, TRANSEC), high-speed data, ECCM and is SATCOM capable.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	8,040	251
AAO (FY17)	7,851	
O/H	9,207	748
Shortfall/Excess	1,167	497

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,968	1,863	995	483	1,434	962	251	0	84	0
1,837	1,629	1,000	468	1,655	927	251	0	84	0
2,063	2,197	1,578	405	865	835	0	206	150	160
95	334	583	-78	-569	-127	-251	206	66	160

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014622484	748	0%	0%	0%	100%	0%	0%	NO	NO	N	no	no	N	N	748	0	0

Notes: Recommendation is to back fill the units that have an AAO deficiency, with current back order resident in WOLPH. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2070: RADIO SET, MANPACK, AN/PRC-119A

The Radio Set, AN/PRC-119A, operates as a ground based manpack radio for tactical communication of voice-frequency FSK or digital data. Communication can be secured and/or frequency hopped for COMSEC or ECCM purposes.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	3,903	12
Shortfall/Excess	3,903	12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
641	949	510	0	883	659	0	54	195	0
641	949	510	0	883	659	0	54	195	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820012679482	12	0%	0%	0%	0%	0%	100%	NO	NO	y	no	no	N	N	0	12	0

Notes: Although this item is listed as obsolete, a number are being brought home and converted to A2079. For those in unserviceable condition, DRMO in theater. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2073 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2073: RADIO SET

The Radio Set, Manpack, AN/PRC-119D operates as a ground-based manpack radio for tactical communication ofvoice frequency, Frequency Shift Keying (FSK), or digital data. Communication can be secured and/or frequencyhopped for Communications Security (COMSEC) or Electronic Counter-Countermeasures (ECCM) purposes. TheAN/PRC-119D incorporated the technological advances of the RT-1523C(C)/U to support enhanced transmissionand reception of synchronous and asynchronous data. RT-1523C(C)/U has a internalmounted options for a Global Positioning System (GPS) receiver and a Network Access Unit (NAU).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	261	7
Shortfall/Excess	261	7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
72	27	37	0	18	99	0	1	0	0
72	27	37	0	18	99	0	1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014210801	7	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	no	N	N	0	0	7

Notes: Item is listed as obsolete. For those in theater, send to MCLC in order to be DRMOed. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2074 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2074: RADIO SET, VEH

The Radio Set, AN/VRC-88D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	147	3
Shortfall/Excess	147	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
47	41	5	0	38	1	0	15	0	0
47	41	5	0	38	1	0	15	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820013521694	3	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	no	N	N	0	0	0

Notes: Item is listed as obsolete, but is still used in the ambulances. Item is considered CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2075 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2075: RADIO SET, VEH

The Radio Set, AN/VRC-89D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	264	3	58	20	27	0	54	5	0	85	12	0
Shortfall/Excess	264	3	58	20	27	0	54	5	0	85	12	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014206619	3	0%	0%	0%	0%	100%	0%	NO	NO	N	no	no	N	N	3	0	0

Notes: Item is listed as obsolete, but is still used in Tanks, AAVs, and LAVs, and will be returned to the MEFs. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2077 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2077: RADIO SET, VEHICULAR

The Radio Set, AN/VCR-91D, is a basic set which requires operating components that are part of a requisite installation kit platform.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	105	0
Shortfall/Excess	105	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
12	9	5	0	0	5	0	74	0	0
12	9	5	0	0	5	0	74	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014206621	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	no	N	N	0	0	0

Notes: Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2078: RADIO SET, VEHICULAR

The Radio Set, AN/VRC-92D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	277	14
AAO (FY17)	259	
O/H	263	15
Shortfall/Excess	-14	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
67	46	25	0	86	9	14	0	30	0
65	41	23	0	77	9	14	0	30	0
34	38	35	0	50	17	0	70	4	0
-33	-8	10	0	-36	8	-14	70	-26	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014212605	15	0%	0%	0%	0%	100%	0%	NO	NO	N	no	no	N	N	15	0	0

Notes: Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2079: RADIO SET, MANPACK

The Radio Set, Manpack, AN/PRC-119F operates as a ground-based manpack radio for tactical communication ofvoice frequency, Frequency Shift Keying (FSK), or digital data. Communication can be secured and/or frequencyhopped for Communications Security (COMSEC) or Electronic Counter-Countermeasures (ECCM) purposes. TheAN/PRC-119F incorporated the technological advances of the RT-1523E(C)/U to support enhanced transmissionand reception of synchronous and asynchronous data. RT-1523E(C)/U improvements include substantial decreasein physical size and weight, an embedded battery box for manpack operation, extended battery life and internalmounted options for a Global Positioning System (GPS) receiver and a Network Access Unit (NAU).

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Representative Picture

	Total	OEF
AAO (FY12)	4,600	1633
AAO (FY17)	4,174	
O/H	3,969	68
Shortfall/Excess	-631	-1,565

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
718	699	266	0	737	547	1,633	0	0	0
650	541	239	0	584	527	1,633	0	0	0
916	991	526	5	905	558	0	0	0	0
198	292	260	5	168	11	-1,633	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014441219	0	0%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
5820014518252	68	0%	0%	0%	100%	0%	0%	NO	NO	N	no	no	N	N	68	0	0
5820015353667	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: Recommendation is to back fill the units. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit need to complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2152: RADIO SET, EPLRS AN/VSQ2C

The Enhanced Position Location Reporting System is a digital transmission system that provides the digital RF backbone necessary for the movement of information between MAGTF C4I Tactical Data Systems, such as the Tactical Data Network.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,601	131
AAO (FY17)	1,574	
O/H	1,756	11
Shortfall/Excess	155	-120

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
467	365	157	0	343	138	131	0	0	0
440	344	157	0	364	138	131	0	0	0
472	385	323	0	274	289	0	11	2	0
5	20	166	0	-69	151	-131	11	2	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014628411	11	50%	0%	0%	50%	0%	0%	NO	NO	N	no	no	N	N	0	0	0

Notes: Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2167 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2167: RADIO SET, VEH

The Radio Set, AN/VRC-88A, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	176	9
Shortfall/Excess	176	9

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
44	10	25	0	66	15	0	14	0	2
44	10	25	0	66	15	0	14	0	2

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820012679481	9	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	no	N	N	0	0	0

Notes: Item is obsolete and disposal plan is in place, however, item may be able to be cannibalized in CONUS if serviceable. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2168 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2168: RADIO SET, VEH

The Radio Set, AN/VRC-89A, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	203	1
Shortfall/Excess	203	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
53	43	47	0	30	4	0	25	0	0
53	43	47	0	30	4	0	25	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820012679479	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	no	N	N	1	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2169 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2169: RADIO SET, VEHICULAR

The Radio Set, AN/VCR-90A, is a basic set which requires operating components that are part of a requisite installation kit platform. It operates a long-range/short-range vehicular radio for tactical communication of voice-frequency FSK or digital data.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	346	4
Shortfall/Excess	346	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
56	56	17	0	45	40	0	19	103	6
56	56	17	0	45	40	0	19	103	6

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820012685105	4	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	no	N	N	0	4	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2171 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2171: RADIO SET, VEH

The Radio Set, AN/VRC-92A is the dual long-range vehicular configuration of the Integrated Communications Single Channel Ground to Air Radio System. Features of this radio include controllable output power with a maximum of 50 watts, 8 non-volatile present single channels, 6 non-volatile frequency hopping preset channels, and operates over the 30 to 87.975 MHz frequency range in 25 kHz channels (2,320 total channels).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	28	5	2	2	0	0	16	1	0	7	0	0
Shortfall/Excess	28	5	2	2	0	0	16	1	0	7	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820012679477	5	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	no	N	N	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2179 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2179: TERMINAL, RADIO, TROPOSCATTER, DIGITAL

The AN/TRC-170 is a transportable, self-enclosed troposcatter terminal (multichannel) capable of transmitting and receiving digital signals over varying distances.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	158	12
AAO (FY17)	158	
O/H	168	1
Shortfall/Excess	10	-11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
28	28	24	0	28	14	12	0	24	0
28	28	24	0	28	14	12	0	24	0
24	30	24	0	15	23	0	28	23	0
-4	2	0	0	-13	9	-12	28	-1	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015602957	1	0%	100%	0%	0%	0%	0%	NO	NO	N	yes	no	Y	N	0	1	0

Notes: Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	119	0	6.6

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2293 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2293: SHELTER, RIGID WALL, MODULAR, EXTENDABLE

Two Modular Extendable Rigid Wall Shelter (MERWS) complexes; each consisting of a MERWS kit attached to an S-786/G ISO 3:1 shelter of the Army Standard Family of expandable rigid wall shelters.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	18	10
AAO (FY17)	18	
O/H	19	1
Shortfall/Excess	1	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	0	10	0	0	0
2	2	2	0	2	0	10	0	0	0
2	6	2	0	2	0	0	6	0	0
0	4	0	0	0	0	-10	6	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411013129084	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	1	0	0

Notes: Power washing may be completed on the inside and outside of this item. Care should be taken around power outlets and wiring to prevent damage. Unservicable outlets will be replaced during rebuild as well as the wiring. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2300: RADIO REPEATER SET

Tactical Remote Sensor Systems (TRSS) are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area. At a minimum, TRSS is capable of detecting human activity and/or the presence and movement of vehicles, providing real time, near-real time, or non-real time monitoring of sensors ashore and/or over the horizon. Monitoring equipment is lightweight and mobile to support fast-moving amphibious and expeditionary operations. Individual sensors can be emplaced by air or ground forces. Sensors and relays have sufficient power sources to operate continuously for 30 days. TRSS is employed by the Marine Corps Ground Sensor Platoon.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	590	35
AAO (FY17)	638	
O/H	440	54
Shortfall/Excess	-150	19

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
144	144	96	0	96	75	35	0	0	0
144	144	96	0	144	75	35	0	0	0
139	113	70	0	21	43	0	0	0	0
-5	-31	-26	0	-75	-32	-35	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5820014863797	54	15%	15%	0%	45%	25%	0%	NO	NO	No	yes	No	Y	No	46	0	8

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2306 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2306: SENSOR SYSTEM, MONITOR, MOBILE

The SMMS is a Tactical Remote Sensor System consisting of an AN/USQ-126 Sensor Monitor System (SMS) mounted on a High Mobility Multi-purpose Wheeled Vehicle and a skid-mounted generator towed on a trailer.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	37	2
AAO (FY17)	40	
O/H	21	1
Shortfall/Excess	-16	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	6	0	6	3	2	2	0	0
9	9	6	0	9	3	2	2	0	0
4	4	0	0	2	2	0	9	0	0
-5	-5	-6	0	-4	-1	-2	7	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6350013821826	1	0%	0%	0%	0%	100%	0%	NO	NO	Yes	no	No	Yes	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. Else, the gear should be sent to LOGCOM for repair or disposal. The exterior of the vehicle can be powerwashed, but the electronic gear within the shelter should NOT be agriculturally washed. Should the electronic equipment within the TAMCN be powerwashed it would be ruined beyond economical repair and would have to be reprocured. Recommend no local nationals transport this gear as it contains equipment that is considered highly pilferable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.2

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2333 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2333: SHELTER, TACTICAL, EXPANDABLE, TWO-SIDED

The S-786/G Two-Sided Expandable Tactical Shelter is a self-contained transportable multi-application utility shelter. As a member of family of standard rigid wall International Standard Organizational (ISO) shelters, it is equipped with standard ISO fittings. It is also equipped with mobilizer fittings (for mobilizer transportation) and built-in fork lift provisions. It is designed for all weather operation, and has an environmentally controlled interior, rigid wall construction, and external electrical power connection. Its design incorporates a door activated blackout switch to facilitate operation under blackout conditions.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	36	12		6	6	6	0	6	0	12	0	0	0
AAO (FY17)	36			6	6	6	0	6	0	12	0	0	0
O/H	41	14		9	2	6	0	3	7	0	0	0	0
Shortfall/Excess	5	2		3	-4	0	0	-3	7	-12	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411012949866	14	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	4	10	0

Notes: Power washing may be completed on the inside and outside of this item. Care should be taken around power outlets and wiring to prevent damage. Unservicable outlets will be replaced during rebuild as well as the wiring. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	2.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2335 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2335: SHELTER, 10FT, EMI, MAINT COMPLEX

The Non-expandable, 10 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	424	66
AAO (FY17)	439	
O/H	276	36
Shortfall/Excess	-148	-30

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
82	81	67	0	69	0	66	11	36	12
91	87	66	0	70	0	66	11	36	12
63	48	51	0	33	13	0	20	34	0
-19	-33	-16	0	-36	13	-66	9	-2	-12

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411013046122	36	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	18	18	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2336 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2336: SHELTER, 20FT, EMI, MAINT COMPLEX

The Non-expandable, 20 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	353	80	61	59	47	0	45	0	80	9	39	13
AAO (FY17)	375		69	68	46	0	51	0	80	9	39	13
O/H	193	30	34	33	33	0	16	9	0	14	36	2
Shortfall/Excess	-160	-50	-27	-26	-14	0	-29	9	-80	5	-3	-11

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411013046121	30	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	15	15	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2337 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2337: SHELTER, 20FT, RIGID, MAINT COMPLEX

The Non-expandable, 20 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	357	96	55	60	39	0	54	3	96	10	30	10
AAO (FY17)	357		60	63	37	0	48	3	96	10	30	10
O/H	233	32	44	39	37	0	35	5	0	29	19	0
Shortfall/Excess	-124	-64	-11	-21	-2	0	-19	2	-96	19	-11	-10

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411013057366	32	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	16	16	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2338 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2338: SHELTER, 10FT, RIGID, MAINT COMPLEX

The Non-expandable, 10 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	395	154
AAO (FY17)	401	
O/H	225	37
Shortfall/Excess	-170	-117

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
64	64	43	0	62	0	154	8	0	0
69	69	43	0	58	0	154	8	0	0
69	55	35	0	37	1	0	11	0	0
5	-9	-8	0	-25	1	-154	3	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411013046123	37	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	16	21	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2390 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2390: FACILITY, ANTI-AIR WARFARE, SECTOR

The SAAWF provides a work site for the Sector Air Defense Coordinator to manage the execution of the air defense plan in his assigned sector. The SAAWF consists of eight COTS computers connected via an Ethernet backbone to two dual System Server Unit server groups (the SAAWF can be configured to include up to twenty workstations).

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	20	4
AAO (FY17)	19	
O/H	7	1
Shortfall/Excess	-13	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	4	4	4	0	0	0
3	3	2	0	3	4	4	0	0	0
3	1	1	0	1	0	0	0	0	0
0	-2	-1	0	-3	-4	-4	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015344772	1	0%	0%	0%	100%	0%	0%	NO	NO	No	no	No	No	No	1	0	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter can be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.2

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2525 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2525: TACTICAL AIR OPERATIONS MODULE

The Air Defense System, AN/TYQ-23(V)4, includes both hardware and software configured as an automated Tactical Air Operations Central. Each Air Defense System is a transportable module that can operate independently.

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	34	0
AAO (FY17)	31	
O/H	33	3
Shortfall/Excess	-1	3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	4	0	9	9	0	0	0	0
6	6	4	0	6	9	0	0	0	0
4	5	4	0	6	9	0	2	0	0
-2	-1	0	0	-3	0	0	2	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014619786	3	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	3	0	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter can be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	8.3

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2534 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2534: DATA DISTRIBUTION

The Data Distribution System, known as Tactical Data Network (TDN) Server, augments existing Marine Air-Ground Task Force (MAGTF) tactical communications infrastructure to provide the MAGTF Commander an integrated data network. This data network supports MAGTF Tactical Data Systems (TDSs) and the Defense Message System (DMS) by providing a network of communication nodes (gateways & servers) interconnected with one another and their subscribers via a combination of common user long haul transmission systems, local area networks (LANs), the Enhanced Position Location Reporting System (PLRS), and switch telephone systems.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	27	7
Shortfall/Excess	27	7

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	4	1	0	0	20	0	0	0	0
2	4	1	0	0	20	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014740355	7	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is in the process of Disposal. DP5895 PCN 13110834000. REMOVE HARDRIVE AND EKMS PRIOR TO IN THEATER DISPOSAL.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A2536 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2536: TACTICAL DEFENSE MESSAGE SYSTEM

The Tactical Defense Message System provides users access to the DMS global address directory and the capability to exchange signed and encrypted messages using a class four Public Key Infrastructure hardware token.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	27	0
AAO (FY17)	27	
O/H	27	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	6	0	6	3	0	0	0	0
6	6	6	0	6	3	0	0	0	0
1	4	5	0	2	15	0	0	0	0
-5	-2	-1	0	-4	12	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090002686	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	No	0	0	0

Notes: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. All associated power cords and accessories should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2538 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2538: DATA DISTRIBUTION

The Data Distribution System, referred to as the Tactical Data Network Server, augments the existing Marine Air- Ground Task Force tactical communications infrastructure to provide the MAGTF Commander an integrated data network. This data network will support MAGTF Tactical Data Systems and the Defense Message System by providing a network of communication nodes (gateways and servers) interconnected with one another and their subscribers via a combination of common user long haul transmission systems, local area networks, the Enhanced Position Location Reporting System, and switch telephone systems.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	127	0
Shortfall/Excess	127	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
15	5	5	0	25	0	0	77	0	0
15	5	5	0	25	0	0	77	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015040650	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is in the process of Disposal. DP5895 PCN 13110834000. REMOVE HARDRIVE AND EKMS PRIOR TO IN THEATER DISPOSAL.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A2546 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2546: COMPUTER, RUGGEDIZED, ULTRAPORT, LAPTOP

Fully Ruggedized Laptop. i.e. Panasonic CF-29 or CF-30 or GETAC-B300. There are multiple vendors for this TAMCN.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	7,612	0
AAO (FY17)	7,210	
O/H	8,300	405
Shortfall/Excess	688	405

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,545	2,258	1,284	0	1,404	98	0	0	23	0
2,381	2,122	1,233	0	1,353	98	0	0	23	0
2,442	2,082	1,603	529	545	693	0	1	0	0
-103	-176	319	529	-859	595	0	1	-23	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015321325	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0
7010015643767	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0
7010090000382	12	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	12
7010090003753	69	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	69
7010090003756	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0
7010090004287	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0
7010090004288	122	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	122
7010090004289	40	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	40
7021090006225	75	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	75
7022014779089	87	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	87

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

Notes: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII…….. Other NSNs follow same strategy: 7010090004289 (94 O/H), 7010015643767 (35 O/H), 7010090000382 (16 O/H), 7010090003756 (5 O/H)

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- ☑ **Sensitive** ☐ **CCI**
- ☑ **Multi-Modal**
- ☐ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A2548 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2548: COMPUTER

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	934	0
AAO (FY17)	939	
O/H	1,222	0
Shortfall/Excess	288	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
260	241	187	0	130	116	0	0	0	0
259	237	191	0	136	116	0	0	0	0
369	251	223	0	1	322	0	56	0	0
109	10	36	0	-129	206	0	56	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090002543	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0

Notes: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2551 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2551: COMMAND SYSTEM, TACTICAL

The Intelligence Broadcast Receiver program is a family of terminals specifically designed to receive and process broadcast intelligence information. It consists of the currently fielded AN/USC-55A, or Commanders Tactical Terminal Three-Channel, the AN/USC-62(V)x(c), or Joint Tactical Terminal, the future Embedded National Tactical Receiver, and other hardware products and software modules that may be developed for integration with Marine Corps C4I systems.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	62	6
AAO (FY17)	61	
O/H	15	1
Shortfall/Excess	-47	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	18	7	0	5	12	6	0	0	0
14	16	7	0	6	12	6	0	0	0
0	3	2	0	3	4	0	2	0	0
-14	-15	-5	0	-2	-8	-6	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014439072	1	0%	0%	0%	100%	0%	0%	NO	NO	Yes	No	No	No	No	1	0	0

Notes: Item has reached its end of service life, and will be replaced by TAMCN A0280, Universal Serial Bus Embedded National Tactical Receiver. Item will be disposed of at MCLB Albany. DO NOT POWER WASH. Item contains sensitive electronics, computer, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0.1

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2555 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2555: ADVANCED FIELD ARTY TACTICAL DATA SYSTEM AN/GYK-60

The Advanced Field Artillery Tactical Data System, AN/GYK-60, is an automated Command and Control system for fire support

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,009	143
AAO (FY17)	1,009	
O/H	1,207	48
Shortfall/Excess	198	-95

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
232	169	105	0	158	202	143	0	0	0
230	160	100	0	174	202	143	0	0	0
255	214	138	0	178	206	0	168	0	0
23	45	33	0	20	4	-143	168	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1220015256305	2	50%	0%	0%	50%	0%	0%	NO	NO	No	No	yes	No	No	1	0	1
5895015729499	46	50%	0%	0%	50%	0%	0%	NO	NO	No	No	yes	No	No	23	0	23

Notes: Will be repaired with spare parts at the MEFs. For the most part, no depot level maintenance will be performed. If it is damaged beyond repair, will procure new.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	15	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2560 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2560: TARGET LOC, DESIG & HAND-OFF SYS (TLDHS)(BLK II)

The Target Location Designation and Hand-off System is a man-portable, automated equipment suite that provides Fire Support Observer/Controllers with the ability to accurately acquire, locate, then digitally transmit (hand-off) target data to Fire Support platforms and agencies.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	670	44
AAO (FY17)	638	
O/H	897	41
Shortfall/Excess	227	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
148	136	83	12	165	82	44	0	0	0
131	117	69	12	183	82	44	0	0	0
165	182	128	50	160	105	0	66	0	0
17	46	45	38	-5	23	-44	66	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015244120	25	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	25	0	0
7010015716450	16	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	16	0	0

Notes: Item is under warranty and all will go through MCLC. Complete system contains one PRC-117F radio TAMCN: A2068.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2628 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2628: TECHNICAL CONTROL ANALYSIS CENTER, TRANS WRKSTN

The Tactical Control Analysis Center provides automated processing, analysis and reporting functions of the RadBn in order to fulfill its mission of providing timely, accurate SIGINT/EW support to MAGTF combat operations.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	369	30
AAO (FY17)	363	
O/H	289	39
Shortfall/Excess	-80	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
79	91	72	54	0	43	30	0	0	0
79	85	72	54	0	43	30	0	0	0
72	84	58	11	0	24	0	1	0	0
-7	-7	-14	-43	0	-19	-30	1	0	0

Reset Strategy & Plan (Product Group: 12)

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	Forecasted Categories: CAT I	CAT II	CAT III
7010014653223	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
7010090004435	39	15%	0%	0%	50%	35%	0%	NO	NO	No	No	No	No	No	33	0	6

Notes: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS representative will be contacted. The CLS representative will provide a replacement LRU to organic maintenance to conduct the repair. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2634 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2634: TCAC ANALYSIS WORKSTATION, REMOTE (TCAC RAWS)

The Tactical Control Analysis Center provides automated processing, analysis and reporting functions of the RadBn in order to fulfill its mission of providing timely, accurate SIGINT/EW support to MAGTF combat operations.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	60	4
AAO (FY17)	58	
O/H	43	3
Shortfall/Excess	-17	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	15	10	12	0	8	4	0	0	0
11	13	10	12	0	8	4	0	0	0
11	11	10	3	0	3	0	2	0	0
0	-4	0	-9	0	-5	-4	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090004436	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	3	0	0

Notes: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS representative will be contacted. The CLS representative will provide a replacement LRU to organic maintenance to conduct the repair. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	94	0.2

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2740 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2740: TEST SET, FIELD CABLE

The Cable Test Set is a portable testing unit for checking the continuity and insulation resistance of field-installed 26 pair cable assemblies and patching panels.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	306	52
AAO (FY17)	287	
O/H	145	3
Shortfall/Excess	-161	-49

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
68	66	39	0	59	2	52	0	15	5
66	60	39	0	48	2	52	0	15	5
25	27	19	0	26	4	0	26	13	2
-43	-39	-20	0	-33	2	-52	26	-2	-3

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012577921	3	100%	0%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	3	0	0

Notes: This TAMCN should be sent to the MEFs in order to fill any home station shortfalls. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2808 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A2808: TEST SET, OPTICAL COMMUNICATIONS

The Test Set, Optical Communications, AN/GSM-317 is a self-contained test set used in a field environment to test and troubleshoot Fiber Optic Cable Assembly communication links.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	254	19	51	51	35	0	34	28	19	0	27	9
AAO (FY17)	249		51	48	33	0	34	28	19	0	27	9
O/H	161	2	17	18	17	0	12	5	0	61	17	12
Shortfall/Excess	-93	-17	-34	-33	-18	0	-22	-23	-19	61	-10	3

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012388954	2	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	2

Notes: Disposal Plan 09010A is published with disposal actions starting in 4th quarter FY11. However, until the requirements at the MEFs are reduced, items will be returned to the MEFs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A3013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A3013: MAINT KIT, TRSS, ELECTRONIC EQUIP

Tactical Remote Sensor Systems are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	29	8
AAO (FY17)	30	
O/H	9	1
Shortfall/Excess	-20	-7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	3	7	8	0	0	0
4	4	3	0	4	7	8	0	0	0
1	3	0	0	0	5	0	0	0	0
-3	-1	-3	0	-3	-2	-8	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895090004022	0	20%	0%	0%	0%	80%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: The Pelican case can be washed; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.Recommend no local nationals transport this gear as it contains equipment that is considered highly pilferable. (i.e COTS ITE)

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A3200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A3200: TRAILER,MAINTENANCE

The Trailer, Bolster, M-796A1 is a 4 ton, 4 wheel trailer used to haul utility poles in a tactical environment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1	1
Shortfall/Excess	1	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330002154211	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	1

Notes: Item is Obsolete and will be DRMO'd in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	2.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

A3232 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A3232: TACTICAL SATCOM, TRANSPORTABLE (SMART-T)

Secure Mobile Anti-jam Reliable Tactical Terminal is a MILSTAR satellite-compatible ground communications terminal that provides worldwide, secure, transportable, anti-jam, reliable, Low Probability of Intercept data and voice communications.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	62	13	13	13	10	0	13	0	13	0	0	0
AAO (FY17)	62		13	13	10	0	13	0	13	0	0	0
O/H	30	3	8	6	7	0	6	0	0	0	0	0
Shortfall/Excess	-32	-10	-5	-7	-3	0	-7	0	-13	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014350571	3	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	3	0

Notes: Preparing to go through upgrades, as item has been used heavily in theater. Else, send to MCLC for routing to Tobyhanna Army Depot. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Do not separate weapon system from HMMWV. Reset schedule established by Army and subject to change, contact Project Officer prior to fielding shortfall. Always ship MILAIR, due to detailed handling requirements to prevent antenna damage. Embedded Crypto must be removed prior to shipping.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	797	4.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A3252 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A3252: UAV SYSTEM, DRAGON EYE RAVEN-B

The Drone System is a hand launched reconnaissance and surveillance tool. The system transmits live airborne video images, compass headings and location information to a ground control station.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	488	58
AAO (FY17)	469	
O/H	116	19
Shortfall/Excess	-372	-39

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
108	107	40	72	86	17	58	0	0	0
99	89	47	72	87	17	58	0	0	0
18	41	15	5	1	14	0	3	0	0
-90	-66	-25	-67	-85	-3	-58	3	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1550015303912	11	0%	0%	0%	0%	100%	0%	NO	NO	Yes	yes	No	Yes	No	11	0	0
1550015389256	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	yes	No	Yes	No	0	0	0
1550015495291	8	0%	0%	0%	0%	100%	0%	NO	NO	Yes	yes	No	Yes	No	8	0	0

Notes: No LTI necessary. All items are going to have commercial depot strategy and will be 1-1 swap with A0321. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is Capt. Steven M. Stepanic PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A3255 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A3255: SENSOR, GROUND, UNATTENDED AN/GSQ-257

The Unattended Ground Sensor Set, AN/GSQ-257, is a suite of hand emplaced sensors that operate unattended and detects activity through seismic, acoustic, infrared, and magnetic sensing technologies.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	40	6
AAO (FY17)	43	
O/H	29	7
Shortfall/Excess	-11	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	6	0	6	4	6	0	0	0
9	9	6	0	9	4	6	0	0	0
6	5	6	0	2	2	0	1	0	0
-3	-4	0	0	-4	-2	-6	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6350013437134	7	20%	0%	0%	50%	30%	0%	NO	NO	No	No	No	No	No	6	0	1

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A3270 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A3270: COMM INTERFACE SYSTEM, MRQ-12

The CIS, AN/MRQ-12 (V)1 and (V)2, has a common shelter/vehicle configuration which consists of an M1097A2 Heavy variant-High Mobility Multipurpose Wheeled Vehicle mounted with a LMS model S-788/G.

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	23	0
AAO (FY17)	22	
O/H	42	4
Shortfall/Excess	19	4

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	5	0	6	2	0	0	0	0
5	5	5	0	5	2	0	0	0	0
5	5	13	0	10	3	0	2	0	0
0	0	8	0	4	1	0	2	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015800283	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	4	0	0

Notes: Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches. DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	874	3.5

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7001: TEST SET, OPTICAL POWER

The Optical Loss Test Set is used to perform precise optical measurements in the field. The test set is composed of a power meter (Techlite Model PX-B220) and two different light sources (Techlite model numbers PX-C202 and PX-C205). The set is used to determine the level of optical power being emitted from a transmitter and to perform fiber loss measurements or splice tuning operations of current and future fiber optic cables. The test set also gives the technician the ability to determine power loss in fiber, connectors, attenuators, or other passive optical components.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	229	0	58	58	45	0	43	25	0	0	0	0
AAO (FY17)	234		61	60	45	0	43	25	0	0	0	0
O/H	183	5	19	48	31	0	18	52	0	15	0	0
Shortfall/Excess	-46	5	-39	-10	-14	0	-25	27	0	15	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650015107502	5	33%	33%	0%	34%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	0

Notes: Serviceable items will be returned to the MEFs. For unserviceable condition, the item will be sent to commercial depot via the MEFs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7002: ANALYZER, SPECTRUM HAND HELD

A hand held spectrum analyzer capable of analyzing radio frequency signals from 100KHz to 6GHz.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	429	65
AAO (FY17)	442	
O/H	488	12
Shortfall/Excess	59	-53

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
83	81	44	0	59	97	65	0	0	0
87	84	43	0	66	97	65	0	0	0
32	37	31	0	5	128	0	243	0	0
-51	-44	-13	0	-54	31	-65	243	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015306573	12	33%	33%	0%	34%	0%	0%	NO	NO	No	yes	No	Y	No	0	8	4

Notes: Serviceable items will be returned to the MEFs. For unserviceable condition, the item will be sent to commercial depot via the MEFs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7004: MICROSCOPE, OPTICAL

A hand held device used to view and measure fiber optic cable connections.

FT600/AN

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	198	0
AAO (FY17)	188	
O/H	76	0
Shortfall/Excess	-122	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
50	46	39	0	55	8	0	0	0	0
51	49	39	0	41	8	0	0	0	0
10	11	6	0	16	33	0	0	0	0
-40	-35	-33	0	-39	25	0	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650015309446	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A7005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7005: ANALYZER,SPECTRUM

These are Micro Wave spectrum analyzers that operate over the freq ranges of 9 kHz to 40 GHz with pre-selection to at least 26.5 GHz. They include synthesized tuning and built in frequency counters, marker-aided frequency and amplitude measurements (relative and absolute) of RF and microwave signals, and digital trace and signal storage.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	548	77
AAO (FY17)	553	
O/H	231	11
Shortfall/Excess	-317	-66

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
116	110	65	0	80	64	77	0	36	0
117	113	56	0	90	64	77	0	36	0
41	43	36	0	19	44	0	19	17	2
-75	-67	-29	0	-61	-20	-77	19	-19	2

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012591060	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	No	Yes	No	0	0	0
6625012707786	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	No	Yes	No	0	0	0
6625014651844	2	0%	0%	0%	100%	0%	0%	NO	NO	No	no	No	Yes	No	2	0	0
6625015229603	8	33%	33%	0%	34%	0%	0%	NO	NO	No	yes	No	Y	No	3	3	3

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7009: ANALYZER, SPECTRUM FST-6-NTG3(CREW)

The FSH6-NTG/K-6NUSMC Spectrum Analyzer is a wide band, very sensitive receiver. It works on the principle of "super heterodyne receiver" to convert higher frequencies (normally ranging up to several 10s of GHz) to measurable quantities. The received frequency spectrum is slowly swept through a range of pre-selected frequencies, converting the selected frequency to a measurable DC level (usually logarithmic scale), and displaying the same on the CRT of the FSH6-NTG/K-6NUSMC. The CRT displays received signal strength (y-axis) against frequency (x-axis).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY12)	182	161
AAO (FY17)	182	
O/H	114	12
Shortfall/Excess	-68	-149

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	21	161	0	0	0
0	0	0	0	0	21	161	0	0	0
5	0	0	0	0	17	0	80	0	0
5	0	0	0	0	-4	-161	80	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015406124	12	33%	33%	0%	34%	0%	0%	NO	NO	No	yes	No	Y	Yes	4	4	4

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7010: DIGITAL DATA ANALYZER

Device used to measure and compare timing of digital electroninc signals. Used by electronic technicans to monitor, test, and repair electronic systems.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	21	0
AAO (FY17)	19	
O/H	12	0
Shortfall/Excess	-9	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	5	8	0	0	0	0
3	3	2	0	3	8	0	0	0	0
2	0	2	0	2	6	0	0	0	0
-1	-3	0	0	-3	-2	0	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012055224	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: Item is obsolete and will be DRMO'd in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A7021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7021: COUNTER, ELECTRONIC, DIGITAL READOUT

The electronic frequency counters are designed to assist technicians with installation, monitoring, verification of proper operation, testing, alignment, troubleshooting, and repairing of communication-electronics and ordnance type equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	526	150
AAO (FY17)	537	
O/H	442	5
Shortfall/Excess	-84	-145

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
55	53	28	0	40	93	150	0	84	23
60	60	27	0	40	93	150	0	84	23
47	55	41	0	58	171	0	36	26	3
-8	2	13	0	18	78	-150	36	-58	-20

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012713012	1	100%	0%	0%	0%	0%	0%	NO	NO	Yes	No	No	No	No	0	0	1
6625013992298	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
6625015309444	4	70%	0%	0%	30%	0%	0%	NO	NO	No	No	No	No	No	1	0	3

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7035: ALIBRATOR, FREQUENCY

The Frequency Calibrator, 585B, is a rugged transportable Frequency Calibrator that automatically measures pulsed radio frequency signals up to 20 GHz with pulse widths as narrow as 50 nanoseconds.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	61	1	14	11	8	0	16	3	1	0	6	2
AAO (FY17)	60		16	13	8	0	11	3	1	0	6	2
O/H	44	1	6	10	5	0	3	2	0	12	4	2
Shortfall/Excess	-17	0	-8	-1	-3	0	-13	-1	-1	12	-2	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895012810072	0	100%	0%	0%	0%	0%	0%	NO	NO	Yes	No	No	No	No	0	0	0
6625013584903	1	100%	0%	0%	0%	0%	0%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: Item is obsolete and will be DRMO'd in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A7036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7036: GENERATOR, FUNCTION, ELEC TEST

The Function Generator, model number 33220A, is a general-purpose function generator designed to assist technicians with troubleshooting and repairing communication and electronic equipment. It is a high-performance 20 MHz synthesized function generator with built-in arbitrary waveform capability. The Function Generator uses direct digital-synthesis techniques to create a stable, accurate output signal for clean, low-distortion waveforms. It provides fast rise- and fall-time square wave, and linear ramp waveforms down to 100uHz.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	647	10
AAO (FY17)	647	
O/H	872	2
Shortfall/Excess	225	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
57	55	38	0	51	363	10	0	57	16
61	57	38	0	45	363	10	0	57	16
45	49	38	0	12	475	0	195	50	6
-12	-6	0	0	-39	112	-10	195	-7	-10

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625014164444	1	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	Yes	No	1	0	0
6625015498266	1	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	Yes	No	1	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7040: ADAPTER TEST (TRSS)

Tactical Remote Sensor Systems are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	29	1
AAO (FY17)	30	
O/H	18	1
Shortfall/Excess	-11	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	3	14	1	0	0	0
4	4	3	0	4	14	1	0	0	0
3	3	1	0	0	9	0	1	0	0
-1	-1	-2	0	-3	-5	-1	1	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015051143	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7046 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7046: GENERATOR, SIGNAL

This general purpose signal generator is intended to support microwave systems, such as radars and communication equipment, that operate at frequencies above 1 GHz. Features include internal pulse modulation with variable pulse width and pulse delay.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	273	48	42	42	42	0	38	37	48	0	18	6
AAO (FY17)	271		43	43	42	0	34	37	48	0	18	6
O/H	231	5	35	30	22	2	23	29	0	67	15	4
Shortfall/Excess	-42	-43	-7	-12	-20	2	-15	-8	-48	67	-3	-2

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013959570	1	0%	0%	0%	0%	100%	0%	NO	NO	Y	no	No	Yes	No	0	0	0
6625014252550	1	0%	0%	0%	0%	100%	0%	NO	NO	Y	no	No	Yes	No	1	0	0
6625014955275	3	0%	100%	0%	0%	0%	0%	NO	NO	N	yes	No	i/p	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7051 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7051: METER, POWER

Intended to support microwave systems. This meter measures continuous wave power output from 10MHz to 18GHz. TAMCN A7053 should be used to measure pulsed type microwave signals in the same bandwidth.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	248	38	37	35	30	14	30	16	38	0	36	12
AAO (FY17)	254		41	39	30	10	32	16	38	0	36	12
O/H	264	5	47	53	42	17	24	33	0	3	32	8
Shortfall/Excess	16	-33	10	18	12	3	-6	17	-38	3	-4	-4

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625014066941	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	4	0	0
6625015311947	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	1	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7052 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7052: GENERATOR, SIGNAL

The 8643A Synthesized Signal Generator is a high performance programmable signal generator intended for the most demanding out-of-channel RF receiver measurements and other stringent RF applications.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	354	56	48	48	35	9	38	120	56	0	0	0
AAO (FY17)	367		54	54	35	6	42	120	56	0	0	0
O/H	471	6	57	55	56	11	36	89	0	165	0	2
Shortfall/Excess	117	-50	9	7	21	2	-2	-31	-56	165	0	2

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013675551	6	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7053: METER, SPECIAL SCALE

This item is intended to support all equipment and systems that generate pulse-type microwave radio frequency (RF) electronic signals up to 18 GHz and which require this capability in applicable technical manuals. TAMCN A7051 should be used to measure continuous wave type signals.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	31	0
AAO (FY17)	29	
O/H	26	0
Shortfall/Excess	-5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	6	0	6	11	0	0	0	0
4	4	6	0	4	11	0	0	0	0
1	1	2	0	4	15	0	1	0	2
-3	-3	-4	0	-2	4	0	1	0	2

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013815741	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	Yes	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7055: MONITOR UNIT, RADIO FREQUENCY

The 4410-030 Test Set is an insertion type RF wattmeter designed to measure power flow and load match in 50 ohm RF coaxial transmission lines and is intended for use on CW or FM modulated signals only.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,390	128
AAO (FY17)	1,393	
O/H	1,297	32
Shortfall/Excess	-93	-96

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
271	259	153	68	210	93	128	0	165	43
277	256	151	65	215	93	128	0	165	43
252	223	139	32	150	85	0	214	131	39
-19	-36	-14	-36	-60	-8	-128	214	-34	-4

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012175631	3	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	No	No	No	0	0	3
6625014439916	2	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	No	No	No	0	1	1
6625015134644	25	50%	50%	0%	0%	0%	0%	NO	NO	N	yes	No	Y	No	0	12	12
6625015682691	2	0%	0%	0%	100%	0%	0%	NO	NO	N	no	No	No	No	2	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7057: OHMMETER

The Model 3711M simply clamps around the ground conductor or rod and measures the resistance to ground. Performs measurements on intact ground systems, it verifies the quality of the grounding connections and bonds.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	258	38
AAO (FY17)	267	
O/H	354	13
Shortfall/Excess	96	-25

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
52	57	43	0	42	26	38	0	0	0
57	58	45	0	43	26	38	0	0	0
57	61	52	2	38	47	0	83	0	1
5	4	9	2	-4	21	-38	83	0	1

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013778030	2	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	No	No	No	1	0	1
6625014943112	11	50%	50%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	6	6

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7059: OHMMETER (EARTH GROUND RESISTANCE TESTER)

The Model R1L-C is a portable ground resistance ohmmeter, designed to measure grounding system resistance, as well as soil resistively, over ranges from two ohms to 20 kilohms full scale.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	625	88	126	123	78	69	114	27	88	0	0	0
AAO (FY17)	618		126	116	80	64	117	27	88	0	0	0
O/H	643	16	137	131	103	29	61	94	0	72	0	0
Shortfall/Excess	18	-72	11	8	25	-40	-53	67	-88	72	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013776166	16	50%	50%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	8	8

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7060: OSCILLOSCOPE (54825A AND TDS5054B)

Device used to measure electronic signals. Used by electronic technicans to monitor, test, & repair electronic systems (radios, radars, switching networks, night vision devices, and many others)

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	406	15
AAO (FY17)	403	
O/H	464	9
Shortfall/Excess	58	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
59	58	40	0	43	125	15	0	51	15
59	60	36	0	42	125	15	0	51	15
82	82	56	0	24	83	0	91	28	13
23	24	16	0	-19	-42	-15	91	-23	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625014518727	4	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	0	0
6625015196497	5	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	4	0	2

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7061: OSCILLOSCOPE (FLK-199C/AN)

Device used to measure electronic signals. Used by electronic technicans to monitor, test, & repair electronic systems (radios, radars, switching networks, night vision devices, and many others)

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,514	118
AAO (FY17)	1,513	
O/H	1,730	14
Shortfall/Excess	216	-104

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
222	222	130	0	184	459	118	0	135	44
232	220	131	0	174	459	118	0	135	44
243	244	166	2	137	591	0	141	161	33
21	22	36	2	-47	132	-118	141	26	-11

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012754766	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	no	No	No	No	0	0	1
6625014735174	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes	no	No	No	No	0	0	0
6625014940438	11	50%	50%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	6	6

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7072: ADAPTER, TEST, SINCGARS RADIO

This item is used to test SINCGARS radios and must be used with TAMCN A7082. All of the J-4843/GRM-114B items should have been modified to the new J-4843A/GRM-122 configuration.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	513	34
AAO (FY17)	418	
O/H	704	4
Shortfall/Excess	191	-30

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
110	104	58	2	82	123	34	0	0	0
81	72	44	2	62	123	34	0	0	0
153	134	91	12	112	37	0	108	31	22
43	30	33	10	30	-86	-34	108	31	22

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013092827	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	no	No	Yes	No	0	0	1
6625014328368	3	0%	0%	0%	0%	100%	0%	NO	NO	No	no	No	Yes	No	0	3	0
6625014360419	0	0%	0%	0%	100%	0%	0%	YES	NO	Yes	no	No	Yes	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**ARMY**
if	**Not Mission Capable MEF**	then	**ARMY**
if	**Not Mission Capable**	then	**ARMY**
if	**Condemned**	then	**ARMY**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A7080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7080: TEST SET, RADIO VHF

This unit is a handheld test set for HF, VHF, and UHF radios and is intended to be used by radio technicians as a tool to check performance of radios or identify faulty radios at the Organizational Unit.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,676	186
AAO (FY17)	1,647	
O/H	1,603	51
Shortfall/Excess	-73	-135

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
411	372	176	91	304	88	186	0	36	12
393	346	176	83	327	88	186	0	36	12
371	351	187	50	271	208	0	73	23	18
-40	-21	11	-41	-33	120	-186	73	-13	6

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625012396715	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes	no	No	Yes	No	0	0	2
6625015380285	49	0%	50%	0%	50%	0%	0%	NO	NO	No	yes	No	N	No	49	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7081: TEST SET, TELECOMMUNICATION SYSTEM

The FB6000-NAVY-P1 and FB6000-NAVY-P2 are portable telecommunication system sets with analog and digital testing capabilities capable of transmission impairment, bit error and protocol analysis measurements and testing.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	404	53
AAO (FY17)	401	
O/H	363	14
Shortfall/Excess	-41	-39

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
58	58	43	17	58	81	53	0	36	0
62	62	43	12	52	81	53	0	36	0
56	54	62	9	17	96	0	26	26	4
-2	-4	19	-8	-41	15	-53	26	-10	4

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013401781	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	yes	No	No	No	1	0	0
6625014627492	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	yes	No	No	No	0	0	0
6625015358961	12	30%	70%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	8	4

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7082: TEST SET, RADIO

The TS-4317/GRM provides the capability to test and maintain all Marine Corps tactical Radios, which operate below 1 GHz. It is used to verify radio performance characteristics and diagnose failures in both a manual and automatic mode.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	540	34
AAO (FY17)	531	
O/H	1,275	14
Shortfall/Excess	735	-20

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
110	104	58	2	94	138	34	0	0	0
111	102	65	2	79	138	34	0	0	0
235	228	160	13	185	180	0	201	31	28
125	124	102	11	91	42	-34	201	31	28

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013092825	14	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	No	14	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7083 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7083: ANALYZER, WIDE AREA NETWORK

This test set is a general-purpose networking tool designed to assist technicians with monitoring and troubleshooting networks.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	137	6
AAO (FY17)	137	
O/H	100	4
Shortfall/Excess	-37	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
23	23	21	0	17	47	6	0	0	0
23	23	21	0	17	47	6	0	0	0
6	16	9	0	2	49	0	14	0	0
-17	-7	-12	0	-15	2	-6	14	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015229579	4	30%	33%	0%	34%	0%	0%	NO	NO	No	yes	No	I/P	No	3	0	1

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7084: ANALYZER, NETWORK

A LAN Analyzer is a general-purpose networking tool designed to assist technicians with testing, monitoring, troubleshooting, and repairing Local Area Networks and equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	814	27
AAO (FY17)	813	
O/H	217	23
Shortfall/Excess	-597	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
212	207	132	0	153	83	27	0	0	0
212	202	132	0	157	83	27	0	0	0
17	23	12	0	12	103	0	27	0	0
-195	-184	-120	0	-141	20	-27	27	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625014561561	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	no	No	Yes	No	0	0	1
6625014848826	6	33%	33%	0%	34%	0%	0%	NO	NO	No	yes	No	I/P	No	4	0	2
6625015378768	16	33%	33%	0%	34%	0%	0%	NO	NO	No	yes	No	I/P	No	11	0	5

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7086: TEST SET, OPTICAL TDR, HANDHELD

The MTS-NV-P3 Optical Time Domain Reflectometer is a field modular optical tester used for fiber network installation, maintenance, and troubleshooting. Two field interchangeable module slots allow users to quickly mix and match configurations to cover any fiber test application from 635 to 1625nm.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	333	29
AAO (FY17)	332	
O/H	257	13
Shortfall/Excess	-76	-16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
65	63	48	0	49	43	29	0	36	0
65	64	50	0	45	43	29	0	36	0
30	48	37	0	28	73	0	22	0	1
-35	-15	-11	0	-21	30	-29	22	-36	1

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625013884989	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	no	No	No	No	0	0	1
6625015253080	12	50%	50%	0%	0%	0%	0%	NO	NO	No	yes	No	I/P	No	0	6	6

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7102 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7102: RECORDING-REPRODUCING

Professional grade video camera that allows PA Marines to acquire broadcast quality video in high, regular and low light conditions.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	2	0	0
0	0	0	0	0	0	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836015281482	0	100%	0%	0%	0%	0%	0%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: Recommend removal of this - PAE legacy equipment replaced by A7203

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A7103 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7103: PUBLIC AFFAIRS STILL ACQUISITION SYSTEM, SMALL

Professional grade still camera that allows PA Marines to acquire professional quality still photos in high, regular and low light conditions.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	14	1
Shortfall/Excess	14	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
3	6	1	0	0	0	0	3	0	0
3	6	1	0	0	0	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6720015150429	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A7104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7104: VIIES (VISUAL INFORMATION IMAGERY EDITING SYSTEM)

The VIIES consists of a laptop based video and still imagery editing platform. The system includes professional grade, industry standard digital equipment. It is a still and video imagery editing and product development system.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	204	0
AAO (FY17)	208	
O/H	105	13
Shortfall/Excess	-99	13

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
54	58	52	1	9	30	0	0	0	0
54	58	52	1	13	30	0	0	0	0
30	25	18	0	4	6	0	7	0	0
-24	-33	-34	-1	-5	-24	0	7	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836015425653	13	30%	0%	0%	0%	70%	0%	NO	NO	No	No	No	No	Yes	9	0	4

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7105: CVAS (COMBAT VIDEO ACQUISITION SYSTEM)

The CVAS consists of a professional quality digital video camera with all necessary accessories and a protective shoulder sling or backpack carrying case to operate in the field, independently for 4 days. The CVAS camera operates using rechargeable batteries.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	88	0
AAO (FY17)	89	
O/H	77	7
Shortfall/Excess	-11	7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	20	14	1	2	33	0	0	0	0
18	20	14	1	3	33	0	0	0	0
22	17	12	1	4	10	0	4	0	0
4	-3	-2	0	2	-23	0	4	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836015003247	5	33%	0%	0%	34%	33%	0%	NO	NO	N	No	No	No	Yes	3	0	2
5836015458734	2	33%	0%	0%	34%	33%	0%	NO	NO	N	No	No	No	Yes	1	0	1

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7111 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7111: NVCS (NIGHT VISION SYSTEM)

The NVSC consists of a night vision monocular and adapters allowing it to adapt to digital cameras currently used by Combat Camera Marines forward deployed. The NVSC allows these cameras to acquire high-resolution imagery in low light.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	70	0	18	18	13	1	2	18	0	0	0	0
AAO (FY17)	71		18	18	13	1	3	18	0	0	0	0
O/H	37	1	11	13	5	1	2	0	0	4	0	0
Shortfall/Excess	-33	1	-7	-5	-8	0	0	-18	0	4	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855015429059	1	33%	0%	0%	0%	67%	0%	NO	NO	No	No	Yes	No	Yes	1	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7112 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7112: COMBAT IMAGERY SEAR

The CISAD consists of video, still photo, and graphics hardware and software. It is capable of importing, cataloging, archiving and retrieving digital imagery, thereby making it available to commanders via a web based searchable database.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	5	0
AAO (FY17)	5	
O/H	2	1
Shortfall/Excess	-3	1

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	1	2	2	0	0	0	0	0	0	0
AAO (FY17)	1	2	2	0	0	0	0	0	0	0
O/H	0	0	0	0	0	1	0	0	0	0
Shortfall/Excess	-1	-2	-2	0	0	1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015464691	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	1	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7204 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7204: PUBLIC AFFAIRS NEW LINK SYSTEM (PANLS)

Transmission unit that allows PA Marines to transmit live, broadcast quality, digital video and audio from remote locations in near real time. This unit is man portable and more robust than the PASTS system.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	26	0
AAO (FY17)	27	
O/H	24	3
Shortfall/Excess	-2	3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	8	6	0	2	3	0	0	0	0
7	8	6	0	3	3	0	0	0	0
5	2	5	1	0	6	0	2	0	0
-2	-6	-1	1	-2	3	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015707690	3	33%	0%	0%	33%	34%	0%	NO	NO	No	No	Yes	Yes	No	2	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	26	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7420: MAINTENANCE FACILITY, TRANSPORTABLE

The Maintenance Facility, Transportable, AN/TSM-214, provides deployable and garrison Test, Measurement, and Diagnostic Equipment.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	12	1
AAO (FY17)	17	
O/H	12	1
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	3	3	0	1	0	1	0	0	0
5	5	3	0	3	0	1	0	0	0
4	3	3	0	1	0	0	0	0	0
0	0	0	0	0	0	-1	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940014904064	1	0%	0%	0%	0%	100%	0%	NO	NO	N	No	No	No	No	0	1	0

Notes: Item has been phased out, but will continue to be sent to the MEFs until the replacement comes online.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	32

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7501 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7501: TEST STATION, ELECTRICAL-ELECTRONIC EQUIPMENT

Device used to test and troubleshoot electronic circuit cards.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	296	70
AAO (FY17)	314	
O/H	187	4
Shortfall/Excess	-109	-66

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	41	35	0	32	76	70	0	0	0
48	50	34	0	36	76	70	0	0	0
34	25	38	0	18	61	0	7	0	0
-8	-16	3	0	-14	-15	-70	7	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625014849160	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	no	No	No	No	0	0	1
6625015347363	0	0%	0%	0%	100%	0%	0%	NO	NO	N	no	No	No	No	0	0	0
6625015347365	3	0%	50%	0%	50%	0%	0%	NO	NO	No	yes	No	Y	No	2	2	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls. Item can be easily purchased from commercial vendors. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7503: PROGRAM SET APPL

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	52	0
AAO (FY17)	59	
O/H	25	1
Shortfall/Excess	-27	1

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	14	8	3	0	9	12	0	0	6	0
AAO (FY17)	16	11	3	0	11	12	0	0	6	0
O/H	9	7	3	0	1	5	0	0	0	0
Shortfall/Excess	-5	-1	0	0	-8	-7	0	0	-6	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015500389	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7507 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7507: PROGRAM SET, APPL

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	30	2
AAO (FY17)	19	
O/H	24	1
Shortfall/Excess	-6	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	4	0	4	8	2	0	0	0
3	3	1	0	2	8	2	0	0	0
3	5	7	0	2	6	0	0	0	0
-3	-1	3	0	-2	-2	-2	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015588041	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7508 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7508: APS AN/PSM-119

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	22	1	4	4	3	0	2	5	1	0	3	0
AAO (FY17)	22		4	4	3	0	2	5	1	0	3	0
O/H	12	0	4	1	3	0	1	3	0	0	0	0
Shortfall/Excess	-10	-1	0	-3	0	0	-1	-2	-1	0	-3	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015453668	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls. Item can be easily purchased from commercial vendors.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7513 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7513: PROGRAM SET, APPLICATION, 3D ECH, F/TOW II

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	12	0
AAO (FY17)	21	
O/H	8	3
Shortfall/Excess	-4	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	2	2	0	2	2	0	0	0	0
7	5	3	0	4	2	0	0	0	0
3	2	1	0	2	0	0	0	0	0
-1	0	-1	0	0	-2	0	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015244047	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7517 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7517: TEST SET RADIO

The GRMATS is a portable, self-contained synthetic instrumentation platform used for verification testing and fault detection, isolation and repair of communications, avionics and electronic warfare Units Under Test (UUT). The test set contains the hardware and software necessary to test and verify the performance and electrical functionality of these types of UUTs, deployed in the field or in a depot-type environment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	527	32
AAO (FY17)	541	
O/H	1,097	3
Shortfall/Excess	570	-29

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
107	104	60	2	84	138	32	0	0	0
116	107	60	2	86	138	32	0	0	0
7	12	4	0	3	657	0	411	0	0
-100	-92	-56	-2	-81	519	-32	411	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015634671	3	0%	0%	0%	100%	0%	0%	NO	NO	No	no	No	Y	No	3	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7519 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7519: TEST SET,ELECTRONIC

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	50	4
AAO (FY17)	47	
O/H	36	4
Shortfall/Excess	-14	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	7	2	0	8	15	4	0	0	0
12	6	2	0	8	15	4	0	0	0
7	0	0	0	4	0	0	21	0	0
-7	-7	-2	0	-4	-15	-4	21	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015659818	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	4	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7522 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7522: PROGRAM SET, APPLICATION, AN/PSM-123 (LAV25-A2 LRU)

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	53	2
AAO (FY17)	56	
O/H	36	2
Shortfall/Excess	-17	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	9	2	0	9	15	2	0	0	0
17	10	3	0	9	15	2	0	0	0
2	4	4	0	2	7	0	17	0	0
-14	-5	2	0	-7	-8	-2	17	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015754978	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7550 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7550: APPLICATION PROGRAM SET F/TOW SYSTEM LRV

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	15	3
AAO (FY17)	24	
O/H	16	2
Shortfall/Excess	1	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	2	2	0	2	2	3	0	0	0
7	5	3	0	4	2	3	0	0	0
4	2	3	0	0	2	0	5	0	0
0	0	1	0	-2	0	-3	5	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015154038	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7596 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7596: TEST SYSTEM, 3D ECH (RF VERSION)

The Third Echelon Test Set is a portable automated testing unit that provides the capability to screen, test and diagnose electronic, electro-mechanical, and electro-optical LRUs and CCAs for a wide variety of Weapons Systems.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	214	13
AAO (FY17)	232	
O/H	150	4
Shortfall/Excess	-64	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
44	39	26	0	29	63	13	0	0	0
50	46	28	0	32	63	13	0	0	0
18	17	15	0	15	34	0	51	0	0
-26	-22	-11	0	-14	-29	-13	51	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015659249	0	0%	50%	0%	50%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	0
6625015685523	4	0%	50%	0%	50%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7597 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7597: TEST SYSTEM, 3RD ECHELON

TETS is a portable, automated test unit that is controlled by a Laptop computer. It is a modular design configuration using mature and proven Non-developmental Item components and modules to accommodate 3 configurations: Radio Frequency (RF), Electro-Optical (EO), and a combined RF/EO.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	48	2
AAO (FY17)	50	
O/H	49	2
Shortfall/Excess	1	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	4	0	4	24	2	2	0	0
7	7	8	0	0	24	2	2	0	0
3	3	5	0	3	9	0	24	0	0
-3	-3	1	0	-1	-15	-2	22	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015678650	2	0%	50%	0%	50%	0%	0%	NO	NO	No	yes	No	Y	No	1	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7700 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7700: ANALYZER-CHARGER, BATTERY

The CASP/2000H(M) is a state of the art test instrument capable of performing all the functions needed by a typical battery user.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	90	20
AAO (FY17)	113	
O/H	1,025	1
Shortfall/Excess	935	-19

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
17	7	14	0	11	9	20	0	12	0
20	16	14	0	22	9	20	0	12	0
38	49	18	0	53	13	0	770	42	41
21	42	4	0	42	4	-20	770	30	41

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130013412073	1	0%	0%	0%	50%	50%	0%	NO	NO	Yes	No	No	No	No	1	0	0

Notes: DRMO/Dispose of In Theater; do NOT return to CONUS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7705 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7705: POWER SUPPLY, 18 - 30 VDC

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	2,277	263	479	442	273	29	400	72	263	4	243	72
AAO (FY17)	2,206		455	409	268	25	395	72	263	4	243	72
O/H	3,045	92	472	467	289	15	286	100	0	1,067	206	51
Shortfall/Excess	768	-171	-7	25	16	-14	-114	28	-263	1,063	-37	-21

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130014528403	11	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	N/A	No	11	0	0
6130014754999	81	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	N/A	No	81	0	0

Notes: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	19	0.3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7706 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7706: POWER SUPPLY, 0-40 VDC

This is a general purpose power supply converter which provides the capability to convert 115 VAC power to 0-40 VDC power, 0-25 amperes. The power supply will be used in the maintenance of communication-electronics equipment as a bench top power supply.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,594	460
AAO (FY17)	3,559	
O/H	4,311	192
Shortfall/Excess	717	-268

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
740	685	427	0	571	228	460	0	483	0
736	663	425	0	564	228	460	0	483	0
701	740	496	7	433	267	0	982	412	81
-39	55	69	7	-138	39	-460	982	-71	81

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130015261311	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
6130015319927	135	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	135	0	0
6130219116149	57	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	28	0	28

Notes: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7900: TOOL KIT, MAINT, ELECTRONIC

Tool Kit used by electroninc technicans (MOS 28xx and 59xx). This item is being replaced by TAMCN A7902.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1,334	14
Shortfall/Excess	1,334	14

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
184	231	113	7	140	58	0	599	0	0
184	231	113	7	140	58	0	599	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180012241290	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	0	0
5180012441290	14	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	14	0

Notes: Obsolete tool kit, but most of the tools can be used in other kits - strategy is to reallocate in theater. Do not reset. Retain in theater for reutilization.The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**OEF MAGTF**
if	**Not Mission Capable MEF**	then	**OEF MAGTF**
if	**Not Mission Capable**	then	**OEF MAGTF**
if	**Condemned**	then	**OEF MAGTF**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A7902 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7902: TOOL KIT, MAINT, ELECTRONIC CREW OPERATOR

The TK-2844 "O" Level (Operator/Crew Level) Electronic Tool Kit is being built to provide the technician at the specified level with the tools required to perform maintenance in a field environment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	4,622	0
AAO (FY17)	3,895	
O/H	5,860	205
Shortfall/Excess	1,238	205

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
874	860	571	80	744	402	0	0	908	183
668	625	472	66	571	402	0	0	908	183
870	970	715	47	634	1,378	0	1,019	19	111
-4	110	144	-33	-110	976	0	1,019	-889	-72

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015540475	205	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	Yes	No	0	205	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**ME**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7905: TOOL KIT INTERMEDIA

Tool Kit Intermediate, is an intermediate tool kit used by the 59XX to complete field and depot level repair of the AN/TYQ-23. This tool is required due to no common tool sets meeting the needs for this piece of equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	11	0
AAO (FY17)	10	
O/H	9	1
Shortfall/Excess	-2	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	3	2	0	0	0	0
2	2	2	0	2	2	0	0	0	0
1	2	1	0	2	2	0	0	0	0
-1	0	-1	0	-1	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014527551	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0

Notes: All items will be returned to CONUS. DO NOT POWER WASH ELECTRONIC ITEMS OR TOOLS. Compressed air, vacuums, and damp rags should be used to clean the tools and tool box. Hand tools (sockets, screwdrivers, etc.) should be lightly coated with oil. Electronic tools need to remain dry.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7906: TOOL KIT, ELECTRONIC SYS (MINI-SOLDER KIT)

This kit contains special electronic units, tools, and materials to make high-reliability repairs on electronic assemblies such as circuit cards to the component level in a field environment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	145	0
AAO (FY17)	166	
O/H	151	10
Shortfall/Excess	6	10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	33	29	0	23	28	0	0	0	0
39	39	30	0	30	28	0	0	0	0
20	32	23	3	7	33	0	3	18	2
-12	-1	-6	3	-16	5	0	3	18	2

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015416262	10	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	7	0	3

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7910: TOOL KIT, FIBER OPTIC, GP

The Fiber Optic tool kit is a general purpose kit used to repair fiber optic cables and connectors. This kit is used in support of all USMC fiber optic cables and connectors except those associated with TAOM. This Tool Kit, along with the A7001 Optical Loss Test Set, the A7004 Fiber Inspector, A7086 OTDR, and A7920 Splicing Kit, belongs to a suite of Fiber Optic test equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	289	12
AAO (FY17)	281	
O/H	158	9
Shortfall/Excess	-131	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
74	72	49	0	58	24	12	0	0	0
75	73	48	0	49	24	12	0	0	0
22	26	22	0	24	35	0	20	0	0
-52	-46	-27	0	-34	11	-12	20	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180014763023	3	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	2	0	1
5180015167227	6	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	4	0	2

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7920 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7920: FIBER OPTICS FUSION SPLICER

The S121A is the first fully functional fusion splicer. It's designed for splicing single to 4-ribbon fibers. The S121A is about one-third the size of a typical mini-splicer, weighs just 2.2 pounds without the battery and does not require a flat surface. The unit features fully automatic fiber feed, alignment, splicing arc, and tension test. You can monitor all splicing operations for accuracy using the unit's integrated CCD camera and 2.5-inch LCD display.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	246	14
AAO (FY17)	245	
O/H	233	9
Shortfall/Excess	-13	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
51	50	39	0	54	38	14	0	0	0
56	54	39	0	44	38	14	0	0	0
36	53	20	0	30	58	0	26	0	1
-15	3	-19	0	-24	20	-14	26	0	1

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6080015208198	9	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	N	4	0	4

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7942: TOOL KIT, DATA NETWORK, GP

The Data Network Tool Kit, model number TK-0656, is a general purpose tool kit designed to assist technicians perform testing, monitoring, troubleshooting, and maintenance of the Marine Corps data networks.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	452	10
AAO (FY17)	452	
O/H	385	25
Shortfall/Excess	-67	15

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
113	108	64	51	81	25	10	0	0	0
110	105	70	49	83	25	10	0	0	0
76	88	67	10	58	55	0	6	0	0
-37	-20	3	-41	-23	30	-10	6	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015247623	25	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	12	0	12

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7955 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A7955: KIT, MAINT, EQUIPMENT, ELECTRONIC

The Maintenance Kit, Electronic Equipment, MK-2663/U, contains special electronic units, tools and materials to make high-reliability repairs to electronic equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	284	22
AAO (FY17)	293	
O/H	220	9
Shortfall/Excess	-64	-13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
53	49	40	0	46	70	22	0	3	1
59	57	38	0	43	70	22	0	3	1
56	42	43	0	13	64	0	0	1	1
3	-7	3	0	-33	-6	-22	0	-2	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895013229872	9	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
5895015429039	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
5895015662941	0	0%	0%	0%	100%	0%	0%	NO	NO	N	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A8010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8010: TERMINAL EQUIPMENT, TELEPHONE, SECURE

The Secure Terminal Equipment (STE) Telephone, STE OFFIC-442 is the standard telephone for secure-multimedia communications. STE are engineered to operate on the digital Integrated Services Digital Network (ISDN) or analog networks.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,995	240
AAO (FY17)	2,976	
O/H	4,313	63
Shortfall/Excess	1,318	-177

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
559	589	461	227	490	429	240	0	0	0
582	612	469	222	422	429	240	0	0	0
569	1,190	521	155	633	642	0	534	0	7
10	601	60	-72	143	213	-240	534	0	7

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810014596438	1	0%	0%	0%	0%	0%	100%	NO	NO	n	No	Yes	No	No	0	0	0
5810014596441	62	0%	0%	0%	0%	0%	100%	NO	NO	n	No	Yes	No	No	0	0	62

Notes: Equipment is obsolete. WIR to dispose of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A8018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8018: INTERROGATOR COMPUTER

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System (EADS), Targets and target support, Stinger Ground Support Equipment (GSE), and trainers/simulators.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	114	10
AAO (FY17)	114	
O/H	91	2
Shortfall/Excess	-23	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
37	37	12	0	11	7	10	0	0	0
37	37	12	0	11	7	10	0	0	0
21	31	12	0	14	6	0	5	0	0
-16	-6	0	0	3	-1	-10	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810000613388	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	2	0	0
5810012737819	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8019: TRANSPONDER COMPUTER

The Transponder Computer, TSEC/KIT-1C is used in conjunction with the TSEC/KIR-1C (TAMCN A80187G).

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	127	56
AAO (FY17)	118	
O/H	44	3
Shortfall/Excess	-83	-53

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	13	8	0	18	19	56	0	0	0
13	13	8	0	9	19	56	0	0	0
10	8	6	0	9	5	0	3	0	0
-3	-5	-2	0	-9	-14	-56	3	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810000613386	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	3	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8023: TRANSFER UNIT,CRYPT

The AN/CYZ-10 Data Transfer Device, often called a Crazy 10, is a portable, hand-held fill device, for securely receiving, storing, and transferring data between compatible cryptographic and communications equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	10,859	2216
AAO (FY17)	10,415	
O/H	11,311	845
Shortfall/Excess	452	-1,371

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,734	2,374	929	334	1,906	366	2,216	0	0	0
2,502	2,163	905	318	1,979	332	2,216	0	0	0
1,929	2,386	1,151	280	1,753	971	0	2,265	0	6
-805	12	222	-54	-153	605	-2,216	2,265	0	6

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810013431194	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	0	0	0
5810013841996	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	0	0	0
5810013887634	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	0	0	0
5810013931973	477	0%	75%	0%	25%	0%	0%	NO	NO	No	yes	Yes	No	No	0	0	0
5810015173587	368	0%	0%	0%	100%	0%	0%	NO	NO	No	no	yes	No	No	92	276	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8024 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8024: READER,PUNCHED TAPE

The KOI-18 tape reader is a battery operated, hand carried device used for converting eight-level standard paper and Mylar tape to serial electronic information.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	792	4
Shortfall/Excess	792	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
122	78	51	23	112	25	0	381	0	0
122	78	51	23	112	25	0	381	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810010269620	4	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8025: KYK-13 TRANSFER DEVICE

The KYK-13 is a battery operated electronic transfer device, hand or pocket carried, transfer and storage device, which can store up to six keys.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2	0
AAO (FY17)	2	
O/H	1,220	15
Shortfall/Excess	1,218	15

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	2	0	0	0	0
0	0	0	0	0	2	0	0	0	0
131	197	96	8	308	33	0	432	0	0
131	197	96	8	308	31	0	432	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810010269618	15	0%	0%	0%	0%	0%	100%	NO	NO	No	yes	no	No	No	0	15	0

Notes: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8027: VEHICLE POWER ADAPTER HYP-57

The Vehicular Power Adapter, HYP-57/TSEC replaces the battery and battery case, Z-AIJ, of either the KY-57 or HYX-57. Its purpose is to provide TEMPEST and EMI filtering, and mechanical connector conversion to adapt a vehicular power source to the KY-57 or HYX-57.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	146	0	0	0	0	0	0	146	0	0	0	0
AAO (FY17)	146		0	0	0	0	0	146	0	0	0	0
O/H	8,880	36	338	356	110	0	246	174	0	7,411	64	145
Shortfall/Excess	8,734	36	338	356	110	0	246	28	0	7,411	64	145

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810010269621	36	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	36

Notes: All equipment should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A8028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8028: WLA ASSEMBLY

The Wireline Adapter, HYX-57/TSEC, is designed to provide the appropriate wireline interface for the TSEC/KY-57. TSEC/KY-38, and the TSEC/KY-65 to allow their use over a point to point wireline link or through certain military switchboards.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	4,145	36
Shortfall/Excess	4,145	36

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
146	134	54	0	220	108	0	3,447	0	0
146	134	54	0	220	108	0	3,447	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810010269622	36	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	0	0	36

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A8031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8031: SECURITY EQP, TSEC/KY-57

The TSEC/KY-57 is a small, lightweight, wideband, secure voice, digital communications equipment. It is designed to provide on-line encryption and decryption of all classifications of tactical traffic transmitted over FM and AM, VHF and UHF radio communions.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	52	0
AAO (FY17)	71	
O/H	2,476	77
Shortfall/Excess	2,424	77

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
19	4	4	0	0	25	0	0	0	0
18	18	4	0	6	25	0	0	0	0
273	132	52	0	157	58	0	1,768	36	0
254	128	48	0	157	33	0	1,768	36	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810004343644	77	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8032: SECURITY EQP, SPEECH, TACT, HALF-DUP, W-B AIRBORNE

The Speech Security Equipment (VINSON), TSEC/KY-58-2, -58-3, -58-4, and -58-5 are members of the VINSON family. The VINSON family consists of Wide Band Secure Voice (WBSV) units developed by the National Security Agency to provide line of sight half-duplex voice and data encryption at 16 kbps. The TSEC/KY-58-2, -58-3, -58-4, and -58-5 provides security for AM/FM, VHF, UHF, half-duplex Public Telephone and Telegraph combat net radios and tactical wireline systems when used with the HYX-57.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,412	194
AAO (FY17)	1,337	
O/H	1,390	51
Shortfall/Excess	-22	-143

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
275	291	206	0	281	141	194	0	24	0
275	283	206	0	214	141	194	0	24	0
177	180	121	0	232	114	0	491	24	0
-98	-111	-85	0	-49	-27	-194	491	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810004490154	51	0%	75%	0%	25%	0%	0%	NO	NO	No	yes	No	No	No	13	38	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8036: GENERATOR, KEY, COMSEC

KGV-8C JTIDS COMSEC MODULE

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	44	8
AAO (FY17)	43	
O/H	30	3
Shortfall/Excess	-14	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	5	0	7	12	8	0	0	0
6	6	5	0	6	12	8	0	0	0
2	4	6	0	2	7	0	6	0	0
-4	-2	1	0	-5	-5	-8	6	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810013687752	3	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	1	2	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. No associated TAMCNs. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8038: GENERATOR, KEY, ELECTRONIC'

The Half-Duplex Digital Key Generator, TSEC/KG-40 is a micro-miniature, half-duplex, digital electronic key generator designed to provide cryptographic security for Link II High Frequency/Ultra High Frequency (HF/UHF) communications and for any communications which meet Tactical Digital Information Link data standards. The TSEC/KG-40 will interface between a computer and a data terminal. The TSEC/KG-40 is available in serial and parallel interface configurations.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	72	10
AAO (FY17)	66	
O/H	56	5
Shortfall/Excess	-16	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	15	8	0	15	13	10	0	0	0
11	13	8	0	11	13	10	0	0	0
7	8	7	0	11	12	0	6	0	0
-4	-7	-1	0	-4	-1	-10	6	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810010168052	0	0%	75%	0%	25%	0%	0%	NO	NO	No	yes	No	No	No	0	0	0
5810013513000	5	0%	75%	0%	25%	0%	0%	NO	NO	No	yes	No	No	No	1	4	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8047: SECU VOICE KY 99A

The Advanced Narrowband Digital Voice Terminal/Miniature Terminal (ANDVT/MINTERM), TSEC/KY-99A is a lightweight, battery-powered, tactical manpack terminal that provides voice or data communications over wideband (16 kbps) radio channels and is inter-operable with KY-57 VINSON/Single Channel Ground and Airborne Radio System equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	2,594	2
Shortfall/Excess	2,594	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
174	51	57	0	67	16	0	2,155	50	24
174	51	57	0	67	16	0	2,155	50	24

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810013910187	2	0%	75%	0%	25%	0%	0%	NO	NO	No	yes	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8050 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8050: CASE,BATTERY ASSEMB

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	5,411	0
Shortfall/Excess	5,411	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
442	273	37	0	342	12	0	4,284	21	0
442	273	37	0	342	12	0	4,284	21	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6140010488167	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: All equipment should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A8067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8067: FLEET BROADCAST SEC EQUIPMENT

KWR-46

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	5	3
Shortfall/Excess	5	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	5	0	0
0	0	0	0	0	0	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810011608398	3	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8072: REMOTE REKEY EQUIPMENT

The Remote Re-key Equipment, KOK-13A is controlled by a user-supplied host computer. The KOK-13A is capable of generating electronic keys for Over-The-Air- Keys, manual distribution, or memory storage.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	61	1	13	14	9	0	6	18	1	0	0	0
AAO (FY17)	60		13	13	9	0	6	18	1	0	0	0
O/H	42	0	4	2	3	0	4	1	0	28	0	0
Shortfall/Excess	-19	-1	-9	-12	-6	0	-2	-17	-1	28	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810012486018	0	0%	0%	0%	0%	100%	0%	NO	NO	N	no	no	N	N	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A8081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8081: ANDVT/TACTERM COMSEC MODULE

The Advanced Narrowband Digital Voice Terminal Communications Security Module, TSEC/KYV-5 is a removable module designed to plug into the front panel of the CV-3591 Basic Terminal Unit. The TSEC/KYV-5 provides communications security capability to the Advanced Narrowband Digital Voice Terminal/Tactical Terminal.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	268	0
AAO (FY17)	259	
O/H	249	12
Shortfall/Excess	-19	12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
62	62	43	0	61	40	0	0	0	0
64	64	43	0	48	40	0	0	0	0
52	54	29	0	33	40	0	29	0	0
-10	-8	-14	0	-28	0	0	29	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810012240202	12	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	12

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8082: ENCRYPTION-DECRYPTI

The General Purpose Encryption Equipment, TSEC/KG-84A, -84C is a high capacity key generator used to encrypt and decrypt teletypewriter and digital data traffic on dedicated links in both tactical and fixed plant environments. Future replacement for the TSEC/KG-84A, -84C will be the TSEC/KIV-7M or TSEC/KIV-19M.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1,292	40
Shortfall/Excess	1,292	40

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
141	130	65	0	168	164	0	584	0	0
141	130	65	0	168	164	0	584	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810011463260	40	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	40
5810012506618	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8084: ENCRYPTION-DECRYPTION EQUIPMENT

The KIV High Speed B Communications Security encryption model is designed to operate in Time Division Multiple Access architectures which allows it to provide secure high bandwidth, wide area, networked data exchange via MILSTAR satellites.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,142	474
AAO (FY17)	3,106	
O/H	3,701	89
Shortfall/Excess	559	-385

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
729	728	446	35	425	305	474	0	0	0
725	698	454	31	419	305	474	0	0	0
699	527	538	2	305	478	0	1,032	31	0
-30	-201	92	-33	-120	173	-474	1,032	31	0

Reset Strategy & Plan (Product Group: 12)

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	Forecasted Categories: CAT I	CAT II	CAT III
5810014146656	2	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	0	0	2
5810014304225	7	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	0	0	7
5810014318264	6	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	0	0	6
5810014876582	47	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	35	12
5810015302811	27	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	Yes	No	No	0	20	7

Notes: See sensitive equipment instructions in the appendix. NSNs 6656, 4225, and 8264 should be disposed of through MCLC. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- ☑ **Sensitive**
- ☑ **CCI**
- ☑ **Multi-Modal**
- ☐ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8085: ENCRYPTION-DECRYPTION EQUIPMENT (KIV-19)

The KIV-19 is COMSEC equipment and is a controlled cryptographic item. The KIV-19 is a miniaturized version of the existing KG-194 trunk encryption device. It performs data encryption / decryption in full duplex synchronous operation.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,490	413
AAO (FY17)	1,461	
O/H	1,355	30
Shortfall/Excess	-135	-383

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
203	203	164	1	203	303	413	0	0	0
203	203	164	1	174	303	413	0	0	0
329	224	217	0	101	176	0	278	0	0
126	21	53	-1	-102	-127	-413	278	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810014497179	6	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	0	0	6
5810014925165	24	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	0	0	24
5810014989537	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8088 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8088: ENCRYPTOR, NETWORK, IN-LINE

The TACLANE®-Micro is the next generation High Assurance IP Encryptor Interoperability Specification (HAIPE® IS) and Crypto Modernization Compliant encryptor. Optimized for both tactical and strategic environments, the TACLANE-Micro is high-speed, compact and mobile.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	757	89
AAO (FY17)	735	
O/H	2,010	190
Shortfall/Excess	1,253	101

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
128	138	103	44	124	131	89	0	0	0
128	134	103	44	106	131	89	0	0	0
277	235	202	52	173	154	0	727	0	0
149	97	99	8	49	23	-89	727	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810014630133	97	25%	50%	0%	25%	0%	0%	NO	NO	No	yes	no	No	No	0	73	24
5810014861987	0	25%	50%	0%	25%	0%	0%	NO	NO	No	yes	No	No	No	0	0	0
5810015279296	0	25%	50%	0%	25%	0%	0%	NO	NO	No	yes	No	No	No	0	0	0
5810015474520	93	25%	75%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	70	0	23
5999015326578	0	25%	50%	0%	25%	0%	0%	NO	NO	No	yes	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8089 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8089: ENCRYPTION DEVICE, TRUNK

The Trunk Encryption Device, TSEC/KG-194, -194A are full-duplex key generators designed to provide trunk encryption and decryption for digital data traffic. The TSEC/KG-194 is a non-ruggedized, rack mounted equipment. The TSEC/KG-194A is a tactical, ruggedized equipment with a rack mounting capability. TSEC/KG-194, -194A are enhanced versions which have been modified to incorporate the FIREFLY remote re-key capability. Future replacement for the TSEC/KG-194, -194A will be the TSEC/KIV-17M or TSEC/KIV-19M.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	1,293	182	251	241	182	0	219	92	182	0	126	0
AAO (FY17)	1,254		249	237	180	0	188	92	182	0	126	0
O/H	950	12	202	78	125	0	111	45	0	353	36	0
Shortfall/Excess	-343	-170	-49	-163	-57	0	-108	-47	-182	353	-90	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810012831394	12	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. All equipment will be disposed of through MCLC. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8091: ENCRYPTION, KG 250

The AltaSec® KG-250 from ViaSat offers seamless foreign interoperability and programmable information assurance. This inline network encryptor is certified by the National Security Agency for use on classified U.S. Government communication networks.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	42	0
AAO (FY17)	42	
O/H	92	22
Shortfall/Excess	50	22

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	3	3	30	0	6	0	0	0	0
0	3	3	30	0	6	0	0	0	0
3	23	19	0	6	9	0	10	0	0
3	20	16	-30	6	3	0	10	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810015246615	22	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	No	No	22	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8098 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8098: TSECST31 TEST SET

ST-31A KG-40A TEST SET

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	14	0
AAO (FY17)	13	
O/H	7	1
Shortfall/Excess	-7	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	4	1	0	0	0	0
3	3	3	0	3	1	0	0	0	0
2	1	0	0	2	0	0	2	0	0
-1	-2	-3	0	-2	-1	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5810010060622	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
5810013517228	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A8100: CONTROL GROUP, RADIO

The Control Group, Receiver-Transmitter, OK-648/U, provides for remote control operation of SINCGARS radios. The Remote Control Unit is connected with the radio by two-way field wire and may be located up to 4 km away from the remotely controlled radio.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	4,004	1068	1,072	912	372	0	497	83	1,068	0	0	0
AAO (FY17)	3,735		994	769	344	0	477	83	1,068	0	0	0
O/H	2,072	8	313	468	284	2	445	296	0	0	256	0
Shortfall/Excess	-1,932	-1,060	-759	-444	-88	2	-52	213	-1,068	0	256	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014294556	8	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	8	0	0

Notes: Item will be returned to owning unit. Owning unit then inventory SL-3 and completed a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply systems. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- ☑ **Sensitive**
- ☑ **CCI**
- ☑ **Multi-Modal**
- ☐ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9001: COMPUTER SET, DIGITAL (BLUE FORCE TRACKER)

A computer which processes information represented by combinations of discrete or discontinuous data. It is a computer for performing sequences of arithmetic and logical operations, not only on external data but also on its own internally stored instructions.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	16,299	8361
AAO (FY17)	16,266	
O/H	2,217	636
Shortfall/Excess	-14,082	-7,725

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,546	2,115	1,001	545	1,333	398	8,361	0	0	0
2,384	1,894	963	545	1,738	381	8,361	0	0	0
410	559	199	7	0	398	0	4	4	0
-2,136	-1,556	-802	-538	-1,333	0	-8,361	4	4	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015138459	636	20%	0%	0%	80%	0%	0%	NO	NO	No	no	no	No	y	509	0	127

Notes: Not CCI as of Sep 2011, but will be within a year. Item is in many other TAMCNs - just about every rolling stock. Will be shipped with associated vehicles, and needs to be associated in TFSMS with all of the rolling stock. It is a computer system - HIGHLY SENSITIVE TO WATER INTRUSION.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9002: BLUE FORCE TRACKER

Blue Force Tracking system consists of a computer, a satellite antenna, and a Global Positioning System receiver. The system displays the location of the host vehicle on the computer's terrain-map display along with other platforms in their respective locations.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	533	447
AAO (FY17)	533	
O/H	7	5
Shortfall/Excess	-526	-442

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
20	20	8	0	25	13	447	0	0	0
20	20	8	0	25	13	447	0	0	0
0	0	0	0	0	1	0	1	0	0
-20	-20	-8	0	-25	-12	-447	1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015335325	5	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	0	0	5

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9003: COMPUTER SET, DIGITAL, (BFT) CF-29 (VEHICLE), (BACKPACK VARIANT - OBSOLETE)

Satellite-based, two-way BFSA and command and control system. Compatible world-wide with Army FBCB2 systems, and provides over-the horizon BFSA and communications link via L-band satellite.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,085	108
AAO (FY17)	1,028	
O/H	328	26
Shortfall/Excess	-757	-82

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
278	276	173	35	114	101	108	0	0	0
266	241	172	35	107	99	108	0	0	0
13	21	4	176	0	73	0	15	0	0
-265	-255	-169	141	-114	-28	-108	15	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015335336	26	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	Yes	0	0	26

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9004: COMPUTER SYSTEM, DIGITAL

The Backup Computer System Block II is a small, portable, Ruggedized Personal Data Assistant that is capable of performing and displaying artillery survey computations and artillery technical firing solutions, safety computations and serve as a back up for the technical fire direction functions of AFATDS.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	398	0
AAO (FY17)	381	
O/H	542	9
Shortfall/Excess	144	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
84	71	42	0	63	94	0	44	0	0
80	62	38	0	63	94	0	44	0	0
140	89	103	0	64	126	0	11	0	0
56	18	61	0	1	32	0	-33	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015154227	9	0%	0%	0%	0%	0%	100%	NO	NO	N	No	Yes	No	No	0	0	9

Notes: NSN: 7010-01-515-4227 (RPDA-5500 OR 3900) DRMO NSN: 7010-01-515-4216 (RPDA-5700) Ship to MCLB Albany

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9010: UNIT MOVE WORK STATION

MCEITS is the Marine Corps enterprise IT infrastructure in the MAGTF C2 framework. MCEITS consolidates IT infrastructure, hardware, software and services to achieve economies of scale, reduce redundancy and reduce overall USMC IT portfolio costs. MCEITS implements DoD Net-Centric Enterprise Services (NCES), supports Global Information Grid (GIG) and enables effective, efficient IT portfolio management.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	126	
O/H	617	11
Shortfall/Excess	617	11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
35	35	21	0	35	0	0	0	0	0
253	61	72	30	162	28	0	0	0	0
253	61	72	30	162	28	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015431630	11	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	No	No	11	0	0

Notes: Item is obsolete, but documentation has not been completed, item will be brought back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9011: MINI DEPLOYMENT EMBARK SUSTAINMENT KIT MINI-DESK

This is the Mini-deployment Embarkation Sustainment Kit.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	29	9
AAO (FY17)	27	
O/H	3	0
Shortfall/Excess	-26	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	4	0	5	11	9	0	0	0
0	0	4	0	3	11	9	0	0	0
0	0	3	0	0	0	0	0	0	0
0	0	-1	0	-5	-11	-9	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7050015444379	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	Yes	0	0	0

Notes: Project Office will take care of the warranty in coordination with the MEFs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9013: HANDHELD COMPUTER

The Theater Medical Information Program-Maritime (TMIP-M) provides an integrated theater medical information system addressing the functional areas of Command and Control (C2)(including medical capabilities assessment and sustainability analysis, medical surveillance and collaborative planning capability), Medical Logistics (including assemblage management and blood product management), and Force Health Protection (including medical threat, surveillance, and health care delivery).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,008	0
AAO (FY17)	1,702	
O/H	6	0
Shortfall/Excess	-2,002	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
559	561	269	144	362	113	0	0	0	0
458	417	213	144	357	113	0	0	0	0
0	0	0	0	0	0	0	6	0	0
-559	-561	-269	-144	-362	-113	0	6	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7021015504906	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	0	0	0

Notes: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9014: LAPTOP COMPUTER

TMIP-M provides clinical data collection and transport capability at Care Echelons 1 (BAS), 2 (Surgical Company Field Hospital), and 3 (In-Theater Fleet Hospital or Hospital Ship - Navy Only) in combat or hostile environments involving deployed forces. TMIP-M is the naval services component of TMIP which is a DOD directed joint program. TMIP-M is a Navy led program with participation from the Marine Corps and Coast Guard. It is an AIS which provides medical information processing capabilities to medical staffs in theater as well as medical planners and command and control elements at all echelons. TMIP-M provides a full suite for user configurable AIS support for all aspects of theater health services from patient encounter data to medical logistics.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	128	0	38	39	20	2	14	15	0	0	0	0
AAO (FY17)	98		26	24	14	2	17	15	0	0	0	0
O/H	36	34	0	0	2	0	0	0	0	0	0	0
Shortfall/Excess	-92	34	-38	-39	-18	-2	-14	-15	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7022015508555	34	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	34	0	0

Notes: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9015: LAPTOP COMPUTER

TMIP-M provides clinical data collection and transport capability at Care Echelons 1 (BAS), 2 (Surgical Company Field Hospital), and 3 (In-Theater Fleet Hospital or Hospital Ship - Navy Only) in combat or hostile environments involving deployed forces. TMIP-M is the naval services component of TMIP which is a DOD directed joint program. TMIP-M is a Navy led program with participation from the Marine Corps and Coast Guard. It is an AIS which provides medical information processing capabilities to medical staffs in theater as well as medical planners and command and control elements at all echelons. TMIP-M provides a full suite for user configurable AIS support for all aspects of theater health services from patient encounter data to medical logistics.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	778	0
AAO (FY17)	675	
O/H	125	119
Shortfall/Excess	-653	119

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	213	210	105	27	123	100	0	0	0	0
AAO (FY17)	177	162	90	26	120	100	0	0	0	0
O/H	0	0	6	0	0	0	0	0	0	0
Shortfall/Excess	-213	-210	-99	-27	-123	-100	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7022015508375	119	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	119	0	0

Notes: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9020: TABLET RUGGED

Laptop Computer

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	5,816	0
AAO (FY17)	5,475	
O/H	4,575	162
Shortfall/Excess	-1,241	162

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,618	1,572	589	866	1,121	50	0	0	0	0
1,527	1,320	599	866	1,113	50	0	0	0	0
1,561	1,680	691	150	328	2	0	0	0	0
-57	108	102	-716	-793	-48	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7021090006232	162	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	162
7021090006470	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0

Notes: Follow EKMS procedures for hard drive. DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9023: COMPUTER, LAPTOP

High Performance Laptop. This is missidentified as a A90237G. In accuality, this is an A90237GA, which is a component of an Intel System, A0874. There are multiple vendors for this TAMCN.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	397	0
AAO (FY17)	386	
O/H	673	181
Shortfall/Excess	276	181

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
93	127	75	0	102	0	0	0	0	0
85	117	75	0	109	0	0	0	0	0
35	76	42	0	50	284	0	0	0	0
-58	-51	-33	0	-52	284	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090006435	181	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	181

Notes: Follow EKMS procedures for hard drive. DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9068: BATTLE COMMAND SUPPORT SUSTAINMENT SYSTEM (BCS3)

Computer purchased for the purpose of running the BCS3 program - similar to CPOF. BCS3 is a map-centric logistics COP.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	422	61
AAO (FY17)	424	
O/H	179	4
Shortfall/Excess	-243	-57

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
77	77	53	0	44	110	61	0	0	0
77	77	53	0	46	110	61	0	0	0
19	11	72	6	10	57	0	0	0	0
-58	-66	19	6	-34	-53	-61	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015682004	0	0%	0%	0%	0%	100%	0%	TBD	TBD	No	No	Yes	Yes	Yes	0	0	0
5895015703725	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	Yes	Yes	2	0	0
5895015729492	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	Yes	Yes	1	0	0
7010015329207	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	Yes	Yes	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9071 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9071: COMPUTER, LAPTOP

This is a Semi-rugged Laptop. i.e. Panasonic CF-74. There are multiple vendors for this TAMCN.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,973	0
AAO (FY17)	1,788	
O/H	1,066	0
Shortfall/Excess	-907	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
546	602	262	0	563	0	0	0	0	0
528	513	260	0	487	0	0	0	0	0
340	370	263	0	42	43	0	0	0	0
-206	-232	1	0	-521	43	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090006216	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0

Notes: Follow EKMS procedures for hard drive. DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9089 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9089: COMPUTER SET, DIGITAL (BLUE FORCE TRACKER) TOC LITE

The TOC is a variant of the Blue Force Tracking (BFT) that brings the BFT capability into Operation Centers. The TOC possess similar capabilities to the BFT.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,202	110
AAO (FY17)	1,171	
O/H	243	65
Shortfall/Excess	-959	-45

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
250	226	121	83	171	135	110	106	0	0
239	198	123	83	177	135	110	106	0	0
26	16	15	24	0	84	0	6	0	0
-224	-210	-106	-59	-171	-51	-110	-100	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010015354168	0	0%	0%	0%	0%	0%	0%	YES	0	No	No	Yes	No	Yes	0	0	0
7010015542356	45	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	Yes	45	0	0
7010015690604	20	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	Yes	20	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9100: COMPUTER, GP, LAPTOP

ADP Central Processing Unit (CPU, Computer), Hybrid.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	40,596	0
AAO (FY17)	39,287	
O/H	48,831	6189
Shortfall/Excess	8,235	6,189

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12,566	12,868	7,343	0	7,590	229	0	0	0	0
12,302	11,995	7,210	0	7,551	229	0	0	0	0
13,274	13,979	7,151	410	958	4,413	0	702	0	0
708	1,111	-192	410	-6,632	4,184	0	702	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015325434	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0
7010014649363	68	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	68
7010015385013	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0
7010090000294	8	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	8
7010090000346	84	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	84
7010090002538	43	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	43
7010090002539	1382	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	1382
7010090002540	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0
7010090004272	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0
7010090004448	4412	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	4412
7010090006210	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

7022014779043	192	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	192

Notes: All equipment is going to be procured new. Destroy the hard drive and DRMO in theater. 7010090000346 (64 O/H) , 7010090002538 (40 O/H), 5895015325434 (34 O/H), 7010015385013 (7 O/H), 7010090002540 (3 O/H)

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- ☑ **Sensitive**
- ☐ **CCI**
- ☐ **Multi-Modal**
- ☐ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9200: COMPUTER, TECH WORKSTATION

The Marine Corps Common Hardware Suite (MCHS) is a level-of-effort program that provides high performance and general purpose client workstations (desktop/laptop)and file application servers that support both UNIX (RISC) and Intel (CISC) based applications. The program includes two components: 1) Workstations and Servers for Tactical and stand-alone Functional C4I programs and 2)/Servers Modernization.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	46	0
Shortfall/Excess	46	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
14	4	0	0	1	23	0	4	0	0
14	4	0	0	1	23	0	4	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090000350	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and should be DRMOd or disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9300: COMPUTER SYSTEM,DIG

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,370	0
AAO (FY17)	1,607	
O/H	7,119	1
Shortfall/Excess	5,749	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
344	488	386	0	152	0	0	0	0	0
410	557	414	0	226	0	0	0	0	0
442	594	531	36	92	5,012	0	407	0	0
98	106	145	36	-60	5,012	0	407	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010014649346	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0
7010090000349	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0
7010090006211	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0
7022014778695	1	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	1

Notes: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9400 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9400: SERVER, ENTERPRISE

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	145	0
AAO (FY17)	145	
O/H	98	0
Shortfall/Excess	-47	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	6	4	0	32	92	0	0	0	0
11	6	4	0	32	92	0	0	0	0
20	16	3	0	0	43	0	15	0	0
9	10	-1	0	-32	-49	0	15	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7010090000347	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0

Notes: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = A9500: COMPUTER, SERVER

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,224	0
AAO (FY17)	1,223	
O/H	405	0
Shortfall/Excess	-819	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
60	57	36	0	26	1,045	0	0	0	0
60	56	36	0	26	1,045	0	0	0	0
76	62	53	0	8	203	0	3	0	0
16	5	17	0	-18	-842	0	3	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7035014649366	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	0	0

Notes: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0003: AIR CONDITIONER, HORIZONTAL, 1.5T, 60HZ, 18K BTU

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	458	0	130	130	76	0	103	19	0	0	0	0
AAO (FY17)	461		130	130	76	0	106	19	0	0	0	0
O/H	635	12	160	162	102	0	104	19	0	76	0	0
Shortfall/Excess	177	12	30	32	26	0	1	0	0	76	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015261588	12	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	12
4120015810399	0	0%	0%	0%	50%	0%	50%	NO	NO	No	No	No	No	No	0	0	0

Notes: For NSN 4120-01-526-1588 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-0399 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0006: AIR CONDITIONER, MCS VERTICAL, 400HZ, 36K BTU

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	123	0
AAO (FY17)	0	
O/H	122	18
Shortfall/Excess	-1	18

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
28	28	20	0	32	15	0	0	0	0
0	0	0	0	0	0	0	0	0	0
3	0	0	0	7	1	0	93	0	0
-25	-28	-20	0	-25	-14	0	93	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120004443921	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	0	0	0
4120009264137	18	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	0	0	18
4120010726388	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	0	0	0
4120011608886	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	0	0	0
4120011755902	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	0	0	0
4120012446385	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	0	0	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0008: AIR CONDITIONER, 5T, 60K

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	737	0
AAO (FY17)	715	
O/H	1,589	441
Shortfall/Excess	852	441

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
187	173	118	43	155	61	0	0	0	0
177	172	116	39	150	61	0	0	0	0
208	195	130	35	106	68	0	405	1	0
21	22	12	-8	-49	7	0	405	1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015261060	295	0%	0%	0%	50%	0%	50%	NO	NO	n	No	No	No	No	148	0	148
4120015410646	0	0%	0%	0%	50%	0%	50%	NO	NO	No	No	No	No	No	0	0	0
4120015812260	146	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	73	0	73

Notes: For NSN 4120-01-526-1060 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-2260 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	49	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0010: AIR CONDITIONER

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	64	2
AAO (FY17)	66	
O/H	139	0
Shortfall/Excess	75	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	19	12	4	9	2	2	0	0	0
16	18	12	4	12	2	2	0	0	0
15	24	12	0	10	9	0	69	0	0
-1	5	0	-4	1	7	-2	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015261120	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0
4120015647844	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0
4120015811227	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	57	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0010: AIR CONDITIONER

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	64	2
AAO (FY17)	66	
O/H	139	0
Shortfall/Excess	75	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	19	12	4	9	2	2	0	0	0
16	18	12	4	12	2	2	0	0	0
15	24	12	0	10	9	0	69	0	0
-1	5	0	-4	1	7	-2	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015261120	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0
4120015647844	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0
4120015811227	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	57	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0010: AIR CONDITIONER

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	64	2
AAO (FY17)	66	
O/H	139	0
Shortfall/Excess	75	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	19	12	4	9	2	2	0	0	0
16	18	12	4	12	2	2	0	0	0
15	24	12	0	10	9	0	69	0	0
-1	5	0	-4	1	7	-2	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015261120	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0
4120015647844	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0
4120015811227	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	57	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0011: AIR CONDITIONER

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	24	0	0	4	0	0	1	0	0	19	0	0
Shortfall/Excess	24	0	0	4	0	0	1	0	0	19	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120003237780	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
4120011508112	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Eligible for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0013: AIR CONDITIONER

The B0013 is a quieter, more reliable, vertical, compact 36,000 BTU/HR air conditioner that can be remotely operated.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	56	7	0	0	0	0	0	1	0	48	0	0
Shortfall/Excess	56	7	0	0	0	0	0	1	0	48	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120013590083	7	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	7

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Eligible for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0014: ENVIRONMENTAL CONTROL UNIT, HORIZONTAL, 36K BTU

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,219	13
AAO (FY17)	3,156	
O/H	4,770	695
Shortfall/Excess	1,551	682

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
745	729	544	45	585	220	13	0	282	56
746	734	504	41	560	220	13	0	282	56
760	757	577	35	388	181	0	1,141	173	63
15	28	33	-10	-197	-39	-13	1,141	-109	7

Reset Strategy & Plan (Product Group: 15)

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	Forecasted Categories: CAT I	CAT II	CAT III
4120015262397	510	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	510
4120015811276	185	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	92	0	92

Notes: For NSN 4120-01-526-2397 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN: 4120-01-581-1276 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	44	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0015: VAN, Z BACKSCATTER

The Backscatter X-ray Van is a low-cost, extremely maneuverable screening system built into a commercially available delivery van. It allows for immediate deployment in response to security threats.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	38	35
AAO (FY17)	38	
O/H	29	22
Shortfall/Excess	-9	-13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	3	35	0	0	0
0	0	0	0	0	3	35	0	0	0
0	0	0	0	0	0	0	7	0	0
0	0	0	0	0	-3	-35	7	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015640135	7	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	0	7	0
6665015314806	15	0%	0%	0%	0%	100%	0%	YES	NO	Yes	No	No	No	No	0	15	0

Notes: Not currently a POR, PM requests that it go back to LOGCOM to be inventoried and determine what to do at that time. Power washing may be completed on the exterior (outside) only of this item. Care should be taken around wiring to prevent damage. DO NOT POWER WASH INSIDE OF SHELTER; interior contains sensitive electronics which water can damage. Use compressed air anUpon MCLB Albany Receiving equipment from theater, PM-CIED should be contacted so a complete inventory assessment can be performed to assertain the equipments reliabilty status.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**ARMY**
if	**Not Mission Capable MEF**	then	**ARMY**
if	**Not Mission Capable**	then	**ARMY**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4.8

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0018: INTEGRATED TRAILER, ECU AND GENERATOR

The Tactical Quiet Generators (TQG's) are currently being procured to replace the Military Standard Generators. The updated TQGs feature enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	75	0	15	15	7	20	11	7	0	0	0	0
AAO (FY17)	122		32	32	22	20	9	7	0	0	0	0
O/H	201	43	22	20	14	20	43	16	0	23	0	0
Shortfall/Excess	126	43	7	5	7	0	32	9	0	23	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015569648	43	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	32	0	11

Notes: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. For the ECU: The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11490A.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	102	0	2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0023: EXPLOSIVE DETECTOR EVD 3000

The EVD3000 is the world's first and most recognized portable explosives trace detector with comprehensive explosives detection capabilities. It can detect even minute traces of C-4, TNT, Dynamite, PETN, Semtex, EGDN, DMNB, RDX, and Nitroglycerine, including ICAO taggants and tagged plastic explosives.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	118	0
Shortfall/Excess	118	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	118	0	0
0	0	0	0	0	0	0	118	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665015315570	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	Yes	0	0	0

Notes: Item is obsolete and should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0024 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0024: DISTRIBUTOR, WATER, TANK TYPE

Transports and distributes water providing soil stabilization, dust control and compaction capabilities.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	23	0
AAO (FY17)	26	
O/H	35	3
Shortfall/Excess	12	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	3	0	6	0	0	0	0	0
7	7	6	0	6	0	0	0	0	0
7	4	5	0	4	0	0	12	0	0
0	-3	2	0	-2	0	0	12	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3825014970690	3	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	Yes	2	2	0

Notes: TANK MUST BE FLUSHED

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	299	0	17

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0025: HYDRO SEEDER, DUST ABATEMENT, TRAILER MOUNTED

The Hydroseeder comprises of a wheeled and skid mounted machine used to distribute water.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	36	3
AAO (FY17)	35	
O/H	71	6
Shortfall/Excess	35	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	7	0	6	0	3	6	0	0
7	7	6	0	6	0	3	6	0	0
6	7	5	0	4	1	0	42	0	0
-1	0	-2	0	-2	1	-3	36	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3710015357449	6	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	0	0	6

Notes: Items in OEF can be DRMO'd - candidate for FMS. There is a replacement item coming online.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	119	0	2.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0026 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0026: HYDRO SEEDER, DUST ABATEMENT, SKID MOUNTED

The Hydroseeder comprises of a wheeled and skid mounted machine used to distribute water.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	36	3
AAO (FY17)	35	
O/H	66	2
Shortfall/Excess	30	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	7	0	6	0	3	6	0	0
7	7	6	0	6	0	3	6	0	0
7	7	5	0	3	0	0	42	0	0
0	0	-2	0	-3	0	-3	36	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3710015349817	2	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	0	0	2

Notes: Items in OEF can be DRMO'd - candidate for FMS. There is a replacement item coming online.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	700	2.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0027: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 5KW (INDOOR)

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	1,226	141	246	238	163	90	183	5	141	0	120	40
AAO (FY17)	1,215		243	243	163	90	170	5	141	0	120	40
O/H	1,940	159	272	246	136	32	159	69	0	719	103	45
Shortfall/Excess	714	18	26	8	-27	-58	-24	64	-141	719	-17	5

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110015321794	159	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	40	0	119

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0028: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 5KW (OUTDOOR)

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	2,165	282	452	441	300	25	341	4	282	0	240	80
AAO (FY17)	2,196		462	457	314	25	332	4	282	0	240	80
O/H	2,558	338	427	436	275	10	281	156	0	393	220	22
Shortfall/Excess	393	56	-25	-5	-25	-15	-60	152	-282	393	-20	-58

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110015321821	338	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	84	0	254

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0029 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0029: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 15KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	724	69
AAO (FY17)	746	
O/H	1,145	212
Shortfall/Excess	421	143

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
163	148	109	48	119	4	69	0	48	16
173	162	109	48	117	4	69	0	48	16
148	153	94	19	108	67	0	291	47	6
-15	5	-15	-29	-11	63	-69	291	-1	-10

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110015321764	212	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	53	0	159

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0030: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 30KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	683	76	130	113	93	34	99	26	76	0	84	28
AAO (FY17)	685		136	121	93	30	91	26	76	0	84	28
O/H	1,120	198	129	101	84	20	86	125	0	296	81	0
Shortfall/Excess	437	122	-1	-12	-9	-14	-13	99	-76	296	-3	-28

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110015321809	198	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	50	0	148

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	10	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0031: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 100KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	278	1	68	59	49	15	51	3	1	0	24	8
AAO (FY17)	290		71	65	52	15	51	3	1	0	24	8
O/H	681	116	82	57	38	11	49	105	0	197	26	0
Shortfall/Excess	403	115	14	-2	-11	-4	-2	102	-1	197	2	-8

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110015321835	116	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	29	0	87

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0032: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 300KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	69	0	16	16	12	0	12	2	0	0	11	0
AAO (FY17)	69		16	16	12	0	12	2	0	0	11	0
O/H	165	9	16	17	11	0	12	11	0	78	10	1
Shortfall/Excess	96	9	0	1	-1	0	0	9	0	78	-1	1

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110015321776	9	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	N/A	No	2	0	7

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0033: JOINT ENGINEER RAPI

The Joint Engineer Rapid Response Vehicle is a Joint Service MRAP Category II, hardened EOD / engineering vehicle, with Level I armor protection.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	23	0
Shortfall/Excess	23	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	23	0	0
0	0	0	0	0	0	0	23	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015322159	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and should be DRMOd or disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0034 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0034: VEHICLE MOUNTED MINE DETECTOR (VMMD) HUSKY

The VMMD system can detect buried metallic anti-tank mines, explosive obstacles and unexploded ordnance. The VMMD system is comprised of two Husky Mine Detection Vehicles, one Red Pack sustainment trailer and three Mine Detonation Trailers.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	3	0
Shortfall/Excess	3	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	3	0	0
0	0	0	0	0	0	0	3	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015602318	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	No	Yes	0	0	0

Notes: TAMCN being archived and equipment being reported under B0092, B0093 or B0094 TAMCNs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0035: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT III

A truck, usually with a platform or cargo type body, equipped with a monorail mounting hoist or hydraulic lifting boom, designed to lift and/or transport bombs.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

	Total	OEF	OPERATING FORCES I MEF	II MEF	III MEF	SOC	RES	SE	OPERATING FORCES WRMR	DMFA	MPF	MCPPN
AAO (FY12)	83	20	13	10	5	0	9	8	20	2	12	4
AAO (FY17)	80		10	10	5	0	9	8	20	2	12	4
O/H	67	13	5	3	1	0	0	8	0	37	0	0
Shortfall/Excess	-16	-7	-8	-7	-4	0	-9	0	-20	35	-12	-4

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015316425	8	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	0	8	0
2355015811171	5	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	0	5	0

Notes: Remove all C4I asset and disassociate prior to wash down. Both Variants of CAT III Buffalos are returning to MCLB Albany for Reset prior to fielding according to R2C and enduring requirements. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	237	0	12.5

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0036: GROUND EXPEDIENT FUEL SYSTEM MEDIUM

GERS is a collection of small collapsible tanks, hoses, connectors and pumps used to distribute fuel to Marine Corps ground equipment. 620 gal capacity. Four 155 gal collapsible tanks. 20 GPM Pumping capability. Refuel two vehicles simultaneously.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	329	6
AAO (FY17)	371	
O/H	374	6
Shortfall/Excess	45	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
89	75	57	9	50	2	6	0	30	11
97	83	60	9	73	2	6	0	30	11
80	62	77	8	43	4	0	51	25	18
-9	-13	20	-1	-7	2	-6	51	-5	7

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930015339826	6	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	3	0	3

Notes: All liners can not be transported back to CONUS if they have been utilized.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	931	0.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0037 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0037: GROUND EXPEDIENT REFUELING SYSTEM SMALL

The GERS is a ground fuel dispensing system that can receive, store, transport and issue fuel. The GERS is a collection of small collapsible tanks, hoses, connectors and pumps used to distribute fuel to Marine Corps equipment and is transportable by any vehicle (HMMWV or larger).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	315	6
AAO (FY17)	353	
O/H	374	3
Shortfall/Excess	59	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
88	73	55	0	50	2	6	0	30	11
94	81	58	0	71	2	6	0	30	11
76	60	84	5	41	4	0	59	25	17
-12	-13	29	5	-9	2	-6	59	-5	6

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930015339830	3	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	2	0	2

Notes: All liners cannot be transported back to CONUS if it has been utilized.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	365	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0038: ALL TERRAIN CRANE (ATC) MAC-50

The All Terrain Crane is a rubber tired, hydraulic boom, all terrain crane capable of lifting and swinging a maximum load of 80,000 pounds.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	166	20
AAO (FY17)	173	
O/H	173	7
Shortfall/Excess	7	-13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	23	21	0	21	12	20	13	24	8
27	26	19	0	24	12	20	13	24	8
23	23	25	0	9	13	0	40	18	15
-1	0	4	0	-12	1	-20	27	-6	7

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3810015384030	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	Yes	No	0	4	0
3810015793981	3	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	Yes	No	0	3	0

Notes: All need to come back through MCLC. 3981 is the armored variant.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	318	0	34.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0039: AIRFIELD DAMAGE REPAIR (ADR) KIT

The Airfield Damage Repair Kit will provide Marine Corps units the capability to create useable landing surfaces by means of new construction or repair of existing facilities. The new kit will provide the ability to quickly repair seized enemy airfields that have sustained battle damage.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	32	0
AAO (FY17)	35	
O/H	37	2
Shortfall/Excess	5	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	6	0	7	1	0	0	0	0
9	9	7	0	9	1	0	0	0	0
5	5	5	0	3	4	0	13	0	0
-4	-4	-1	0	-4	3	0	13	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3895015390585	2	0%	0%	0%	50%	50%	0%	NO	NO	No	No	No	No	No	2	0	0

Notes: All need to come back through MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	35.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0040: 277B MULTI-TERRAIN LOADER (MTL)

The Multi-Terrain Loader provides the Marine Corps with a versatile, deployable, and scalable capability.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	331	62
AAO (FY17)	312	
O/H	303	30
Shortfall/Excess	-28	-32

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
70	52	24	0	48	3	62	28	30	14
50	52	29	0	44	3	62	28	30	14
66	52	24	0	26	16	0	44	20	25
-4	0	0	0	-22	13	-62	16	-10	11

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805015393925	0	0%	0%	0%	0%	0%	100%	NO	NO	No	yes	No	No	No	0	0	0
3805015500883	2	0%	0%	0%	0%	0%	100%	NO	NO	No	yes	No	No	No	0	0	2
3805015696091	15	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	Yes	No	8	8	0
3805015804542	13	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	Yes	No	6	6	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	75	0	4.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0044: BLADE,MINE CLEARING

The FWMP is an associated TAMCN of the Assault Breacher Vehicle.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	65	12
AAO (FY17)	65	
O/H	50	3
Shortfall/Excess	-15	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	0	0	0	14	12	10	15	0
7	7	0	0	0	14	12	10	15	0
5	5	0	0	0	6	0	26	4	1
-2	-2	0	0	0	-8	-12	16	-11	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2590992389283	3	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	3	0

Notes: Associated to the ABV. Equipment needs to be refreshed regardless of maintenance condition.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0048 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0048: PACBOT

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	46	6
AAO (FY17)	46	
O/H	9	0
Shortfall/Excess	-37	-6

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	0	0	0	12	6	4	8	4
6	6	0	0	0	12	6	4	8	4
0	0	0	0	3	6	0	0	0	0
-6	-6	0	0	3	-6	-6	-4	-8	-4

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385015936219	0	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1484	4.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0049 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0049: LARGE FIELD REFRIGERATION SYS (LFRS)

The LFRS will comprise a 8x8x20 insulated container that meets ISO type 1, 20 foot standard. The LFRS will be dual mode to refrigerate or freeze perishable itemss. It will support numerouse curtomers to include Marine Corps field food Service system and will be also support Motruary Affairs.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	134	20
AAO (FY17)	108	
O/H	164	10
Shortfall/Excess	30	-10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	23	11	0	42	9	20	0	0	11
19	19	16	0	14	9	20	0	0	11
18	23	11	0	14	10	0	67	0	11
0	0	0	0	-28	1	-20	67	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4130015629914	10	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	N/A	No	0	0	10

Notes: Many of these items were ARMY assets and are not ours - follow instructions only if they are our assets. If serviceable, distribute to MEF, if unserviceable DRMO. Depot Level Maintenance is NOT part of the maintenance concept for this item. A pressure washer can be used on the interior and exterior of the box, excluding the Refrigeration Unit (RU). The RU needs to be cleaned using compressed air and coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11574A. MARCORSYSCOM has not shipped ANY of this TAMCN / NSN to OEF, so none of these are in OEF to our knowledge. Commercial boxes may look similar, but are white in color and do not have the safety features of the USMC LFRS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0055: BATH SHOWER UNIT, EXPEDITIONARY, FIELD

The Bath Shower Unit, Expedition consists of six separate but identical and interchangeable shower modules, with interconnecting hoses, electrical power feed water and drain pumps, and a drain hose to conduct water away from the shower area.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	284	48
AAO (FY17)	313	
O/H	315	21
Shortfall/Excess	31	-27

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
55	51	32	0	36	4	48	10	36	12
59	55	47	0	42	4	48	10	36	12
53	49	40	0	19	7	0	77	34	15
-2	-2	8	0	-17	3	-48	67	-2	3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4510011636775	21	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	5	0	16

Notes: Not classified

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	108	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0058 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0058: LTWT VEH MOUNTED MINE ROLLER SYS

The Mine Roller System (MRS) is a countermine system that is mounted on wheeled vehicles to reduce the impact of pressure-activated explosive devices. The MRS detects and neutralizes mines and improvised explosive devices before the host vehicle passes over them.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	790	652
AAO (FY17)	777	
O/H	740	582
Shortfall/Excess	-50	-70

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
39	39	10	0	15	35	652	0	0	0
29	33	9	0	19	35	652	0	0	0
41	31	20	0	0	35	0	18	0	0
2	-8	10	0	-15	0	-652	18	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2590015439655	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	yes	No	No	Yes	0	0	0
2590015447173	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	yes	No	No	Yes	0	0	0
2590015456776	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	yes	No	No	Yes	0	0	0
2590015536517	48	0%	0%	0%	0%	0%	100%	NO	NO	Yes	yes	No	No	Yes	0	0	48
2590015794990	534	0%	0%	0%	0%	0%	100%	NO	NO	No	yes	No	No	Yes	267	267	0

Notes: Current strategy is to dispose of the obsolete NSNs. AAO for 4990 is probably going to be reduced, but items should still go to fill shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0060: MEDIUM CRAWLER TRACTOR (JOHN DEERE)

Militarized crawler tractor type with straight blade and drawbar.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	409	96	57	48	28	0	54	29	96	40	51	6
AAO (FY17)	422		53	49	40	0	58	29	96	40	51	6
O/H	377	27	54	44	34	0	43	36	0	93	43	6
Shortfall/Excess	-32	-69	-3	-4	6	0	-11	7	-96	53	-8	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015585671	3	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	Y	No	0	0	0
2320015895117	24	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	Y	No	0	24	0

Notes: 5117 is armored, all of the rest are unarmored. The armored variant will be sent back to MCLC for depot maintenance. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	155	0	34.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0061: COOLING AND REFRIGERATION EXPEDITIONARY TOOL KIT (CREK)

The Cooling and Refrigeration Expeditionary Kit (CREK) is an expeditionary support package that will be used by the Refrigeration Mechanic (MOS 1161) to maintain the new family of environmental control and refrigeration equipment The CREK will replace the current Refrigeration Mechanics and Service Toolkits (TAMCNB2280 NSN 5180-00-637-2667, B2290 NSN3439-00-637-2668 & B1713 4330-01-411-7240) This kit will update the current tools the 1161 utilizes in. both technology and safety It will also greatly enhance the expeditionary capability.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	391	28
AAO (FY17)	428	
O/H	546	29
Shortfall/Excess	155	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
92	81	62	6	74	3	28	0	27	18
103	96	69	5	79	3	28	0	27	18
105	85	62	4	61	17	0	147	22	27
13	4	0	-2	-13	14	-28	147	-5	9

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015585664	29	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	29	0

Notes: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. This is a tool kit that may be incomplete and require replacement tools/components be reordered. IMA and Depot Level Maintenance are NOT part of the maintenance concept for this item. Highly pilferable, should not go down the GLOC. All tools need to be wiped down and the exterior of the cases can be cleaned with low pressure washer. SL-3: SL-3-11502A

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0062: TOOL KIT, LINESMAN ELECTRICAL

The Lineman's Tool Kit is a standardized lineman's basic tool kit that provides a wide range of necessary tools for the basic electrician. configuration controlled.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	423	0
AAO (FY17)	422	
O/H	498	18
Shortfall/Excess	75	18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
95	86	44	18	65	4	0	0	84	27
91	85	50	17	64	4	0	0	84	27
90	84	49	16	47	12	0	75	52	61
-5	-2	5	-2	-18	8	0	75	-32	34

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015500145	18	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	0	18	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0063: LOADER, SCOOP TYPE

The TRAM is a multi-purpose machine that is employed throughout the Marine Corps with its forklift attachment in support of heavy lifts up to 10,000 lbs and horizontal construction operations. When configured as a bucket loader it is utilized to, excavate earthen material, move excavated materials, and to load haul units such as dump trucks.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	852	148	130	123	86	13	112	33	148	65	105	37
AAO (FY17)	839		123	120	82	11	115	33	148	65	105	37
O/H	869	110	126	118	92	20	92	35	0	130	105	41
Shortfall/Excess	17	-38	-4	-5	6	7	-20	2	-148	65	0	4

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805015497814	56	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	Yes	No	0	56	0
3805015891659	54	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	No	No	0	0	0

Notes: 7814 is unarmored variant.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	186	0	18.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0065: ARMORED EXCAVATOR WITH BRUSH HOG

The Backhoe, Excavator is a pneumatic hydraulically operated excavator. It is used in the development of field fortifications, trenching operations, emplacement of culverts, drainage ditch construction and maintenance, quarry support operations and loading.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	8	8	0	0	0	0	0	0	8	0	0	0
AAO (FY17)	8		0	0	0	0	0	0	8	0	0	0
O/H	4	3	0	0	0	0	0	0	0	1	0	0
Shortfall/Excess	-4	-5	0	0	0	0	0	0	-8	1	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3815015503454	3	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	Yes	0	3	0

Notes: Not spending any money to reset equipment, but needs to return to depot. Investigating possible FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	31.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0066 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0066: CONTAINERIZED BATCH LAUNDRY

The Containerized Batch Laundry (CBL) is a 100KW Generator powered COTS Laundry item configured into a standard 8' x 8' x 20' ISO Container and consists of two industrial 55 pound washers, two industrial 75 pound dryers, and a 30 GPM supply pump.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	101	0
AAO (FY17)	125	
O/H	125	13
Shortfall/Excess	24	13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	22	8	0	20	4	0	7	12	4
28	26	20	0	24	4	0	7	12	4
22	22	17	0	11	7	0	17	12	4
-2	0	9	0	-9	3	0	10	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3510015498384	13	50%	50%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	6	6	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0067: GROUND TORCH

The Ground Torch is a trailer mounted unit designed to burn vegetation along rivers, canals, and roads. It can also be used to open up supply routes through thick vegetation, or wherever the tactical situation requires that vegetation be cleared.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	18	3
Shortfall/Excess	18	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	13	0	0
2	0	0	0	0	0	0	13	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1040015503421	3	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	0	0	3

Notes: No current requirement for item across the USMC. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0069: CLIMBERS SET, TREE AND POLE

Tool Kit used by electricians (MOS 1141) that contains items necessary to climb poles and work on electrical wiring.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	409	0
AAO (FY17)	405	
O/H	121	2
Shortfall/Excess	-288	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
93	85	46	5	67	2	0	0	84	27
88	82	54	4	64	2	0	0	84	27
11	34	16	5	20	5	0	0	19	11
-82	-51	-30	0	-47	3	0	0	-65	-16

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4240002739668	0	0%	0%	0%	0%	100%	0%	YES	NO	Yes	No	No	No	No	0	0	0
5180015508373	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	2	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	16	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0071 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0071: LIGHT WEIGHT WATER PURIFICATION SYSTEM

The LWPS uses reverse osmosis technology to produce 125 GPH from fresh water/brackish water sources and 75 GPH from saltwater sources.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	233	25
AAO (FY17)	276	
O/H	124	21
Shortfall/Excess	-109	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
46	42	17	0	37	8	25	20	19	19
52	50	42	0	41	8	25	20	19	19
36	31	16	0	11	9	0	0	0	0
-10	-11	-1	0	-26	1	-25	-20	-19	-19

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610015728283	21	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	16	5

Notes: All should go to the MCLC as they are designated WRMR items. MEFs should recieve new units in about a year, from once full fielding is complete.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0074 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0074: AIR CONDITIONER, MCS HORIZONTAL, 60HZ, 9K BTU

Window-style Air conditioner for rigid wall environmental control.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	215	21
AAO (FY17)	215	
O/H	313	3
Shortfall/Excess	98	-18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
47	47	37	0	47	5	21	11	0	0
47	47	37	0	47	5	21	11	0	0
52	48	44	0	29	7	0	130	0	0
5	1	7	0	-18	2	-21	119	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015525223	3	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	N/A	No	0	0	3
4120015812650	0	0%	0%	0%	0%	0%	100%	NO	NO	N	No	No	N/A	No	0	0	0

Notes: For NSN 4120-01-552-5223 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-2650 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-4120 The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0075 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0075: SMALL FIELD REFRIGERATOR

The SFRS is an 8'x8'x6.5' insulated TRICON container that can be interlocked with two additional TRICONs to meet ISO standards. An integrated externally-powered Refrigeration Unit (RU) provides controlled refrigeration or freezing of perishable items. The SFRS will support numerous customers, to include Marine Corps Field Food Service System (FFSS).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	626	41	118	112	72	0	150	39	41	37	12	45
AAO (FY17)	514		105	85	71	0	79	39	41	37	12	45
O/H	951	167	125	108	85	0	53	86	0	288	0	39
Shortfall/Excess	325	126	7	-4	13	0	-97	47	-41	251	-12	-6

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4130015657655	167	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	125	0	42

Notes: Funding has already been obtained for replacing all in theater, so return to CONUS only if serviceable. Depot Level Maintenance is NOT part of the maintenance concept for this item. A pressure washer can be used on the interior and exterior of the box, excluding the Refrigeration Unit (RU). The RU needs to be cleaned using compressed air and coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11609A.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	312	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0076 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0076: MTL WORK TOOL SET

Tool set to support maintainance of the MTL.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	94	0
AAO (FY17)	90	
O/H	171	15
Shortfall/Excess	77	15

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
21	17	9	6	19	1	0	0	15	6
18	18	12	6	14	1	0	0	15	6
41	20	13	3	21	5	0	34	11	8
20	3	4	-3	2	4	0	34	-4	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805015534073	15	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	15	0

Notes: Used with B0040

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	105	0	3.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0077 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0077: DIESEL ENGINE GENERATOR SET 5KW TACTICAL QUIET GENERATOR

The 5kW Generator Set, MEP-802A, 60Hz, is a self-contained, skid mounted, portable unit. It is equipped with controls, instruments and accessories necessary for operation. The generator set consist of a diesel engine, brushless generator, excitation system, speed governing system, fuel system, 24VDC starting system, control system and fault system. This generator set is designed to be used with any equipment requiring a small source of AC power and operates in a "Hot and Basic" climatic condition range of -25°F to 120°F. This generator set is mobile and requires forklift support.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	10	0	0	0	0	0	0	10	0	0	0	0
AAO (FY17)	10		0	0	0	0	0	10	0	0	0	0
O/H	217	4	1	0	0	0	0	0	0	212	0	0
Shortfall/Excess	207	4	1	0	0	0	0	-10	0	212	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115012747387	4	100%	0%	0%	0%	0%	0%	NO	NO	No	No	N/A	No	No	0	4	0

Notes: Used with the GBOSS system and should be reassociated at MCLC. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	33	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0078: GRADER, MOTORIZED

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	133	17
AAO (FY17)	134	
O/H	156	10
Shortfall/Excess	23	-7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
23	22	13	0	20	14	17	0	18	6
22	21	15	0	21	14	17	0	18	6
21	21	24	0	14	13	0	39	9	5
-2	-1	11	0	-6	-1	-17	39	-9	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805015660558	0	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	No	No	No	0	0	0
3805015982715	10	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	10	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2181	15.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0078: GRADER, MOTORIZED

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	133	17
AAO (FY17)	134	
O/H	156	10
Shortfall/Excess	23	-7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
23	22	13	0	20	14	17	0	18	6
22	21	15	0	21	14	17	0	18	6
21	21	24	0	14	13	0	39	9	5
-2	-1	11	0	-6	-1	-17	39	-9	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805015660558	0	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	No	No	No	0	0	0
3805015982715	10	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	10	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2181	15.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0079: RIPPER FOR MCT

Attachment mounted on the medium crawler tractor.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	156	42
AAO (FY17)	156	
O/H	147	11
Shortfall/Excess	-9	-31

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	18	13	0	17	12	42	0	24	8
19	18	14	0	19	12	42	0	24	8
22	18	12	0	17	14	0	26	21	6
0	0	-1	0	0	2	-42	26	-3	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3830015626715	11	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	11	0

Notes: This item is an attachment for B0060.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	218	2.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0081: WINCH ATTACHMENT, SINGLE DRUM

Attachment mounted on the medium crawler tractor.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	155	13
AAO (FY17)	130	
O/H	157	12
Shortfall/Excess	2	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	26	21	0	28	15	13	0	15	5
22	21	16	0	23	15	13	0	15	5
29	26	21	0	19	12	0	8	21	9
-3	0	0	0	-9	-3	-13	8	6	4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3830015626695	12	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	12	0

Notes: This item is used with B0060. Request separate WIRs for B0060 and B0081.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	64	1.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0091: TANK,FUEL,PORTABLE

Fuel Containers

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	12	12
Shortfall/Excess	12	12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2910015879196	12	0%	0%	0%	0%	0%	100%	NO	NO	y	no	no	No	y	0	0	12

Notes: Items in OEF can be DRMO'd - candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	6.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0092 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0092: TRAILER SET,MINE DE

The three mine detonation trailers are pulled by a single husky vehicle in order to produce large ground pressure in order to initiate pressure plate firing systems in mines and IEDs. The tires of the three trailers are staggered in a manner that ensures pressure is applied to the entire width of the travelled lane.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	16	3
AAO (FY17)	16	
O/H	36	16
Shortfall/Excess	20	13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	0	0	0	6	3	1	2	2
1	1	0	0	0	6	3	1	2	2
16	12	0	0	0	6	0	2	0	0
15	11	0	0	0	0	-3	1	-2	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015294229	16	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	No	No	Yes	0	0	0

Notes: AAO's are being established. Used by B0093.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0093 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0093: MINE DETECTOR SYSTE

The Husky is an armored vehicle that can detect buried metallic anti-tank mines, explosive obstacles and unexploded ordnance. It imparts low ground pressure and can be repaired in the field if it is struck by an explosive device.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	46	6
AAO (FY17)	46	
O/H	90	40
Shortfall/Excess	44	34

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	0	0	0	12	6	4	8	4
6	6	0	0	0	12	6	4	8	4
16	8	0	0	0	16	0	10	0	0
10	2	0	0	0	4	-6	6	-8	-4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015602306	40	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	No	No	Yes	20	20	0

Notes: AAO's are being established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0096 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0096: MINE,ROLLER SYSTEM

The Heavy Scout Mine Roller is a non-articulating mine roller that can attach to any standard mine roller interface bracket. It is lighter than the Generation III roller and is used primarily by Marine Corps Light Armored Vehicles (LAV) and Afghan National Army High Mobility Multi-Wheeled Vehicles (HMMWV).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)		
AAO (FY17)		
O/H	0	13
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2590015890393	13	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	0	0	19

Notes: AAO's are being established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0102 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0102: DETECTING SET,MINE

Handheld Low Metallic Signature detector.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	200	200
AAO (FY17)	200	
O/H	412	235
Shortfall/Excess	212	35

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	200	0	0	0
0	0	0	0	0	0	200	0	0	0
75	127	15	54	0	25	0	0	0	0
75	127	15	54	0	25	-200	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665123710357	235	0%	100%	0%	0%	0%	0%	NO	NO	Yes	yes	No	i/p	Yes	0	235	0

Notes: UUNs requirement only, no AAO established for after the war. FMS is pending - hold in country at MCLC Fwd until determination is made.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0105: METAL DETECTOR

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	243	90
AAO (FY17)	243	
O/H	1,662	1026
Shortfall/Excess	1,419	936

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	27	0	126	90	0	0	0
0	0	0	27	0	126	90	0	0	0
120	170	96	195	59	168	0	2	0	0
120	170	96	168	59	42	-90	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665151952879	1026	0%	75%	0%	0%	0%	25%	NO	NO	No	yes	No	n	No	0	0	1026

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0106 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0106: GENERATOR SET,DIESE

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	42	
Shortfall/Excess	42	

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	7	0	0	2	0	0	25	0	0
0	7	0	0	2	0	0	25	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0120: BRIDGE ERECTION SET -MGB

Supports installation of Medium Girder Bridge.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	29	4
AAO (FY17)	31	
O/H	22	3
Shortfall/Excess	-7	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	0	0	12	1	4	2	3	1
4	4	0	0	12	1	4	2	3	1
4	3	2	0	5	1	0	2	1	1
1	0	2	0	-7	0	-4	0	-2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5420001723519	3	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	3	0

Notes: Associated with B0152

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	729	3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0152: BRIDGE, MEDIUM GIRDER, DRY GAP - (MGB)

MLC 70 standard bridge for we or dry gaps up to 60M.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	50	4
AAO (FY17)	52	
O/H	28	4
Shortfall/Excess	-22	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	0	0	12	2	4	22	3	1
4	4	0	0	12	2	4	22	3	1
3	3	4	0	4	2	0	4	2	2
0	0	4	0	-8	0	-4	-18	-1	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5420001723520	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	571	3.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0160 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0160: ASSAULT BREACHER VEHICLE

Provides instride or deliberate breaching capability of minefields and complex obstacles.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	52	2
AAO (FY17)	52	
O/H	41	3
Shortfall/Excess	-11	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	0	0	0	14	2	7	15	0
7	7	0	0	0	14	2	7	15	0
5	5	0	0	0	8	0	6	12	2
-2	-2	0	0	0	-6	-2	-1	-3	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2350015117783	3	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	3	0

Notes: Remove cameras before washdown and leaving theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	312	0	65

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0171 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0171: BUCKET, CLAMSHELL

The Bucket, Clamshell is hydraulically operated and capable of working at, above and below ground level. It is capable of digging loose to medium type soils and suitable for excavating vertical shafts or footings, filling bins or hoppers, and unloading aggregate from flat bottom gondola railroad cars.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	80	0
AAO (FY17)	69	
O/H	98	2
Shortfall/Excess	18	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	13	6	0	17	3	0	0	24	4
10	10	10	0	8	3	0	0	24	4
15	14	9	0	8	1	0	23	13	15
2	1	3	0	-9	-2	0	23	-11	11

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3815015515938	2	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	0	0

Notes: Used with B0038.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	71	1.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0176 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0176: BUCKET, CONCRETE

Used by the ATC to support concrete pouring operations.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	37	2
AAO (FY17)	41	
O/H	40	0
Shortfall/Excess	3	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	3	0	5	1	2	6	6	2
6	6	7	0	5	1	2	6	6	2
8	8	3	0	3	1	0	9	1	7
2	2	0	0	-2	0	-2	3	-5	5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3815012919223	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	No	0	0	0

Notes: All should be DRMO'd in country - currently purchasing replacements - same TAMCN new NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	86	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0215 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0215: BUCKET,MULTI-PURPOS

The Bucket, Multi-Purpose, 4-in-1, 2.47 Cubic Yard is used as a front end scoop bucket for picking up various types of fill material and loading the same into fill haulers.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	713	74
AAO (FY17)	725	
O/H	557	72
Shortfall/Excess	-156	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
127	120	89	13	82	33	74	33	105	37
120	114	83	11	115	33	74	33	105	37
89	73	55	4	56	13	0	106	60	29
-38	-47	-34	-9	-26	-20	-74	73	-45	-8

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3830014828567	72	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	54	18	0

Notes: AAO's are pending. Used with B0063.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	21	0	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0281 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0281: CAMERA SUITE, DIGITAL, ADVANCED (TACPHOTO)

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	32	0
Shortfall/Excess	32	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	31	0	0	0	0	0	0	0
1	0	31	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6720090004310	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	No	Yes	Yes	0	0	0

Notes: This TAMCN is obsolete and is now reflected as A0338 (instructions for the "A" TAMCN is also included in this R2 Playbook).

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0282 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0282: CAMERA SUITE, DIGITAL, BASIC

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6720090004311	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and is now reflected as A0339 (instructions for the "A" TAMCN is also included in this R2 Playbook).

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0283 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0283: CAMERA SUITE, DIGITAL, VIDEO

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	35	0
Shortfall/Excess	35	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	2	32	0	0	0	0	0	0	0
1	2	32	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836090004313	0	0%	0%	0%	50%	50%	0%	TBD	TBD	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**TBD**
if	**Not Mission Capable MEF**	then	**TBD**
if	**Not Mission Capable**	then	**TBD**
if	**Condemned**	then	**TBD**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0392 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0392: CONTAINER HANDLER, RT, KALMAR

The RTCH is a versatile, rough terrain container handler capable of handling commercial and military 20 and 40 ft. ISO containers weighing up to 53,000 pounds. It will be capable of transporting, handling and stacking these containers over rough terrain.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	163	39	14	14	12	1	11	6	39	10	42	14
AAO (FY17)	162		14	13	12	1	11	6	39	10	42	14
O/H	158	19	15	13	11	1	4	12	0	37	40	6
Shortfall/Excess	-5	-20	1	-1	-1	0	-7	6	-39	27	-2	-8

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3930015227364	19	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	y	No	0	19	0

Notes: All equipment needs to come back through MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	591	0	59

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0395 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0395: COMPRESSOR, AIR, 260CFM, W/PNEUMATIC TOOLS

The Compressor, Air is a trailer-mounted unit which furnishes compressed air at a rate of 250 cubic feet per minute, at a pressure of 100 pounds per square inch.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	231	46	43	34	23	4	35	6	46	0	30	10
AAO (FY17)	247		41	39	23	4	48	6	46	0	30	10
O/H	232	13	40	28	20	2	19	12	0	67	22	9
Shortfall/Excess	1	-33	-3	-6	-3	-2	-16	6	-46	67	-8	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3820015427652	5	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	y	No	0	5	0
4310014988886	8	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	y	No	0	8	0

Notes: All equipment needs to come back through MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	134	0	4.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0446 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0446: AIR MOBILE CRANE, RT, HYDRAULIC, LT (SLEP)

The Crane, Wheel Mounted is an air transportable, self-propelled, diesel engine-driven, rubber-tired, four-wheel drive four-wheel steer, 7-1/2 to 10 ton capacity, hydraulically operated crane.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	177	52
AAO (FY17)	174	
O/H	224	9
Shortfall/Excess	47	-43

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
17	17	9	0	16	11	52	7	36	12
16	15	13	0	12	11	52	7	36	12
17	15	10	0	17	37	0	76	31	15
0	-2	1	0	1	26	-52	69	-5	3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3810011650646	2	0%	0%	0%	0%	0%	100%	NO	NO	No	yes	No	y	No	0	0	0
3810015169718	6	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	6	0
3810015789682	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	210	0	11.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0465 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0465: B0465 INVENTORY ONLY

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1	0
Shortfall/Excess	1	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	1	0	0	0	0	0
0	0	0	0	1	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4230014705826	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0471 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0471: DEMOLITION EQUIPMENT, ENGINEER SQUAD

The Squad Demolition Kit (SDK) consists of tools and equipment that enable Marines to conduct demolition operations. It includes crimpers, wire reels, pelican case, bandoleers, backpack, electrical circuit test equipment, and blasting machines.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	559	120	95	73	46	9	86	17	120	0	92	21
AAO (FY17)	564		78	76	56	7	97	17	120	0	92	21
O/H	632	61	81	74	68	16	69	26	0	153	88	34
Shortfall/Excess	73	-59	-14	1	22	7	-17	9	-120	153	-4	13

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1375000473750	22	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	i/p	No	0	11	11
1375002124589	39	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	i/p	No	0	39	0

Notes: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. No longer using nsn ending in 4589, but will be brought back, use some of the parts and upgrade the rest. This TAMCN is associated with E0359. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0472 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0472: DEMOLITION EQUIPMENT, INDIV

The Demolition Equipment Set, Explosive-Initiating, Nonelectric, Individual is for the use of the individual demolitionist and is comprised of tools and accessories, less explosive items, with specially designed containers and carrying attachments.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,617	75
AAO (FY17)	1,468	
O/H	2,430	21
Shortfall/Excess	813	-54

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
431	355	157	17	375	0	75	0	207	0
354	299	158	9	366	0	75	0	207	0
322	327	273	30	306	6	0	956	182	14
-109	-28	116	13	-69	6	-75	956	-25	14

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1375000473751	21	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	10	0	10

Notes: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0475 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0475: DETECTING SET, MINE, METALLIC, PORTABLE

The Detecting Set, Mine, Portable, Metallic is a portable device for detecting metallic objects, specifically intended for detecting buried metallic anti-tank and anti-personnel mines.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	328	20
Shortfall/Excess	328	20

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
32	4	2	0	39	7	0	244	0	0
32	4	2	0	39	7	0	244	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665219061023	20	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
6665001447655	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: Item is obsolete - DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0476 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0476: DETECTOR, MINE, ADVANCED

The AMD is a battery operated, handheld mine detection device consisting of a battery pack, hand held wand with controls, metallic and GPR sensors and Through the Wall Detection capability.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	821	108
AAO (FY17)	0	
O/H	1,098	110
Shortfall/Excess	277	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
212	146	92	13	96	22	108	0	132	0
0	0	0	0	0	0	0	0	0	0
208	137	77	9	133	141	0	238	117	23
-4	-9	-15	-4	37	119	-108	238	-15	23

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665015047769	15	0%	0%	0%	0%	0%	100%	NO	NO	No	yes	No	No	No	0	0	15
6665015274643	95	0%	0%	0%	0%	0%	100%	NO	NO	No	yes	No	No	No	0	0	0

Notes: NSN ending in 7769 is being replaced by NSN 4643. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0571 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0571: DRUM, FABRIC, COLLAPSIBLE, 500 GAL. CAP., WATER

The Drum, Fabric, Collapsible, Potable Water, 500 gallon is a pillow type, synthetic rubber-impregnated nylon drum. It is designed for use with the Forward Area Water Point Supply System (FAWPSS).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	465	0	86	78	60	0	57	16	0	0	126	42
AAO (FY17)	463		81	81	60	0	57	16	0	0	126	42
O/H	397	51	70	64	54	0	4	4	0	79	94	16
Shortfall/Excess	-68	51	-16	-14	-6	0	-53	-12	0	79	-32	-26

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
8110014089013	0	100%	0%	0%	0%	0%	0%	TBD	YES	No	No	No	No	No	0	0	0
8110014090789	12	100%	0%	0%	0%	0%	0%	TBD	YES	No	No	No	No	No	0	0	19

Notes: Item is considered serviceable only if not previously used (new). Items in theater can be DRMO'd and is also a candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	112	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0572 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0572: TANK, FABRIC, COLLAPSIBLE, 50K

The Assembly, Fuel, Collapsible c/Chest 50,000 Gallon Capacity, is used to store and to dispense fuel in military operations. The maximum capacity of this tank is 50,000 gallons.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	1,192	45	126	149	94	0	303	4	45	0	359	112
AAO (FY17)	1,160		140	140	48	0	312	4	45	0	359	112
O/H	519	19	58	75	229	0	46	4	0	88	0	0
Shortfall/Excess	-673	-26	-68	-74	135	0	-257	0	-45	88	-359	-112

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430014795099	7	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	0
5430014795116	12	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	12

Notes: Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	110	0.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0573 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0573: TANK, FUEL, FABRIC, COLLAPSIBLE, 3000-GAL CAP

The Fuel Tank Assembly, Fabric, Collapsible is used to store and to dispense fuel in military operations. The maximum capacity of this tank is 3,000 gallons.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	387	30	54	42	39	0	147	3	30	0	54	18
AAO (FY17)	521		112	106	39	0	159	3	30	0	54	18
O/H	106	15	20	33	24	0	3	3	0	5	0	3
Shortfall/Excess	-281	-15	-34	-9	-15	0	-144	0	-30	5	-54	-15

Reset Strategy & Plan (Product Group: 15)

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	Forecasted Categories: CAT I	CAT II	CAT III
2910015391071	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	0
5430014850103	15	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	15
5430014858340	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	0
5430015427938	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	0

Notes: Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0579 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0579: DUMMY LOAD, GENERATOR SET, ELECT, 100KW, TRLR-MTD

The Dummy Load, Generator Set, 100 Kw provides electrical load simulating capabilities for maintenance and operational evaluation of mobile electrical power sources.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	263	56
AAO (FY17)	298	
O/H	392	19
Shortfall/Excess	129	-37

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
53	49	31	5	35	14	56	0	15	5
60	60	38	5	45	14	56	0	15	5
52	50	50	2	39	15	0	123	12	30
-1	1	19	-3	4	1	-56	123	-3	25

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6150013062943	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	N/A	No	0	0	2
6150015571304	17	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	N/A	No	17	0	0

Notes: For NSN 6150-01-306-2943: Dispose of In Theater; Do NOT return to CONUS. For NSN 6150-01-557-1304 (new AVTRON model): Re-distribute within MEF FWD to fill EDL shortages. Upon retrograde, conduct LTI and determine worth returning to CONUS or not. If returned to CONUS, return to Condition Code "A" at Using Unit or IMA and make SL-3 complete. Re-distribute to fill any shortages within the Marine Corps; store any excess at MARCORLOGCOM. Load banks require special consideration for washdown. The internals of a load bank should never be cleaned with running water. Damp cloths can be used to wipe out any residue vacuums won't remove. Water can be used to clean the exterior of a load bank as long as all doors are tightly closed and high pressure water is not directed into any seem or opening on the load bank. SL-3: SL-3-07500C The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0585 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0585: NSN NOT PROCURABLE

B0585 is obsolete.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	6	1
Shortfall/Excess	6	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	4	0	0	1	0	0	0	0	0
1	4	0	0	1	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110011715398	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0
9999011715398	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0589 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0589: EXCAVATOR COMBAT (M9 ACE)

The M9 Armored Combat Earthmover is a highly mobile, full-tracked, armored earthmover capable of supporting the maneuver element in offensive and defensive operations.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	101	0
AAO (FY17)	101	
O/H	108	2
Shortfall/Excess	7	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	16	14	0	20	9	0	8	18	0
16	16	14	0	20	9	0	8	18	0
20	12	6	0	4	7	0	42	15	0
4	-4	-8	0	-16	-2	0	34	-3	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2350008087100	2	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	2	0
2430015818572	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition. Remove IVS cameras before washdown.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	187	0	23

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0595 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0595: POWER DISTRIBUTION

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	367	5	71	82	51	15	22	4	0	117	0	0
Shortfall/Excess	367	5	71	82	51	15	22	4	0	117	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110012732387	5	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	0	0	5

Notes: This TAMCN is obsolete and has been replaced by the B0029. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0600 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0600: DISTRIBUTION SYSTEM, POWER, ELECT, 30KW

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	223	10	30	32	28	9	11	0	0	103	0	0
Shortfall/Excess	223	10	30	32	28	9	11	0	0	103	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110012228958	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	0	0	0
6110012726953	10	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	0	0	10

Notes: This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	24	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0605 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0605: DISTRIBUTION SYSTEM, POWER, ELECT, 100KW

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	120	3	10	18	26	2	5	2	0	54	0	0
Shortfall/Excess	120	3	10	18	26	2	5	2	0	54	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6110012726952	3	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	3

Notes: This TAMCN is obsolete and has been replaced by the B0031. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	36	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0608 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0608: WIRING HARNESS,FIEL

The Field Wiring Harness MLK-0000 provides electrical power distribution and illumination through receptacle circuits/power outlets for various field unit complexes. The unit is portable and suitable for use in indoor/outdoor environments.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	908	3
Shortfall/Excess	908	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
198	171	143	8	44	2	0	339	0	0
198	171	143	8	44	2	0	339	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6230012541666	3	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	3

Notes: This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0626 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0626: FIRE SUPPRESSION SYSTEM, MOBILE (AVIATION TYPE)

Twin agent fire suppression system mounted on a HMMWV.
Provides fire suppression to base camps, Ammo Supply Points and tactical fueling areas.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	160	22
AAO (FY17)	155	
O/H	134	8
Shortfall/Excess	-26	-14

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	25	21	0	31	1	22	0	27	9
27	26	13	0	30	1	22	0	27	9
1	1	2	0	3	4	0	107	8	0
-23	-24	-19	0	-28	3	-22	107	-19	-9

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4210014944642	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	1	0
4210015696073	7	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	7	0
4210015791563	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	692	4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0635 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0635: FLOODLIGHT SET,ELEC

The Floodlight Set is a skid mounted unit designed to accept a 10 kw, 60 Hz, MEP-003A Generator Set or external power with a minimum requirement of 6 kw, single phase, 3 wire 120/240 vac, 60 Hz.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	6	5
Shortfall/Excess	6	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6230011701408	5	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	5

Notes: NSN 6230-01-170-1408: DRMO/Dispose of In Theater; do NOT return to CONUS. (Replaced by B0640, NSN 6230-01-530-8890 New Floodlight Set with integral diesel engine & generator.) Eligible for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	216	1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0640 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0640: FLOODLIGHT SET

The Floodlight Set will be a self-contained skid mounted system, utilizing JP/5/8 fuel standard engine that is air, trailer, or truck transportable. It will provide 300k lumens from multiple lamps from a singular mast extendable to at least 30 feet in height when trailer mounted and have four removable mobile masts that provide at least 2k lumens each. The system will be capable of operating eight (8) hours continuously without intervention.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,025	95
AAO (FY17)	1,102	
O/H	1,129	225
Shortfall/Excess	104	130

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
166	148	89	33	133	34	95	142	141	44
184	173	117	30	142	34	95	142	141	44
159	148	95	31	102	67	0	146	109	47
-7	0	6	-2	-31	33	-95	4	-32	3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6230014966523	2	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
6230015308890	223	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	112	0	112

Notes: NSN 6230-01-530-8890: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-11120A

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	207	1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0647 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0647: B0647 INVENTORY ONLY

A power-driven fork-type elevating unit designed to be mounted on a tractor. May be cable- or hydraulically-operated. Used for lifting, transporting and stacking material.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	819	148
AAO (FY17)	831	
O/H	745	84
Shortfall/Excess	-74	-64

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
127	120	89	13	82	33	148	65	105	37
120	114	83	11	115	33	148	65	105	37
95	89	98	7	67	7	0	171	87	40
-32	-31	9	-6	-15	-26	-148	106	-18	3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3830014828569	84	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	63	21	0

Notes: All need to return to CONUS - MCLC already has repair line established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0675 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0675: FUEL SYSTEM, AIRFIELD, TACTICAL(FIRESTONE)

The Fuel System, Tactical Airfield is comprised of self-contained components that can be assembled without special tools to meet numerous operational requirements in an expeditionary airfield environment.



Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	75	8	12	12	9	0	9	1	8	0	18	6
AAO (FY17)	75		12	12	9	0	9	1	8	0	18	6
O/H	50	3	4	4	6	0	0	2	0	5	12	14
Shortfall/Excess	-25	-5	-8	-8	-3	0	-9	1	-8	5	-6	8

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930001813272	0	0%	0%	0%	0%	100%	0%	NO	YES	No	No	No	No	No	0	0	0
4930010940026	3	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	3

Notes: This equipment is highly pilferable and should not be transported by Local nationals. If tank has had fuel in it, using unit must WIR as Code H.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	16.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0676 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0676: WATER POINT SUPPLY SYSTEM, FWD AREA

The Forward Area Water Point Supply System is a portable, self-contained water storage and dispensing set for potable water.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	72	14
AAO (FY17)	80	
O/H	82	8
Shortfall/Excess	10	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	12	1	0	9	2	14	0	21	0
12	12	10	0	9	2	14	0	21	0
9	8	11	0	1	2	0	22	18	3
-4	-4	10	0	-8	0	-14	22	-3	3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320011101993	8	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	4	0	4

Notes: If item is serviceable, it should go to the MEFs. Depot Level Maintenance is NOT part of the maintenance concept for this item. This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	120	0.3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0685 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0685: FUEL SYSTEM, AMPHIB ASSAULT, 600K GAL CAP

The Fuels System, Amphibious Assault Is the aggregate of a number of self-contained unit components capable of receiving, storing and dispensing fuels at the rate of 600gpm. Component assemblies consist of individual item assemblies that are interchangeable throughout the system to provide overall flexibility to meet varying conditions.



Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	53	10
AAO (FY17)	50	
O/H	30	1
Shortfall/Excess	-23	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	5	2	0	12	0	10	0	15	5
4	4	0	0	12	0	10	0	15	5
2	2	2	0	1	0	0	5	9	8
-2	-3	0	0	-11	0	-10	5	-6	3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930011139173	1	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	1

Notes: Any equipment returning to CONUS will go through the depot. If tank has had fuel in it, using unit must WIR as Code H. This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	70.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0695 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0695: LABORATORY, PETROLEUM, TACTICAL, MEDIUM

The Tactical Petroleum Laboratory-Medium provides the essential testing components integrated into an ISO container to monitor the critical physical and chemical characteristics of aviation and ground fuels.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	22	0
AAO (FY17)	20	
O/H	12	0
Shortfall/Excess	-10	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	9	1	0	0	3	0
3	3	1	0	9	1	0	0	3	0
2	0	1	0	0	2	0	4	2	1
-1	-3	-2	0	-9	1	0	4	-1	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6640013990483	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs. Depot Level Maintenance is NOT part of the maintenance concept for this item. New systems are being purchased, but fielding is not complete yet. This equipment is highly pilferable and should not be transported by Local nationals. New TAMCN B0087 will eventually replace this.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0696 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0696: TESTER,FLASH POINT

The MARFLASH, Fuel Tester is a fully automatic, microprocessor controlled, flameless flash point tester used by USMC Bulk Fuel Distribution units, to test the flash points of different types of fuels. The device provides direct field test measurements of flash point for fuel acceptance of JP5, JP8/Jet A1, Diesel DF-2, and Non-specification fuels with flash points between 68°F-240°F.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	98	16
AAO (FY17)	98	
O/H	82	4
Shortfall/Excess	-16	-12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	24	14	0	18	2	16	0	0	0
24	24	14	0	18	2	16	0	0	0
27	7	28	0	13	3	0	0	0	0
3	-17	14	0	-5	1	-16	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6630015341774	4	66%	0%	0%	34%	0%	0%	NO	NO	No	No	No	No	No	0	0	4

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0730 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0730: GENERATOR SET, 3KW, 60HZ, SKID-MTD

The Generator Set, 3 Kw, 60 Hz, Skid-Mounted, MEP-016B is a self-contained, portable unit. It is powered by a diesel engine which is directly coupled to the generator.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	2,252	242	445	380	245	49	325	34	242	124	318	90
AAO (FY17)	2,207		416	376	243	39	325	34	242	124	318	90
O/H	2,898	67	478	395	265	66	180	128	0	916	250	153
Shortfall/Excess	646	-175	33	15	20	17	-145	94	-242	792	-68	63

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	Forecasted Categories: CAT I	CAT II	CAT III
6115012853012	67	100%	0%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	17	0	50

Notes: For NSN 6115-01-150-414- MEP-016B and NSN 6115-01-456-5046: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-285-3012, MEP-831A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	15	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0891 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0891: GENERATOR SET, SKID MTD, 10KW/60HZ, TQG

The generator set, 10 Kw, 60 Hz, skid-mounted, MEP-003A consists of a revolving field alternator powered by an air-cooled diesel engine.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,732	680
AAO (FY17)	2,752	
O/H	2,838	187
Shortfall/Excess	106	-493

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
427	377	251	31	303	76	680	475	84	28
426	395	243	25	320	76	680	475	84	28
468	409	276	40	189	98	0	1,056	77	38
41	32	25	9	-114	22	-680	581	-7	10

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115012755061	187	50%	0%	0%	50%	0%	0%	NO	NO	No	yes	No	No	No	94	0	94
6115015617455	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	0	0

Notes: For NSN 6115-00-465-1030, MEP-003A: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-275-5061, MEP-803A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	42	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0921 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0921: GENERATOR SET, SKID MTD, 10KW/400HZ, TQG

The MEP-112A is a 10 Kilowatt, 400 Hertz Generator Set. It consists of a revolving field alternator powered by an air cooled diesel engine. These sets are not designed for parallel operation.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	111	12
AAO (FY17)	124	
O/H	232	3
Shortfall/Excess	121	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
19	19	18	0	8	3	12	20	9	3
22	22	21	0	12	3	12	20	9	3
21	20	32	0	11	2	0	134	10	2
2	1	14	0	3	-1	-12	114	1	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115012747392	3	25%	0%	0%	75%	0%	0%	NO	NO	No	yes	No	N/A	No	0	0	0

Notes: For NSN 6115-00-465-1027, MEP-112A: Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-274-7392, MEP-813A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	42	0.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0930 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0930: GENERATOR SET 20KW MMG-25 (REPLACES F60297B)

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	440	54
AAO (FY17)	418	
O/H	261	20
Shortfall/Excess	-179	-34

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
104	90	50	0	90	5	54	47	0	0
90	90	50	0	82	5	54	47	0	0
45	60	26	0	24	19	0	67	0	0
-59	-30	-24	0	-66	14	-54	20	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115015310571	20	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	N/A	No	10	0	10

Notes: NSN 6115-01-531-0571: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	86	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0953 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0953: GENERATOR SET, SKID MTD, 30KW/60HZ, TQG, MEP005A

The Generator Set, 30 Kw, 60 Hz, Skid-Mounted, MEP-005A is a fully enclosed, self-contained, portable unit. It is equipped with controls, instruments, and accessories which enable it to be operated as a single unit or in parallel with two or more units.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,500	588
AAO (FY17)	2,567	
O/H	2,198	233
Shortfall/Excess	-302	-355

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
365	327	219	38	218	84	588	385	207	69
360	348	251	34	241	84	588	385	207	69
408	366	218	34	99	105	0	483	157	95
43	39	-1	-4	-119	21	-588	98	-50	26

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115001181240	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	N/A	No	0	0	0
6115012747389	2	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	N/A	No	0	0	2
6115014619335	231	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	N/A	No	58	0	173
6115015617718	0	0%	100%	0%	0%	0%	0%	NO	NO	N	No	No	N/A	No	0	0	0

Notes: For NSN 6115-00-118-1240, MEP-005A and NSN 6115-01-274-7389, MEP-805A: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-461-9335, MEP-805B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	91	1.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0971 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0971: GENERATOR SET, SKID MTD, 30KW/400HZ, TQG

The Generator Set, Diesel Engine, MEP-114A, 30KW 400 Hz Skid Mounted, is a military mobile electric power set for use with requiring 400 Hz input.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	38	4
AAO (FY17)	38	
O/H	68	4
Shortfall/Excess	30	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	4	0	4	1	4	17	0	0
4	4	4	0	4	1	4	17	0	0
0	5	7	0	6	1	0	49	0	0
-4	1	3	0	2	0	-4	32	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115014620290	4	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	N/A	No	0	0	0

Notes: For NSN 6115-00-118-1248, MEP-114A and NSN 6115-01-274-7394, MEP-815A: Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-462-0290, MEP-815B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	1.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0980 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B0980: GENERATOR, LTWT, MAN-PORTABLE

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	600	28
AAO (FY17)	602	
O/H	1,501	39
Shortfall/Excess	901	11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
193	169	117	0	89	4	28	0	0	0
192	164	118	0	96	4	28	0	0	0
194	166	126	2	100	51	0	821	1	9
1	-3	9	2	11	47	-28	821	1	9

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115014351565	31	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	N/A	No	8	0	23
6115014351567	8	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	N/A	No	0	0	8

Notes: NSN 6115-01-435-1565: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B1016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1016: GENERATOR SET, 60KW, 400HZ, SKID-MTD

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	110	16	12	12	12	0	18	1	16	19	15	5
AAO (FY17)	104		12	12	12	0	12	1	16	19	15	5
O/H	151	9	11	6	12	0	13	6	0	78	10	6
Shortfall/Excess	41	-7	-1	-6	0	0	-5	5	-16	59	-5	1

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115012747395	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	N/A	No	0	0	0
6115014620292	9	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	N/A	No	0	0	9
6115015617895	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	N/A	No	0	0	0

Notes: For NSN 6115-00-118-1253, MEP-115A and NSN 6115-01-274-7395, MEP-816A: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-462-0292, MEP-816B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	106	2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1021: GENERATOR SET, SKID-MTD, 60KW/60HZ, TQG

The Generator Set, 60 Kw, 60 Hz, Skid-Mounted, MEP-006A is a portable, self-contained unit. It is provided with controls, instruments, and accessories necessary for operation as a single unit or in parallel with up to two other units of the same class.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,728	472
AAO (FY17)	1,721	
O/H	1,621	221
Shortfall/Excess	-107	-251

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
237	221	170	55	183	23	472	251	87	29
238	238	158	47	178	23	472	251	87	29
234	227	136	41	113	59	0	488	80	24
-3	6	-34	-14	-70	36	-472	237	-7	-5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6115012747390	15	0%	0%	0%	0%	0%	100%	NO	NO	Yes	yes	No	No	No	0	0	15
6115014620291	204	75%	0%	0%	25%	0%	0%	NO	NO	No	yes	No	No	No	0	0	204
6115015617788	2	0%	100%	0%	0%	0%	0%	NO	NO	Yes	yes	No	No	No	0	0	0

Notes: For NSN 6115-00-118-1243, MEP-006A and NSN 6115-01-274-7390, MEP-806A: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-462-0291, MEP-806B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	106	2.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	100%	0%

B1045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1045: GENERATOR SET, 100KW, 60HZ, SKID-MTD, TQG

The Generator Set, Diesel Engine Driven, Skid Mounted, MEP-007A/MEP-007B is a transportable source of AC power that is designed for use with any type of equipment that requires an external AC power source.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	694	110
AAO (FY17)	706	
O/H	678	145
Shortfall/Excess	-16	35

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
116	112	96	13	88	7	110	72	60	20
120	116	93	13	95	7	110	72	60	20
113	111	71	7	62	29	0	86	46	8
-3	-1	-25	-6	-26	22	-110	14	-14	-12

Reset Strategy & Plan (Product Group: 15)

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	Forecasted Categories: CAT I	CAT II	CAT III
6115001339101	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	yes	No	No	No	0	0	0
6115010366374	6	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	6
6115012961463	139	50%	50%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	70	0	70

Notes: For NSN 6115-00-1133-9101, MEP 007A, NSN 6115-01-036-6374, MEP-007B and NSN 6115-01-470-9058: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-296-1463: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	159	3.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1082: GRADER, ROAD, MOTORIZED

The Motorized Road Grader is a self-propelled grading machine powered by a diesel engine. It is rubber- tired, four-wheel drive, and has an articulated frame and front-wheel steer design. The primary use is for building and maintaining roads and airfields.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	91	11
Shortfall/Excess	91	11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	0	1	0	4	4	0	77	2	1
2	0	1	0	4	4	0	77	2	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805002615826	0	0%	0%	0%	0%	0%	100%	TBD	TBD	Yes	No	No	No	No	0	0	0
3805011504795	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
3805013036152	4	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
3805015736518	7	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: Items in OEF can be DRMO'd - candidate for FMS. Replacement TAMCN is B0078.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	15.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B1135 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1135: REFUELING SYSTEM, EXPEDIENT, HELO

The Tactical Fuel System will offer increased storage capability for all Marine Corps fuel systems . Amphibious Assault Fuel System, B0685, Reconfigured 1,120K gal Tactical Airfield Fuel Dispensing System (TAFDS) B0675 Reconfigured 320K gal Helicopter expedient Refueling System, B1135, Reconfigured 18K gal.



Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	76	10	12	12	8	0	9	1	10	0	18	6
AAO (FY17)	76		12	12	8	0	9	1	10	0	18	6
O/H	76	1	11	12	8	0	5	2	0	15	15	7
Shortfall/Excess	0	-9	-1	0	0	0	-4	1	-10	15	-3	1

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930011149930	1	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	1

Notes: Any drums and hoses that have been used with fuel should be left in theater. If tank has had fuel in it, using unit must W IR as Code H.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	3.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1139: HOSE REEL SYSTEM

The Hose Reel System (HRS) provides linear fuel transfer capability and interfaces with other Marine Corps Tactical Fuel System equipment. Each HRS provides a 5 mile reach with 11 reels each containing 2400' of lightweight, layflat hoses and 2 hose reel bases with power units to control the speed and direction of the operation. The HRS is ISO configured to accommodate its transportation requirements and can be stored and transferred in four 8'x8'x20' ISO containers. The HRS will link together elements of the Amphibious Assault Fuel System.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	50	0
AAO (FY17)	43	
O/H	44	1
Shortfall/Excess	-6	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	2	0	15	1	0	2	15	5
4	4	0	0	12	1	0	2	15	5
5	2	4	0	2	2	0	12	10	7
0	-3	2	0	-13	1	0	10	-5	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930014621304	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	0

Notes: Any hoses that have been used with fuel should be left in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32768	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1140 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1140: HYPOCHLORINATION UNIT, PURIFICATION, 2-100 GPH

The Hypo-chlorination Unit, Purification is designed to mix a proportional amount of hypochlorite solution with water in the Tactical Water Distribution System.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	63	12
AAO (FY17)	93	
O/H	71	1
Shortfall/Excess	8	-11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	6	7	0	5	1	12	0	18	6
16	14	13	0	13	1	12	0	18	6
6	4	5	0	3	2	0	26	16	7
-2	-2	-2	0	-2	1	-12	26	-2	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610012503724	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	0
4610013644485	1	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B1170 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1170: GRADE CONTROL SYSTE

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	28	0
AAO (FY17)	33	
O/H	8	2
Shortfall/Excess	-20	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	5	2	0	7	2	0	0	3	0
8	8	5	0	7	2	0	0	3	0
4	3	0	0	1	0	0	0	0	0
-5	-2	-2	0	-6	-2	0	0	-3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675015634405	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B1281 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1281: LIGHT SET,GENERAL I

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	2,334	99
Shortfall/Excess	2,334	99

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
298	1,335	645	7	2	0	0	0	0	0
298	1,335	645	7	2	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6230014658931	99	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	99

Notes: DRMO/Dispose of In theater; do NOT return to CONUS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B1291 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1291: DECONTAMINATION SYSTEM, LTWT

The Lightweight Decontamination System is a compact and lightweight decontamination system capable of applying water or selected decontaminates to chemically and biologically contaminated items of equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	165	5
Shortfall/Excess	165	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	10	0	0	9	22	0	15	89	15
0	10	0	0	9	22	0	15	89	15

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4230013463122	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
4230014921540	5	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	5

Notes: WIR in theater. Disposition in accordance with WIR instructions.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	34	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B1298 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1298: KIT, LAUNCH, LINE CHARGE, TRLR-MTD

Used to clear a lane through a minefield during breaching operations. This system can be mounted on an M353 Trailer Chassis, and will normally be towed by an Assault Amphibious Vehicle (AAVP7A1). It will clear a lane 100 meters long by 16 meters wide and will be the initial minefield breaching asset used.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	300	4
AAO (FY17)	268	
O/H	281	8
Shortfall/Excess	-19	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
71	51	24	0	63	13	4	11	54	9
44	44	28	0	61	13	4	11	54	9
67	44	21	0	12	26	0	41	45	17
-4	-7	-3	0	-51	13	-4	30	-9	8

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1055012035883	8	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	8	0

Notes: Remove all Class V prior to wash down

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	123	0	3.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1300: PLATFORM, MAINT, CRANE, AIR MOBILE

The Maintenance Platform, Air Mobile Crane, is a boom attached platform that provides a leveling platform intended for raising personnel and equipment to a work situation.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	47	4
AAO (FY17)	47	
O/H	45	3
Shortfall/Excess	-2	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	6	0	6	0	4	0	9	6
8	8	6	0	6	0	4	0	9	6
8	8	6	0	4	2	0	4	8	2
0	0	0	0	-2	2	-4	4	-1	-4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320013122616	3	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	185	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1420: TEST KIT, PETROLEUM

The Aviation Fuel Contamination Test Kit is a one-person, portable kit consisting of components and testing equipment for the determination of particulate contaminants, API gravity, temperature, and free water content in aviation fuel samples.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	240	8	64	60	38	0	36	6	8	0	18	10
AAO (FY17)	232		60	58	32	0	40	6	8	0	18	10
O/H	123	5	16	27	25	0	10	7	0	15	13	4
Shortfall/Excess	-117	-3	-48	-33	-13	0	-26	1	-8	15	-5	-6

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6630010085524	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0
6630013495245	0	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B1570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1570: PUMPING ASSEMBLY,FL

The Pump Unit is a self contained diesel engine driven 125 GPM unit used for pumping petroleum products. This unit consists of a noise enclosed self-priming centrifugal pump driven by a four-stroke, air cooled diesel engine.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	376	40	46	38	30	0	102	0	40	0	90	30
AAO (FY17)	394		58	54	12	0	110	0	40	0	90	30
O/H	244	46	37	15	9	0	5	16	0	0	84	32
Shortfall/Excess	-132	6	-9	-23	-21	0	-97	16	-40	0	-6	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320013139442	0	0%	0%	0%	0%	100%	0%	NO	YES	Y	No	No	No	No	0	0	0
4930011825028	46	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	12	0	34

Notes: Needs to be certified fuel-free before returning. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	35	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B1580 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1580: PUMP MODULE, FUEL (SIXCON)

The Six Container (SIXCON) Fuel Pump Module is a component of the SIXCON system, a module system consisting of five tank modules and one pump module. The six modules attached together to form an ISO/ANSI configured 8 x 8 x 20 foot module. The SIXCON Fuel Pump Module has the capability for refueling and defueling both aircraft and ground vehicles, it has a 150 GPM pumping rate, aviation grade fuel filtration, 50-foot of 2-inch refueling hose with pressure and open port refueling nozzles, and ancillary components necessary for inter –connecting to the (TAMCN B2085 pg. 2-128) SIXCON Fuel Tank Module. The SIXCON fuel modules can be used as a mobile refueling asset or as a stationary refueling capability.



Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	853	70	175	153	98	6	104	28	70	36	144	39
AAO (FY17)	908		185	158	103	5	140	28	70	36	144	39
O/H	925	61	157	109	123	3	36	170	0	118	120	28
Shortfall/Excess	72	-9	-18	-44	25	-3	-68	142	-70	82	-24	-11

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930012404579	61	25%	75%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	21	20	20

Notes: MCLC has repair line established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1581 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1581: PUMP MODULE, WATER

The Pump Module, Water includes and engine and a pump. It is a component of SIXCON. It is mounted in a shipping frame (TAMCN C4905).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	709	174
AAO (FY17)	747	
O/H	918	33
Shortfall/Excess	209	-141

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
105	97	64	4	63	15	174	15	129	43
101	90	98	3	79	15	174	15	129	43
72	58	73	2	21	491	0	35	116	18
-33	-39	9	-2	-42	476	-174	20	-13	-25

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320011563873	1	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	No	Yes	No	1	0	0
4320011900417	0	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	No	Yes	No	0	0	0
4320013181853	32	25%	75%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	25	24	24

Notes: MCLC has repair line established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1582 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1582: PUMP SET, 350 GPM

The Pump, Water, 350 GPM is the primary pump within the water supply tank farm. It is trailer mounted, diesel engine driven, centrifugal type pump rated at 350 gpm with 275 foot total dynamic head.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	69	5
AAO (FY17)	61	
O/H	40	0
Shortfall/Excess	-29	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12	12	6	0	6	2	5	2	18	6
8	8	6	0	6	2	5	2	18	6
0	1	0	0	1	1	0	19	17	1
-12	-11	-6	0	-5	-1	-5	17	-1	-5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320013359671	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS. Replaced by B2394.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	214	1.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B1583 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1583: PUMP, FUEL 600 GPM

The Pump, Reciprocating, Power Driven is powered by an air-cooled, one cylinder, gasoline engine. The torque from the engine is transferred to the pump through a flexible coupling. The engine and the pump are bolted to a two-wheeled steel trailer.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,363	226
AAO (FY17)	1,368	
O/H	681	26
Shortfall/Excess	-682	-200

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
137	152	97	0	243	7	226	0	381	120
152	152	63	0	267	7	226	0	381	120
72	70	97	0	46	13	0	346	0	16
-65	-82	0	0	-197	6	-226	346	-381	-104

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320015336417	20	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	24	0
4320015889165	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	9	0
4930013927579	5	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	5	0

Notes: All returning to CONUS should go through the Depot. Replaced by B6417.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	446	3.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B1585 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1585: SEPARATOR, FILTER, 350 GPM

Filter Separator is designed to remove solid contaminants and water from tactical fuel systems.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	55	31
AAO (FY17)	55	
O/H	389	14
Shortfall/Excess	334	-17

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	24	0	0	0	31	0	0	0
0	0	24	0	0	0	31	0	0	0
67	32	50	0	38	13	0	170	0	5
67	32	26	0	38	13	-31	170	0	5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4330001778485	3	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	3	0
4330015338221	11	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	18	0

Notes: NSN 8485 can be DRMO'd in country. NSN 8221 can go to MEF if serviceable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	205	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B1620 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1620: PUMP UNIT SET

The Pump Unit Set is a compact, base mounted, portable water pump. The set includes: a 125 GPM Pump, and interconnecting adapters are listed to interconnect 125 GPM Pumps with 2 inch 10 ft, and 2 inch 20 ft hoses.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	516	112
AAO (FY17)	541	
O/H	435	38
Shortfall/Excess	-81	-74

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
70	59	49	0	90	8	112	0	96	32
76	70	48	0	99	8	112	0	96	32
91	68	51	0	22	6	0	52	84	25
21	9	2	0	-68	-2	-112	52	-12	-7

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320002030197	4	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	0	0
4320014764795	34	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	17	0	17

Notes: Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1645 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1645: REFRIGERATION UNIT, ENHANCED F/RIGID BOX

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	2	0	0	0	0	0	2	0	0	0	0	0
AAO (FY17)	2		0	0	0	0	2	0	0	0	0	0
O/H	101	6	20	7	7	0	27	11	0	3	0	21
Shortfall/Excess	99	6	20	7	7	0	25	11	0	3	0	21

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4110011521946	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
4110014689792	5	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	5

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B1710 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1710: REFRIGERATOR, RIGID BOX, 350 CUFT

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	4	0	0	0	0	0	4	0	0	0	0	0
AAO (FY17)	4		0	0	0	0	4	0	0	0	0	0
O/H	140	11	27	22	8	0	28	15	0	3	0	26
Shortfall/Excess	136	11	27	22	8	0	24	15	0	3	0	26

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4110011079078	11	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	11

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B1713 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1713: RECLAIMER, REFRIGERATOR

Obsolete kit used by Refrigerant Mechanics (MOS 1161) to recover refrigerant from a variety of Environmental Control Equipment. Replaced by B0061, Cooling and Refrigeration Expeditionary Kit (CREK).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)													
AAO (FY17)													
O/H	62	1		8	25	11	2	9	3	0	0	0	4
Shortfall/Excess													

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	21	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B1720 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1720: REINFORCEMENT SET - MGB

The B1720 Link Reinforcement Set(LRS) is a SAC-3 Item. The LRS is a component of the Medium Girder Bridge (MGB). This LRS contains all components required to construct any length bridge with reinforced MLC 70(T) MGB up to 150ft. The reinforcement is required to support crossing weight, when building a double story bridge, that spans a gap more then 12 bridge bridge bays long. In a MGB suite, there is one B1720 per two BB0152 MGBs.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	26	2
AAO (FY17)	23	
O/H	17	2
Shortfall/Excess	-9	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	9	1	2	1	3	1
3	3	0	0	9	1	2	1	3	1
1	1	2	0	4	1	0	2	2	2
-2	-2	-1	0	-5	0	-2	1	-1	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5420011391503	2	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	7.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1775 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1775: RIPPER, TRACTOR, MOUNT

The Ripper Attachment, Three Shank, Rear Mounting is mounted on the Tractor, Medium, Full-Tracked and is used to break up hard materials too compacted to be cut by the blades of tractors, grades, or scrapers.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	51	0
Shortfall/Excess	51	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	1	0	0	0	0	50	0	0
0	0	1	0	0	0	0	50	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3830011715776	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: OBSOLETE

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	350	2.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B1785 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1785: ROLLER, COMPACTOR, VIBRATORY,SELF-PROPELLED

The roller, Compactor, Vibratory is a diesel-powered, articulated steer item equipped with a padded vibratory drum for compacting cohesive-type soils such as clay, and a smooth drum conversion kit for compacting loose, poorly graded gravel.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	78	24	12	12	8	0	10	0	24	0	9	3
AAO (FY17)	79		12	12	9	0	10	0	24	0	9	3
O/H	80	12	13	12	8	0	6	6	0	15	6	3
Shortfall/Excess	2	-12	1	0	0	0	-4	6	-24	15	-3	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3895014538573	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	0	0
3895015508369	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	1	0
3895015733847	10	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	10	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	149	0	11.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1922 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1922: SCRAPER-TRACTOR, WHEELED

The Scraper-Tractor is an open bowl, pneumatic-tired, 2-axle, 14-18 cubic yard capacity, single diesel-powered, articulated frame-steer scraper. It is employed by engineer units in earthmoving operations in the main battle area.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	122	18	23	21	14	0	19	5	18	6	12	4
AAO (FY17)	136		25	23	18	0	25	5	18	6	12	4
O/H	82	3	17	16	12	0	7	5	0	11	11	0
Shortfall/Excess	-40	-15	-6	-5	-2	0	-12	0	-18	5	-1	-4

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805011531854	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	0	0	2
3805015507164	0	100%	0%	0%	0%	0%	100%	TBD	TBD	Yes	No	Yes	No	No	0	0	0
3805015820743	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	0	0	1

Notes: Obsolete - candidate for FMS. Currently being replaced by another asset. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	471	0	32.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B1942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1942: SHOP EQUIPMENT KIT, CONSTRUCTION #1

Marine combat engineers rugged/expeditionary tool kits support engineer units in various construction missions (obstacle construction, field fortification construction, carpentry and masonry work).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	61	0
AAO (FY17)	70	
O/H	77	3
Shortfall/Excess	16	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	12	11	0	11	5	0	0	6	2
15	14	13	0	15	5	0	0	6	2
12	18	9	0	11	5	0	11	7	2
-2	6	-2	0	0	0	0	11	1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910015507118	2	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	0	0	2
5180010619292	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B1951 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B1951: SHOP EQUIPMENT SET, GP, #1

The Shop Equipment, General Purpose Repair, Semi Trailer Mounted is a semi trailer mounted machinist van containing tools and equipment for use in maintenance and repair of mechanical equipment from 1st to 4th echelon.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	40	7
AAO (FY17)	43	
O/H	69	1
Shortfall/Excess	29	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	5	0	8	0	7	0	3	1
10	9	4	0	9	0	7	0	3	1
3	5	5	0	4	1	0	48	0	3
-5	-3	0	0	-4	1	-7	48	-3	2

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940012355080	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	15.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2006: SKID MOUNTING ASSEMBLY, REMOTE, AIR CONDTNR TYPE C

The Skid Assembly, Large is an aluminum structural assembly with accessories. It is used to mount standard military vertical air conditioners (TAMCN B0005 and B0006 only) where it is necessary for the unit to be located outside and away from a shelter.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	249	6	22	0	0	0	9	2	0	188	0	22
Shortfall/Excess	249	6	22	0	0	0	9	2	0	188	0	22

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120005757200	6	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	6	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	118	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2085: STORAGE TANK MODULE, FUEL (SIXCON)

The Storage Module, Fuel contains a 900-gallon rigid metal tank mounted in a steel frame and is a component of SIXCON.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,403	351
AAO (FY17)	2,689	
O/H	2,297	260
Shortfall/Excess	-106	-91

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
497	417	307	20	297	74	351	74	288	78
581	496	325	18	404	74	351	74	288	78
376	328	305	10	123	212	0	412	245	26
-121	-89	-2	-10	-174	138	-351	338	-43	-52

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430012404578	260	25%	75%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	65	130	65

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2086: STORAGE TANK MODULE, WATER (SIXCON)

The Tank, Water Module contains a 900-gallon rigid metal tank mounted in a steel frame and is a component of SIXCON.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,532	638
AAO (FY17)	2,703	
O/H	1,832	111
Shortfall/Excess	-700	-527

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
335	336	226	20	204	44	638	61	501	167
361	325	297	18	291	44	638	61	501	167
356	200	252	12	73	91	0	306	409	22
21	-136	26	-8	-131	47	-638	245	-92	-145

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430012039971	111	25%	75%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	28	56	28

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	205	1.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2118 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2118: SURVEY SET TOPO

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675010883181	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2120: SURVEY SET, GP

The Surveying Set, General Purpose, provides equipment required for making military plan metric, construction, and topographic surveys.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	47	3
AAO (FY17)	41	
O/H	26	1
Shortfall/Excess	-21	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	11	8	0	9	3	3	0	0	0
10	9	7	0	9	3	3	0	0	0
6	4	1	0	6	4	0	5	0	0
-7	-7	-7	0	-3	1	-3	5	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675012737812	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	45	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2127 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2127: SWEEPER, ROTARY, VEHICLE MOUNTING

The Sweeper, Runway, Vacuum is an engine-driven, self-propelled, truck mounted vacuum machine used for cleaning runways and other stabilized areas.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	50	14
AAO (FY17)	50	
O/H	72	5
Shortfall/Excess	22	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	6	0	6	0	14	0	6	2
8	8	6	0	6	0	14	0	6	2
8	8	6	0	5	1	0	33	5	1
0	0	0	0	-1	1	-14	33	-1	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3830015042618	5	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	Yes	No	0	0	5

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	204	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2130 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2130: TANK, FABRIC, COLLAPSIBLE, WATER, 3000 GAL

The Fabric Collapsible Water Storage Tank (3,000 Gal) provides a means of storing potable drinking water on a temporary basis where permanent water storage facilities are not available.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,183	1056
AAO (FY17)	3,181	
O/H	2,038	70
Shortfall/Excess	-1,145	-986

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
547	507	338	10	376	31	1,056	0	225	93
543	480	360	10	383	31	1,056	0	225	93
531	584	283	4	87	36	0	263	151	29
-16	77	-55	-6	-289	5	-1,056	263	-74	-64

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430011706984	14	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	14
5430013594774	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	0
5430015405357	56	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	56

Notes: For items in OEF that have been used and had water in it, using unit must WIR as Code H or FMS candidate. Otherwise, new items go to MEFs. NSN ending in 5357 is FMS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2131 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2131: TANK FARM INTERCONNECTION SET, DUAL TANK

The Dual Tank Connection Kit is designed to join and interconnect two 20k tanks or two 50k gallon tanks to the Water Supply System Tank Farm.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	148	18
AAO (FY17)	173	
O/H	142	5
Shortfall/Excess	-6	-13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
20	20	3	0	19	4	18	0	48	16
23	22	21	0	21	4	18	0	48	16
22	20	17	0	10	5	0	21	40	2
2	0	14	0	-9	1	-18	21	-8	-14

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610011207526	5	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	1	0	4

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	78	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2133 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2133: TANK FARM INTERCONNECTION SET, 4" HOSE

The four inch Hose Connection Kit is used to provide the medium to high volume discharge point from the water supply support system tank farm.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	111	12
AAO (FY17)	124	
O/H	90	5
Shortfall/Excess	-21	-7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	24	15	0	19	1	12	0	12	4
27	26	21	0	21	1	12	0	12	4
27	26	12	0	0	1	0	7	10	2
3	2	-3	0	-19	0	-12	7	-2	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610011406775	5	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	1	0	4

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2134 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2134: TANK FARM INTERCONNECTION SET, 2" HOSE

The 2-inch Hose Connection Kit is designed to provide a low to medium volume discharge point within the water supply support system.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	153	12
AAO (FY17)	174	
O/H	149	4
Shortfall/Excess	-4	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
28	28	12	0	24	1	12	0	36	12
31	30	26	0	26	1	12	0	36	12
28	25	20	0	8	3	0	23	30	8
0	-3	8	0	-16	2	-12	23	-6	-4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610011406776	4	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	1	0	3

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2135 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2135: TANK FARM INTERCONNECTION SET, 4" DISCHARGE HOSE

The 4 inch hose Interconnection Kit is used to provide a main hose line for either input or discharge to the Water Supply Support System.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	49	6
AAO (FY17)	62	
O/H	54	5
Shortfall/Excess	5	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	3	0	7	1	6	0	12	4
11	10	9	0	9	1	6	0	12	4
8	8	5	0	3	1	0	11	10	3
0	0	2	0	-4	0	-6	11	-2	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610011207522	5	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	1	0	4

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2136 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2136: TANK FARM INTERCONNECTION SET, HOSE NOZZLE

The Connection Kit, Hose Nozzle provides the low volume, hand held nozzle discharge points for the Water Supply System. The kit contains the required 4-inch, 2-inch, and 1-1/2 inch hoses, reducers, couplings, valves, nozzles, and nozzle stands.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	89	18	12	12	3	0	11	1	18	0	24	8
AAO (FY17)	106		15	14	13	0	13	1	18	0	24	8
O/H	96	2	12	12	11	0	3	1	0	29	20	6
Shortfall/Excess	7	-16	0	0	8	0	-8	0	-18	29	-4	-2

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610011237705	2	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	2

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2137 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2137: TANK FARM INTERCONNECTION SET, ACCESSORY KIT

Provides replacement parts for overall water supply tank farm connection. The kit contains four, two, and 1 ½-inch hoses; victaulic, threaded, and cam-lock type adapters; required valves; and associated hardware.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	17	2	2	2	0	0	2	1	2	0	6	2
AAO (FY17)	19		2	2	2	0	2	1	2	0	6	2
O/H	19	1	2	2	2	0	0	1	0	4	5	2
Shortfall/Excess	2	-1	0	0	2	0	-2	0	-2	4	-1	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610011207525	1	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	1

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	702	1.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2139: TANK FARM INTERCONNECTION SET, 125 GPM PUMP

The 125 GPM Connection Kit is designed to interconnect the 125 GPM Pump to the suction/discharge side of the water supply support system. The kit includes all required 2-inch hoses, valves, couplings, adapters, and assorted hardware.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	59	16
AAO (FY17)	63	
O/H	63	9
Shortfall/Excess	4	-7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	3	0	7	1	16	0	12	4
8	8	7	0	7	1	16	0	12	4
9	8	7	0	3	1	0	13	10	3
1	0	4	0	-4	0	-16	13	-2	-1

Reset Strategy & Plan (Product Group: 15)

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	Forecasted Categories: CAT I	CAT II	CAT III
4320011207524	9	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	2	0	7

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	13	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2150: TEST SET, SOIL

The Test Set, Soil comes in ruggedized transport cases and provides the ability to analyze soil particle size and can determine the California Bearing Ratio sheer strength of soils, and includes chemical and electronic methods of measuring soil moisture.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	55	15
AAO (FY17)	62	
O/H	77	2
Shortfall/Excess	22	-13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	10	8	0	9	2	15	0	0	0
12	11	10	0	12	2	15	0	0	0
13	11	7	0	14	6	0	25	0	0
2	1	-1	0	5	4	-15	25	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6635006413643	1	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	0	1	0
6635014891524	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	0	0	0
6635015823197	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	1	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2210 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2210: TOOL KIT,CARPENTER'

The Tool Kit, Carpenter's, Set 2, Engineer Platoon, comprises hand tools for general carpentry work including sawing, drilling, filing, fastening, and shaping wood.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	216	0
AAO (FY17)	199	
O/H	253	21
Shortfall/Excess	37	21

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
55	45	25	5	58	4	0	0	18	6
44	43	24	4	56	4	0	0	18	6
45	44	22	3	51	16	0	41	12	7
-10	-1	-3	-2	-7	12	0	41	-6	1

Reset Strategy & Plan (Product Group: 15)

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	Forecasted Categories: CAT I	CAT II	CAT III
5180002932875	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0
5180014472199	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0
5180015518250	20	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	4	16	0
5180015877997	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	52	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2238 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2238: TOOL KIT, IM, ENG/CHASSIS REPAIR, CATERPILLAR

The Toolkit, Caterpillar consists of tools to perform fourth echelon maintenance.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	30	8
AAO (FY17)	30	
O/H	16	1
Shortfall/Excess	-14	-7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	4	0	4	0	8	0	3	1
6	6	2	0	4	0	8	0	3	1
2	2	2	0	3	0	0	4	3	0
-3	-3	-2	0	-1	0	-8	4	0	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180012547723	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	1

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	2.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2250 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2250: TOOL KIT, PIONEER, ENGR PLT

The Tool Kit, Pioneer, Engineer Platoon, is comprised of hand tools and materials required for clearing land, building replacements and fortifications, and other types of manual labor.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	214	44	30	25	25	4	31	4	44	0	39	12
AAO (FY17)	236		34	31	31	3	38	4	44	0	39	12
O/H	237	32	26	30	17	3	23	13	0	63	34	20
Shortfall/Excess	23	-12	-4	5	-8	-1	-8	9	-44	63	-5	8

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015508112	32	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	1	7	24

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2260 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2260: PIONEER KIT

The Tool Kit, Pioneer, Engineer's is a group of hand tools and equipment required by Engineer Squads for clearing land, building emplacements and for general Engineer manual labor. Consists of three chests.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	657	0
AAO (FY17)	661	
O/H	734	55
Shortfall/Excess	77	55

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
119	94	60	5	152	3	0	0	168	56
108	102	65	3	156	3	0	0	168	56
111	90	56	20	111	13	0	118	156	40
-8	-4	-4	15	-41	10	0	118	-12	-16

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015508116	54	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	0	40	14

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	20	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2370 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2370: TOOL SET, MASON

The FECTK supports this requirement. The FECTK includes the following items: the Carpenter Platoon Tool Kit, Pioneer Platoon Tool Kit, Pioneer Squad Tool Kit, Construction Shop Set, Mason and Concrete Finishers Tool Kit, and the Survey Set. With the exception of the Survey Set, all Sets and Kits are targeted for modernization in this acquisition.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	37	0
AAO (FY17)	46	
O/H	66	4
Shortfall/Excess	29	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	9	8	0	7	3	0	0	0	0
11	10	9	0	13	3	0	0	0	0
10	11	7	0	8	7	0	23	0	0
0	2	-1	0	1	4	0	23	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015513550	4	75%	0%	0%	25%	0%	0%	NO	NO	No	yes	No	No	No	0	0	4

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	345	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2394 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2394: PUMP UNIT CENTRIFUGAL

The Pump, Assembly, Water is a 4 cylinder diesel powered engine, two wheel trailer mounted pump.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	102	0	18	18	4	0	16	4	0	0	36	6
AAO (FY17)	112		18	18	14	0	16	4	0	0	36	6
O/H	207	7	18	18	25	0	6	6	0	106	9	12
Shortfall/Excess	105	7	0	0	21	0	-10	2	0	106	-27	6

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320015336418	7	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	I/P	No	0	7	0

Notes: Add NSN 4320015891113

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	109	0	3.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2395 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2395: SEGMENT KIT 5 MILES

TWDS is composed of components designed to store and pump approximately 700,000 gallons of purified water a day up to 10 miles from its water source.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	13	2
AAO (FY17)	15	
O/H	5	0
Shortfall/Excess	-8	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	0	0	2	1	2	0	3	1
2	2	2	0	2	1	2	0	3	1
0	1	2	0	0	0	0	0	1	1
-2	-1	2	0	-2	-1	-2	0	-2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4320013774577	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	0

Notes: If item is unused (new) can send to a MEF. DRMO if item has been used.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1412	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2410 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2410: TOOL KIT, M9 ACE, 2D ECH, OM

This tool kit supports organizational level maintenance for the M9 Armored Combat Earthmover. The tool kit contains general and special tools required to perform maintenance.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	55	8
AAO (FY17)	50	
O/H	42	4
Shortfall/Excess	-13	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	10	3	0	10	2	8	0	3	1
10	10	6	0	10	2	8	0	3	1
9	8	6	0	6	3	0	4	3	0
-9	-2	3	0	-4	1	-8	4	0	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180014280959	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	4	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2420: TOOL KIT, M9 ACE, 3D/4TH ECH, IM

This tool kit supports organizational level maintenance for the M9 Armored Combat Earthmover. The tool kit contains general and special tools required to perform maintenance.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	31	6
AAO (FY17)	39	
O/H	24	1
Shortfall/Excess	-7	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	8	4	0	2	1	6	0	3	1
9	9	4	0	6	1	6	0	3	1
7	6	2	0	1	2	0	2	2	1
1	-2	-2	0	-1	1	-6	2	-1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180014292683	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2460 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2460: TRACTOR, FT, W/ANGLE BLADE

The Tractor, Full-Tracked, W/Angle Blade, T-5 is a full-tracked, diesel engine driven tractor with a hydraulically operated angle blade and winch. It is air transportable.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	254	64
AAO (FY17)	262	
O/H	231	14
Shortfall/Excess	-23	-50

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
34	33	10	0	34	19	64	12	36	12
35	35	21	0	28	19	64	12	36	12
32	35	12	0	12	31	0	63	29	17
-2	2	2	0	-22	12	-64	51	-7	5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2410012541667	5	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	No	0	0	0
3805015735861	9	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	145	0	12.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B2462 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2462: TRACTOR, MEDIUM, FULL-TRACKED, D7G

The Tractor, Medium, Full-Tracked is a diesel-powered, full-tracked, medium size tractor (Model D7G) for earthmoving and general construction work.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	96	1
Shortfall/Excess	96	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	96	0	0
0	0	0	0	0	0	0	96	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2410011551588	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
2430015330934	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: OBSOLETE

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	208	0	23.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2464 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2464: TRACTOR, FT, W/MULTIPURPOSE BUCKET

The Tractor, Full-Tracked with Multi-purpose Bucket is a diesel engine driven, hydraulically operated, crawler-type front end loader. The multipurpose bucket is capable of performing operations of clamshell, dozer, and scraper, as well as front end shovels.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	111	56
AAO (FY17)	111	
O/H	111	8
Shortfall/Excess	0	-48

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	0	0	13	2	56	4	15	5
8	8	5	0	8	2	56	4	15	5
8	8	5	0	8	12	0	50	13	7
0	0	5	0	-5	10	-56	46	-2	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805013151091	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	0	0	0
3805015735867	8	0%	50%	0%	0%	0%	50%	NO	NO	No	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	111	0	13.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2483 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2483: ARMORED, BACKHOE, LOADER (BHL)

The Backhoe Loader is a highly mobile, lightweight rubber-tired tractor equipped with a front-end loader and backhoe excavator. It can maintain pace with other wheeled vehicles of the maneuver force and can reach road speeds in excess of 20 miles per hour.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	180	23
AAO (FY17)	169	
O/H	304	11
Shortfall/Excess	124	-12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
39	25	20	4	24	17	23	0	21	7
27	26	18	4	26	17	23	0	21	7
50	39	32	2	33	30	0	82	15	10
11	14	12	-2	9	13	-23	82	-6	3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805015147166	2	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	Yes	Yes	No	0	0	2
3805015733850	9	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	Yes	No	0	0	9

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	172	0	10.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2561 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2561: TRK, FORKLIFT, VARIABLE REACH

The Truck, Forklift, Extendable Boom is a diesel-powered, four-wheel drive, rubber-tired forklift with two-wheel, four-wheel and crab steering.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	748	156
AAO (FY17)	729	
O/H	919	82
Shortfall/Excess	171	-74

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
96	92	57	5	72	22	156	64	138	46
90	84	57	5	67	22	156	64	138	46
98	107	56	6	69	86	0	227	131	57
2	15	-1	1	-3	64	-156	163	-7	11

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3930014862151	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes	yes	Yes	No	No	0	0	2
3930015080886	52	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	Yes	No	No	0	52	0
3930015735868	28	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	No	No	0	28	0

Notes: All need to come back to MCLC. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	231	0	15.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2565 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2565: TRLR ENGR EQUIPMENT

The Engineer Equipment Trailer identifies a requirement for a Medium Tactical Vehicle Replacement trailer capable of transporting the Light Capability, Rough Terrain Forklift, and Backhoe Loader.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	623	88	133	105	74	7	87	21	88	10	74	24
AAO (FY17)	591		106	98	74	5	91	21	88	10	74	24
O/H	709	41	114	94	61	6	85	22	0	241	25	20
Shortfall/Excess	86	-47	-19	-11	-13	-1	-2	1	-88	231	-49	-4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015183809	15	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	15
2330015470272	26	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	26	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	250	0	5.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2566 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2566: FORKLIFT, RT, LT CAPABILITY (LRTF)

The Truck, Forklift, Rough-Terrain, 4000-pound is a self-propelled, four-wheel drive, rubber-tired, diesel-powered forklift with a modified mast and enhanced side shift capability. It is air transportable.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	806	206
AAO (FY17)	791	
O/H	860	49
Shortfall/Excess	54	-157

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
123	110	74	10	97	39	206	45	78	24
119	107	70	10	93	39	206	45	78	24
120	103	95	10	73	45	0	263	69	33
-3	-7	21	0	-24	6	-206	218	-9	9

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3930012756420	2	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	Yes	No	0	0	2
3930014783519	6	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	Yes	No	0	6	0
3930015330855	22	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	Yes	No	0	22	0
3930015735873	19	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	Yes	Yes	No	0	19	0

Notes: NSN 3930015735873 should not be sent to the MEFs, only send to MCLC. NSN 3930015330855 can be redistributed to the fields. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	128	0	5.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B2567 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2567: LOADER,SCOOP TYPE

The Tractor, Rubber-Tired, Articulated Steering, Multi-Purpose is a diesel-powered, four-wheel drive, rubber-tired, articulated steering tractor capable of operating in rough terrain and in 60 inches of water.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	18	9
Shortfall/Excess	18	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	1	5	0	0	1	2	0
0	0	0	1	5	0	0	1	2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805012793635	9	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	9
3805015735881	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: OBSOLETE - Transfer to US ARMY

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	192	0	16.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2605 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2605: PURIFICATION SYSTEM, WATER, TACTICAL

The Tactical Water Purification System (TWPS) is a skid mounted, generator powered system capable of producing potable water from any available raw water source at a rate of 1200-1500 gallons of water per hour in expeditionary environments. The TWPS replaces the aging 600-GPH ROWPUs at a 1 for 2 ratio.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	265	0	44	42	35	0	33	10	0	21	60	20
AAO (FY17)	262		43	43	32	0	33	10	0	21	60	20
O/H	261	17	38	38	37	0	15	9	0	27	53	27
Shortfall/Excess	-4	17	-6	-4	2	0	-18	-1	0	6	-7	7

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610014886961	17	25%	75%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	13	4

Notes: MCLC has repair line established. This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2628 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2628: WATER PURIFIER, LIGHTWEIGHT, LMT3000

The Water Purification System provides a fully portable and completely self-contained water purification system for purifying turbid and bacteria polluted water at the rate of 1500 to 3000 gph.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	112	0
AAO (FY17)	52	
O/H	26	0
Shortfall/Excess	-86	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	42	11	0	9	8	0	0	0	0
12	12	11	0	9	8	0	0	0	0
3	1	4	0	2	0	0	16	0	0
-39	-41	-7	0	-7	-8	0	16	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4610013664640	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	0	0

Notes: Obsolete - DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting. Being replaced by B0071.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	67	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2630 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2630: ANALYSIS SET, QUALITY, PURIFICATION, WATER

The Water Quality Analysis Set is a one-person portable suitcase kit containing equipment for testing water quality. The kit is self-contained in a gasketed waterproof case. Foam inserts secure equipment in the case and protect sensitive instruments.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	58	2	14	12	11	3	10	6	2	0	0	0
AAO (FY17)	73		18	16	14	3	14	6	2	0	0	0
O/H	77	8	19	11	3	0	14	6	0	16	0	0
Shortfall/Excess	19	6	5	-1	-8	-3	4	0	-2	16	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6630014772395	8	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	2	0	6

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2631 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2631: TANK, WATER, 50K GAL

The 50,000 Gallon Collapsible Fabric Potable Water Tank is a pillow type, synthetic rubber-impregnated nylon tank.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	91	6	4	4	0	0	4	1	6	0	54	18
AAO (FY17)	95		4	4	4	0	4	1	6	0	54	18
O/H	121	11	14	4	1	0	0	3	0	48	35	13
Shortfall/Excess	30	5	10	0	1	0	-4	2	-6	48	-19	-5

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430011069677	3	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	3
5430012004831	8	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	0
5430013861544	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. If tank has had fuel in it, using unit must WIR as Code H. NSNs ending in 4831 and 1544 are FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	117	0.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2632 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2632: TANK ASSEMBLY, WATER, FABRIC, COLLAPSIBLE

The 20,000 Gallon Collapsible Fabric Potable Water Tank is a pillow type, synthetic rubber-impregnated nylon tank.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	206	8	38	38	24	0	30	4	8	0	48	16
AAO (FY17)	212		38	38	30	0	30	4	8	0	48	16
O/H	138	1	34	38	19	0	9	4	0	6	28	0
Shortfall/Excess	-68	-7	-4	0	-5	0	-21	0	-8	6	-20	-16

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5430013517813	1	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	0	0	0
5430013726902	0	100%	0%	0%	0%	0%	0%	TBD	YES	No	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. If tank has had fuel in it, using unit must WIR as Code H.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	44	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2685 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2685: WELDING SHOP, MARINE CORPS TACTICAL

The Marine Corps Tactical Welding Shop (MCTWS) consists of selected tools and equipment integrated with an enclosure mounted on a 1 1/2-ton modified two-wheel military trailer chassis model M103A3.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	302	80	49	42	25	5	41	5	80	0	45	10
AAO (FY17)	289		44	40	18	5	42	5	80	0	45	10
O/H	220	15	32	23	25	1	31	9	0	44	32	8
Shortfall/Excess	-82	-65	-17	-19	0	-4	-10	4	-80	44	-13	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3431014984423	15	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	15	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	104	0	3.3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2686 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2686: KIT, WELDING, ARMOR

The Armor Welding Kit is used to perform field-welding repairs of armor plate equipment, when integrated with existing equipment on the MCTWS.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	52	6
AAO (FY17)	37	
O/H	31	3
Shortfall/Excess	-21	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	8	7	0	8	5	6	0	6	2
7	5	2	0	4	5	6	0	6	2
7	4	4	0	4	2	0	2	5	0
-3	-4	-3	0	-4	-3	-6	2	-1	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3431015050248	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	3	0	0

Notes: Associated with B2685 - If they come back together, two WIRs need to be completed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	708	3.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2687 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B2687: KIT, WELDING, TITANIUM

The Titanium Kit consists of selected tools and equipment integrated into existing equipment on the MCTWS. This kit is used to perform field-expedient repairs of titanium-based metals and equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	42	6
AAO (FY17)	28	
O/H	28	2
Shortfall/Excess	-14	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	5	0	6	5	6	0	6	2
3	3	1	0	2	5	6	0	6	2
2	4	2	0	4	3	0	5	4	4
-4	-2	-3	0	-2	-2	-6	5	-2	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3431015050888	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: Associated with B2685 -If they come back together, two WIRs need to be completed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B5000 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B5000: CONTROL MINE DETECT (SWEEP MONITORING SYSTEM)

Training apparatus for the B0476

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	49	0
AAO (FY17)	50	
O/H	22	1
Shortfall/Excess	-27	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	12	7	0	11	2	0	2	0	0
13	12	7	0	14	2	0	2	0	0
6	3	6	0	4	1	0	2	0	0
-9	-9	-1	0	-7	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665015314689	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B7001: ANALYZER, ELECTRICAL PULSE

The Analyzer, Electrical Pulse (Fluke 41/43B-AV) is a hand-held, liquid crystal display power analyzer with the capability of measuring and displaying power harmonics in three different views: waveform, bar graph (showing harmonic levels), and numeric values.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	642	0
AAO (FY17)	604	
O/H	69	6
Shortfall/Excess	-573	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
190	170	106	0	144	32	0	0	0	0
167	163	107	0	135	32	0	0	0	0
5	29	1	0	0	23	0	8	0	0
-185	-141	-105	0	-144	-9	0	8	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625014385312	4	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	0	4
6625015260788	2	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	1	0	1

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = B7900: INTERMEDIATE LEVEL ELECTRICIANS TOOL KIT

The I-Level Tool Kit is comprised of various hand tools and accessories to aide Marines in Military Occupational Specialty (MOS) 1141 in the installation, repair, and replacement of structural electrical wiring.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	31	0
AAO (FY17)	37	
O/H	24	1
Shortfall/Excess	-7	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	9	6	0	4	1	0	0	0	0
11	11	8	0	6	1	0	0	0	0
3	7	5	0	4	2	0	1	0	0
-8	-2	-1	0	0	1	0	1	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015468026	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C0005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C0005: PERS,BACKSCATTER IM

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	79	65
AAO (FY17)	79	
O/H	10	10
Shortfall/Excess	-69	-55

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	3	0	65	0	0	0
4	4	3	0	3	0	65	0	0	0
0	0	0	0	0	0	0	0	0	0
-4	-4	-3	0	-3	0	-65	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895015314671	10	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	10

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C0008: TRANSLATION DEVICE

This mobile, ruggedly designed translation device with one-way, handheld, speech-to-speech translation system available. NOTE: The C0008 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	102	24
Shortfall/Excess	102	24

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
28	0	0	7	0	0	0	67	0	0
28	0	0	7	0	0	0	67	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5805015315590	24	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C0019: FORCE PRO KIT - ATFP KIT (PART OF C0020)

A versatile package of Commercial-Off-The-Shelf (COTS) and Government-Off-The-Shelf (GOTS) Non-Lethal equipment. The contents (COTS/GOTS) can be divided into four distinct categories: personnel protectors; personnel and materiel effectors; mission enhancers; and training devices. The items enable the individual Marine or a small team or unit to be proactive in retaining the initiative in peacekeeping environments; to respond to provocation more subtly than through the use of deadly force; and to effectively control the non-traditional battlefield within the constraints levied by Rules of Engagement (ROE). NOTE: The C0019 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0		0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0			0	0	0	0	0	0	0	0	0	0
O/H	12	1		3	2	0	0	0	6	0	0	0	0
Shortfall/Excess	12	1		3	2	0	0	0	6	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6910015403090	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C0020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C0020: ANTI-TERRORISM/FORCE PROTECTION CHECKPOINT SET (ATFPCS)

The Anti-Terrorism/Force Protection Capability Set (C00207B) enables Marines to more accurately andthoroughly inspect vehicles and personnel for weapons and explosives by providing Commercial-Off-The-Shelf(COTS) and Government-Off-The-Shelf (GOTS) materiel solutions. The set provides lighting (tripods andhandheld), explosive detection, vehicle impairment, and vehicle undercarriage inspection capabilities. The Anti-Terrorism/Force Protection Capability Set increases the survivability for Marines from potential threats by givingearlier warning and reaction capability to those manning the checkpoints. Additionally, the capability increases the survivability of noncombatants approaching Vehicle Check Points and Entry Control Points by giving Marines more time and awareness to assess the situation before lethal force is applied. NOTE: The C0020 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	12	1
Shortfall/Excess	12	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	8	0	0	0	1	0	1	0	0
2	8	0	0	0	1	0	1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6910015403064	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C0104: ESCALATION OF FORCE-MISSION MODULES (EOF-MM)

The C0104 is know as the Escalation of Force-Mission Module. The EoF-MM consists of multifunctional non-lethal weapons systems and force protection equipment needed to satisfy the operational requirement in order to minimize friendly and civilian casualties. The EoF-MM is the replacement of the existing Non-Lethal Capability Sets (NLCS) and Force Protection Capability Sets (FPCS) procured in the middle 1990s and early 2000s. The EoF-MM consist of selected equipment that provides operational capabilities for use during escalation of force situations found primarily, but not exclusively, while operating under restricted Rules of Engagement (ROE). The EoF-MM consists entirely of equipment that is COTS/GOTS. The EoF-MM consists of three (3) capability groups, ten (10) capability modules and each module consists of specific equipment necessary to support that modules capability mission. The modules are configured within four (4) QUADCONS.

No Illustration Available

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	75	20		12	18	13	0	4	8	20	0	0	0
AAO (FY17)	77			12	18	13	0	6	8	20	0	0	0
O/H	57	7		10	11	18	0	4	3	0	4	0	0
Shortfall/Excess	-18	-13		-2	-7	5	0	0	-5	-20	4	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1367015794067	7	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	62054	49401	43745

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C2032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C2032: MONITOR,CHEMICAL AG

The Chemical Agent Monitor is a handheld device capable of detecting various levels of nerve and blister agents. The CAMs detect vapors of chemical agents by sensing molecular ions of specific mobilities (time of flight) and uses timing and microprocessor techniques to reject interferences.

No Illustration Available

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	158	6
Shortfall/Excess	158	6

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	6	0	0	0	61	0	91	0	0
0	6	0	0	0	61	0	91	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665997259996	6	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	0	6	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C2104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C2104:

The M4 Joint Chemical Agent Detector (JCAD) is a handheld detector capable of detecting, identifying, quantifying, and reporting nerve, blister, and blood agents.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	10,240	0
AAO (FY17)	9,563	
O/H	207	139
Shortfall/Excess	-10,033	139

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3,301	3,158	1,246	156	2,276	103	0	0	0	0
3,070	2,738	1,284	177	2,192	102	0	0	0	0
0	103	0	0	0	30	0	5	0	0
-3,301	-3,055	-1,246	-156	-2,276	-73	0	5	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665015522704	139	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	139	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C2108 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C2108: ALARM,CHEMICAL AGEN

The Automatic Chemical Agent Detection Alarm (ACADA) is a man-portable chemical warfare agent detection system, which detects the presence of nerve and blister agents.

No Illustration Available

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	6	0
Shortfall/Excess	6	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	6	0	0	0	0
0	0	0	0	0	6	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665014386963	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C4120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C4120: NON-LETHAL WEAPONS

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	24	0
Shortfall/Excess	24	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	14	2	0	2	4	0	0	0	0
2	14	2	0	2	4	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
9999014642285	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	3.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C4432 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C4432: NSN NOT PROCURABLE

The Complexing Unit provides access to and from two shelters.

No Illustration Available

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)		
AAO (FY17)		
O/H	19	0
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	5	2	2	3	0	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411012066036	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C4765 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C4765: EXTINGUISHER, FIRE, DRY CHEM, SELF-CONTND

The Twin Agent Fire Extinguisher is skid mounted and easily relocated when necessary. It is designed and constructed to be effective in fighting fires generated by hydrocarbon fuels. It is intended for use in providing fire protection to the Tactical Airfield Fuel Dispensing System and the Amphibious Assault Fuel System.

No Illustration Available

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	892	270	115	113	71	0	138	3	270	0	138	44
AAO (FY17)	919		124	123	59	0	158	3	270	0	138	44
O/H	686	19	82	33	44	0	13	9	0	306	109	71
Shortfall/Excess	-206	-251	-33	-80	-27	0	-125	6	-270	306	-29	27

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4210001072082	0	0%	0%	0%	0%	100%	0%	NO	NO	Y	yes	No	No	No	0	0	0
4210012052246	7	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	8	0
4210013549893	12	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	11	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	214	1.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C4906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C4906: PALLET,MATERIAL HAN

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	18	3
Shortfall/Excess	18	3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	3	0	1	0	0	11	0	0
0	0	3	0	1	0	0	11	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3990011907165	3	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	78	0	1.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C5105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C5105: JOINING CORRIDOR

The Joining Corridor provides a means of connecting two shelters.

No Illustration Available

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	40	2
Shortfall/Excess	40	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
3	8	0	3	8	0	0	18	0	0
3	8	0	3	8	0	0	18	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411012066037	2	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C5269 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C5269: TESTER,LEAKAGE,PROT

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	277	0
AAO (FY17)	269	
O/H	96	1
Shortfall/Excess	-181	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
72	71	47	0	43	6	0	38	0	0
70	64	46	0	45	6	0	38	0	0
0	10	0	0	0	82	0	3	0	0
-72	-61	-47	0	-43	76	0	-35	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6665015069002	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C5810 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C5810: KITCHEN,COMPANY LEV

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	26	5
AAO (FY17)	0	
O/H	45	2
Shortfall/Excess	19	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	2	1	0	1	4	5	0	9	3
0	0	0	0	0	0	0	0	0	0
1	2	8	0	1	4	0	24	4	1
0	0	7	0	0	0	-5	24	-5	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
7360332012934	2	0%	0%	0%	0%	0%	1%	NO	NO	No	No	No	No	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	14.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C6115 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C6115: SHELTER,NONEXPANDAB

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	110	1
Shortfall/Excess	110	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
28	44	4	8	4	17	0	4	0	0
28	44	4	8	4	17	0	4	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411012066077	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7001: TESTER, AUTOMATIC TRANSMISSION

Handheld testing device used to test & adjust HUMVEE vehicle transmissions.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	231	13
AAO (FY17)	243	
O/H	273	9
Shortfall/Excess	42	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
50	47	29	0	37	55	13	0	0	0
53	46	32	0	44	55	13	0	0	0
44	55	38	4	41	40	0	20	0	22
-6	8	9	4	4	-15	-13	20	0	22

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910015592405	9	0%	50%	0%	50%	0%	0%	NO	NO	No	yes	No	Y	No	0	12	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7007: SHOP EQUIPMENT, CONTACT MAINTENANCE, COMMON #21

HUMVEE based platform that includes a maintenance shelter & equipment used by Electro-Optic Technicans (MOS 2171) and Ground Radar Technicans (MOS 2887) to perform on-site maintenance.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	190	0	57	52	32	2	36	5	0	0	6	0
AAO (FY17)	209		66	57	33	2	40	5	0	0	6	0
O/H	114	1	34	35	23	1	8	9	0	0	3	0
Shortfall/Excess	-76	1	-23	-17	-9	-1	-28	4	0	0	-3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015521599	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	2	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7023: TEST STAND,FUEL INJ

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	29	2
AAO (FY17)	25	
O/H	20	1
Shortfall/Excess	-9	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	4	0	3	14	2	0	0	0
3	3	3	0	0	14	2	0	0	0
3	2	4	0	3	4	0	3	0	0
0	-1	0	0	0	-10	-2	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910014602822	1	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	158	1.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C7025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7025: TESTER,HYDRAULIC HO

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	210	5
AAO (FY17)	200	
O/H	110	5
Shortfall/Excess	-100	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
29	25	14	5	18	60	5	0	45	9
23	22	20	4	12	60	5	0	45	9
8	14	27	4	8	19	0	26	2	0
-21	-11	13	-1	-10	-41	-5	26	-43	-9

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015475287	5	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	0	0	5

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7033: SHOP EQUIPMENT,CONT - UNARMORED (RPLCS B1951)

HUMVEE based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform on-site maintenance. Intended for 2nd Echelon or Direct Support Maintenance.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	249	30
AAO (FY17)	241	
O/H	142	5
Shortfall/Excess	-107	-25

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
64	58	36	0	35	7	30	7	9	3
60	56	34	0	35	7	30	7	9	3
24	23	18	0	17	12	0	33	8	2
-40	-35	-18	0	-18	5	-30	26	-1	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940013338471	5	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	3	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	121	0	4.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7035: TOOL KIT,TRANSMISSI

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	34	1
AAO (FY17)	31	
O/H	15	0
Shortfall/Excess	-19	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	11	8	0	3	0	1	0	0	0
9	9	6	0	6	0	1	0	0	0
3	3	4	0	2	0	0	3	0	0
-8	-8	-4	0	-1	0	-1	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180011994018	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	23	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7038: DYNAMOMETER,RUN-IN

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	16	3
AAO (FY17)	11	
O/H	0	2
Shortfall/Excess	-16	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	3	1	3	0	0	0
2	2	1	0	2	1	3	0	0	0
0	0	0	0	0	0	0	0	0	0
-3	-3	-3	0	-3	-1	-3	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910015975999	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**I MEF**
if	**Not Mission Capable MEF**	then	**I MEF**
if	**Not Mission Capable**	then	**I MEF**
if	**Condemned**	then	**I MEF**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

C7039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7039: DYNAMOMETER, RUN-IN

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	16	3
AAO (FY17)	11	
O/H	0	0
Shortfall/Excess	-16	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	3	1	3	0	0	0
2	2	1	0	2	1	3	0	0	0
0	0	0	0	0	0	0	0	0	0
-3	-3	-3	0	-3	-1	-3	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
0	0	0%	0%	0%	100%	0%	0%	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**II MEF**
if	**Not Mission Capable MEF**	then	**II MEF**
if	**Not Mission Capable**	then	**II MEF**
if	**Condemned**	then	**II MEF**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7042: NOZZLE TEST MASTER2

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	14	0
AAO (FY17)	10	
O/H	6	1
Shortfall/Excess	-8	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	2	3	0	0	0	0
3	3	1	0	0	3	0	0	0	0
1	0	2	0	0	2	0	0	0	0
-2	-3	-1	0	-2	-1	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5825014731977	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7061: TESTER,FUEL INJECTO

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	13	2
AAO (FY17)	12	
O/H	9	0
Shortfall/Excess	-4	-2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	3	0	2	2	2	0	0	0
3	3	2	0	0	2	2	0	0	0
1	1	3	0	0	4	0	0	0	0
-1	-1	0	0	-2	2	-2	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910011249123	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	48	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	17	1
AAO (FY17)	8	
O/H	19	1
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	4	0	3	3	1	0	0	0
1	1	2	0	0	3	1	0	0	0
2	2	3	0	1	7	0	3	0	0
-1	-1	-1	0	-2	4	-1	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	17	1
AAO (FY17)	8	
O/H	19	1
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	4	0	3	3	1	0	0	0
1	1	2	0	0	3	1	0	0	0
2	2	3	0	1	7	0	3	0	0
-1	-1	-1	0	-2	4	-1	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	17	1
AAO (FY17)	8	
O/H	19	1
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	4	0	3	3	1	0	0	0
1	1	2	0	0	3	1	0	0	0
2	2	3	0	1	7	0	3	0	0
-1	-1	-1	0	-2	4	-1	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	17	1
AAO (FY17)	8	
O/H	19	1
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	4	0	3	3	1	0	0	0
1	1	2	0	0	3	1	0	0	0
2	2	3	0	1	7	0	3	0	0
-1	-1	-1	0	-2	4	-1	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	15	2
AAO (FY17)	15	
O/H	19	2
Shortfall/Excess	4	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	3	0	1	2	2	0	0	0
3	4	3	0	1	2	2	0	0	0
2	2	4	0	1	0	0	8	0	0
-1	-2	1	0	0	-2	-2	8	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836015016979	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
5836015253637	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
5836015450581	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	1	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	30.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	15	2
AAO (FY17)	15	
O/H	19	2
Shortfall/Excess	4	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	3	0	1	2	2	0	0	0
3	4	3	0	1	2	2	0	0	0
2	2	4	0	1	0	0	8	0	0
-1	-2	1	0	0	-2	-2	8	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836015016979	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
5836015253637	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
5836015450581	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	1	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	30.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	15	2
AAO (FY17)	15	
O/H	19	2
Shortfall/Excess	4	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	3	0	1	2	2	0	0	0
3	4	3	0	1	2	2	0	0	0
2	2	4	0	1	0	0	8	0	0
-1	-2	1	0	0	-2	-2	8	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5836015016979	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
5836015253637	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
5836015450581	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	1	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	30.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7900: TOOL KIT,AIR CONDIT

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	173	0
AAO (FY17)	188	
O/H	234	29
Shortfall/Excess	61	29

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
44	44	16	10	28	31	0	0	0	0
43	48	16	9	41	31	0	0	0	0
48	40	23	10	13	41	0	29	14	3
4	-4	7	0	-15	10	0	29	14	3

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4120015414688	29	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	5	24	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	91	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7901: SHOP EQUIPMENT,TIRE

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	23	4
AAO (FY17)	27	
O/H	4	1
Shortfall/Excess	-19	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	4	0	3	1	4	1	0	0
6	6	4	0	5	1	4	1	0	0
0	0	0	0	0	3	0	0	0	0
-5	-5	-4	0	-3	2	-4	-1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015223536	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	0	0
4940015515941	1	0%	0%	0%	0%	100%	0%	NO	NO	Y	No	No	No	No	0	0	2
4940015683817	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	10.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7901: SHOP EQUIPMENT,TIRE

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	23	4
AAO (FY17)	27	
O/H	4	1
Shortfall/Excess	-19	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	4	0	3	1	4	1	0	0
6	6	4	0	5	1	4	1	0	0
0	0	0	0	0	3	0	0	0	0
-5	-5	-4	0	-3	2	-4	-1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015223536	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	0	0
4940015515941	1	0%	0%	0%	0%	100%	0%	NO	NO	Y	No	No	No	No	0	0	2
4940015683817	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	10.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7901: SHOP EQUIPMENT,TIRE

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	23	4
AAO (FY17)	27	
O/H	4	1
Shortfall/Excess	-19	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	4	0	3	1	4	1	0	0
6	6	4	0	5	1	4	1	0	0
0	0	0	0	0	3	0	0	0	0
-5	-5	-4	0	-3	2	-4	-1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015223536	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	0	0
4940015515941	1	0%	0%	0%	0%	100%	0%	NO	NO	Y	No	No	No	No	0	0	2
4940015683817	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	10.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7903 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7903: AIR BAG LIFT SYSTEM

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	143	0
AAO (FY17)	143	
O/H	23	4
Shortfall/Excess	-120	4

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
41	41	25	0	32	4	0	0	0	0
41	40	25	0	33	4	0	0	0	0
3	12	0	0	2	2	0	1	0	0
-38	-29	-25	0	-30	-2	0	1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4220015041223	4	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	2	0	2

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7904 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7904: SHOP EQUIPMENT, GP, COMMON #10

Quad-Con based Tool Container with heavy duty shelving and straping. Used by maintenance shops to store and transport a variety of outsized tools and other shop equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	357	0
AAO (FY17)	340	
O/H	440	27
Shortfall/Excess	83	27

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
109	89	47	10	94	8	0	0	0	0
105	87	44	10	86	8	0	0	0	0
122	100	69	7	110	19	0	3	0	0
13	11	22	-3	16	11	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015219685	27	0%	50%	0%	50%	0%	0%	NO	NO	No	yes	No	Y	No	0	27	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7905: SHOP EQUIPMENT, GENERAL PURPOSE COMMON #22

Trailer based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform on-site maintenance. Intended for 2nd Echelon or Direct Support Maintenance.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	349	34
AAO (FY17)	333	
O/H	379	52
Shortfall/Excess	30	18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
89	71	39	11	63	8	34	10	21	3
83	66	38	9	61	8	34	10	21	3
63	69	84	4	55	27	0	17	24	7
-26	-2	45	-7	-8	19	-34	7	3	4

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015504312	52	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	17	35	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	2.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7907 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7907: SHOP EQPT,GEN PURPO

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	169	0
AAO (FY17)	160	
O/H	217	10
Shortfall/Excess	48	10

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
46	42	22	7	44	8	0	0	0	0
44	40	24	6	38	8	0	0	0	0
44	80	37	7	30	13	0	2	0	0
-2	38	15	0	-14	5	0	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015637780	10	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	10	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7908 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7908: LUBE UNIT

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	163	0
AAO (FY17)	160	
O/H	128	9
Shortfall/Excess	-35	9

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
41	35	26	6	28	5	0	0	16	6
38	33	25	5	32	5	0	0	16	6
26	29	26	2	16	5	0	4	8	4
-15	-6	0	-4	-12	0	0	4	-8	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4930015497112	9	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	9	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7911 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7911: SHOP EQUIPMENT,GENE

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	298	3
AAO (FY17)	313	
O/H	348	31
Shortfall/Excess	50	28

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
76	69	39	13	61	13	3	0	21	3
77	71	47	13	65	13	3	0	21	3
66	76	56	11	73	31	0	9	5	1
-10	7	17	-2	12	18	-3	9	-16	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015504900	31	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	4	27	0

Notes: TAMCN is not classified as sensitive. DO NOT WASHDOWN - CLEAN BY HAND.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	143	1.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7912 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7912: SHOP EQUIPMENT,MACH

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	40	7
AAO (FY17)	36	
O/H	1	1
Shortfall/Excess	-39	-6

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	5	0	8	0	7	0	3	1
8	7	3	0	7	0	7	0	3	1
0	0	0	0	0	0	0	0	0	0
-8	-8	-5	0	-8	0	-7	0	-3	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3470015752955	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	I/P	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	12.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7913 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7913: SHOP EQUIPMENT, GENERAL PURPOSE COMMON #34

Large Pit-Box based platform that includes two rolling tool storage Pit-Boxes, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform maintenance. Intended for 3rd Echelon or General Support Maintenance.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	99	0
AAO (FY17)	119	
O/H	86	4
Shortfall/Excess	-13	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
27	24	15	3	12	13	0	5	0	0
31	29	17	2	22	13	0	5	0	0
16	20	19	2	10	13	0	0	0	2
-11	-4	4	-1	-2	0	0	-5	0	2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015659593	4	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	2	2

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	142	2.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7920 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7920: ANALYZER SET,VEHICU

Handheld testing device used to test & adjust all USMC ground vehicles (contained in a transit case with associated cables and test items). Includes specialized software designed for specific vehicle subsystems (engines, transmissions, tire inflation systems, etc).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	894	17
AAO (FY17)	930	
O/H	429	26
Shortfall/Excess	-465	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
227	211	104	0	162	173	17	0	0	0
230	208	119	0	183	173	17	0	0	0
88	65	66	7	35	106	0	4	0	32
-139	-146	-38	7	-127	-67	-17	4	0	32

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910014865131	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	7	0	0
4910015350413	9	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	12	5	0
4910015694435	16	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	38	16	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7930 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C7930: SHOP EQUIPMENT, GP, COMMON NO. 30

Flat-Rack based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform maintenance. Also includes a 90KW Generator and extendable boom Crane. Intended for 3rd Echelon or General Support Maintenance.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	99	0
AAO (FY17)	111	
O/H	72	3
Shortfall/Excess	-27	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
28	26	16	4	13	6	0	6	0	0
29	27	15	4	24	6	0	6	0	0
15	19	12	2	8	8	0	5	0	0
-13	-7	-4	-2	-5	2	0	-1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015187339	3	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	4	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	11.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C8010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C8010: MOBILE TRAUMA BAY

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	8	6
AAO (FY17)	6	
O/H	9	6
Shortfall/Excess	1	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	0	0	0	0	6	0	0	0
0	0	0	0	0	0	6	0	0	0
1	1	1	0	0	0	0	3	0	0
0	0	1	0	0	0	-6	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5411015757079	6	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	Y	0	0	6

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C9657 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = C9657: STAND,MAINTENANCE,A

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	94	19
AAO (FY17)	124	
O/H	70	5
Shortfall/Excess	-24	-14

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	16	14	0	15	14	19	0	0	0
30	30	17	0	14	14	19	0	0	0
17	11	15	0	0	17	0	5	0	0
1	-5	1	0	-15	3	-19	5	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910011174344	5	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	2	0	2

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	52	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

D0002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0002: TRLR, EQUIP TRANSPORTER, SEMI-TRLR, LOWBED, 50T

The M870A2E1, is a 10-ft wide lowbed semi trailer capable of transporting cargo up to 50 tons.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	36	3
AAO (FY17)	46	
O/H	48	35
Shortfall/Excess	12	32

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	5	0	10	2	3	0	0	0
12	12	7	0	10	2	3	0	0	0
0	0	4	0	0	2	0	7	0	0
-8	-8	-1	0	-10	0	-3	7	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330014838000	35	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	15	22	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.Currently no allowance for CONUS units for this TAMCN. Allowances must be identified prior to shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0003: MTVR, TRK ARMD, CARGO, 7T W/O, NON REDUCIBLE (AMK23)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,409	96
AAO (FY17)	3,394	
O/H	3,004	166
Shortfall/Excess	-405	70

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
679	568	329	51	389	140	96	85	957	115
621	506	357	51	466	140	96	85	957	115
489	410	388	35	91	208	0	193	780	126
-190	-158	59	-16	-298	68	-96	108	-177	11

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305676	140	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	213	0
2320015520273	26	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	34	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31. All items eventually need to go to MCLC for upgrades and repairs. If an item comes back in serviceable condition, it will be sent to the MEF to fill shortfalls. When MCLC has sufficient capacity, that item will be sent for refresh.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	214	0	16.7

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0004: MTVR, TRK ARMD, CARGO, 7T W/W, NON REDUCIBLE (AMK25)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	3		1	1	0	0	1	0	0	0	0	0
O/H	0	94	0	0	0	0	0	0	0	0	0	0
Shortfall/Excess	0	94	0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305677	26	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	y	No	0	44	0
2320015519433	68	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	0	84	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	230	0	17.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0005: TRK, ARMORED, 7T, EXTRA LONG WHEELBASE, W/O WINCH (AMK27)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	771	17	138	137	66	23	83	12	17	7	216	72
AAO (FY17)	729		117	115	66	23	84	12	17	7	216	72
O/H	516	113	27	71	77	13	0	23	0	18	103	20
Shortfall/Excess	-255	96	-111	-66	11	-10	-83	11	-17	11	-113	-52

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305678	90	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	52	52	0
2320015522762	23	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	18	18	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	262	0	17.9

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0006: MTVR, TRK ARMD, XLWB CARGO, 7T W/W NON REDUCIBLE, AMK28

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1	52
Shortfall/Excess	1	52

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305681	42	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	52	0
2320015519434	9	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	18	0
2320015534118	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	0	1	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	279	0	18.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0007: MTVR, TRK DUMP, ARMD, 7T, W/O WINCH, AMK29

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	320	14
AAO (FY17)	329	
O/H	280	47
Shortfall/Excess	-40	33

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
46	48	35	0	39	0	14	8	111	19
47	44	38	0	48	0	14	8	111	19
12	25	31	0	2	7	0	26	91	15
-34	-23	-4	0	-37	7	-14	18	-20	-4

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305684	26	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	25	25	0
2320015520250	21	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	11	11	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	16

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0008: MTVR, TRK DUMP, ARMD, 7T, NON REDUCIBLE, AMK30

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	0	24
Shortfall/Excess	0	24

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305685	12	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	20	0
2320015520269	12	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	9	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	217	0	16.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0009: TRUCK TRACTOR

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	136	8
AAO (FY17)	94	
O/H	223	4
Shortfall/Excess	87	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	32	20	0	35	0	8	9	0	0
24	23	11	0	19	0	8	9	0	0
56	40	43	0	25	1	0	39	0	15
24	8	23	0	-10	1	-8	30	0	15

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305693	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	0
2320015311975	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	0
2320015520403	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	202	0	13.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0009: TRUCK TRACTOR

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	136	8
AAO (FY17)	94	
O/H	223	4
Shortfall/Excess	87	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	32	20	0	35	0	8	9	0	0
24	23	11	0	19	0	8	9	0	0
56	40	43	0	25	1	0	39	0	15
24	8	23	0	-10	1	-8	30	0	15

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305693	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	0
2320015311975	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	0
2320015520403	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	202	0	13.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0009: TRUCK TRACTOR

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	136	8
AAO (FY17)	94	
O/H	223	4
Shortfall/Excess	87	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	32	20	0	35	0	8	9	0	0
24	23	11	0	19	0	8	9	0	0
56	40	43	0	25	1	0	39	0	15
24	8	23	0	-10	1	-8	30	0	15

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305693	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	0
2320015311975	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	0
2320015520403	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	202	0	13.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0011: CARRIER, TROOP, ARMORED, MTVR (ARMADILLO)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	919	356
AAO (FY17)	843	
O/H	585	125
Shortfall/Excess	-334	-231

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
135	156	59	13	71	33	356	10	65	21
113	105	49	13	78	33	356	10	65	21
67	39	41	4	0	98	0	199	6	6
-68	-117	-18	-9	-71	65	-356	189	-59	-15

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2510015352385	9	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	20	0
2510015380714	116	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	143	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	720	2.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0013: TRK TRACTOR, ARMD, 7T, 5TH WHEEL, NONREDUCIBLE, AMK31

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	274	7	44	44	29	0	28	7	7	8	81	26
AAO (FY17)	333		59	59	36	0	50	7	7	8	81	26
O/H	321	69	31	43	44	0	24	16	0	12	66	16
Shortfall/Excess	47	62	-13	-1	15	0	-4	9	-7	4	-15	-10

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015305687	32	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	no	y	No	9	37	0
2320015520282	37	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	no	y	No	0	36	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	201	0	15.3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0015: MTVR, TRK WRECKER, ARMD, 7T W/W, NON-REDUCIBLE, AMK36

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	325	11	61	57	39	0	45	19	11	5	66	22
AAO (FY17)	343		67	62	38	0	53	19	11	5	66	22
O/H	307	46	50	57	42	2	5	22	0	17	62	4
Shortfall/Excess	-18	35	-11	0	3	2	-40	3	-11	12	-4	-18

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320014652300	0	0%	100%	0%	0%	0%	0%	NO	NO	y	yes	Yes	No	No	0	0	0
2320015305691	31	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	11	34	0
2320015520268	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	No	No	0	1	0
2355015535400	0	0%	100%	0%	0%	0%	0%	NO	NO	Yes	yes	Yes	No	No	0	0	0
2355015902719	14	0%	0%	0%	0%	100%	0%	NO	NO	No	no	No	No	No	0	15	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	264	0	24.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

D0016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0016: TRLR, CARGO

The M1102H is a single axle, two wheel, steel frame trailer designed to be towed by the HMMWV. It is used to transport general cargo. A welded steel body is bolted to the frame. The body is equipped with a tailgate and mounting brackets for cargo racks and a frame for a tarpaulin cover.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,051	673
AAO (FY17)	3,027	
O/H	2,688	29
Shortfall/Excess	-363	-644

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
765	644	322	81	492	74	673	0	0	0
751	618	332	76	511	66	673	0	0	0
525	522	326	62	245	174	0	805	0	0
-240	-122	4	-19	-247	100	-673	805	0	0

Reset Strategy & Plan (Product Group: 15)

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	Forecasted Categories: CAT I	CAT II	CAT III
2330013875426	29	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	77	0	26

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	82	0	0.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

D0017 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0017: LIGHT TACTICAL TRAILER, MARINE CORPS CHASSIS (LTT-MCC)

The Light Tactical Trailer is an adaptation of the Army LTT-HC, this trailer is being modified to Marine Corps requirements. Key differences are the solid flat bed and holes to secure the towed equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,692	437
AAO (FY17)	2,622	
O/H	2,406	5
Shortfall/Excess	-286	-432

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
501	446	293	22	430	54	437	0	386	123
457	446	313	22	384	54	437	0	386	123
542	532	407	21	134	67	0	231	305	162
41	86	114	-1	-296	13	-437	231	-81	39

Reset Strategy & Plan (Product Group: 15)

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	Forecasted Categories: CAT I	CAT II	CAT III
2330015435794	5	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	0	44	14

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	82	0	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

D0022 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0022: TRUCK UTILITY

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY12)	1,327	128
AAO (FY17)	1,350	
O/H	1,931	1
Shortfall/Excess	604	-127

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
351	313	134	19	225	105	128	52	0	0
353	312	149	19	233	104	128	52	0	0
599	518	155	25	231	227	0	173	0	2
248	205	21	6	6	122	-128	121	0	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015187332	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	3	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	122	0	4.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0023: MINE RESISTANT AMBUSH PROTECTED (MRAP), AMBULANCE

The Cougar HEV is a versatile, diesel powered, pneumatic tired, heavily armored, multi-purpose vehicle that is urgently needed by Explosive Ordnance Disposal teams deployed in support of Operation Enduring Freedom and Operation Iraqi Freedom (OIF) to increase their survivability against Improvised Explosive Devices (IED). The Cougar HEV has adequate armor protection and possesses the capability to carry all required EOD equipment. The Cougar HEVs are also required for contingency operations in support of the Global War on Terrorism by Engineer Mine Clearing teams against IEDs.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY12)	47	41
AAO (FY17)	47	
O/H	22	13
Shortfall/Excess	-25	-28

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	2	0	0	2	41	0	0	0
1	1	2	0	0	2	41	0	0	0
0	2	0	0	0	1	0	6	0	0
-1	1	-2	0	0	-1	-41	6	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015626152	0	0%	0%	0%	0%	100%	0%	YES	NO	Yes	no	No	No	Yes	0	0	0
2355015831029	13	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	i/p	Yes	0	15	0

Notes: This item has an organic depot strategy. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. NSN ending in 6152 is obsolete. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	20

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0025: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT I

USMC HST Cougar

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	643	179
AAO (FY17)	628	
O/H	1,093	863
Shortfall/Excess	450	684

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
91	69	25	0	47	120	179	24	66	22
68	68	34	0	47	120	179	24	66	22
31	26	19	0	0	105	0	49	0	0
-60	-43	-6	0	-47	-15	-179	25	-66	-22

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015198173	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	no	No	No	No	0	0	0
2355015322174	2	0%	0%	0%	0%	100%	0%	NO	NO	Yes	yes	No	No	Yes	0	1	0
2355015525565	28	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	0	56	0
2355015643420	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	0	0
2355015672879	0	0%	0%	0%	0%	100%	0%	YES	NO	Yes	yes	No	No	No	0	0	0
2355015798929	34	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	0	32	0
2355015812392	799	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	0	958	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	174	0	16

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

Notes: All JERRVs or HEVs are considered obsolete. They should be sent to MCLC for further disposition. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	174	0	16

- ☑ **Sensitive**
- ☑ **CCI**
- ☑ **Multi-Modal**
- ☑ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0027: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT II

The Cougar HEV 6x6 is a member of the Mine Resistant Ambush Protected (MRAP) Family of Vehicles (FOV) which is capable of transporting personnel and cargo within the current theater of operations.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	433	22
AAO (FY17)	397	
O/H	507	325
Shortfall/Excess	74	303

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
104	68	19	8	66	17	22	25	78	26
68	68	19	8	66	17	22	25	78	26
56	60	33	0	0	13	0	21	0	0
-48	-8	14	-8	-66	-4	-22	-4	-78	-26

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015198172	4	0%	0%	0%	0%	100%	0%	NO	NO	Yes	no	No	No	Yes	0	5	0
2355015292246	1	0%	0%	0%	0%	100%	0%	NO	NO	Yes	no	No	No	No	0	1	0
2355015525199	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	0	5	0
2355015643423	13	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	0	22	0
2355015798920	30	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	0	34	0
2355015798931	273	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	0	251	0
2355015811076	0	0%	0%	0%	0%	100%	0%	NO	NO	No	no	No	No	Yes	0	0	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	220	0	20.6

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

Notes: All JERRVs or HEVs are considered obsolete. They should be sent to MCLC for further disposition. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	220	0	20.6

- ☑ **Sensitive**
- ☑ **CCI**
- ☑ **Multi-Modal**
- ☑ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

D0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0030: TRUCK, UTIL, EXPANDED CAPACITY ARMT CARRIER, M1151

The M1151A1 provides mounting and firing of the MK19 automatic grenade launcher; M2 .50 Caliber machine gun; M60, 7.62mm machine gun; M240G, 7.62mm machine gun; and M249, 5.56mm Squad Assault.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	3,615	169	878	835	409	13	683	245	169	131	189	63
AAO (FY17)	3,502		834	729	418	13	743	213	169	131	189	63
O/H	4,370	66	775	864	750	27	651	356	0	755	112	18
Shortfall/Excess	755	-103	-103	29	341	14	-32	111	-169	624	-77	-45

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320014133739	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	4	0
2320015187330	1	0%	100%	0%	0%	0%	0%	YES	NO	No	yes	No	Yes	No	0	7	0
2320015231316	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	0	0
2320015402038	61	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	78	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0031: TRUCK, UTILITY: EXPANDED CAPACITY, C2/GP VEHICLE

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	376	59	40	38	32	176	6	2	59	23	0	0
AAO (FY17)	382		42	42	32	176	6	2	59	23	0	0
O/H	465	2	109	67	15	145	42	59	0	26	0	0
Shortfall/Excess	89	-57	69	29	-17	-31	36	57	-59	3	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015401993	2	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	16	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	5.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0033: TRUCK, UTILITY: ENHANCED CAPACITY, ENH, ARMOR (M1152A1B2)

The M1152A1 can be used as a cargo/troop carrier or as a shelter carrier. As a cargo/troop carrier, it is capable of transporting a two-man crew and eight passengers.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,543	91
AAO (FY17)	1,324	
O/H	1,976	49
Shortfall/Excess	433	-42

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
260	262	107	0	198	48	91	37	405	135
207	167	83	0	151	48	91	37	405	135
432	353	265	20	255	140	0	267	180	15
172	91	158	20	57	92	-91	230	-225	-120

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015402007	49	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	156	0

Notes: All mission capable systems should be shipped to MEFs to fulfill deficiencies as required. All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Currently doing a data plate exchange to reflect new NSN on armoured version. New armored NSN is 2320-01-581-8566.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	5.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0034 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0034: TRUCK, UTIL, EXP CAPACITY, C2/GP, ARMORED 4-DOOR (M1165A1B3)

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	2,988	81	368	385	218	19	404	76	81	85	1,014	338
AAO (FY17)	2,458		246	221	153	19	225	76	81	85	1,014	338
O/H	2,130	11	217	270	129	70	176	377	0	92	759	29
Shortfall/Excess	-858	-70	-151	-115	-89	51	-228	301	-81	7	-255	-309

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015402017	11	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	36	0

Notes: All mission capable systems should be shipped to MEFs to fulfill deficiencies as required. All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Currently doing a data plate exchange to reflect new NSN on armoured version. New armored NSN is 2320-01-581-8787.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	5.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0035: TRAILER, PALLETIZED LOADING SYSTEM

The Palletized Load System (PLS) Trailer is designed to carry loads behind the LVSR with minorpreparation. The trailer may also be towed behind other USMC heavy tactical trucks. The PLS Trailer isused in conjunction with the M1077/MK1077 flatracks. The M1076 trailer, capable of carrying payloads upto 16.5 tons, is equipped with a flatrack that is interchangeable between truck and trailer.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	600	65	160	150	60	0	89	35	65	15	0	26
AAO (FY17)	355		73	60	33	0	48	35	65	15	0	26
O/H	428	34	150	125	52	2	9	35	0	7	0	14
Shortfall/Excess	-172	-31	-10	-25	-8	2	-80	0	-65	-8	0	-12

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330013035197	34	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	no	y	No	32	10	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.Coordinating with Army to use their Depot. Send WIR to LOGCOM Albany, GA for disposition instructions.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0036: MATV

The primary mission of the M-ATV is to provide protected ground mobility. The MATV is capable of operating in a threat environment involving ambushes employing the use of mines, Improvised Explosive Devices, Rocket Propelled Grenades, Explosively Formed Penetrators, and Small Arms Fire. The M-ATV was designed to enhance the effectiveness of ground combat forces with a focus on stability operations against unconventional enemy forces engaged in irregular warfare on a non-linear battlefield.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	294	0
AAO (FY17)	294	
O/H	1,122	828
Shortfall/Excess	828	828

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
40	40	10	112	0	92	0	0	0	0
40	40	10	112	0	92	0	0	0	0
73	68	34	2	0	92	0	25	0	0
33	28	24	-110	0	0	0	25	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015759632	122	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	0	626	0
2355015961330	706	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	0	805	0

Notes: Use a high pressure washer for cleaning exterior of engine, capsule and body. Rinse with hot water, if available. An ordinary garden hose, with nozzle, may be used if other equipment is not available. Ensure a complete rinsing. Do not allow a stream of water to contact Dash, Dashboard Components and other Electrical connections. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	12.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0039: KIT,M-ATV SPECIAL T

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	11	3
Shortfall/Excess	11	3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	1	1	0	2	0	4	0	0
1	0	1	1	0	2	0	4	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2540015883500	3	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

D0040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0040: MINE RESISTANT VEHI

The SABER system with TOW missiles are a proven highly accurate and effective weapon with a very low collateral damage against point targets at distances longer (3,750m max effective range) than the enemy can effectively engage friendly forces with direct fire weapons. The ability to employ the SABER TOW missile system from an MRAP CAT I or II Independent Suspension System (ISS) equipped MRAPs allows Commanders to provide greater protection for their gun crews and engage the enemy with a precision, low collateral damage weapon system at long ranges.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	64	56
AAO (FY17)	64	
O/H	53	43
Shortfall/Excess	-11	-13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	8	56	0	0	0
0	0	0	0	0	8	56	0	0	0
0	0	0	0	0	10	0	0	0	0
0	0	0	0	0	2	-56	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015891279	43	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	i/p	Yes	0	48	0

Notes: Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0080: CHASSIS, TRLR, GP, 3 1/2T, 2-WHL

The M353 is a single axle, 2-wheel, heavy-duty chassis designed to be towed by 2-1/2 or 5-ton trucks equipped with towing pintles. It is designed to haul general payloads of up to 7,000 pounds such as generators, air compressors or welders.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,273	242
AAO (FY17)	1,956	
O/H	2,134	19
Shortfall/Excess	-139	-223

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
446	425	250	0	294	39	242	200	261	116
307	321	213	0	257	39	242	200	261	116
465	443	281	19	203	55	0	275	208	166
19	18	31	19	-91	16	-242	75	-53	50

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330005422831	19	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	i/p	No	0	118	0

Notes: Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	125	0	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

D0085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0085: CHASSIS, TRLR, 3/4T, 2-WHL (Many Variants)

The M116A2 and M116A3 are single axle, 2-wheeled, general-purpose chassis designed to be towed by 3/4-ton to 1-1/4-ton vehicles equipped with towing pintles. They are constructed to transport electric power generators but can be configured to haul items such as motorcycles and satellite dishes by adding different beds to the chassis.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	945	21
Shortfall/Excess	945	21

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
78	52	59	0	102	17	0	635	0	2
78	52	59	0	102	17	0	635	0	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330011018434	5	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	Yes	No	0	0	5
2330013590080	16	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	Yes	No	0	0	16
2330014731623	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	Yes	No	0	0	0

Notes: Obsolete trailer - a candidate for FMS. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	86	0	0.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

D0187 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0187: TRUCK,UTILITY

The M1097A2, Heavy HMMWV will replace the M1037, M1042, M1097 and M1097A1 heavy shelter variants. Itis designed to carry heavy electronic systems or weapons platforms. This variant may be configured to act as acommand post shelter from which battlefield traffic may be monitored and a communication center from whichpersonnel may monitor incoming and outgoing radio and telecommunication traffic during operations. The M1097A2 can be used as a cargo/troop carrier or as a shelter carrier. As a cargo/troop carrier, it is capable of transporting a two-man crew and eight passengers.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	415	0
Shortfall/Excess	415	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
75	61	53	0	17	0	0	209	0	0
75	61	53	0	17	0	0	209	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320013469317	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: All mission capable systems M1097A2s, D0187, should be returned to Depot for program platforms and FMS sales. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	120	0	3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0195: LOAD SYSTEM, PALLETIZED, (PLS) FLATRACK

The Palletized Load System Flatrack MK1077 is a 20 foot long by 8 foot wide welded steel flat cargo body with a front wall equipped with a lifting point.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	4,248	218
AAO (FY17)	5,050	
O/H	1,771	150
Shortfall/Excess	-2,477	-68

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
973	862	534	16	639	244	218	110	540	112
1,074	899	898	16	939	244	218	110	540	112
489	392	296	6	45	111	0	44	230	8
-484	-470	-238	-10	-594	-133	-218	-66	-310	-104

Reset Strategy & Plan (Product Group: 15)

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	Forecasted Categories: CAT I	CAT II	CAT III
3990013077676	54	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	25	0	25
3990015371045	96	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	62	0	62

Notes: Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with Flatrack. No special Agriculture wash down instruction apply. Apply standard local SOP. No repair beyond Field Level Maintenance.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

D0201 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0201: MULTI-FUEL MOTORCYCLE

The M1030M1 provides a lightweight, highly mobile means of transportation to the MAGTF commander. The MCM program replaces the existing fleet of M1030 motorcycles with a commercial, state-of-the-art, 584 cc militarized motorcycle capable of transporting an operator, one passenger, documents, and light cargo.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	336	4
AAO (FY17)	310	
O/H	205	0
Shortfall/Excess	-131	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
77	50	62	0	80	19	4	0	33	11
49	43	56	0	95	19	4	0	33	11
12	1	0	0	20	0	0	133	30	9
-65	-49	-62	0	-60	-19	-4	133	-3	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2340014652533	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	0	0	0
2340015309371	0	0%	0%	0%	0%	100%	0%	No	No	No	No	No	No	No	0	0	0

Notes: Return all mission capable vehicles to LOGCOM. All BII should remain with MILMO. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	95	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0209 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0209: POWER UNIT, FRONT, 12 1/2T, 4X4, LVS ARMORED

The MK48/MK48A1 and their associated rear body units (RBU) form the Logistics Vehicle system (LVS). Used primarily by combat service support motor transport units to haul supplies in large quantities from beachheads, ports, railheads or airfields to combat areas.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	1,006	20
Shortfall/Excess	1,006	20

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
59	58	48	3	79	7	0	666	41	25
59	58	48	3	79	7	0	666	41	25

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320011775167	11	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	43
2320014173180	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	3
2320015797851	7	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	18

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.Being Replaced by LVSR MKR15, MKR16, MKR18. Will require a D0209 FPU for each D0877 and D0878 RBU being sent back. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	159	0	12.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D0215 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0215: TRLR SEMI 5000GL REFUELER, MK970 (ARMORED PACKAGE)

The MK970 is a 5,000-gallon fuel dispensing semi-trailer is designed for under/over wing refueling of aircraft. It is equipped with a filter/separator, recirculation system and two refueling systems, one for under wing and one for over wing servicing.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	472	37	75	75	56	0	63	6	37	56	78	26
AAO (FY17)	475		76	76	56	0	64	6	37	56	78	26
O/H	469	53	75	53	84	0	22	16	0	64	69	34
Shortfall/Excess	-3	16	0	-22	28	0	-41	10	-37	8	-9	8

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330010505635	1	0%	0%	0%	0%	0%	100%	NO	NO	No	yes	No	Yes	No	0	0	1
2330015378217	19	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	18	27	0
2330015593657	33	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	43	0

Notes: All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	246	0	7.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0235 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0235: SEMI-TRLR, LOWBED, 40T

The M870A2 is three axle Medium Heavy Equipment Transporter that is replacing the M870A1 and is designed to haul a payload of 80,000 lbs (40-tons) in conjunction with a LVS MK48/MK16 fifth wheel truck tractor, LVSR tractor, or a M931A2 truck tractor.

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	331	16
AAO (FY17)	344	
O/H	369	51
Shortfall/Excess	38	35

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
72	70	38	1	54	10	16	15	45	10
64	63	61	1	59	10	16	15	45	10
53	74	42	2	38	12	0	65	30	6
-19	4	4	1	-16	2	-16	50	-15	-4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330014424975	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	4	0
2330015344570	47	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	6	51	0

Notes: NSN 2330015344570 - Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with trailer. NSN 2330014424975 - Return all non mission capable trailers to LOGCOM for system upgrade. All Basic Issue Items. No special Agriculture wash down instruction apply. Apply standard local SOP. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	331	0	9.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0850 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0850: TRLR, CARGO

The M101A3 is a single axle, two wheel, steel frame trailer designed to be towed by the HMMWV. It isused to transport general cargo. A welded steel body is bolted to the frame. The body is equipped with atailgate and mounting brackets for cargo racks and a frame for a tarpaulin cover. A steel A-frame is boltedto the frame with an attached one -position lunette, landing gear and two hand brake levers. The M101A3is designed to operate on all types of roads, cross-country terrain and in all weather conditions. There areno restrictions on the M101A3 for movement over primary and secondary roads; however, it is restricted toa maximum speed of 15-mph cross-country when towed by the M998/M1123 series trucks or other primemovers. System is archived.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	559	2
Shortfall/Excess	559	2

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
132	170	27	7	139	8	0	74	0	0
132	170	27	7	139	8	0	74	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330008986779	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
2330013725641	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	46

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP. FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	75	0	0.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

D0860 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0860: TRLR, CARGO, 1 1/2T, 2-WHL

The M105A2 is a 2-wheel, single axle trailer with a leaf-spring suspension designed to be towed by 2-1/2 ton and larger vehicles equipped with towing pintles. It has a welded box cargo body mounted on a welded steel frame.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,189	267
AAO (FY17)	3,076	
O/H	2,072	122
Shortfall/Excess	-1,117	-145

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
671	593	366	0	529	106	267	14	594	49
609	524	359	0	554	106	267	14	594	49
453	430	277	20	278	131	0	57	290	14
-218	-163	-89	20	-251	25	-267	43	-304	-35

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330001418050	122	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	88	0	88

Notes: All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP. Item to be replaced in FY 12.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	95	0	1.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0861 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0861: TRLR, CARGO, RESUPPLY F/HIMARS

HIMARS is a transformational 24 hour, ground-based, responsive General Support / General Support-Reinforcing (GS/GSR) precision indirect fire support system which accurately engage targets at long ranges (60+ Km) with high volumes of lethal fire under all weather conditions throughout all phases of combat operations ashore. HIMARS is C-130 and amphibious transportable and with precision fires, supports both irregular and traditional warfare. One HIMARS system is defined as one launcher, two re-supply vehicles / trailers and munitions.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	94	6
AAO (FY17)	94	
O/H	82	6
Shortfall/Excess	-12	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
48	0	0	0	36	4	6	0	0	0
48	0	0	0	36	4	6	0	0	0
36	0	0	0	36	4	0	0	0	0
-12	0	0	0	0	0	-6	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015045014	6	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	n	No	0	4	2

Notes: No Special Requirements. Must be packed and shipped by owning unit before sending to CONUS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0876 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0876: TRLR, POWERED, 22 1/2T, CONTAINER HAULER, 4X4

The MK14/14A1 combines with the MK48/48A1 Power Unit (D0209) to form the container hauler variant of the Logistics Vehicle System.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	602	8
Shortfall/Excess	602	8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
7	0	0	0	36	0	0	532	0	19
7	0	0	0	36	0	0	532	0	19

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320011760469	7	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	Yes	No	0	0	18
2320014175294	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	Yes	No	0	0	3

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	160	0	8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D0877 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0877: TRLR, POWERED, WRECKER/RECOVERY, 4X4

The MK15/15A1 Rear Body Unit combines with the MK48/48A1 Front Power unit (D0209) to form the wrecker/recovery variant of the Logistics Vehicle System. It is a fully equipped wrecker for recovery of disabled vehicles and Material Handling Equipment.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	152	12
AAO (FY17)	188	
O/H	86	7
Shortfall/Excess	-66	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
34	31	20	0	20	11	12	10	12	2
44	39	27	0	31	11	12	10	12	2
15	10	17	0	9	2	0	26	7	0
-19	-21	-3	0	-11	-9	-12	16	-5	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320011766928	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	Yes	No	0	0	0
2320014178144	7	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	Yes	No	0	0	7

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.LVSR MKR15 will not reach FOC until Q4 FY14. Will require LVS for deficiencies, and use of parts for obsolete items. Each D0877 will require a D0209 FPU IOT be shipped back to CONUS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	160	0	14.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D0878 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0878: TRLR, POWERED, 5TH WHL, SEMI-TRLR ADAPTER, 4X4

The MK16/16A1 combines with the MK48/48A1 Power unit (D0209) to form the fifth wheel semi-trailer variant of the Logistics Vehicle System. The MK16/16A1 is used to transport semi-trailers equipped with a 3.5-inch diameter kingpin.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	451	58	84	79	89	0	44	11	58	29	45	12
AAO (FY17)	534		83	77	145	0	74	11	58	29	45	12
O/H	229	10	35	37	38	2	35	1	0	33	32	6
Shortfall/Excess	-222	-48	-49	-42	-51	2	-9	-10	-58	4	-13	-6

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320011760467	9	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	Yes	No	0	0	47
2320014175293	1	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	Yes	No	0	0	4

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.LVSR MKR16 will not reach FOC until Q4 FY14. Will require LVS for deficiencies, and use of parts for obsolete items. Each D0877 will require a D0209 FPU IOT be shipped back to CONUS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	124	0	8.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D0880 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0880: TRLR, TANK, WATER, 400 GAL, 1 1/2T, 2-WHL

The M149A2 transports potable or non-potable water on highways and cross-country terrain. The water tank is constructed of stainless steel with double walls. Two inches of urethane foam is used as insulation between the walls.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,186	226
AAO (FY17)	2,154	
O/H	1,712	120
Shortfall/Excess	-474	-106

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
378	339	218	0	273	123	226	215	327	87
353	307	250	0	266	123	226	215	327	87
330	276	234	11	185	176	0	97	279	4
-48	-63	16	11	-88	53	-226	-118	-48	-83

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330005422039	5	0%	0%	0%	0%	100%	0%	YES	NO	y	no	No	Yes	No	9	0	0
2330011087367	115	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	67	83	0

Notes: All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	100	0	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0881 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0881: TRLR, RIBBON BRIDGE MK18A1

The MK18 combines with the MK48/48A1 Power Unit (D0209) to form the ribbon bridge/container transporter variant of the Logistics Vehicle System.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	111	2
Shortfall/Excess	111	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
5	0	0	0	3	3	0	100	0	0
5	0	0	0	3	3	0	100	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320013920293	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	Yes	No	0	0	2

Notes: This TAMCN is obsolete and should be DRMOd or disposed of in theater. No special Agriculture wash down instruction apply. Apply standard local SOP. Possible FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	203	0	10

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D0886 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0886: TRK, CARGO 22.5 TON, 10X10, LVSR - MKR18

The LVSR Cargo Variant (AMKR-18) replaces the LVS MK18/14 capability. LVSR is a self-loading cargo hauler which transports standardized containers; bulk, breakbulk, palletized cargo, and bridging equipment.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,484	30
AAO (FY17)	1,633	
O/H	1,311	163
Shortfall/Excess	-173	133

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
314	278	197	4	233	88	30	40	270	30
355	293	198	4	325	88	30	40	270	30
299	279	164	2	56	91	0	8	233	16
-15	1	-33	-2	-177	3	-30	-32	-37	-14

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015427628	155	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	No	No	28	94	40
2320015927347	8	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	No	No	0	10	4

Notes: FSR required for equipment assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	290	0	26.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0887 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D0887: TRUCK TRACTOR LVSR

The LVSR Cargo Variant (AMKR-18) replaces the LVS MK18/14 capability. LVSR is a self-loading cargo hauler which transports standardized containers; bulk, breakbulk, palletized cargo, and bridging equipment.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	340	12
AAO (FY17)	360	
O/H	170	28
Shortfall/Excess	-170	16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
72	68	38	4	56	20	12	15	45	10
68	67	58	4	63	20	10	15	45	10
60	59	4	0	0	11	0	2	6	0
-12	-9	-34	-4	-56	-9	-12	-13	-39	-10

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015429941	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	yes	y	No	0	0	0
2320015927353	28	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	yes	y	No	0	20	0

Notes: FSR Required for assessment of equipment at MCLC FWD

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	278	0	20.8

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D1001: 997 FIELD AMBULANCE

The M997 is capable of transporting up to four litter patients, eight ambulatory patients or a combination of litter and ambulatory patients. Additionally, medical personnel and equipment and a driver can be accommodated in the vehicle.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	620	61	117	115	61	7	75	44	61	27	87	26
AAO (FY17)	617		115	98	63	7	89	44	61	27	87	26
O/H	526	8	98	94	69	8	80	46	0	46	63	14
Shortfall/Excess	-94	-53	-19	-21	8	1	5	2	-61	19	-24	-12

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2310013723934	1	0%	0%	0%	0%	100%	0%	NO	NO	No	no	No	No	No	0	1	0
2310013808225	7	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	4	4	0

Notes: All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Current NSN is 8225, the other is old

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	128	0	3.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D1059: TRK, CARGO, 5T, 6X6, W/O WINCH

Medium Lift Cargo Truck.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	67	0
Shortfall/Excess	67	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	67	0	0
0	0	0	0	0	0	0	67	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320000508905	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D1062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D1062: TRUCK, RTAA, XLWB CARGO, 7 TON, W/O WINCH

The MTVR will replace the current medium fleet of 5-ton trucks. The MTVR has increased payload of 7.1 tons cross-country and 15 tons on hard surface roads and can simultaneously tow up to an 11 ton towed load.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	842	59
AAO (FY17)	744	
O/H	556	0
Shortfall/Excess	-286	-59

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
199	201	130	12	190	46	59	5	0	0
178	173	133	4	146	46	59	5	0	0
126	107	88	12	101	57	0	33	0	32
-73	-94	-42	0	-89	11	-59	28	0	32

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320014652182	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	Yes	No	No	0	0	0

Notes: This item does not exits on the EDL and is not deployed in theater. Romeve this item from the reset tasker. This item does not exits on the EDL and is not deployed in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	263	0	15.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D1063: TRK, CARGO, RESUPPLY F/HIMARS

HIMARS is a transformational 24 hour, ground-based, responsive General Support / General Support-Reinforcing precision indirect fire support system which accurately engage targets at long ranges (60+ Km) with high volumes of lethal fire under all weather conditions throughout all phases of combat operations ashore. HIMARS is C-130 and amphibious transportable and with precision fires, supports both irregular and traditional warfare. One HIMARS system is defined as one launcher, two re-supply vehicles / trailers and munitions.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	101	6	48	0	0	0	36	4	6	7	0	0
AAO (FY17)	101		48	0	0	0	36	4	6	7	0	0
O/H	87	6	36	0	0	0	36	4	0	5	0	0
Shortfall/Excess	-14	0	-12	0	0	0	0	0	-6	-2	0	0

Influences R2 Distribution

REQUIREMENTS

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015045218	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	0	0	0
2320015640834	6	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	6	0

Notes: All items should be wash IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	20

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1064 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D1064: TRK, FIRE FIGHTING, AIRCRAFT AND STRUCTURE

The Truck, Fire, Crash, A/S 32-P-19A, is primarily designed for aircraft crash and rescue operations.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	157	10
AAO (FY17)	157	
O/H	102	12
Shortfall/Excess	-55	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	32	22	0	24	0	10	5	24	8
32	32	22	0	24	0	10	5	24	8
17	13	14	0	5	1	0	21	16	3
-15	-19	-8	0	-19	1	-10	16	-8	-5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4210011379943	12	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	8	0

Notes: Return all trailers to LOGCOM for further evaluation. All Basic Issue Items (BII) are to remain with truck.No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	219	0	16.8

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D1072: TRUCK,DUMP

This version of the M817 differs from the other in that it is equipped with a 20,000 pound capacity winch located behind the front bumper. The winch feature affects truck length, weight, shipping dimensions and angle of approach.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	5	0
Shortfall/Excess	5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	5	0	0
0	0	0	0	0	0	0	5	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320000508970	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
2320010478756	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	12.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D1125 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D1125: TRK, UTIL, TOW CARR, W/SA, 2 1/4T, HMMWV (DELETED RFF 1081)

The M1045 is the Tube Launched, Optically-Tracked, Wire-Guided missile carrier (with supplemental armor) model of the M998 series of tactical truck is designed to provide added ballistic protection to the crew, equipment and ammunition.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	274	13	55	55	12	0	36	13	13	6	63	21
AAO (FY17)	254		51	43	12	0	32	13	13	6	63	21
O/H	626	2	16	23	9	0	99	15	0	358	92	14
Shortfall/Excess	352	-11	-39	-32	-3	0	63	2	-13	352	29	-7

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320013808229	2	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	2	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	111	0	3.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1158 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D1158: TRUCK,UTILITY

The M1123 troop/cargo variant (HMMWVA2) will replace the M998, and M1038 variant HMMWVs. The M1123 provides light troop and cargo transportation.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	4,078	462
AAO (FY17)	4,674	
O/H	8,878	4
Shortfall/Excess	4,800	-458

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
972	857	531	44	785	242	462	185	0	0
1,109	1,009	649	44	989	227	462	185	0	0
1,081	981	1,100	21	536	69	0	4,350	258	482
109	124	569	-23	-249	-173	-462	4,165	258	482

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320014559593	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	no	Y	No	0	4	0

Notes: To be used as FMS sales. Can be sold in theater or returned to stores. All BII should remain with truck. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	107	0	2.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1161 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D1161: TRUCK, UTILITY: INTERNALLY TRANSPORTABLE VEHICLE, LIGHT STRIKE VARIANT (IT

The ITV will provide Marine Air-Ground Task Force (MAGTF) ground combat units with a vehicle that is internally transportable in MV-22 and CH-53 aircraft. The vehicle will be a high mobility weapons platform to support a variety of operations. The secondary purpose is to provide reconnaissance units with equal or greater mobility than the MAGTF maneuver elements they support, thereby enhancing their mission performance and survivability.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	236	0	50	45	36	66	30	9	0	0	0	0
AAO (FY17)	231		50	40	36	66	30	9	0	0	0	0
O/H	179	12	47	44	36	39	0	0	0	1	0	0
Shortfall/Excess	-57	12	-3	-1	0	-27	-30	-9	0	1	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015312701	12	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	no	i/p	No	0	15	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	67	0	2.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1212 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D1212: TRK, WRECKER, 5T, 6X6

The M816 is the wrecker variant of the M809 series of 5 ton trucks. The wrecker is utilized to return disabled trucks for repair and to free mired trucks. It is equipped with a hydraulically powered, engine driven crane, drive shaft driven front winch and rear winch. The front winch is used mainly to free the wrecker when it becomes mired or to assist the rear winch by acting as an anchor point. The rear crane is used for lifting loads up to 20,000 pounds. The crane is utilized in operations such as removing and replacing engines, power packs and gun tubes. For safety reasons, the front winch is restricted to a maximum load of 9,500 pounds.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	10	0	0	0	0	0	0	1	0	9	0	0
Shortfall/Excess	10	0	0	0	0	0	0	1	0	9	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320012064078	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	284	0	18.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D1214 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = D1214: TRK, WRECK, LVSR

The Logistics Vehicle System Replacement (LVSR) is a 10-wheel tactical vehicle offers greater mobility and off-road payload capability that the existing Logistics Vehicle System (LVS). It can carry 22.5 tons on the highway, transport 16.5 tons off road, travel up to 65 miles per hour on paved surfaces, and has a cruising range of 300 miles. It can ford 5 feet of water.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	160	6
AAO (FY17)	169	
O/H	90	27
Shortfall/Excess	-70	21

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
33	32	13	4	22	15	6	15	18	2
34	33	14	4	28	15	6	15	18	2
24	20	3	0	0	15	0	1	0	0
-9	-12	-10	-4	-22	0	-6	-14	-18	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015430651	17	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	No	No	0	14	4
2320015939122	10	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	8	2

Notes: FSR Required for assessment of equipment at MCLC FWD

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	306	0	33.9

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0001: THERMAL LASER SPOT IMAGER TLSI

AN/PAS 25 Thermal Laser Spot Imager.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	253	0
AAO (FY17)	262	
O/H	499	46
Shortfall/Excess	246	46

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
30	30	31	64	53	15	0	30	0	0
27	27	28	64	71	15	0	30	0	0
71	71	39	69	44	14	0	145	0	0
41	41	8	5	-9	-1	0	115	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855015629999	46	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	94	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0007: IED COUNTERMEASURES

Equipment used to counter improvised explosive devices.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	69	0
Shortfall/Excess	69	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	69	0	0
0	0	0	0	0	0	0	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015315577	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0010: ADAPTER, TEST F/TOW VEH POWER

An adapter which provides facilities for electrically connecting an item to be tested and a piece of test equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	33	3
AAO (FY17)	28	
O/H	21	0
Shortfall/Excess	-12	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	8	8	0	3	2	3	0	0	0
7	7	9	0	0	2	3	0	0	0
0	0	0	0	1	0	0	20	0	0
-9	-8	-8	0	-2	-2	-3	20	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625011123068	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes: T/E already established by CD

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

E0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0013:

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3,164	0
AAO (FY17)	2,561	
O/H	1,274	0
Shortfall/Excess	-1,890	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
540	827	279	438	517	531	0	32	0	0
438	540	226	438	422	465	0	32	0	0
71	180	61	194	65	170	0	515	0	0
-469	-647	-218	-244	-452	-361	0	483	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240015869839	0	0%	50%	0%	50%	0%	0%	NO	NO	No	yes	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0018: SCOUT SNIPER URBAN NIGHT SIGHT

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	800	696
AAO (FY17)	800	
O/H	720	362
Shortfall/Excess	-80	-334

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
20	20	20	4	0	40	696	0	0	0
20	20	20	4	0	40	696	0	0	0
20	20	25	9	0	40	0	244	0	0
0	0	5	5	0	0	-696	244	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1010015912226	362	33%	33%	0%	34%	0%	0%	NO	NO	No	No	No	No	Y	0	390	192

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0019: TEST SET,GUN TUBE

Commonly referred to as the BG-10. Used to measure the wear of M242 25mm chain gun barrels by measuring the internal diameter of various spaces in the barrel.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	21	2
AAO (FY17)	21	
O/H	12	1
Shortfall/Excess	-9	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	2	2	0	2	4	2	2	3	0
4	2	2	0	2	4	2	2	3	0
0	1	0	0	0	1	0	10	0	0
-4	-1	-2	0	-2	-3	-2	8	-3	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4933014418678	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	1	0	0

Notes: Mission Capable equipment should be sent to the MEF for re-distribution.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0028: SEMI AUTO SNIPER RIFLE MK11 MOD 1

The sniper rifle is a rifle used to ensure accurate placement of bullets at longer ranges than small arms. A typical sniper rifle is built for optimal levels of accuracy, fitted with a telescopic sight and chambered for a military center fire cartridge.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	171	7
Shortfall/Excess	171	7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	1	0	0	27	0	136	0	0
0	0	1	0	0	27	0	136	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005015389643	7	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	No	No	Yes	0	42	0

Notes: UUNs - replaced by E0103 - DRMO all items regardless of condition. Serviceable items will go to fill shortfalls in FIS and FMS/disposal - dispose of by attrition.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0036: MARINE ARTILLERY SURVEY SET (MASS)

The MASS is the streamlined replacement for the Field Artillery Regiment Surveying Set and the Field Artillery Battalion Surveying Set. It consists of legacy equipment and components from those sets, a vehicle, and the Defense Advanced Global Positioning System (GPS) Receiver (DAGR). MASS consist of theodolites which are used to measure angular deviation and vertical interval, range measuring devices and the necessary ancillary equipment required to support the mission.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	36	0
AAO (FY17)	34	
O/H	44	1
Shortfall/Excess	8	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	8	0	8	0	0	0	0	0
10	8	8	0	8	0	0	0	0	0
16	10	8	0	8	1	0	0	0	0
6	0	0	0	0	1	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675015637465	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	1

Notes: Using Unit owned assets return to home station. Item is at the tail end of it's life cycle. No direct water contact on electrical components

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	776	6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E0042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0042: RANGE FINDER, LASER, AN/PEQ-17 (RPLCS E10457B)

The Portable Lightweight Designator Rangefinder (PLDR) is an Electro-Optic unit, allowing observation, identification and designation of target. The PLDR is a robust compact, low-cost, very lightweight laser designation system, which can be easily carried and operated by an individual Marine.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	319	0
AAO (FY17)	328	
O/H	480	34
Shortfall/Excess	161	34

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
48	42	31	100	53	15	0	30	0	0
45	39	28	100	71	15	0	30	0	0
55	60	40	73	39	13	0	166	0	0
7	18	9	-27	-14	-2	0	136	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240015666510	34	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	0	82	0
1240015921355	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
5860090004433	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0043: TRUCK, MAINTENANCE (C7007 REPLACED)

E0043 is the Ordnance Support Vehicle.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	21	0
AAO (FY17)	21	
O/H	18	2
Shortfall/Excess	-3	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12	0	0	0	9	0	0	0	0	0
12	0	0	0	9	0	0	0	0	0
7	0	0	0	9	0	0	0	0	0
-5	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2320015535269	2	0%	0%	100%	0%	0%	0%	NO	NO	No	no	No	No	No	0	0	2

Notes: Do Not Spray or wet any Electronic Components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0044: EOD SEARCH KIT

Provides specialized tools and equipment to perform interior and exterior search operations involving IED, UXO and WMD.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	323	30
AAO (FY17)	303	
O/H	226	31
Shortfall/Excess	-97	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
84	84	64	12	12	37	30	0	0	0
76	76	60	12	12	37	30	0	0	0
44	61	44	12	0	35	0	0	0	0
-40	-23	-20	0	-12	-2	-30	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5850015592664	31	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	31	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0046 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0046: EOD DISASSEMBLY KIT

The EOD Disassembly Kit provides the EOD Team with a variety of hand tools, bench equipment, and limited safety equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	66	1
AAO (FY17)	61	
O/H	55	2
Shortfall/Excess	-11	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	14	9	6	3	19	1	0	0	0
12	12	8	6	3	19	1	0	0	0
13	16	8	0	0	17	0	0	0	0
-1	2	-1	-6	-3	-2	-1	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385015595502	2	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	1	1

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0047: EOD GENERAL PURPOSE KIT

Equips EOD technicians with a modern set of tools to support EOD operations such as locating, identifying and rendering safe.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	124	5
AAO (FY17)	119	
O/H	97	6
Shortfall/Excess	-27	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	23	16	12	3	23	5	0	15	5
20	20	16	12	3	23	5	0	15	5
19	22	13	4	0	20	0	0	7	7
-3	-1	-3	-8	-3	-3	-5	0	-8	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015592933	6	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	3	3

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0049 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0049: EOD IED KIT

The EOD Improvised Explosive Device (IED) Kit provides the EOD Team's Command and Response Elements with the necessary tools and equipment to support operation involving IEDs and Weapons of Mass Destruction (WMD).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	364	29	84	84	60	12	12	43	29	0	30	10
AAO (FY17)	348		76	76	60	12	12	43	29	0	30	10
O/H	222	30	52	63	34	5	0	24	0	0	14	22
Shortfall/Excess	-142	1	-32	-21	-26	-7	-12	-19	-29	0	-16	12

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015594338	30	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	15	15

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0051 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0051: SPECIAL PURPOSE RIFLE, MK12 5.56

This weapon system is a heavily modified light sniper/designated marksman variation of the AR-15/M16 line of infantry weapons, and is chambered for NATO standard 5.56 x 45 mm caliber ammunition.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	400	270	30	30	20	0	30	20	270	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	318	170	13	0	9	0	57	5	0	177	0	0
Shortfall/Excess	-82	-100	-17	-30	-11	0	27	-15	-270	177	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005070001255	170	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	No	No	Yes	0	170	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0053: GREEN BEAM DAZZLER

The Green Beam Dazzler is a non-lethal visual disruption device that is used to distract threats.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,705	1405
AAO (FY17)	1,705	
O/H	1,223	409
Shortfall/Excess	-482	-996

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	15	15	240	0	15	1,405	0	0	0
15	15	15	240	0	15	1,405	0	0	0
21	5	14	241	0	27	0	506	0	0
6	-10	-1	1	0	12	-1,405	506	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5860015447175	409	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	0	0	615

Notes: No wash down required

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0054 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0054: RANGE FINDER,LASER

Component of E1048 CLRF

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	72	0
AAO (FY17)	106	
O/H	320	5
Shortfall/Excess	248	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	2	2	0	68	0	0	0	0	0
0	2	2	0	102	0	0	0	0	0
1	1	1	0	0	0	0	312	0	0
1	-1	-1	0	-68	0	0	312	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240015723753	5	0%	100%	0%	0%	0%	0%	NO	NO	N	yes	No	No	No	0	6	0

Notes: Do not wash. Clean with damp cloth. TAMCN should be associated with E1048.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0055: TOW IMPROVED SABER

The M41A4 Saber Weapon System consists of subassemblies described on the following pages and is used by Anti-Armor Assault personnel to engage and/or mark targets per mission requirements. The system can be operated from a ground mount position on the tripod or from the HMMWV configuration.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	827	124
AAO (FY17)	808	
O/H	746	38
Shortfall/Excess	-81	-86

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
124	124	24	0	100	79	124	108	144	0
117	101	27	0	92	79	146	150	96	0
109	111	43	0	73	102	0	149	121	0
-15	-13	19	0	-27	23	-124	41	-23	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015598728	38	0%	0%	0%	75%	0%	0%	NO	NO	No	no	No	Yes	No	0	63	0

Notes: Everybody in CONUS is using WRMR assets so needs to go back to MCLC. The PADS (NSN 1240-01-557-1923) which is a subcomponent of the Saber can receive a crypto fill. Crypto should be dumped before shipping of system.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0056 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0056: MK41 ADVANCED RADIOGRAPHIC SYSTEM (EOD)

Provides EOD technicians a portable, fully-digital, X-ray systems with ground level imaging.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	169	11	43	43	31	12	6	23	11	0	0	0
AAO (FY17)	315		76	76	60	48	12	43	0	0	0	0
O/H	99	13	28	20	18	8	0	20	0	0	0	0
Shortfall/Excess	-70	2	-15	-23	-13	-4	-6	-3	-11	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6635015459905	13	0%	50%	0%	50%	0%	0%	NO	NO	No	yes	No	Yes	No	0	13	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0057: MK32 MOD 4 EOD X-RAY

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	7	0
Shortfall/Excess	7	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	3	0	0	3	0
1	0	0	0	0	3	0	0	3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6635015037883	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0060: SABER ELECTRICAL CIRCUIT TEST SET (ECIRTS)

The ECIRTS (Type IV) is the primary component of the Saber ECIRTS Tool Kit (ETK). The equipment is intended to be used in both the Pre-fire Inspection and semiannual maintenance inspections of the Saber and TOW systems. The functional use of the Saber ECIRTS is to test the Traversing Unit (TU) and Saber system for Missile type verification, Wire Cut signal and electronic Umbilical continuity of connection.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	93	0	17	17	5	0	13	38	0	0	3	0
AAO (FY17)	96		19	17	5	0	14	38	0	0	3	0
O/H	56	4	12	11	5	0	7	16	0	0	2	0
Shortfall/Excess	-37	4	-5	-6	0	0	-6	-22	0	0	-1	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4935015688417	0	0%	0%	0%	50%	0%	0%	TBD	TBD	No	No	No	No	No	0	0	0
6625015756647	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	4	0	0

Notes: Repairs are done at Army Facility in Huntsville, Alabama. T/E already established by CD&I.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0062: SIGHT, THERMAL

The IWNS-T is a clip-on, battery-operated style sight to be used in conjunction with the AN/PVQ-31A/B Rifle Combat Optic (RCO), to observe/orient, detect and recognize targets, conduct surveillance and engage targets during all lighting conditions and battlefield obscurants such as smoke, fog, and sandstorms without additional bore sighting or battle sight zero operations, other than that required by the primary optic.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	2,170	1863	0	0	0	0	0	307	1,863	0	0	0
AAO (FY17)	2,170		0	0	0	0	0	307	1,863	0	0	0
O/H	2,171	684	118	47	169	0	0	437	0	716	0	0
Shortfall/Excess	1	-1,179	118	47	169	0	0	130	-1,863	716	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855015597064	684	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	Yes	Y	Yes	0	933	0

Notes: This is a deployment asset - should be brought in and out of theater with the unit. Send all to LOGCOM - will be replaced but still have value to the field through FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0063: MINI THERMAL IMAGER (MTI)

The Mini Thermal Imager is a dual field of view, lightweight hand held/helmet mountable, pocket sized thermal imaging system.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	882	830	0	0	0	0	0	52	830	0	0	0
AAO (FY17)	882		0	0	0	0	0	52	830	0	0	0
O/H	910	339	7	35	6	0	0	191	0	332	0	0
Shortfall/Excess	28	-491	7	35	6	0	0	139	-830	332	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855015531162	0	0%	0%	0%	0%	100%	0%	NO	NO	No	yes	Yes	No	Yes	0	80	0
5855015544673	339	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	no	Y	Yes	0	614	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0064 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0064: ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (PACBOT)

The Robot, Explosive Ordnance Disposal is used for safe movement and disposal of live munitions. Used to perform EOD/IED mission.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	121	24
AAO (FY17)	117	
O/H	167	14
Shortfall/Excess	46	-10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
21	21	15	15	3	22	24	0	0	0
19	19	15	15	3	22	24	0	0	0
28	26	16	14	0	69	0	0	0	0
7	5	1	-1	-3	47	-24	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385015349828	14	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	Yes	0	25	8

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1484	4.8

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0066 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0066: ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (TALON)

The Robot, Explosive Ordnance Disposal is used for safe movement and disposal of live munitions. Used to perform EOD/IED mission.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	302	118
AAO (FY17)	187	
O/H	288	117
Shortfall/Excess	-14	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	42	30	15	6	49	118	0	0	0
38	38	30	48	6	27	0	0	0	0
41	38	32	15	0	45	0	0	0	0
-1	-4	2	0	-6	-4	-118	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385015349826	117	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	Yes	0	118	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	25	0.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0067: ELECTRO OPTICAL MAINTENANCE SHELTER COMPLEX

The EOMSC is a transportable facility that provides a sheltered environment for operator/crew and field-level maintenance of optical, electro-optical, fire-control and laser range-finder equipment.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	15	0
AAO (FY17)	23	
O/H	20	1
Shortfall/Excess	5	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	3	3	0	2	0	0	2	3	0
6	6	2	0	4	0	0	2	3	0
6	3	4	0	2	0	0	1	2	1
4	0	1	0	0	0	0	-1	-1	1

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5410015511127	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	1	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0069: DIRECT SUPPORT ELECTRICAL SYSTEM TEST SET (DSESTS) SUPPORT (DSS)SHELTE

An expandable 20'x8'x8' ISO certified shelter and trailer combination used to house the DSESTS for the M1A1 Tank. It provides a mobile maintenance capability for the Tank Bn and MLG, capable of effecting repairs on all LRUs in all types of weather and terrain. The shelter and trailer can be transported by the MTVR or LVS/MK14 variant.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	25	0
AAO (FY17)	19	
O/H	22	2
Shortfall/Excess	-3	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	6	1	0	2	0	0	3	6	0
4	4	1	0	1	0	0	3	6	0
6	4	1	0	2	0	0	1	4	2
-1	-2	0	0	0	0	0	-2	-2	2

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625015528270	2	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	0	2	0

Notes: Item will be repaired through CLS. No equipment conditions; however, care should be taken when utilizing high pressure wash around generator/ECU area. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	8.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0070: DIRECT SUPPORT ELECTRICAL SYSTEM TEST SET (DSESTS) SUPPORT (DSS) TRAILER

An expandable 20'x8'x8' ISO certified shelter and trailer combination used to house the DSESTS for the M1A1 Tank. It provides a mobile maintenance capability for the Tank Bn and MLG, capable of effecting repairs on all LRUs in all types of weather and terrain. The shelter and trailer can be transported by the MTVR or LVS/MK14 variant.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	46	0		11	10	5	0	6	1	0	3	9	1
AAO (FY17)	53			12	12	6	0	9	1	0	3	9	1
O/H	84	5		16	21	23	0	1	0	0	6	10	2
Shortfall/Excess	38	5		5	11	18	0	-5	-1	0	3	1	1

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2330015528661	5	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	0	4	0

Notes: MCLC Stores pending redistribution. Associated with E0069. Ship with the System.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	223	0	4.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0076 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0076: MULTI-PURPOSE TANK BLADE

Thu multipurpose tank blade is a bulldozer blade that can be attached to an M1A1 and can be operated by the tank's driver. The blade provides for obstacle/rubble moving/removing and earthmoving activities such as digging defensive positions for the host vehicle.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	96	6
AAO (FY17)	96	
O/H	84	4
Shortfall/Excess	-12	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	0	0	12	4	6	10	48	0
8	8	0	0	12	4	6	10	48	0
8	9	0	0	6	6	0	3	43	5
0	1	0	0	-6	2	-6	-7	-5	5

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2590995933083	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	I/P	No	0	4	0

Notes: No equipment condition; however care should be taken around any and all electrical connections. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0084: TAC BINOS / BINOCULAR 8X42

The tactical binocular allows individuals with different interpupillary distances to view the reticule horizontally, or to estimate range on targets that aren't perfectly level. Rugged and waterproof with a durable armor coating.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	7,754	4836
AAO (FY17)	7,719	
O/H	4,261	256
Shortfall/Excess	-3,493	-4,580

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	2,918	4,836	0	0	0
0	0	0	0	0	2,883	4,836	0	0	0
12	29	79	0	0	1,536	0	2,349	0	0
12	29	79	0	0	######	-4,836	2,349	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650015593648	256	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	SAC-1	Yes	0	507	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0085: M1021 DIAL BORE GAGE (M1021)

The Digital Bore Gauge (DBG) is used with the 60mm and 81mm mortar cannons.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	87	20
AAO (FY17)	100	
O/H	119	8
Shortfall/Excess	32	-12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	13	11	7	8	6	20	0	6	0
20	19	11	6	12	6	20	0	6	0
7	16	10	7	7	8	0	44	3	6
-9	3	-1	0	-1	2	-20	44	-3	6

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650015629944	8	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	8	0	0

Notes: Mission Capable equipment should be sent to the MEF for re-distribution.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0086: EOD MARINE AIR SYSTEM (MAS) REMOTE FIRING DEVICE (RFD)

The MAS RFD is designed to command detonate explosives by UHF digital radio signals.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	351	22
AAO (FY17)	335	
O/H	199	26
Shortfall/Excess	-152	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
84	84	60	48	12	41	22	0	0	0
76	76	60	48	12	41	22	0	0	0
42	70	24	27	0	31	0	0	0	0
-42	-14	-36	-21	-12	-10	-22	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1375982065633	26	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	n	No	0	26	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0088 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0088: M240 DAY OPTIC (MDO)

The MDO is a magnified day optic that mounts to the M240 Medium Machine Gun and aids the machine gunner in target detection, recognition, identification, and engagement, thereby increasing the combat effectiveness and lethality of the machine gun team.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	11,360	2513	1,922	1,778	659	284	1,415	1,269	2,513	1397	123	0
AAO (FY17)	11,051		1,775	1,563	684	280	1,461	1,255	2,513	1397	123	0
O/H	10,094	1120	1,620	1,736	463	281	1,025	1,039	0	3,119	0	123
Shortfall/Excess	-1,266	-1,393	-302	-42	-196	-3	-390	-230	-2,513	1,722	-123	123

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240015780211	1120	33%	0%	0%	33%	34%	0%	NO	NO	No	no	yes	I/P	No	464	286	370

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0090 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0090: AN/PLT-5 CITADEL 2 (EOD)

The CITADEL II was procured as a special purpose Explosive Ordnance Disposal (EOD) tool

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	224	30
AAO (FY17)	214	
O/H	145	30
Shortfall/Excess	-79	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	42	32	48	6	24	30	0	0	0
38	38	30	48	6	24	30	0	0	0
38	25	28	38	0	16	0	0	0	0
-4	-17	-4	-10	-6	-8	-30	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015623004	30	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	n	No	0	30	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0091: AN/PLT-4 CITADEL 1 (EOD)

AN/PLT-6448(V)1

Citadel II

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	112	38
Shortfall/Excess	112	38

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
18	37	8	11	0	20	0	8	0	0
18	37	8	11	0	20	0	8	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5895014686173	38	0%	0%	0%	0%	0%	100%	NO	NO	No	no	No	No	No	0	38	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0092 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0092:

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	229	30
AAO (FY17)	209	
O/H	162	70
Shortfall/Excess	-67	40

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
46	46	34	48	6	19	30	0	0	0
38	38	30	48	6	19	30	0	0	0
22	12	21	33	0	4	0	0	0	0
-24	-34	-13	-15	-6	-15	-30	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5865015884011	70	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	N	No	0	71	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0104: DRY POWDER SERVICING UNIT (DPSU)

The DPSU is a self contained dry powder servicing unit with ports for nitrogen and shop pressure air. Theunit has onboard gages and flow switches which support the recharging evolution. The DPSU provides a stable hold-down platform during bottle recharge



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	16	0
AAO (FY17)	21	
O/H	10	1
Shortfall/Excess	-6	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	0	0	1	2	0	3	6	0
3	3	2	0	2	2	0	3	6	0
0	2	0	0	0	1	0	1	2	3
-2	0	0	0	-1	-1	0	-2	-4	3

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4210014889655	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0

Notes: Item should be utilized for OPFOR T/E deficincies. No equipment condition. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0106 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0106: SABER SMK

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	86	0
AAO (FY17)	78	
O/H	44	2
Shortfall/Excess	-42	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
17	17	3	0	13	18	0	0	18	0
16	14	6	0	12	18	0	0	12	0
10	14	3	0	3	10	0	0	2	1
-7	-3	0	0	-10	-8	0	0	-16	1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4935015795013	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	2	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0108 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0108: GLARE MOUNT 532-P (MINI GRN DAZZLER) LASER

Mini-Green iis a Class 3B laser that emits a green beam which is visible when focused on surfaces and extremely bright when directly viewed and used for hail and warning.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	948	948
AAO (FY17)	948	
O/H	1,119	109
Shortfall/Excess	171	-839

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	948	0	0	0
0	0	0	0	0	0	948	0	0	0
0	0	0	92	0	0	0	929	0	0
0	0	0	92	0	0	-948	929	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1265015838057	85	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	0	161	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0117 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0117:

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	150	85
AAO (FY17)	150	
O/H	124	42
Shortfall/Excess	-26	-43

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	15	13	13	0	4	85	5	0	0
15	15	13	13	0	4	85	5	0	0
13	12	5	6	0	4	0	42	0	0
-2	-3	-8	-7	0	0	-85	37	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1260015961264	42	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Y	0	81	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0139: BORESCOPE, 58MM 8 IN.

The M3 Bore scope is a light weight, inspection device, designed to check various types of cannon bores for defects and damages. It is a straight tube telescope with a mirror that is set at an angle to offer a view of the bore being inspected.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	133	16
AAO (FY17)	144	
O/H	260	7
Shortfall/Excess	127	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	21	15	5	15	30	16	0	9	0
26	23	17	4	19	30	16	0	9	0
24	20	19	5	23	19	0	124	8	11
2	-1	4	0	8	-11	-16	124	-1	11

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650010630035	5	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	5
6650015629886	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	2	0	0

Notes: NSN ending in 0035 is obsolete but still used by MEFs - use to fill shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0149 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0149: BRIDGE, SCISSOR F/AVLB

The Armored Vehicle Launched Bridge consists of a turret less M60A1 Tank Chassis equipped with a bridge and bridge launching mechanism, in lieu of a gun turret.



Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	32	8	5	5	0	0	0	4	8	4	6	0
AAO (FY17)	32		5	5	0	0	0	4	8	4	6	0
O/H	21	2	5	3	0	0	0	2	0	4	5	0
Shortfall/Excess	-11	-6	0	-2	0	0	0	-2	-8	0	-1	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5420005229599	2	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	2	0

Notes: Item should be utilized for OPFOR T/E deficincies. No equipment condition. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2557	14.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0150: ARMORED VEHICLE, LAUNCHER, BRIDGE

The Armored Vehicle Launched Bridge consists of a turret less M60A1 Tank Chassis equipped with a bridge and bridge launching mechanism, in lieu of a gun turret.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	31	8
AAO (FY17)	31	
O/H	22	2
Shortfall/Excess	-9	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	0	0	0	4	8	3	6	0
5	5	0	0	0	4	8	3	6	0
4	4	0	0	0	5	0	2	5	0
-1	-1	0	0	0	1	-8	-1	-1	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5420008892020	2	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	2	0

Notes: Item should be disacssociated from E0149. Armor deck (over powerpack) Removed. No high pressure wash in crew compartment and/or Exterior hydraulic cylinders. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	468	0	49

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0165 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0165: CHARGER,BATTERY

A device consisting of one or more components utilizing an alternating or direct current source to reactivate batteries in which reversible chemical reactions occur.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	140	2
Shortfall/Excess	140	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	1	0	0	3	1	0	135	0	0
0	1	0	0	3	1	0	135	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6130010189786	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	2	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0180 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0180: CIRCLE, AIMING

The Aiming Circle, M2A2, with its accessory equipment, has the general characteristics of a surveyor's transit. It is used for precise measurement of azimuth and elevation angles of a ground or aerial target.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	688	34
AAO (FY17)	645	
O/H	1,146	20
Shortfall/Excess	458	-14

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
154	134	62	0	100	65	34	34	87	18
142	112	57	0	96	65	34	34	87	18
145	131	109	0	96	106	0	451	66	22
-9	-3	47	0	-4	41	-34	417	-21	4

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6675010670687	20	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	42	0

Notes: It will be repaired and recalibrated at Barstow if necessary.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0190 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0190: CARBINE, CQBW, 5.56MM

A fully-automatic variant of the basic M4 carbine intended for special operations use. Is used by special operation units. Is especially favored by counter-terrorist and special operations units for close quarters combat because of the carbine's compactness and firepower.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	4,380	90
AAO (FY17)	5,976	
O/H	4,509	204
Shortfall/Excess	129	114

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
477	787	304	1,563	870	289	90	0	0	0
1,061	1,219	445	1,736	1,136	289	90	0	0	0
387	854	308	1,494	751	394	0	117	0	0
-90	67	4	-69	-119	105	-90	117	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005013820953	204	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	82	512	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0195: CARBINE, MWS, 5.56MM

The M16A2 5.56mm rifle is a lightweight, air-cooled, gas-operated, magazine-fed, shoulder- or hip-fired weapon designed for either automatic fire (3-round bursts) or semiautomatic fire (single shot) through the use of a selector lever.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	80,917	52	21,970	20,666	7,826	1,340	14,097	6,992	52	7974	0	0
AAO (FY17)	73,792		19,524	17,113	7,583	1,239	13,358	6,949	52	7974	0	0
O/H	87,213	3656	20,427	20,525	11,030	995	13,751	7,226	0	9,549	54	0
Shortfall/Excess	6,296	3,604	-1,543	-141	3,204	-345	-346	234	-52	1,575	54	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005012310973	3656	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	2077	6678	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0205 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0205: COLLIMATOR, INFINITY AIMING, REFERENCE

Tripod mounted primary aiming reference point for indirect laying operations for artillery/mortar. Illuminated with two C cell lithium battery pack -- 31 inches x 13 inches, weight 32 pounds.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	390	16	84	70	28	0	56	28	16	0	90	18
AAO (FY17)	369		77	63	21	0	56	28	16	0	90	18
O/H	627	6	67	85	55	0	36	33	0	249	72	24
Shortfall/Excess	237	-10	-17	15	27	0	-20	5	-16	249	-18	6

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240003321780	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	yes	No	Yes	No	0	0	0
1240014655452	6	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	10	0

Notes: Do not wash. Clean with damp cloth.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0207 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0207: JAVELIN

The M98A1 Command Launch Unit is the reusable portion of the Javelin system. It contains a day sight, night vision sight, controls, and indicators.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	624	285
AAO (FY17)	584	
O/H	413	26
Shortfall/Excess	-211	-259

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
96	96	24	0	72	34	285	17	0	0
88	72	24	0	64	34	285	17	0	0
80	78	56	0	66	33	0	74	0	0
-16	-18	32	0	-6	-1	-285	57	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1430015328900	26	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	I/P	No	0	65	0

Notes: Units in CONUS are currently using WRMR assets. Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0330 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0330: EQUIPMENT SET, NIGHT VISION

The Equipment Set, Night Vision, mounts on top of the day sight and enables the operator to track targets in darkness, heavy fog, and smoke, and during electro-optical countermeasures.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	560	350
AAO (FY17)	552	
O/H	553	24
Shortfall/Excess	-7	-326

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
43	23	3	0	28	78	350	23	12	0
37	21	3	0	28	78	350	23	12	0
35	20	0	0	44	13	0	439	2	0
-8	-3	-3	0	16	-65	-350	416	-10	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855013010158	24	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	I/P	No	0	24	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	10	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0359 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0359: FIRING DEVICE, DEMOLITION

The Remote Demolition Firing Device is a collection of equipment necessary for firing electric demolitions remotely.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	160	7
Shortfall/Excess	160	7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
16	55	8	6	24	12	0	29	8	0
16	55	8	6	24	12	0	29	8	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1375014684400	5	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	0	5	0

Notes: All items need to return to MCLC - not obsolete - need them back b/c they are being used in squad demolition kits for engineers.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0671 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0671: HOWITZER, LTWT, TOWED, 155MM

The M198 Medium Towed Howitzer is a 155mm field artillery howitzer. It is constructed of aluminum and steel, and is air transportable by CH-53E helicopter, and C-130 or larger fixed-wing aircraft.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	493	125
AAO (FY17)	475	
O/H	452	8
Shortfall/Excess	-41	-117

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
72	60	30	0	48	51	125	17	90	0
66	54	24	0	48	51	125	17	90	0
61	60	54	0	49	56	0	80	60	24
-11	0	24	0	1	5	-125	63	-30	24

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1025014450991	0	0%	100%	0%	0%	0%	0%	NO	NO	Yes	yes	No	No	No	0	0	0
1025994637551	8	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	16	0

Notes: Barstow is setup to do any type of reset - IRON and rebuild line is already setup.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	283	0	4.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0720 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0720: KIT, HOOK & LINE F/EOD

The Hook & Line Kit includes components for attaching lines, anchoring pulleys, and maneuvering objects.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	225	30
AAO (FY17)	217	
O/H	165	28
Shortfall/Excess	-60	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	42	30	12	6	23	30	0	30	10
38	38	30	12	6	23	30	0	30	10
34	31	29	33	0	18	0	2	6	7
-8	-11	-1	21	-6	-5	-30	2	-24	-3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385996952988	4	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	2	0	2
1385999911200	24	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	12	0	12

Notes: Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0759 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0759: KIT, DISASSEMBLY, FUZE, MECHANICAL, REMOTE (MK121 MOD0)

The MRFDK is used for conducting disassembly/inserting of fuses/ordnance items for either training or exploitation in combat environments. The MRFDK will provide operator safety during hazardous operations by allowing the operator to disassemble small munitions components and fuses from a remote distance of 6 to 10 ft.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	69	1
AAO (FY17)	68	
O/H	44	2
Shortfall/Excess	-25	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	15	9	6	3	19	1	0	0	0
15	15	9	6	3	19	1	0	0	0
11	9	8	2	0	13	0	0	0	0
-5	-6	-1	-4	-3	-6	-1	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385012073619	2	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	No	No	0	1	1

Notes: Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0915 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0915: LAUNCHER, ROCKET, ASSAULT, 83MM, MK153

The SMAW is an 83mm man-portable weapon system consisting of the MK153 Mod 0 launcher, the MK 3 Mod 0 encased HEDP rocket, the MK 6 Mod 0 encased HEAA rocket, and the MK217 Mod 0 spotting rifle cartridge.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,794	510
AAO (FY17)	1,641	
O/H	1,376	41
Shortfall/Excess	-418	-469

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
360	297	72	52	279	170	510	54	0	0
306	234	72	52	243	170	510	54	0	0
208	282	122	37	236	130	0	320	0	0
-152	-15	50	-15	-43	-40	-510	266	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1055011644608	41	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	I/P	No	0	63	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.Although this item is being replaced with a new version all launchers in theatre will need to be recovered as the new launcher is not in production yet.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0935 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0935: LAUNCHER, TUBULAR, F/GM TOW WPN SYSTEM

The Launcher, Tubular is designed to attack and defeat tanks and other armored vehicles. It is primarily used in antitank warfare, and is a command to line of sight, wire-guided weapon.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	414	192	42	22	2	0	24	75	192	45	12	0
AAO (FY17)	406		35	19	2	0	26	75	192	45	12	0
O/H	368	8	46	25	0	0	50	14	0	191	27	15
Shortfall/Excess	-46	-184	4	3	-2	0	26	-61	-192	146	15	15

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1440014118942	8	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	I/P	No	0	8	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	79	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0942: LAV, ANTI-TANK

The LAV-AT is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	118	7
AAO (FY17)	106	
O/H	107	9
Shortfall/Excess	-11	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
40	20	0	0	24	7	7	8	12	0
32	16	0	0	24	7	7	8	12	0
34	16	4	0	14	8	0	22	8	1
-6	-4	4	0	-10	1	-7	14	-4	1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015393618	9	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	9	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	173	0	13.8

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0946 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0946: LAV, COMMAND & CONTROL (BN)

The LAV-C2 is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	69	21
AAO (FY17)	66	
O/H	55	2
Shortfall/Excess	-14	-19

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	9	0	0	10	3	21	5	3	0
16	8	0	0	10	3	21	5	3	0
16	9	1	0	5	6	0	13	3	0
-2	0	1	0	-5	3	-21	8	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355014947611	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	0
2355015393589	2	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	4	0

Notes: Will not be filling deficiencies in conus, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	172	0	14

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0947 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0947: LAV, LIGHT ASSAULT, 25MM

The LAV-25 is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	549	128
AAO (FY17)	507	
O/H	481	27
Shortfall/Excess	-68	-101

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
148	74	0	0	88	40	128	29	42	0
120	60	0	0	88	40	128	29	42	0
110	73	10	0	76	59	0	122	31	0
-38	-1	10	0	-12	19	-128	93	-11	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355014947606	0	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	0
2355015393639	27	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	27	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	176	0	13.9

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0948 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0948: LAV, LOGISTICS

The LAV-L is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E. When combat loaded there are 200 ready rounds and 800 stowed rounds of 7.62mm ammunition.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	136	33	38	19	0	0	22	6	33	9	9	0
AAO (FY17)	127		32	16	0	0	22	6	33	9	9	0
O/H	123	1	28	19	1	0	10	11	0	46	7	0
Shortfall/Excess	-13	-32	-10	0	1	0	-12	5	-33	37	-2	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015393634	1	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	12	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	175	0	14.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0949 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0949: LAV, MORTAR

The LAV-M is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E. When combat loaded there are 5 ready and 94 stowed 81mm bombs as well as 200 ready rounds and 800 stowed rounds of 7.62mm.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	71	14
AAO (FY17)	65	
O/H	62	2
Shortfall/Excess	-9	-12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
20	10	0	0	12	4	14	5	6	0
16	8	0	0	12	4	14	5	6	0
15	7	1	0	10	6	0	19	4	0
-5	-3	1	0	-2	2	-14	14	-2	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015393578	2	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	2	0

Notes: Will not be filling deficiencies in conus, all should wind up going to MCLC to fill WRMR.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	173	0	13.5

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0950 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0950: LAV, MAINT/RECOVERY

The LAV-R is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	48	7
AAO (FY17)	45	
O/H	44	4
Shortfall/Excess	-4	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	7	0	0	8	5	7	4	3	0
12	6	0	0	8	5	7	4	3	0
11	5	0	0	7	5	0	13	3	0
-3	-2	0	0	-1	0	-7	9	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2355015393601	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	4	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	197	0	14.2

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0961 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0961: MACHINE GUN M240E1

The 7.62mm machine gun is a lightweight, air-cooled, disintegrating metallic link-belt fed, portable or tripod mounted machine gun designed for ground operations. It is gas operated with fixed headspace and timing which permits rapid changing of barrels.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	320	15
Shortfall/Excess	320	15

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0	0	0	0	0	0	0	0	0	0
O/H	2	20	2	0	0	56	0	226	14	0
Shortfall/Excess	2	20	2	0	0	56	0	226	14	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005012524288	15	0%	100%	0%	0%	0%	0%	NO	NO	Yes	yes	No	Yes	No	0	15	0

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0980 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0980: MACHINE GUN, CAL .50, BROWNING, HB FLEXIBLE

The Browning M2 .50 Caliber Machine Gun, Heavy barrel is an automatic, recoil operated, air-cooled machine gun with adjustable headspace and is crew transportable with limited amounts of ammunition over short distances.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	5,735	1630
AAO (FY17)	5,661	
O/H	6,585	586
Shortfall/Excess	850	-1,044

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
823	797	399	172	593	327	1,630	877	117	0
800	739	383	168	637	310	1,630	877	117	0
818	805	525	181	537	613	0	2,425	95	0
-5	8	126	9	-56	286	-1,630	1,548	-22	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005007265636	586	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	774	0

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0984 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0984: MACHINE GUN, CAL .50

The M48 Turret Type .50 Caliber Machine Gun is a belt fed recoil-operated, air-cooled, crew-served machine gun. This gun is capable of firing single-shot and is fully automatic.

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	606	34
AAO (FY17)	585	
O/H	658	26
Shortfall/Excess	52	-8

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
96	91	5	0	100	43	34	27	210	0
85	85	1	0	100	43	34	27	210	0
96	94	13	0	47	44	0	189	149	0
0	3	8	0	-53	1	-34	162	-61	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005009573893	26	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	no	y	No	0	22	0

Notes: This TAMCN is associated with the Tank and should return with it.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0989 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0989: MACHINE GUN, M240B

The M240G Machine Gun is the ground version of the original M240/M240E1, 7.62mm medium class weapon designed as a coaxial/pintle mounted machine gun for tanks and light armored vehicles.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	10,978	2562
AAO (FY17)	10,667	
O/H	11,605	1296
Shortfall/Excess	627	-1,266

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,922	1,778	659	284	1,413	1,254	2,562	983	123	0
1,775	1,563	680	280	1,461	1,240	2,562	983	123	0
1,866	1,791	881	254	1,305	1,708	0	2,435	69	0
-56	13	222	-30	-108	454	-2,562	1,452	-54	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005014123129	1296	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	y	No	0	1480	0

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0994 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0994: MACHINE GUN, GRENADE (MK 19 40MM MOD 3 W/BKT)

The MK19 40mm machine gun, MOD 3 is an air-cooled, disintegrating metallic link-belt fed, blowback operated, fully automatic weapon and is crew transportable over short distances with limited amounts of ammunition. It can fire a variety of 40mm grenades.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	4,917	1586	706	715	397	106	534	277	1,586	503	93	0
AAO (FY17)	4,752		652	601	388	104	561	264	1,586	503	93	0
O/H	5,823	194	785	744	516	115	444	789	0	2,159	77	0
Shortfall/Excess	906	-1,392	79	29	119	9	-90	512	-1,586	1,656	-16	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1010011269063	3	0%	100%	0%	0%	0%	0%	NO	NO	Y	yes	No	Y	No	0	4	0
1010014909697	191	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	382	0

Notes: Items are being shipped back to the MEFs. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0996 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0996: BLADE, MINE CLEARING

The Mine Clearing Blade, when mounted to the front of the M1 or M1A1 Abrams Tank, is used to clear tank track path of mines which lie in front of the tracks from depths of 8, 10, and 12 inches.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	121	34
AAO (FY17)	121	
O/H	83	3
Shortfall/Excess	-38	-31

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	0	0	12	6	34	29	24	0
8	8	0	0	12	6	34	29	24	0
7	10	0	0	6	5	0	28	24	0
-1	2	0	0	-6	-1	-34	-1	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2590012308862	3	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	289	3.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0998 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E0998: MACHINE GUN, 7.62MM, LH (M240)

The Machine Gun, 7.62mm, M240 is a lightweight, air cooled, disintegrating metallic link belt fed, vehicle mounted gun designed as a coaxial weapon for tanks and 7.62mm firepower for lighter vehicles.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	1,540	195
AAO (FY17)	1,498	
O/H	2,067	28
Shortfall/Excess	527	-167

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
264	190	0	0	260	99	195	142	390	0
236	176	0	0	260	99	195	142	390	0
290	195	27	0	197	98	0	935	297	0
26	5	27	0	-63	-1	-195	793	-93	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005010258095	28	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	no	Y	No	0	76	0

Notes: Item is associated with the Tank and LAV, should return with it.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1029 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1029: MARKER, LASER, SPECIAL OPNS FORCES (SOFLAM)

AN/PEQ-1A, Laser Marker, (SOFLAM) is a man portable laser marker and rangefinder that, once aimed at a target, may be remotely fired to mark the target for laser guided ordnance.

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)		
AAO (FY17)		
O/H	0	0
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5860014124533	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: Do not wash. Clean with damp cloth.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1030: TARGET DESIGNATOR II, LASER, GROUND (GLTD II)

The GLTD II is a compact, lightweight, man portable, laser designator and rangefinder. Developed to enable combat soldiers to direct laser-guided munitions, such as Hellfire missiles and Laser Spot Tracking munitions. The GLTD II can be implemented as part of a sophisticated digitized fire control system with thermal or image-intensified sights.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	45	3
Shortfall/Excess	45	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
4	6	13	16	2	4	0	0	0	0
4	6	13	16	2	4	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5860070000768	3	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	3

Notes: Obsolete item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E1035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1035: SYSTEM GROUP, METEOROLOGICAL (MSG), AN/TMQ49

The MSG consists of the Meteorological Measuring Set AN/TMQ-41, Surface Met Sensor AN/TPQ-50, and Electronic Met Theodolite. The MSG and its components are used to measure upper air conditions in order to determine met corrections for artillery.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	21	0
AAO (FY17)	21	
O/H	19	2
Shortfall/Excess	-2	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	5	3	0	2	0	0
4	4	3	0	5	3	0	2	0	0
4	3	3	0	3	5	0	1	0	0
0	-1	0	0	-2	2	0	-1	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6660014289218	2	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	2

Notes: Using unit owned assets return to home station. No direct water contact on electrical components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1047: BINOCULAR EYE SAFE

This eye safe Binocular is a device utilizing Erbium Glass Laser technology. The Optic Long Distance Laser Rangefinder Binocular unit is easy to use and withstands the harshest environmental conditions.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	28	0
Shortfall/Excess	28	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
6	12	5	0	0	0	0	5	0	0
6	12	5	0	0	0	0	5	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240090001994	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	Yes	0	0	0

Notes: Obsolete item

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1048 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1048: RANGE FINDER, LASER

The Common Laser Range Finder, formerly called the Laser Infrared Observation Set Replacement, is a set of small, lightweight, and eye-safe laser range finders and azimuth and inclination sensors that export targeting data.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,330	68
AAO (FY17)	2,163	
O/H	2,023	171
Shortfall/Excess	-307	103

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
588	541	196	181	495	146	68	115	0	0
535	435	181	181	502	146	68	115	0	0
342	444	218	142	452	142	0	117	0	0
-246	-97	22	-39	-43	-4	-68	2	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1240015615149	153	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	328	0	0
1240015723753	5	0%	100%	0%	0%	0%	0%	NO	NO	N	yes	No	No	Yes	0	6	0
1240090003576	13	0%	0%	0%	100%	0%	0%	NO	NO	Yes	No	No	No	Yes	17	1	0
1240090003759	0	0%	0%	0%	100%	0%	0%	NO	NO	Yes	No	No	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1065: MORTAR,60 MILLIMETE

Mortar, 60 mm, Lightweight, Company, M224 is a smooth bore, muzzle-loading, high-angle-of-fire weapon. The cannon assembly is composed of a barrel, combination base cap, and firing mechanism.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	841	198
AAO (FY17)	798	
O/H	1,147	43
Shortfall/Excess	306	-155

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
116	116	33	98	81	122	198	77	0	0
107	89	35	98	72	122	198	77	0	0
129	122	83	55	156	151	0	408	0	0
13	6	50	-43	75	29	-198	331	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1010010205626	33	0%	100%	0%	0%	0%	0%	NO	NO	n	yes	No	y	No	0	67	0
1010015862874	10	0%	0%	0%	100%	0%	0%	NO	NO	n	no	No	No	No	0	32	0

Notes: All items must return to Depot.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1070: MORTAR, 120MM

Rifled-towed 120mm mortar, designated XM326, Weight 1798 lbs, transportable in MV-22 Osprey or CH-53 Helo.



Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	66	0
AAO (FY17)	60	
O/H	52	0
Shortfall/Excess	-14	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	18	12	0	0	6	0	6	0	0
24	12	12	0	0	6	0	6	0	0
18	18	12	0	0	4	0	0	0	0
-6	0	0	0	0	-2	0	-6	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1015015309102	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
1220011196049	0	0%	0%	0%	0%	0%	0%	TBD	TBD	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	0.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1095 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1095: MORTAR, MEDIUM, 81MM, EXTENDED RANGE

Mortar, Medium, Extended Range, 81 mm, M252 is a crew-served, lightweight mortar that is highly accurate and provides for a range of 4,500 meters to 5,650 meters.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	725	177
AAO (FY17)	679	
O/H	567	43
Shortfall/Excess	-158	-134

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
116	106	24	20	84	121	177	71	6	0
104	80	24	20	76	121	177	71	6	0
98	94	60	22	82	112	0	51	5	0
-18	-12	36	2	-2	-9	-177	-20	-1	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1015011646651	43	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	62	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	16	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1145 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1145: VELOCITY SYSTEM, MUZZLE (MVS)

The Radar Chronograph Set, M36 is a continuous wave doppler radar transmitter-receiver system. Its function is the measurement of velocity of artillery projectiles ranging in size from 40 to 280 mm, and encompassing the velocity range from 250 to 6100 fps.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	235	5
AAO (FY17)	217	
O/H	169	5
Shortfall/Excess	-66	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
74	62	30	0	18	10	5	0	30	6
68	56	24	0	18	10	5	0	30	6
27	31	22	0	17	10	0	21	25	11
-47	-31	-8	0	-1	0	-5	21	-5	5

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1290014125760	5	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	5	0

Notes: Do not wash. Clean with damp cloth.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

E1152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1152: GOGGLES, NIGHT VISION, INDIV

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	40	0
AAO (FY17)	40	
O/H	7,973	453
Shortfall/Excess	7,933	453

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	20	20	0	0	0	0	0	0	0
0	20	20	0	0	0	0	0	0	0
364	630	277	0	1,151	812	0	4,736	0	0
364	610	257	0	1,151	812	0	4,736	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855012280936	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0
5855012280937	425	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	425
5855014225413	28	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	28

Notes: Category 3 Equipment_ w/ published Disposal Plan (Column 'G').The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E1154 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1154: INTENSIFIER, IMAGE, NIGHT VISION

The PVS-14 allows the user to see at night using moonlight or starlight. The PVS-14 is a GEN III Image Intensification device similar in performance to PVS-7 NVGs, yet smaller, lighter, and more versatile.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	126,014	10349	31,383	29,220	12,074	3,050	24,726	9,452	10,349	5760	0	0
AAO (FY17)	117,682		28,893	24,952	11,679	3,445	23,114	9,490	10,349	5760	0	0
O/H	111,582	11894	24,768	26,564	17,069	2,601	23,600	######	0	1,968	0	0
Shortfall/Excess	-14,432	1,545	-6,615	-2,656	4,995	-449	-1,126	2,083	-10,349	-3,792	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855014320524	11894	0%	0%	0%	100%	0%	0%	NO	NO	No	yes	Yes	Y	No	4125	1822	5947

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1159 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1159: SIGHT, NIGHT VISION, WEAPON, CREW SERVED

The AN/PVS-7B/D Night Vision Goggle is a lightweight optical night vision device with third generation image intensifier technology. The AN/PVS-7 uses prisms and lenses to provide the Marine with simulated binocular vision and can be used as a binocular with neck strap or mounted to a head or helmet mount. The AN/PVS-7 weighs less than two pounds and is powered by two AA alkaline or lithium batteries.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,353	237
AAO (FY17)	0	
O/H	2,018	35
Shortfall/Excess	-335	-202

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
662	670	293	0	468	20	237	3	0	0
0	0	0	0	0	0	0	0	0	0
202	235	103	0	197	55	0	1,226	0	0
-460	-435	-190	0	-271	35	-237	1,223	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855014228777	35	0%	0%	0%	75%	25%	0%	NO	NO	No	No	No	No	No	35	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1160 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1160: SIGHT, NIGHT VISION, MINI 4.5X

The AN/PVS-17 Mini Night Vision Sight is a lightweight, optical sight with third generation intensifier technology. It is intended for use on the M249 and M240G Machine Guns.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	8,633	675	1,959	1,968	760	540	1,349	1,327	675	55	0	0
AAO (FY17)	8,324		1,839	1,726	713	624	1,365	1,327	675	55	0	0
O/H	11,425	382	1,722	1,840	1,410	803	2,290	1,828	0	1,150	0	0
Shortfall/Excess	2,792	-293	-237	-128	650	263	941	501	-675	1,095	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855014916967	382	0%	0%	0%	100%	0%	0%	NO	NO	No	yes	Yes	I/P	No	0	629	629

Notes: This is a deployment asset - should be brought in and out of theater with the unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1161 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1161: RECHARGING UNIT, MON

The Recovery/Recharge system recovers HALON 1301 and recharges those bottles. HALON is an ozone-depleting substance used for fire suppression in some applications in certain ordnance vehicles.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	16	1	2	3	2	0	2	3	1	0	3	0
AAO (FY17)	16		3	3	1	0	2	3	1	0	3	0
O/H	26	1	2	3	4	0	0	3	0	10	2	1
Shortfall/Excess	10	0	0	0	2	0	-2	0	-1	10	-1	1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3655014469335	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1245 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1245: PISTOL 9MM

The M9 pistol is a semi-automatic, magazine-fed, recoil-operated, double-action pistol, chambered for the 9mm cartridge. The magazine has a 15 cartridge capacity.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	5,022	0	404	2,739	211	0	808	860	0	0	0	0
AAO (FY17)	4,782		303	2,638	173	0	808	860	0	0	0	0
O/H	7,513	82	409	2,614	206	1	685	925	0	2,571	0	0
Shortfall/Excess	2,491	82	5	-125	-5	1	-123	65	0	2,571	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005015257966	82	0%	0%	0%	100%	0%	0%	NO	NO	No	no	No	No	No	82	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1251 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1251: PISTOL, MEU (SOC), CAL .45

The M45 Close Quarters Battle Pistol(CQBP) is a modified M1911, semi-automatic pistol. The M45 pistol is currently produced by Marines at Precision Weapons Section, Weapons Training Battalion who custom build each weapon.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	4,088	2	297	290	299	1,788	528	190	2	694	0	0
AAO (FY17)	3,877		237	230	260	1,736	528	190	2	694	0	0
O/H	2,614	287	295	303	206	1,251	215	68	0	241	0	0
Shortfall/Excess	-1,474	285	-2	13	-93	-537	-313	-122	-2	-453	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005015754072	287	0%	0%	0%	100%	0%	0%	NO	NO	No	no	No	Yes	No	199	88	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1353 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1353: RECHARGING UNIT, CARBON DIOXIDE

Item discontinued

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	49	0
Shortfall/Excess	49	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	3	0	0	0	0	43	0	3
0	0	3	0	0	0	0	43	0	3

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3655010049873	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	37	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E1378 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1378: RECOVERY VEHICLE, FT, HEAVY, W/EQUIP (M88)

The M88A2 Medium Recovery Vehicle (MRV) is a full tracked armored vehicle used to perform battlefield rescue and recovery missions.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	108	6	26	23	5	0	14	7	6	6	21	0
AAO (FY17)	125		29	29	5	0	22	7	6	6	21	0
O/H	89	11	16	17	2	0	6	10	0	5	16	6
Shortfall/Excess	-19	5	-10	-6	-3	0	-8	3	-6	-1	-5	6

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2350013904683	11	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	No	No	0	13	0

Notes: Vehicle equipped with SL-3 to include SSRI items which should be packaged up and shipped such that it can marry up with his host vehicle. All need to go back to MCLC for full depot repair due to high number of miles on the equipment. Armor deck (over powerpack) Removed. No high pressure wash in crew compartment and/or Exterior hydraulic cylinders. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	319	0	64.2

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1385 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1385: NEUTRALIZATION DEVICE, ORDNANCE, REMOTE

The MK 36 Tool Set consists of an assortment of non-magnetic hand tools used to gain access to buried explosive ordnance.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	56	1
AAO (FY17)	51	
O/H	49	3
Shortfall/Excess	-7	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	14	7	0	3	18	1	0	0	0
11	11	7	0	3	19	0	0	0	0
11	15	8	0	0	15	0	0	0	0
-2	1	1	0	-3	-3	-1	0	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385014569129	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	37	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1441 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1441: RIFLE,5.56 MILLIMET

The Rifle, 5.56mm, M16A2 is a lightweight, air-cooled, gas operated, magazine fed, shoulder or hip fired weapon designed for either automatic or semi-automatic fire.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	123,342	46	1,530	92	487	2	1,534	748	0	118,817	59	0
Shortfall/Excess	123,342	46	1,530	92	487	2	1,534	748	0	118,817	59	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005011289936	46	0%	0%	0%	0%	100%	0%	NO	NO	Yes	no	No	No	No	0	46	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1442 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1442: RIFLE, 5.56MM

The Modular Weapon System (MWS) consists of M16A4 rifles and M4 carbines. These weapons have rail adapter systems to permit quick mounting of various night, day, and thermal sights on the receiver.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	187,187	33341
AAO (FY17)	182,162	
O/H	159,670	7705
Shortfall/Excess	-27,517	-25,636

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
30,613	31,124	12,640	16	19,502	######	33,341	12995	222	0
28,866	27,751	13,487	16	19,053	######	33,341	12995	222	0
29,183	29,849	16,336	218	19,760	######	0	16,667	20	0
-1,430	-1,275	3,696	202	258	######	-33,341	3,672	-202	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005013832872	7705	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	7705	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1500: ROCKET SYSTEM, ARTY, HIGH MOB (HIMARS)

HIMARS is a ground-based, precision indirect fire support system which accurately engages targets at long ranges, under all weather conditions.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	58	6
AAO (FY17)	58	
O/H	46	6
Shortfall/Excess	-12	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	0	0	0	18	4	6	6	0	0
24	0	0	0	18	4	6	6	0	0
18	0	0	0	17	4	0	1	0	0
-6	0	0	0	-1	0	-6	-5	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1055015367106	6	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Yes	No	0	6	0

Notes: All should be brought back through the MEF, then MCLC. Do Not Spray or wet any Electronic Components

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	17.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1570: SET, GROUND HOP SUPPORT (GHSS)

The Ground Hop Support Set is utilized to operate, control, and monitor engine and transmission functions on the powerpack when removed from the M1A1 Tank for maintenance.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	26	2
AAO (FY17)	28	
O/H	32	2
Shortfall/Excess	6	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	0	0	2	5	2	0	9	0
4	4	1	0	3	5	2	0	9	0
1	4	0	0	2	3	0	13	7	2
-3	0	0	0	0	-2	-2	13	-2	2

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910012310343	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	2	0	0

Notes: Mainly field or CLS repair - brain box needs to go up to Ohio for repair if necessary. No high presure wash. All POLs removed. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	133	0.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1712 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1712: SHOP EQUIPMENT, ARTILLERY

The Shop Set, Equipment, Artillery Set is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of artillery equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	30	0
AAO (FY17)	40	
O/H	26	1
Shortfall/Excess	-4	1

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	7	5	5	0	0	1	0	8	3	1
AAO (FY17)	9	9	5	0	4	1	0	8	3	1
O/H	5	4	6	0	2	0	0	4	2	2
Shortfall/Excess	-2	-1	1	0	2	-1	0	-4	-1	1

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4933015606595	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	1	0

Notes: Using Unit owned assets return to home station. Do Not Spray or wet any Electronic Components

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	7.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1713 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1713: ELECTRO-OPTICS MAIN

The Shop Set, Maintenance, Electro-Optics, is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of optic, electro-optic, fire control and laser range finder equipment.

outside

Inside

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	30	4
AAO (FY17)	38	
O/H	19	1
Shortfall/Excess	-11	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	7	4	0	4	2	4	0	3	1
9	9	4	0	6	2	4	0	3	1
0	6	3	0	0	1	0	7	0	1
-5	-1	-1	0	-4	-1	-4	7	-3	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4931012732389	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	0	1

Notes: Obsolete - Disposal plan is place, replacement TAMCN is already fielded.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

E1714 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1714: SHOP SET, MAINT, SMALL ARMS

The Shop Set, Maintenance, Small Arms, is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of small arms and mortars.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	36	5
AAO (FY17)	45	
O/H	37	4
Shortfall/Excess	1	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	7	5	3	4	0	5	0	3	1
11	11	5	3	6	0	5	0	3	1
5	6	4	0	4	0	0	11	2	1
-3	-1	-1	-3	0	0	-5	11	-1	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4940015712584	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	4	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1762 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1762: SHOTGUN 12 GA

The Shotgun, 12 Gauge, Riot Type, is a pump action, manually operated magazine fed (tubular), shoulder type weapon.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	4,965	827
AAO (FY17)	4,646	
O/H	3,516	35
Shortfall/Excess	-1,449	-792

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,067	1,725	426	64	687	169	827	0	0	0
1,046	1,659	426	64	455	169	827	0	0	0
778	1,386	311	71	146	218	0	584	0	0
-289	-339	-115	7	-541	49	-827	584	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1005012518578	0	25%	0%	0%	75%	0%	0%	NO	NO	Yes	No	No	No	No	0	0	0
1005013715639	35	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	35	0	0

Notes: This is a deployment asset - should be brought in and out of theater with the unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1779 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1779: SIGHT, GRENADE LAUNCHER

The AN/PSQ-18 GLDNSM is a sighting device that will enable the M203 grenade launcher to be aimed and fired both day and night with no decrease in the current accuracy of the weapon.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	5,620	186
AAO (FY17)	5,042	
O/H	5,165	109
Shortfall/Excess	-455	-77

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,440	1,440	464	245	1,164	626	186	55	0	0
1,317	1,107	447	245	1,059	626	186	55	0	0
490	1,204	664	348	593	363	0	1,394	0	0
-950	-236	200	103	-571	-263	-186	1,339	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1010015160953	109	50%	25%	0%	0%	0%	0%	NO	NO	No	yes	Yes	No	No	204	0	204

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1785 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1785: SYNCHRONIZATION SET, SIGHT, F/LAV

Representative Picture

The Sight Synchronization Set provides a simplified means of synchronizing the LAV-25A1 DIM 36TH gunsights and eliminates the necessity of sloping the vehicle to detect and measure sighting elevation errors with the use of the following Major Components:

1. Adjustment Set Eccentric
2. Fixture Assembly, Sight Synchronization
3. Gunners Quadrant

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	54	5
AAO (FY17)	51	
O/H	58	3
Shortfall/Excess	4	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	8	2	0	7	12	5	0	6	0
13	8	2	0	5	12	5	0	6	0
11	10	2	0	7	6	0	16	4	1
-3	2	0	0	0	-6	-5	16	-2	1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650015385130	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	2	0

Notes: Cannot be repaired - reset needs to assure all SL-3 components are included.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1790 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1790: SIGHT,NIGHT VISION

Used for observation and aimed fire of weapons at night. It amplifies reflected light such as moonlight, starlight, and sky glow so that the viewed scene becomes visible to the operator.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	75	0
Shortfall/Excess	75	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
4	2	1	0	0	0	0	68	0	0
4	2	1	0	0	0	0	68	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855014991239	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	0

Notes: Obsolete - disposal plan is published - DRMO in country. FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

E1798 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1798: ILLUMINATOR,INFRARE

The AN/PEQ-2A is a lightweight, self-contained, infrared aiming light/illuminator. When zeroed to the weapon and activated, the AN/PEQ-2A projects an IR aiming dot or illuminates the target and is visible only with image intensifying night vision devices. The AN/PEQ-2A can be used as either a handheld illuminator/pointer or weapon-mounted with proper brackets/accessory mounts.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	85,210	0
AAO (FY17)	87,977	
O/H	95,480	2052
Shortfall/Excess	10,270	2,052

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
23,288	22,986	11,157	0	14,100	######	0	850	0	0
23,384	22,880	10,905	0	17,129	######	0	850	0	0
19,842	20,922	9,936	638	12,757	######	0	14,225	0	0
-3,446	-2,064	-1,221	638	-1,343	1,778	0	13,375	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855014478992	20	0%	0%	0%	0%	0%	100%	NO	NO	Yes	no	No	No	No	0	0	251
5855015345931	2032	33%	34%	0%	33%	0%	0%	NO	NO	No	yes	No	No	No	1778	2551	2132
5855015356166	0	100%	0%	0%	0%	0%	0%	TBD	TBD	No	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

E1834 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1834: STAND MAINTENANCE A

The Stand, Maintenance, Automotive Power Train Assemblies is used to hold automotive power trains during repair or maintenance.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	31	0
AAO (FY17)	31	
O/H	22	2
Shortfall/Excess	-9	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	3	1	0	2	15	0	2	3	0
5	3	1	0	2	15	0	2	3	0
4	2	0	0	6	6	0	2	0	0
-1	-1	-1	0	4	-9	0	0	-3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4910219200678	2	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	0	2

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1888 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1888: TANK, COMBAT, FT, 120MM GUN

The M1A1 is an improved version of the M1 Main Battle Tank. It includes a 120mm smoothbore main gun, an NBC overpressure protection system, and an improved armor package.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	469	33
AAO (FY17)	469	
O/H	431	14
Shortfall/Excess	-38	-19

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
58	58	0	0	84	28	33	34	174	0
58	58	0	0	84	28	33	34	174	0
63	61	5	0	47	28	0	43	156	14
5	3	5	0	-37	0	-33	9	-18	14

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2350010871095	14	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	Y	No	0	18	0

Notes: All M1A1's be shipped directly to Anniston Army Depot (Anniston, Alabama) for refurb/repair. Disposition for PEI's will be established Armor deck removed. FUPP (full-up Power Pack) removed. V-Packs (air cleaners (three/3)) removed. Electrical connectors on FUPP and Tank Covered from water exposure. Air inlet on Tank covered. Final drives on Tank and FUPP covered. NO High pressure wash for crew compartment. No high pressure wash for main gun (interior) No high pressure wash for NBC seal (Turret and hull mate) All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	387	0	61.9

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1900: TELESCOPE, OBSERVATION W/EQUIP

The Telescope, Observation, M49 is an erect image instrument of the prism offset type, the image being erected by means of two prisms and magnified by the lenses in the eyepiece.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,270	270
AAO (FY17)	0	
O/H	3,661	58
Shortfall/Excess	1,391	-212

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
232	374	132	0	237	1,025	270	0	0	0
0	0	0	0	0	0	0	0	0	0
178	346	156	135	161	655	0	1,972	0	0
-54	-28	24	135	-76	-370	-270	1,972	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6650005300960	58	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	0	94	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E1906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1906: TEST SET, ELECT SYSTEM, DIRECT SUPPORT

The Test Set, Electronic, AN/USM-615 is made up of the Direct Support Electric Systems Test Set Shelter System. The Shelter is a Mobile Expandable Container Configuration of an International Standards Organization container.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	36	4	8	7	1	3	3	4	4	0	6	0
AAO (FY17)	45		10	10	3	3	5	4	4	0	6	0
O/H	25	2	5	5	0	0	2	2	0	1	4	4
Shortfall/Excess	-11	-2	-3	-2	-1	-3	-1	-2	-4	1	-2	4

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
6625011200764	2	40%	0%	0%	60%	0%	0%	NO	NO	No	No	No	No	No	1	0	1

Notes: No High Pressure wash.. Use compressed air (low pressure) for cleaning. All SL-3 components removed for/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	28	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1909 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1909: TEST SET, BORESIGHT COLLIMATOR

The Bore sight Collimator Test Set is used for testing and alignment of the bore sight collimator.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	8	5
AAO (FY17)	41	
O/H	47	1
Shortfall/Excess	39	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	5	3	0	0
9	9	7	0	8	0	5	3	0	0
0	2	2	0	0	1	0	35	4	3
0	2	2	0	0	1	-5	32	4	3

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855011333587	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	0	1	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E1911 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1911: TEST SET, MISSILE GUIDANCE

A test set specifically designed for use in making examinations of a Missile Guidance Set.



Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	20	5
AAO (FY17)	55	
O/H	140	4
Shortfall/Excess	120	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	1	1	0	0	1	5	5	5	0
12	12	7	0	8	1	5	5	5	0
9	9	1	0	5	3	0	95	14	4
7	8	0	0	5	2	-5	90	9	4

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4935011475999	4	0%	100%	0%	0%	0%	0%	NO	NO	No	yes	No	I/P	No	0	4	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1975 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1975: SIGHT, WEAPON, THERMAL, MEDIUM (MTWS) AN/PAS-13CV2

The AN/PAS-13D (V)2 Thermal Weapon Sight is a second generation FLIR for use on 240B & 249 MGs. The AN/PAS-13D (V)2 can be used to see in total darkness, in adverse weather conditions, and through battlefield smoke.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	8,829	1330	1,926	1,780	661	284	1,415	1,226	1,330	84	123	0
AAO (FY17)	8,556		1,791	1,579	696	280	1,461	1,212	1,330	84	123	0
O/H	8,750	683	1,731	1,557	804	280	1,378	1,402	0	915	0	0
Shortfall/Excess	-79	-647	-195	-223	143	-4	-37	176	-1,330	831	-123	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855013836558	0	0%	0%	0%	0%	100%	0%	TBD	TBD	Yes	yes	No	No	No	0	0	0
5855014643150	0	0%	0%	0%	0%	100%	0%	TBD	TBD	Yes	yes	No	No	No	0	0	0
5855014643152	19	0%	0%	0%	0%	0%	100%	YES	NO	Yes	yes	No	No	No	34	0	0
5855015244313	664	0%	25%	0%	75%	0%	0%	NO	NO	No	yes	No	No	No	171	791	0

Notes: Only the NSN ending in 4313 should be sent to the MEFs - all others should be sent to MCLC for either disposal or return to the Army. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1976 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E1976: SIGHT, WEAPON, THERMAL, HVY (HTWS)

The AN/APS-13 Thermal Weapon Sight is a second generation FLIR for use on rifles, surveillance missions and shoulder-launched missiles. The PAS-13 can be used to see in total darkness, in adverse weather conditions, and through battlefield smoke.

Representative Picture

TFSMS (OCT 2012) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY12)	9,373	3216
AAO (FY17)	9,134	
O/H	8,480	290
Shortfall/Excess	-893	-2,926

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,529	1,512	796	278	1,135	606	3,216	91	210	0
1,452	1,340	779	272	1,198	576	3,216	91	210	0
1,393	1,452	1,441	297	935	953	0	1,719	0	0
-136	-60	645	19	-200	347	-3,216	1,628	-210	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5855014643151	6	0%	0%	0%	0%	0%	100%	NO	NO	Yes	yes	No	No	No	39	0	0
5855015244314	284	0%	25%	0%	75%	0%	0%	NO	NO	No	yes	No	No	No	135	294	0

Notes: Only the NSN ending in 4314 should be sent to the MEFs - all others should be sent to MCLC for either disposal or return to the Army. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2070: TOOL KIT, BORESIGHT, FIXTURE, ROCKET LAUNCHER

The Toolkit, Bore sight Fixture, MK-145 MOD 0, consists of special tools used by field maintenance personnel to perform maintenance and bore sight adjustments to the 83mm SMAW MK-150 MOD 0 Assault Rocket Launcher.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	126	19
AAO (FY17)	127	
O/H	149	13
Shortfall/Excess	23	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
31	26	8	5	20	9	19	0	6	2
30	26	10	5	20	9	19	0	6	2
27	26	11	4	8	18	0	43	4	2
-4	0	3	-1	-12	9	-19	43	-2	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
4933015685726	13	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	13

Notes: TAMCN is not classified. No classified SSRI.Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E2208 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2208: TOOL KIT, ELECTRO-OPTICAL

The Tool Kit, E2208, is a general-purpose field and repair kit comprising various hand tools and accessories to aid in the repair of electronic and mechanical equipment.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	177	6
Shortfall/Excess	177	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
7	16	4	2	24	0	0	108	9	3
7	16	4	2	24	0	0	108	9	3

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180013821335	6	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	0	0	6

Notes: TAMCN is not classified. No classified SSRI.Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E2231 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2231: TOOL & EQUIPMENT KIT, FLD ARTY F/M777

A group of items specifically designed to perform ordinance maintenance on field artillery weapons. It includes a limited quantity of common tools, such as wrenches or the like, and includes an assortment of specialized tools and equipment, such as pressure gages and testing outfit(s), purge pipes and adapters, spring compressor(s), chain puller(s) and the like.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	63	0
AAO (FY17)	59	
O/H	63	3
Shortfall/Excess	0	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	13	6	0	10	1	0	0	18	0
14	11	5	0	10	1	0	0	18	0
10	18	9	0	3	5	0	4	12	0
-5	5	3	0	-7	4	0	4	-6	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015174962	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	3	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2235 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2235: TOOL KIT, INT MAINT

A group of items specifically designed to perform ordinance maintenance on field artillery weapons. It includes a limited quantity of common tools, such as wrenches or the like, and includes an assortment of specialized tools and equipment, such as pressure gages and testing outfit(s), purge pipes and adapters, spring compressor(s), chain puller(s) and the like.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	3	0
AAO (FY17)	3	
O/H	22	2
Shortfall/Excess	19	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	3	0	0	0	0
0	0	0	0	0	3	0	0	0	0
4	5	3	0	0	4	0	1	3	1
4	5	3	0	0	1	0	1	3	1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015250194	2	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	0	2	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2650 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2650: TOOL KIT, HAND, NON-MAGNETIC

The MK 36 Tool set (Rigging and Digging) consists of an assortment of non-magnetic hand tools used to gain access to buried explosive ordnance.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	65	0
AAO (FY17)	61	
O/H	68	0
Shortfall/Excess	3	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	4	3	3	15	0	0	15	5
8	8	4	3	3	15	0	0	15	5
11	13	9	6	1	12	0	2	8	6
1	3	5	3	-2	-3	0	2	-7	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385011118220	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes: All items return to the MEF. If unserviceable MEF will use to fill shortfalls in other kits.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2658 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2658: TOOL KIT, LAV, 3RD ECHELON

The Toolkit Third Echelon is used for maintenance on Light Armored Vehicles.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	32	2
AAO (FY17)	44	
O/H	17	1
Shortfall/Excess	-15	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	8	3	0	2	4	2	0	3	0
13	12	4	0	6	4	2	0	3	0
4	1	1	0	1	3	0	3	3	1
-6	-7	-2	0	-1	-1	-2	3	0	1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180011762542	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	1

Notes: Will be returned to Item Manager at LOGCOM, complete SL-3 gear.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2660 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2660: TOOL KIT, OM, LAV-25, 2D ECH

The Toolkit Second Echelon is used for maintenance on Light Armored Vehicles.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	44	3
AAO (FY17)	45	
O/H	35	2
Shortfall/Excess	-9	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	10	1	0	8	2	3	0	6	0
13	10	2	0	9	2	3	0	6	0
8	9	1	0	6	2	0	3	5	1
-6	-1	0	0	-2	0	-3	3	-1	1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180011755559	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	2	0	0

Notes: Will be returned to Item Manager at LOGCOM, complete SL-3 gear.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2929 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2929: TOOL KIT, FULL TRACK

The Tool Kit, Full Tracked Vehicle, Intermediate Maintenance, Third Echelon, is comprised of special tools, gages, and lifting devices required for mechanics use in third echelon field maintenance support of the vehicles.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	23	1
AAO (FY17)	26	
O/H	8	1
Shortfall/Excess	-15	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	0	0	0	2	1	0	12	0
4	4	1	0	2	2	1	0	12	0
2	3	0	0	1	0	0	1	0	0
-2	-1	0	0	1	-2	-1	1	-12	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180006746823	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0

Notes: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2931 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2931: TOOL SET, M1A1 TANK, 4TH ECH,ORD MAINT KIT

The Tool Set, MlA1 Tank, Fourth Echelon, Ordnance is comprised of tools used by mechanics at the intermediate maintenance level in support of the M1A1 Battle Tank.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	15	0
AAO (FY17)	26	
O/H	13	1
Shortfall/Excess	-2	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	0	0	2	1	0	0	6	0
6	6	3	0	4	1	0	0	6	0
0	2	0	0	1	0	0	3	5	1
-3	-1	0	0	-1	-1	0	3	-1	1

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180013379983	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0

Notes: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2932 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2932: TOOL SET, M1A1 HULL

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	15	0
AAO (FY17)	17	
O/H	12	1
Shortfall/Excess	-3	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	0	0	2	1	0	0	6	0
3	3	2	0	2	1	0	0	6	0
2	1	0	0	1	0	0	0	6	2
-1	-2	0	0	-1	-1	0	0	0	2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180013362879	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2933 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2933: TOOL SET, M1A1 TANK, 2D ECH

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	32	1
AAO (FY17)	32	
O/H	32	0
Shortfall/Excess	0	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	0	0	7	2	1	0	12	0
5	5	0	0	7	2	1	0	12	0
5	6	0	0	5	0	0	2	11	3
0	1	0	0	-2	-2	-1	2	-1	3

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180013362880	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2934 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E2934: TOOL SET, M1A1 TANK, 3D ECH

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	24	2
AAO (FY17)	32	
O/H	15	0
Shortfall/Excess	-9	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	5	3	0	2	1	2	0	3	0
9	9	2	0	6	1	2	0	3	0
5	4	0	0	1	1	0	0	3	0
-3	-1	-3	0	-1	0	-2	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180013362878	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E3018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E3018: X-RAY APPARATUS,RAD

The Tool Set, X-Ray is a two-person man-portable, field worthy, filmless radiographic system utilizing the x-ray generator from the present MK 32 MOD 0/1 tool set (x-ray). It provides digital imaging, computerized image enhancement, storage of the internal features of IEDs. It is also capable of image transmission via datalink.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	44	4
Shortfall/Excess	44	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
7	4	4	19	0	4	0	0	3	3
7	4	4	19	0	4	0	0	3	3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385012704670	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	0	0
6635014495163	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	0	4	0

Notes: Follow standard procedures

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E3021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E3021: STANDOFF DISRUPTOR, IED (EOD)

The Tool Kit, IED is a Percussion Actuated Neutralization (PAN) device that utilizes specially designed 12 gauge ammunition to disrupt IEDs.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY12)	339	10	84	84	60	12	12	37	10	0	30	10
AAO (FY17)	323		76	76	60	12	12	37	10	0	30	10
O/H	280	11	79	77	62	15	0	32	0	1	8	5
Shortfall/Excess	-59	1	-5	-7	2	3	-12	-5	-10	1	-22	-5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1385014826168	11	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	11	0	0
1385015017546	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	Yes	0	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E3141 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E3141: TOOL KIT, 2D ECH M88A2

The Tool Set, Field Maintenance, Second Echelon is comprised of special tools and test equipment utilized by maintenance personnel to perform tests, adjustments, and rebuild of components on the Recovery Vehicle, Full Tracked, M88A2.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	41	0
AAO (FY17)	46	
O/H	32	3
Shortfall/Excess	-9	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	7	0	0	7	1	0	0	18	0
8	8	2	0	9	1	0	0	18	0
4	4	0	0	4	1	0	1	15	0
-4	-3	0	0	-3	0	0	1	-3	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180014806998	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	3	0	0

Notes: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system for disposition .' If PEI does not meet above criteria; Item should be utilized for OPFOR T/E.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	540	0.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E3142 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E3142: TOOL KIT, 3D ECH M88A2

The Tool Set, Field Maintenance Third Echelon is comprised of special tools and test equipment utilized by maintenance personnel to perform tests, adjustments, and rebuild of components on the Recovery Vehicle, Full Tracked, M88A2.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	20	2
AAO (FY17)	27	
O/H	15	2
Shortfall/Excess	-5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	4	0	0	2	1	2	0	6	0
6	6	2	0	4	1	2	0	6	0
1	1	0	0	1	1	0	2	5	2
-4	-3	0	0	-1	0	-2	2	-1	2

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180014806999	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	NO	No	2	0	0

Notes: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system for disposition .' If PEI does not meet above criteria; Item should be utilized for OPFOR T/E.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E3170 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E3170: TOOL SET, WRENCH IMPACT

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	117	8
AAO (FY17)	106	
O/H	104	0
Shortfall/Excess	-13	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	19	10	0	16	3	8	0	36	3
17	17	6	0	16	3	8	0	36	3
16	14	9	0	8	3	0	21	30	3
-6	-5	-1	0	-8	0	-8	21	-6	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180008934654	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	26	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E5002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E5002: TRAINER LAUNCHER F/LAWS

The AT-4, 84MM Shoulder Fired Rocket (M136) provides the Marine Corps with a fully functional, lightweight, man-portable, anti-armor weapon. The AT-4's warhead features behind-armor secondary effects. After the projectile penetrates the vehicle's armor protection, a high-pressure incendiary effect occurs. The Shoulder Launched, Multipurpose Assault Weapon (SMAW) Family of Items consists of four different 83mm rockets. Each of these rockets is launched through the Mod 0 SMAW Launcher. The SMAW Spotting Rifle is attached to the SMAW launcher and fires the spotting cartridges to mark the spot/trajectory of the rocket. The SMAW family includes HA34 (NE), HX05 (HEDP), HX06 (HEAA), and HX07 (Practice).

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	966	1
AAO (FY17)	868	
O/H	3,031	8
Shortfall/Excess	2,065	7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
285	261	76	30	228	85	1	0	0	0
256	207	76	30	213	85	1	0	0	0
245	270	133	30	220	103	0	2,030	0	0
-40	9	57	0	-8	18	-1	2,030	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
1055014950009	8	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	4	4	0

Notes: Items should be sprayed with pressurized air and wiped down with a damp cloth to remove debris.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E7900: TOOL KIT, SMALL ARMS

Portable Tool Kit used by MOS 2111 personnel. Contains the hand-tools and devices used on a daily basis to perform maintenance on small arms & mortars.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	2,218	439
AAO (FY17)	2,183	
O/H	1,665	75
Shortfall/Excess	-553	-364

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
352	355	163	57	244	331	439	0	216	61
354	348	151	49	239	326	439	0	216	61
296	298	194	40	146	370	0	44	180	22
-56	-57	31	-17	-98	39	-439	44	-36	-39

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015045663	75	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	0	0	96

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = E7901: ELECTRO-OPTICAL TOOL KIT

Tool Kit used by MOS 2171 Technicans to repair Electro-Optical weapon systems like night vision devices, weapon sights, & missle tracking sights.

Representative Picture

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	872	35
AAO (FY17)	1,032	
O/H	1,119	38
Shortfall/Excess	247	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
197	186	67	20	159	115	35	0	93	0
255	227	108	17	182	115	35	0	93	0
180	182	96	20	91	266	0	158	33	70
-17	-4	29	0	-68	151	-35	158	-60	70

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
5180015766593	38	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	5	33	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

u0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = u0013:

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	75	
Shortfall/Excess	75	

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
4	5	8	0	2	0	0	50	6	0
4	5	8	0	2	0	0	50	6	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
9515015630360		0%	100%	0%	0%	0%	0%	NO	NO		yes						

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2748	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

u0014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = u0014:

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	149	1
Shortfall/Excess	149	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
9	6	13	2	3	0	0	97	18	0
9	6	13	2	3	0	0	97	18	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
2540015633905	1	0%	100%	0%	0%	0%	0%	NO	NO								

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	350	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

u0016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN = u0016:

TFSMS (OCT 2012) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY12)	0	0
AAO (FY17)	0	
O/H	29	
Shortfall/Excess	29	

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	1	5	0	2	0	0	19	0	0
2	1	5	0	2	0	0	19	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete?	ELMP?	Warranty?	SOW?	UUNS?	CAT I	CAT II	CAT III
3805015788145		0%	100%	0%	0%	0%	0%	NO	NO		yes		Y				

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%