Ground Equipment Reset Playbook

April 22, 2013

Version 20130422

Sample Reset Playbook Data Sheet

A8032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

1

TAMCN = A8032: SECURITY EQP, SPEECH, TACT, HALF-DUP, W-B AIRBORNE

The Speech Security Equipment (VINSON), TSEC/KY-58-2, -58-3, -58-4, and -58-5 are members of the VINSON family. The VINSON family consists of Wide Band Secure Voice (WBSV) units developed by the National Security Agency to provide line of sight half-duplex voice and data encryption at 16 kbps. The TSEC/KY-58-2, -58-3, -58-4, and -58-5 provides security for AM/FM, VHF, UHF, half-duplex Publ[illegible]phone and Telegraph combat net radios and tactical wireline systems when used with the HYX-57.

Representative Picture

A

TFSM[illegible] (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY13)	1,412	194
AAO (FY17)	1,337	
O/H	1,390	51
Shortfall/Excess	-22	-143

B C D

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
275	291	206	0	281	141	194	0	24	0
275	283	206	0	214	141	194	0	24	0
176	182	122	0	228	114	0	493	24	0
-99	-109	-84	0	-53	-27	-194	493	0	0

Reset Strategy & Plan (Product Group: 1[illegible]

B C D

NSN	O/H	Procure	Depot	PM Depot	Fie[illegible]	[illegible]o Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELM[illegible]	Warranty	SOW	[illegible]UNS	Forecasted Categories CAT I	CAT II	CAT III
5810[illegible]4	51	0%	75%	0%	25%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	51	0

A

E

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

3

R2 Distribution Plan

Equipment Assessment Information

A

if	Mission Capable	then	MCLC
if	Not Mission Capable MEF	then	MCLC
if	Not Mission Capable	then	MCLC
if	Condemned	then	MCLC

B

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

C

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

E

BARK TYPE	IND SQFT	IND CUFT	IND ST[illegible]
CUFT	0	0	0

F

☑ Sensitive ☑ CCI

☑ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

D

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

Description of Playbook Contents:

1. **Strategic View of Equipment:** Provides general information on the equipment

   A. Identifies whether the TAMCN is listed on MARES/MEE/ MEF Top 50
   B. Requirements Data is from TFSMS.
   C. O/H Data from TLCM-OST.
   D. Shortfall/Excess is calculated as the difference between the O/H and AAO's. This shows the relative health of the enterprise for this item.

2. **Reset Strategy & Plan:** Provides information on reset strategies and forecasted categories for Equipment in OEF. Items A through C are collected from MCSC. The forecasted categories were calculated from the information provided.

   A. If there are multiple variants of a specific TAMCN in OEF, they are broken out by NSN along with their quantities. The cumulative quantity of the O/H at the NSN level matches with the total O/H from TLCM-OST April 2013 TAMCN data.
   B. Reset strategies broken down by NSN. These strategies represent best estimates of the level of repair necessary to reset the equipment.
   C. Identifies additional attributes of the item.
   D. Forecasted categories were calculated using: (1) the reset strategies to estimate the condition of the equipment when it returns to CONUS and (2) the forecasted final distribution information that was provided by MCLC. In this example we can see that two pieces of equipment are selected to fill shortfalls at I MEF but are predicted to require depot level maintenance, and therefore they will become CAT II.
   E. General information pertaining to reset of the item.

3. **Operational View of the R2 Distribution Plan:**

   A. LTI Disposition Information should be used to determine disposition instructions once a condition assessment of the item is performed. It is possible that once performed, the LTI will suggest a disposition that is different from the forecasted categories due to estimation error in the reset strategies.
   B&C. Lift criteria and transportation information that shows options for lift out of theater.
   D. Forecasted final distribution provided by MCLC from the Equipment Sourcing Tool (EST).
   E. Shows the footprint of the item.
   F. Shows constraints for this piece of equipment during transport to CONUS. If the Item has associated TAMCNs, the user is instructed to go to the appendix, where more specific information will be displayed.

RESET PLAYBOOK UPDATES

- Update TFSMS AAO Requirements (data pull on 3 October 2012)

- Utilizing the Net Asset Posture (NAP) Data to articulate On Hand equipment quantities in OEF (22 April 2013), the following DODAACs were included:

M94168	M94456	M95102	M95114	M95123	M95202	M95307	M95314	MMX170	MX4002
M94169	M94485	M95104	M95116	M95124	M95302	M95309	M95317	MMX180	MX4004
M94206	M95003	M95107	M95117	M95200	M95305	M95310	M95321	MMX4GG	
M94451	M95040	M95109	M95122	M95201	M95306	M95312	MMFAF8	MMX800	

- Added the following TAMCNs to match SYSCOM …

A0079	A0186	A0383	A7203	B0360	C4431	E0020	E0082	E0960	E1710
A0100	A0188	A7200	A7205	C0001	C4433	E0025	E0311	E1460	E1761
A0183	A0189	A7201	A7206	C2278	C5649	E0058	E0892	E1475	E1978
A0184	A0193	A7202	A7903	C2286	E0017				

MRAPS in OEF by Serial Number

MRAPS That Are a Part of the Enduring Requirement- 132 MRAPS																				
635207	634577	633334	633369	634598	634635	635086	637853	637883	639037	639052	639065	639087	639113	639132	667300	667308	667314	667321	667327	667337
635208	667334	633337	634579	634599	634639	635087	637854	637886	639039	639053	639066	639091	639124	640543	667301	667309	667315	667322	667328	667338
635209	667335	633338	634582	634603	634640	635089	637857	637889	639041	639057	639077	639093	639126	640544	667302	667310	667316	667323	667329	667339
632939	633321	633346	634586	634605	634644	635096	637873	637890	639043	639059	639078	639098	639127	667294	667303	667311	667317	667324	667330	667340
632958	633327	633361	634587	634607	634646	635102	637876	637893	639047	639062	639082	639107	639129	667297	667305	667312	667319	667325	667332	667341
633340	633330	633362	634592	634610	635083	637849	637882	637896	639051	639064	639084	639110	639130	667299	667306	667313	667320	667326	667336	667342
634557	633333	633363	634595	634628	635084															
MRAPs Not a Part of the Enduring Requirement - 737 MRAPS																				
632919	634142	634407	634877	635029	639278	639440	639598	639752	639801	666752	666795	666839	639627	634602	650705	651835	652183	667125	667217	650814
632925	634156	634413	634884	635030	639280	639444	639599	639755	639802	666753	666796	666840	639061	634600	650730	651862	652194	667126	650380	650817
632926	634159	634417	634886	635038	639283	639445	639603	639757	639803	666754	666797	666841	639058	634593	650746	651866	652199	667128	650389	650821
632937	634189	634418	634902	635039	639288	639471	639611	639759	639805	666756	666798	666843	639050	634591	650899	651867	652222	667130	650407	650839
632941	634195	634420	634924	635043	639290	639482	639614	639760	639807	666757	666799	666845	639044	634575	650907	651881	652224	667131	650417	650846
632952	634199	634428	634930	635049	639291	639485	639616	639761	639808	666758	666800	666846	639042	634563	650915	651889	652240	667132	650432	650865
634093	634201	634433	634931	635051	639293	639489	639620	639762	639810	666759	666801	666847	639035	634562	650918	651891	652260	667133	650433	650867
650089	634203	634436	634938	635063	639298	639495	639624	639763	639811	666760	666802	666848	637897	634104	650919	651904	652262	667134	650440	650871
650090	634206	634444	634939	635066	639301	639496	639634	639764	639812	666761	666803	666849	637891	633366	650930	651912	652264	667138	650441	650888
650092	634224	634447	634940	635073	639303	639500	639636	639765	639813	666762	666804	666850	637887	633358	650934	651920	652266	667142	650461	650893
650093	634227	634458	634942	635080	639305	639503	639666	639766	639815	666763	666805	666851	637881	633356	650936	651941	652267	667146	650465	650894
650094	634246	634461	634945	639143	639314	639504	639668	639767	639816	666764	666806	666852	637880	633349	650939	651963	652273	667153	650466	651883
650096	634251	634467	634947	639146	639315	639505	639676	639768	639817	666765	666808	666854	637878	633345	650952	651988	652277	667155	650490	634287
666957	634276	634479	634950	639149	639316	639509	639684	639769	639818	666766	666809	666855	637875	633343	650993	651990	652290	667158	650516	634852
666958	634282	634482	634953	639153	639318	639516	639687	639770	639819	666767	666810	666856	637872	633342	651013	651994	654878	667159	650521	634891
666959	634288	634483	634954	639157	639319	639527	639692	639772	639820	666768	666812	666857	637871	633336	651587	652003	654880	667161	650528	639206
666960	634289	634487	634958	639164	639321	639531	639693	639773	639821	666770	666813	666859	637870	633329	651600	652006	654885	667164	650538	639387
666961	634296	634493	634959	639168	639322	639540	639698	639775	639822	666771	666814	666860	637869	633323	651666	652015	654891	667170	650547	
666962	634310	634505	634960	639169	639323	639541	639699	639776	639823	666773	666815	666861	637868	633319	651667	652032	654900	667171	650549	
666963	634319	634524	634961	639183	639329	639543	639702	639780	639824	666775	666817	622657	637863	650584	651681	652035	654907	667174	650565	
666964	634324	634531	634963	639196	639330	639545	639703	639781	639826	666776	666818	634564	637862	650594	651684	652047	654908	667175	650747	
666965	634327	634548	634964	639203	639334	639555	639705	639782	639827	666777	666820	635131	637859	650608	651702	652048	654915	667177	650752	
666966	634331	634751	634970	639209	639335	639564	639707	639784	639831	666778	666821	635133	637858	650613	651708	652053	654922	667178	650756	
667009	634336	634759	634972	639211	639336	639569	639708	639785	639832	666779	666824	635173	635101	650617	651719	652056	654934	667182	650759	
667010	634342	634779	634973	639235	639359	639573	639710	639787	639833	666780	666825	635177	635097	650622	651720	652058	654937	667183	650760	
667012	634343	634781	634977	639240	639362	639574	639711	639790	639835	666781	666827	635182	635093	650625	651722	652099	654940	667184	650766	
667013	634348	634801	634979	639245	639370	639576	639718	639791	639836	666782	666828	635210	635088	650626	651729	652110	667093	667187	650767	
635115	634357	634802	634980	639254	639376	639578	639728	639792	649507	666783	666829	635219	634651	650630	651732	652117	667102	667192	650769	
633282	634374	634829	634989	639257	639399	639579	639741	639794	649508	666785	666830	639609	634638	650634	651736	652126	667105	667193	650775	
633293	634392	634830	635010	639260	639406	639583	639743	639795	666746	666786	666832	635129	634636	650644	651773	652128	667109	667200	650778	
633295	634400	634860	635014	639262	639409	639586	639745	639796	666747	666788	666833	635138	634627	650651	651775	652146	667112	667204	650780	
633300	634402	634866	635017	639265	639411	639588	639748	639797	666748	666789	666834	635152	634620	650683	651792	652148	667113	667207	650781	
634119	634403	634868	635020	639267	639415	639591	639749	639798	666749	666790	666836	635168	634619	650688	651807	652162	667117	667209	650782	
634127	634405	634869	635023	639271	639431	639594	639750	639799	666750	666791	666837	635178	634617	650693	651817	652163	667121	667210	650800	
634130	634406	634876	635024	639273	639437	639597	639751	639800	666751	666794	666838	639296	634604	650704	651833	652171	667123	667212	650802	
634142	634407	634877	635029	639278	639440	639598	639752	639801	666752	666795	666839	639627	634602	650705	651835	652183	667125	667217	650814	

MRAPS in OEF by Serial Number

MRAPs that Transfer to the NAVY and Air Force - 218 MRAPS																				
634966	634998	639446	639479	639512	639550	639571	639602	639655	639683	639731	635119	635162	635189	667307	667284	667274	667264	667254	667244	639099
634969	634999	639460	639484	639514	639552	639575	639605	639656	639688	639736	635130	635163	635195	667298	667283	667273	667263	667253	639139	639095
634971	635001	639461	639486	639519	639553	639580	639606	639658	639694	639740	635134	635164	635196	667293	667282	667272	667262	667252	639135	639090
634974	635004	639462	639488	639521	639554	639581	639607	639659	639697	639744	635135	635166	635204	667292	667281	667271	667261	667251	639125	639088
634975	635005	639463	639492	639529	639556	639584	639638	639660	639713	639746	635136	635170	635215	667290	667280	667270	667260	667250	639118	639081
634978	635006	639464	639497	639530	639561	639587	639643	639665	639714	639747	635141	635179	635222	667289	667279	667269	667259	667249	639117	639079
634981	635011	639467	639498	639532	639563	639590	639644	639674	639715	639121	635153	635180	635227	667288	667278	667268	667258	667248	639111	639075
634990	639313	639468	639501	639533	639565	639593	639646	639675	639720	639120	635154	635185	639612	667287	667277	667267	667257	667247	639108	639073
634991	639365	639472	639502	639538	639566	639595	639647	639679	639723	639134	635156	635187	667333	667286	667276	667266	667256	667246	639105	639063
634992	639380	639474	639507	639546	639568	639596	639648	639680	639724	635082	635160	635188	667318	667285	667275	667265	667255	667245	639103	637892
634993	639384	639476	639511	639549	639570	639601	639653													

ALL MRAPS in the Enterprise by Serial Number

MRAPS That Are a Part of the Enduring Requirement - 1231 MRAPS																				
635206	635118	634166	634347	634330	634460	634536	634795	634875	635034	639181	639357	639102	634585	633338	634599	635102	639101	667311	650721	652532
635207	635143	634167	634350	634333	634462	634540	634796	634879	635035	639182	639361	635122	634588	633346	634641	637849	639104	667312	650803	652533
635208	635145	634169	634351	634335	634463	634541	634798	634883	635037	639184	639363	635157	633327	635099	634642	637853	639077	667313	650418	652534
635209	635146	634178	634352	634337	634466	634542	634799	634888	635041	639186	639366	635194	667291	635105	634643	637854	639078	667314	650420	652535
635121	635159	634181	634354	634340	634469	634543	634800	634890	635042	639191	639375	633316	634589	635106	634603	637857	639082	667315	650469	652539
635123	635167	634183	634359	634341	634470	634544	634804	634894	635046	639193	639377	633328	634590	633361	634645	637873	639084	667316	650486	652541
635142	635171	634184	634360	634345	634471	634546	634807	634895	635047	639198	639378	633331	634594	635107	634605	637876	639087	667317	650529	652542
635172	635181	634185	634362	634346	634473	634547	634809	634897	635048	639199	639379	633332	634596	633362	639048	637882	639091	667319	650537	652544
639458	635184	634187	634363	634347	634474	634550	634810	634900	635053	639202	639381	633339	634597	635108	639049	637883	639093	667320	650582	652545
647802	635214	634191	634366	634350	634476	634552	634813	634903	635055	639207	639385	633341	634601	637851	639054	637886	639098	667321	650599	652546
632920	635221	634192	634375	634351	634478	634553	634818	634904	635057	639210	639390	633344	634608	633363	639056	639046	639107	667322	650655	652548
632921	635158	634202	634377	634352	634480	634746	634821	634906	635058	639216	639392	633340	634612	633369	639060	637889	639133	667323	650858	652549
632922	635223	634209	634379	634354	634481	634747	634822	634907	635059	639219	639393	633325	634613	637855	639071	637890	639137	667324	650889	652550
632924	639610	634210	634381	634359	634486	634748	634823	634908	635061	639221	639394	634557	634615	634579	639076	637893	639621	667325	650928	652551
632927	647801	634212	634383	634360	634489	634749	634824	634909	635067	639224	639403	633347	634616	634582	639085	637896	639110	667326	651581	652552
632928	633267	634214	634385	634362	634491	634750	634825	634912	635069	639227	639410	634577	634618	637856	639100	639055	639113	667327	651585	652554
632929	633271	634215	634387	634363	634492	634753	634826	634913	635070	639231	639412	633348	634623	634586	639114	639037	639124	667328	651589	652555
632931	633281	634219	634388	634366	634495	634754	634827	634918	635072	639232	639416	633350	633330	637860	639622	639039	639126	667329	651608	652557
632932	633290	634221	634395	634375	634498	634756	634831	634920	635074	639233	639419	633353	634624	634587	634607	639041	639127	667330	651631	652558
632935	633296	634222	634398	634377	634500	634757	634832	634921	635077	639252	639424	633355	634559	634611	634610	639043	639129	667331	651730	652559
632939	633297	634228	634401	634379	634501	634758	634833	634923	635078	639255	639425	633359	634626	637865	634628	639047	639130	667332	651737	652560
632943	633298	634233	634414	634381	634502	634760	634839	634925	635079	639261	639427	634105	667296	637866	634635	639051	639132	667336	651739	652561
632944	633299	634235	634416	634383	634508	634762	634840	634926	639142	639263	639428	634556	634629	637867	634639	639068	640543	667337	651744	652562
632945	633304	634236	634419	634385	634510	634767	634841	634927	639148	639282	639450	634558	634632	637879	635091	639069	667295	667338	651751	652563
632946	633306	634237	634421	634387	634511	634768	634842	634932	639152	639284	639453	634560	634633	637884	634640	639070	640544	667339	651752	652565
632947	634128	634240	634424	634388	634513	634769	634843	634933	639154	639287	639480	634574	634634	637885	635098	639072	667294	667340	651756	652566
632948	634129	634241	634425	634395	634515	634771	634844	634941	639155	639292	639615	634576	634647	637888	634644	639074	667297	667341	651757	652567
632949	634131	634242	634426	634398	634516	634772	634846	634976	639156	639307	639623	634578	634648	634625	634646	639052	667299	667342	651799	652569
632953	634133	634244	634427	634401	634517	634773	634847	635012	639158	639325	639625	634580	634649	637894	637850	639053	667300	669277	651802	654932
632955	634144	634245	634437	634414	634521	634774	634850	635015	639159	639331	639641	633354	633333	634592	637852	639080	667301	669278	651831	656604
632957	634145	634247	634438	634416	634522	634777	634851	635016	639160	639332	639681	634581	634652	637898	635083	639057	667302	669279	651951	656624
632958	634147	634249	634440	634419	634525	634783	634857	635018	639165	639338	639691	637861	633334	634631	635084	639083	667303	669280	651966	667588
632959	634151	634253	634441	634421	634526	634785	634858	635022	639166	639343	639712	637877	634653	639034	635086	639059	667304	669281	652020	667600
632962	634158	634256	634445	634424	634527	634789	634859	635025	639171	639345	639717	634583	635090	639036	637864	639062	667305	650749	652245	667601
634092	634161	634261	634449	634425	634528	634790	634861	635026	639174	639346	639783	634584	633337	639038	635087	639064	667306	650834	652284	667610
634094	634163	634262	634454	634426	634530	634791	634862	635027	639176	639349	666858	667334	635092	634595	637874	639065	667308	650845	652529	667612
634099	634164	634264	634455	634427	634532	634793	634865	635028	639177	639353	633367	667335	635094	639040	635089	639096	667309	650542	652530	667620
634101	634165	634267	634459	634437	634535	634794	634872	635033	639178	639354	635103	633321	635095	634598	635096	639066	667310	650392	652531	667621

ALL MRAPS in the Enterprise by Serial Number

MRAPS That Are a Part of the Enduring Requirement - CONT.																				
667623	667660	650587	650947	651830	652065	650402	650415	650852	651597	651778	652011	652142	654876	650849	651685	651816	651987	650513	651657	634386
667625	667661	650592	650950	651838	652089	650411	650473	650857	651614	651779	652025	652151	654877	650850	651691	651823	651996	650518	651731	634443
667626	667662	650636	650953	651848	652107	650412	652064	650864	651627	651788	652029	652156	654882	650853	651700	650792	651998	650530	651814	634537
667632	667663	650637	650956	651852	652112	650414	650383	650868	651659	651791	652033	652158	654888	650859	651701	651851	652229	650533	654917	634880
667635	667665	650659	650962	651860	652125	650421	650393	650872	651665	651800	652038	652160	654895	650884	651705	651863	652242	650545	650457	634901
667637	667666	650687	650974	651893	652133	650423	650487	650875	651668	651801	652044	652176	654899	650890	651712	651864	654887	650548	650511	639369
667644	667667	650698	650981	651895	652134	650424	650554	650879	651678	651824	652049	652179	654906	650895	651714	651869	651880	650551	650531	639386
667645	667668	650715	650988	651906	652138	650427	650603	650882	651694	651849	652059	652190	654933	650900	651721	651871	650419	650572	650543	639441
667646	667669	650744	650996	651915	652143	650429	650682	650886	651696	651858	652068	652204	654936	650912	651723	651873	650425	650577	652144	633261
667647	667671	650748	651007	651924	652167	650430	650697	650892	651704	651886	652069	652218	650795	650913	651726	651877	650428	650578	650813	634200
667648	667674	650750	651654	651926	652185	650379	650707	650896	651710	651911	652070	652220	650798	650921	651743	651902	650435	650580	634899	634218
667649	667675	650777	651658	651933	652209	650382	650708	650897	651715	651919	652073	652221	650799	650922	651749	651910	650442	650586	634922	634290
667650	650398	650789	651688	651944	652236	650384	650796	650898	651724	651954	652076	652227	650806	650941	651767	651916	650444	650585	639407	634770
667652	650399	650835	651728	651964	652255	650387	650797	650901	651727	651967	652088	652232	650810	651595	651774	651929	650456	650593	634174	
667653	650438	650840	651753	651965	652536	650388	650801	650905	651733	651983	652098	652239	650816	651601	651782	651932	650459	650595	634194	
667654	650443	650876	651763	651972	652540	650395	650809	650909	651741	651992	652109	652251	650818	651656	651785	651937	650468	650598	634394	
667655	650447	650880	651764	652004	652547	650400	650815	650914	651746	651995	652111	652253	650823	651669	651794	651958	650471	650601	634497	
667656	650472	650881	651780	652026	650378	650403	650825	650920	651747	652001	652116	652272	650831	651671	651798	651978	650475	650602	634766	
667657	650495	650902	651781	652030	650381	650406	650829	650923	651754	652002	652122	652278	650832	651674	651803	651979	650483	650609	634878	
667658	650519	650927	651796	652054	650385	650408	650830	650929	651765	652007	652129	652283	650836	651680	651811	651980	650494	650397	634216	
667659	650569	650932	651797	652062	650391	650409	650848	650938	651769	652009	652136	652556	650842	651682	651813	651985	650509	650940	634232	

ALL MRAPS in the Enterprise by Serial Number

MRAPs Not a Part of the Enduring Requirement - 2309 MRAPS																					
632936	650096	618721	633291	634156	634252	634343	634410	634484	634776	634871	634959	634234	639220	639187	639452	639298	639355	639544	639493	639577
632938	634102	618723	633292	634159	634257	634344	634411	634485	634778	634876	634960	635051	635002	639189	639455	639518	639356	639562	639495	639578
634095	632933	618726	633293	634160	634258	634348	634412	634487	634779	634877	634961	635052	635007	639190	639249	639300	639358	639426	639496	639579
634097	632960	618727	633295	634168	634259	634349	634413	634488	634780	634881	633294	634308	639225	639192	639248	639301	639359	639429	639499	639583
632930	650095	618728	633300	634171	634260	634355	634415	634490	634781	634882	634963	634955	639229	639194	639456	639520	639360	639649	639500	639586
634096	632923	618734	633301	634172	634263	634356	634417	634493	634782	634884	634964	635062	639230	639195	639478	639303	639362	639431	639503	639588
634100	632950	618736	633302	634175	634265	634357	634418	634494	634784	634885	634970	635063	635050	639196	639254	639305	639364	639432	639504	639589
634098	632961	618737	633303	634176	634266	634358	634420	634496	634788	634886	634972	635064	639234	639197	639253	639534	639367	639430	639505	639591
647480	666957	618738	633305	634177	634268	634361	634422	634499	634792	634889	634973	634446	639236	639201	639257	639535	639341	639652	639734	639594
647486	666958	618739	633307	634180	634274	634364	634423	634503	634797	634893	634977	635066	639237	639203	639483	639310	639370	639437	639506	639597
647487	666959	618740	633308	634186	634276	634365	634428	634504	634801	634896	634979	635071	639238	639204	639260	639536	639371	639663	639509	639598
634091	666960	618741	633310	634189	634277	634367	634429	634505	634802	634902	634980	635073	639241	639150	639262	639539	639372	639438	639735	639599
647505	666961	618742	633312	634190	634281	634368	634430	634506	634805	634905	634989	635075	639244	639209	639258	639314	639368	639440	639737	639600
647506	666962	622633	633313	634193	634282	634369	634431	634507	634808	634910	634162	635076	639246	639211	639265	639315	639542	639439	639516	639603
632940	666963	633250	634119	634195	634283	634370	634432	634509	634811	634914	634948	635080	639247	639212	639494	639316	639376	639669	639517	639604
632942	666964	633251	634121	634196	634285	634371	634433	634512	634812	634916	635000	634956	639250	639213	639267	639317	639382	639444	639515	639611
632951	666965	633253	634122	634198	634288	634372	634434	634514	634814	634917	634146	634962	639264	639294	639508	639318	639383	639445	639758	639613
632956	666966	633255	634123	634199	634289	634373	634435	634518	634815	634919	634951	634968	639143	639295	639269	639319	639388	639673	639830	639614
634090	667009	633256	634124	634201	634292	634374	634436	634519	634816	634924	634170	634988	639144	639217	639268	639320	639374	639448	639522	639616
632934	667010	633257	634126	634203	634296	634376	634439	634520	634817	634929	635010	634997	639146	639218	639271	639321	639391	639449	639526	639617
632954	667011	633258	634127	634204	634297	634378	634444	634523	634819	634930	635013	634787	639147	639299	639270	639322	639395	639447	639527	639618
647481	667012	633260	634130	634205	634304	634380	634447	634524	634820	634931	635014	634928	639149	639302	639273	639323	639396	639685	639528	639619
647482	667013	633262	634132	634206	634306	634384	634448	634529	634828	634934	635017	634935	639266	639306	639274	639324	639398	639700	639531	639620
647484	639629	633263	634134	634208	634307	634389	634450	634531	634829	634937	634207	634936	639151	639223	639275	639326	639399	639704	639523	639551
634089	635115	633264	634135	634211	634310	634390	634451	634533	634830	634938	635020	634944	639153	639226	639276	639327	639389	639459	639838	639624
650091	635124	633265	634136	634213	634311	634391	634452	634534	634834	634939	635021	635009	639157	639309	639272	639328	639401	639465	639540	639626
632919	613822	633266	634137	634217	634315	634392	634456	634538	634835	634940	635023	634949	639161	639228	639278	639329	639402	639469	639541	639634
632925	613823	633269	634138	634223	634316	634393	634457	634539	634836	634942	635024	635019	639162	639311	639280	639330	639404	639471	639543	639635
632926	613824	633270	634139	634224	634319	634396	634458	634545	634837	634943	635029	635045	639163	639373	639281	639333	639405	639470	639545	639636
632937	613825	633272	634140	634225	634321	634397	634461	634548	634849	634945	635030	635054	639164	639235	639283	639334	639406	639706	639547	639637
647485	613826	633273	634141	634226	634324	634399	634464	634549	634853	634947	635031	635060	639167	639421	639285	639335	639408	639477	639548	639639
632941	613827	633275	634142	634227	634327	634400	634465	634745	634854	633259	635032	634967	639168	639422	639286	639336	639409	639481	639555	639640
632952	613830	633277	634143	634229	634328	634402	634467	634751	634855	634950	635036	635065	639169	639423	639288	639337	639411	639482	639558	639642
647488	613831	633278	634148	634230	634331	634403	634468	634752	634860	633274	635038	634983	639172	639239	639289	639339	639413	639721	639559	639650
634093	613833	633280	634149	634231	634332	634404	634472	634755	634863	634952	635039	634985	639173	639240	639290	639312	639414	639485	639560	639654
650089	613834	633282	634150	634238	634334	634405	634475	634759	634864	634953	635040	634986	639175	639433	639291	639342	639415	639487	639564	639657
650090	613837	633284	634152	634243	634336	634406	634477	634763	634866	634954	635043	639215	639179	639242	639293	639344	639417	639489	639569	639661
650092	614832	633285	634153	634246	634338	634407	634479	634764	634868	633276	635044	634994	639180	639442	639277	639347	639418	639726	639573	639664
650093	614833	633286	634154	634250	634339	634408	634482	634765	634869	633279	634220	634995	639183	639245	639510	639351	639400	639491	639574	639666
650094	614841	633287	634155	634251	634342	634409	634483	634775	634870	634958	635049	634996	639185	639443	639297	639352	639420	639490	639576	639667

ALL MRAPS in the Enterprise by Serial Number

MRAPs Not a Part of the Enduring Requirement-CONT.																				
639668	639759	639801	666749	666789	666829	622658	618730	635168	637870	634622	650437	650790	667196	652105	651681	652058	667102	667207	650492	650773
639670	639760	639802	666750	666790	666830	632963	618731	635178	637869	633322	650446	650793	667197	652106	651684	652099	667105	667209	650493	650591
639676	639761	639803	666751	666791	666831	632967	618732	639296	637868	634555	650454	650948	667198	652159	651702	652110	667109	667210	650496	650604
639677	639762	639804	666752	666792	666832	632968	618743	639627	637863	650733	650463	652175	667201	652161	651708	652117	667112	667212	650499	650833
639678	639763	639805	666753	666793	666833	632974	618744	633314	637862	652016	650478	652181	667208	656611	651719	652126	667113	667217	650500	650618
639684	639764	639807	666754	666794	666834	632976	618748	633324	637859	650544	650491	652202	667215	650584	651720	652128	667117	652568	650501	650619
639687	639765	639808	666755	666795	666835	632978	618749	634630	637858	650841	650497	652238	650955	650594	651722	652146	667121	667619	650502	652123
639689	639766	639809	666756	666796	666836	632983	618750	635100	635101	651784	650505	652271	650963	650608	651729	652148	667123	651624	650503	652201
639690	639767	639810	666757	666797	666837	632986	618751	635111	635097	651855	650507	654897	650964	650613	651732	652162	667125	652292	650506	650627
639692	639768	639811	666758	666798	666838	632988	618752	634650	635093	652067	650512	667094	650967	650617	651736	652163	667126	654931	650508	656606
639693	639769	639812	666759	666799	666839	632994	618753	635085	635088	652217	650515	667095	650969	650622	651773	652172	652164	650386	650510	667203
639696	639770	639813	666760	666800	666840	632997	618754	639067	634651	650951	650520	667096	650970	650625	651775	652171	667128	650390	650514	650838
639698	639772	639814	666761	666801	666841	632999	618755	634621	634638	650959	650526	667097	650976	650626	651792	652183	667130	650394	650517	650638
639699	639773	639815	666762	666802	666842	633001	618756	633320	634636	650965	650540	667101	650978	650630	651807	652194	667131	650396	650522	650911
639702	639774	639816	666763	666803	666843	633003	618758	634567	634627	650966	650550	667103	650989	650634	651817	652199	667132	650401	650525	650641
639703	639775	639817	666764	666804	666844	633004	618779	634570	634620	650971	650552	667104	650997	650644	651833	652222	667133	650404	650532	650642
639705	639776	639818	666765	666805	666845	633007	618780	634573	634619	650977	650553	667106	650999	650651	651835	652224	667134	650405	650534	650645
639707	639777	639819	666766	666806	666846	633008	618782	639106	634617	650980	650556	667107	651610	650683	651862	652240	667138	650413	650535	650650
639708	639778	639820	666767	666807	666847	633011	634561	633360	634604	650990	650596	667111	651670	650688	651866	652260	667142	650476	651783	651698
639710	639779	639821	666768	666808	666848	633013	634564	634106	634602	650991	650597	667115	651673	650693	651867	652262	667146	650426	650539	650416
639711	639780	639822	666769	666809	666849	633029	633351	634606	634600	650992	650607	667118	651675	650704	651881	652264	667153	650439	650541	650462
639716	639781	639823	666770	666810	666850	633044	635131	634637	634593	651000	650611	667124	651677	650705	651889	652266	667155	650445	650555	650474
639718	639782	639824	666771	666811	666851	633097	635133	635112	634591	651001	650616	667129	651692	650730	651891	652267	667158	650448	650557	650481
639719	639784	639826	666772	666812	666852	633099	635147	639061	634575	651003	650635	667135	651758	650746	651904	652273	667159	650449	650558	650666
639722	639785	639827	666773	666813	666853	633100	635149	639058	634563	651006	650646	667136	651762	650899	651912	652277	667161	650450	650559	650667
639728	639786	639829	666774	666814	666854	633104	635165	639050	634562	651008	650654	667144	651827	650907	651920	652290	667164	650451	650561	650668
639729	639787	639831	666775	666815	666855	613828	635173	639044	634104	651011	650656	667152	651829	650915	651941	654878	667170	650452	650562	650670
639739	639788	639832	666776	666816	666856	613829	635177	639042	633366	651015	650658	667156	651844	650918	651963	654880	667171	650455	650563	650671
639741	639789	639833	666777	666817	666857	613832	635182	639035	633358	651016	650660	667162	651853	650919	651988	654885	667174	650453	650566	650672
639743	639790	639834	666778	666818	666859	614831	635186	637897	633356	651017	650664	667163	651856	650930	651990	654891	667175	650460	650567	650674
639745	639791	639835	666779	666819	666860	614834	635191	634565	633349	651900	650665	667166	651885	650934	651994	654900	667177	650464	650568	650498
639748	639792	639836	666780	666820	666861	614835	635210	634566	633345	652235	650669	667168	651907	650936	652003	654907	667178	650467	650571	650536
639749	639793	647794	666781	666821	618724	614836	635211	637891	633343	667116	650673	667176	651939	650939	652006	654908	667182	650470	650573	650546
639750	639794	649507	666782	666822	622642	614837	635219	637887	633342	667127	650676	667180	651973	650952	652015	654915	667183	650477	650574	650679
639751	639795	649508	666783	666823	622645	614838	639609	637881	633336	667154	650692	667185	651974	650993	652032	654922	667184	650480	650575	650684
639752	639796	649509	666784	666824	622648	614839	639628	637880	633329	667165	650702	667186	651989	651013	652035	654926	667187	650482	650576	650690
639753	639797	649510	666785	666825	622652	614840	635116	637878	633323	667169	650729	667188	651999	651587	652047	654934	667192	650484	650579	650615
639755	639798	666746	666786	666826	622654	614842	635129	637875	633319	667173	650736	667189	652079	651600	652048	654937	667193	650485	650583	650620
639756	639799	666747	666787	666827	622655	618725	635138	637872	639045	667214	650768	667190	652096	651666	652053	654940	667200	650488	650589	650695
639757	639800	666748	666788	666828	622657	618729	635152	637871	634614	650434	650786	667195	652100	651667	652056	667093	667204	650489	650590	650696

ALL MRAPS in the Enterprise by Serial Number

MRAPs Not a Part of the Enduring Requirement-CONT.																					
650710	650779	650565	650663	650871	650762	651605	651645	651699	651812	651884	650944	652013	652037	652234	654910	656623	667148	667590	667630	634157
650712	650791	650837	650675	650888	650973	651606	651646	651703	651815	651888	651945	652014	652135	652241	654911	656625	667150	667591	667631	634125
650632	650380	650624	650677	650893	650975	651607	651647	651706	651820	651883	651946	652019	652141	652244	654912	656626	667151	667592	667633	634382
650717	650389	650747	650678	650894	650870	651609	651648	651707	651821	651890	651947	652022	652152	652247	654913	656627	667157	667593	667634	639205
650718	650407	650843	650680	650903	650763	650784	651649	651709	651822	651683	650946	652028	652153	652250	654916	656628	667160	667594	667636	639214
650719	650805	650752	650781	650714	650979	651611	651650	651711	651825	651894	651948	651872	652154	652254	654918	656629	667167	667595	667638	639222
650722	650417	650847	650685	650904	650764	651613	651652	651713	651826	651896	651949	652036	652060	652256	654921	656630	667172	667596	667639	639251
650725	650808	650756	650691	650716	650982	651618	650862	651716	651828	651897	651952	652040	652071	652257	654923	656631	667179	667597	667640	639256
651878	650432	650759	650873	650908	650983	650788	651653	651717	651832	651687	651953	651898	652077	652259	654925	656632	667181	667598	667641	639435
650727	650433	650628	650782	650720	650984	650785	650863	651718	651836	650942	651955	652051	652168	652265	654927	656633	667191	667599	667642	639473
650728	650811	650760	650874	650804	650985	650807	651655	651734	651837	651905	651956	652057	652169	652269	654929	656634	667199	667602	667643	639727
650732	650440	650766	650694	650723	650994	651622	650866	651738	651841	651725	651957	651903	652173	652274	654938	656635	667202	667603	667651	639279
651892	650441	650767	650878	650726	651002	651623	651660	651740	651842	651908	651959	652072	652177	652276	654939	656636	667205	667604	667664	633283
651918	650461	650854	650699	650812	650772	651626	651661	651745	651843	651909	651960	652074	652182	652279	654942	656637	667206	667605	652216	634120
652046	650465	650856	650800	650925	651004	650822	650877	651748	651592	651913	651961	651935	652186	652280	656605	667098	667211	667606	652225	634173
650734	650610	650629	650700	650926	651012	651628	650885	651750	651845	651914	651962	652080	652188	652281	656607	667099	667213	667607	667670	634248
650737	650724	650631	650802	650931	651014	651632	651662	651759	651846	651917	651968	652081	652191	652286	656608	667100	667216	667608	654879	634442
650738	650466	650855	650706	650731	651582	650824	651663	651761	651847	651921	651969	652082	652195	652289	656609	667108	667576	667609	667672	634453
650740	650612	650769	650814	650937	651583	651633	651664	651768	651621	651922	651971	652083	652196	654875	656610	667110	667577	667611	667673	634786
652094	650490	650633	650883	650819	651584	650826	650906	651772	651854	651923	651777	652087	652197	654883	656612	667114	667578	667613	654941	634803
650661	650742	650775	650713	650943	651586	651636	651672	651776	651857	651927	651976	652092	652198	654884	656613	667119	667579	667614	667122	634867
652213	650828	650640	650817	650820	651588	651638	650945	651787	651859	651928	651977	651975	652078	654890	656614	667120	667580	667615	633288	634887
650754	650516	650649	650821	650735	651591	650827	651676	651789	651861	651930	651981	651986	652206	654892	656615	652119	667581	667616	633289	639170
650755	650521	650652	650839	650745	650916	651640	650917	651790	651865	651934	651984	652101	652207	654893	656616	667137	667582	667617	634197	639350
650758	650528	650653	650711	650957	651593	650851	650924	651795	651868	651936	651850	652102	652210	654894	656617	667139	667583	667618	634254	634287
650761	650621	650657	650887	650960	651596	651641	651679	651804	651870	651938	651991	652023	652212	654896	656618	667140	667584	667622	634255	634852
650765	650538	650662	650846	650961	650783	651642	650954	651805	651875	651770	651993	652108	652095	654898	656619	667141	667585	667624	634353	634891
650771	650547	650778	650891	650860	651598	651643	651686	651806	651876	651940	651997	652113	652226	654901	656620	667143	667586	667627	634856	639206
650774	650549	650770	650865	650757	651603	650861	651695	651808	651879	651942	652008	652034	652230	654903	656621	667145	667587	667628	633309	639387
650776	650623	650780	650867	650972	651604	651644	651697	651809	651882	651943	652012	652120	652231	654909	656622	667147	667589	667629	633311	

ALL MRAPS in the Enterprise by Serial Number

MRAPs that Transfer to the NAVY and Air Force - 299 MRAPS																				
634965	635004	639462	639497	639538	639571	639601	639655	639686	639733	639121	639138	635132	635198	635125	635166	667307	667280	667266	667252	639111
634966	635005	639463	639498	639546	639572	639602	639656	639688	639736	639120	639140	635137	635212	635130	635170	667298	667279	667265	667251	639108
634969	635006	639464	639501	639549	639575	639605	639658	639694	639738	639086	639141	635139	635218	635134	635179	667293	667278	667264	667250	639105
634971	635008	639466	639502	639550	639580	639606	639659	639695	639740	639089	633365	635140	635224	635135	635180	667292	667277	667263	667249	639103
634974	635011	639467	639507	639552	639581	639607	639660	639697	639742	639092	633368	635144	635226	635136	635185	667290	667276	667262	667248	639099
634975	639313	639468	639511	639553	639582	639608	639662	639713	639744	639112	639094	635148	639340	635141	635187	667289	667275	667261	667247	639095
634978	639365	639472	639512	639554	639584	639638	639665	639714	639746	639115	639097	635151	639630	635153	635188	667288	667274	667260	667246	639090
634981	639380	639474	639514	639556	639585	639643	639672	639715	639747	639116	639109	635161	635128	635154	635189	667287	667273	667259	667245	639088
634990	639384	639475	639519	639561	639587	639644	639674	639720	639771	639119	639131	635169	635193	635155	635192	667286	667272	667258	667244	639081
634991	639436	639476	639521	639563	639590	639645	639675	639723	633352	639122	640542	635174	635205	635156	635195	667285	667271	667257	639139	639079
634992	639446	639479	639529	639565	639592	639646	639679	639724	633364	639123	640545	635175	635082	635160	635227	667284	667270	667256	639135	639075
634993	639451	639484	639530	639566	639593	639647	639680	639725	634554	639128	634571	635183	635117	635162	639612	667283	667269	667255	639125	639073
634998	639457	639486	639532	639567	639595	639648	639682	639731	634569	639134	635126	635190	635119	635163	667333	667282	667268	667254	639118	639063
634999	639460	639488	639533	639568	639596	639653	639683	639732	634572	639136	635127	635197	635120	635164	667318	667281	667267	667253	639117	637892
635001	639461	639492	639537	639570																
Spare MRAPs to the enduring requirements - 117 MRAPS																				
647478	634188	634551	634874	635068	639243	639730	652543	654905	652010	652039	652052	652085	652097	652118	652132	652150	652178	652203	652228	652263
647479	634239	634761	634892	635081	639348	639806	652564	654920	652018	652041	652055	652086	652103	652124	652137	652155	652180	652208	652237	652268
647483	634293	634806	634898	639145	639434	639828	654881	654928	652021	652042	652061	652090	652104	652127	652145	652165	652189	652214	652246	652282
635150	634303	634838	634911	639188	639454	639837	654886	654930	652024	652043	652066	652091	652114	652130	652147	652170	652192	652219	652248	652285
634179	634305	634848	634915	639200	639525	634609	654902	652000	652027	652045	652075	652093	652115	652131	652149	652174	652200	652223	652258	652287
634182	634309	634873	635056	639208	639557	652538	654904	652005	652031	652050	652084									
MRAP Washouts - 88 MRAPS																				
634845	650458	650527	650588	650639	650681	650703	650743	650794	650933	650968	650998	651590	651766	651810	651887	651931	652017	652140	652205	654889
635176	650479	650560	650600	650643	650686	650709	650751	650844	650935	650986	651005	651689	651771	651818	651899	651950	652063	652157	652243	654935
650410	650504	650564	650605	650647	650689	650739	650753	650869	650949	650987	651009	651690	651786	651839	651901	651970	652121	652166	652249	667149
650422	650523	650570	650606	650648	650701	650741	650787	650910	650958	650995	651010	651693	651793	651874	651925	651982	652139	652187	652288	667194
650431	650524	650581	650614																	

USMC Assests in OEF Available for Transfer
Current as of 28 March 13

TAMCN	NSN	Nomenclature	PMO	On Hand Quantity at OEF MAGTF	On Hand Quantity at R40G	On Hand Quantity at MCLC (FWD)	Quantity Immediately Available for Divesture	30 Days	90 Days	180 Days	360 Days
A0007	5820015313493	MULTI-BAND MANPACK	23	6							
A0007	5895015624190	MULTI-BAND MANPACK	23								
A0043	5895015322062	POSITION LOCATION INDICATOR (MTX)	23								
A0096	5865015534770	TRANSMITTING SET,CO - Chameleon, AN-VLT-1	23								
A0134	5820015437811	RADIO SET	23								
A0134	5820015437816	RADIO SET	23								
A0134	5895015449175	RADIO SET	23								
A0137	5820015545423	TRANSMITTER,RADIO, HUNTER AN/VLT-2	23								
A0168	5895015453002	HIIDE	23								
A0168	5895090004458	HIIDE	23								
A0285	7010015221228	COMPUTER SYSTEM,DIG	23								
A0350	6350015910219	DETECTION SYSTEM,WE	13	3							
A0425	5895015220639	MOUNTED DATA AUTOMA	23								
A0872	5895014824470	IOS (V)1	23								
A0872	5895090004283	IOS (V)1	23								
A0910	5895090004307	BASE STA WRKSTA COM	PMMI		3		3				
A0932	7010014600494	INTEL OPS WS REFRES	23	20							
A0932	7010090000931	INTEL OPS WS REFRES	23								
A2042	5820014787615	AN/PRC-1388(V)1	23	4							
A2044	5810090000354	AN/PRC-148(V)1	23								
A2065	5820010279071	AN/PRC-104	23								
A2070	5820012679482	AN/PRC-119A	23								
A2073	5820014210801	AN/PRC-119D	23								
A2074	5820013521694	AN/VRC-88D	23								
A2077	5820014206621	AN/VRC-91D	23								
A2167	5820012679481	AN/VRC-88A	23								
A2168	5820012679479	AN/VRC-89A	23								
A2169	5820012685105	AN/VRC-90A	23	4							
A2171	5820012679477	AN/VRC-92A	23								
A2534	5895014740355	DATA DISTRIBUTION S	23								
A2538	5895015040650	DATA DISTRIBUTION S	23								
A3200	2330002154211	TRAILER,MAINTENANCE	23	1							
A7035	5895012810072	CONVERTER,FREQUENCY	31								
A7102	5836015281482	RECORDING-REPRODUCI	23								
A7103	6720015150429	PUBLIC AFFAIRS STIL	23	1							

TAMCN	NSN	Nomenclature	PMO	On Hand Quantity at OEF MAGTF	On Hand Quantity at R40G	On Hand Quantity at MCLC (FWD)	Quantity Immediately Available for Divesture	30 Days	90 Days	180 Days	360 Days
A7104	5836015425653	VISUAL INFORMATION	23	3							
A7105	5836015003247	COMBAT VIDEO ACQU	23								
A7105	5836015458734	COMBAT VIDEO ACQU	23		2		2				
A7200	5836015430022	PUBLIC AFFAIRS VIDE	23								
A7202	5836015430308	PUBLIC AFFAIRS VIDE	23								
A7203	6720015430652	PA STILL ACQUISITIO	23								
A7204	5895015707690	PUBLIC AFFAIRS NEWS	23	2							
A7205	5855015579470	NIGHT VISION SYSTEM	23								
A9002	5865015335325	BLUE FORCE TRACKING	23	1							
A9003	5865015335336	BLUE FORCE TRACKING	23	19	1		1				
B0033	2320015322159	Cougar CAT II JERRV- ENG	PM MRAP								
B0049	4130015629914	REFRIGERATION SYSTE	31	2							
B0058	2590015439655	MINE ROLLER SYSTEM	31								
B0058	2590015447173	MINE ROLLER SYSTEM	31								
B0058	2590015456776	MINE ROLLER SYSTEM	31								
B0058	2590015536517	MINE ROLLER SYSTEM	31	16	7		7				
B0058	2590015794990	MINE ROLLER SYSTEM	31	344	68		68				
B0091	2910015879196	TANK,FUEL,PORTABLE	31	4		7	7				
B0096	2590015890393	MINE,ROLLER SYSTEM	31		13		13				
B0105	6665151952879	METAL DETECTOR	31	689		37	37				
B0475	6665001447655	DETECTING SET,MINE	31								
B0475	6665219061023	DETECTING SET,MINE	31								
B0476	6665015047769	DETECTING SET,MINE	31								
B0476	6665015274643	DETECTING SET,MINE	31								
B0608	6230012541666	LIGHT SET,GENERAL I	31								
B0635	6230011701408	FLOODLIGHT SET,ELEC	31			3	3				
B1291	4230013463122	DECONTAMINATING APP	13								
B1291	4230014921540	DECONTAMINATING APP	13	2							
B1320	9905011867253	MARKING SET, MINEFIELD	31								
B1645	4110011521946	ENHANCED REFRIGERAT	31								
B1645	4110014689792	ENHANCED REFRIGERAT	31	2							
B1710	4110011079078	REFRIGERATOR,PREFAB	31	4		1	1				
B2127	3830015042618	SWEEPER,ROTARY,VEHI	31	5							
B2130	5430011706984	TANK,FABRIC,COLLAPS	31								
B2130	5430013594774	TANK,FABRIC,COLLAPS	31								
B2130	5430015405357	TANK,WATER,3000 GAL	31	40							
B2131	4610011207526	CONNECTION KIT,TANK	31	4							

TAMCN	NSN	Nomenclature	PMO	On Hand Quantity at OEF MAGTF	On Hand Quantity at R40G	On Hand Quantity at MCLC (FWD)	Quantity Immediately Available for Divesture	30 Days	90 Days	180 Days	360 Days
B2133	4610011406775	CONNECTION SET,HOSE	31	3							
B2134	4610011406776	CONNECTION SET,HOSE	31	3							
B2135	4610011207522	INTERCONNECTION KIT	31	4							
B2136	4610011237705	CONNECTION KIT,HOSE	31	1							
B2137	4610011207525	KIT,SPARE PARTS,TAN	31								
B2139	4320011207524	CONNECTION KIT,PUMP	31	8							
B2238	5180012547723	TOOL KIT,CATERPILLA	31								
B2395	4320013774577	SEGMENT KIT 5 MILES	31								
B2410	5180014280959	TOOL KIT M9 ACE ORG	31	2							
B2420	5180014292683	TOOL KT M9 ACE INTE	31	1							
B2628	4610013664640	WATER PURIFICATION	31								
B5000	6665015314689	CONTROL,MINE DETECT	31								
C0005	5895015314671	PERS,BACKSCATTER IM	23	11							
D0006	2320015534118	TRUCK,ARMORED,CHASS	PEO LS								
D0009	2320015311975	TRUCK TRACTOR	PEO LS	3							
D0015	2355015535400	TRUCK,WRECKER,ARMOR	PEO LS								
D0015	2320015520268	TRUCK,WRECKER,ARMOR (NSN NOT ON RECORD)	PEO LS								
D0016	2330013875426	Trailer, Light Tactical Cargo, 1 1/4 Ton M1102H	PEO LS								
D0017	2330015435794	Trailer, Light Tactical Cargo, 1 1/2 Ton M1102	PEO LS	5	3	4	7				
D0023	2355015831029	MINE RESISTANT VEHI Ambulance	PM MRAP	1							
D0023	2355015626152	MINE RESISTANT VEHI MAXPRO AMBULANCE	PM MRAP			2	2				
D0025	2355015198173	MINE RESISTANT VEHI CAT I HEV	PM MRAP								
D0025	2355015322174	MINE RESISTANT VEHICAT I JERRV	PM MRAP								
D0025	2355015525565	MINE RESISTANT VEHI CAT I A1	PM MRAP								
D0025	2355015798929	MINE RESISTANT VEHI CAT I A2 W/ISS	PM MRAP	9							
D0025	2355015812392	MINE RESISTANT VEHI CAT I A1 W/ISS	PM MRAP	46		2	2				
D0025	2355015643420	MINE RESISTANT VEHI CAT I A2	PM MRAP	310							
D0027	2355015198172	Cougar Cat II HEV	PM MRAP								
D0027	2355015292246	Cougar Cat II JERRV - EOD	PM MRAP	1		2	2				
D0027	2355015525199	Cougar Cat II A1	PM MRAP			1	1				
D0027	2355015643423	Cougar Cat II A2	PM MRAP	1		1	1				
D0027	2355015798920	Cougar Cat II A2 W/ISS	PM MRAP			1	1				
D0027	2355015798931	Cougar Cat II A1 W/ISS	PM MRAP	28		2	2				
D0027	2355015811076	Cougar Cat II Surge	PM MRAP	168		12	12				
D0030	2320015187330	TRUCK,UTILITY (BASE M1151 - POSSIBLE WRONG NSN)	PEO LS								
D0030	2320015231316	TRUCK,UTILITY (WRONG NSN)	PEO LS								
D0036	2355015759632	USMC MRAP ALL TERRAIN VEHICLE	PM MRAP								

TAMCN	NSN	Nomenclature	PMO	On Hand Quantity at OEF MAGTF	On Hand Quantity at R40G	On Hand Quantity at MCLC (FWD)	Quantity Immediately Available for Divesture	30 Days	90 Days	180 Days	360 Days
D0036	2355015961330	MRAP All-Terrain Vehicle (M-ATV)	PM MRAP	13							
D0040	2355015891279	MINE RESISTANT VEHI CAT I A1 Saber/TOW	PM MRAP	238							
D0085	2330014731623	CHASSIS,TRAILER (COMM TRAILER - COMPONENT TAMCN)	PEO LS	10							
D0085	2330013590080	Trailer, Chassis, 3/4 ton M116A3	PEO LS								
D0085	2330011018434	Trailer, Chassis, 3/4 ton (M116A2)	PEO LS								
D0187	2320013469317	Truck, Utility,, Heavy Variant, M1097A2	PEO LS								
D0201	2340014652533	Motorcycle, Military, M1030M1	PEO LS								
D0850	2330008986779	TRAILER,CARGO	PEO LS								
D0850	2330013725641	TRAILER,CARGO	PEO LS								
D1001	2310013723934	TRUCK,AMBULANCE	PEO LS	1							
D1125	2320013808229	TRUCK,UTILITY	PEO LS	1							
E0010	6625011123068	ADAPTER,TEST	13								
E0028	1005015389643	RIFLE,SNIPER	13								
E0051	1005070001255	RIFLE 5.56 MK 12	13	5							
E0139	6650010630035	BORESCOPE	13	5							
E0311	1005014586235	RIFLE,7.62 MILLIMET	13	3							
E0311	1005015535196	RIFLE,7.62 MILLIMET	13	15							
E1251	1005015754072	PISTOL,CALIBER .45,	13	26							
E1460	1005014950843	RIFLE,SNIPER	13								
E1713	4931012732389	SHOP SET,EQUIPMENT	13	5							
E1790	5855014991239	SIGHT,NIGHT VISION	13			1	1				
E1798	5855014478992	ILLUMINATOR,INFRARE	13								
E1798	5855015356166	ILLUMINATOR,INFRARE	13	35							
E1978	5855145219283	SIGHT,THERMAL	13								

A0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0003: TRSS DAY/NIGHT IMAGER, V2 (IMAGER 2)

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	557	0
AAO (FY17)	608	
O/H	453	0
Shortfall/Excess	-104	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
153	153	102	0	102	47	0	0	0	0
153	153	102	0	153	47	0	0	0	0
202	155	83	0	2	5	0	6	0	0
49	2	-19	0	-100	-42	0	6	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015218616	0	0%	0%	0%	35%	65%	0%	NO	NO	No	No	No	No	yes	No	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0004: PARTS KIT, ELECTRONIC EQUIPMENT

The Parts Kit, Electronic Equipment provides printed circuit boards and termination cards to vary functional and performance capabilities and for maintenance of switchboard, telephone SB-3614(V)/TT.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5999010321692	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0007: MULTI-BAND MANPACK RECIEVER (ROVER III)

The ROVER displays digital images of threats received from the UAV/RAVEN (Unmanned Aerial Vehicle).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	63	6
Shortfall/Excess	63	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
10	9	0	5	7	5	0	21	0	0
10	9	0	5	7	5	0	21	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015313493	5	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	Yes	0	0	5
5895015624190	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	Yes	0	0	1

Notes: DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is Capt. Steven M. Stepanic PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0008: SATELLITE COMMUNICATION SUBSYSTEM

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	53	6
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	-53	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	14	9	0	9	0	6	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-15	-14	-9	0	-9	0	-6	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015313135	0	0%	0%	0%	0%	0%	100%	TBD	TBD	No	No	No	No	No	No	No	0	0	0
5895015766176	0	0%	0%	0%	0%	0%	100%	TBD	TBD	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DD**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0009: CONVERTER, MODEM

The Converter, Modem, CV-3591(P)/U provides high quality secure voice and data transmission capability for tactical and strategic military users.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	356	68
AAO (FY17)	0	
O/H	402	12
Shortfall/Excess	46	-56

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
65	65	45	0	65	48	68	0	0	0
0	0	0	0	0	0	0	0	0	0
47	30	43	0	24	26	0	220	0	0
-18	-35	-2	0	-41	-22	-68	220	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895012509557	12	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	12	0
5895012527359	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	Yes	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Remove CCI and ship separately.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0012 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0012: CHARGER, BATTERY (SOLDIER PORTABLE CHARGER)

The Soldier Portable Charger is a state of the art portable battery charger designed for field or depot use.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,779	218
AAO (FY17)	2,677	
O/H	4,610	74
Shortfall/Excess	1,831	-144

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
614	567	291	299	513	262	218	0	15	0
579	507	298	299	513	248	218	0	15	0
855	744	404	296	684	310	0	741	357	145
241	177	113	-3	171	48	-218	741	342	145

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130014952839	74	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	37	0	37
6130014997305	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0013: THEATER BATTLE MANAGEMENT CORE SYSTEM (TBMCS)

TBMCS is comprised of a host system located in the Tactical Air Command Center with remotes located throughout the MAGTF.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	14	2
AAO (FY17)	14	
O/H	9	1
Shortfall/Excess	-5	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	1	0	1	8	2	0	0	0
1	1	1	0	1	8	2	0	0	0
1	1	2	0	1	3	0	0	0	0
0	0	1	0	0	-5	-2	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015346283	1	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	Yes	No	No	0	0	1

Notes: Send to MCLC and WIR for transport to Idaho Falls - attempt to salvage whatever possible. Harddrives are sensitive - need to be destroyed/removed before shipping (PEOLANT SYSTEM)

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0015: WORKSTATION, CAPABILITY, VIDEO EXPLOITATION

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	235	9	50	47	19	90	19	1	9	0	0	0
AAO (FY17)	223		47	43	19	84	20	1	9	0	0	0
O/H	153	3	38	37	18	42	9	6	0	0	0	0
Shortfall/Excess	-82	-6	-12	-10	-1	-48	-10	5	-9	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836090004317	3	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	No	No	Yes	No	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0019: TROPO/SATELLITE SPT RADIO

The Tropo/Satellite Support Radio (TSSR), AN/GRC-239, is a full duplex LOS microwave radio designed for quick deployable military applications. The TSSR is used with almost all existing TRI-TAC equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	243	74
AAO (FY17)	245	
O/H	309	0
Shortfall/Excess	66	-74

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
45	45	26	0	39	14	74	0	0	0
47	47	28	0	35	14	74	0	0	0
53	55	31	0	33	19	0	118	0	0
8	10	5	0	-6	5	-74	118	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820013788778	0	0%	0%	0%	0%	100%	0%	NO	NO	N	No	Yes	yes	no	Y	Y	0	0	0

Notes: This item is an UUNs - Use until exhausted. Use no water. Clean radios and components in accordance with technical manuals. Cleaning instructions can be found in the Tech Manual - TO 31R2-2GRC239-1

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0021: COMM DATA LINK SYTEM (CDLS)

The AN/TYQ-101A is a modular suite of Commercial-Off-The-Shelf (COTS) and Government-Off-The-Shelf (GOTS) computer and communications equipment that is mounted in a Light Weight Multipurpose Shelter (LMS), mounted on a Heavy Variant-High Mobility Multipurpose Wheeled Vehicle (H-HMMWV). The AN/TYQ-101A is an automated interface system, which provide ground and correlated air situation display using information received from multiple intelligence, (Deployable Common Ground Station, etc.) and operation (E-3A, E-2C, Air Operations Center, Control and Reporting Center, etc.) sources.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	10	2	2	2	2	0	2	0	2	0	0	0
AAO (FY17)	10		2	2	2	0	2	0	2	0	0	0
O/H	6	1	1	1	2	0	1	0	0	0	0	0
Shortfall/Excess	-4	-1	-1	-1	0	0	-1	0	-2	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015128683	1	0%	50%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	y	No	0	0	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4.4

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0025: COMMUNICATIONS PLATFORM, AIR DEFENSE (ADCP)

The AN/MSQ-124 is composed of radio and computer equipment housed in a Lightweight Multipurpose Shelter, mounted on a heavy High Mobility Multipurpose Wheeled Vehicle. The AN/MSQ-124 is powered by a towed generator. The AN/MSQ-124 receives Tactical Ballistic Missile (TBM) data from the AN/TPS-59(V)3 radar and performs a TBM Reporting Responsibility function on the TADIL-J network. The AN/MSQ-124 also distributes Air Breathing Threat data to Short Range Air Defense units. The AN/MSQ-124 possesses an organic voice communications capability via radios and telephones.

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	17	2
AAO (FY17)	16	
O/H	13	2
Shortfall/Excess	-4	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	4	3	2	0	0	0
3	3	2	0	3	3	2	0	0	0
1	2	2	0	3	3	0	0	0	0
-2	-1	0	0	-1	0	-2	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1430014079647	2	0%	50%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	Yes	No	1	1	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	221	0	6.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0026 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0026: RADIAC SET

The AN/PDR-77 RADIAC Set is a set of portable radiation detection equipment used for detecting Alpha, Beta/Gamma, and X-ray radiation.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	734	0
AAO (FY17)	685	
O/H	205	10
Shortfall/Excess	-529	10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
224	239	140	10	106	15	0	0	0	0
212	183	139	10	126	15	0	0	0	0
0	59	0	0	0	24	0	112	0	0
-224	-180	-140	-10	-106	9	0	112	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665013476100	10	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	10	0

Notes: Must come back to LOGCOM to LTI and calibration

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0028: BIOMETRICS AUTOMATED TOOLKIT (BAT-CLIENT)

This is the Biometric Automated Toolset (BAT). BAT collects fingerprints, iris scans, facial photos and biographical information of persons of interest into a searchable data base.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	501	403	0	0	0	0	0	98	403	0	0	0
AAO (FY17)	501		0	0	0	0	0	98	403	0	0	0
O/H	229	0	0	4	0	0	0	40	0	95	0	0
Shortfall/Excess	-272	-403	0	4	0	0	0	-58	-403	95	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895070001280	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	Y	0	0	0
9999015314667	0	0%	0%	0%	0%	100%	0%	YES	NO	No	No	Yes	No	No	No	Yes	0	0	0

Notes: This is the UUNs for the IDS program. Items will be sent to MCLC until there is a requirement registered in TFSMS. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. ARMY NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0030: COMMAND SYSTEM,TACT

is a Mine Resistant Ambush Protected (MRAP) Cougar-based, on-the-move, beyond line-of-sight, command and control (C2) system.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2	2
Shortfall/Excess	2	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015799992	2	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	Yes	0	1	1

Notes: SEND TO MCLC TO THEN HAVE SENT TO SSE LANT SPAWAR. Currently there are three (3) M2C2 systems fielded to OEF in support of UUNS to fulfill capability gaps. M2C2 is a theater asset. System consist of one (1) A0030, four (4) A0386, thirteen (13) A0324 and one (1) Tactical Entry Point (TEP). Systems 2 & 3 fielded TEP A0325. System 1 fielded TEP ****

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0042: DIGITAL STILL CAMERA SUITE, ADVANCED

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	164	10	16	16	7	85	18	12	10	0	0	0
AAO (FY17)	156		14	12	6	85	17	12	10	0	0	0
O/H	131	0	12	17	9	51	22	18	0	2	0	0
Shortfall/Excess	-33	-10	-4	1	2	-34	4	6	-10	2	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720090004308	0	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0043: POSITION LOCATION INDICATOR (MTX)

This is an MTX, DoD Blue Force Tracking (BFT) System that gives commanders the ability to track and receive position location information from dismounted teams and vehicles equipped with the devices. This system employs the COBRA architecture by coordinating with national system managers and war fighting units to collect, process, and disseminate operational BFT data.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	678	123
AAO (FY17)	678	
O/H	138	0
Shortfall/Excess	-540	-123

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	555	0	0	123	0	0	0
0	0	0	555	0	0	123	0	0	0
0	0	0	121	0	0	0	17	0	0
0	0	0	-434	0	0	-123	17	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015322062	0	0%	0%	0%	0%	100%	0%	NO	NO	Y	Yes	Yes	No	No	No	Y	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0045: POWER MODULE

The power electronic module provides the physical containment for several power components, usually Power semiconductor devices. The power module provides an easy way to cool the devices and to connect them to the outer circuit.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	28	28
AAO (FY17)	28	
O/H	6	0
Shortfall/Excess	-22	-28

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	28	0	0	0
0	0	0	0	0	0	28	0	0	0
0	0	0	0	0	0	0	6	0	0
0	0	0	0	0	0	-28	6	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130015322591	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	Yes	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Disposal Plan is to be developed and published in the near term. Item exit date has expired and will not be extended.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0047:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	65	0
AAO (FY17)	65	
O/H	29	1
Shortfall/Excess	-36	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	18	14	0	15	0	0	0	0	0
18	18	14	0	15	0	0	0	0	0
10	12	6	0	0	0	0	0	0	0
-8	-6	-8	0	-15	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411015870839	1	0%	100%	0%	0%	0%	0%	NO	NO		No	Yes	yes		Y		0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0057: ANTENNA MAST KIT

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)		
AAO (FY17)		
O/H	0	0
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5985011812593	0	0%	0%	0%	100%	0%	0%	NO	NO	N	No	No	no	no	N	N	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	24	0	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0059: DIGITAL TERRIAN ANALYSIS MAPPING SYSTEMS LIGHT

The DTAMS-L is an Intel-based portable system that runs the Windows XP Professional operating system. Its role is to augment the DTAMS configuration. The deployable workstation provides geospatial intelligence analysis capabilities for small unit operations in a defined area of interest. The DTAMS-L hosts an internal 120GB hard drive and an external drive yielding approximately 2TB of available on-line storage. Each DTAMS-L is supplied with an additional internal and external HDD to be used for classified processing. Backup and archival storage is available through the use of a FDD and a DVD +/- R/RW.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	46	0	9	10	2	14	3	8	0	0	0	0
AAO (FY17)	50		9	9	2	14	8	8	0	0	0	0
O/H	42	1	8	13	7	11	0	2	0	0	0	0
Shortfall/Excess	-4	1	-1	3	5	-3	-3	-6	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675090004321	1	0%	0%	0%	50%	50%	0%	NO	NO	n	No	No	No	No	No	n	1	0	0

Notes: This system is on schedule to be refreshed 100% in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment. No longer procurable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0060: AN/TSQ-179B V2 Joint Services Work Station

JSTARS CGS-type capability without High Mobility Multi-Purpose Wheeled Vehicle and organic communications equipment:. Same H/W and S/W architecture. Supports all CGS sensor interfaces and CGS communications links. Transportable in Integrated Transit Cases

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	8	0
AAO (FY17)	10	
O/H	3	0
Shortfall/Excess	-5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	0	2	0	0	0	0
2	2	2	0	2	2	0	0	0	0
0	2	1	0	0	0	0	0	0	0
-2	0	-1	0	0	-2	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865090004327	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: DO NOT POWER WASH THE TRANSIT CASES. The transit cases contain sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1935	0.5

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0061: TACT ELEVATED ANTENNA MAST SYS (TEAMS)

The Tactical Elevated Antenna Mast System (TEAMS) is an independent antenna mast system designed to support various LOS antenna systems. TEAMS has the ability to be towed by a HMMWV on a trailer or transported on top of a HMMWV (M998, M1123, M1165) using an installed roof rack assembly.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	632	38	148	143	97	0	117	26	38	0	63	0
AAO (FY17)	623		149	138	103	0	106	26	38	0	63	0
O/H	694	31	161	152	101	0	83	35	0	77	54	0
Shortfall/Excess	62	-7	13	9	4	0	-34	9	-38	77	-9	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5985015494609	11	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	6	0	6
5985015678104	20	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	10	0	10

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	1.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0067: HIGH FREQUENCY VEHICLE SYSTEM

The AN/MRC-148 provides 150 watts PEP/average in the HF portion of the frequency range and 60 watts PEP/average for the VHF portion of the frequency range in a mobile configuration.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,279	137
AAO (FY17)	1,240	
O/H	1,544	3
Shortfall/Excess	265	-134

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
288	262	158	0	207	47	137	0	180	0
275	238	153	0	210	47	137	0	180	0
264	262	159	0	154	51	0	483	168	0
-24	0	1	0	-53	4	-137	483	-12	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015336762	3	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	yes	N	N	2	0	2

Notes: Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. Conduct all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting. Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS rep will be contacted.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	114	0	5

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0068: RADIO SET, TACTICAL LONG HAUL DIGITAL LINK-11, AN/GRC-256

The AN/GRC-256 Radio Set consists of a Digital HF/SSB Transceiver (RT-9000) and a Solid State 500 Watt Linear Power Amplifier (LPA-9500). Both the RT and the LPA with selected EPROMS make them Marine Corps unique items. The RT-9000 is capable of providing communications from 1.6 to 29.99999 MHz transmit and 100 kHz to 29.99999 MHz receive.

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	26	0
AAO (FY17)	25	
O/H	21	0
Shortfall/Excess	-5	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	5	10	0	0	0	0
4	4	3	0	4	10	0	0	0	0
3	3	5	0	2	7	0	0	0	0
-1	-1	2	0	-3	-3	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015340006	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	no	No	No	No	0	0	0

Notes: Owning unit will remove SSRI, UURI, radios, and crypto equipment and coordinate with program office and item manager for item to be sent through IROAN/SLEP and rebuild at depot. Any missing or damaged SSRI, UURI, radios, and crypto will be repaired/replaced through organic or depot maintenance cycle as appropriate. DO NOT POWER WASH. Radio contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0069: RADIO SET

The AN/VRC-111 Dual Vehicle Adapter (DVA) consists of two MBITR radios, two MBITR Vehicle Adapters, and a standard SINCGARS interface tray. The MBITR provides troops with multiband secure communications. The vehicle adapter provides 20 watts of RF power amplification across the full 30-512

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	278	0
AAO (FY17)	243	
O/H	373	0
Shortfall/Excess	95	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	234	0	44	0	0	0	0
0	0	0	234	0	9	0	0	0	0
3	8	2	190	0	43	0	127	0	0
3	8	2	-44	0	-1	0	127	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015360983	0	0%	0%	0%	100%	0%	0%	NO	NO	N	No	Yes	no	no	N	N	0	0	0

Notes: Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0079: TCWS

TCWS provides an expedient capability based on modern technologies including server virtualization, storage arrays and storage networks, portal/asynchronous and synchronous collaboration, systems management, replication, backup and restoration, and Enterprise Services Management features.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	86	0	24	24	21	0	13	4	0	0	0	0
AAO (FY17)	79		22	22	18	0	13	4	0	0	0	0
O/H	33	0	3	15	11	0	2	2	0	0	0	0
Shortfall/Excess	-53	0	-21	-9	-10	0	-11	-2	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7035015385759	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	Yes	0	0	0

Notes: This TAMCN should be sent to the MEFs to fill any home station shortfalls. MEFs should use the A0079 until 2nd Qtr FY12 when the replacement TAMCN, A0342 is fielded. A0079 is warranteed. If warranty expires and no longer supportable, owning commands will request local disposal.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0081: RADIAC SET

The AN/UDR-13 RADIAC Set is a portable radiation detector used for detecting neutron/gamma radiation dose and gamma dose rate. The set is a miniaturized radiacmeter that can be carried in a Marine's pocket.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	10,240	0
AAO (FY17)	9,563	
O/H	610	29
Shortfall/Excess	-9,630	29

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3,301	3,158	1,246	156	2,276	103	0	0	0	0
3,070	2,738	1,284	177	2,192	102	0	0	0	0
3	16	0	0	0	54	0	508	0	0
-3,298	-3,142	-1,246	-156	-2,276	-49	0	508	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665014071237	29	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	29	0

Notes: Needs to come back to LOGCOM to LTI and calibrate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0082: PORTABLE AUTONOMOUS REPORTS COLLECTION SYSTEM

The Portable Autonomous Reports Collection System (PARCS), 2000R is a stand-alone test tool, which allows radar technical personnel to collect, analyze, and play back radar data. PARCS supports Marine Air Control Squadron Radar and Tactical Data Systems.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	16	3	2	2	1	0	2	6	3	0	0	0
AAO (FY17)	16		2	2	1	0	2	6	3	0	0	0
O/H	22	1	2	2	2	0	1	4	0	10	0	0
Shortfall/Excess	6	-2	0	0	1	0	-1	-2	-3	10	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014118466	1	0%	0%	0%	25%	75%	0%	NO	NO	No	No	Yes	No	No	No	No	1	0	0

Notes: No wash down. Unit normally remains in environmentally controlled shelter. Item is Test Equipment/Computer Kit. Potentially sensitive information on the hard drive.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0086: SHOP EQUIPMENT,CONT

Contact maintenance vehicle for the Avenger System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940013982615	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: It was basically a mobile workshop (HMMWV with a Gitchner Shelter) to repair mechanical and electronic components of the Avenger system. This system was taken out of the OpFors years ago. The TAMCN needs to be archived and done away with. Problem is that the net asset posture shows 2 - one at II MEF and one in the War Reserve. This has to go away before TFSMS will let it be archived. By rights of anti-air weapons, the GBAD folks would own this. I suggest we turn it over to the TFSMS support contracts that work for AC LCL and let them get rid of it for us.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	3.7

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0090 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0090: TRANSPORTABLE GROUND RECEIVE SUITE, ENHANCED

GBS provides the capability to quickly disseminate large amounts of information to Marine Air Ground Task Forces.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	118	0	21	22	18	28	17	12	0	0	0	0
AAO (FY17)	117		21	20	18	28	18	12	0	0	0	0
O/H	87	7	16	12	13	12	12	9	0	6	0	0
Shortfall/Excess	-31	7	-5	-10	-5	-16	-5	-3	0	6	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015306497	7	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	7	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. All four cases should be shipped as a set/complete end item. There are 3 computers per GBS. So, receiving unit may be required to purchase 3 new Hard Drives at a cost of $593.36 per hard drive. MILAIR is the preferred form of shipment. Remove CCI before DRMO.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	0.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0091: VIDEO SCOUT REMOTE VIDEO EXPLOITATION UNIT

Video Scout is a man-portable Remote Video Exploitation Terminal for use by Tactical Air Control Parties (TACP). System provides a video terminal capability which is self-contained recording capability and has an on-board receiver and antenna group.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	534	60
AAO (FY17)	520	
O/H	457	48
Shortfall/Excess	-77	-12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
101	100	46	41	104	32	60	50	0	0
95	82	45	41	115	32	60	50	0	0
77	99	36	59	33	34	0	71	0	0
-24	-1	-10	18	-71	2	-60	21	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015674768	5	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	N	Yes	5	0	0
5998015853681	43	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	N	Yes	43	0	0

Notes: Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. If maintenance is beyond the unit capablitiy, a WIR will be submitted. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches. NSN ending in 4768 will get upgraded to 3681.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	0.3

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0096 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0096: RADIO, HP IED JAMMING SYSTEM (CHAMELEON) (CREW II)

The Transmitting Set, Countermeasures is a complete electronic set for the propagation of radio frequency energy specifically designed to be utilized for countermeasures. It also adds a Force Protection capability to specifically counter radio controlled IEDs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	12,198	12184
AAO (FY17)	12,184	
O/H	22	8
Shortfall/Excess	-12,176	-12,176

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	14	12,184	0	0	0
0	0	0	0	0	0	12,184	0	0	0
0	0	0	0	0	14	0	0	0	0
0	0	0	0	0	0	-12,184	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015534770	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0
5865015557913	8	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	8
599801DTQC044	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No				0	0	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components.Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0097 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0097: RADIO SET, DUAL VEHICLE ADAPTER, 50-WATT (DVA)

The Radio Set, AN/VRC-110, consist of 2 Vehicle Adapter Units with 2 AN/PRC-152 handheld Radios. The system provides encrypted Line of Sight communication with both fixed and Frequency Hopping Mode.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	8,095	0
AAO (FY17)	8,113	
O/H	10,602	425
Shortfall/Excess	2,507	425

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,205	2,018	1,061	288	1,738	785	0	0	0	0
2,252	1,924	1,171	274	1,718	774	0	0	0	0
2,202	1,989	1,276	114	1,091	693	0	1,783	992	37
-3	-29	215	-174	-647	-92	0	1,783	992	37

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015659999	425	50%	0%	0%	50%	0%	0%	NO	NO	N	No	Yes	no	no	N	N	0	212	212

Notes: Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0100: MEDIA EXPLOITATION SUITE (LIGHT)

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	237	0
AAO (FY17)	263	
O/H	104	4
Shortfall/Excess	-133	4

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
57	57	39	54	20	10	0	0	0	0
57	57	39	54	46	10	0	0	0	0
42	49	0	7	0	2	0	0	0	0
-15	-8	-39	-47	-20	-8	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7030015737801	4	25%	0%	0%	50%	25%	0%	NO	NO	No	No	No	No	Yes	No	No	3	0	1

Notes: You can wash the Pelican case; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0104: RADIO SET, AOR 8200 MKII B

The AR8200 is a hand portable receiver with 3GHz coverage. It has a frequency range of 530 kHz - 3000 Mhz.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	96	68	0	0	0	0	0	0	0	28	0	0
Shortfall/Excess	96	68	0	0	0	0	0	0	0	28	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015084395	68	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	No	68	0	0

Notes: Pending SYSCOM input.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0116 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0116: SURVEY INTRUMENT, AZIMUTH

IPADS is a HMMWV-mounted precision survey system. It is a replacement for the presently fielded AN/USQ-70 Position Azimuth Determination System.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	61	0
AAO (FY17)	59	
O/H	45	0
Shortfall/Excess	-16	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	14	12	9	0	10	3	0	5	6	2
AAO (FY17)	14	10	9	0	10	3	0	5	6	2
O/H	10	9	6	0	10	0	0	2	5	3
Shortfall/Excess	-4	-3	-3	0	0	-3	0	-3	-1	1

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675015154610	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: No direct water contact on electrical components

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0117 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0117: MAINTENANCE KIT,ELE

The MK-3804 is a maintence kit used for troubleshooting the AN/MRC-142C



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	1	0
Shortfall/Excess	1	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	1	0	0	0	0
0	0	0	0	0	1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015698814	0	50%	0%	0%	50%	0%	0%	NO	NO	N	No	Yes	no	no	N	N	0	0	0

Notes: Ultimately this item goes through MCLC and the inventory manager back to SPAWAR, Charleston. AAO's need to be established. Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0118 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0118: RADIO SET, INTEGRATED INTRA-SQUAD

The Integrated Intra Squad Radio is a Personal Pole Radio set designed to be used for Intra Squad and Inter Squad Communications.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	47,798	86
AAO (FY17)	44,000	
O/H	47,841	3228
Shortfall/Excess	43	3,142

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15,252	14,175	5,409	0	10,683	2,193	86	0	0	0
13,813	11,567	5,179	0	11,302	2,053	86	0	0	0
12,799	10,426	5,512	39	7,392	2,399	0	6,046	0	0
-2,453	-3,749	103	39	-3,291	206	-86	6,046	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015450334	3003	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	1502	0	1502
5820015456349	156	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	78	0	78
5820015456358	69	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	34	0	34
5820015487056	0	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	0	0	0

Notes: Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0121 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0121: MICRO UNMANNED AERIAL VEHICLE (MUAV)

The Battlefield Air Targeting Micro Aerial Vehicle (WASP) is a hand-launched reconnaissance and surveillance tool. The Wasp Air Vehicle transmits live airborne video images and location information to a Ground Control Station (GCS). This capability enables operators to navigate, search for targets, recognize terrain, and record all information for analysis.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	205	135
AAO (FY17)	205	
O/H	28	2
Shortfall/Excess	-177	-133

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	70	0	0	135	0	0	0
0	0	0	70	0	0	135	0	0	0
0	12	0	14	0	0	0	0	0	0
0	12	0	-56	0	0	-135	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1550015610012	2	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	No	No	No	Yes	0	2	0

Notes: Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. If maintenance is beyond the unit capablitiy, a WIR will be submitted. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0122 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0122: SATELLITE COMMUNICATION SYSTEM

(27 JULY 11) Phoenix is an ECV mounted (M1152 with integrated armor package), multi-channel, quad-band tactical satellite terminal with a multi-band capability in the SHF range, incorporating a military Ka-Band capability to operate over commercial and military SHF satellites.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	42	0
AAO (FY17)	42	
O/H	37	0
Shortfall/Excess	-5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	7	2	10	3	0	0	0	0
10	10	7	2	10	3	0	0	0	0
8	8	5	2	3	3	0	8	0	0
-2	-2	-2	0	-7	0	0	8	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015427716	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	0
5895015625632	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	0

Notes: Priority item for LTI in theater before leaving. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Do not separate weapon system from HMMWV. Use care when maneuvering system to not damage the reflector panel. It is made out of carbon fiber and very delicate. Ship via MILAIR. Reflector repair costs are estimated at and could potentially exceed $100,000.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0124 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0124: REMOTE SUBSCRIBER ACCESS MODULE

The Transition Switch Module (TSM) will provide a flexible Unit Level Switch capability that bridges legacy Tri-Tac switches with current commercial technology to provide Marine maneuver elements with more robust voice/data switching, data transport and bandwidth management capabilities. The TSM consists of three transit cased, functional suites; voice switching, remote subscriber access and multiplexing.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	940	0
AAO (FY17)	936	
O/H	878	0
Shortfall/Excess	-62	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
222	222	155	0	164	111	0	0	66	0
224	212	162	0	161	111	0	0	66	0
190	204	148	0	126	114	0	96	0	0
-32	-18	-7	0	-38	3	0	96	-66	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015439861	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	no	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	82	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0125 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0125: DEPLOYABLE END OFFICE SUITE

The Transition Switch Module will provide a flexible Unit Level Switch capability that bridges legacy Tri-Tac switches with current commercial technology to provide Marine maneuver elements with more robust voice/data switching, data transport and bandwidth management capabilities.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	261	0
AAO (FY17)	285	
O/H	251	0
Shortfall/Excess	-10	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
59	58	44	0	38	38	0	0	24	0
65	63	48	0	47	38	0	0	24	0
51	53	46	0	34	22	0	45	0	0
-8	-5	2	0	-4	-16	0	45	-24	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015439738	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0126 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0126: MULTI-BAND RADIO, VEHICLE MOUNTED

The Multi-Band Vehicle Radio, AN/VRC-103 (V)2 covers the entire 30 to 512 MHz frequency range while offering embedded COMSEC, SATCOM, and ECCM capabilities.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,928	55
AAO (FY17)	2,868	
O/H	2,139	189
Shortfall/Excess	-789	134

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
755	709	352	355	480	143	55	4	75	0
709	600	344	347	591	143	55	4	75	0
346	493	396	213	244	126	0	20	112	0
-409	-216	44	-142	-236	-17	-55	16	37	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015377562	171	50%	0%	0%	50%	0%	0%	NO	NO	N	No	Yes	no	no	N	Y	0	86	86
5820015659629	18	50%	0%	0%	50%	0%	0%	NO	NO	N	No	Yes	no	no	N	Y	0	9	9

Notes: Recommendation is to back fill the units that have an AAO deficiency, with current back order resident in WOLPH. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0129 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0129: TACTICAL HANDHELD RADIO (THHR)

The AN/PRC-152 provides multi-band, multi-mode operation enabling a wide variety of applications such as ground-to-ground, ground-to-air, and tactical satellite communications. This communication includes both voice and data for the purpose of command and control on the battlefield.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	9,426	0	2,856	2,612	782	0	1,859	1,317	0	0	0	0
AAO (FY17)	8,438		2,588	2,117	782	0	1,834	1,117	0	0	0	0
O/H	13,258	1269	2,538	3,058	827	16	905	1,197	0	3,448	0	0
Shortfall/Excess	3,832	1,269	-318	446	45	16	-954	-120	0	3,448	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015660746	1269	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	634	0	634

Notes: AAO for this item is expected to increase

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0130 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0130: SPARES KIT WIRELESS POINT TO POINT LINK (WPPL) D

WPPL D is an integrated communications system consisting of Commercial Off-The-Shelf (COTS) antennas, radios, power line conditioning and backup, and Internet Protocol (IP) networking equipment. All WPPL versions provide Non-secure Internet Router Protocol

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	7	0
Shortfall/Excess	7	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	4	2	0	0	0	0	1	0	0
0	4	2	0	0	0	0	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015704775	0	50%	0%	0%	50%	0%	0%	NO	NO	N	No	Yes	no	no	N	Y	0	0	0

Notes: Ship all assets to owning unit. Unit, with coordination from program office and item manager, will place unit in for maintenance. Use no water. Clean radios and components in accordance with technical manuals. Cleaning instructions can be found in the Tech Manual - TO 31R2-2GRC239-1

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0132 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0132: DEPLOYABLE INTEGRATED TRANSPORT SUITE

The TSM provides a flexible unit level switch that replaces legacy TRI-TAC switches (SB-3614, SB-3865, AN/TTC-42) with more robust voice/data switching, data transport, and bandwidth management capabilities.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	173	0	41	41	27	0	38	23	0	0	3	0
AAO (FY17)	168		41	40	28	0	33	23	0	0	3	0
O/H	151	0	28	32	24	0	19	20	0	28	0	0
Shortfall/Excess	-22	0	-13	-9	-3	0	-19	-3	0	28	-3	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015439865	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.4

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0134 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0134: WIRELESS POINT TO P

LSWAN (Ku VSAT) is a small, lightweight, hand-portable, low cost satellite terminal that provides NIPRNET/SIPRNET capability. The Ku VSAT can be quickly set up to tie into the existing commercial Ku infrastructure as an alternate source of transmission for high bandwidth intensive capabilities. LSWAN is an integrated COTS solution. The major functional groups of the LSWAN package are: Ku VSAT antenna, power amplifier, modem, routers, and KG-175s. The Ku VSAT terminal and baseband equipment are packaged in HMMWV transportable transit cases.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	1	0	1	0	0	0	0	0
0	0	1	0	1	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015437811	0	0%	0%	0%	0%	100%	0%	NO	NO	Y	Yes	Yes	no	no	N	Y	0	0	0
5820015437816	0	0%	0%	0%	0%	100%	0%	NO	NO	Y	Yes	Yes	no	no	N	Y	0	0	0
5895015449175	0	0%	0%	0%	0%	100%	0%	NO	NO	Y	Yes	Yes	no	no	N	Y	0	0	0

Notes: Crypto must be removed before being disposed in theater. Follow in accordance to the Disposal Plan reference DP 11348.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0137 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0137: VHP HUNTER SYSTEM

A0137 is the Hunter UAV System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H		0
Shortfall/Excess		0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015545423	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic componentsPlease direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager Graves-Reynolds CIV Judy A, judy.graves@usmc.mil, (229) 639-8283

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0138 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0138: TACTICAL EXPLOITATION GROUP REMOTE WORKSTATION (TEG-RWS)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	199	0
AAO (FY17)	213	
O/H	58	0
Shortfall/Excess	-141	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
53	49	45	1	19	32	0	0	0	0
54	49	46	0	32	32	0	0	0	0
33	2	1	0	3	19	0	0	0	0
-20	-47	-44	-1	-16	-13	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090004453	0	0%	0%	0%	70%	30%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: Depot maintenance will be done at SPAWAR. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**SPAWAR**
if	**Not Mission Capable MEF**	then	**SPAWAR**
if	**Not Mission Capable**	then	**SPAWAR**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0.1

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0139: RADIO SET, AN/TRC-209

The AN/TRC-209 is the HF/VHF transit case transceiver system using the AN/PRC-150(C). It provides high output power (150 watts in HF, 60 watts in VHF) in a series of transportable cases allowing for use in various situations. Key features include: shock mounting of all components; separate HF and VHF antenna outputs; and DC power filtering for supply noise and voltage spike suppression.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	825	37
AAO (FY17)	799	
O/H	902	17
Shortfall/Excess	77	-20

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
146	144	94	97	105	89	37	50	63	0
142	134	90	92	102	89	37	50	63	0
148	147	107	55	69	77	0	223	59	0
2	3	13	-42	-36	-12	-37	173	-4	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015419208	17	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	y	N	8	0	8

Notes: Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0141 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0141: TACTICAL AIR CONTROL PARTY (TACP) SUITE

This TAMCN is in process of being deleted

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	19	0
Shortfall/Excess	19	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
16	0	0	0	3	0	0	0	0	0
16	0	0	0	3	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015427911	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0142 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0142: SUPPORT WIDE AREA NETWORK (GSWAN/SWAN C)

GSWAN provides remote teams access into the tactical network (NIPRNET, SIPRNET, and DSN) via beyond line-of-sight SATCOM Capability.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	31	0
AAO (FY17)	0	
O/H	4	0
Shortfall/Excess	-27	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	13	0	0	0	5	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	4	0	0	0	0
-13	-13	0	0	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015427735	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: Disassociate the CCI equipment and identify as used with SWAN, then dispose of the item in theater. If mission capable, then DRMO in theater IAW Disposal Plan 11137. AAO needs to be zeroed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0145 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0145: STINGRAY

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
662501W00F262	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No				0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0147 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0147: TACTICAL INTEROPERABLE GROUND DATA LINK-II (TIGDL-II

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	6	0
AAO (FY17)	7	
O/H	0	0
Shortfall/Excess	-6	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	1	0	0	1	0	0	0	0
2	2	1	0	1	1	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-2	-2	-1	0	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810090004482	0	0%	0%	0%	100%	0%	0%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	97	0	2.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0149 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0149: ANTENNA,COMMUNICATIONS,TRAILER MOUNTED

The AS-4429D/TSC is a rugged, high-performance Multi-Band antenna subsystem that provides field commanders with a high mobility antenna capable of efficient TACSAT resource utilization. The AS-4429D/TSC can be used with the LMST, AN/TSC-85, and AN/TSC-93.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	33	0
AAO (FY17)	33	
O/H	26	0
Shortfall/Excess	-7	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	6	0	9	0	0	0	0	0
9	9	6	0	9	0	0	0	0	0
7	9	2	0	2	2	0	4	0	0
-2	0	-4	0	-7	2	0	4	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5985015410767	0	0%	75%	0%	25%	0%	0%	NO	NO	No	No	No	yes	No	Y	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Ensure embarkation specialist utilizes the Technical manual for proper tie down procedures. Any cargo straps place over the main reflector will cause damage rendering the system non-mission capable. Do not move with stabalizing wheel in position. Ship via MILAIR. Reflector repair costs are estimated at and could potentially exceed $100,000.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1333	2.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0150: W2W LAST TACTICAL MILE KITS

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	60	24
AAO (FY17)	68	
O/H	0	0
Shortfall/Excess	-60	-24

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	6	0	0	16	24	0	0	0
8	8	4	0	8	16	24	0	0	0
0	0	0	0	0	0	0	0	0	0
-7	-7	-6	0	0	-16	-24	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015561720	0	0%	0%	0%	75%	25%	0%	NO	NO	No	No	No	No	yes	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0152: DIGITAL STILL CAMERA SUITE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	578	72
AAO (FY17)	525	
O/H	108	5
Shortfall/Excess	-470	-67

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
84	84	48	150	117	23	72	0	0	0
71	63	39	144	113	23	72	0	0	0
2	9	0	8	84	0	0	0	0	0
-82	-75	-48	-142	-33	-23	-72	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015868004	5	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is currently in its refresh cycle, therefore if any are returned condemmed, they should be Demil'd and DRMO'd. There is no requirement to return the obsolete gear back to the unit. When the unit returns to their home station, they will receive their refreshed equipment. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0153 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0153: RADIO SET (AN/MRC-142C)

The AN/MRC-142C is a vehicular-mounted integrated High Capacity Line-Of-Sight (HCLOS) radio system providing two-way secure voice and data transmission in the band I and band III+ frequency bands.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	441	21
AAO (FY17)	425	
O/H	480	5
Shortfall/Excess	39	-16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
85	85	56	0	71	60	21	0	63	0
85	81	56	0	59	60	21	0	63	0
68	64	61	0	39	65	0	113	65	0
-17	-21	5	0	-32	5	-21	113	2	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015456691	5	50%	0%	0%	50%	0%	0%	NO	NO	N	No	Yes	no	no	N	N	0	2	2

Notes: Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	118	0	4.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0156 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0156: GYROCAM VOSS II

OIF UUNS, mounted on rear of MRAP Cougar variant (6x6, 4x4).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	105	105
AAO (FY17)	105	
O/H	189	175
Shortfall/Excess	84	70

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	105	0	0	0
0	0	0	0	0	0	105	0	0	0
0	12	0	0	0	0	0	2	0	0
0	12	0	0	0	0	-105	2	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015450098	59	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	y	0	59	0
5895015647999	116	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	y	0	116	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0168 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0168: HANDHELD INTERAGENCY IDENTITY DETECTION EQUIP (HIIDE)

HIIDE is the world's first hand-held biometric identification device that can enroll, identify or verify subjects using any of the three primary biometrics: iris, finger, face.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	348	272
AAO (FY17)	348	
O/H	71	0
Shortfall/Excess	-277	-272

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	76	272	0	0	0
0	0	0	0	0	76	272	0	0	0
0	4	0	0	0	48	0	3	0	0
0	4	0	0	0	-28	-272	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015453002	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	Yes	0	0	0
5895090004458	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	Yes	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0169 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0169: AN/TPQ-48 COUNTER MORTAR RADAR (LCMR)

The LCMR is a two-man portable mortar locating radar. It provides continuous 360 degree surveillance and locates mortar firing positions by detecting and backtracking the projectile trajectory to the weapon position.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	46	6
AAO (FY17)	42	
O/H	35	4
Shortfall/Excess	-11	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	10	0	5	3	6	2	0	0
12	10	7	0	5	6	0	2	0	0
15	6	5	0	0	3	0	2	0	0
5	-4	-5	0	-5	0	-6	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840015418783	4	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	4	0

Notes: Assets should be sent to MCLB Albany for inventory and op check prior to entering a planned system refresh at SRCTec. The LCMR is an electronic piece of equipment and should not be washed. It can be cleaned by hand, by trained personnel.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0172 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0172: POWER SUPPLY, UNINTERRUPTIBLE (DDSR-PM)

The current TDN Family of Systems (FoS) consists of Gateways (TDN GW), Data Distribution Systems (TDN DDS/DDS-R/DDS-M), and Information Assurance Boundary (IAB). Together these systems provide the backbone data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	280	0
AAO (FY17)	250	
O/H	385	20
Shortfall/Excess	105	20

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
79	79	46	0	54	22	0	0	0	0
66	66	46	0	50	22	0	0	0	0
51	43	44	0	70	128	0	29	0	0
-28	-36	-2	0	16	106	0	29	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130015460023	20	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	no	No	No	20	0	0
6130015652835	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	yes	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1BBatteries do not constitute failure, replace upon receipt at new unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0173 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0173: SECURITY DATA SYSTEM (DDSR-CSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	494	0
AAO (FY17)	512	
O/H	461	0
Shortfall/Excess	-33	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
150	143	94	0	89	18	0	0	0	0
156	139	102	0	97	18	0	0	0	0
165	151	69	0	20	47	0	9	0	0
15	8	-25	0	-69	29	0	9	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810015460020	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	no	No	No	0	0	0
5810015681184	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5810-01-546-0020) should be a consolidation of assets to obtain maximum complete PMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete CSMs to fill any home station shortfalls and DRMO in theater remaining PMs. Will be flown in it's entirety back to MEF. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0174 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0174: SWITCHING SET COMMUNICATION (DDSR-LSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	494	0
AAO (FY17)	512	
O/H	449	0
Shortfall/Excess	-45	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
150	143	94	0	89	18	0	0	0	0
156	139	102	0	97	18	0	0	0	0
164	146	67	0	18	48	0	6	0	0
14	3	-27	0	-71	30	0	6	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015460016	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	no	No	No	0	0	0
5895015682669	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5895-01-546-0016) should be a consolidation of assets to obtain maximum complete LSMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0175 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0175: COMPUTER DIGITAL DATA TRANSFER (DDSR-CM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	494	0
AAO (FY17)	512	
O/H	424	1
Shortfall/Excess	-70	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
150	143	94	0	89	18	0	0	0	0
156	139	102	0	97	18	0	0	0	0
145	151	65	0	17	42	0	3	0	0
-5	8	-29	0	-72	24	0	3	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015466466	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	no	No	No	1	0	0

Notes: SIPRNET Harddrives are handled in course with classifed storage and transport. Transport back unit in possession. All SIPR HDs must be removed from the CM laptop PCs and consolidated in an appropriate secure storage container for MIL-AIR transport from OEF to CONUS with the using unit. NO SIPRs HDs will be vehicle transported through Pakistan for surface nor air shipment for commercial cargo carriers. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.Batteries (Qty 2) do not constitute failure, replace upon receipt at new unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0176 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0176: SWITCHING GROUP, DIGITAL (DDSR-LEM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,968	0	596	568	376	0	356	72	0	0	0	0
AAO (FY17)	2,048		624	556	408	0	388	72	0	0	0	0
O/H	1,778	23	627	568	278	0	79	191	0	12	0	0
Shortfall/Excess	-190	23	31	0	-98	0	-277	119	0	12	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015460013	23	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	no	No	No	23	0	0
5895015725551	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5895-01-546-0013) should be a consolidation of assets to obtain maximum complete LEMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Batteries do not constitute failure, replace upon receipt at new unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0177 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0177: COMPUTER SYSTEM DIGITAL (DDSR-ACM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	494	0
AAO (FY17)	512	
O/H	470	4
Shortfall/Excess	-24	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
150	143	94	0	89	18	0	0	0	0
156	139	102	0	97	18	0	0	0	0
165	150	69	0	20	51	0	11	0	0
15	7	-25	0	-69	33	0	11	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015460027	4	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	no	No	No	4	0	0
7010015681206	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 7010-01-546-0027) should be a consolidation of assets to obtain maximum complete LEMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Must remove hard drive prior to shipping.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0180 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0180: AN/TYQ-145 BEYOND LINE OF SIGHT GATEWAY

JRE is an implementation of beyond line of sight transmission for TADIL-J. The current system is a stand-alone COTS/NDI configured with a JTIDS radio.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	0
AAO (FY17)	14	
O/H	23	0
Shortfall/Excess	8	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	3	6	0	0	0	0
2	2	2	0	2	6	0	0	0	0
2	2	2	0	3	11	0	0	0	0
0	0	0	0	0	5	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015476773	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	No	0	0	0

Notes: Return to owning unit but take out of service until maintenance is completed. DO NOT POWER WASH. Item contains sensitive electronics, computer, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0182 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0182: RECORDER-REPRODUCER

The Tactical ONEROOF system is a family of applications that allows for automated collection, storage, retrieval and playback of digital voice signals.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	56	4
AAO (FY17)	50	
O/H	29	2
Shortfall/Excess	-27	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	11	10	18	0	2	4	0	0	0
11	11	10	12	0	2	4	0	0	0
10	9	1	6	0	1	0	0	0	0
-1	-2	-9	-12	0	-1	-4	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5835090004505	2	0%	0%	0%	66%	34%	0%	NO	NO	No	No	No	No	No	No	No	2	0	0

Notes: This item will be retired next year, but still needs to be maintained until replacement is fielded. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. Conduct all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.2

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0183 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0183: CIHEP DATA PROCESSING MODULE

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	406	0
AAO (FY17)	399	
O/H	312	7
Shortfall/Excess	-94	7

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
71	75	71	72	60	57	0	0	0	0
71	75	71	54	71	57	0	0	0	0
67	87	58	42	9	42	0	0	0	0
-4	12	-13	-30	-51	-15	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865090004485	7	25%	0%	0%	50%	25%	0%	NO	NO	No	No	No	No	Yes	No	No	5	0	2

Notes: Rotates in and out with the unit. Item is obsolete. You can wash the Pelican case; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0184 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0184: CIHEP ADVANCED IMAGERY MODULE

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	171	0
AAO (FY17)	158	
O/H	122	2
Shortfall/Excess	-49	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
19	22	23	66	20	21	0	0	0	0
19	22	23	54	19	21	0	0	0	0
22	28	18	32	1	19	0	0	0	0
3	6	-5	-34	-19	-2	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865070001269	2	25%	0%	0%	50%	25%	0%	NO	NO	No	No	No	No	Yes	No	No	2	0	0

Notes: Rotates in and out with the unit. Item is obsolete. You can wash the Pelican case; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0186 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0186: CIHEP TACTICAL SATCOM SET

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	232	0
AAO (FY17)	210	
O/H	120	7
Shortfall/Excess	-112	7

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
36	38	42	72	40	4	0	0	0	0
36	38	42	54	36	4	0	0	0	0
7	52	17	37	0	0	0	0	0	0
-29	14	-25	-35	-40	-4	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865070001270	7	25%	0%	0%	50%	25%	0%	NO	NO	No	No	No	No	Yes	No	No	5	0	2

Notes: Rotates in and out with the unit. Item is obsolete. You can wash the Pelican case; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0188 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0188: CIHEP COMMERCIAL SATCOM SET

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	238	0
AAO (FY17)	254	
O/H	180	4
Shortfall/Excess	-58	4

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
41	43	22	62	40	30	0	0	0	0
41	43	22	54	64	30	0	0	0	0
44	52	36	39	0	5	0	0	0	0
3	9	14	-23	-40	-25	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865070001272	4	25%	0%	0%	50%	25%	0%	NO	NO	No	No	No	No	Yes	No	No	3	0	1

Notes: You can wash the Pelican case; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0189 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0189: CIHEP COMMERCIAL HANDHELD SATCOM SET

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	388	0
AAO (FY17)	396	
O/H	217	11
Shortfall/Excess	-171	11

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
80	82	70	66	60	30	0	0	0	0
80	82	70	54	80	30	0	0	0	0
50	60	50	31	0	15	0	0	0	0
-30	-22	-20	-35	-60	-15	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895070001277	11	25%	0%	0%	50%	25%	0%	NO	NO	No	No	No	No	Yes	No	No	8	0	3

Notes: None of this electronic equipment should be subjected to water washdown. This includes the case.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0193 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0193: CIHEP VEHICLE ACCESSORY MODULE

CIHEP will enhance the CI/HUMINT Company capability to collect, receive, process, and disseminate CI and HUMINT information from overt, sensitive, technical, tactical, CI/Force Protection, and HUMINT operations in the service, joint, and combined forces.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	189	0
AAO (FY17)	149	
O/H	172	0
Shortfall/Excess	-17	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	20	38	63	40	10	0	0	0	0
18	20	38	45	18	10	0	0	0	0
49	53	29	39	0	2	0	0	0	0
31	33	-9	-24	-40	-8	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895070001279	0	25%	0%	0%	50%	25%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0

Notes: You can wash the Pelican case; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.CI/HUMIT Marines typically "carry" their equipment with them; should not be transported by Local Nationals due to the nature of the equipment - highly pilferable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0194 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0194: PERSISTENT SURVEILLENCE SYSTEM (G-BOSS) (80' TOWER)

A self-erecting, trailer-mounted tower serves as the base of the G-BOSS. It is designed to provide a stable, elevated platform for the sensor suite and communication devices. Cameras are mounted on a self erecting, telescoping tower. Other associated equipment includes capability for video capture, storage, transmission, and power generation.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	177	172	0	0	0	0	0	2	172	3	0	0
AAO (FY17)	177		0	0	0	0	0	2	172	3	0	0
O/H	83	16	0	1	0	7	0	3	0	30	0	0
Shortfall/Excess	-94	-156	0	1	0	7	0	1	-172	27	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650070001274	16	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	No	No	Yes	0	16	0
6650090004488	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	No	No	Yes	0	0	0
6650090006502	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	No	No	Yes	0	0	0

Notes: Systems will be shipped to NSWC Crane, where they will be refurbished and tested to unsure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. Should be shipped with B0077. Prior to wash down system should be in stowed and/or shipping configuration with all connector caps installed. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions.There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquistion Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0195: INTELLIGENCE OPERATIONS SERVER (V3)

The IAS FoS program consists of a three-tiered approach to Intelligence Operations. The first tier, the MEF IAS, consists of M1152A1B2 with M101 trailer, BASE-X 305 tent, and containerized stacked server suite, designed to support intelligence operations .

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	107	0	22	24	20	16	12	13	0	0	0	0
AAO (FY17)	108		22	21	20	16	16	13	0	0	0	0
O/H	95	3	14	24	20	3	14	17	0	0	0	0
Shortfall/Excess	-12	3	-8	0	0	-13	2	4	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015762585	3	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	3	0

Notes: If it requires maintenance, it goes to MCLC for DRMO. Eventually will be replaced. No maintenance will be performed. Water may damage system electronics.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0197 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0197: DATA STORAGE MODULE (DDSR-DSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	494	0
AAO (FY17)	512	
O/H	396	14
Shortfall/Excess	-98	14

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
150	144	94	0	89	17	0	0	0	0
156	139	102	0	97	18	0	0	0	0
139	118	57	0	20	46	0	2	0	0
-11	-26	-37	0	-69	29	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015494303	7	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	No	7	0	0
5895015653698	7	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	yes	No	No	7	0	0
5895015924487	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5895-01-549-4303), should be a consolidation of assets to obtain maximum complete DSMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Remove hard drives

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0234 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0234: SATELLITE COMMUNICATION SUBSYSTEM (SWAN-D V1 DISH)

The SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	173	0	42	40	20	0	33	38	0	0	0	0
AAO (FY17)	168		41	36	20	0	33	38	0	0	0	0
O/H	131	1	33	27	16	0	19	24	0	11	0	0
Shortfall/Excess	-42	1	-9	-13	-4	0	-14	-14	0	11	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015504868	1	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	no	Yes	No	Yes	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0238 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0238: MAINTENANCE KIT,ELECTRONIC EQUIP (SWAN-D V3 RF SPARES)

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	8	0
AAO (FY17)	0	
O/H	4	0
Shortfall/Excess	-4	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	1	0	3	0	0	0	0	0
-2	-2	-1	0	1	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015515306	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	Yes	No	Yes	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Ship with SWAN D V3 to MCLC Alb for resale to Army.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0239 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0239: MAINTENANCE KIT,ELECTRONIC EQUIP (SWAN-D V1/V2 RF SPARES)

SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	48	0	14	14	6	0	14	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	14	1	0	0	6	0	5	2	0	0	0	0
Shortfall/Excess	-34	1	-14	-14	0	0	-9	2	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015514019	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	Yes	No	Yes	0	1	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0240 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0240: MAINTENANCE KIT,ELECTRONIC EQUIPMENT

SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	32	0
AAO (FY17)	0	
O/H	15	1
Shortfall/Excess	-17	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	5	0	9	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
3	2	3	0	4	1	0	1	0	0
-6	-7	-2	0	-5	1	0	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015513812	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	no	No	Yes	0	1	0
5895015686670	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	no	No	Yes	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. This TAMCN is a spares kit that will be disassembled and placed into the MEF RIPs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0241 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0241: SATELLITE COMMUNICATION SUBSYSTEM

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	68	0
AAO (FY17)	66	
O/H	56	0
Shortfall/Excess	-12	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	13	8	0	15	17	0	0	0	0
15	13	8	0	13	17	0	0	0	0
18	11	8	0	7	12	0	0	0	0
3	-2	0	0	-8	-5	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015513530	0	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	no	no	No	Yes	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0242 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0242: SATELLITE COMMUNICATION SUBSYSTEM (SWAN-D V3 DISH)

The SWAN is an integrated COTS solution utilizing Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-The-Pause (OTP) communications asset that can be set up in 30 minutes or less. SWAN fills a void of Beyond-Line-Of-sight (BLOS).

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	61	0
AAO (FY17)	51	
O/H	67	0
Shortfall/Excess	6	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	15	12	0	11	8	0	0	0	0
11	10	12	0	10	8	0	0	0	0
17	15	13	0	13	8	0	1	0	0
2	0	1	0	2	0	0	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015514320	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	no	no	No	Yes	0	0	0
5895015805073	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	yes	No	Yes	0	0	0

Notes: This TAMCN NSN 5895-01-551-4320 shoud be transported to MCLC Alb. with SWAN D V3 PEI. This TAMCN should be sent to MCLC. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. TAMCN NSN 5895-01-551-4320 will be sold back to the Army.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0243 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0243: NETWORK MANAGEMENT SYSTEM (SWAN-D)

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	284	0
AAO (FY17)	235	
O/H	226	0
Shortfall/Excess	-58	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
72	68	40	0	48	56	0	0	0	0
52	44	39	0	44	56	0	0	0	0
61	38	33	0	34	47	0	13	0	0
-11	-30	-7	0	-14	-9	0	13	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015513590	0	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	no	no	No	Y	0	0	0
5895015686944	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	no	No	N	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0244 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0244: NETWORK MANAGEMENT SYSTEM (SWAN-D MRT)

The SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	63	0
AAO (FY17)	63	
O/H	47	0
Shortfall/Excess	-16	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	11	9	0	11	21	0	0	0	0
11	11	9	0	11	21	0	0	0	0
9	7	11	0	5	13	0	2	0	0
-2	-4	2	0	-6	-8	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015513833	0	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	no	Yes	No	Yes	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0245 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0245: SATELITE COMM SUB SYSTEM

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	0	0	0	0	0	0	0	0	0	0	0	0
Shortfall/Excess	0	0	0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015596098	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: Crypto will be kept and utilized. Crypto must have a NAVMC 1018 Tag with PEI Serial #, PEI Unit Shipped To, PEI Condition Code. DP11137 PCN 13158950100. This TAMCN is in the process of Disposal.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0246 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0246: AN/USC-67 SWE-DISH FA150 MIL FLY-AWAY

The AN/USC-67 (FA-150 Hub) NSN: 2840-01-587-7961, configuration is a portable high-bandwidth, secure satellite communications package capable of operating at the Top Secret/Sensitive Compartmented Information level. The AN/USC-67 serves as the Hub in a Hub-Spoke architecture and components include a 1.5m antenna and baseband network equipment. The AN/USC-67 is C, Ku, and X band capable.

AN/USC-67 FA-150 (Hub)

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	11	0	4	4	3	0	0	0	0	0	0	0
AAO (FY17)	11		4	4	3	0	0	0	0	0	0	0
O/H	6	2	0	0	2	0	0	2	0	0	0	0
Shortfall/Excess	-5	2	-4	-4	-1	0	0	2	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2840015877956	2	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	no	N	Y	0	2	0

Notes: Obsolete item, but will maintain in order to bridge capability gap. Must dispose of in CONUS because of sensitivity. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory, notify PG-12/PMM123 for maintenance, and coordinate shipment with MARCORSYSCOM for maintenance. Please direct inquires about this system to Commander, MARCORSYSCOM, PM-Intelligence Systems. ATTN: SCI Comms Project Officer

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0247 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0247: AN/USC-68 SWE-DISH IPT MIL SUITCASE (VSAT SPOKE)

The AN/USC-68 (IPT Suite) NSN: 2840-01-587-7956, configuration is a portable high-bandwidth, secure satellite communications package capable of operating at the Top Secret/Sensitive Compartmented Information level. It consists of a suitcase satellite communication solution and a suitcase secure networking solution. The AN/USC-68 serves as a Spoke in a Hub-Spoke architecture and components include a .9m auto-acquiring antenna and baseband network equipment. The AN/USC-68 is only Ku band capable.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	41	0	16	16	9	0	0	0	0	0	0	0
AAO (FY17)	41		16	16	9	0	0	0	0	0	0	0
O/H	33	8	10	0	9	0	0	1	0	5	0	0
Shortfall/Excess	-8	8	-6	-16	0	0	0	1	0	5	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2840015877961	8	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	Yes	0	8	0

Notes: Equipment is obsolete

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0254 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0254: COMBAT OPS CENTER, SET III (UOC)

The Combat Operations Center is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems.

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	95	12
AAO (FY17)	93	
O/H	76	5
Shortfall/Excess	-19	-7

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
20	20	14	3	11	15	12	0	0	0
19	18	14	3	12	15	12	0	0	0
19	19	16	3	6	8	0	0	0	0
-1	-1	2	0	-5	-7	-12	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015204341	5	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	5	0

Notes: The COC configuration includes many weather-resistant transit cases and two trailer types: the Operational Trailer (OT), consisting of an M1102 trailer with multiple transit-cased COTS IT components and electrical connections, and the Generator ECU Tent Trailer (GETT), consisting of an extended-bed M1102 chassis, a commercial 23kW generator, a commercial 120K BTU Environmental Control Unit, and a commercial Base-X 305 shelter. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment and the GETT's generator and ECU control panel. COC's are routinely shipped packed in an ISO container; recommend using ISO containers to ship the COC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	9.4

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0255 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0255: COMBAT OPS CENTER, SET IV (UOC)

The COC is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems. It is predominantly a COTS IT integration.

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	198	15
AAO (FY17)	182	
O/H	168	2
Shortfall/Excess	-30	-13

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
48	41	21	13	32	28	15	0	0	0
44	35	18	13	29	28	15	0	0	0
46	33	20	3	22	29	0	13	0	0
-2	-8	-1	-10	-10	1	-15	13	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015204360	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	2	0

Notes: The COC configuration includes many weather-resistant transit cases and two trailer types: the Operational Trailer (OT), consisting of an M1102 trailer with multiple transit-cased COTS IT components and electrical connections, and the Generator ECU Tent Trailer (GETT), consisting of an extended-bed M1102 chassis, a commercial 23kW generator, a commercial 120K BTU Environmental Control Unit, and a commercial Base-X 305 shelter. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment and the GETT's generator and ECU control panel. COC's are routinely shipped packed in an ISO container; recommend using ISO containers to ship the COC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0261 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0261: BIOMETRICS AUTOMATED TOOLSET (BAT-SERVER

The Biometrics System consists of three tiers: the BAT-Client, the BAT-Server and the HIIDE. The BAT-Client will collect and store biometric information, to include fingerprints, iris scans and facial images, and will be able to "match" personnel whose bi

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	20	20
AAO (FY17)	20	
O/H	51	0
Shortfall/Excess	31	-20

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	20	0	0	0
0	0	0	0	0	0	20	0	0	0
0	0	0	0	0	0	0	5	0	0
0	0	0	0	0	0	-20	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7021090004486	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	Y	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.2

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0266 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0266: RADIO SET, VEH, AN/VRC-104 (UHF/VHF)

AN/PRC 104 Radio Set.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	792	11	216	200	127	90	133	15	11	0	0	0
AAO (FY17)	764		206	166	121	88	157	15	11	0	0	0
O/H	661	264	84	99	119	47	33	15	0	0	0	0
Shortfall/Excess	-131	253	-132	-101	-8	-43	-100	0	-11	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015681631	264	50%	0%	0%	50%	0%	0%	NO	NO	N	No	Yes	no	no	N	N	0	132	132
5820015694438	0	50%	0%	0%	50%	0%	0%	NO	NO	N	No	Yes	no	no	N	N	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0271 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0271: COMBAT OPERATIONS CENTER

The Combat Operations Center is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	18	4
AAO (FY17)	19	
O/H	17	2
Shortfall/Excess	-1	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	4	1	2	0	4	0	0	0
3	4	4	1	3	0	4	0	0	0
5	4	4	1	1	0	0	0	0	0
2	0	0	0	-1	0	-4	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015573118	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	2	0

Notes: The COC(V)2 configuration includes many weather-resistant transit cases and the Operations Trailer (OT). The OT is an M1102 trailer with a rack supporting many COTS IT servers, routers, switches, etc. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment; recommend using ISO containers to ship the COC(V)2.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	46

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0272 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0272: RADIO REMOTE CONTROL UNIT RC 111

The RF-5800R-RC111 Remote Control System with High Speed Interface provides full remote control capability for the Falcon II family of manpack radios.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,920	0
AAO (FY17)	2,802	
O/H	3,084	53
Shortfall/Excess	164	53

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
752	746	418	44	506	154	0	300	0	0
717	652	414	25	540	154	0	300	0	0
876	795	467	121	511	84	0	177	0	0
124	49	49	77	5	-70	0	-123	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015709290	53	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	26	0	26

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0273 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0273: RADIO SET, VRC-110, 20 WATT (AN/PRC152)

The Radio Set, AN/VRC-110, consists of 2 Vehicle Adapter Units with 2 AN/PRC-152 handheld Radios. The system provides encrypted Line of Sight communications with both fixed and Frequency Hopping Modes.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	963	1
Shortfall/Excess	963	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
169	250	128	0	3	88	0	97	227	0
169	250	128	0	3	88	0	97	227	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015578450	1	0%	0%	0%	100%	0%	0%	NO	NO	Y	No	Yes	no	no	N	N	0	1	0

Notes: TAMCN is being upgraded to A0097.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0278 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0278: WIRELESS POINT-TO POINT LINK (WPPL-D)

WPPL D is an integrated communications system consisting of Commercial Off-The-Shelf (COTS) antennas, radios, power line conditioning and backup, and Internet Protocol (IP) networking equipment. All WPPL versions provide Non-secure Internet Router Protocol.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	284	0	72	72	47	0	48	45	0	0	0	0
AAO (FY17)	260		60	60	47	0	48	45	0	0	0	0
O/H	237	27	59	58	19	0	10	49	0	15	0	0
Shortfall/Excess	-47	27	-13	-14	-28	0	-38	4	0	15	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015631703	27	25%	0%	0%	75%	0%	0%	NO	NO	N	No	No	no	no	N	Y	20	0	7
5820015836833	0	25%	0%	0%	75%	0%	0%	NO	NO	N	No	No	no	no	N	Y	0	0	0

Notes: Item must be put through maintenance before placing into service at owning unit. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0282 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0282: TEAM PORTABLE COLLECTION SYS (TPCS)

The TPCS-MPC will be a mission configurable, multi-platform SIGINT collection system incorporating plug-and-play technologies that provides the Marine Air Ground Task Force commander with a modular and saleable carry-on/carry-off equipment capability for operations onboard non-dedicated air, ground, and waterborne platforms.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	70	0
AAO (FY17)	70	
O/H	44	3
Shortfall/Excess	-26	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	22	16	0	0	10	0	0	0	0
22	22	16	0	0	10	0	0	0	0
19	12	6	0	0	4	0	0	0	0
-3	-10	-10	0	0	-6	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5825015293279	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	3	0	0

Notes: Owning unit will perform inventory and detailed maintenance for return to full mission capable. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Follow preventive maintenance procedures as listed in O&M TM 11109A-OI.PG-12/PMM123 has situational awareness for this system. Please direct inquires about this system to Commander, MARCORSYSCOM, PM-Intelligence Systems, ATTN: TPCS-MPC Project Officer, 2200 Lester Street, Quantico, VA 22134-6050.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0285 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0285: DISMTD DIGITAL AUTOMATED COMM TERMINAL (DDACT)

The D-DACT is a handheld, stylus operated Rugged Personal Digital Assistant. It has a built in Global Positioning System, a modem and comes loaded with Command and Control Compact Edition Software.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	284	0
Shortfall/Excess	284	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
87	72	61	0	8	20	0	36	0	0
87	72	61	0	8	20	0	36	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015221228	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0286 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0286: CERBERUS LONG RANGE (GBOSS LITE)

The G-BOSS Lite is an integrated system, based on the Cerberus trailer-mounted surveillance system, and employs multiple detection and assessment technologies, all self-contained on a single mobile platform. G-BOSS Lite uses the Star SAFIRE IIIFP with laser pointer and range finder; and the MSTAR radar as its primary image sensors.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	49	49
AAO (FY17)	49	
O/H	41	12
Shortfall/Excess	-8	-37

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	49	0	0	0
0	0	0	0	0	0	49	0	0	0
0	1	0	1	0	4	0	23	0	0
0	1	0	1	0	4	-49	23	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840015874722	12	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	no	Yes	No	Yes	0	12	0

Notes: Systems will be shipped to NSWC Crane through MCLC, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. Prior to wash down system should be in stowed and/or shipping configuration. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions.There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquistion Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0288 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0288: CERBERUS MANPACK SYSTEM (CERBERUS LITE)

The Cerberus Lite is a man-portable, tripod-mounted surveillance system developed by PM NVESD for use in austere environments, or where ground transportation is unavailable or undesirable. The Cerberus Lite uses a FLIR Recon III and Advanced Radar Surveillance System (ARSS) as its primary image sensors. Use of the Miniature Intrusion Detection Systems (MIDS) unattended ground sensors is optional.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	51	51	0	0	0	0	0	0	51	0	0	0
AAO (FY17)	51		0	0	0	0	0	0	51	0	0	0
O/H	1	1	0	0	0	0	0	0	0	0	0	0
Shortfall/Excess	-50	-50	0	0	0	0	0	0	-51	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6350090006681	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	no	No	No	Yes	0	1	0

Notes: Systems will be shipped to NSWC Crane through MCLC, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions.There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquistion Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0291 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0291: CVRJ @ 1:2 VEH RATIO (RPLCS A0096 / A0137)

CVRJ is designed to respond to the full range of RCIED threats that have been encountered by our Warfighters and has demonstrated superior performance against the RCIED threats in both OIF and OEF. A primary strength of the system design is that it incorporates a proven adaptability to changes in the threat environment largely independent of specific threat signal attributes. It has a wide receive and transmit frequency coverage and handles multiple threats simultaneously.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	9,899	9753	0	0	0	0	0	146	9,753	0	0	0
AAO (FY17)	9,899		0	0	0	0	0	146	9,753	0	0	0
O/H	487	388	0	0	0	0	0	97	0	2	0	0
Shortfall/Excess	-9,412	-9,365	0	0	0	0	0	-49	-9,753	2	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015534738	388	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	I/P	No	0	388	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager Graves-Reynolds CIV Judy A, judy.graves@usmc.mil, (229) 639-8283

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0298 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0298: OPTICAL READER, DATA ENTRY

Devices enable and facilitate data collection and transmission to Automated Information Systems. These devices improve the Marine Corps' logistical business processes and enhance war fighting capabilities by facilitating the collection of initial source data, reducing processing times and improving data accuracy.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4,085	48
AAO (FY17)	3,918	
O/H	1,218	0
Shortfall/Excess	-2,867	-48

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,324	1,311	690	16	588	0	48	0	108	0
1,277	1,140	689	15	641	0	48	0	108	0
263	262	242	4	265	174	0	8	0	0
-1,061	-1,049	-448	-12	-323	174	-48	8	-108	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7025014759974	0	0%	0%	0%	75%	25%	0%	NO	NO	No	No	No	No	yes	No	No	0	0	0

Notes: Project office will coordinate refresh with MEF.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	49	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0299 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0299: PRINTER, PORTABLE

AIT devices enable and facilitate data collection and transmission to Automated Information Systems (AISs). AIT devices improve the Marine Corps' logistical business processes and enhance warfighting capabilities by facilitating the collection of initial source data, reducing processing times and improving data accuracy. The AIT program is currently focused on implementing barcode technology - both linear and 2D barcodes and integrating Radio Frequency Data Collection (RFDC) technology to allow near real time processing of data. Successful AIT implementation is dependent on the AIT software development expertise of our information system developers and the ability of the user community to have well documented AIT requirements.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	217	0
Shortfall/Excess	217	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
36	17	42	2	72	44	0	4	0	0
36	17	42	2	72	44	0	4	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7490014759671	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0300: PRINTING MACHINE,LA

Devices enable and facilitate data collection and transmission to Automated Information Systems. These devices improve the Marine Corps' logistical business processes and enhance war fighting capabilities by facilitating the collection of initial source data

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,259	7
AAO (FY17)	1,254	
O/H	213	1
Shortfall/Excess	-1,046	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
378	406	171	17	184	78	7	0	18	0
383	352	182	16	218	78	7	0	18	0
80	27	37	6	56	6	0	0	0	0
-298	-379	-134	-11	-128	-72	-7	0	-18	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7490015589256	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	yes	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0301 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0301: GRAPHICS PLOTTER

The Graphics Plotter is a HP Designjet 1050c Plus Printer. The maximum print length for this printer is 300 ft.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	21	2	9	0	1	0	0	9	0	0	0	0
Shortfall/Excess	21	2	9	0	1	0	0	9	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7025014774041	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	2

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0316 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0316: TRANSMITTER GROUP C

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	423	423
AAO (FY17)	423	
O/H		
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	423	0	0	0
0	0	0	0	0	0	423	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0321 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0321: DEPLOYABLE INTEGRATED TRANSPORT SUITE

The Raven B is a unmanned aircraft sensor system utilized at the small unit level that provides situational awareness within the employing unit's area of operations. The Digital Data Link enables a given area to include more Ravens and provides greater communication security through signal encryption.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	488	58
AAO (FY17)	469	
O/H	238	3
Shortfall/Excess	-250	-55

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
108	107	40	72	86	17	58	0	0	0
99	89	47	72	87	17	58	0	0	0
31	99	9	60	21	5	0	10	0	0
-77	-8	-31	-12	-65	-12	-58	10	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1550015780205	3	35%	0%	0%	65%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	2	1

Notes: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. Maintenance will be complete by the owning unit through organic. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0324 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0324: COMMAND SYSTEM,TACT

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015800080	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0325 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0325: MOBILE MODULAR COMMAND CENTER (M2C2) TACTICAL ENTRY POINT

(satcom dish at the COC end, same as a SWAN V3 but with a different modem)

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015800008	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	Yes	0	0	0

Notes: Item will be sent to SPAWAR through MCLC. Nothing beyond standard procedures.This TAM is part of the M2C2 system see additional comments associated with TAM A0030.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0326 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0326: THOR III

Each Thor III system consists of three dismounted man-pack subsystems. Each subsystem contains a chassis (low band, mid band or high band), a Remote Control Unit (RCU), an integration/pack frame, an Rx/Tx antenna (low band, mid band, or high band), a GPS antenna, cables, and software. Each unit is housed in a separate transit case with protective covers.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	893	733
AAO (FY17)	893	
O/H	286	275
Shortfall/Excess	-607	-458

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	85	733	75	0	0
0	0	0	0	0	85	733	75	0	0
0	11	0	0	0	0	0	0	0	0
0	11	0	0	0	-85	-733	-75	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015804854	275	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	no	Yes	No	No	0	275	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Upon returning from Theater units should conduct a compete detailed SL3 inventory. If any missing SL3 is note please contact the USMC CREW Product Support Integrator at USMC CREW Product Support Operations Center.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0331 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0331: RADIO SET, LOW PROFILE SINGLE VEHICLE ADAPTER, 50-WATT (VRC)

The AN/VRC-113(C) operates over a 30-512 MHz frequency range with either Frequency Modulated (FM), or Amplitude Modulated (AM) Radio Frequency (RF) output, with a user-selectable power output from 0.1 to 5 watts (depending on operating mode). The radio can interoperate with both 12 kbps (FED-STD-1023) and 16 kbps (VINSON-compatible) equipment. The Basic radio provides the following capabilities: SINCGARS, HAVEQUICK, ANDVT, retransmission, and High Throughput Waveform (HTW).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	9,512	1054
AAO (FY17)	9,837	
O/H	4,112	50
Shortfall/Excess	-5,400	-1,004

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,559	2,329	1,432	93	1,579	166	1,054	300	0	0
2,450	2,167	1,619	93	1,988	166	1,054	300	0	0
69	0	0	0	0	0	0	3,993	0	0
-2,490	-2,329	-1,432	-93	-1,579	-166	-1,054	3,693	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015826675	50	50%	0%	0%	50%	0%	0%	NO	NO	N	No	Yes	no	no	N	N	0	25	25

Notes: Item was sent to OEF on a limited fielding decision. Equipment should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

a0332 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN a0332:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	36	0
AAO (FY17)	34	
O/H	281	60
Shortfall/Excess	245	60

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	7	4	6	5	0	0	0	0
7	7	7	2	6	5	0	0	0	0
119	64	1	2	22	12	0	1	0	0
112	57	-6	-2	16	7	0	1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015859031	60	0%	0%	0%	100%	0%	0%	NO	NO		No	No					60	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	74	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	1%	0%	0%

A0336 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0336: SCA MULTIBAND NETWORKING RADIO

The AN/PRC-117G (V)1(C) is an advanced multiband multi-mission manpack radio set, which provides reliable tactical communications through U.S. Government Type I encryption for enhanced secure voice (Communications Security (COMSEC), Transmission Security (TRANSEC)), high-speed data, Electronic Counter-Countermeasures (ECCM), and Satellite Communications (SATCOM) capabilities.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,448	0
AAO (FY17)	2,393	
O/H	2,177	172
Shortfall/Excess	-271	172

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
637	570	242	279	403	167	0	150	0	0
585	501	242	279	469	167	0	150	0	0
615	642	280	150	155	163	0	0	0	0
-22	72	38	-129	-248	-4	0	-150	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015862327	172	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	86	0	86

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0338 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0338: DIGITAL STILL CAMERA SUITE, ADVANCED (DSCS-A)

The DSCS-A provides an increased digital still photographic capability required for the advanced user which enables higher grade photos to be captured and also provides an increased standoff capability for imagery collection.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	829	0
AAO (FY17)	769	
O/H	474	15
Shortfall/Excess	-355	15

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
149	159	73	172	131	145	0	0	0	0
134	128	71	166	125	145	0	0	0	0
25	88	1	3	335	2	0	5	0	0
-124	-71	-72	-169	204	-143	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015938038	15	0%	0%	100%	0%	0%	0%	NO	NO	N	No	Yes	No	Yes	N	No	0	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0339 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0339: DIGITAL STILL CAMERA SUITE, Basic (DSCS-B)

The DSCS-B provides basic digital still photographic capabilities required for imagery collection by the novice user.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,436	0
AAO (FY17)	1,310	
O/H	725	26
Shortfall/Excess	-711	26

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
370	380	147	255	271	13	0	0	0	0
340	310	141	249	257	13	0	0	0	0
180	278	3	78	128	15	0	17	0	0
-190	-102	-144	-177	-143	2	0	17	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015937979	26	0%	0%	100%	0%	0%	0%	NO	NO	N	No	Yes	No	Yes	N	No	0	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0340 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0340: CAMERA SUITE DIGITAL VIDEO

The DVCS-B provides a basic digital video photography capability and consists of a low-end commercial digital video camera for imagery collection.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	324	0
AAO (FY17)	321	
O/H	84	1
Shortfall/Excess	-240	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
87	97	46	47	39	8	0	0	0	0
87	91	46	47	42	8	0	0	0	0
28	35	4	0	5	4	0	7	0	0
-59	-62	-42	-47	-34	-4	0	7	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015922160	1	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	No	Yes	N	No	0	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. A full scale refresh for this item is scheduled for FY13. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0350 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0350: DETECTION SYSTEM,WE

A sensor used to detect the direction and distance of incoming bullets.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	907	688
AAO (FY17)	907	
O/H	350	3
Shortfall/Excess	-557	-685

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
25	25	25	0	0	144	688	0	0	0
25	25	25	0	0	144	688	0	0	0
25	0	30	0	0	0	0	292	0	0
0	-25	5	0	0	-144	-688	292	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6350015910219	3	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	No	Yes	No	Yes	0	3	0

Notes: REPLACED BY C0104.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0351 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0351: REMOTE CONTROL RADI

System Description: The RF-7800R-RC Remote Control Device provides full remote control capability for the AN/PRC-117F, AN/PRC-117G, AN/PRC-150, and the AN/PRC-152 radios. The package includes two remote control units whose modular design allows either unit to function as the Local Control Unit (LCU) or the Remote Control Unit (RCU). All radio functions controlled by the Keypad Display Unit (KDU) can also be controlled by the RCU, including Automatic Link Establishment (ALE), frequency hopping and modem selections. The system provides TX/RX voice and data and controls legacy functions using field wire, but also adds capabilities/interfaces for Ethernet and fiber optic. Allows for 3.5km of separation of radio and operator providing enhanced safety and transmission security.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY13)	1,622	0
AAO (FY17)	1,471	
O/H	2,612	20
Shortfall/Excess	990	20

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
429	455	183	184	302	69	0	0	0	0
371	363	183	184	301	69	0	0	0	0
377	524	198	88	276	74	0	1,055	0	0
-52	69	15	-96	-26	5	0	1,055	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015883075	20	50%	0%	0%	50%	0%	0%	NO	NO	N	No	Yes	no	no	N	N	0	10	10

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0352 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0352: RADIO SET

The AN/VRC-114(V)1 is a SCA MULTIBAND NETWORKING VEHICULAR RADIO SYSTEM - SINGLE MOUNT (RF-300M-V150).

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,267	0
AAO (FY17)	1,264	
O/H	531	10
Shortfall/Excess	-736	10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
379	322	159	0	297	29	0	81	0	0
369	294	162	0	329	29	0	81	0	0
347	41	52	0	0	30	0	51	0	0
-32	-281	-107	0	-297	1	0	-30	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015892203	10	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	Y	Y	5	0	5

Notes: It was claimed that the number in theater is far being under reported in SASSY. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0357 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0357: MONITOR, PHASE

The Interim Sensor Monitoring Group is a tactical, dismounted sensor monitoring and control suite for the TRSS SoS that allows the operators to receive, decode, monitor, and report remote unattended ground sensors activity. The primary components of the Interim-SMG are an antenna subsystem, and integrated transit case assembly of networking devices and sensor communications devices as well as a sensor monitoring workstation.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	1	0
Shortfall/Excess	1	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	1	0	0	0	0	0	0	0
0	0	1	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015911110	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0375 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0375: GROUND RENEWABLE EX

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	235	235
AAO (FY17)	235	
O/H	54	16
Shortfall/Excess	-181	-219

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	235	0	0	0
0	0	0	0	0	0	235	0	0	0
9	16	2	6	0	5	0	0	0	0
9	16	2	6	0	5	-235	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6117015981836	16	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	i/p	y	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0377 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0377: COUNTERBOMBER

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H		0
Shortfall/Excess		0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840015995119	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0425 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0425: TERMINAL, COMM, AUTOMATED, DATA MTD (M-DACT)

The M-DACT system can provide mounted commanders with a full suite of Command & Control capabilities which include messaging, mapping, overlays, route planning, navigation and situational awareness.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	224	0
Shortfall/Excess	224	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
61	11	16	0	14	5	0	117	0	0
61	11	16	0	14	5	0	117	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015220639	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0

Notes: Goes to SPAWAR

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0501 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0501: WORKSTATION, GEOSPATIAL INFO LIBR, DEPLOY (DGIL)OL-730/TSQ

The Topographic Production Capability (TPC) is the only Marine Corps' Family of Systems (FoS) that provides an integrated, independently deployed, self-contained Geospatial Information System (GIS) designed for data acquisition, manipulation, analysis, and dissemination, providing commanders and staff with Geospatial Information (GI) and Geographic Intelligence (GINT) support to all levels of the Marine Air Ground Task Force (MAGTF).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	28	0
AAO (FY17)	36	
O/H	30	2
Shortfall/Excess	2	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	0	0	0	12	0	0	0	0
8	8	0	0	8	12	0	0	0	0
8	12	8	0	0	0	0	0	0	0
0	4	8	0	0	-12	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090004208	2	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	no	No	No	No	1	0	0

Notes: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0503: SERVER, GEOSPATIAL INFO LIBR, DEPLOY (DGIL) OL-731/TSQ

This is the Deployable Geospatial Intelligence Library Server.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	11	0
AAO (FY17)	12	
O/H	7	2
Shortfall/Excess	-4	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	3	0	0	0	6	0	0	0	0
2	2	0	0	2	6	0	0	0	0
0	3	2	0	0	0	0	0	0	0
-2	0	2	0	0	-6	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090004210	2	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	no	No	No	No	1	0	0

Notes: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0504 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0504: DTAMS

The Digital Terrain Analysis Mapping System (DTAMS), is a transportable subsystem of the Topographic Set. The DTAMS is housed within five rugged transport cases, each capable of two-man transport. Included within these five cases are Sun Spark workstations with CD ROM as well as high capacity hard disk drives and an 8 MM tape drive.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	42	0
AAO (FY17)	39	
O/H	32	2
Shortfall/Excess	-10	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	10	2	5	6	10	0	0	0	0
8	8	1	5	7	10	0	0	0	0
7	12	7	4	0	0	0	0	0	0
-2	2	5	-1	-6	-10	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675013862679	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0
7010090004207	2	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	no	No	No	No	1	0	0

Notes: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0652 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0652: CONVERTER SET, FIBER OPTIC

The Converter Set, Fiber Optic, AN/GSC-54 when used with a Tactical Fiber Optic Cable Assembly (TFOCA), forms a part of the Fiber Optic Cable System (FOCS). The FOCS provides a full duplex fiber optic transmission link between a compatible pair of TRI-TAC equipment. The AN/GSC-54 and the FOCA configuration provides an optical communication link for up to 6 kilometers in length, operating at group data rates ranging from 72 kilobits per second to 4,608 kilobits per second.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	3,479	1098	638	619	411	0	439	82	1,098	0	192	0
AAO (FY17)	3,468		628	605	417	0	446	82	1,098	0	192	0
O/H	640	0	165	109	68	0	154	0	0	0	144	0
Shortfall/Excess	-2,839	-1,098	-473	-510	-343	0	-285	-82	-1,098	0	-48	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6020012372218	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0806 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0806: SAT TERMINAL, MULTIBAND, LTWT (LMST) MAXI-HUB

The Lightweight Multi-Band Satellite Terminal, AN/USC-65(V), is a SHF tri-band SATCOM system that can be used as either the hub or spoke terminal in a SATCOM network. A0806 is (V) 1; A0807 is (V) 2.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	13	0
AAO (FY17)	13	
O/H	11	0
Shortfall/Excess	-2	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	3	3	2	0	3	2	0	0	0	0
AAO (FY17)	3	3	2	0	3	2	0	0	0	0
O/H	2	3	1	0	1	2	0	2	0	0
Shortfall/Excess	-1	0	-1	0	-2	0	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014959105	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	0

Notes: Priority Item for LTI in theater before leaving theater. Commercial Depot is located at Harris Corporation in Melbourne, FL. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. DO NOT SEPARATE transit cases, ship together. If one transit is missing the weapon system will be non mission capable. A0806 (V)1 = 5 Transit Cases.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	912	3.6

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0807 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0807: SAT TERMINAL, MULTIBAND LTWT (LMST) MINI HUB

The Lightweight Multi-Band Satellite Terminal, AN/USC-65(V), is a SHF tri-band SATCOM system that can be used as either the hub or spoke terminal in a SATCOM network. A0806 is (V) 1; A0807 is (V) 2.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	42	6	8	8	8	0	7	5	6	0	0	0
AAO (FY17)	43		8	8	8	0	8	5	6	0	0	0
O/H	27	0	7	5	7	0	1	4	0	3	0	0
Shortfall/Excess	-15	-6	-1	-3	-1	0	-6	-1	-6	3	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014959106	0	50%	50%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	0

Notes: Priority Item for LTI in theater before leaving theater. Commercial Depot is located at Harris Corporation in Melbourne, FL. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. DO NOT SEPARATE transit cases, ship together. If one transit is missing the weapon system will be non mission capable. A0807 (V)2 = 4 Transit Cases

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	114	0	3.5

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0808 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0808: SURVEY SYSTEM, NAVIGATION

The Navigation System, AN/GSN-14, is a man packable system designed to obtain terrain data easily in an unknown area.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	10	0
AAO (FY17)	10	
O/H	2	0
Shortfall/Excess	-8	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	2	0	0	0	0
2	2	2	0	2	2	0	0	0	0
1	1	0	0	0	0	0	0	0	0
-1	-1	-2	0	-2	-2	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675014677441	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Need confirmation that this item will be DRMO'd. Highly pilferable - should not go down the GLOC. Do not send to MEF without being SL-3 complete.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	45	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0819 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0819: GLOBAL COMMAND AND CONTROL SYSTEM (GCCS)

The Global Command and Control System establishes a joint Command, Control, Communication, Computing, and Intelligence Surveillance Reconnaissance system to provide total battle space information to the warrior. It is a distributed client-server based architecture that incorporates a Common Operating Environment infrastructure with interfaces that support the hosting and execution of heterogeneous applications.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	281	72
AAO (FY17)	279	
O/H	115	0
Shortfall/Excess	-166	-72

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
41	45	24	0	27	72	72	0	0	0
41	44	24	0	26	72	72	0	0	0
27	20	26	0	14	27	0	1	0	0
-14	-25	2	0	-13	-45	-72	1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090004281	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: This equipment should resides on the Using Units Consolidated Memornadum Receipt (CMR), each units should have their own equipment. No reset because there is a scheduled refresh in FY12. Harddrives may be classified and should be removed before transport.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	26	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0872 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0872: SERVER, INTEL OPS(IOS-OPS)

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data. The first tier, the Marine Expeditionary Force IAS (MEF IAS), is a mobile system that supports the MEF Command Element. The second tier, the Intelligence Operations Server (IOSv2), is a team portable system designed to support the Intelligence Operations of the Major Subordinate Commands (MSC). The third tier, the Intelligence Operations Workstation (IOW), serves as the Intelligence link for the battalion and squadron commands to higher headquarters or as a stand-alone system.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	186	0	47	45	41	0	14	39	0	0	0	0
AAO (FY17)	186		47	44	40	0	16	39	0	0	0	0
O/H	61	2	13	11	19	0	7	2	0	7	0	0
Shortfall/Excess	-125	2	-34	-34	-22	0	-7	-37	0	7	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014824470	0	0%	0%	0%	0%	100%	0%	NO	NO	Y	Yes	Yes	No	no	No	No	0	0	0
5895015711777	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	no	No	No	0	0	0
5895090004283	0	0%	0%	0%	0%	100%	0%	NO	NO	Y	Yes	Yes	No	no	No	No	0	0	0
7010015711777	2	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	yes	No	No	0	2	0

Notes: This equipment should resides on the Using Units Consolidated Memornadum Receipt (CMR), each units should have their own equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A0873 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0873: AN/UYQ-91A(V)2

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	19	0	2	2	5	1	0	9	0	0	0	0
AAO (FY17)	21		2	2	5	1	2	9	0	0	0	0
O/H	114	4	17	31	29	7	11	9	0	6	0	0
Shortfall/Excess	95	4	15	29	24	6	11	0	0	6	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014824634	0	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	no	No	Yes	No	0	0	0
5895090004191	1	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	no	No	Yes	No	0	0	0
5895090004424	3	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	no	No	Yes	No	2	0	0

Notes: Maintenance done by CLS through the MEFs. Water may damage system electronics. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and preventative maintenance assessment. Provide systems to CLS for all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0874 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0874: AN/UYQ-88(V)2

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,671	10
AAO (FY17)	1,628	
O/H	1,946	150
Shortfall/Excess	275	140

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
391	395	198	155	163	359	10	0	0	0
381	353	201	131	193	359	10	0	0	0
371	422	227	61	197	443	0	75	0	0
-20	27	29	-94	34	84	-10	75	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015806326	17	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	no	yes	N	No	8	0	0
7010090004323	133	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	no	yes	N	No	66	0	0

Notes: This systems has received a complete technology refresh in the last year and all units have been fielded their AAO. Any mission capable systems will be returned to Engineering Support Activity for re-distribution. Water may damage system electronics. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and preventative maintenance assessment. Provide systems to CLS for all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0878 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0878: EXPLOITATION WORKSTATION

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	26	0
AAO (FY17)	34	
O/H	8	0
Shortfall/Excess	-18	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	8	0	0	2	0	0	0	0
8	8	8	0	8	2	0	0	0	0
0	0	7	1	0	0	0	0	0	0
-8	-8	-1	1	0	-2	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090000310	0	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	no	No	No	No	0	0	0
5895090004451	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: Depot level maintenance will be done at SPAWAR through the MEFs. The NSN ending in 4451 is obsolete and should be DRMO'd. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0879 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0879: EXPLOITATION GROUP, TACTICAL, MAIN (TEG-M)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4	0
AAO (FY17)	4	
O/H	0	0
Shortfall/Excess	-4	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	1	0	0	1	0	0	0	0
1	1	1	0	0	1	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-1	-1	-1	0	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015774129	0	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	no	No	No	No	0	0	0

Notes: DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filt

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	217591	18.9

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0880 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0880: AN/UPX-37 INTERROGATOR SET

The Interrogator, Digital, AN/UPX-37 Identification Friend or Foe (IFF) Interrogator has replaced the AN/UPX-27 IFF Interrogators. It will be used for Mark XII and Next Generation IFF processing including Mode S and Mode 5. Its modular/digital architecture affords customized configurations and performance optimization for most applications including Air Defense, Weapon Systems, Air Traffic Control and Range Instrumentation. Digital target reports can be provided in addition to wide band video for subsequent passive/active decoding.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	71	12
AAO (FY17)	68	
O/H	35	4
Shortfall/Excess	-36	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	14	7	0	11	13	12	0	0	0
14	14	7	0	8	13	12	0	0	0
4	3	5	0	6	12	0	1	0	0
-10	-11	-2	0	-5	-1	-12	1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014605448	4	0%	75%	0%	25%	0%	0%	NO	NO	No	No	No	yes	No	No	No	1	3	0

Notes: MEF will control and will get support from Tobyhanna Army Depot if necessary. Unit normally remains in environmentally controlled shelter. USN/PMA 213 is Program Manager for the UPX-37 Interrogator.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0882 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0882: JT TACT INFO DISTR SYS (JTIDS)

The Class 2 JTIDS radio terminal is a multi-microprocessor controlled system combining radio, modem, message processor, and message switching system. The JTIDS terminal operates between 960 and 1215 MHz, frequency hopping 77,000 times per second. The JTIDS employs direct sequence frequency spreading as a further anti-jamming measure. The terminal is capable of data transfer at a rate of 115,000 bps and transmit power of 200 watts.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	23	4
AAO (FY17)	22	
O/H	25	2
Shortfall/Excess	2	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	4	7	4	0	0	0
3	3	2	0	3	7	4	0	0	0
2	3	2	0	4	11	0	1	0	0
-1	0	0	0	0	4	-4	1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014421073	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	2	0	0

Notes: Return item to owning unit but take out of service until maintenance is completed. Item must be put through maintenance before placing into service at owning unit. Cannot be DRMO'd in theater. DO NOT POWER WASH. Item contains sensitive electronics, radios, computers, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0892 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0892: FASCIMILE SET, BLACKJACK

The Blackjack Facsimile Set, AN/UXC-10 is a self-contained, portable, rugged tactical multifunctional system for use in harsh field environments. It withstands the toughest military applications, allowing installation in tracked and wheeled vehicles, aircraft and ships. AN/UXC-10 receives/sends data at 64 kbps-transmission rate and provides photographic quality imagery far superior to typical half tones dithered technology. The AN/UXC-10 is a North Atlantic Treaty Organization/Military standard digital facsimile, scanner, printer, and copier.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	86	8	25	23	15	0	15	0	8	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	206	0	29	32	20	0	13	0	0	111	1	0
Shortfall/Excess	120	-8	4	9	5	0	-2	0	-8	111	1	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5815014787095	0	0%	0%	0%	0%	0%	100%	NO	NO	N	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A0905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0905: DIGITAL IMAGING SET

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	271	24	24	24	15	100	50	34	24	0	0	0
AAO (FY17)	251		20	18	12	94	49	34	24	0	0	0
O/H	283	8	16	40	23	79	62	35	0	20	0	0
Shortfall/Excess	12	-16	-8	16	8	-21	12	1	-24	20	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014200425	0	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0
6760090004316	8	0%	0%	100%	0%	0%	0%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0907 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0907: DIGITAL CAMERA SUITE ADV NV

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	557	72	95	90	49	69	159	23	72	0	0	0
AAO (FY17)	501		80	68	40	63	155	23	72	0	0	0
O/H	256	0	18	83	11	73	65	2	0	0	0	0
Shortfall/Excess	-301	-72	-77	-7	-38	4	-94	-21	-72	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6760090004309	0	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is currently in its refresh cycle, therefore if any are returned non mission capable, they should be Demil'd and DRMO'd. There is no requirement to return the obsolete gear back to the unit. When the unit returns to their home station, they will receive their refreshed equipment. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0908 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0908: PRODUCTION SUITE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	238	10	19	18	8	134	42	7	10	0	0	0
AAO (FY17)	227		17	14	7	131	41	7	10	0	0	0
O/H	263	3	52	21	16	100	55	5	0	11	0	0
Shortfall/Excess	25	-7	33	3	8	-34	13	-2	-10	11	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6760090004315	3	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0909 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0909: COMPUTER SYSTEM, DIG

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	687	72
AAO (FY17)	631	
O/H	583	9
Shortfall/Excess	-104	-63

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
95	90	49	177	159	45	72	0	0	0
80	68	40	171	155	45	72	0	0	0
115	124	42	77	177	29	0	10	0	0
20	34	-7	-100	18	-16	-72	10	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090004314	9	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A0910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0910: BASE STATION WS/COMM INTERFACE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	301	34	43	38	22	95	43	26	34	0	0	0
AAO (FY17)	275		36	30	18	89	42	26	34	0	0	0
O/H	208	0	28	26	14	74	42	24	0	0	0	0
Shortfall/Excess	-93	-34	-15	-12	-8	-21	-1	-2	-34	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090004307	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A0921 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0921: TELECOMMUNICATIONS EQUIP, AN/TSQ-226(V)1 (TROJAN LITE)

The Trojan Lite is a man-transportable transit case providing a flyaway intelligence dissemination capability and voice and data connectivity from Marine Expeditionary Units or Brigades to the Marine Expeditionary Forces.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	33	4
AAO (FY17)	34	
O/H	24	2
Shortfall/Excess	-9	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	7	0	0	4	4	0	0	0
9	9	7	0	1	4	4	0	0	0
8	7	5	0	0	2	0	0	0	0
-1	-2	-2	0	0	-2	-4	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015036100	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	2	0	0

Notes: Depot level maintenance is performed at regional depots, and, if necessary, will be sent via MCLC. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory, notify PG-12/PMM123 for maintenance, a

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	1.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A0932 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0932: INTELLIGENCE/OPERATIONS WORKSTATION AN/UYQ88

This workstation consists of the following:
1. Designated UNIX server is the Intelligence Operations Server Version 1 (IOS V1)
2. Designated Windows workstation is the Intelligence Operations Workstation Version 1 (IOW V1)

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	908	0
AAO (FY17)	941	
O/H	1,031	37
Shortfall/Excess	123	37

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
207	206	164	40	117	174	0	0	0	0
214	209	156	36	152	174	0	0	0	0
287	205	208	31	113	76	0	74	0	0
80	-1	44	-9	-4	-98	0	74	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010014600494	19	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	Yes	No	No	0	0	19
7010015753698	18	0%	0%	0%	100%	0%	0%	NO	NO	n	No	No	No	Yes	No	No	0	0	18
7010090000931	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	Yes	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A1078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1078: MULTIPLEXER

The Radio Repeater Set, AN/GRQ-32 is a sensor communications relay that enables communication between deployed sensors and monitoring sites when radio Line of Sight is precluded by terrain. This system provides the capability to transmit real-time sensor activation data to the Sensor Mobile Monitor System, the Signal Data Recorder, and the Portable Monitor; or to receive, store, and upon command from the monitoring site, re-transmit the stored sensor data.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	198	0
Shortfall/Excess	198	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
75	26	36	0	19	0	0	0	42	0
75	26	36	0	19	0	0	0	42	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820011452458	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Disposal Plan 08792A is published with disposal actions starting in 3rd quarter FY12.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A1214 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1214: PANEL, PATCHING, COMMUNICATION

The Panel, Patching, Communications, SB-4097/U, is designed for field use with the 26-pair system to provide patching, monitoring, and testing of up to 156 each two-wire circuits.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	27	0
Shortfall/Excess	27	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
13	4	4	0	3	3	0	0	0	0
13	4	4	0	3	3	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895011022100	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Disposal Plan 08229A is published with disposal actions starting in 4th quarter FY12.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	34	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A1220 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1220: RADIO RECON EQUIPMENT, S

The RREP SS-3 consists of the following key components: a Special Purpose Receiver, XR2000, AR-8200, MJ-08 and HIDRAH. Additionally the SS-3 has semi rugged laptop computers for control and communication, and a series of wiring harnesses for LAN and power connectivity.

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	42	0
AAO (FY17)	42	
O/H	39	2
Shortfall/Excess	-3	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	6	8	18	0	1	0	0	0	0
9	6	8	18	0	1	0	0	0	0
11	5	6	15	0	0	0	0	0	0
2	-1	-2	-3	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015249479	2	0%	0%	0%	70%	0%	0%	NO	NO	No	No	No	no	Yes	No	No	1	0	0

Notes: Depot level maintenance will occure at NSWC Crane, send these items to MCLC so maintenance can be coordinated with the OEM. DO NOT POWER WASH. Item contains sensitive electronics, radios, computers, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of supply support needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1221 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1221: MONITOR, PORTABLE, HAND HELD, AN/USQ-121

Tactical Remote Sensor Systems (TRSS) are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area. At a minimum, TRSS is capable of detecting human activity and/or the presence and movement of vehicles, providing real time, near-real time, or non-real time monitoring of sensors ashore and/or over the horizon. Monitoring equipment is lightweight and mobile to support fast-moving amphibious and expeditionary operations. Individual sensors can be emplaced by air or ground forces. Sensors and relays have sufficient power sources to operate continuously for 30 days.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	244	24		54	54	36	0	36	40	24	0	0	0
AAO (FY17)	262			54	54	36	0	54	40	24	0	0	0
O/H	117	3		34	44	21	0	8	5	0	2	0	0
Shortfall/Excess	-127	-21		-20	-10	-15	0	-28	-35	-24	2	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7035015218607	3	0%	0%	0%	70%	30%	0%	NO	NO	No	No	No	No	No	Y	No	3	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment, otherwise send to LOGCOM for repair or disposal. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1225 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1225: NETWORK MANAGER, EPLRS

Tactical Data Radio Systems (TDRS) Enhanced Position Location Reporting System Network Manager (ENM) is a software program capable of running on virtually any Pentium computer. The EPLRS Project Office has opted to acquire and field this software aboard a suite of equipment based upon the MCHS ruggedized Panasonic Tough Book model 28/29 laptop computer. The suite also includes a printer, sheet feeder, GPIB, and assorted other accessories all housed for transport in a single high impact plastic transit suitcase.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	169	0	40	34	20	0	28	47	0	0	0	0
AAO (FY17)	161		40	30	20	0	24	47	0	0	0	0
O/H	126	0	19	33	25	0	18	29	0	2	0	0
Shortfall/Excess	-43	0	-21	-1	5	0	-10	-18	0	2	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090002382	0	30%	0%	0%	70%	0%	0%	NO	NO	N	No	No	no	no	N	N	0	0	0

Notes: Use no water. Clean computers and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1260 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1260: NAVIGATION SET, SATELLITE SIGNALS, AN/PSN-13 DAGR

The Navigation Set, Satellite Signals is commonly called the Precision Lightweight Global Positioning System (PLGR). PLGR is a highly accurate, durable, miniaturized receiver that provides position location information as well as other navigation functions.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	12,727	2209
AAO (FY17)	12,147	
O/H	15,642	234
Shortfall/Excess	2,915	-1,975

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,301	2,073	913	2,234	1,529	1,027	2,209	420	21	0
2,100	1,865	875	2,168	1,470	1,019	2,209	420	21	0
2,683	2,289	1,236	2,206	1,543	1,302	0	4,015	134	0
382	216	323	-28	14	275	-2,209	3,595	113	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5825013953513	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	yes	Yes	Yes	No	0	0	0
5825015168038	0	0%	0%	0%	0%	100%	0%	NO	NO	n	No	Yes	yes	Yes	Yes	No	0	0	0
5825015264783	234	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	Yes	No	0	176	58

Notes: Rockwell Collins performs repairs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. All information for identified TAMCN A1260 is DAGR; PLGR is obsolete. Must be zeroized IAW TM 09880C-OR. Pack individually IAW MILSTD to avoid damage.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A1500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1500: RADAR SET, AN/TPS-63B

The AN/TPS-63 is a two dimensional,medium range, medium altitude, transportable air surveillance radarsystem that supports the MAGTF. TheAN/TPS-63B Radar complements theco-employed AN/TPS-59(V)3 LongRange Radar

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	13	0
AAO (FY17)	13	
O/H	13	1
Shortfall/Excess	0	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	3	0	2	0	0
2	2	2	0	2	3	0	2	0	0
1	1	1	0	1	3	0	5	0	0
-1	-1	-1	0	-1	0	0	3	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840013550092	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	yes	No	Yes	No	1	0	0

Notes: Item will be updated at the MEF. The AN/TPS-63 Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1503: RADAR, AN/TPS-59(V3)

The AN/TPS-59(V)3 RADAR system is the Marine Corps' only long-range, 3-D, air surveillance, Tactical Ballistic Missile (TBM) capable RADAR. The AN/TPS-59(V)3 RADAR system is a transportable, solid-state, L band RADAR.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	11	0
AAO (FY17)	11	
O/H	14	2
Shortfall/Excess	3	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	2	0	1	0	0
2	2	2	0	2	2	0	1	0	0
1	2	2	0	2	2	0	3	0	0
-1	0	0	0	0	0	0	2	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840014129653	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	yes	No	Yes	No	1	0	0
5840015840224	1	0%	100%	0%	0%	0%	0%	NO	NO		No	No	YES	no	no	no	1	0	0

Notes: Rotation plan is: two years deployed and then go through LOGCOM to Tobyhanna Army Depot. The AN/TPS-59 Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna Transiever Group or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.4

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1520 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1520: COMMON GROUND STATION (CGS)

Radar System Attack Target JT, AN/TSQ-179B(V)2

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	9	1
AAO (FY17)	12	
O/H	3	0
Shortfall/Excess	-6	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	0	0	1	0	0	0
3	3	2	0	3	0	1	0	0	0
1	1	1	0	0	0	0	0	0	0
-2	-2	-1	0	0	0	-1	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865014374914	0	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	no	No	No	No	0	0	0

Notes: Depot maintenance is performed at Tobyhanna Army Depot. DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. The system will be secured and should not be opened. Use compressed air and a vacuum to dust and clean any exterior areas. Damp rags may be used to wipe exterior areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, Tobyhanna Army Depot needs to complete a detailed inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic depot level maintenance required.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1081	4.7

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1818 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1818: RADIO SET

The AN/GRC-171B(V)4 is a UHF transceiver designed for ground mobile or shipboard installation and operations. This radio set is a modular design which contains Built-In-Test features and has an integral guard receiver.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	321	112	36	36	23	0	53	61	112	0	0	0
AAO (FY17)	304		36	36	23	0	36	61	112	0	0	0
O/H	257	21	27	17	31	0	27	69	0	65	0	0
Shortfall/Excess	-64	-91	-9	-19	8	0	-26	8	-112	65	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820013268947	21	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	21	0

Notes: DO NOT POWER WASH. Radio contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A1956 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1956: KIT, MAINT, ELECTRONIC EQUIPMENT

The Mk-2713/MRC-142 is a module/CCA set for fault isolation of Radio Set AN/MRC-142 to the lowest reparable unit.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	76	36
AAO (FY17)	77	
O/H	33	0
Shortfall/Excess	-43	-36

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	9	0	8	5	36	0	0	0
9	9	9	0	9	5	36	0	0	0
7	2	7	0	1	1	0	15	0	0
-2	-7	-2	0	-7	-4	-36	15	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895013649337	0	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	0	0	0

Notes: Depot maintenance is done at SPAWAR, Charleston via the MEFs. Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1957 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1957: RADIO SET

The AN/MRC-145A is an AN/VRC-92D Radio Set mounted in a 1/4 ton HMMWV, M998. It provides two-way FM transmitting and receiving facilities in the very high frequency band.

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,095	594
AAO (FY17)	1,963	
O/H	1,258	1
Shortfall/Excess	-837	-593

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
408	353	179	0	308	55	594	0	198	0
369	296	165	0	286	55	594	0	198	0
305	289	168	0	242	68	0	24	161	0
-103	-64	-11	0	-66	13	-594	24	-37	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820013618536	1	50%	0%	0%	50%	0%	0%	NO	NO	Y	No	No	no	no	N	N	0	0	0
5820014318931	0	50%	0%	0%	50%	0%	0%	NO	NO	Y	No	No	no	no	N	N	0	0	0

Notes: This is not a system that is currently being actively fielded, all dispositions are the responsibility of the LOGCOM Material Manager. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	3.8

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A1958 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1958: KIT, MAINT, ELECTRONIC EQUIPMENT

The MK-2745/MRC-142 is used to assist in isolating failures with in the Radio Set, AN/MRC-142.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	76	32	12	7	9	0	8	8	32	0	0	0
AAO (FY17)	85		13	13	9	0	10	8	32	0	0	0
O/H	36	0	6	2	8	0	2	2	0	16	0	0
Shortfall/Excess	-40	-32	-6	-5	-1	0	-6	-6	-32	16	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895013695560	0	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	0	0	0

Notes: Depot maintenance is done at SPAWAR, Charleston via the MEFs. Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2042: RADIO SET, HIGH FREQUENCY, MANPACK, AN/PRC-150

The AN/PRC-150 provides half duplex HF and VHF tactical radio communications. It provides voice or data (using a modem) through Single Sideband modulation selectable for either USB or LSB.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	5,324	500	1,078	1,041	496	390	824	557	500	153	285	0
AAO (FY17)	5,099		1,029	921	483	358	827	543	500	153	285	0
O/H	6,608	109	1,179	1,096	723	456	855	659	0	1,263	268	0
Shortfall/Excess	1,284	-391	101	55	227	66	31	102	-500	1,110	-17	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014787615	4	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	no	no	N	N	0	0	4
5820014923628	105	0%	0%	0%	100%	0%	0%	NO	NO	N	No	No	no	no	N	Y	105	0	0

Notes: NSN 5820-01-478-7615 is obsolete and should not contain crypto so can be DRMO'd in theater. Other NSNs DO contain crypto. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2043: RADIO SET, MULTIBAND (URBAN) AN/PRC-148V2

The Tactical Handheld Radio, AN/PRC-148, is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz frequency spectrum.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	6,877	1321
AAO (FY17)	6,250	
O/H	6,308	2
Shortfall/Excess	-569	-1,319

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,190	1,487	770	0	940	947	1,321	222	0	0
1,021	1,299	768	0	872	747	1,321	222	0	0
1,594	1,838	916	3	1,049	625	0	281	0	0
404	351	146	3	109	-322	-1,321	59	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810090000353	2	0%	0%	0%	100%	0%	0%	NO	NO	N	No	No	no	no	N	N	2	0	0
5820014601605	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2044: RADIO SET, MULTIBAND (MARITIME) AN/PRC-148

The Tactical Handheld Radio, AN/PRC-148, is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz frequency spectrum.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	5,514	1159	574	550	352	2,007	755	117	1,159	0	0	0
AAO (FY17)	5,167		473	449	277	1,937	755	117	1,159	0	0	0
O/H	4,760	0	729	591	434	2,705	213	70	0	18	0	0
Shortfall/Excess	-754	-1,159	155	41	82	698	-542	-47	-1,159	18	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810090000354	0	50%	0%	0%	50%	0%	0%	NO	NO	Y	Yes	Yes	no	no	N	N	0	0	0
5820015729367	0	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2065: RADIO SET, F/LVTC7

The Radio Set AN/PRC-104 and AN/PRC-104B(V) are lightweight portable HF/SSB transceivers. Each Radio Set has adaptable configurations and is man-portable, vehicular and airborne.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	727	0	1	6	0	0	9	0	0	699	12	0
Shortfall/Excess	727	0	1	6	0	0	9	0	0	699	12	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820010279071	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	no	no	N	Y	0	0	0

Notes: Follow in accordance to the Disposal Plan.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A2068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2068: RADIO SET, MULTIBAND, FALCON II, AN/PRC-117F

The AN/PRC-117F(V)1(C) is an advanced multi-band multi-mission manpack radio set, which provides reliable tactical communications through U.S. Government Type I encryption for enhanced secure voice (COMSEC, TRANSEC), high-speed data, ECCM and is SATCOM capable.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	8,040	251	1,968	1,863	995	483	1,434	962	251	0	84	0
AAO (FY17)	7,851		1,837	1,629	1,000	468	1,655	927	251	0	84	0
O/H	8,680	405	2,213	2,109	1,376	430	887	750	0	264	246	0
Shortfall/Excess	640	154	245	246	381	-53	-547	-212	-251	264	162	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014622484	405	0%	0%	0%	100%	0%	0%	NO	NO	N	No	No	no	no	N	N	405	0	0

Notes: Recommendation is to back fill the units that have an AAO deficiency, with current back order resident in WOLPH. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2070: RADIO SET, MANPACK, AN/PRC-119A

The Radio Set, AN/PRC-119A, operates as a ground based manpack radio for tactical communication of voice-frequency FSK or digital data. Communication can be secured and/or frequency hopped for COMSEC or ECCM purposes.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	3,061	0
Shortfall/Excess	3,061	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
604	661	342	0	832	359	0	143	120	0
604	661	342	0	832	359	0	143	120	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012679482	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	no	no	N	N	0	0	0

Notes: Although this item is listed as obsolete, a number are being brought home and converted to A2079. For those in unserviceable condition, DRMO in theater. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A2073 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2073: RADIO SET

The Radio Set, Manpack, AN/PRC-119D operates as a ground-based manpack radio for tactical communication ofvoice frequency, Frequency Shift Keying (FSK), or digital data. Communication can be secured and/or frequencyhopped for Communications Security (COMSEC) or Electronic Counter-Countermeasures (ECCM) purposes. TheAN/PRC-119D incorporated the technological advances of the RT-1523C(C)/U to support enhanced transmissionand reception of synchronous and asynchronous data. RT-1523C(C)/U has a internalmounted options for a Global Positioning System (GPS) receiver and a Network Access Unit (NAU).



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	223	0
Shortfall/Excess	223	0

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
76	27	29	0	10	78	0	3	0	0
76	27	29	0	10	78	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014210801	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	no	no	N	N	0	0	0

Notes: Item is listed as obsolete. For those in theater, send to MCLC in order to be DRMOed. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A2074 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2074: RADIO SET, VEH

The Radio Set, AN/VRC-88D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	115	0
Shortfall/Excess	115	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
47	20	5	0	27	1	0	15	0	0
47	20	5	0	27	1	0	15	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820013521694	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	no	no	N	N	0	0	0

Notes: Item is listed as obsolete, but is still used in the ambulances. Item is considered CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A2075 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2075: RADIO SET, VEH

The Radio Set, AN/VRC-89D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	250	0
Shortfall/Excess	250	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
57	23	14	0	52	7	0	85	12	0
57	23	14	0	52	7	0	85	12	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014206619	0	0%	0%	0%	0%	100%	0%	NO	NO	N	No	No	no	no	N	N	0	0	0

Notes: Item is listed as obsolete, but is still used in Tanks, AAVs, and LAVs, and will be returned to the MEFs. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2077 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2077: RADIO SET, VEHICULAR

The Radio Set, AN/VCR-91D, is a basic set which requires operating components that are part of a requisite installation kit platform.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	108	0
Shortfall/Excess	108	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
12	9	6	0	2	5	0	74	0	0
12	9	6	0	2	5	0	74	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014206621	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	no	no	N	N	0	0	0

Notes: Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A2078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2078: RADIO SET, VEHICULAR

The Radio Set, AN/VRC-92D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	277	14
AAO (FY17)	259	
O/H	307	12
Shortfall/Excess	30	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
67	46	25	0	86	9	14	0	30	0
65	41	23	0	77	9	14	0	30	0
58	62	44	0	51	4	0	70	6	0
-9	16	19	0	-35	-5	-14	70	-24	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014212605	12	0%	0%	0%	0%	100%	0%	NO	NO	N	No	Yes	no	no	N	N	0	12	0

Notes: Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2079: RADIO SET, MANPACK

The Radio Set, Manpack, AN/PRC-119F operates as a ground-based manpack radio for tactical communication ofvoice frequency, Frequency Shift Keying (FSK), or digital data. Communication can be secured and/or frequencyhopped for Communications Security (COMSEC) or Electronic Counter-Countermeasures (ECCM) purposes. TheAN/PRC-119F incorporated the technological advances of the RT-1523E(C)/U to support enhanced transmissionand reception of synchronous and asynchronous data. RT-1523E(C)/U improvements include substantial decreasein physical size and weight, an embedded battery box for manpack operation, extended battery life and internalmounted options for a Global Positioning System (GPS) receiver and a Network Access Unit (NAU).

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	4,600	1633	718	699	266	0	737	547	1,633	0	0	0
AAO (FY17)	4,174		650	541	239	0	584	527	1,633	0	0	0
O/H	3,910	5	1,041	1,054	398	0	875	537	0	0	0	0
Shortfall/Excess	-690	-1,628	323	355	132	0	138	-10	-1,633	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014518252	5	0%	0%	0%	100%	0%	0%	NO	NO	N	No	No	no	no	N	N	5	0	0

Notes: Recommendation is to back fill the units. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit need to complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2152: RADIO SET, EPLRS AN/VSQ2C

The Enhanced Position Location Reporting System is a digital transmission system that provides the digital RF backbone necessary for the movement of information between MAGTF C4I Tactical Data Systems, such as the Tactical Data Network.

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,601	131	467	365	157	0	343	138	131	0	0	0
AAO (FY17)	1,574		440	344	157	0	364	138	131	0	0	0
O/H	1,891	0	597	407	316	0	274	276	0	18	3	0
Shortfall/Excess	290	-131	130	42	159	0	-69	138	-131	18	3	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014628411	0	50%	0%	0%	50%	0%	0%	NO	NO	N	No	No	no	no	N	N	0	0	0

Notes: Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2167 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2167: RADIO SET, VEH

The Radio Set, AN/VRC-88A, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	155	0
Shortfall/Excess	155	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
41	3	23	0	58	16	0	14	0	0
41	3	23	0	58	16	0	14	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012679481	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	no	no	N	N	0	0	0

Notes: Item is obsolete and disposal plan is in place, however, item may be able to be cannibalized in CONUS if serviceable. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A2168 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2168: RADIO SET, VEH

The Radio Set, AN/VRC-89A, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	273	0
Shortfall/Excess	273	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
105	25	85	0	18	12	0	28	0	0
105	25	85	0	18	12	0	28	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012679479	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	no	no	N	N	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A2169 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2169: RADIO SET, VEHICULAR

The Radio Set, AN/VCR-90A, is a basic set which requires operating components that are part of a requisite installation kit platform. It operates a long-range/short-range vehicular radio for tactical communication of voice-frequency FSK or digital data.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	347	4	54	51	31	0	39	40	0	19	103	6
Shortfall/Excess	347	4	54	51	31	0	39	40	0	19	103	6

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012685105	4	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	no	no	N	N	0	4	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A2171 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2171: RADIO SET, VEH

The Radio Set, AN/VRC-92A is the dual long-range vehicular configuration of the Integrated Communications Single Channel Ground to Air Radio System. Features of this radio include controllable output power with a maximum of 50 watts, 8 non-volatile present single channels, 6 non-volatile frequency hopping preset channels, and operates over the 30 to 87.975 MHz frequency range in 25 kHz channels (2,320 total channels).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	28	0	2	1	0	0	16	2	0	7	0	0
Shortfall/Excess	28	0	2	1	0	0	16	2	0	7	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012679477	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	no	no	N	N	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A2179 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2179: TERMINAL, RADIO, TROPOSCATTER, DIGITAL

The AN/TRC-170 is a transportable, self-enclosed troposcatter terminal (multichannel) capable of transmitting and receiving digital signals over varying distances.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	158	12
AAO (FY17)	158	
O/H	164	0
Shortfall/Excess	6	-12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
28	28	24	0	28	14	12	0	24	0
28	28	24	0	28	14	12	0	24	0
27	29	24	0	19	16	0	25	24	0
-1	1	0	0	-9	2	-12	25	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015602957	0	0%	100%	0%	0%	0%	0%	NO	NO	N	No	No	yes	no	Y	N	0	0	0

Notes: Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	119	0	6.6

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2293 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2293: SHELTER, RIGID WALL, MODULAR, EXTENDABLE

Two Modular Extendable Rigid Wall Shelter (MERWS) complexes; each consisting of a MERWS kit attached to an S-786/G ISO 3:1 shelter of the Army Standard Family of expandable rigid wall shelters.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	18	10	2	2	2	0	2	0	10	0	0	0
AAO (FY17)	18		2	2	2	0	2	0	10	0	0	0
O/H	19	1	2	6	2	0	2	0	0	6	0	0
Shortfall/Excess	1	-9	0	4	0	0	0	0	-10	6	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013129084	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	1	0

Notes: Power washing may be completed on the inside and outside of this item. Care should be taken around power outlets and wiring to prevent damage. Unservicable outlets will be replaced during rebuild as well as the wiring. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2300: RADIO REPEATER SET

Tactical Remote Sensor Systems (TRSS) are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area. At a minimum, TRSS is capable of detecting human activity and/or the presence and movement of vehicles, providing real time, near-real time, or non-real time monitoring of sensors ashore and/or over the horizon. Monitoring equipment is lightweight and mobile to support fast-moving amphibious and expeditionary operations. Individual sensors can be emplaced by air or ground forces. Sensors and relays have sufficient power sources to operate continuously for 30 days. TRSS is employed by the Marine Corps Ground Sensor Platoon.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	590	35
AAO (FY17)	638	
O/H	460	0
Shortfall/Excess	-130	-35

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
144	144	96	0	96	75	35	0	0	0
144	144	96	0	144	75	35	0	0	0
167	133	90	0	21	21	0	28	0	0
23	-11	-6	0	-75	-54	-35	28	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014863797	0	0%	15%	0%	45%	40%	0%	NO	NO	No	No	No	yes	No	Y	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2306 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2306: SENSOR SYSTEM, MONITOR, MOBILE

The SMMS is a Tactical Remote Sensor System consisting of an AN/USQ-126 Sensor Monitor System (SMS) mounted on a High Mobility Multi-purpose Wheeled Vehicle and a skid-mounted generator towed on a trailer.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	37	2
AAO (FY17)	40	
O/H	38	17
Shortfall/Excess	1	15

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	6	0	6	3	2	2	0	0
9	9	6	0	9	3	2	2	0	0
4	4	0	0	2	1	0	10	0	0
-5	-5	-6	0	-4	-2	-2	8	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6350013821826	17	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	no	No	Yes	No	0	17	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. Else, the gear should be sent to LOGCOM for repair or disposal. The exterior of the vehicle can be powerwashed, but the electronic gear within the shelter should NOT be agriculturally washed. Should the electronic equipment within the TAMCN be powerwashed it would be ruined beyond economical repair and would have to be reprocured. Recommend no local nationals transport this gear as it contains equipment that is considered highly pilferable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.2

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2333 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2333: SHELTER, TACTICAL, EXPANDABLE, TWO-SIDED

The S-786/G Two-Sided Expandable Tactical Shelter is a self-contained transportable multi-application utility shelter. As a member of family of standard rigid wall International Standard Organizational (ISO) shelters, it is equipped with standard ISO fittings. It is also equipped with mobilizer fittings (for mobilizer transportation) and built-in fork lift provisions. It is designed for all weather operation, and has an environmentally controlled interior, rigid wall construction, and external electrical power connection. Its design incorporates a door activated blackout switch to facilitate operation under blackout conditions.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY13)	36	12
AAO (FY17)	36	
O/H	38	11
Shortfall/Excess	2	-1

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	6	0	6	0	12	0	0	0
6	6	6	0	6	0	12	0	0	0
6	3	5	0	5	7	0	1	0	0
0	-3	-1	0	-1	7	-12	1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411012949866	11	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	yes	No	Yes	No	0	11	0

Notes: Power washing may be completed on the inside and outside of this item. Care should be taken around power outlets and wiring to prevent damage. Unservicable outlets will be replaced during rebuild as well as the wiring. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	2.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2335 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2335: SHELTER, 10FT, EMI, MAINT COMPLEX

The Non-expandable, 10 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	424	66	82	81	67	0	69	0	66	11	36	12
AAO (FY17)	439		91	87	66	0	70	0	66	11	36	12
O/H	291	10	68	55	45	0	41	0	0	44	28	0
Shortfall/Excess	-133	-56	-14	-26	-22	0	-28	0	-66	33	-8	-12

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013046122	10	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	10	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2336 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2336: SHELTER, 20FT, EMI, MAINT COMPLEX

The Non-expandable, 20 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	353	80	61	59	47	0	45	0	80	9	39	13
AAO (FY17)	375		69	68	46	0	51	0	80	9	39	13
O/H	207	8	37	31	35	0	15	2	0	44	33	2
Shortfall/Excess	-146	-72	-24	-28	-12	0	-30	2	-80	35	-6	-11

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013046121	8	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	8	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2337 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2337: SHELTER, 20FT, RIGID, MAINT COMPLEX

The Non-expandable, 20 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	357	96	55	60	39	0	54	3	96	10	30	10
AAO (FY17)	357		60	63	37	0	48	3	96	10	30	10
O/H	238	19	58	45	29	0	34	0	0	36	17	0
Shortfall/Excess	-119	-77	3	-15	-10	0	-20	-3	-96	26	-13	-10

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013057366	19	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	19	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2338 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2338: SHELTER, 10FT, RIGID, MAINT COMPLEX

The Non-expandable, 10 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	395	154
AAO (FY17)	401	
O/H	255	15
Shortfall/Excess	-140	-139

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
64	64	43	0	62	0	154	8	0	0
69	69	43	0	58	0	154	8	0	0
73	60	35	0	36	0	0	36	0	0
9	-4	-8	0	-26	0	-154	28	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013046123	15	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	15	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2390 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2390: FACILITY, ANTI-AIR WARFARE, SECTOR

The SAAWF provides a work site for the Sector Air Defense Coordinator to manage the execution of the air defense plan in his assigned sector. The SAAWF consists of eight COTS computers connected via an Ethernet backbone to two dual System Server Unit server groups (the SAAWF can be configured to include up to twenty workstations).

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	20	4
AAO (FY17)	19	
O/H	10	1
Shortfall/Excess	-10	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	4	4	4	0	0	0
3	3	2	0	3	4	4	0	0	0
1	5	1	0	1	1	0	0	0	0
-2	2	-1	0	-3	-3	-4	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015344772	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	no	No	No	No	1	0	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter can be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.2

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2525 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2525: TACTICAL AIR OPERATIONS MODULE

The Air Defense System, AN/TYQ-23(V)4, includes both hardware and software configured as an automated Tactical Air Operations Central. Each Air Defense System is a transportable module that can operate independently.

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	34	0
AAO (FY17)	31	
O/H	31	3
Shortfall/Excess	-3	3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	4	0	9	9	0	0	0	0
6	6	4	0	6	9	0	0	0	0
2	2	4	0	2	9	0	9	0	0
-4	-4	0	0	-7	0	0	9	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014619786	3	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	3	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter can be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	8.3

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2534 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2534: DATA DISTRIBUTION

The Data Distribution System, known as Tactical Data Network (TDN) Server, augments existing Marine Air-Ground Task Force (MAGTF) tactical communications infrastructure to provide the MAGTF Commander an integrated data network. This data network supports MAGTF Tactical Data Systems (TDSs) and the Defense Message System (DMS) by providing a network of communication nodes (gateways & servers) interconnected with one another and their subscribers via a combination of common user long haul transmission systems, local area networks (LANs), the Enhanced Position Location Reporting System (PLRS), and switch telephone systems.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	8	0
Shortfall/Excess	8	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	4	1	0	0	1	0	0	0	0
2	4	1	0	0	1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014740355	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is in the process of Disposal. DP5895 PCN 13110834000. REMOVE HARDRIVE AND EKMS PRIOR TO IN THEATER DISPOSAL.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A2536 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2536: TACTICAL DEFENSE MESSAGE SYSTEM

The Tactical Defense Message System provides users access to the DMS global address directory and the capability to exchange signed and encrypted messages using a class four Public Key Infrastructure hardware token.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	27	0
AAO (FY17)	27	
O/H	29	0
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	6	0	6	3	0	0	0	0
6	6	6	0	6	3	0	0	0	0
5	4	5	0	2	11	0	2	0	0
-1	-2	-1	0	-4	8	0	2	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090002686	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	yes	No	No	0	0	0

Notes: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. All associated power cords and accessories should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2538 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2538: DATA DISTRIBUTION

The Data Distribution System, referred to as the Tactical Data Network Server, augments the existing Marine Air- Ground Task Force tactical communications infrastructure to provide the MAGTF Commander an integrated data network. This data network will support MAGTF Tactical Data Systems and the Defense Message System by providing a network of communication nodes (gateways and servers) interconnected with one another and their subscribers via a combination of common user long haul transmission systems, local area networks, the Enhanced Position Location Reporting System, and switch telephone systems.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	38	0
Shortfall/Excess	38	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
9	4	4	0	21	0	0	0	0	0
9	4	4	0	21	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015040650	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is in the process of Disposal. DP5895 PCN 13110834000. REMOVE HARDRIVE AND EKMS PRIOR TO IN THEATER DISPOSAL.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A2546 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2546: COMPUTER, RUGGEDIZED, ULTRAPORT, LAPTOP

Fully Ruggedized Laptop. i.e. Panasonic CF-29 or CF-30 or GETAC-B300. There are multiple vendors for this TAMCN.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	7,612	0
AAO (FY17)	7,210	
O/H	9,332	265
Shortfall/Excess	1,720	265

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,545	2,258	1,284	0	1,404	98	0	0	23	0
2,381	2,122	1,233	0	1,353	98	0	0	23	0
2,828	2,794	1,697	450	584	707	0	2	5	0
283	536	413	450	-820	609	0	2	-18	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015321325	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0
7010015643767	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0
7010090000382	8	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	8	0	0
7010090003753	44	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	44	0	0
7010090003756	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0
7010090004287	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0
7010090004288	109	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	109	0	0
7010090004289	3	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	3	0	0
7021090006225	56	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	56	0	0
7022014779089	45	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	45	0	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

Notes: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII…….. Other NSNs follow same strategy: 7010090004289 (94 O/H), 7010015643767 (35 O/H), 7010090000382 (16 O/H), 7010090003756 (5 O/H)

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- ☑ **Sensitive** ☐ **CCI**
- ☑ **Multi-Modal**
- ☐ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2548 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2548: COMPUTER

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	934	0
AAO (FY17)	939	
O/H	1,169	0
Shortfall/Excess	235	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
260	241	187	0	130	116	0	0	0	0
259	237	191	0	136	116	0	0	0	0
357	259	211	0	0	335	0	7	0	0
97	18	24	0	-130	219	0	7	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090002543	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	Yes	No	No	0	0	0

Notes: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A2551 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2551: COMMAND SYSTEM, TACTICAL

The Intelligence Broadcast Receiver program is a family of terminals specifically designed to receive and process broadcast intelligence information. It consists of the currently fielded AN/USC-55A, or Commanders Tactical Terminal Three-Channel, the AN/USC-62(V)x(c), or Joint Tactical Terminal, the future Embedded National Tactical Receiver, and other hardware products and software modules that may be developed for integration with Marine Corps C4I systems.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	62	6	14	18	7	0	5	12	6	0	0	0
AAO (FY17)	61		14	16	7	0	6	12	6	0	0	0
O/H	14	1	0	2	2	0	3	4	0	2	0	0
Shortfall/Excess	-48	-5	-14	-16	-5	0	-2	-8	-6	2	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014439072	1	0%	0%	0%	100%	0%	0%	NO	NO	Yes	No	No	No	No	No	No	1	0	0

Notes: Item has reached its end of service life, and will be replaced by TAMCN A0280, Universal Serial Bus Embedded National Tactical Receiver. Item will be disposed of at MCLB Albany. DO NOT POWER WASH. Item contains sensitive electronics, computer, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0.1

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2555 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2555: ADVANCED FIELD ARTY TACTICAL DATA SYSTEM AN/GYK-60

The Advanced Field Artillery Tactical Data System, AN/GYK-60, is an automated Command and Control system for fire support

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,009	143
AAO (FY17)	1,009	
O/H	1,155	28
Shortfall/Excess	146	-115

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
232	169	105	0	158	202	143	0	0	0
230	160	100	0	174	202	143	0	0	0
245	203	116	0	178	195	0	190	0	0
13	34	11	0	20	-7	-143	190	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1220015256305	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	yes	No	No	0	0	0
5895015729499	28	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	yes	No	No	14	0	14

Notes: Will be repaired with spare parts at the MEFs. For the most part, no depot level maintenance will be performed. If it is damaged beyond repair, will procure new.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	15	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2560 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2560: TARGET LOC, DESIG & HAND-OFF SYS (TLDHS)(BLK II)

The Target Location Designation and Hand-off System is a man-portable, automated equipment suite that provides Fire Support Observer/Controllers with the ability to accurately acquire, locate, then digitally transmit (hand-off) target data to Fire Support platforms and agencies.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	670	44
AAO (FY17)	638	
O/H	936	0
Shortfall/Excess	266	-44

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
148	136	83	12	165	82	44	0	0	0
131	117	69	12	183	82	44	0	0	0
182	178	120	50	150	140	0	116	0	0
34	42	37	38	-15	58	-44	116	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015244120	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0
7010015716450	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0

Notes: Item is under warranty and all will go through MCLC. Complete system contains one PRC-117F radio TAMCN: A2068.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2628 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2628: TECHNICAL CONTROL ANALYSIS CENTER, TRANS WRKSTN

The Tactical Control Analysis Center provides automated processing, analysis and reporting functions of the RadBn in order to fulfill its mission of providing timely, accurate SIGINT/EW support to MAGTF combat operations.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	369	30
AAO (FY17)	363	
O/H	292	39
Shortfall/Excess	-77	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
79	91	72	54	0	43	30	0	0	0
79	85	72	54	0	43	30	0	0	0
73	84	58	13	1	24	0	0	0	0
-6	-7	-14	-41	1	-19	-30	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010014653223	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0
7010090004435	39	0%	0%	0%	50%	50%	0%	NO	NO	No	No	No	No	No	No	No	39	0	0

Notes: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS representative will be contacted. The CLS representative will provide a replacement LRU to organic maintenance to conduct the repair. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2634 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2634: TCAC ANALYSIS WORKSTATION, REMOTE (TCAC RAWS)

The Tactical Control Analysis Center provides automated processing, analysis and reporting functions of the RadBn in order to fulfill its mission of providing timely, accurate SIGINT/EW support to MAGTF combat operations.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	60	4	11	15	10	12	0	8	4	0	0	0
AAO (FY17)	58		11	13	10	12	0	8	4	0	0	0
O/H	42	2	11	10	11	3	0	3	0	2	0	0
Shortfall/Excess	-18	-2	0	-5	1	-9	0	-5	-4	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090004436	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	2	0	0

Notes: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS representative will be contacted. The CLS representative will provide a replacement LRU to organic maintenance to conduct the repair. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	94	0.2

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2740 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2740: TEST SET, FIELD CABLE

The Cable Test Set is a portable testing unit for checking the continuity and insulation resistance of field-installed 26 pair cable assemblies and patching panels.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	306	52
AAO (FY17)	287	
O/H	147	0
Shortfall/Excess	-159	-52

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
68	66	39	0	59	2	52	0	15	5
66	60	39	0	48	2	52	0	15	5
29	33	19	0	26	1	0	26	13	0
-39	-33	-20	0	-33	-1	-52	26	-2	-5

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012577921	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	yes	No	No	No	0	0	0

Notes: This TAMCN should be sent to the MEFs in order to fill any home station shortfalls. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A2808 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2808: TEST SET, OPTICAL COMMUNICATIONS

The Test Set, Optical Communications, AN/GSM-317 is a self-contained test set used in a field environment to test and troubleshoot Fiber Optic Cable Assembly communication links.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	254	19
AAO (FY17)	249	
O/H	83	0
Shortfall/Excess	-171	-19

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
51	51	35	0	34	28	19	0	27	9
51	48	33	0	34	28	19	0	27	9
24	9	10	0	10	5	0	0	25	0
-27	-42	-25	0	-24	-23	-19	0	-2	-9

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012388954	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Disposal Plan 09010A is published with disposal actions starting in 4th quarter FY11. However, until the requirements at the MEFs are reduced, items will be returned to the MEFs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A3013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3013: MAINT KIT, TRSS, ELECTRONIC EQUIP

Tactical Remote Sensor Systems are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	29	8
AAO (FY17)	30	
O/H	9	0
Shortfall/Excess	-20	-8

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	3	7	8	0	0	0
4	4	3	0	4	7	8	0	0	0
1	3	0	0	0	5	0	0	0	0
-3	-1	-3	0	-3	-2	-8	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090004022	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: The Pelican case can be washed; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.Recommend no local nationals transport this gear as it contains equipment that is considered highly pilferable. (i.e COTS ITE)

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A3200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3200: TRAILER,MAINTENANCE

The Trailer, Bolster, M-796A1 is a 4 ton, 4 wheel trailer used to haul utility poles in a tactical environment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	1	1
Shortfall/Excess	1	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330002154211	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	1

Notes: Item is Obsolete and will be DRMO'd in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	2.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A3232 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3232: TACTICAL SATCOM, TRANSPORTABLE (SMART-T)

Secure Mobile Anti-jam Reliable Tactical Terminal is a MILSTAR satellite-compatible ground communications terminal that provides worldwide, secure, transportable, anti-jam, reliable, Low Probability of Intercept data and voice communications.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	62	13	13	13	10	0	13	0	13	0	0	0
AAO (FY17)	62		13	13	10	0	13	0	13	0	0	0
O/H	35	0	8	6	7	0	6	0	0	8	0	0
Shortfall/Excess	-27	-13	-5	-7	-3	0	-7	0	-13	8	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014350571	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0

Notes: Preparing to go through upgrades, as item has been used heavily in theater. Else, send to MCLC for routing to Tobyhanna Army Depot. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Do not separate weapon system from HMMWV. Reset schedule established by Army and subject to change, contact Project Officer prior to fielding shortfall. Always ship MILAIR, due to detailed handling requirements to prevent antenna damage. Embedded Crypto must be removed prior to shipping.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	797	4.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A3252 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3252: UAV SYSTEM, DRAGON EYE RAVEN-B

The Drone System is a hand launched reconnaissance and surveillance tool. The system transmits live airborne video images, compass headings and location information to a ground control station.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	488	58
AAO (FY17)	469	
O/H	90	3
Shortfall/Excess	-398	-55

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
108	107	40	72	86	17	58	0	0	0
99	89	47	72	87	17	58	0	0	0
25	37	9	5	3	0	0	8	0	0
-83	-70	-31	-67	-83	-17	-58	8	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1550015303912	3	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	yes	No	Yes	No	0	3	0
1550015389256	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	yes	No	Yes	No	0	0	0
1550015495291	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	yes	No	Yes	No	0	0	0

Notes: No LTI necessary. All items are going to have commercial depot strategy and will be 1-1 swap with A0321. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is Capt. Steven M. Stepanic PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A3255 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3255: SENSOR, GROUND, UNATTENDED AN/GSQ-257

The Unattended Ground Sensor Set, AN/GSQ-257, is a suite of hand emplaced sensors that operate unattended and detects activity through seismic, acoustic, infrared, and magnetic sensing technologies.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	40	6
AAO (FY17)	43	
O/H	28	0
Shortfall/Excess	-12	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	6	0	6	4	6	0	0	0
9	9	6	0	9	4	6	0	0	0
9	8	6	0	2	2	0	1	0	0
0	-1	0	0	-4	-2	-6	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6350013437134	0	0%	0%	0%	50%	50%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A3270 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3270: COMM INTERFACE SYSTEM, MRQ-12

The CIS, AN/MRQ-12 (V)1 and (V)2, has a common shelter/vehicle configuration which consists of an M1097A2 Heavy variant-High Mobility Multipurpose Wheeled Vehicle mounted with a LMS model S-788/G.

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	23	0
AAO (FY17)	22	
O/H	22	0
Shortfall/Excess	-1	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	5	0	6	2	0	0	0	0
5	5	5	0	5	2	0	0	0	0
5	0	13	0	2	2	0	0	0	0
0	-5	8	0	-4	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015800283	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0

Notes: Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches. DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	874	3.5

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7001: TEST SET, OPTICAL POWER

The Optical Loss Test Set is used to perform precise optical measurements in the field. The test set is composed of a power meter (Techlite Model PX-B220) and two different light sources (Techlite model numbers PX-C202 and PX-C205). The set is used to determine the level of optical power being emitted from a transmitter and to perform fiber loss measurements or splice tuning operations of current and future fiber optic cables. The test set also gives the technician the ability to determine power loss in fiber, connectors, attenuators, or other passive optical components.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	229	0		58	58	45	0	43	25	0	0	0	0
AAO (FY17)	234			61	60	45	0	43	25	0	0	0	0
O/H	182	0		31	45	30	0	18	52	0	6	0	0
Shortfall/Excess	-47	0		-27	-13	-15	0	-25	27	0	6	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015107502	0	33%	33%	0%	34%	0%	0%	NO	NO	No	No	No	yes	No	Y	No	0	0	0

Notes: Serviceable items will be returned to the MEFs. For unserviceable condition, the item will be sent to commercial depot via the MEFs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7002: ANALYZER, SPECTRUM HAND HELD

A hand held spectrum analyzer capable of analyzing radio frequency signals from 100KHz to 6GHz.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	429	65	83	81	44	0	59	97	65	0	0	0
AAO (FY17)	442		87	84	43	0	66	97	65	0	0	0
O/H	509	4	88	42	38	0	40	112	0	185	0	0
Shortfall/Excess	80	-61	5	-39	-6	0	-19	15	-65	185	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015306573	4	33%	33%	0%	34%	0%	0%	NO	NO	No	No	No	yes	No	Y	No	1	1	1

Notes: Serviceable items will be returned to the MEFs. For unserviceable condition, the item will be sent to commercial depot via the MEFs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7004: MICROSCOPE, OPTICAL

A hand held device used to view and measure fiber optic cable connections.

FT600/AN

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	198	0
AAO (FY17)	188	
O/H	142	0
Shortfall/Excess	-56	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
50	46	39	0	55	8	0	0	0	0
51	49	39	0	41	8	0	0	0	0
43	23	6	0	16	35	0	19	0	0
-7	-23	-33	0	-39	27	0	19	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015309446	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A7005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7005: ANALYZER,SPECTRUM

These are Micro Wave spectrum analyzers that operate over the freq ranges of 9 kHz to 40 GHz with pre-selection to at least 26.5 GHz. They include synthesized tuning and built in frequency counters, marker-aided frequency and amplitude measurements (relative and absolute) of RF and microwave signals, and digital trace and signal storage.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	548	77	116	110	65	0	80	64	77	0	36	0
AAO (FY17)	553		117	113	56	0	90	64	77	0	36	0
O/H	569	4	47	43	38	0	16	78	0	329	14	0
Shortfall/Excess	21	-73	-69	-67	-27	0	-64	14	-77	329	-22	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012591060	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	no	No	Yes	No	0	0	0
6625012707786	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	no	No	Yes	No	0	0	0
6625014651844	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	no	No	Yes	No	1	0	0
6625015229603	3	33%	33%	0%	34%	0%	0%	NO	NO	No	No	No	yes	No	Y	No	1	1	1

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7009: ANALYZER, SPECTRUM FST-6-NTG3(CREW)

The FSH6-NTG/K-6NUSMC Spectrum Analyzer is a wide band, very sensitive receiver. It works on the principle of "super heterodyne receiver" to convert higher frequencies (normally ranging up to several 10s of GHz) to measurable quantities. The received frequency spectrum is slowly swept through a range of pre-selected frequencies, converting the selected frequency to a measurable DC level (usually logarithmic scale), and displaying the same on the CRT of the FSH6-NTG/K-6NUSMC. The CRT displays received signal strength (y-axis) against frequency (x-axis).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	182	161	0	0	0	0	0	21	161	0	0	0
AAO (FY17)	182		0	0	0	0	0	21	161	0	0	0
O/H	122	3	5	0	0	0	0	36	0	78	0	0
Shortfall/Excess	-60	-158	5	0	0	0	0	15	-161	78	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015406124	3	33%	33%	0%	34%	0%	0%	NO	NO	No	No	No	yes	No	Y	Yes	1	1	1

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7010: DIGITAL DATA ANALYZER

Device used to measure and compare timing of digital electroninc signals. Used by electronic technicans to monitor, test, and repair electronic systems.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	21	0
AAO (FY17)	19	
O/H	12	0
Shortfall/Excess	-9	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	5	8	0	0	0	0
3	3	2	0	3	8	0	0	0	0
2	0	2	0	2	6	0	0	0	0
-1	-3	0	0	-3	-2	0	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012055224	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: Item is obsolete and will be DRMO'd in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A7021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7021: COUNTER, ELECTRONIC, DIGITAL READOUT

The electronic frequency counters are designed to assist technicians with installation, monitoring, verification of proper operation, testing, alignment, troubleshooting, and repairing of communication-electronics and ordnance type equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	526	150
AAO (FY17)	537	
O/H	543	4
Shortfall/Excess	17	-146

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
55	53	28	0	40	93	150	0	84	23
60	60	27	0	40	93	150	0	84	23
51	46	35	0	55	159	0	172	21	0
-4	-7	7	0	15	66	-150	172	-63	-23

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012713012	1	100%	0%	0%	0%	0%	0%	NO	NO	Yes	No	No	No	No	No	No	0	0	1
6625013992298	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0
6625015309444	3	70%	0%	0%	30%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	2

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7035: ALIBRATOR, FREQUENCY

The Frequency Calibrator, 585B, is a rugged transportable Frequency Calibrator that automatically measures pulsed radio frequency signals up to 20 GHz with pulse widths as narrow as 50 nanoseconds.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	61	1
AAO (FY17)	60	
O/H	39	0
Shortfall/Excess	-22	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	11	8	0	16	3	1	0	6	2
16	13	8	0	11	3	1	0	6	2
7	8	6	0	1	0	0	14	3	0
-7	-3	-2	0	-15	-3	-1	14	-3	-2

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895012810072	0	100%	0%	0%	0%	0%	0%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	0
6625013584903	0	100%	0%	0%	0%	0%	0%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: Item is obsolete and will be DRMO'd in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A7036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7036: GENERATOR, FUNCTION, ELEC TEST

The Function Generator, model number 33220A, is a general-purpose function generator designed to assist technicians with troubleshooting and repairing communication and electronic equipment. It is a high-performance 20 MHz synthesized function generator with built-in arbitrary waveform capability. The Function Generator uses direct digital-synthesis techniques to create a stable, accurate output signal for clean, low-distortion waveforms. It provides fast rise- and fall-time square wave, and linear ramp waveforms down to 100uHz.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	647	10
AAO (FY17)	647	
O/H	956	1
Shortfall/Excess	309	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
57	55	38	0	51	363	10	0	57	16
61	57	38	0	45	363	10	0	57	16
50	48	38	0	12	461	0	296	50	0
-7	-7	0	0	-39	98	-10	296	-7	-16

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014164444	1	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	Yes	No	1	0	0
6625015498266	0	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	Yes	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7040: ADAPTER TEST (TRSS)

Tactical Remote Sensor Systems are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	29	1
AAO (FY17)	30	
O/H	18	0
Shortfall/Excess	-11	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	3	14	1	0	0	0
4	4	3	0	4	14	1	0	0	0
5	3	2	0	0	6	0	2	0	0
1	-1	-1	0	-3	-8	-1	2	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015051143	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7046 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7046: GENERATOR, SIGNAL

This general purpose signal generator is intended to support microwave systems, such as radars and communication equipment, that operate at frequencies above 1 GHz. Features include internal pulse modulation with variable pulse width and pulse delay.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	273	48	42	42	42	0	38	37	48	0	18	6
AAO (FY17)	271		43	43	42	0	34	37	48	0	18	6
O/H	286	3	32	26	32	2	21	24	0	133	13	0
Shortfall/Excess	13	-45	-10	-16	-10	2	-17	-13	-48	133	-5	-6

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013959570	0	0%	0%	0%	0%	100%	0%	NO	NO	Y	No	Yes	no	No	Yes	No	0	0	0
6625014252550	1	0%	0%	0%	0%	100%	0%	NO	NO	Y	No	Yes	no	No	Yes	No	0	1	0
6625014955275	2	0%	100%	0%	0%	0%	0%	NO	NO	N	No	Yes	yes	No	i/p	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7051 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7051: METER, POWER

Intended to support microwave systems. This meter measures continuous wave power output from 10MHz to 18GHz. TAMCN A7053 should be used to measure pulsed type microwave signals in the same bandwidth.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	248	38	37	35	30	14	30	16	38	0	36	12
AAO (FY17)	254		41	39	30	10	32	16	38	0	36	12
O/H	394	4	46	51	39	17	27	36	0	144	30	0
Shortfall/Excess	146	-34	9	16	9	3	-3	20	-38	144	-6	-12

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014066941	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	No	3	0	0
6625015311947	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	No	1	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7052 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7052: GENERATOR, SIGNAL

The 8643A Synthesized Signal Generator is a high performance programmable signal generator intended for the most demanding out-of-channel RF receiver measurements and other stringent RF applications.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	354	56	48	48	35	9	38	120	56	0	0	0
AAO (FY17)	367		54	54	35	6	42	120	56	0	0	0
O/H	457	0	57	52	50	11	33	86	0	168	0	0
Shortfall/Excess	103	-56	9	4	15	2	-5	-34	-56	168	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013675551	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7053: METER, SPECIAL SCALE

This item is intended to support all equipment and systems that generate pulse-type microwave radio frequency (RF) electronic signals up to 18 GHz and which require this capability in applicable technical manuals. TAMCN A7051 should be used to measure continuous wave type signals.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	31	0	4	4	6	0	6	11	0	0	0	0
AAO (FY17)	29		4	4	6	0	4	11	0	0	0	0
O/H	82	0	1	0	2	0	1	17	0	61	0	0
Shortfall/Excess	51	0	-3	-4	-4	0	-5	6	0	61	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013815741	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	Yes	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7055: MONITOR UNIT, RADIO FREQUENCY

The 4410-030 Test Set is an insertion type RF wattmeter designed to measure power flow and load match in 50 ohm RF coaxial transmission lines and is intended for use on CW or FM modulated signals only.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,390	128	271	259	153	68	210	93	128	0	165	43
AAO (FY17)	1,393		277	256	151	65	215	93	128	0	165	43
O/H	1,313	8	270	198	128	28	139	78	0	364	100	0
Shortfall/Excess	-77	-120	-1	-61	-25	-40	-71	-15	-128	364	-65	-43

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012175631	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	no	No	No	No	0	0	0
6625014439916	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	no	No	No	No	0	0	1
6625015134644	7	50%	50%	0%	0%	0%	0%	NO	NO	N	No	Yes	yes	No	Y	No	0	0	7
6625015682691	0	0%	0%	0%	100%	0%	0%	NO	NO	N	No	No	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7057: OHMMETER

The Model 3711M simply clamps around the ground conductor or rod and measures the resistance to ground. Performs measurements on intact ground systems, it verifies the quality of the grounding connections and bonds.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	258	38
AAO (FY17)	267	
O/H	547	8
Shortfall/Excess	289	-30

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
52	57	43	0	42	26	38	0	0	0
57	58	45	0	43	26	38	0	0	0
60	56	53	2	41	92	0	235	0	0
8	-1	10	2	-1	66	-38	235	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013778030	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	no	No	No	No	0	0	1
6625014943112	7	50%	50%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	4	4

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7059: OHMMETER (EARTH GROUND RESISTANCE TESTER)

The Model R1L-C is a portable ground resistance ohmmeter, designed to measure grounding system resistance, as well as soil resistively, over ranges from two ohms to 20 kilohms full scale.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	625	88	126	123	78	69	114	27	88	0	0	0
AAO (FY17)	618		126	116	80	64	117	27	88	0	0	0
O/H	829	2	153	162	109	29	63	49	0	262	0	0
Shortfall/Excess	204	-86	27	39	31	-40	-51	22	-88	262	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013776166	2	50%	50%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	1	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7060: OSCILLOSCOPE (54825A AND TDS5054B)

Device used to measure electronic signals. Used by electronic technicans to monitor, test, & repair electronic systems (radios, radars, switching networks, night vision devices, and many others)

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	406	15
AAO (FY17)	403	
O/H	460	4
Shortfall/Excess	54	-11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
59	58	40	0	43	125	15	0	51	15
59	60	36	0	42	125	15	0	51	15
81	84	45	0	29	77	0	115	22	3
22	26	5	0	-14	-48	-15	115	-29	-12

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014518727	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	No	No	0	0	0
6625015196497	4	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	No	3	0	1

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7061: OSCILLOSCOPE (FLK-199C/AN)

Device used to measure electronic signals. Used by electronic technicans to monitor, test, & repair electronic systems (radios, radars, switching networks, night vision devices, and many others)

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,514	118
AAO (FY17)	1,513	
O/H	1,736	5
Shortfall/Excess	222	-113

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
222	222	130	0	184	459	118	0	135	44
232	220	131	0	174	459	118	0	135	44
249	258	176	2	136	551	0	199	160	0
27	36	46	2	-48	92	-118	199	25	-44

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012754766	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	no	No	No	No	0	0	1
6625014735174	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	no	No	No	No	0	0	0
6625014940438	4	50%	50%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	2	2

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7072: ADAPTER, TEST, SINCGARS RADIO

This item is used to test SINCGARS radios and must be used with TAMCN A7082. All of the J-4843/GRM-114B items should have been modified to the new J-4843A/GRM-122 configuration.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	513	34
AAO (FY17)	418	
O/H	678	1
Shortfall/Excess	165	-33

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
110	104	58	2	82	123	34	0	0	0
81	72	44	2	62	123	34	0	0	0
153	139	78	2	105	45	0	129	26	0
43	35	20	0	23	-78	-34	129	26	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013092827	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	no	No	Yes	No	0	0	0
6625014328368	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	no	No	Yes	No	0	1	0
6625014360419	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	no	No	Yes	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7080: TEST SET, RADIO VHF

This unit is a handheld test set for HF, VHF, and UHF radios and is intended to be used by radio technicians as a tool to check performance of radios or identify faulty radios at the Organizational Unit.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,676	186
AAO (FY17)	1,647	
O/H	1,785	32
Shortfall/Excess	109	-154

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
411	372	176	91	304	88	186	0	36	12
393	346	176	83	327	88	186	0	36	12
392	380	169	67	274	177	0	280	14	0
-19	8	-7	-24	-30	89	-186	280	-22	-12

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012396715	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	no	No	Yes	No	0	0	0
6625015380285	32	0%	50%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	N	No	16	16	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7081: TEST SET, TELECOMMUNICATION SYSTEM

The FB6000-NAVY-P1 and FB6000-NAVY-P2 are portable telecommunication system sets with analog and digital testing capabilities capable of transmission impairment, bit error and protocol analysis measurements and testing.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	404	53	58	58	43	17	58	81	53	0	36	0
AAO (FY17)	401		62	62	43	12	52	81	53	0	36	0
O/H	428	9	64	77	73	9	18	127	0	26	25	0
Shortfall/Excess	24	-44	6	19	30	-8	-40	46	-53	26	-11	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013401781	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	yes	No	No	No	0	0	0
6625014627492	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	yes	No	No	No	0	0	0
6625015358961	9	30%	70%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	6	3

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7082: TEST SET, RADIO

The TS-4317/GRM provides the capability to test and maintain all Marine Corps tactical Radios, which operate below 1 GHz. It is used to verify radio performance characteristics and diagnose failures in both a manual and automatic mode.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	540	34	110	104	58	2	94	138	34	0	0	0
AAO (FY17)	531		111	102	65	2	79	138	34	0	0	0
O/H	1,284	9	226	222	148	9	181	196	0	264	29	0
Shortfall/Excess	744	-25	116	118	90	7	87	58	-34	264	29	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013092825	9	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	Yes	No	Yes	No	0	9	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7083 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7083: ANALYZER, WIDE AREA NETWORK

This test set is a general-purpose networking tool designed to assist technicians with monitoring and troubleshooting networks.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	137	6	23	23	21	0	17	47	6	0	0	0
AAO (FY17)	137		23	23	21	0	17	47	6	0	0	0
O/H	106	1	7	18	8	0	2	49	0	21	0	0
Shortfall/Excess	-31	-5	-16	-5	-13	0	-15	2	-6	21	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015229579	1	33%	33%	0%	34%	0%	0%	NO	NO	No	No	No	yes	No	I/P	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7084: ANALYZER, NETWORK

A LAN Analyzer is a general-purpose networking tool designed to assist technicians with testing, monitoring, troubleshooting, and repairing Local Area Networks and equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	814	27
AAO (FY17)	813	
O/H	336	11
Shortfall/Excess	-478	-16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
212	207	132	0	153	83	27	0	0	0
212	202	132	0	157	83	27	0	0	0
135	30	29	0	12	86	0	33	0	0
-77	-177	-103	0	-141	3	-27	33	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014561561	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	no	No	Yes	No	0	0	1
6625014848826	2	33%	33%	0%	34%	0%	0%	NO	NO	No	No	No	yes	No	I/P	No	1	1	1
6625015378768	8	33%	33%	0%	34%	0%	0%	NO	NO	No	No	No	yes	No	I/P	No	3	3	3

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7086: TEST SET, OPTICAL TDR, HANDHELD

The MTS-NV-P3 Optical Time Domain Reflectometer is a field modular optical tester used for fiber network installation, maintenance, and troubleshooting. Two field interchangeable module slots allow users to quickly mix and match configurations to cover any fiber test application from 635 to 1625nm.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	333	29
AAO (FY17)	332	
O/H	256	8
Shortfall/Excess	-77	-21

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
65	63	48	0	49	43	29	0	36	0
65	64	50	0	45	43	29	0	36	0
36	51	38	0	28	69	0	23	0	0
-29	-12	-10	0	-21	26	-29	23	-36	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013884989	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	no	No	No	No	0	0	1
6625015253080	7	50%	50%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	I/P	No	0	4	4

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7102 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7102: RECORDING-REPRODUCING

Professional grade video camera that allows PA Marines to acquire broadcast quality video in high, regular and low light conditions.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	2	0	0
0	0	0	0	0	0	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015281482	0	100%	0%	0%	0%	0%	0%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0

Notes: Recommend removal of this - PAE legacy equipment replaced by A7203

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A7103 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7103: PUBLIC AFFAIRS STILL ACQUISITION SYSTEM, SMALL

Professional grade still camera that allows PA Marines to acquire professional quality still photos in high, regular and low light conditions.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	8	1	3	0	1	0	0	0	0	3	0	0
Shortfall/Excess	8	1	3	0	1	0	0	0	0	3	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015150429	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A7104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7104: VIIES (VISUAL INFORMATION IMAGERY EDITING SYSTEM)

The VIIES consists of a laptop based video and still imagery editing platform. The system includes professional grade, industry standard digital equipment. It is a still and video imagery editing and product development system.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	204	0
AAO (FY17)	208	
O/H	89	3
Shortfall/Excess	-115	3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
54	58	52	1	9	30	0	0	0	0
54	58	52	1	13	30	0	0	0	0
30	27	17	0	4	8	0	0	0	0
-24	-31	-35	-1	-5	-22	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015425653	3	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	Yes	No	No	No	Yes	0	0	3

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A7105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7105: CVAS (COMBAT VIDEO ACQUISITION SYSTEM)

The CVAS consists of a professional quality digital video camera with all necessary accessories and a protective shoulder sling or backpack carrying case to operate in the field, independently for 4 days. The CVAS camera operates using rechargeable batteries.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	88	0
AAO (FY17)	89	
O/H	74	2
Shortfall/Excess	-14	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	20	14	1	2	33	0	0	0	0
18	20	14	1	3	33	0	0	0	0
23	19	12	1	2	15	0	0	0	0
5	-1	-2	0	0	-18	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015003247	0	100%	0%	0%	0%	0%	0%	NO	NO	N	Yes	Yes	No	No	No	Yes	0	0	0
5836015458734	2	100%	0%	0%	0%	0%	0%	NO	NO	N	Yes	Yes	No	No	No	Yes	0	0	2

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A7111 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7111: NVCS (NIGHT VISION SYSTEM)

The NVSC consists of a night vision monocular and adapters allowing it to adapt to digital cameras currently used by Combat Camera Marines forward deployed. The NVSC allows these cameras to acquire high-resolution imagery in low light.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	70	0
AAO (FY17)	71	
O/H	40	1
Shortfall/Excess	-30	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	18	13	1	2	18	0	0	0	0
18	18	13	1	3	18	0	0	0	0
12	13	5	1	4	3	0	1	0	0
-6	-5	-8	0	2	-15	0	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015429059	1	33%	0%	0%	0%	67%	0%	NO	NO	No	No	No	No	Yes	No	Yes	1	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7112 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7112: COMBAT IMAGERY SEAR

The CISAD consists of video, still photo, and graphics hardware and software. It is capable of importing, cataloging, archiving and retrieving digital imagery, thereby making it available to commanders via a web based searchable database.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	5	0
AAO (FY17)	5	
O/H	2	1
Shortfall/Excess	-3	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	2	2	0	0	0	0	0	0	0
1	2	2	0	0	0	0	0	0	0
0	0	0	0	0	1	0	0	0	0
-1	-2	-2	0	0	1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015464691	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7200: VIDEO EDITING SYSTEM (VES)

The PAVES consists of peripherals and a laptop loaded with software to allow for Combat Correspondents to write scripts and load and manipulate digital video while forward deployed or redeployed to bases and stations. This system also provides Marines with the capability to reformat digital video to better distribute to world markets.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	49	0
AAO (FY17)	49	
O/H	24	0
Shortfall/Excess	-25	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12	14	10	4	4	5	0	0	0	0
12	13	10	4	5	5	0	0	0	0
5	6	8	0	1	4	0	0	0	0
-7	-8	-2	-4	-3	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015430022	0	33%	0%	0%	33%	34%	0%	NO	NO	No	Yes	Yes	No	Yes	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A7201 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7201: FIELD EDITING SYSTEM (FES)

An editing platform (laptop) that allows PA Marines to create and edit digital written, still, audio and video communications products in a field environment.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	106	0
AAO (FY17)	111	
O/H	24	0
Shortfall/Excess	-82	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
33	35	26	0	12	0	0	0	0	0
33	35	26	0	17	0	0	0	0	0
3	6	8	2	2	3	0	0	0	0
-30	-29	-18	2	-10	3	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6740015430653	0	33%	0%	0%	33%	34%	0%	NO	NO	No	No	No	No	Yes	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7202 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7202: VIDEO CAMERA SYSTEM

The Public Affairs Video Acquisition System consists of professional digital video cameras and associated peripherals integrated into a man-portable system for combat correspondents to use while forward deployed or redeployed to bases and stations. This system also provides Marines with the capability to record in multiple digital video formats to better distribute to world markets. This system will provide Marines with the MOS 4341 equipment necessary to perform specialized missions of imagery acquisition in support of mission readiness and external and internal information campaigns. The system is designed for operation by one Combat Correspondent.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	43	0	12	14	10	0	4	3	0	0	0	0
AAO (FY17)	43		12	13	10	0	5	3	0	0	0	0
O/H	29	0	5	6	7	0	1	10	0	0	0	0
Shortfall/Excess	-14	0	-7	-8	-3	0	-3	7	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015430308	0	33%	0%	0%	33%	34%	0%	NO	NO	No	Yes	Yes	No	Yes	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A7203 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7203: PUBLIC AFFAIRS STILL ACQUISITION SYSTEM (PASAS)

The Public Affairs Still Acquisition System consists of a set of professional digital cameras and associated lenses and peripherals integrated into a man-portable system for combat correspondents to use while forward deployed or redeployed to bases and stations. This system will provide Marines with the MOS 4341 equipment necessary to perform specialized missions of imagery acquisition in support of mission readiness and external and internal information campaigns. The system is designed for operation by one Combat Correspondent.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	126	0
AAO (FY17)	130	
O/H	36	0
Shortfall/Excess	-90	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
37	40	29	4	13	3	0	0	0	0
37	39	29	4	18	3	0	0	0	0
7	5	10	0	1	13	0	0	0	0
-30	-35	-19	-4	-12	10	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015430652	0	33%	0%	0%	33%	34%	0%	NO	NO	No	Yes	Yes	No	Yes	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A7204 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7204: PUBLIC AFFAIRS NEW LINK SYSTEM (PANLS)

Transmission unit that allows PA Marines to transmit live, broadcast quality, digital video and audio from remote locations in near real time. This unit is man portable and more robust than the PASTS system.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	26	0
AAO (FY17)	27	
O/H	24	2
Shortfall/Excess	-2	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	8	6	0	2	3	0	0	0	0
7	8	6	0	3	3	0	0	0	0
6	2	5	1	0	6	0	2	0	0
-1	-6	-1	1	-2	3	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015707690	2	33%	0%	0%	33%	34%	0%	NO	NO	No	Yes	Yes	No	Yes	Yes	No	1	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	26	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A7205 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7205: NIGHT CAMERA ADAPTOR SYSTEM

Attachment for still and video cameras that allows PA Marines to acquire still and video images in darkness.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	99	0
AAO (FY17)	102	
O/H	10	0
Shortfall/Excess	-89	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
27	32	24	4	9	3	0	0	0	0
27	31	24	4	13	3	0	0	0	0
4	3	1	0	0	2	0	0	0	0
-23	-29	-23	-4	-9	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015579470	0	33%	0%	0%	33%	34%	0%	NO	NO	No	Yes	Yes	No	Yes	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A7206 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7206: SECONDARY TRANSMISSION SYSTEM (PAST)

A man packable individual transmission unit that allows PA Marines to transmit still and video products in austere environments.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	85	0
AAO (FY17)	88	
O/H	14	0
Shortfall/Excess	-71	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	27	21	2	9	2	0	0	0	0
24	26	21	2	13	2	0	0	0	0
2	2	2	0	0	3	0	5	0	0
-22	-25	-19	-2	-9	1	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015702488	0	33%	0%	0%	33%	34%	0%	NO	NO	No	No	No	No	Yes	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7420: MAINTENANCE FACILITY, TRANSPORTABLE

The Maintenance Facility, Transportable, AN/TSM-214, provides deployable and garrison Test, Measurement, and Diagnostic Equipment.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	12	1
AAO (FY17)	17	
O/H	17	1
Shortfall/Excess	5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	3	3	0	1	0	1	0	0	0
5	5	3	0	3	0	1	0	0	0
8	3	4	0	1	0	0	0	0	0
4	0	1	0	0	0	-1	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940014904064	1	0%	0%	0%	0%	100%	0%	NO	NO	N	No	Yes	No	No	No	No	0	1	0

Notes: Item has been phased out, but will continue to be sent to the MEFs until the replacement comes online.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	32

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A7501 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7501: TEST STATION, ELECTRICAL-ELECTRONIC EQUIPMENT

Device used to test and troubleshoot electronic circuit cards.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	296	70
AAO (FY17)	314	
O/H	180	3
Shortfall/Excess	-116	-67

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	41	35	0	32	76	70	0	0	0
48	50	34	0	36	76	70	0	0	0
34	24	36	0	17	56	0	10	0	0
-8	-17	1	0	-15	-20	-70	10	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014849160	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	no	No	No	No	0	1	0
6625015347363	0	0%	0%	0%	100%	0%	0%	NO	NO	N	No	No	no	No	No	No	0	0	0
6625015347365	2	0%	50%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	Y	No	0	2	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls. Item can be easily purchased from commercial vendors. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7503: PROGRAM SET APPL

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	52	0	14	8	3	0	9	12	0	0	6	0
AAO (FY17)	59		16	11	3	0	11	12	0	0	6	0
O/H	39	0	14	8	3	0	1	4	0	9	0	0
Shortfall/Excess	-13	0	0	0	0	0	-8	-8	0	9	-6	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015500389	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7507 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7507: PROGRAM SET, APPL

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	30	2
AAO (FY17)	19	
O/H	21	1
Shortfall/Excess	-9	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	4	0	4	8	2	0	0	0
3	3	1	0	2	8	2	0	0	0
3	5	4	0	2	6	0	0	0	0
-3	-1	0	0	-2	-2	-2	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015588041	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7508 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7508: APS AN/PSM-119

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	22	1	4	4	3	0	2	5	1	0	3	0
AAO (FY17)	22		4	4	3	0	2	5	1	0	3	0
O/H	12	0	3	2	3	0	1	3	0	0	0	0
Shortfall/Excess	-10	-1	-1	-2	0	0	-1	-2	-1	0	-3	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015453668	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls. Item can be easily purchased from commercial vendors.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7513 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7513: PROGRAM SET, APPLICATION, 3D ECH, F/TOW II

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	12	0
AAO (FY17)	21	
O/H	25	0
Shortfall/Excess	13	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	2	2	0	2	2	0	0	0	0
7	5	3	0	4	2	0	0	0	0
3	2	0	0	2	0	0	18	0	0
-1	0	-2	0	0	-2	0	18	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015244047	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7517 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7517: TEST SET RADIO

The GRMATS is a portable, self-contained synthetic instrumentation platform used for verification testing and fault detection, isolation and repair of communications, avionics and electronic warfare Units Under Test (UUT). The test set contains the hardware and software necessary to test and verify the performance and electrical functionality of these types of UUTs, deployed in the field or in a depot-type environment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	527	32
AAO (FY17)	541	
O/H	981	2
Shortfall/Excess	454	-30

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
107	104	60	2	84	138	32	0	0	0
116	107	60	2	86	138	32	0	0	0
17	15	13	1	3	3	0	927	0	0
-90	-89	-47	-1	-81	-135	-32	927	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015634671	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	no	No	Y	No	2	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7519 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7519: TEST SET,ELECTRONIC

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	50	4	14	7	2	0	8	15	4	0	0	0
AAO (FY17)	47		12	6	2	0	8	15	4	0	0	0
O/H	42	0	18	7	4	0	4	0	0	9	0	0
Shortfall/Excess	-8	-4	4	0	2	0	-4	-15	-4	9	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015659818	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7522 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7522: PROGRAM SET, APPLICATION, AN/PSM-123 (LAV25-A2 LRU)

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	53	2
AAO (FY17)	56	
O/H	36	0
Shortfall/Excess	-17	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	9	2	0	9	15	2	0	0	0
17	10	3	0	9	15	2	0	0	0
6	4	3	0	2	4	0	17	0	0
-10	-5	1	0	-7	-11	-2	17	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015754978	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7550 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7550: APPLICATION PROGRAM SET F/TOW SYSTEM LRV

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	3
AAO (FY17)	24	
O/H	28	0
Shortfall/Excess	13	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	2	2	0	2	2	3	0	0	0
7	5	3	0	4	2	3	0	0	0
5	2	0	0	4	0	0	17	0	0
1	0	-2	0	2	-2	-3	17	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015154038	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7596 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7596: TEST SYSTEM, 3D ECH (RF VERSION)

The Third Echelon Test Set is a portable automated testing unit that provides the capability to screen, test and diagnose electronic, electro-mechanical, and electro-optical LRUs and CCAs for a wide variety of Weapons Systems.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	214	13	44	39	26	0	29	63	13	0	0	0
AAO (FY17)	232		50	46	28	0	32	63	13	0	0	0
O/H	139	0	21	20	10	0	18	25	0	45	0	0
Shortfall/Excess	-75	-13	-23	-19	-16	0	-11	-38	-13	45	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015659249	0	0%	50%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	Y	No	0	0	0
6625015685523	0	0%	50%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	Y	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7597 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7597: TEST SYSTEM, 3RD ECHELON

TETS is a portable, automated test unit that is controlled by a Laptop computer. It is a modular design configuration using mature and proven Non-developmental Item components and modules to accommodate 3 configurations: Radio Frequency (RF), Electro-Optical (EO), and a combined RF/EO.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	48	2
AAO (FY17)	50	
O/H	50	0
Shortfall/Excess	2	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	4	0	4	24	2	2	0	0
7	7	8	0	0	24	2	2	0	0
4	5	4	0	5	9	0	23	0	0
-2	-1	0	0	1	-15	-2	21	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015678650	0	0%	50%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	Y	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7700 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7700: ANALYZER-CHARGER, BATTERY

The CASP/2000H(M) is a state of the art test instrument capable of performing all the functions needed by a typical battery user.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	90	20
AAO (FY17)	113	
O/H	1,002	0
Shortfall/Excess	912	-20

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
17	7	14	0	11	9	20	0	12	0
20	16	14	0	22	9	20	0	12	0
37	34	17	0	85	4	0	797	28	0
20	27	3	0	74	-5	-20	797	16	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130013412073	0	0%	0%	0%	50%	50%	0%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: DRMO/Dispose of In Theater; do NOT return to CONUS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7705 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7705: POWER SUPPLY, 18 - 30 VDC

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,277	263	479	442	273	29	400	72	263	4	243	72
AAO (FY17)	2,206		455	409	268	25	395	72	263	4	243	72
O/H	2,791	35	560	493	293	29	307	52	0	834	188	0
Shortfall/Excess	514	-228	81	51	20	0	-93	-20	-263	830	-55	-72

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130014528403	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	N/A	No	3	0	0
6130014754999	32	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	N/A	No	32	0	0

Notes: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	19	0.3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7706 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7706: POWER SUPPLY, 0-40 VDC

This is a general purpose power supply converter which provides the capability to convert 115 VAC power to 0-40 VDC power, 0-25 amperes. The power supply will be used in the maintenance of communication-electronics equipment as a bench top power supply.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3,594	460
AAO (FY17)	3,559	
O/H	4,249	108
Shortfall/Excess	655	-352

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
740	685	427	0	571	228	460	0	483	0
736	663	425	0	564	228	460	0	483	0
862	751	435	9	439	198	0	1,064	383	0
122	66	8	9	-132	-30	-460	1,064	-100	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130015261311	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0
6130015319927	84	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	84	0	0
6130219116149	24	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	12	0	12

Notes: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7900: TOOL KIT, MAINT, ELECTRONIC

Tool Kit used by electroninc technicans (MOS 28xx and 59xx). This item is being replaced by TAMCN A7902.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	380	1
Shortfall/Excess	380	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
126	90	38	7	69	49	0	0	0	0
126	90	38	7	69	49	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180012241290	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	Yes	No	No	No	No	0	0	0
5180012441290	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	Yes	No	No	No	No	0	0	0

Notes: Obsolete tool kit, but most of the tools can be used in other kits - strategy is to reallocate in theater. Do not reset. Retain in theater for reutilization.The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**OEF MAGTF**
if	**Not Mission Capable MEF**	then	**OEF MAGTF**
if	**Not Mission Capable**	then	**OEF MAGTF**
if	**Condemned**	then	**OEF MAGTF**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

A7902 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7902: TOOL KIT, MAINT, ELECTRONIC CREW OPERATOR

The TK-2844 "O" Level (Operator/Crew Level) Electronic Tool Kit is being built to provide the technician at the specified level with the tools required to perform maintenance in a field environment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4,622	0
AAO (FY17)	3,895	
O/H	6,036	49
Shortfall/Excess	1,414	49

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
874	860	571	80	744	402	0	0	908	183
668	625	472	66	571	402	0	0	908	183
858	898	646	43	597	279	0	2,542	124	0
-16	38	75	-37	-147	-123	0	2,542	-784	-183

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015540475	49	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	Yes	No	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**ME**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7905: TOOL KIT INTERMEDIA

Tool Kit Intermediate, is an intermediate tool kit used by the 59XX to complete field and depot level repair of the AN/TYQ-23. This tool is required due to no common tool sets meeting the needs for this piece of equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	11	0
AAO (FY17)	10	
O/H	7	1
Shortfall/Excess	-4	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	3	2	0	0	0	0
2	2	2	0	2	2	0	0	0	0
1	1	1	0	1	2	0	0	0	0
-1	-1	-1	0	-2	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014527551	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes: All items will be returned to CONUS. DO NOT POWER WASH ELECTRONIC ITEMS OR TOOLS. Compressed air, vacuums, and damp rags should be used to clean the tools and tool box. Hand tools (sockets, screwdrivers, etc.) should be lightly coated with oil. Electronic tools need to remain dry.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7906: TOOL KIT, ELECTRONIC SYS (MINI-SOLDER KIT)

This kit contains special electronic units, tools, and materials to make high-reliability repairs on electronic assemblies such as circuit cards to the component level in a field environment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	145	0
AAO (FY17)	166	
O/H	192	8
Shortfall/Excess	47	8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	33	29	0	23	28	0	0	0	0
39	39	30	0	30	28	0	0	0	0
37	35	28	3	7	12	0	43	19	0
5	2	-1	3	-16	-16	0	43	19	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015416262	8	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	No	6	0	2

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7910: TOOL KIT, FIBER OPTIC, GP

The Fiber Optic tool kit is a general purpose kit used to repair fiber optic cables and connectors. This kit is used in support of all USMC fiber optic cables and connectors except those associated with TAOM. This Tool Kit, along with the A7001 Optical Loss Test Set, the A7004 Fiber Inspector, A7086 OTDR, and A7920 Splicing Kit, belongs to a suite of Fiber Optic test equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	289	12	74	72	49	0	58	24	12	0	0	0
AAO (FY17)	281		75	73	48	0	49	24	12	0	0	0
O/H	148	1	28	33	26	0	24	16	0	20	0	0
Shortfall/Excess	-141	-11	-46	-39	-23	0	-34	-8	-12	20	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014763023	0	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0
5180015167227	1	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7920 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7920: FIBER OPTICS FUSION SPLICER

The S121A is the first fully functional fusion splicer. It's designed for splicing single to 4-ribbon fibers. The S121A is about one-third the size of a typical mini-splicer, weighs just 2.2 pounds without the battery and does not require a flat surface. The unit features fully automatic fiber feed, alignment, splicing arc, and tension test. You can monitor all splicing operations for accuracy using the unit's integrated CCD camera and 2.5-inch LCD display.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	246	14
AAO (FY17)	245	
O/H	253	2
Shortfall/Excess	7	-12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
51	50	39	0	54	38	14	0	0	0
56	54	39	0	44	38	14	0	0	0
54	52	32	0	30	42	0	40	1	0
3	2	-7	0	-24	4	-14	40	1	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6080015208198	2	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	N	1	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7942: TOOL KIT, DATA NETWORK, GP

The Data Network Tool Kit, model number TK-0656, is a general purpose tool kit designed to assist technicians perform testing, monitoring, troubleshooting, and maintenance of the Marine Corps data networks.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	452	10
AAO (FY17)	452	
O/H	392	13
Shortfall/Excess	-60	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
113	108	64	51	81	25	10	0	0	0
110	105	70	49	83	25	10	0	0	0
121	99	63	10	56	23	0	7	0	0
8	-9	-1	-41	-25	-2	-10	7	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015247623	13	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	6	0	6

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A7955 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7955: KIT, MAINT, EQUIPMENT, ELECTRONIC

The Maintenance Kit, Electronic Equipment, MK-2663/U, contains special electronic units, tools and materials to make high-reliability repairs to electronic equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	284	22	53	49	40	0	46	70	22	0	3	1
AAO (FY17)	293		59	57	38	0	43	70	22	0	3	1
O/H	199	0	53	40	32	0	13	55	0	4	2	0
Shortfall/Excess	-85	-22	0	-9	-8	0	-33	-15	-22	4	-1	-1

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895013229872	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0
5895015429039	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0
5895015662941	0	0%	0%	0%	100%	0%	0%	NO	NO	N	No	No	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A8010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8010: TERMINAL EQUIPMENT, TELEPHONE, SECURE

The Secure Terminal Equipment (STE) Telephone, STE OFFIC-442 is the standard telephone for secure-multimedia communications. STE are engineered to operate on the digital Integrated Services Digital Network (ISDN) or analog networks.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,995	240	559	589	461	227	490	429	240	0	0	0
AAO (FY17)	2,976		582	612	469	222	422	429	240	0	0	0
O/H	5,935	27	579	1,048	515	151	617	982	0	2,016	0	0
Shortfall/Excess	2,940	-213	20	459	54	-76	127	553	-240	2,016	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810014596438	2	0%	0%	0%	0%	0%	100%	NO	NO	n	No	No	No	Yes	No	No	0	0	2
5810014596441	25	0%	0%	0%	0%	0%	100%	NO	NO	n	No	No	No	Yes	No	No	0	0	25

Notes: Equipment is obsolete. WIR to dispose of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A8018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8018: INTERROGATOR COMPUTER

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System (EADS), Targets and target support, Stinger Ground Support Equipment (GSE), and trainers/simulators.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	114	10
AAO (FY17)	114	
O/H	90	2
Shortfall/Excess	-24	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
37	37	12	0	11	7	10	0	0	0
37	37	12	0	11	7	10	0	0	0
24	31	12	0	7	9	0	5	0	0
-13	-6	0	0	-4	2	-10	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810000613388	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	No	0	2	0
5810012737819	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8019: TRANSPONDER COMPUTER

The Transponder Computer, TSEC/KIT-1C is used in conjunction with the TSEC/KIR-1C (TAMCN A80187G).

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	127	56	13	13	8	0	18	19	56	0	0	0
AAO (FY17)	118		13	13	8	0	9	19	56	0	0	0
O/H	48	2	10	8	6	0	7	10	0	5	0	0
Shortfall/Excess	-79	-54	-3	-5	-2	0	-11	-9	-56	5	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810000613386	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	2	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8023: TRANSFER UNIT,CRYPT

The AN/CYZ-10 Data Transfer Device, often called a Crazy 10, is a portable, hand-held fill device, for securely receiving, storing, and transferring data between compatible cryptographic and communications equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	10,859	2216
AAO (FY17)	10,415	
O/H	13,698	312
Shortfall/Excess	2,839	-1,904

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,734	2,374	929	334	1,906	366	2,216	0	0	0
2,502	2,163	905	318	1,979	332	2,216	0	0	0
2,418	2,530	1,083	342	1,927	660	0	4,426	0	0
-316	156	154	8	21	294	-2,216	4,426	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810013431194	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	No	No	0	0	0
5810013841996	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	No	No	0	0	0
5810013887634	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	No	No	0	0	0
5810013931973	38	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	No	No	0	38	0
5810015173587	274	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	no	yes	No	No	0	274	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8024 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8024: READER,PUNCHED TAPE

The KOI-18 tape reader is a battery operated, hand carried device used for converting eight-level standard paper and Mylar tape to serial electronic information.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	826	0
Shortfall/Excess	826	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0	0	0	0	0	0	0	0	0	0
O/H	119	86	50	23	105	32	0	411	0	0
Shortfall/Excess	119	86	50	23	105	32	0	411	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010269620	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8025: KYK-13 TRANSFER DEVICE

The KYK-13 is a battery operated electronic transfer device, hand or pocket carried, transfer and storage device, which can store up to six keys.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2	0
AAO (FY17)	2	
O/H	1,242	0
Shortfall/Excess	1,240	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	2	0	0	0	0
0	0	0	0	0	2	0	0	0	0
103	194	74	8	277	25	0	561	0	0
103	194	74	8	277	23	0	561	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010269618	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	yes	no	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8027: VEHICLE POWER ADAPTER HYP-57

The Vehicular Power Adapter, HYP-57/TSEC replaces the battery and battery case, Z-AIJ, of either the KY-57 or HYX-57. Its purpose is to provide TEMPEST and EMI filtering, and mechanical connector conversion to adapt a vehicular power source to the KY-57 or HYX-57.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	146	0	0	0	0	0	0	146	0	0	0	0
AAO (FY17)	146		0	0	0	0	0	146	0	0	0	0
O/H	8,777	36	331	261	105	0	231	162	0	7,615	36	0
Shortfall/Excess	8,631	36	331	261	105	0	231	16	0	7,615	36	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010269621	36	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	36

Notes: All equipment should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A8028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8028: WLA ASSEMBLY

The Wireline Adapter, HYX-57/TSEC, is designed to provide the appropriate wireline interface for the TSEC/KY-57. TSEC/KY-38, and the TSEC/KY-65 to allow their use over a point to point wireline link or through certain military switchboards.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	4,116	36	138	123	50	0	203	108	0	3,458	0	0
Shortfall/Excess	4,116	36	138	123	50	0	203	108	0	3,458	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010269622	36	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	No	0	0	36

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A8031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8031: SECURITY EQP, TSEC/KY-57

The TSEC/KY-57 is a small, lightweight, wideband, secure voice, digital communications equipment. It is designed to provide on-line encryption and decryption of all classifications of tactical traffic transmitted over FM and AM, VHF and UHF radio communions.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	52	0
AAO (FY17)	71	
O/H	2,332	0
Shortfall/Excess	2,280	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
19	4	4	0	0	25	0	0	0	0
18	18	4	0	6	25	0	0	0	0
238	111	36	0	110	54	0	1,762	21	0
219	107	32	0	110	29	0	1,762	21	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810004343644	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8032: SECURITY EQP, SPEECH, TACT, HALF-DUP, W-B AIRBORNE

The Speech Security Equipment (VINSON), TSEC/KY-58-2, -58-3, -58-4, and -58-5 are members of the VINSON family. The VINSON family consists of Wide Band Secure Voice (WBSV) units developed by the National Security Agency to provide line of sight half-duplex voice and data encryption at 16 kbps. The TSEC/KY-58-2, -58-3, -58-4, and -58-5 provides security for AM/FM, VHF, UHF, half-duplex Public Telephone and Telegraph combat net radios and tactical wireline systems when used with the HYX-57.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,412	194
AAO (FY17)	1,337	
O/H	1,390	51
Shortfall/Excess	-22	-143

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
275	291	206	0	281	141	194	0	24	0
275	283	206	0	214	141	194	0	24	0
176	182	122	0	228	114	0	493	24	0
-99	-109	-84	0	-53	-27	-194	493	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810004490154	51	0%	75%	0%	25%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	51	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8036: GENERATOR, KEY, COMSEC

KGV-8C JTIDS COMSEC MODULE

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	44	8
AAO (FY17)	43	
O/H	32	2
Shortfall/Excess	-12	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	5	0	7	12	8	0	0	0
6	6	5	0	6	12	8	0	0	0
2	4	6	0	4	7	0	7	0	0
-4	-2	1	0	-3	-5	-8	7	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810013687752	2	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	2	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. No associated TAMCNs. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8038: GENERATOR, KEY, ELECTRONIC'

The Half-Duplex Digital Key Generator, TSEC/KG-40 is a micro-miniature, half-duplex, digital electronic key generator designed to provide cryptographic security for Link II High Frequency/Ultra High Frequency (HF/UHF) communications and for any communications which meet Tactical Digital Information Link data standards. The TSEC/KG-40 will interface between a computer and a data terminal. The TSEC/KG-40 is available in serial and parallel interface configurations.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	72	10	11	15	8	0	15	13	10	0	0	0
AAO (FY17)	66		11	13	8	0	11	13	10	0	0	0
O/H	53	4	7	7	7	0	11	12	0	5	0	0
Shortfall/Excess	-19	-6	-4	-8	-1	0	-4	-1	-10	5	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010168052	0	0%	75%	0%	25%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	0
5810013513000	4	0%	75%	0%	25%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	4	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8047: SECU VOICE KY 99A

The Advanced Narrowband Digital Voice Terminal/Miniature Terminal (ANDVT/MINTERM), TSEC/KY-99A is a lightweight, battery-powered, tactical manpack terminal that provides voice or data communications over wideband (16 kbps) radio channels and is inter-operable with KY-57 VINSON/Single Channel Ground and Airborne Radio System equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2,531	0
Shortfall/Excess	2,531	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
143	28	57	0	46	17	0	2,174	66	0
143	28	57	0	46	17	0	2,174	66	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810013910187	0	0%	75%	0%	25%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8050 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8050: CASE,BATTERY ASSEMB

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	4,069	0
Shortfall/Excess	4,069	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
443	212	1	0	339	12	0	3,046	16	0
443	212	1	0	339	12	0	3,046	16	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6140010488167	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: All equipment should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A8067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8067: FLEET BROADCAST SEC EQUIPMENT

KWR-46

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	5	0
Shortfall/Excess	5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	5	0	0
0	0	0	0	0	0	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810011608398	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8072: REMOTE REKEY EQUIPMENT

The Remote Re-key Equipment, KOK-13A is controlled by a user-supplied host computer. The KOK-13A is capable of generating electronic keys for Over-The-Air- Keys, manual distribution, or memory storage.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	61	1	13	14	9	0	6	18	1	0	0	0
AAO (FY17)	60		13	13	9	0	6	18	1	0	0	0
O/H	41	0	4	2	1	0	3	1	0	30	0	0
Shortfall/Excess	-20	-1	-9	-12	-8	0	-3	-17	-1	30	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810012486018	0	0%	0%	0%	0%	100%	0%	NO	NO	N	No	No	no	no	N	N	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A8081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8081: ANDVT/TACTERM COMSEC MODULE

The Advanced Narrowband Digital Voice Terminal Communications Security Module, TSEC/KYV-5 is a removable module designed to plug into the front panel of the CV-3591 Basic Terminal Unit. The TSEC/KYV-5 provides communications security capability to the Advanced Narrowband Digital Voice Terminal/Tactical Terminal.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	268	0
AAO (FY17)	259	
O/H	243	12
Shortfall/Excess	-25	12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
62	62	43	0	61	40	0	0	0	0
64	64	43	0	48	40	0	0	0	0
52	53	28	0	28	40	0	30	0	0
-10	-9	-15	0	-33	0	0	30	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810012240202	12	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	No	No	0	12	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8082: ENCRYPTION-DECRYPTI

The General Purpose Encryption Equipment, TSEC/KG-84A, -84C is a high capacity key generator used to encrypt and decrypt teletypewriter and digital data traffic on dedicated links in both tactical and fixed plant environments. Future replacement for the TSEC/KG-84A, -84C will be the TSEC/KIV-7M or TSEC/KIV-19M.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	1,286	39
Shortfall/Excess	1,286	39

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
127	141	62	0	97	112	0	708	0	0
127	141	62	0	97	112	0	708	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810011463260	39	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	No	No	0	39	0
5810012506618	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8084: ENCRYPTION-DECRYPTION EQUIPMENT

The KIV High Speed B Communications Security encryption model is designed to operate in Time Division Multiple Access architectures which allows it to provide secure high bandwidth, wide area, networked data exchange via MILSTAR satellites.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3,142	474
AAO (FY17)	3,106	
O/H	4,578	22
Shortfall/Excess	1,436	-452

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
729	728	446	35	425	305	474	0	0	0
725	698	454	31	419	305	474	0	0	0
802	632	573	12	269	512	0	1,703	53	0
73	-96	127	-23	-156	207	-474	1,703	53	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810014146656	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	No	No	0	0	0
5810014304225	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	No	No	0	0	0
5810014318264	10	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	No	No	0	10	0
5810014876582	0	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	Yes	No	No	0	0	0
5810015302811	12	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	Yes	Yes	No	No	0	12	0

Notes: See sensitive equipment instructions in the appendix. NSNs 6656, 4225, and 8264 should be disposed of through MCLC. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- ☑ **Sensitive**
- ☑ **CCI**
- ☑ **Multi-Modal**
- ☐ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8085: ENCRYPTION-DECRYPTION EQUIPMENT (KIV-19)

The KIV-19 is COMSEC equipment and is a controlled cryptographic item. The KIV-19 is a miniaturized version of the existing KG-194 trunk encryption device. It performs data encryption / decryption in full duplex synchronous operation.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,490	413
AAO (FY17)	1,461	
O/H	1,366	17
Shortfall/Excess	-124	-396

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
203	203	164	1	203	303	413	0	0	0
203	203	164	1	174	303	413	0	0	0
329	265	213	1	49	196	0	296	0	0
126	62	49	0	-154	-107	-413	296	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810014497179	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	No	No	0	0	0
5810014925165	17	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	No	No	0	17	0
5810014989537	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8088 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8088: ENCRYPTOR, NETWORK, IN-LINE

The TACLANE®-Micro is the next generation High Assurance IP Encryptor Interoperability Specification (HAIPE® IS) and Crypto Modernization Compliant encryptor. Optimized for both tactical and strategic environments, the TACLANE-Micro is high-speed, compact and mobile.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	757	89
AAO (FY17)	735	
O/H	3,319	118
Shortfall/Excess	2,562	29

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
128	138	103	44	124	131	89	0	0	0
128	134	103	44	106	131	89	0	0	0
447	384	295	51	172	267	0	1,585	0	0
319	246	192	7	48	136	-89	1,585	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810014630133	38	25%	50%	0%	25%	0%	0%	NO	NO	No	No	Yes	yes	no	No	No	0	38	0
5810014861987	10	25%	50%	0%	25%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	10	0
5810015279296	0	25%	50%	0%	25%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	0
5810015474520	70	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	70	0
5999015326578	0	25%	50%	0%	25%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8089 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8089: ENCRYPTION DEVICE, TRUNK

The Trunk Encryption Device, TSEC/KG-194, -194A are full-duplex key generators designed to provide trunk encryption and decryption for digital data traffic. The TSEC/KG-194 is a non-ruggedized, rack mounted equipment. The TSEC/KG-194A is a tactical, ruggedized equipment with a rack mounting capability. TSEC/KG-194, -194A are enhanced versions which have been modified to incorporate the FIREFLY remote re-key capability. Future replacement for the TSEC/KG-194, -194A will be the TSEC/KIV-17M or TSEC/KIV-19M.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,293	182	251	241	182	0	219	92	182	0	126	0
AAO (FY17)	1,254		249	237	180	0	188	92	182	0	126	0
O/H	906	0	204	77	118	0	22	40	0	419	26	0
Shortfall/Excess	-387	-182	-47	-164	-64	0	-197	-52	-182	419	-100	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810012831394	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. All equipment will be disposed of through MCLC. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8091: ENCRYPTION, KG 250

The AltaSec® KG-250 from ViaSat offers seamless foreign interoperability and programmable information assurance. This inline network encryptor is certified by the National Security Agency for use on classified U.S. Government communication networks.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	42	0
AAO (FY17)	42	
O/H	203	12
Shortfall/Excess	161	12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	3	3	30	0	6	0	0	0	0
0	3	3	30	0	6	0	0	0	0
5	27	22	16	6	10	0	105	0	0
5	24	19	-14	6	4	0	105	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810015246615	12	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	No	No	0	12	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8098 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8098: TSECST31 TEST SET

ST-31A KG-40A TEST SET

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	14	0
AAO (FY17)	13	
O/H	7	0
Shortfall/Excess	-7	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	4	1	0	0	0	0
3	3	3	0	3	1	0	0	0	0
2	1	0	0	2	0	0	2	0	0
-1	-2	-3	0	-2	-1	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010060622	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0
5810013517228	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A8100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8100: CONTROL GROUP, RADIO

The Control Group, Receiver-Transmitter, OK-648/U, provides for remote control operation of SINCGARS radios. The Remote Control Unit is connected with the radio by two-way field wire and may be located up to 4 km away from the remotely controlled radio.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4,004	1068
AAO (FY17)	3,735	
O/H	2,035	0
Shortfall/Excess	-1,969	-1,068

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,072	912	372	0	497	83	1,068	0	0	0
994	769	344	0	477	83	1,068	0	0	0
417	476	250	0	452	144	0	40	256	0
-655	-436	-122	0	-45	61	-1,068	40	256	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014294556	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: Item will be returned to owning unit. Owning unit then inventory SL-3 and completed a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply systems. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

A9001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9001: COMPUTER SET, DIGITAL (BLUE FORCE TRACKER)

A computer which processes information represented by combinations of discrete or discontinuous data. It is a computer for performing sequences of arithmetic and logical operations, not only on external data but also on its own internally stored instructions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	16,299	8361
AAO (FY17)	16,266	
O/H	2,126	61
Shortfall/Excess	-14,173	-8,300

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,546	2,115	1,001	545	1,333	398	8,361	0	0	0
2,384	1,894	963	545	1,738	381	8,361	0	0	0
472	620	197	5	0	363	0	4	2	0
-2,074	-1,495	-804	-540	-1,333	-35	-8,361	4	2	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015138459	61	20%	0%	0%	80%	0%	0%	NO	NO	No	No	No	no	no	No	y	49	0	12

Notes: Not CCI as of Sep 2011, but will be within a year. Item is in many other TAMCNs - just about every rolling stock. Will be shipped with associated vehicles, and needs to be associated in TFSMS with all of the rolling stock. It is a computer system - HIGHLY SENSITIVE TO WATER INTRUSION.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9002: BLUE FORCE TRACKER

Blue Force Tracking system consists of a computer, a satellite antenna, and a Global Positioning System receiver. The system displays the location of the host vehicle on the computer's terrain-map display along with other platforms in their respective locations.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	533	447
AAO (FY17)	533	
O/H	2	0
Shortfall/Excess	-531	-447

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
20	20	8	0	25	13	447	0	0	0
20	20	8	0	25	13	447	0	0	0
0	0	0	0	0	1	0	1	0	0
-20	-20	-8	0	-25	-12	-447	1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015335325	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A9003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9003: COMPUTER SET, DIGITAL, (BFT) CF-29 (VEHICLE), (BACKPACK VARIANT - OBSOLETE)

Satellite-based, two-way BFSA and command and control system. Compatible world-wide with Army FBCB2 systems, and provides over-the horizon BFSA and communications link via L-band satellite.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,085	108
AAO (FY17)	1,028	
O/H	265	20
Shortfall/Excess	-820	-88

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
278	276	173	35	114	101	108	0	0	0
266	241	172	35	107	99	108	0	0	0
15	10	4	128	0	73	0	15	0	0
-263	-266	-169	93	-114	-28	-108	15	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015335336	20	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	Yes	0	0	20

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

A9004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9004: COMPUTER SYSTEM, DIGITAL

The Backup Computer System Block II is a small, portable, Ruggedized Personal Data Assistant that is capable of performing and displaying artillery survey computations and artillery technical firing solutions, safety computations and serve as a back up for the technical fire direction functions of AFATDS.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	398	0
AAO (FY17)	381	
O/H	575	10
Shortfall/Excess	177	10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
84	71	42	0	63	94	0	44	0	0
80	62	38	0	63	94	0	44	0	0
149	109	106	0	64	126	0	11	0	0
65	38	64	0	1	32	0	-33	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015154227	10	0%	0%	0%	0%	0%	100%	NO	NO	N	No	No	No	Yes	No	No	0	0	10

Notes: NSN: 7010-01-515-4227 (RPDA-5500 OR 3900) DRMO NSN: 7010-01-515-4216 (RPDA-5700) Ship to MCLB Albany

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9010: UNIT MOVE WORK STATION

MCEITS is the Marine Corps enterprise IT infrastructure in the MAGTF C2 framework. MCEITS consolidates IT infrastructure, hardware, software and services to achieve economies of scale, reduce redundancy and reduce overall USMC IT portfolio costs. MCEITS implements DoD Net-Centric Enterprise Services (NCES), supports Global Information Grid (GIG) and enables effective, efficient IT portfolio management.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	126	
O/H	602	10
Shortfall/Excess	602	10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
35	35	21	0	35	0	0	0	0	0
239	49	72	31	173	28	0	0	0	0
239	49	72	31	173	28	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015431630	10	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	No	No	Yes	No	No	0	0	10

Notes: Item is obsolete, but documentation has not been completed, item will be brought back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9011: MINI DEPLOYMENT EMBARK SUSTAINMENT KIT MINI-DESK

This is the Mini-deployment Embarkation Sustainment Kit.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	29	9
AAO (FY17)	27	
O/H	3	0
Shortfall/Excess	-26	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	4	0	5	11	9	0	0	0
0	0	4	0	3	11	9	0	0	0
0	0	3	0	0	0	0	0	0	0
0	0	-1	0	-5	-11	-9	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7050015444379	0	0%	0%	0%	50%	50%	0%	NO	NO	No	No	No	No	Yes	No	Yes	0	0	0

Notes: Project Office will take care of the warranty in coordination with the MEFs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9013: HANDHELD COMPUTER

The Theater Medical Information Program-Maritime (TMIP-M) provides an integrated theater medical information system addressing the functional areas of Command and Control (C2)(including medical capabilities assessment and sustainability analysis, medical surveillance and collaborative planning capability), Medical Logistics (including assemblage management and blood product management), and Force Health Protection (including medical threat, surveillance, and health care delivery).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,008	0
AAO (FY17)	1,702	
O/H	5	0
Shortfall/Excess	-2,003	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
559	561	269	144	362	113	0	0	0	0
458	417	213	144	357	113	0	0	0	0
0	0	0	0	0	0	0	5	0	0
-559	-561	-269	-144	-362	-113	0	5	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7021015504906	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0

Notes: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9014: LAPTOP COMPUTER

TMIP-M provides clinical data collection and transport capability at Care Echelons 1 (BAS), 2 (Surgical Company Field Hospital), and 3 (In-Theater Fleet Hospital or Hospital Ship - Navy Only) in combat or hostile environments involving deployed forces. TMIP-M is the naval services component of TMIP which is a DOD directed joint program. TMIP-M is a Navy led program with participation from the Marine Corps and Coast Guard. It is an AIS which provides medical information processing capabilities to medical staffs in theater as well as medical planners and command and control elements at all echelons. TMIP-M provides a full suite for user configurable AIS support for all aspects of theater health services from patient encounter data to medical logistics.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	128	0	38	39	20	2	14	15	0	0	0	0
AAO (FY17)	98		26	24	14	2	17	15	0	0	0	0
O/H	33	27	0	4	2	0	0	0	0	0	0	0
Shortfall/Excess	-95	27	-38	-35	-18	-2	-14	-15	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7022015508555	27	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	27	0	0

Notes: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9015: LAPTOP COMPUTER

TMIP-M provides clinical data collection and transport capability at Care Echelons 1 (BAS), 2 (Surgical Company Field Hospital), and 3 (In-Theater Fleet Hospital or Hospital Ship - Navy Only) in combat or hostile environments involving deployed forces. TMIP-M is the naval services component of TMIP which is a DOD directed joint program. TMIP-M is a Navy led program with participation from the Marine Corps and Coast Guard. It is an AIS which provides medical information processing capabilities to medical staffs in theater as well as medical planners and command and control elements at all echelons. TMIP-M provides a full suite for user configurable AIS support for all aspects of theater health services from patient encounter data to medical logistics.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	778	0
AAO (FY17)	675	
O/H	83	75
Shortfall/Excess	-695	75

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
213	210	105	27	123	100	0	0	0	0
177	162	90	26	120	100	0	0	0	0
0	2	6	0	0	0	0	0	0	0
-213	-208	-99	-27	-123	-100	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7022015508375	75	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	75	0	0

Notes: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9020: TABLET RUGGED

Laptop Computer

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	5,816	0
AAO (FY17)	5,475	
O/H	4,607	129
Shortfall/Excess	-1,209	129

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,618	1,572	589	866	1,121	50	0	0	0	0
1,527	1,320	599	866	1,113	50	0	0	0	0
1,496	1,787	667	195	328	2	0	0	0	0
-122	215	78	-671	-793	-48	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7021090006232	129	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	129	0	0
7021090006470	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0

Notes: Follow EKMS procedures for hard drive. DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9023: COMPUTER, LAPTOP

High Performance Laptop. This is missidentified as a A90237G. In accuality, this is an A90237GA, which is a component of an Intel System, A0874. There are multiple vendors for this TAMCN.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	397	0
AAO (FY17)	386	
O/H	759	171
Shortfall/Excess	362	171

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
93	127	75	0	102	0	0	0	0	0
85	117	75	0	109	0	0	0	0	0
43	93	53	0	35	352	0	0	0	0
-50	-34	-22	0	-67	352	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090006435	171	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	171	0	0

Notes: Follow EKMS procedures for hard drive. DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9068: BATTLE COMMAND SUPPORT SUSTAINMENT SYSTEM (BCS3)

Computer purchased for the purpose of running the BCS3 program - similar to CPOF. BCS3 is a map-centric logistics COP.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	422	61
AAO (FY17)	424	
O/H	156	11
Shortfall/Excess	-266	-50

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
77	77	53	0	44	110	61	0	0	0
77	77	53	0	46	110	61	0	0	0
23	28	53	6	1	34	0	0	0	0
-54	-49	0	6	-43	-76	-61	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015682004	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	Yes	Yes	Yes	0	0	0
5895015703725	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	Yes	Yes	0	0	0
5895015729492	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	Yes	Yes	0	0	0
7010015329207	11	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	Yes	Yes	11	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9071 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9071: COMPUTER, LAPTOP

This is a Semi-rugged Laptop. i.e. Panasonic CF-74. There are multiple vendors for this TAMCN.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,973	0
AAO (FY17)	1,788	
O/H	1,253	0
Shortfall/Excess	-720	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
546	602	262	0	563	0	0	0	0	0
528	513	260	0	487	0	0	0	0	0
399	489	286	0	41	37	0	0	0	0
-147	-113	24	0	-522	37	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090006216	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0

Notes: Follow EKMS procedures for hard drive. DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9089 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9089: COMPUTER SET, DIGITAL (BLUE FORCE TRACKER) TOC LITE

The TOC is a variant of the Blue Force Tracking (BFT) that brings the BFT capability into Operation Centers. The TOC possess similar capabilities to the BFT.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,202	110
AAO (FY17)	1,171	
O/H	239	45
Shortfall/Excess	-963	-65

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
250	226	121	83	171	135	110	106	0	0
239	198	123	83	177	135	110	106	0	0
57	31	11	23	0	59	0	3	0	0
-193	-195	-110	-60	-171	-76	-110	-103	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015354168	0	0%	0%	0%	0%	0%	0%	YES	0	No	No	Yes	No	Yes	No	Yes	0	0	0
7010015542356	35	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	no	No	Yes	35	0	0
7010015690604	10	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	no	No	Yes	10	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9100: COMPUTER, GP, LAPTOP

ADP Central Processing Unit (CPU, Computer), Hybrid.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	40,596	0
AAO (FY17)	39,287	
O/H	51,324	3088
Shortfall/Excess	10,728	3,088

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12,566	12,868	7,343	0	7,590	229	0	0	0	0
12,302	11,995	7,210	0	7,551	229	0	0	0	0
15,363	15,830	7,217	359	997	5,487	0	9	0	0
2,797	2,962	-126	359	-6,593	5,258	0	9	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015325434	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0
7010014649363	30	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	30	0	0
7010015385013	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0
7010090000294	7	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	7	0	0
7010090000346	34	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	34	0	0
7010090002538	21	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	21	0	0
7010090002539	571	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	571	0	0
7010090002540	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0
7010090004272	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0
7010090004448	2378	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	2378	0	0
7010090006210	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

7022014779043	47	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	47	0	0

Notes: All equipment is going to be procured new. Destroy the hard drive and DRMO in theater. 7010090000346 (64 O/H) , 7010090002538 (40 O/H), 5895015325434 (34 O/H), 7010015385013 (7 O/H), 7010090002540 (3 O/H)

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- [x] **Sensitive**
- [ ] **CCI**
- [ ] **Multi-Modal**
- [ ] **Associated TAMCNs (See Appendix)**
- [ ] **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9200: COMPUTER, TECH WORKSTATION

The Marine Corps Common Hardware Suite (MCHS) is a level-of-effort program that provides high performance and general purpose client workstations (desktop/laptop)and file application servers that support both UNIX (RISC) and Intel (CISC) based applications. The program includes two components: 1) Workstations and Servers for Tactical and stand-alone Functional C4I programs and 2)/Servers Modernization.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	34	0
Shortfall/Excess	34	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
14	3	0	0	1	16	0	0	0	0
14	3	0	0	1	16	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090000350	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and should be DRMOd or disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

A9300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9300: COMPUTER SYSTEM,DIG

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,370	0
AAO (FY17)	1,607	
O/H	8,099	0
Shortfall/Excess	6,729	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
344	488	386	0	152	0	0	0	0	0
410	557	414	0	226	0	0	0	0	0
417	573	540	36	73	6,454	0	2	0	0
73	85	154	36	-79	6,454	0	2	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010014649346	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0
7010090000349	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0
7010090006211	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0
7022014778695	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0

Notes: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9400 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9400: SERVER, ENTERPRISE

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	145	0
AAO (FY17)	145	
O/H	85	0
Shortfall/Excess	-60	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	6	4	0	32	92	0	0	0	0
11	6	4	0	32	92	0	0	0	0
19	4	2	0	0	59	0	0	0	0
8	-2	-2	0	-32	-33	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090000347	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0

Notes: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

A9500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9500: COMPUTER, SERVER

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,224	0
AAO (FY17)	1,223	
O/H	363	0
Shortfall/Excess	-861	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
60	57	36	0	26	1,045	0	0	0	0
60	56	36	0	26	1,045	0	0	0	0
74	62	51	0	8	165	0	3	0	0
14	5	15	0	-18	-880	0	3	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7035014649366	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0

Notes: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0003: AIR CONDITIONER, HORIZONTAL, 1.5T, 60HZ, 18K BTU

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	458	0	130	130	76	0	103	19	0	0	0	0
AAO (FY17)	461		130	130	76	0	106	19	0	0	0	0
O/H	722	12	179	171	102	0	92	20	0	146	0	0
Shortfall/Excess	264	12	49	41	26	0	-11	1	0	146	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261588	12	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	12
4120015810399	0	0%	0%	0%	50%	0%	50%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: For NSN 4120-01-526-1588 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-0399 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0006: AIR CONDITIONER, MCS VERTICAL, 400HZ, 36K BTU

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	123	0
AAO (FY17)	0	
O/H	93	2
Shortfall/Excess	-30	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
28	28	20	0	32	15	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	1	0	90	0	0
-28	-28	-20	0	-32	-14	0	90	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120004443921	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	No	No	No	0	0	0
4120009264137	2	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	No	No	No	0	0	2
4120010726388	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	No	No	No	0	0	0
4120011608886	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	No	No	No	0	0	0
4120011755902	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	No	No	No	0	0	0
4120012446385	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	No	No	No	0	0	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0008: AIR CONDITIONER, 5T, 60K

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	737	0	187	173	118	43	155	61	0	0	0	0
AAO (FY17)	715		177	172	116	39	150	61	0	0	0	0
O/H	1,535	355	231	185	146	50	108	51	0	408	1	0
Shortfall/Excess	798	355	44	12	28	7	-47	-10	0	408	1	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261060	254	0%	0%	0%	0%	0%	100%	NO	NO	n	No	Yes	No	No	No	No	0	0	254
4120015410646	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0
4120015812260	101	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	50	0	50

Notes: For NSN 4120-01-526-1060 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-2260 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	49	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0010: AIR CONDITIONER

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	64	2
AAO (FY17)	66	
O/H	140	0
Shortfall/Excess	76	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	19	12	4	9	2	2	0	0	0
16	18	12	4	12	2	2	0	0	0
17	24	12	1	10	7	0	69	0	0
1	5	0	-3	1	5	-2	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261120	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0
4120015647844	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0
4120015811227	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	57	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0010: AIR CONDITIONER

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	64	2
AAO (FY17)	66	
O/H	140	0
Shortfall/Excess	76	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	19	12	4	9	2	2	0	0	0
16	18	12	4	12	2	2	0	0	0
17	24	12	1	10	7	0	69	0	0
1	5	0	-3	1	5	-2	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261120	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0
4120015647844	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0
4120015811227	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	57	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0010: AIR CONDITIONER

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	64	2
AAO (FY17)	66	
O/H	140	0
Shortfall/Excess	76	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	19	12	4	9	2	2	0	0	0
16	18	12	4	12	2	2	0	0	0
17	24	12	1	10	7	0	69	0	0
1	5	0	-3	1	5	-2	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261120	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0
4120015647844	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0
4120015811227	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	57	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0011: AIR CONDITIONER

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	20	0	0	0	0	0	1	0	0	19	0	0
Shortfall/Excess	20	0	0	0	0	0	1	0	0	19	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120003237780	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0
4120011508112	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Eligible for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0013: AIR CONDITIONER

The B0013 is a quieter, more reliable, vertical, compact 36,000 BTU/HR air conditioner that can be remotely operated.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	6	6
Shortfall/Excess	6	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120013590083	6	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	6

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Eligible for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0014: ENVIRONMENTAL CONTROL UNIT, HORIZONTAL, 36K BTU

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3,219	13
AAO (FY17)	3,156	
O/H	4,882	429
Shortfall/Excess	1,663	416

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
745	729	544	45	585	220	13	0	282	56
746	734	504	41	560	220	13	0	282	56
783	765	569	51	349	148	0	1,566	165	57
38	36	25	6	-236	-72	-13	1,566	-117	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015262397	282	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	282
4120015811276	147	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	74	0	74

Notes: For NSN 4120-01-526-2397 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN: 4120-01-581-1276 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	44	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0015: VAN, Z BACKSCATTER

The Backscatter X-ray Van is a low-cost, extremely maneuverable screening system built into a commercially available delivery van. It allows for immediate deployment in response to security threats.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	38	35
AAO (FY17)	38	
O/H	26	17
Shortfall/Excess	-12	-18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	3	35	0	0	0
0	0	0	0	0	3	35	0	0	0
0	0	0	0	0	0	0	9	0	0
0	0	0	0	0	-3	-35	9	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015640135	9	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0
6665015314806	8	0%	0%	0%	0%	100%	0%	YES	NO	Yes	No	Yes	No	No	No	No	0	0	0

Notes: Not currently a POR, PM requests that it go back to LOGCOM to be inventoried and determine what to do at that time. Power washing may be completed on the exterior (outside) only of this item. Care should be taken around wiring to prevent damage. DO NOT POWER WASH INSIDE OF SHELTER; interior contains sensitive electronics which water can damage. Use compressed air anUpon MCLB Albany Receiving equipment from theater, PM-CIED should be contacted so a complete inventory assessment can be performed to assertain the equipments reliabilty status.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**ARMY**
if	**Not Mission Capable MEF**	then	**ARMY**
if	**Not Mission Capable**	then	**ARMY**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4.8

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0018: INTEGRATED TRAILER, ECU AND GENERATOR

The Tactical Quiet Generators (TQG's) are currently being procured to replace the Military Standard Generators. The updated TQGs feature enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	75	0
AAO (FY17)	122	
O/H	244	16
Shortfall/Excess	169	16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	15	7	20	11	7	0	0	0	0
32	32	22	20	9	7	0	0	0	0
45	38	22	20	55	9	0	39	0	0
30	23	15	0	44	2	0	39	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015569648	16	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	No	No	12	0	4

Notes: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. For the ECU: The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11490A.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	102	0	2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0023: EXPLOSIVE DETECTOR EVD 3000

The EVD3000 is the world's first and most recognized portable explosives trace detector with comprehensive explosives detection capabilities. It can detect even minute traces of C-4, TNT, Dynamite, PETN, Semtex, EGDN, DMNB, RDX, and Nitroglycerine, including ICAO taggants and tagged plastic explosives.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	118	0
Shortfall/Excess	118	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	118	0	0
0	0	0	0	0	0	0	118	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015315570	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	Yes	0	0	0

Notes: Item is obsolete and should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0024 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0024: DISTRIBUTOR, WATER, TANK TYPE

Transports and distributes water providing soil stabilization, dust control and compaction capabilities.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	23	0
AAO (FY17)	26	
O/H	33	1
Shortfall/Excess	10	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	3	0	6	0	0	0	0	0
7	7	6	0	6	0	0	0	0	0
7	4	5	0	4	0	0	12	0	0
0	-3	2	0	-2	0	0	12	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3825014970690	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	Yes	0	1	0

Notes: TANK MUST BE FLUSHED

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	299	0	17

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0025: HYDRO SEEDER, DUST ABATEMENT, TRAILER MOUNTED

The Hydroseeder comprises of a wheeled and skid mounted machine used to distribute water.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	36	3
AAO (FY17)	35	
O/H	66	1
Shortfall/Excess	30	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	7	0	6	0	3	6	0	0
7	7	6	0	6	0	3	6	0	0
6	7	5	0	4	1	0	42	0	0
-1	0	-2	0	-2	1	-3	36	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3710015357449	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	No	Yes	0	0	1

Notes: Items in OEF can be DRMO'd - candidate for FMS. There is a replacement item coming online.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	119	0	2.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0026 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0026: HYDRO SEEDER, DUST ABATEMENT, SKID MOUNTED

The Hydroseeder comprises of a wheeled and skid mounted machine used to distribute water.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	36	3
AAO (FY17)	35	
O/H	67	1
Shortfall/Excess	31	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	7	0	6	0	3	6	0	0
7	7	6	0	6	0	3	6	0	0
7	7	9	0	3	0	0	40	0	0
0	0	2	0	-3	0	-3	34	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3710015349817	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	No	Yes	0	0	1

Notes: Items in OEF can be DRMO'd - candidate for FMS. There is a replacement item coming online.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	700	2.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0027: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 5KW (INDOOR)

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,226	141	246	238	163	90	183	5	141	0	120	40
AAO (FY17)	1,215		243	243	163	90	170	5	141	0	120	40
O/H	1,993	108	349	247	179	64	173	12	0	725	103	33
Shortfall/Excess	767	-33	103	9	16	-26	-10	7	-141	725	-17	-7

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321794	108	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	No	27	0	81

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0028: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 5KW (OUTDOOR)

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,165	282	452	441	300	25	341	4	282	0	240	80
AAO (FY17)	2,196		462	457	314	25	332	4	282	0	240	80
O/H	2,710	212	656	461	318	25	277	19	0	481	242	19
Shortfall/Excess	545	-70	204	20	18	0	-64	15	-282	481	2	-61

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321821	212	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	No	53	0	159

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0029 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0029: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 15KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	724	69
AAO (FY17)	746	
O/H	1,233	167
Shortfall/Excess	509	98

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
163	148	109	48	119	4	69	0	48	16
173	162	109	48	117	4	69	0	48	16
220	149	110	48	117	14	0	330	68	10
57	1	1	0	-2	10	-69	330	20	-6

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321764	167	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	No	42	0	125

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0030: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 30KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	683	76	130	113	93	34	99	26	76	0	84	28
AAO (FY17)	685		136	121	93	30	91	26	76	0	84	28
O/H	1,391	178	145	104	104	30	96	37	0	571	91	35
Shortfall/Excess	708	102	15	-9	11	-4	-3	11	-76	571	7	7

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321809	178	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	No	44	0	134

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	10	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0031: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 100KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	278	1	68	59	49	15	51	3	1	0	24	8
AAO (FY17)	290		71	65	52	15	51	3	1	0	24	8
O/H	769	105	127	73	54	14	59	9	0	291	27	10
Shortfall/Excess	491	104	59	14	5	-1	8	6	-1	291	3	2

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321835	105	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	No	26	0	79

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0032: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 300KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	69	0	16	16	12	0	12	2	0	0	11	0
AAO (FY17)	69		16	16	12	0	12	2	0	0	11	0
O/H	198	8	18	17	16	0	8	1	0	120	10	0
Shortfall/Excess	129	8	2	1	4	0	-4	-1	0	120	-1	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321776	8	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	N/A	No	2	0	6

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0033: JOINT ENGINEER RAPI

The Joint Engineer Rapid Response Vehicle is a Joint Service MRAP Category II, hardened EOD / engineering vehicle, with Level I armor protection.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	22	0
Shortfall/Excess	22	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	22	0	0
0	0	0	0	0	0	0	22	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015322159	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and should be DRMOd or disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B0034 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0034: VEHICLE MOUNTED MINE DETECTOR (VMMD) HUSKY

The VMMD system can detect buried metallic anti-tank mines, explosive obstacles and unexploded ordnance. The VMMD system is comprised of two Husky Mine Detection Vehicles, one Red Pack sustainment trailer and three Mine Detonation Trailers.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	1	0
Shortfall/Excess	1	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	1	0	0
0	0	0	0	0	0	0	1	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015602318	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	No	Yes	No	Yes	0	0	0

Notes: TAMCN being archived and equipment being reported under B0092, B0093 or B0094 TAMCNs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0035: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT III

A truck, usually with a platform or cargo type body, equipped with a monorail mounting hoist or hydraulic lifting boom, designed to lift and/or transport bombs.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	83	20	13	10	5	0	9	8	20	2	12	4
AAO (FY17)	80		10	10	5	0	9	8	20	2	12	4
O/H	65	13	11	3	1	0	0	6	0	31	0	0
Shortfall/Excess	-18	-7	-2	-7	-4	0	-9	-2	-20	29	-12	-4

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015316425	8	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	yes	No	y	Yes	0	8	0
2355015811171	5	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	yes	No	y	Yes	0	5	0

Notes: Remove all C4I asset and disassociate prior to wash down. Both Variants of CAT III Buffalos are returning to MCLB Albany for Reset prior to fielding according to R2C and enduring requirements. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	237	0	12.5

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0036: GROUND EXPEDIENT FUEL SYSTEM MEDIUM

GERS is a collection of small collapsible tanks, hoses, connectors and pumps used to distribute fuel to Marine Corps ground equipment. 620 gal capacity. Four 155 gal collapsible tanks. 20 GPM Pumping capability. Refuel two vehicles simultaneously.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	329	6
AAO (FY17)	371	
O/H	361	0
Shortfall/Excess	32	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
89	75	57	9	50	2	6	0	30	11
97	83	60	9	73	2	6	0	30	11
92	69	63	13	51	3	0	39	21	10
3	-6	6	4	1	1	-6	39	-9	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930015339826	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: All liners can not be transported back to CONUS if they have been utilized.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	931	0.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0037 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0037: GROUND EXPEDIENT REFUELING SYSTEM SMALL

The GERS is a ground fuel dispensing system that can receive, store, transport and issue fuel. The GERS is a collection of small collapsible tanks, hoses, connectors and pumps used to distribute fuel to Marine Corps equipment and is transportable by any vehicle (HMMWV or larger).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	315	6
AAO (FY17)	353	
O/H	365	0
Shortfall/Excess	50	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
88	73	55	0	50	2	6	0	30	11
94	81	58	0	71	2	6	0	30	11
88	65	73	5	51	3	0	49	21	10
0	-8	18	5	1	1	-6	49	-9	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930015339830	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: All liners cannot be transported back to CONUS if it has been utilized.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	365	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0038: ALL TERRAIN CRANE (ATC) MAC-50

The All Terrain Crane is a rubber tired, hydraulic boom, all terrain crane capable of lifting and swinging a maximum load of 80,000 pounds.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	166	20	24	23	21	0	21	12	20	13	24	8
AAO (FY17)	173		27	26	19	0	24	12	20	13	24	8
O/H	164	5	24	23	23	0	9	13	0	40	19	8
Shortfall/Excess	-2	-15	0	0	2	0	-12	1	-20	27	-5	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3810015384030	2	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	Yes	No	0	2	0
3810015793981	3	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	Yes	No	0	3	0

Notes: All need to come back through MCLC. 3981 is the armored variant.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	318	0	34.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0039: AIRFIELD DAMAGE REPAIR (ADR) KIT

The Airfield Damage Repair Kit will provide Marine Corps units the capability to create useable landing surfaces by means of new construction or repair of existing facilities. The new kit will provide the ability to quickly repair seized enemy airfields that have sustained battle damage.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	32	0
AAO (FY17)	35	
O/H	41	1
Shortfall/Excess	9	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	6	0	7	1	0	0	0	0
9	9	7	0	9	1	0	0	0	0
7	5	5	0	3	3	0	17	0	0
-2	-4	-1	0	-4	2	0	17	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3895015390585	1	0%	0%	0%	50%	50%	0%	NO	NO	No	No	Yes	No	No	No	No	0	1	0

Notes: All need to come back through MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	35.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0040: 277B MULTI-TERRAIN LOADER (MTL)

The Multi-Terrain Loader provides the Marine Corps with a versatile, deployable, and scalable capability.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	331	62
AAO (FY17)	312	
O/H	311	25
Shortfall/Excess	-20	-37

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
70	52	24	0	48	3	62	28	30	14
50	52	29	0	44	3	62	28	30	14
73	52	28	0	27	3	0	73	20	10
3	0	4	0	-21	0	-62	45	-10	-4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015393925	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	yes	No	No	No	0	0	0
3805015500883	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	yes	No	No	No	0	0	1
3805015696091	14	10%	90%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	Yes	No	0	13	1
3805015804542	10	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	Yes	No	0	10	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	75	0	4.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0044: BLADE,MINE CLEARING

The FWMP is an associated TAMCN of the Assault Breacher Vehicle.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	65	12
AAO (FY17)	65	
O/H	72	5
Shortfall/Excess	7	-7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	0	0	0	14	12	10	15	0
7	7	0	0	0	14	12	10	15	0
7	7	0	0	0	15	0	23	15	0
0	0	0	0	0	1	-12	13	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590992389283	5	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	5	0

Notes: Associated to the ABV. Equipment needs to be refreshed regardless of maintenance condition.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0048 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0048: PACBOT

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	46	6
AAO (FY17)	46	
O/H	38	0
Shortfall/Excess	-8	-6

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	0	0	0	12	6	4	8	4
6	6	0	0	0	12	6	4	8	4
0	0	0	0	3	35	0	0	0	0
-6	-6	0	0	3	23	-6	-4	-8	-4

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385015936219	0	0%	50%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1484	4.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0049 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0049: LARGE FIELD REFRIGERATION SYS (LFRS)

The LFRS will comprise a 8x8x20 insulated container that meets ISO type 1, 20 foot standard. The LFRS will be dual mode to refrigerate or freeze perishable itemss. It will support numerouse curtomers to include Marine Corps field food Service system and will be also support Motruary Affairs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	134	20	18	23	11	0	42	9	20	0	0	11
AAO (FY17)	108		19	19	16	0	14	9	20	0	0	11
O/H	155	5	18	23	10	0	14	9	0	65	0	11
Shortfall/Excess	21	-15	0	0	-1	0	-28	0	-20	65	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4130015629914	5	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	No	No	N/A	No	0	0	5

Notes: Many of these items were ARMY assets and are not ours - follow instructions only if they are our assets. If serviceable, distribute to MEF, if unserviceable DRMO. Depot Level Maintenance is NOT part of the maintenance concept for this item. A pressure washer can be used on the interior and exterior of the box, excluding the Refrigeration Unit (RU). The RU needs to be cleaned using compressed air and coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11574A. MARCORSYSCOM has not shipped ANY of this TAMCN / NSN to OEF, so none of these are in OEF to our knowledge. Commercial boxes may look similar, but are white in color and do not have the safety features of the USMC LFRS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B0055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0055: BATH SHOWER UNIT, EXPEDITIONARY, FIELD

The Bath Shower Unit, Expedition consists of six separate but identical and interchangeable shower modules, with interconnecting hoses, electrical power feed water and drain pumps, and a drain hose to conduct water away from the shower area.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	284	48
AAO (FY17)	313	
O/H	357	18
Shortfall/Excess	73	-30

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
55	51	32	0	36	4	48	10	36	12
59	55	47	0	42	4	48	10	36	12
71	49	37	0	19	4	0	116	31	12
16	-2	5	0	-17	0	-48	106	-5	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4510011636775	18	75%	0%	0%	25%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	4	0	14

Notes: Not classified

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	108	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0058 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0058: LTWT VEH MOUNTED MINE ROLLER SYS

The Mine Roller System (MRS) is a countermine system that is mounted on wheeled vehicles to reduce the impact of pressure-activated explosive devices. The MRS detects and neutralizes mines and improvised explosive devices before the host vehicle passes over them.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	790	652
AAO (FY17)	777	
O/H	654	505
Shortfall/Excess	-136	-147

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
39	39	10	0	15	35	652	0	0	0
29	33	9	0	19	35	652	0	0	0
43	39	18	0	0	33	0	3	0	0
4	0	8	0	-15	-2	-652	3	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590015439655	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	yes	No	No	Yes	0	0	0
2590015447173	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	yes	No	No	Yes	0	0	0
2590015456776	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	yes	No	No	Yes	0	0	0
2590015536517	52	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	yes	No	No	Yes	0	0	52
2590015794990	453	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	yes	No	No	Yes	0	0	453

Notes: Current strategy is to dispose of the obsolete NSNs. AAO for 4990 is probably going to be reduced, but items should still go to fill shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0060: MEDIUM CRAWLER TRACTOR (JOHN DEERE)

Militarized crawler tractor type with straight blade and drawbar.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	409	96
AAO (FY17)	422	
O/H	395	22
Shortfall/Excess	-14	-74

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
57	48	28	0	54	29	96	40	51	6
53	49	40	0	58	29	96	40	51	6
59	47	32	0	45	31	0	111	42	6
2	-1	4	0	-9	2	-96	71	-9	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015585671	0	10%	90%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	Y	No	0	0	0
2320015895117	22	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	Y	No	0	22	0

Notes: 5117 is armored, all of the rest are unarmored. The armored variant will be sent back to MCLC for depot maintenance. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	155	0	34.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0061: COOLING AND REFRIGERATION EXPEDITIONARY TOOL KIT (CREK)

The Cooling and Refrigeration Expeditionary Kit (CREK) is an expeditionary support package that will be used by the Refrigeration Mechanic (MOS 1161) to maintain the new family of environmental control and refrigeration equipment The CREK will replace the current Refrigeration Mechanics and Service Toolkits (TAMCNB2280 NSN 5180-00-637-2667, B2290 NSN3439-00-637-2668 & B1713 4330-01-411-7240) This kit will update the current tools the 1161 utilizes in. both technology and safety It will also greatly enhance the expeditionary capability.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	391	28
AAO (FY17)	428	
O/H	574	10
Shortfall/Excess	183	-18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
92	81	62	6	74	3	28	0	27	18
103	96	69	5	79	3	28	0	27	18
110	121	62	6	57	20	0	143	25	20
18	40	0	0	-17	17	-28	143	-2	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015585664	10	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	10	0	0

Notes: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. This is a tool kit that may be incomplete and require replacement tools/components be reordered. IMA and Depot Level Maintenance are NOT part of the maintenance concept for this item. Highly pilferable, should not go down the GLOC. All tools need to be wiped down and the exterior of the cases can be cleaned with low pressure washer. SL-3: SL-3-11502A

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0062: TOOL KIT, LINESMAN ELECTRICAL

The Lineman's Tool Kit is a standardized lineman's basic tool kit that provides a wide range of necessary tools for the basic electrician. configuration controlled.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	423	0
AAO (FY17)	422	
O/H	505	5
Shortfall/Excess	82	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
95	86	44	18	65	4	0	0	84	27
91	85	50	17	64	4	0	0	84	27
102	92	50	19	48	8	0	95	59	27
7	6	6	1	-17	4	0	95	-25	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015500145	5	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	No	5	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0063: LOADER, SCOOP TYPE

The TRAM is a multi-purpose machine that is employed throughout the Marine Corps with its forklift attachment in support of heavy lifts up to 10,000 lbs and horizontal construction operations. When configured as a bucket loader it is utilized to, excavate earthen material, move excavated materials, and to load haul units such as dump trucks.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	852	148	130	123	86	13	112	33	148	65	105	37
AAO (FY17)	839		123	120	82	11	115	33	148	65	105	37
O/H	855	85	135	115	86	17	92	36	0	142	110	37
Shortfall/Excess	3	-63	5	-8	0	4	-20	3	-148	77	5	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015497814	40	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	Yes	No	0	40	0
3805015891659	45	10%	90%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	No	No	0	40	4

Notes: 7814 is unarmored variant.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	186	0	18.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0065: ARMORED EXCAVATOR WITH BRUSH HOG

The Backhoe, Excavator is a pneumatic hydraulically operated excavator. It is used in the development of field fortifications, trenching operations, emplacement of culverts, drainage ditch construction and maintenance, quarry support operations and loading.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	8	8	0	0	0	0	0	0	8	0	0	0
AAO (FY17)	8		0	0	0	0	0	0	8	0	0	0
O/H	7	3	0	0	0	0	0	0	0	4	0	0
Shortfall/Excess	-1	-5	0	0	0	0	0	0	-8	4	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3815015503454	3	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	Yes	No	Yes	Yes	0	0	3

Notes: Not spending any money to reset equipment, but needs to return to depot. Investigating possible FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	31.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0066 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0066: CONTAINERIZED BATCH LAUNDRY

The Containerized Batch Laundry (CBL) is a 100KW Generator powered COTS Laundry item configured into a standard 8' x 8' x 20' ISO Container and consists of two industrial 55 pound washers, two industrial 75 pound dryers, and a 30 GPM supply pump.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	101	0
AAO (FY17)	125	
O/H	137	13
Shortfall/Excess	36	13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	22	8	0	20	4	0	7	12	4
28	26	20	0	24	4	0	7	12	4
24	22	17	0	11	4	0	32	10	4
0	0	9	0	-9	0	0	25	-2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3510015498384	13	50%	50%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	6	6

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0067: GROUND TORCH

The Ground Torch is a trailer mounted unit designed to burn vegetation along rivers, canals, and roads. It can also be used to open up supply routes through thick vegetation, or wherever the tactical situation requires that vegetation be cleared.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	15	0
Shortfall/Excess	15	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	15	0	0
0	0	0	0	0	0	0	15	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1040015503421	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	No	Yes	0	0	0

Notes: No current requirement for item across the USMC. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0069: CLIMBERS SET, TREE AND POLE

Tool Kit used by electricians (MOS 1141) that contains items necessary to climb poles and work on electrical wiring.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	409	0	93	85	46	5	67	2	0	0	84	27
AAO (FY17)	405		88	82	54	4	64	2	0	0	84	27
O/H	140	0	38	30	15	5	20	2	0	0	30	0
Shortfall/Excess	-269	0	-55	-55	-31	0	-47	0	0	0	-54	-27

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4240002739668	0	0%	0%	0%	0%	100%	0%	YES	NO	Yes	No	Yes	No	No	No	No	0	0	0
5180015508373	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	16	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0071 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0071: LIGHT WEIGHT WATER PURIFICATION SYSTEM

The LWPS uses reverse osmosis technology to produce 125 GPH from fresh water/brackish water sources and 75 GPH from saltwater sources.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	233	25	46	42	17	0	37	8	25	20	19	19
AAO (FY17)	276		52	50	42	0	41	8	25	20	19	19
O/H	175	19	39	37	36	0	11	9	0	4	20	0
Shortfall/Excess	-58	-6	-7	-5	19	0	-26	1	-25	-16	1	-19

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610015728283	19	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	19	0

Notes: All should go to the MCLC as they are designated WRMR items. MEFs should recieve new units in about a year, from once full fielding is complete.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0074 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0074: AIR CONDITIONER, MCS HORIZONTAL, 60HZ, 9K BTU

Window-style Air conditioner for rigid wall environmental control.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	215	21	47	47	37	0	47	5	21	11	0	0
AAO (FY17)	215		47	47	37	0	47	5	21	11	0	0
O/H	326	3	62	48	45	0	29	8	0	129	2	0
Shortfall/Excess	111	-18	15	1	8	0	-18	3	-21	118	2	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015525223	3	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	No	N/A	No	0	0	3
4120015812650	0	0%	0%	0%	0%	0%	100%	NO	NO	N	No	Yes	No	No	N/A	No	0	0	0

Notes: For NSN 4120-01-552-5223 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-2650 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-4120 The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0075 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0075: SMALL FIELD REFRIGERATOR

The SFRS is an 8'x8'x6.5' insulated TRICON container that can be interlocked with two additional TRICONs to meet ISO standards. An integrated externally-powered Refrigeration Unit (RU) provides controlled refrigeration or freezing of perishable items. The SFRS will support numerous customers, to include Marine Corps Field Food Service System (FFSS).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	626	41	118	112	72	0	150	39	41	37	12	45
AAO (FY17)	514		105	85	71	0	79	39	41	37	12	45
O/H	1,062	98	173	119	79	0	70	60	0	411	1	51
Shortfall/Excess	436	57	55	7	7	0	-80	21	-41	374	-11	6

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4130015657655	98	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	No	No	74	0	24

Notes: Funding has already been obtained for replacing all in theater, so return to CONUS only if serviceable. Depot Level Maintenance is NOT part of the maintenance concept for this item. A pressure washer can be used on the interior and exterior of the box, excluding the Refrigeration Unit (RU). The RU needs to be cleaned using compressed air and coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11609A.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	312	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0076 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0076: MTL WORK TOOL SET

Tool set to support maintainance of the MTL.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	94	0
AAO (FY17)	90	
O/H	167	16
Shortfall/Excess	73	16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
21	17	9	6	19	1	0	0	15	6
18	18	12	6	14	1	0	0	15	6
30	22	13	8	21	2	0	37	13	5
9	5	4	2	2	1	0	37	-2	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015534073	16	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	16	0

Notes: Used with B0040

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	105	0	3.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0077 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0077: DIESEL ENGINE GENERATOR SET 5KW TACTICAL QUIET GENERATOR

The 5kW Generator Set, MEP-802A, 60Hz, is a self-contained, skid mounted, portable unit. It is equipped with controls, instruments and accessories necessary for operation. The generator set consist of a diesel engine, brushless generator, excitation system, speed governing system, fuel system, 24VDC starting system, control system and fault system. This generator set is designed to be used with any equipment requiring a small source of AC power and operates in a "Hot and Basic" climatic condition range of -25°F to 120°F. This generator set is mobile and requires forklift support.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY13)	10	0
AAO (FY17)	10	
O/H	270	0
Shortfall/Excess	260	0

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	10	0	0	0	0
0	0	0	0	0	10	0	0	0	0
1	0	0	0	0	0	0	269	0	0
1	0	0	0	0	-10	0	269	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012747387	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	N/A	No	No	0	0	0

Notes: Used with the GBOSS system and should be reassociated at MCLC. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	33	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0078: GRADER, MOTORIZED

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	133	17
AAO (FY17)	134	
O/H	157	7
Shortfall/Excess	24	-10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
23	22	13	0	20	14	17	0	18	6
22	21	15	0	21	14	17	0	18	6
22	21	14	0	16	14	0	47	11	5
-1	-1	1	0	-4	0	-17	47	-7	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015660558	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	0
3805015982715	7	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	7	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2181	15.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0078: GRADER, MOTORIZED

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	133	17
AAO (FY17)	134	
O/H	157	7
Shortfall/Excess	24	-10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
23	22	13	0	20	14	17	0	18	6
22	21	15	0	21	14	17	0	18	6
22	21	14	0	16	14	0	47	11	5
-1	-1	1	0	-4	0	-17	47	-7	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015660558	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	0
3805015982715	7	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	7	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2181	15.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0079: RIPPER FOR MCT

Attachment mounted on the medium crawler tractor.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	156	42
AAO (FY17)	156	
O/H	148	9
Shortfall/Excess	-8	-33

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	18	13	0	17	12	42	0	24	8
19	18	14	0	19	12	42	0	24	8
22	18	13	0	18	11	0	31	23	3
0	0	0	0	1	-1	-42	31	-1	-5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830015626715	9	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	9	0

Notes: This item is an attachment for B0060.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	218	2.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0081: WINCH ATTACHMENT, SINGLE DRUM

Attachment mounted on the medium crawler tractor.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	155	13
AAO (FY17)	130	
O/H	173	10
Shortfall/Excess	18	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	26	21	0	28	15	13	0	15	5
22	21	16	0	23	15	13	0	15	5
39	26	19	0	19	16	0	17	24	3
7	0	-2	0	-9	1	-13	17	9	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830015626695	10	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	10	0

Notes: This item is used with B0060. Request separate WIRs for B0060 and B0081.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	64	1.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0091: TANK,FUEL,PORTABLE

Fuel Containers

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	5	5
Shortfall/Excess	5	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2910015879196	5	0%	0%	0%	0%	0%	100%	NO	NO	y	Yes	Yes	no	no	No	y	0	0	5

Notes: Items in OEF can be DRMO'd - candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	6.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B0092 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0092: TRAILER SET,MINE DE

The three mine detonation trailers are pulled by a single husky vehicle in order to produce large ground pressure in order to initiate pressure plate firing systems in mines and IEDs. The tires of the three trailers are staggered in a manner that ensures pressure is applied to the entire width of the travelled lane.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	16	3
AAO (FY17)	16	
O/H	38	0
Shortfall/Excess	22	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	0	0	0	6	3	1	2	2
1	1	0	0	0	6	3	1	2	2
17	12	0	0	0	7	0	2	0	0
16	11	0	0	0	1	-3	1	-2	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015294229	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	No	No	Yes	0	0	0

Notes: AAO's are being established. Used by B0093.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0093 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0093: MINE DETECTOR SYSTE

The Husky is an armored vehicle that can detect buried metallic anti-tank mines, explosive obstacles and unexploded ordnance. It imparts low ground pressure and can be repaired in the field if it is struck by an explosive device.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	46	6
AAO (FY17)	46	
O/H	83	24
Shortfall/Excess	37	18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	0	0	0	12	6	4	8	4
6	6	0	0	0	12	6	4	8	4
16	8	0	0	0	16	0	19	0	0
10	2	0	0	0	4	-6	15	-8	-4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015602306	24	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	No	No	Yes	0	24	0

Notes: AAO's are being established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0096 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0096: MINE,ROLLER SYSTEM

The Heavy Scout Mine Roller is a non-articulating mine roller that can attach to any standard mine roller interface bracket. It is lighter than the Generation III roller and is used primarily by Marine Corps Light Armored Vehicles (LAV) and Afghan National Army High Mobility Multi-Wheeled Vehicles (HMMWV).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)		
AAO (FY17)		
O/H	0	0
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590015890393	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	No	No	No	Yes	0	0	0

Notes: AAO's are being established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B0102 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0102: DETECTING SET,MINE

Handheld Low Metallic Signature detector.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	200	200
AAO (FY17)	200	
O/H	521	18
Shortfall/Excess	321	-182

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	200	0	0	0
0	0	0	0	0	0	200	0	0	0
151	126	41	54	0	34	0	97	0	0
151	126	41	54	0	34	-200	97	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665123710357	18	0%	100%	0%	0%	0%	0%	NO	NO	Yes	No	Yes	yes	No	i/p	Yes	0	18	0

Notes: UUNs requirement only, no AAO established for after the war. FMS is pending - hold in country at MCLC Fwd until determination is made.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0105: METAL DETECTOR

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	243	90
AAO (FY17)	243	
O/H	1,767	711
Shortfall/Excess	1,524	621

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	27	0	126	90	0	0	0
0	0	0	27	0	126	90	0	0	0
162	250	85	195	60	186	0	118	0	0
162	250	85	168	60	60	-90	118	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665151952879	711	0%	75%	0%	0%	0%	25%	NO	NO	No	Yes	Yes	yes	No	n	No	0	533	178

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B0106 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0106: GENERATOR SET,DIESE

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	60	
Shortfall/Excess	60	

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	21	3	0	3	0	0	28	0	0
0	21	3	0	3	0	0	28	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0120: BRIDGE ERECTION SET -MGB

Supports installation of Medium Girder Bridge.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	29	4
AAO (FY17)	31	
O/H	27	3
Shortfall/Excess	-2	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	0	0	12	1	4	2	3	1
4	4	0	0	12	1	4	2	3	1
4	3	2	0	6	1	0	5	3	0
1	0	2	0	-6	0	-4	3	0	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420001723519	3	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	3	0

Notes: Associated with B0152

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	729	3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0152: BRIDGE, MEDIUM GIRDER, DRY GAP - (MGB)

MLC 70 standard bridge for we or dry gaps up to 60M.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	50	4
AAO (FY17)	52	
O/H	36	3
Shortfall/Excess	-14	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	0	0	12	2	4	22	3	1
4	4	0	0	12	2	4	22	3	1
3	3	3	0	6	2	0	10	5	1
0	0	3	0	-6	0	-4	-12	2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420001723520	3	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	571	3.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0160 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0160: ASSAULT BREACHER VEHICLE

Provides instride or deliberate breaching capability of minefields and complex obstacles.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	52	2
AAO (FY17)	52	
O/H	47	3
Shortfall/Excess	-5	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	0	0	0	14	2	7	15	0
7	7	0	0	0	14	2	7	15	0
6	5	0	0	0	12	0	9	12	0
-1	-2	0	0	0	-2	-2	2	-3	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2350015117783	3	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	3	0

Notes: Remove cameras before washdown and leaving theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	312	0	65

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0171 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0171: BUCKET, CLAMSHELL

The Bucket, Clamshell is hydraulically operated and capable of working at, above and below ground level. It is capable of digging loose to medium type soils and suitable for excavating vertical shafts or footings, filling bins or hoppers, and unloading aggregate from flat bottom gondola railroad cars.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	80	0
AAO (FY17)	69	
O/H	103	0
Shortfall/Excess	23	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	13	6	0	17	3	0	0	24	4
10	10	10	0	8	3	0	0	24	4
15	14	9	0	10	13	0	14	24	4
2	1	3	0	-7	10	0	14	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3815015515938	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0

Notes: Used with B0038.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	71	1.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0176 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0176: BUCKET, CONCRETE

Used by the ATC to support concrete pouring operations.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	37	2
AAO (FY17)	41	
O/H	43	0
Shortfall/Excess	6	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	3	0	5	1	2	6	6	2
6	6	7	0	5	1	2	6	6	2
8	8	6	0	3	1	0	9	6	2
2	2	3	0	-2	0	-2	3	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3815012919223	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	yes	No	No	0	0	0

Notes: All should be DRMO'd in country - currently purchasing replacements - same TAMCN new NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	86	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0215 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0215: BUCKET,MULTI-PURPOS

The Bucket, Multi-Purpose, 4-in-1, 2.47 Cubic Yard is used as a front end scoop bucket for picking up various types of fill material and loading the same into fill haulers.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	713	74
AAO (FY17)	725	
O/H	580	56
Shortfall/Excess	-133	-18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
127	120	89	13	82	33	74	33	105	37
120	114	83	11	115	33	74	33	105	37
97	76	62	10	56	18	0	117	72	16
-30	-44	-27	-3	-26	-15	-74	84	-33	-21

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830014828567	56	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	56	0

Notes: AAO's are pending. Used with B0063.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	21	0	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0281 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0281: CAMERA SUITE, DIGITAL, ADVANCED (TACPHOTO)

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	39	0	2	1	36	0	0	0	0	0	0	0
Shortfall/Excess	39	0	2	1	36	0	0	0	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720090004310	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	No	No	Yes	Yes	0	0	0

Notes: This TAMCN is obsolete and is now reflected as A0338 (instructions for the "A" TAMCN is also included in this R2 Playbook).

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0282 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0282: CAMERA SUITE, DIGITAL, BASIC

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720090004311	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and is now reflected as A0339 (instructions for the "A" TAMCN is also included in this R2 Playbook).

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0283 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0283: CAMERA SUITE, DIGITAL, VIDEO

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	36	0
Shortfall/Excess	36	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	2	29	0	3	0	0	0	0	0
2	2	29	0	3	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836090004313	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0360 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0360: COMPRESSOR UNIT,REC

An assembled unit consisting of a commonly mounted reciprocating compressor(s) and a prime mover(s).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	33	0
Shortfall/Excess	33	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	33	0	0
0	0	0	0	0	0	0	33	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4310012501034	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0392 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0392: CONTAINER HANDLER, RT, KALMAR

The RTCH is a versatile, rough terrain container handler capable of handling commercial and military 20 and 40 ft. ISO containers weighing up to 53,000 pounds. It will be capable of transporting, handling and stacking these containers over rough terrain.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	163	39	14	14	12	1	11	6	39	10	42	14
AAO (FY17)	162		14	13	12	1	11	6	39	10	42	14
O/H	155	16	15	13	12	1	5	8	0	49	33	3
Shortfall/Excess	-8	-23	1	-1	0	0	-6	2	-39	39	-9	-11

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3930015227364	16	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	y	No	0	16	0

Notes: All equipment needs to come back through MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	591	0	59

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0395 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0395: COMPRESSOR, AIR, 260CFM, W/PNEUMATIC TOOLS

The Compressor, Air is a trailer-mounted unit which furnishes compressed air at a rate of 250 cubic feet per minute, at a pressure of 100 pounds per square inch.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	231	46
AAO (FY17)	247	
O/H	230	7
Shortfall/Excess	-1	-39

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
43	34	23	4	35	6	46	0	30	10
41	39	23	4	48	6	46	0	30	10
42	31	20	4	21	7	0	64	30	3
-1	-3	-3	0	-14	1	-46	64	0	-7

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3820015427652	4	10%	90%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	y	No	0	4	0
4310014988886	3	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	y	No	0	3	0

Notes: All equipment needs to come back through MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	134	0	4.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0446 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0446: AIR MOBILE CRANE, RT, HYDRAULIC, LT (SLEP)

The Crane, Wheel Mounted is an air transportable, self-propelled, diesel engine-driven, rubber-tired, four-wheel drive four-wheel steer, 7-1/2 to 10 ton capacity, hydraulically operated crane.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	177	52
AAO (FY17)	174	
O/H	225	4
Shortfall/Excess	48	-48

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
17	17	9	0	16	11	52	7	36	12
16	15	13	0	12	11	52	7	36	12
19	17	10	0	17	12	0	103	33	10
2	0	1	0	1	1	-52	96	-3	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3810011650646	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	yes	No	y	No	0	0	0
3810015169718	2	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	2	0
3810015789682	2	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	2	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	210	0	11.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0465 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0465: B0465 INVENTORY ONLY

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	2	0	0
0	0	0	0	0	0	0	2	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4230014705826	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0471 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0471: DEMOLITION EQUIPMENT, ENGINEER SQUAD

The Squad Demolition Kit (SDK) consists of tools and equipment that enable Marines to conduct demolition operations. It includes crimpers, wire reels, pelican case, bandoleers, backpack, electrical circuit test equipment, and blasting machines.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	559	120
AAO (FY17)	564	
O/H	582	14
Shortfall/Excess	23	-106

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
95	73	46	9	86	17	120	0	92	21
78	76	56	7	97	17	120	0	92	21
107	76	36	16	74	20	0	122	101	16
12	3	-10	7	-12	3	-120	122	9	-5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1375000473750	11	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	i/p	No	0	11	0
1375002124589	3	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	i/p	No	0	3	0

Notes: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. No longer using nsn ending in 4589, but will be brought back, use some of the parts and upgrade the rest. This TAMCN is associated with E0359. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0472 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0472: DEMOLITION EQUIPMENT, INDIV

The Demolition Equipment Set, Explosive-Initiating, Nonelectric, Individual is for the use of the individual demolitionist and is comprised of tools and accessories, less explosive items, with specially designed containers and carrying attachments.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,617	75	431	355	157	17	375	0	75	0	207	0
AAO (FY17)	1,468		354	299	158	9	366	0	75	0	207	0
O/H	2,271	1	447	331	106	38	312	0	0	841	195	0
Shortfall/Excess	654	-74	16	-24	-51	21	-63	0	-75	841	-12	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1375000473751	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	Yes	No	No	0	1	0

Notes: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0475 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0475: DETECTING SET, MINE, METALLIC, PORTABLE

The Detecting Set, Mine, Portable, Metallic is a portable device for detecting metallic objects, specifically intended for detecting buried metallic anti-tank and anti-personnel mines.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	325	0
Shortfall/Excess	325	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
15	1	2	0	31	7	0	269	0	0
15	1	2	0	31	7	0	269	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665001447655	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	0
6665219061023	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	0

Notes: Item is obsolete - DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B0476 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0476: DETECTOR, MINE, ADVANCED

The AMD is a battery operated, handheld mine detection device consisting of a battery pack, hand held wand with controls, metallic and GPR sensors and Through the Wall Detection capability.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	821	108
AAO (FY17)	0	
O/H	1,119	0
Shortfall/Excess	298	-108

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
212	146	92	13	96	22	108	0	132	0
0	0	0	0	0	0	0	0	0	0
219	130	72	13	124	22	0	404	135	0
7	-16	-20	0	28	0	-108	404	3	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015047769	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	yes	No	No	No	0	0	0
6665015274643	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	yes	No	No	No	0	0	0

Notes: NSN ending in 7769 is being replaced by NSN 4643. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B0571 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0571: DRUM, FABRIC, COLLAPSIBLE, 500 GAL. CAP., WATER

The Drum, Fabric, Collapsible, Potable Water, 500 gallon is a pillow type, synthetic rubber-impregnated nylon drum. It is designed for use with the Forward Area Water Point Supply System (FAWPSS).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	465	0	86	78	60	0	57	16	0	0	126	42
AAO (FY17)	463		81	81	60	0	57	16	0	0	126	42
O/H	347	0	65	56	54	0	4	0	0	68	94	6
Shortfall/Excess	-118	0	-21	-22	-6	0	-53	-16	0	68	-32	-36

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
8110014089013	0	100%	0%	0%	0%	0%	0%	TBD	YES	No	No	Yes	No	No	No	No	0	0	0
8110014090789	0	100%	0%	0%	0%	0%	0%	TBD	YES	No	No	Yes	No	No	No	No	0	0	0

Notes: Item is considered serviceable only if not previously used (new). Items in theater can be DRMO'd and is also a candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	112	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0572 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0572: TANK, FABRIC, COLLAPSIBLE, 50K

The Assembly, Fuel, Collapsible c/Chest 50,000 Gallon Capacity, is used to store and to dispense fuel in military operations. The maximum capacity of this tank is 50,000 gallons.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,192	45
AAO (FY17)	1,160	
O/H	784	58
Shortfall/Excess	-408	13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
126	149	94	0	303	4	45	0	359	112
140	140	48	0	312	4	45	0	359	112
183	67	140	0	52	4	0	199	81	0
57	-82	46	0	-251	0	-45	199	-278	-112

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430014795099	5	100%	0%	0%	0%	0%	0%	NO	YES	No	No	Yes	No	No	No	No	0	0	5
5430014795116	53	100%	0%	0%	0%	0%	0%	NO	YES	No	No	Yes	No	No	No	No	0	0	53

Notes: Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	110	0.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0573 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0573: TANK, FUEL, FABRIC, COLLAPSIBLE, 3000-GAL CAP

The Fuel Tank Assembly, Fabric, Collapsible is used to store and to dispense fuel in military operations. The maximum capacity of this tank is 3,000 gallons.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	387	30
AAO (FY17)	521	
O/H	122	14
Shortfall/Excess	-265	-16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
54	42	39	0	147	3	30	0	54	18
112	106	39	0	159	3	30	0	54	18
18	33	24	0	3	0	0	19	11	0
-36	-9	-15	0	-144	-3	-30	19	-43	-18

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2910015391071	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	Yes	No	No	No	No	0	0	0
5430014850103	14	100%	0%	0%	0%	0%	0%	NO	YES	No	No	Yes	No	No	No	No	0	0	14
5430014858340	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	Yes	No	No	No	No	0	0	0
5430015427938	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	Yes	No	No	No	No	0	0	0

Notes: Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0579 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0579: DUMMY LOAD, GENERATOR SET, ELECT, 100KW, TRLR-MTD

The Dummy Load, Generator Set, 100 Kw provides electrical load simulating capabilities for maintenance and operational evaluation of mobile electrical power sources.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	263	56
AAO (FY17)	298	
O/H	361	12
Shortfall/Excess	98	-44

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
53	49	31	5	35	14	56	0	15	5
60	60	38	5	45	14	56	0	15	5
56	45	32	5	37	26	0	114	21	13
3	-4	1	0	2	12	-56	114	6	8

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6150013062943	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	N/A	No	0	0	0
6150015571304	12	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	N/A	No	12	0	0

Notes: For NSN 6150-01-306-2943: Dispose of In Theater; Do NOT return to CONUS. For NSN 6150-01-557-1304 (new AVTRON model): Re-distribute within MEF FWD to fill EDL shortages. Upon retrograde, conduct LTI and determine worth returning to CONUS or not. If returned to CONUS, return to Condition Code "A" at Using Unit or IMA and make SL-3 complete. Re-distribute to fill any shortages within the Marine Corps; store any excess at MARCORLOGCOM. Load banks require special consideration for washdown. The internals of a load bank should never be cleaned with running water. Damp cloths can be used to wipe out any residue vacuums won't remove. Water can be used to clean the exterior of a load bank as long as all doors are tightly closed and high pressure water is not directed into any seem or opening on the load bank. SL-3: SL-3-07500C The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0585 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0585: NSN NOT PROCURABLE

B0585 is obsolete.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110011715398	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0
9999011715398	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0589 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0589: EXCAVATOR COMBAT (M9 ACE)

The M9 Armored Combat Earthmover is a highly mobile, full-tracked, armored earthmover capable of supporting the maneuver element in offensive and defensive operations.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	101	0
AAO (FY17)	101	
O/H	121	2
Shortfall/Excess	20	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	16	14	0	20	9	0	8	18	0
16	16	14	0	20	9	0	8	18	0
21	14	7	0	4	7	0	50	16	0
5	-2	-7	0	-16	-2	0	42	-2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2350008087100	2	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	2	0
2430015818572	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition. Remove IVS cameras before washdown.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	187	0	23

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0595 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0595: POWER DISTRIBUTION

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	244	1	24	43	33	3	19	3	0	118	0	0
Shortfall/Excess	244	1	24	43	33	3	19	3	0	118	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110012732387	1	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	No	No	No	0	0	1

Notes: This TAMCN is obsolete and has been replaced by the B0029. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0600 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0600: DISTRIBUTION SYSTEM, POWER, ELECT, 30KW

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	68	7	20	18	14	1	8	0	0	0	0	0
Shortfall/Excess	68	7	20	18	14	1	8	0	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110012228958	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	No	No	No	0	0	0
6110012726953	7	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	No	No	No	0	0	7

Notes: This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	24	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0605 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0605: DISTRIBUTION SYSTEM, POWER, ELECT, 100KW

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	44	3	7	4	18	0	11	1	0	0	0	0
Shortfall/Excess	44	3	7	4	18	0	11	1	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110012726952	3	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	3

Notes: This TAMCN is obsolete and has been replaced by the B0031. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	36	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0608 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0608: WIRING HARNESS,FIEL

The Field Wiring Harness MLK-0000 provides electrical power distribution and illumination through receptacle circuits/power outlets for various field unit complexes. The unit is portable and suitable for use in indoor/outdoor environments.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	581	0	93	68	44	0	34	2	0	340	0	0
Shortfall/Excess	581	0	93	68	44	0	34	2	0	340	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6230012541666	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B0626 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0626: FIRE SUPPRESSION SYSTEM, MOBILE (AVIATION TYPE)

Twin agent fire suppression system mounted on a HMMWV.
Provides fire suppression to base camps, Ammo Supply Points and tactical fueling areas.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	160	22	24	25	21	0	31	1	22	0	27	9
AAO (FY17)	155		27	26	13	0	30	1	22	0	27	9
O/H	132	6	1	3	14	0	3	2	0	93	10	0
Shortfall/Excess	-28	-16	-23	-22	-7	0	-28	1	-22	93	-17	-9

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210014944642	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	1	0
4210015696073	5	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	5	0
4210015791563	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	692	4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0635 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0635: FLOODLIGHT SET,ELEC

The Floodlight Set is a skid mounted unit designed to accept a 10 kw, 60 Hz, MEP-003A Generator Set or external power with a minimum requirement of 6 kw, single phase, 3 wire 120/240 vac, 60 Hz.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6230011701408	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	0

Notes: NSN 6230-01-170-1408: DRMO/Dispose of In Theater; do NOT return to CONUS. (Replaced by B0640, NSN 6230-01-530-8890 New Floodlight Set with integral diesel engine & generator.) Eligible for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	216	1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B0640 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0640: FLOODLIGHT SET

The Floodlight Set will be a self-contained skid mounted system, utilizing JP/5/8 fuel standard engine that is air, trailer, or truck transportable. It will provide 300k lumens from multiple lamps from a singular mast extendable to at least 30 feet in height when trailer mounted and have four removable mobile masts that provide at least 2k lumens each. The system will be capable of operating eight (8) hours continuously without intervention.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,025	95	166	148	89	33	133	34	95	142	141	44
AAO (FY17)	1,102		184	173	117	30	142	34	95	142	141	44
O/H	1,157	152	183	153	99	30	101	69	0	222	123	25
Shortfall/Excess	132	57	17	5	10	-3	-32	35	-95	80	-18	-19

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6230014966523	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0
6230015308890	152	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	76	0	76

Notes: NSN 6230-01-530-8890: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-11120A

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	207	1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0647 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0647: B0647 INVENTORY ONLY

A power-driven fork-type elevating unit designed to be mounted on a tractor. May be cable- or hydraulically-operated. Used for lifting, transporting and stacking material.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	819	148
AAO (FY17)	831	
O/H	847	79
Shortfall/Excess	28	-69

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
127	120	89	13	82	33	148	65	105	37
120	114	83	11	115	33	148	65	105	37
136	112	117	18	79	34	0	145	90	37
9	-8	28	5	-3	1	-148	80	-15	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830014828569	79	10%	90%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	71	8

Notes: All need to return to CONUS - MCLC already has repair line established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0675 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0675: FUEL SYSTEM, AIRFIELD, TACTICAL(FIRESTONE)

The Fuel System, Tactical Airfield is comprised of self-contained components that can be assembled without special tools to meet numerous operational requirements in an expeditionary airfield environment.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	75	8	12	12	9	0	9	1	8	0	18	6
AAO (FY17)	75		12	12	9	0	9	1	8	0	18	6
O/H	56	3	4	4	6	0	0	2	0	11	15	11
Shortfall/Excess	-19	-5	-8	-8	-3	0	-9	1	-8	11	-3	5

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930001813272	0	0%	0%	0%	0%	100%	0%	NO	YES	No	No	Yes	No	No	No	No	0	0	0
4930010940026	3	100%	0%	0%	0%	0%	0%	NO	YES	No	No	Yes	No	No	No	No	0	0	3

Notes: This equipment is highly pilferable and should not be transported by Local nationals. If tank has had fuel in it, using unit must WIR as Code H.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	16.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0676 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0676: WATER POINT SUPPLY SYSTEM, FWD AREA

The Forward Area Water Point Supply System is a portable, self-contained water storage and dispensing set for potable water.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	72	14	13	12	1	0	9	2	14	0	21	0
AAO (FY17)	80		12	12	10	0	9	2	14	0	21	0
O/H	68	5	13	6	11	0	2	2	0	11	17	1
Shortfall/Excess	-4	-9	0	-6	10	0	-7	0	-14	11	-4	1

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320011101993	5	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	2	0	2

Notes: If item is serviceable, it should go to the MEFs. Depot Level Maintenance is NOT part of the maintenance concept for this item. This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	120	0.3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0685 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0685: FUEL SYSTEM, AMPHIB ASSAULT, 600K GAL CAP

The Fuels System, Amphibious Assault Is the aggregate of a number of self-contained unit components capable of receiving, storing and dispensing fuels at the rate of 600gpm. Component assemblies consist of individual item assemblies that are interchangeable throughout the system to provide overall flexibility to meet varying conditions.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	53	10
AAO (FY17)	50	
O/H	30	1
Shortfall/Excess	-23	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	5	2	0	12	0	10	0	15	5
4	4	0	0	12	0	10	0	15	5
2	2	2	0	1	0	0	5	13	4
-2	-3	0	0	-11	0	-10	5	-2	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930011139173	1	100%	0%	0%	0%	0%	0%	NO	YES	No	No	Yes	No	No	No	No	0	0	1

Notes: Any equipment returning to CONUS will go through the depot. If tank has had fuel in it, using unit must WIR as Code H. This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	70.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B0695 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0695: LABORATORY, PETROLEUM, TACTICAL, MEDIUM

The Tactical Petroleum Laboratory-Medium provides the essential testing components integrated into an ISO container to monitor the critical physical and chemical characteristics of aviation and ground fuels.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	22	0
AAO (FY17)	20	
O/H	11	0
Shortfall/Excess	-11	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	9	1	0	0	3	0
3	3	1	0	9	1	0	0	3	0
3	0	1	0	0	1	0	3	3	0
0	-3	-2	0	-9	0	0	3	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6640013990483	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs. Depot Level Maintenance is NOT part of the maintenance concept for this item. New systems are being purchased, but fielding is not complete yet. This equipment is highly pilferable and should not be transported by Local nationals. New TAMCN B0087 will eventually replace this.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B0696 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0696: TESTER,FLASH POINT

The MARFLASH, Fuel Tester is a fully automatic, microprocessor controlled, flameless flash point tester used by USMC Bulk Fuel Distribution units, to test the flash points of different types of fuels. The device provides direct field test measurements of flash point for fuel acceptance of JP5, JP8/Jet A1, Diesel DF-2, and Non-specification fuels with flash points between 68°F-240°F.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	98	16	24	24	14	0	18	2	16	0	0	0
AAO (FY17)	98		24	24	14	0	18	2	16	0	0	0
O/H	117	2	27	8	20	0	19	4	0	33	0	4
Shortfall/Excess	19	-14	3	-16	6	0	1	2	-16	33	0	4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6630015341774	2	66%	0%	0%	34%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0730 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0730: GENERATOR SET, 3KW, 60HZ, SKID-MTD

The Generator Set, 3 Kw, 60 Hz, Skid-Mounted, MEP-016B is a self-contained, portable unit. It is powered by a diesel engine which is directly coupled to the generator.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,252	242	445	380	245	49	325	34	242	124	318	90
AAO (FY17)	2,207		416	376	243	39	325	34	242	124	318	90
O/H	3,204	17	610	419	252	64	242	39	0	1,149	322	90
Shortfall/Excess	952	-225	165	39	7	15	-83	5	-242	1,025	4	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012853012	17	100%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	17

Notes: For NSN 6115-01-150-414- MEP-016B and NSN 6115-01-456-5046: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-285-3012, MEP-831A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	15	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B0891 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0891: GENERATOR SET, SKID MTD, 10KW/60HZ, TQG

The generator set, 10 Kw, 60 Hz, skid-mounted, MEP-003A consists of a revolving field alternator powered by an air-cooled diesel engine.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,732	680	427	377	251	31	303	76	680	475	84	28
AAO (FY17)	2,752		426	395	243	25	320	76	680	475	84	28
O/H	2,926	107	490	408	262	39	195	68	0	1,236	83	38
Shortfall/Excess	194	-573	63	31	11	8	-108	-8	-680	761	-1	10

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012755061	107	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	No	No	0	54	54
6115015617455	0	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	0

Notes: For NSN 6115-00-465-1030, MEP-003A: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-275-5061, MEP-803A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	42	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0921 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0921: GENERATOR SET, SKID MTD, 10KW/400HZ, TQG

The MEP-112A is a 10 Kilowatt, 400 Hertz Generator Set. It consists of a revolving field alternator powered by an air cooled diesel engine. These sets are not designed for parallel operation.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	111	12
AAO (FY17)	124	
O/H	250	0
Shortfall/Excess	139	-12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
19	19	18	0	8	3	12	20	9	3
22	22	21	0	12	3	12	20	9	3
28	23	33	0	16	1	0	135	12	2
9	4	15	0	8	-2	-12	115	3	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012747392	0	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	yes	No	N/A	No	0	0	0

Notes: For NSN 6115-00-465-1027, MEP-112A: Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-274-7392, MEP-813A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	42	0.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0930 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0930: GENERATOR SET 20KW MMG-25 (REPLACES F60297B)

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	440	54
AAO (FY17)	418	
O/H	264	10
Shortfall/Excess	-176	-44

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
104	90	50	0	90	5	54	47	0	0
90	90	50	0	82	5	54	47	0	0
66	60	28	0	24	6	0	70	0	0
-38	-30	-22	0	-66	1	-54	23	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115015310571	10	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	N/A	No	10	0	0

Notes: NSN 6115-01-531-0571: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	86	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0953 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0953: GENERATOR SET, SKID MTD, 30KW/60HZ, TQG, MEP005A

The Generator Set, 30 Kw, 60 Hz, Skid-Mounted, MEP-005A is a fully enclosed, self-contained, portable unit. It is equipped with controls, instruments, and accessories which enable it to be operated as a single unit or in parallel with two or more units.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,500	588
AAO (FY17)	2,567	
O/H	2,119	151
Shortfall/Excess	-381	-437

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
365	327	219	38	218	84	588	385	207	69
360	348	251	34	241	84	588	385	207	69
374	310	207	37	102	97	0	590	184	67
9	-17	-12	-1	-116	13	-588	205	-23	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115001181240	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	No	N/A	No	0	0	0
6115012747389	1	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	No	N/A	No	0	0	1
6115014619335	150	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	N/A	No	0	38	112
6115015617718	0	0%	0%	100%	0%	0%	0%	NO	NO	N	No	Yes	No	No	N/A	No	0	0	0

Notes: For NSN 6115-00-118-1240, MEP-005A and NSN 6115-01-274-7389, MEP-805A: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-461-9335, MEP-805B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	91	1.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B0971 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0971: GENERATOR SET, SKID MTD, 30KW/400HZ, TQG

The Generator Set, Diesel Engine, MEP-114A, 30KW 400 Hz Skid Mounted, is a military mobile electric power set for use with requiring 400 Hz input.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	38	4	4	4	4	0	4	1	4	17	0	0
AAO (FY17)	38		4	4	4	0	4	1	4	17	0	0
O/H	59	0	0	1	2	0	4	1	0	51	0	0
Shortfall/Excess	21	-4	-4	-3	-2	0	0	0	-4	34	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115014620290	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	N/A	No	0	0	0

Notes: For NSN 6115-00-118-1248, MEP-114A and NSN 6115-01-274-7394, MEP-815A: Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-462-0290, MEP-815B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	1.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B0980 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0980: GENERATOR, LTWT, MAN-PORTABLE

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	600	28	193	169	117	0	89	4	28	0	0	0
AAO (FY17)	602		192	164	118	0	96	4	28	0	0	0
O/H	1,734	3	304	184	146	2	104	18	0	950	13	10
Shortfall/Excess	1,134	-25	111	15	29	2	15	14	-28	950	13	10

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115014351565	3	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	N/A	No	1	0	2
6115014351567	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	N/A	No	0	0	0

Notes: NSN 6115-01-435-1565: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B1016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1016: GENERATOR SET, 60KW, 400HZ, SKID-MTD

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	110	16	12	12	12	0	18	1	16	19	15	5
AAO (FY17)	104		12	12	12	0	12	1	16	19	15	5
O/H	119	9	11	12	12	0	13	4	0	41	12	5
Shortfall/Excess	9	-7	-1	0	0	0	-5	3	-16	22	-3	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012747395	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	N/A	No	0	0	0
6115014620292	9	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	N/A	No	0	9	0
6115015617895	0	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	No	No	N/A	No	0	0	0

Notes: For NSN 6115-00-118-1253, MEP-115A and NSN 6115-01-274-7395, MEP-816A: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-462-0292, MEP-816B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	106	2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1021: GENERATOR SET, SKID-MTD, 60KW/60HZ, TQG

The Generator Set, 60 Kw, 60 Hz, Skid-Mounted, MEP-006A is a portable, self-contained unit. It is provided with controls, instruments, and accessories necessary for operation as a single unit or in parallel with up to two other units of the same class.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,728	472
AAO (FY17)	1,721	
O/H	1,434	124
Shortfall/Excess	-294	-348

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
237	221	170	55	183	23	472	251	87	29
238	238	158	47	178	23	472	251	87	29
241	234	163	52	120	34	0	337	98	31
4	13	-7	-3	-63	11	-472	86	11	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012747390	10	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	yes	No	No	No	0	10	0
6115014620291	114	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	yes	No	No	No	0	114	0
6115015617788	0	0%	0%	100%	0%	0%	0%	NO	NO	Yes	No	Yes	yes	No	No	No	0	0	0

Notes: For NSN 6115-00-118-1243, MEP-006A and NSN 6115-01-274-7390, MEP-806A: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-462-0291, MEP-806B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	106	2.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1045: GENERATOR SET, 100KW, 60HZ, SKID-MTD, TQG

The Generator Set, Diesel Engine Driven, Skid Mounted, MEP-007A/MEP-007B is a transportable source of AC power that is designed for use with any type of equipment that requires an external AC power source.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	694	110
AAO (FY17)	706	
O/H	654	130
Shortfall/Excess	-40	20

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
116	112	96	13	88	7	110	72	60	20
120	116	93	13	95	7	110	72	60	20
127	109	75	14	62	9	0	77	49	2
11	-3	-21	1	-26	2	-110	5	-11	-18

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115001339101	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	yes	No	No	No	0	0	0
6115010366374	5	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	5
6115012961463	125	50%	50%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	125

Notes: For NSN 6115-00-1133-9101, MEP 007A, NSN 6115-01-036-6374, MEP-007B and NSN 6115-01-470-9058: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-296-1463: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	159	3.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1082: GRADER, ROAD, MOTORIZED

The Motorized Road Grader is a self-propelled grading machine powered by a diesel engine. It is rubber- tired, four-wheel drive, and has an articulated frame and front-wheel steer design. The primary use is for building and maintaining roads and airfields.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	86	0
Shortfall/Excess	86	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	3	3	0	77	3	0
0	0	0	0	3	3	0	77	3	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805002615826	0	0%	0%	0%	0%	0%	100%	TBD	TBD	Yes	No	Yes	No	No	No	No	0	0	0
3805011504795	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0
3805013036152	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0
3805015736518	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0

Notes: Items in OEF can be DRMO'd - candidate for FMS. Replacement TAMCN is B0078.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	15.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B1135 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1135: REFUELING SYSTEM, EXPEDIENT, HELO

The Tactical Fuel System will offer increased storage capability for all Marine Corps fuel systems . Amphibious Assault Fuel System, B0685, Reconfigured 1,120K gal Tactical Airfield Fuel Dispensing System (TAFDS) B0675 Reconfigured 320K gal Helicopter expedient Refueling System, B1135, Reconfigured 18K gal.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	76	10	12	12	8	0	9	1	10	0	18	6
AAO (FY17)	76		12	12	8	0	9	1	10	0	18	6
O/H	75	1	13	14	8	0	7	1	0	9	16	6
Shortfall/Excess	-1	-9	1	2	0	0	-2	0	-10	9	-2	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930011149930	1	100%	0%	0%	0%	0%	0%	NO	YES	No	No	Yes	No	No	No	No	0	0	1

Notes: Any drums and hoses that have been used with fuel should be left in theater. If tank has had fuel in it, using unit must W IR as Code H.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	3.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1139: HOSE REEL SYSTEM

The Hose Reel System (HRS) provides linear fuel transfer capability and interfaces with other Marine Corps Tactical Fuel System equipment. Each HRS provides a 5 mile reach with 11 reels each containing 2400' of lightweight, layflat hoses and 2 hose reel bases with power units to control the speed and direction of the operation. The HRS is ISO configured to accommodate its transportation requirements and can be stored and transferred in four 8'x8'x20' ISO containers. The HRS will link together elements of the Amphibious Assault Fuel System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	50	0
AAO (FY17)	43	
O/H	41	0
Shortfall/Excess	-9	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	2	0	15	1	0	2	15	5
4	4	0	0	12	1	0	2	15	5
5	2	4	0	2	1	0	11	12	4
0	-3	2	0	-13	0	0	9	-3	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930014621304	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0

Notes: Any hoses that have been used with fuel should be left in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32768	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1140 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1140: HYPOCHLORINATION UNIT, PURIFICATION, 2-100 GPH

The Hypo-chlorination Unit, Purification is designed to mix a proportional amount of hypochlorite solution with water in the Tactical Water Distribution System.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	63	12	8	6	7	0	5	1	12	0	18	6
AAO (FY17)	93		16	14	13	0	13	1	12	0	18	6
O/H	103	0	10	6	8	0	4	1	0	52	15	6
Shortfall/Excess	40	-12	2	0	1	0	-1	0	-12	52	-3	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610012503724	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	No	0	0	0
4610013644485	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B1170 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1170: GRADE CONTROL SYSTE

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	28	0
AAO (FY17)	33	
O/H	9	0
Shortfall/Excess	-19	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	5	2	0	7	2	0	0	3	0
8	8	5	0	7	2	0	0	3	0
5	3	0	0	1	0	0	0	0	0
-4	-2	-2	0	-6	-2	0	0	-3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675015634405	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B1281 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1281: LIGHT SET,GENERAL I

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2,596	141
Shortfall/Excess	2,596	141

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
298	1,496	652	7	2	0	0	0	0	0
298	1,496	652	7	2	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6230014658931	141	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	141

Notes: DRMO/Dispose of In theater; do NOT return to CONUS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B1291 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1291: DECONTAMINATION SYSTEM, LTWT

The Lightweight Decontamination System is a compact and lightweight decontamination system capable of applying water or selected decontaminates to chemically and biologically contaminated items of equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	149	2
Shortfall/Excess	149	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	4	0	0	8	2	0	39	79	15
0	4	0	0	8	2	0	39	79	15

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4230013463122	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0
4230014921540	2	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	2

Notes: WIR in theater. Disposition in accordance with WIR instructions.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	34	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B1298 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1298: KIT, LAUNCH, LINE CHARGE, TRLR-MTD

Used to clear a lane through a minefield during breaching operations. This system can be mounted on an M353 Trailer Chassis, and will normally be towed by an Assault Amphibious Vehicle (AAVP7A1). It will clear a lane 100 meters long by 16 meters wide and will be the initial minefield breaching asset used.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	300	4
AAO (FY17)	268	
O/H	269	4
Shortfall/Excess	-31	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
71	51	24	0	63	13	4	11	54	9
44	44	28	0	61	13	4	11	54	9
78	43	17	0	13	12	0	40	53	9
7	-8	-7	0	-50	-1	-4	29	-1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1055012035883	4	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	4	0

Notes: Remove all Class V prior to wash down

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	123	0	3.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1300: PLATFORM, MAINT, CRANE, AIR MOBILE

The Maintenance Platform, Air Mobile Crane, is a boom attached platform that provides a leveling platform intended for raising personnel and equipment to a work situation.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	47	4	8	8	6	0	6	0	4	0	9	6
AAO (FY17)	47		8	8	6	0	6	0	4	0	9	6
O/H	44	3	8	8	6	0	4	0	0	5	8	2
Shortfall/Excess	-3	-1	0	0	0	0	-2	0	-4	5	-1	-4

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320013122616	3	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	185	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1420: TEST KIT, PETROLEUM

The Aviation Fuel Contamination Test Kit is a one-person, portable kit consisting of components and testing equipment for the determination of particulate contaminants, API gravity, temperature, and free water content in aviation fuel samples.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	240	8	64	60	38	0	36	6	8	0	18	10
AAO (FY17)	232		60	58	32	0	40	6	8	0	18	10
O/H	123	4	17	35	24	0	9	5	0	8	18	3
Shortfall/Excess	-117	-4	-47	-25	-14	0	-27	-1	-8	8	0	-7

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6630010085524	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0
6630013495245	0	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B1570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1570: PUMPING ASSEMBLY,FL

The Pump Unit is a self contained diesel engine driven 125 GPM unit used for pumping petroleum products. This unit consists of a noise enclosed self-priming centrifugal pump driven by a four-stroke, air cooled diesel engine.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	376	40	46	38	30	0	102	0	40	0	90	30
AAO (FY17)	394		58	54	12	0	110	0	40	0	90	30
O/H	263	28	32	19	21	0	4	0	0	44	83	32
Shortfall/Excess	-113	-12	-14	-19	-9	0	-98	0	-40	44	-7	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320013139442	0	0%	0%	0%	0%	100%	0%	NO	YES	Y	No	No	No	No	No	No	0	0	0
4930011825028	28	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	No	0	0	28

Notes: Needs to be certified fuel-free before returning. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	35	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B1580 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1580: PUMP MODULE, FUEL (SIXCON)

The Six Container (SIXCON) Fuel Pump Module is a component of the SIXCON system, a module system consisting of five tank modules and one pump module. The six modules attached together to form an ISO/ANSI configured 8 x 8 x 20 foot module. The SIXCON Fuel Pump Module has the capability for refueling and defueling both aircraft and ground vehicles, it has a 150 GPM pumping rate, aviation grade fuel filtration, 50-foot of 2-inch refueling hose with pressure and open port refueling nozzles, and ancillary components necessary for inter –connecting to the (TAMCN B2085 pg. 2-128) SIXCON Fuel Tank Module. The SIXCON fuel modules can be used as a mobile refueling asset or as a stationary refueling capability.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	853	70	175	153	98	6	104	28	70	36	144	39
AAO (FY17)	908		185	158	103	5	140	28	70	36	144	39
O/H	987	19	188	160	97	8	45	30	0	294	127	19
Shortfall/Excess	134	-51	13	7	-1	2	-59	2	-70	258	-17	-20

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930012404579	19	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	14	5

Notes: MCLC has repair line established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1581 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1581: PUMP MODULE, WATER

The Pump Module, Water includes and engine and a pump. It is a component of SIXCON. It is mounted in a shipping frame (TAMCN C4905).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	709	174
AAO (FY17)	747	
O/H	720	12
Shortfall/Excess	11	-162

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
105	97	64	4	63	15	174	15	129	43
101	90	98	3	79	15	174	15	129	43
74	64	73	2	22	14	0	337	119	3
-31	-33	9	-2	-41	-1	-174	322	-10	-40

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320011563873	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	yes	No	Yes	No	0	0	0
4320011900417	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	yes	No	Yes	No	0	0	0
4320013181853	12	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	9	3

Notes: MCLC has repair line established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1582 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1582: PUMP SET, 350 GPM

The Pump, Water, 350 GPM is the primary pump within the water supply tank farm. It is trailer mounted, diesel engine driven, centrifugal type pump rated at 350 gpm with 275 foot total dynamic head.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	69	5	12	12	6	0	6	2	5	2	18	6
AAO (FY17)	61		8	8	6	0	6	2	5	2	18	6
O/H	34	0	0	0	0	0	1	1	0	14	18	0
Shortfall/Excess	-35	-5	-12	-12	-6	0	-5	-1	-5	12	0	-6

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320013359671	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS. Replaced by B2394.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	214	1.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B1583 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1583: PUMP, FUEL 600 GPM

The Pump, Reciprocating, Power Driven is powered by an air-cooled, one cylinder, gasoline engine. The torque from the engine is transferred to the pump through a flexible coupling. The engine and the pump are bolted to a two-wheeled steel trailer.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,363	226
AAO (FY17)	1,368	
O/H	1,107	32
Shortfall/Excess	-256	-194

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
137	152	97	0	243	7	226	0	381	120
152	152	63	0	267	7	226	0	381	120
83	62	63	0	53	9	0	530	165	110
-54	-90	-34	0	-190	2	-226	530	-216	-10

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320015336417	31	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	31
4320015889165	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	1
4930013927579	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: All returning to CONUS should go through the Depot. Replaced by B6417.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	446	3.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B1585 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1585: SEPARATOR, FILTER, 350 GPM

Filter Separator is designed to remove solid contaminants and water from tactical fuel systems.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	55	31
AAO (FY17)	55	
O/H	455	18
Shortfall/Excess	400	-13

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	24	0	0	0	31	0	0	0
0	0	24	0	0	0	31	0	0	0
65	32	44	0	37	11	0	216	32	0
65	32	20	0	37	11	-31	216	32	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4330001778485	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	No	No	0	0	0
4330015338221	18	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	18	0	0

Notes: NSN 8485 can be DRMO'd in country. NSN 8221 can go to MEF if serviceable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	205	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B1620 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1620: PUMP UNIT SET

The Pump Unit Set is a compact, base mounted, portable water pump. The set includes: a 125 GPM Pump, and interconnecting adapters are listed to interconnect 125 GPM Pumps with 2 inch 10 ft, and 2 inch 20 ft hoses.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	516	112
AAO (FY17)	541	
O/H	371	15
Shortfall/Excess	-145	-97

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
70	59	49	0	90	8	112	0	96	32
76	70	48	0	99	8	112	0	96	32
92	61	48	0	22	4	0	16	82	29
22	2	-1	0	-68	-4	-112	16	-14	-3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320002030197	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	No	No	0	0	0
4320014764795	15	100%	0%	0%	0%	0%	0%	NO	YES	No	No	Yes	No	No	No	No	0	0	15

Notes: Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1645 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1645: REFRIGERATION UNIT, ENHANCED F/RIGID BOX

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2	0
AAO (FY17)	2	
O/H	64	3
Shortfall/Excess	62	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	2	0	0	0	0	0
0	0	0	0	2	0	0	0	0	0
16	5	0	0	25	11	0	4	0	0
16	5	0	0	23	11	0	4	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4110011521946	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	0
4110014689792	3	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	3

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B1710 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1710: REFRIGERATOR, RIGID BOX, 350 CUFT

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	4	0	0	0	0	0	4	0	0	0	0	0
AAO (FY17)	4		0	0	0	0	4	0	0	0	0	0
O/H	71	5	24	11	0	0	25	3	0	3	0	0
Shortfall/Excess	67	5	24	11	0	0	21	3	0	3	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4110011079078	5	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	5

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B1713 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1713: RECLAIMER, REFRIGERATOR

Obsolete kit used by Refrigerant Mechanics (MOS 1161) to recover refrigerant from a variety of Environmental Control Equipment. Replaced by B0061, Cooling and Refrigeration Expeditionary Kit (CREK).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)													
AAO (FY17)													
O/H	53	0		9	21	11	2	4	4	0	0	2	0
Shortfall/Excess													

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	21	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B1720 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1720: REINFORCEMENT SET - MGB

The B1720 Link Reinforcement Set(LRS) is a SAC-3 Item. The LRS is a component of the Medium Girder Bridge (MGB). This LRS contains all components required to construct any length bridge with reinforced MLC 70(T) MGB up to 150ft. The reinforcement is required to support crossing weight, when building a double story bridge, that spans a gap more then 12 bridge bridge bays long. In a MGB suite, there is one B1720 per two BB0152 MGBs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	26	2
AAO (FY17)	23	
O/H	24	2
Shortfall/Excess	-2	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	3	3	3	0	9	1	2	1	3	1
AAO (FY17)	3	3	0	0	9	1	2	1	3	1
O/H	0	2	2	0	4	1	0	8	4	1
Shortfall/Excess	-3	-1	-1	0	-5	0	-2	7	1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420011391503	2	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	7.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1775 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1775: RIPPER, TRACTOR, MOUNT

The Ripper Attachment, Three Shank, Rear Mounting is mounted on the Tractor, Medium, Full-Tracked and is used to break up hard materials too compacted to be cut by the blades of tractors, grades, or scrapers.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	49	0
Shortfall/Excess	49	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	49	0	0
0	0	0	0	0	0	0	49	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830011715776	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0

Notes: OBSOLETE

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	350	2.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B1785 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1785: ROLLER, COMPACTOR, VIBRATORY,SELF-PROPELLED

The roller, Compactor, Vibratory is a diesel-powered, articulated steer item equipped with a padded vibratory drum for compacting cohesive-type soils such as clay, and a smooth drum conversion kit for compacting loose, poorly graded gravel.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	78	24	12	12	8	0	10	0	24	0	9	3
AAO (FY17)	79		12	12	9	0	10	0	24	0	9	3
O/H	78	6	12	12	7	0	8	0	0	24	7	2
Shortfall/Excess	0	-18	0	0	-1	0	-2	0	-24	24	-2	-1

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3895014538573	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0
3895015508369	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0
3895015733847	6	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	6	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	149	0	11.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B1922 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1922: SCRAPER-TRACTOR, WHEELED

The Scraper-Tractor is an open bowl, pneumatic-tired, 2-axle, 14-18 cubic yard capacity, single diesel-powered, articulated frame-steer scraper. It is employed by engineer units in earthmoving operations in the main battle area.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	122	18	23	21	14	0	19	5	18	6	12	4
AAO (FY17)	136		25	23	18	0	25	5	18	6	12	4
O/H	176	0	38	32	22	0	12	5	0	47	18	2
Shortfall/Excess	54	-18	15	11	8	0	-7	0	-18	41	6	-2

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805011531854	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	Yes	No	No	0	0	0
3805015507164	0	0%	0%	0%	0%	0%	100%	TBD	TBD	Yes	No	Yes	No	Yes	No	No	0	0	0
3805015820743	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	Yes	No	No	0	0	0

Notes: Obsolete - candidate for FMS. Currently being replaced by another asset. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	471	0	32.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B1942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1942: SHOP EQUIPMENT KIT, CONSTRUCTION #1

Marine combat engineers rugged/expeditionary tool kits support engineer units in various construction missions (obstacle construction, field fortification construction, carpentry and masonry work).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	61	0
AAO (FY17)	70	
O/H	80	2
Shortfall/Excess	19	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	12	11	0	11	5	0	0	6	2
15	14	13	0	15	5	0	0	6	2
13	16	9	0	11	5	0	14	8	2
-1	4	-2	0	0	0	0	14	2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910015507118	2	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	2
5180010619292	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B1951 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1951: SHOP EQUIPMENT SET, GP, #1

The Shop Equipment, General Purpose Repair, Semi Trailer Mounted is a semi trailer mounted machinist van containing tools and equipment for use in maintenance and repair of mechanical equipment from 1st to 4th echelon.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	40	7
AAO (FY17)	43	
O/H	66	0
Shortfall/Excess	26	-7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	5	0	8	0	7	0	3	1
10	9	4	0	9	0	7	0	3	1
5	4	3	0	4	0	0	48	2	0
-3	-4	-2	0	-4	0	-7	48	-1	-1

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940012355080	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	15.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2006: SKID MOUNTING ASSEMBLY, REMOTE, AIR CONDTNR TYPE C

The Skid Assembly, Large is an aluminum structural assembly with accessories. It is used to mount standard military vertical air conditioners (TAMCN B0005 and B0006 only) where it is necessary for the unit to be located outside and away from a shelter.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	61	6	4	0	0	0	0	1	0	50	0	0
Shortfall/Excess	61	6	4	0	0	0	0	1	0	50	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120005757200	6	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	6

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	118	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2085: STORAGE TANK MODULE, FUEL (SIXCON)

The Storage Module, Fuel contains a 900-gallon rigid metal tank mounted in a steel frame and is a component of SIXCON.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,403	351
AAO (FY17)	2,689	
O/H	2,298	161
Shortfall/Excess	-105	-190

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
497	417	307	20	297	74	351	74	288	78
581	496	325	18	404	74	351	74	288	78
561	357	284	21	143	77	0	435	251	8
64	-60	-23	1	-154	3	-351	361	-37	-70

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430012404578	161	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	121	40

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2086: STORAGE TANK MODULE, WATER (SIXCON)

The Tank, Water Module contains a 900-gallon rigid metal tank mounted in a steel frame and is a component of SIXCON.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,532	638
AAO (FY17)	2,703	
O/H	2,010	36
Shortfall/Excess	-522	-602

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
335	336	226	20	204	44	638	61	501	167
361	325	297	18	291	44	638	61	501	167
335	307	247	14	73	54	0	542	386	16
0	-29	21	-6	-131	10	-638	481	-115	-151

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430012039971	36	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	27	9

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	205	1.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2118 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2118: SURVEY SET TOPO

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675010883181	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2120: SURVEY SET, GP

The Surveying Set, General Purpose, provides equipment required for making military plan metric, construction, and topographic surveys.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	47	3
AAO (FY17)	41	
O/H	29	0
Shortfall/Excess	-18	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	11	8	0	9	3	3	0	0	0
10	9	7	0	9	3	3	0	0	0
6	5	1	0	6	2	0	9	0	0
-7	-6	-7	0	-3	-1	-3	9	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675012737812	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	45	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2127 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2127: SWEEPER, ROTARY, VEHICLE MOUNTING

The Sweeper, Runway, Vacuum is an engine-driven, self-propelled, truck mounted vacuum machine used for cleaning runways and other stabilized areas.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	50	14
AAO (FY17)	50	
O/H	70	5
Shortfall/Excess	20	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	6	0	6	0	14	0	6	2
8	8	6	0	6	0	14	0	6	2
8	8	6	0	5	2	0	30	6	0
0	0	0	0	-1	2	-14	30	0	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830015042618	5	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	No	Yes	Yes	No	0	0	5

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	204	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2130 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2130: TANK, FABRIC, COLLAPSIBLE, WATER, 3000 GAL

The Fabric Collapsible Water Storage Tank (3,000 Gal) provides a means of storing potable drinking water on a temporary basis where permanent water storage facilities are not available.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	3,183	1056	547	507	338	10	376	31	1,056	0	225	93
AAO (FY17)	3,181		543	480	360	10	383	31	1,056	0	225	93
O/H	3,174	40	609	565	294	10	109	22	0	1,266	166	93
Shortfall/Excess	-9	-1,016	62	58	-44	0	-267	-9	-1,056	1,266	-59	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430011706984	0	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	Yes	No	No	No	No	0	0	0
5430013594774	0	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	Yes	No	No	No	No	0	0	0
5430015405357	40	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	Yes	No	No	No	No	0	0	40

Notes: For items in OEF that have been used and had water in it, using unit must WIR as Code H or FMS candidate. Otherwise, new items go to MEFs. NSN ending in 5357 is FMS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2131 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2131: TANK FARM INTERCONNECTION SET, DUAL TANK

The Dual Tank Connection Kit is designed to join and interconnect two 20k tanks or two 50k gallon tanks to the Water Supply System Tank Farm.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	148	18
AAO (FY17)	173	
O/H	181	4
Shortfall/Excess	33	-14

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
20	20	3	0	19	4	18	0	48	16
23	22	21	0	21	4	18	0	48	16
22	20	18	0	11	5	0	59	40	2
2	0	15	0	-8	1	-18	59	-8	-14

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011207526	4	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	Yes	No	No	No	No	0	0	4

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	78	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2133 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2133: TANK FARM INTERCONNECTION SET, 4" HOSE

The four inch Hose Connection Kit is used to provide the medium to high volume discharge point from the water supply support system tank farm.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	111	12
AAO (FY17)	124	
O/H	80	3
Shortfall/Excess	-31	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	24	15	0	19	1	12	0	12	4
27	26	21	0	21	1	12	0	12	4
27	26	13	0	0	1	0	0	9	1
3	2	-2	0	-19	0	-12	0	-3	-3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011406775	3	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	Yes	No	No	No	No	0	0	3

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2134 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2134: TANK FARM INTERCONNECTION SET, 2" HOSE

The 2-inch Hose Connection Kit is designed to provide a low to medium volume discharge point within the water supply support system.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	153	12
AAO (FY17)	174	
O/H	180	3
Shortfall/Excess	27	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
28	28	12	0	24	1	12	0	36	12
31	30	26	0	26	1	12	0	36	12
28	27	20	0	14	1	0	52	32	3
0	-1	8	0	-10	0	-12	52	-4	-9

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011406776	3	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	Yes	No	No	No	No	0	0	3

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2135 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2135: TANK FARM INTERCONNECTION SET, 4" DISCHARGE HOSE

The 4 inch hose Interconnection Kit is used to provide a main hose line for either input or discharge to the Water Supply Support System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	49	6
AAO (FY17)	62	
O/H	52	4
Shortfall/Excess	3	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	3	0	7	1	6	0	12	4
11	10	9	0	9	1	6	0	12	4
8	8	6	0	3	1	0	10	11	1
0	0	3	0	-4	0	-6	10	-1	-3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011207522	4	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	Yes	No	No	No	No	0	0	4

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2136 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2136: TANK FARM INTERCONNECTION SET, HOSE NOZZLE

The Connection Kit, Hose Nozzle provides the low volume, hand held nozzle discharge points for the Water Supply System. The kit contains the required 4-inch, 2-inch, and 1-1/2 inch hoses, reducers, couplings, valves, nozzles, and nozzle stands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	89	18	12	12	3	0	11	1	18	0	24	8
AAO (FY17)	106		15	14	13	0	13	1	18	0	24	8
O/H	93	1	12	12	12	0	4	1	0	29	20	2
Shortfall/Excess	4	-17	0	0	9	0	-7	0	-18	29	-4	-6

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011237705	1	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	Yes	No	No	No	No	0	0	1

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2137 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2137: TANK FARM INTERCONNECTION SET, ACCESSORY KIT

Provides replacement parts for overall water supply tank farm connection. The kit contains four, two, and 1 ½-inch hoses; victaulic, threaded, and cam-lock type adapters; required valves; and associated hardware.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	17	2	2	2	0	0	2	1	2	0	6	2
AAO (FY17)	19		2	2	2	0	2	1	2	0	6	2
O/H	23	0	2	2	2	0	0	1	0	11	4	1
Shortfall/Excess	6	-2	0	0	2	0	-2	0	-2	11	-2	-1

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011207525	0	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	Yes	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	702	1.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2139: TANK FARM INTERCONNECTION SET, 125 GPM PUMP

The 125 GPM Connection Kit is designed to interconnect the 125 GPM Pump to the suction/discharge side of the water supply support system. The kit includes all required 2-inch hoses, valves, couplings, adapters, and assorted hardware.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	59	16	8	8	3	0	7	1	16	0	12	4
AAO (FY17)	63		8	8	7	0	7	1	16	0	12	4
O/H	57	8	8	8	5	0	3	1	0	13	10	1
Shortfall/Excess	-2	-8	0	0	2	0	-4	0	-16	13	-2	-3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320011207524	8	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	Yes	No	No	No	No	0	0	8

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	13	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2150: TEST SET, SOIL

The Test Set, Soil comes in ruggedized transport cases and provides the ability to analyze soil particle size and can determine the California Bearing Ratio sheer strength of soils, and includes chemical and electronic methods of measuring soil moisture.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	55	15	11	10	8	0	9	2	15	0	0	0
AAO (FY17)	62		12	11	10	0	12	2	15	0	0	0
O/H	75	0	12	11	7	0	14	6	0	25	0	0
Shortfall/Excess	20	-15	1	1	-1	0	5	4	-15	25	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6635006413643	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	No	No	0	0	0
6635014891524	0	0%	0%	0%	0%	0%	100%	NO	NO	y	No	No	No	No	No	No	0	0	0
6635015823197	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2210 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2210: TOOL KIT,CARPENTER'

The Tool Kit, Carpenter's, Set 2, Engineer Platoon, comprises hand tools for general carpentry work including sawing, drilling, filing, fastening, and shaping wood.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	216	0
AAO (FY17)	199	
O/H	269	3
Shortfall/Excess	53	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
55	45	25	5	58	4	0	0	18	6
44	43	24	4	56	4	0	0	18	6
65	41	23	8	48	8	0	43	24	6
10	-4	-2	3	-10	4	0	43	6	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180002932875	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0
5180014472199	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0
5180015518250	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	3
5180015877997	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	52	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2238 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2238: TOOL KIT, IM, ENG/CHASSIS REPAIR, CATERPILLAR

The Toolkit, Caterpillar consists of tools to perform fourth echelon maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	30	8
AAO (FY17)	30	
O/H	15	0
Shortfall/Excess	-15	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	4	0	4	0	8	0	3	1
6	6	2	0	4	0	8	0	3	1
2	2	1	0	3	0	0	4	3	0
-3	-3	-3	0	-1	0	-8	4	0	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180012547723	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	No	No	No	No	0	0	0

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	2.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2250 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2250: TOOL KIT, PIONEER, ENGR PLT

The Tool Kit, Pioneer, Engineer Platoon, is comprised of hand tools and materials required for clearing land, building replacements and fortifications, and other types of manual labor.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	214	44
AAO (FY17)	236	
O/H	242	4
Shortfall/Excess	28	-40

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
30	25	25	4	31	4	44	0	39	12
34	31	31	3	38	4	44	0	39	12
39	28	21	5	26	6	0	61	39	13
9	3	-4	1	-5	2	-44	61	0	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015508112	4	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	3

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2260 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2260: PIONEER KIT

The Tool Kit, Pioneer, Engineer's is a group of hand tools and equipment required by Engineer Squads for clearing land, building emplacements and for general Engineer manual labor. Consists of three chests.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	657	0
AAO (FY17)	661	
O/H	813	9
Shortfall/Excess	156	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
119	94	60	5	152	3	0	0	168	56
108	102	65	3	156	3	0	0	168	56
142	137	42	18	103	3	0	143	163	53
23	43	-18	13	-49	0	0	143	-5	-3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015508116	9	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	No	2	0	7

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	20	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2370 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2370: TOOL SET, MASON

The FECTK supports this requirement. The FECTK includes the following items: the Carpenter Platoon Tool Kit, Pioneer Platoon Tool Kit, Pioneer Squad Tool Kit, Construction Shop Set, Mason and Concrete Finishers Tool Kit, and the Survey Set. With the exception of the Survey Set, all Sets and Kits are targeted for modernization in this acquisition.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	37	0
AAO (FY17)	46	
O/H	73	0
Shortfall/Excess	36	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	9	8	0	7	3	0	0	0	0
11	10	9	0	13	3	0	0	0	0
11	11	6	0	7	3	0	35	0	0
1	2	-2	0	0	0	0	35	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015513550	0	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	yes	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	345	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2394 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2394: PUMP UNIT CENTRIFUGAL

The Pump, Assembly, Water is a 4 cylinder diesel powered engine, two wheel trailer mounted pump.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	102	0
AAO (FY17)	112	
O/H	200	6
Shortfall/Excess	98	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	18	4	0	16	4	0	0	36	6
18	18	14	0	16	4	0	0	36	6
18	18	15	0	6	6	0	103	22	6
0	0	11	0	-10	2	0	103	-14	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320015336418	6	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	I/P	No	0	6	0

Notes: Add NSN 4320015891113

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	109	0	3.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2395 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2395: SEGMENT KIT 5 MILES

TWDS is composed of components designed to store and pump approximately 700,000 gallons of purified water a day up to 10 miles from its water source.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	13	2
AAO (FY17)	15	
O/H	6	0
Shortfall/Excess	-7	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	0	0	2	1	2	0	3	1
2	2	2	0	2	1	2	0	3	1
2	1	1	0	0	0	0	0	2	0
0	-1	1	0	-2	-1	-2	0	-1	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320013774577	0	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	Yes	No	No	No	No	0	0	0

Notes: If item is unused (new) can send to a MEF. DRMO if item has been used.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1412	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2410 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2410: TOOL KIT, M9 ACE, 2D ECH, OM

This tool kit supports organizational level maintenance for the M9 Armored Combat Earthmover. The tool kit contains general and special tools required to perform maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	55	8
AAO (FY17)	50	
O/H	40	2
Shortfall/Excess	-15	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	10	3	0	10	2	8	0	3	1
10	10	6	0	10	2	8	0	3	1
12	10	6	0	6	1	0	0	3	0
-6	0	3	0	-4	-1	-8	0	0	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014280959	2	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	Yes	No	No	No	No	0	2	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2420: TOOL KIT, M9 ACE, 3D/4TH ECH, IM

This tool kit supports organizational level maintenance for the M9 Armored Combat Earthmover. The tool kit contains general and special tools required to perform maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	31	6
AAO (FY17)	39	
O/H	23	1
Shortfall/Excess	-8	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	8	4	0	2	1	6	0	3	1
9	9	4	0	6	1	6	0	3	1
7	6	2	0	1	1	0	2	3	0
1	-2	-2	0	-1	0	-6	2	0	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014292683	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	Yes	No	No	No	No	0	1	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2460 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2460: TRACTOR, FT, W/ANGLE BLADE

The Tractor, Full-Tracked, W/Angle Blade, T-5 is a full-tracked, diesel engine driven tractor with a hydraulically operated angle blade and winch. It is air transportable.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	254	64
AAO (FY17)	262	
O/H	225	0
Shortfall/Excess	-29	-64

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
34	33	10	0	34	19	64	12	36	12
35	35	21	0	28	19	64	12	36	12
33	33	12	0	12	17	0	72	37	9
-1	0	2	0	-22	-2	-64	60	1	-3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2410012541667	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	Yes	No	Yes	No	0	0	0
3805015735861	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	145	0	12.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

B2462 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2462: TRACTOR, MEDIUM, FULL-TRACKED, D7G

The Tractor, Medium, Full-Tracked is a diesel-powered, full-tracked, medium size tractor (Model D7G) for earthmoving and general construction work.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	90	0
Shortfall/Excess	90	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	1	0	0	89	0	0
0	0	0	0	1	0	0	89	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2410011551588	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0
2430015330934	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0

Notes: OBSOLETE

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	208	0	23.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2464 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2464: TRACTOR, FT, W/MULTIPURPOSE BUCKET

The Tractor, Full-Tracked with Multi-purpose Bucket is a diesel engine driven, hydraulically operated, crawler-type front end loader. The multipurpose bucket is capable of performing operations of clamshell, dozer, and scraper, as well as front end shovels.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	111	56
AAO (FY17)	111	
O/H	109	0
Shortfall/Excess	-2	-56

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	0	0	13	2	56	4	15	5
8	8	5	0	8	2	56	4	15	5
8	8	4	0	8	2	0	59	15	5
0	0	4	0	-5	0	-56	55	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805013151091	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	No	Yes	No	0	0	0
3805015735867	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	111	0	13.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2483 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2483: ARMORED, BACKHOE, LOADER (BHL)

The Backhoe Loader is a highly mobile, lightweight rubber-tired tractor equipped with a front-end loader and backhoe excavator. It can maintain pace with other wheeled vehicles of the maneuver force and can reach road speeds in excess of 20 miles per hour.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	180	23	39	25	20	4	24	17	23	0	21	7
AAO (FY17)	169		27	26	18	4	26	17	23	0	21	7
O/H	291	9	52	37	23	4	32	22	0	85	20	7
Shortfall/Excess	111	-14	13	12	3	0	8	5	-23	85	-1	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015147166	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	Yes	Yes	No	0	1	0
3805015733850	8	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	Yes	No	0	8	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	172	0	10.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2561 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2561: TRK, FORKLIFT, VARIABLE REACH

The Truck, Forklift, Extendable Boom is a diesel-powered, four-wheel drive, rubber-tired forklift with two-wheel, four-wheel and crab steering.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	748	156
AAO (FY17)	729	
O/H	803	51
Shortfall/Excess	55	-105

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
96	92	57	5	72	22	156	64	138	46
90	84	57	5	67	22	156	64	138	46
92	93	59	8	67	25	0	229	132	47
-4	1	2	3	-5	3	-156	165	-6	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3930014862151	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	yes	Yes	No	No	0	0	0
3930015080886	37	10%	90%	0%	0%	0%	0%	NO	NO	No	No	Yes	Yes	Yes	No	No	0	33	4
3930015735868	14	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	No	No	0	14	0

Notes: All need to come back to MCLC. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	231	0	15.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2565 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2565: TRLR ENGR EQUIPMENT

The Engineer Equipment Trailer identifies a requirement for a Medium Tactical Vehicle Replacement trailer capable of transporting the Light Capability, Rough Terrain Forklift, and Backhoe Loader.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	623	88	133	105	74	7	87	21	88	10	74	24
AAO (FY17)	591		106	98	74	5	91	21	88	10	74	24
O/H	742	22	142	107	70	6	99	21	0	226	29	20
Shortfall/Excess	119	-66	9	2	-4	-1	12	0	-88	216	-45	-4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015183809	4	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	No	No	0	0	4
2330015470272	18	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	18	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	250	0	5.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2566 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2566: FORKLIFT, RT, LT CAPABILITY (LRTF)

The Truck, Forklift, Rough-Terrain, 4000-pound is a self-propelled, four-wheel drive, rubber-tired, diesel-powered forklift with a modified mast and enhanced side shift capability. It is air transportable.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	806	206	123	110	74	10	97	39	206	45	78	24
AAO (FY17)	791		119	107	70	10	93	39	206	45	78	24
O/H	829	38	115	101	86	12	82	39	0	262	70	24
Shortfall/Excess	23	-168	-8	-9	12	2	-15	0	-206	217	-8	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3930012756420	1	0%	0%	0%	0%	0%	100%	NO	NO	y	No	Yes	No	Yes	Yes	No	0	0	1
3930014783519	3	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	Yes	No	0	0	3
3930015330855	21	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	Yes	No	0	0	21
3930015735873	13	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	Yes	Yes	No	0	0	13

Notes: NSN 3930015735873 should not be sent to the MEFs, only send to MCLC. NSN 3930015330855 can be redistributed to the fields. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	128	0	5.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

B2567 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2567: LOADER,SCOOP TYPE

The Tractor, Rubber-Tired, Articulated Steering, Multi-Purpose is a diesel-powered, four-wheel drive, rubber-tired, articulated steering tractor capable of operating in rough terrain and in 60 inches of water.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	8	1
Shortfall/Excess	8	1

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0	0	0	0	0	0	0	0	0	0
O/H	0	0	0	0	2	0	0	3	2	0
Shortfall/Excess	0	0	0	0	2	0	0	3	2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805012793635	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	1
3805015735881	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0

Notes: OBSOLETE - Transfer to US ARMY

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	192	0	16.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

B2605 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2605: PURIFICATION SYSTEM, WATER, TACTICAL

The Tactical Water Purification System (TWPS) is a skid mounted, generator powered system capable of producing potable water from any available raw water source at a rate of 1200-1500 gallons of water per hour in expeditionary environments. The TWPS replaces the aging 600-GPH ROWPUs at a 1 for 2 ratio.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	265	0	44	42	35	0	33	10	0	21	60	20
AAO (FY17)	262		43	43	32	0	33	10	0	21	60	20
O/H	259	15	41	33	36	0	13	10	0	39	52	20
Shortfall/Excess	-6	15	-3	-9	1	0	-20	0	0	18	-8	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610014886961	15	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	11	4

Notes: MCLC has repair line established. This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

B2628 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2628: WATER PURIFIER, LIGHTWEIGHT, LMT3000

The Water Purification System provides a fully portable and completely self-contained water purification system for purifying turbid and bacteria polluted water at the rate of 1500 to 3000 gph.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	112	0
AAO (FY17)	52	
O/H	4	0
Shortfall/Excess	-108	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	42	11	0	9	8	0	0	0	0
12	12	11	0	9	8	0	0	0	0
0	0	2	0	2	0	0	0	0	0
-42	-42	-9	0	-7	-8	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610013664640	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0

Notes: Obsolete - DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting. Being replaced by B0071.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	67	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B2630 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2630: ANALYSIS SET, QUALITY, PURIFICATION, WATER

The Water Quality Analysis Set is a one-person portable suitcase kit containing equipment for testing water quality. The kit is self-contained in a gasketed waterproof case. Foam inserts secure equipment in the case and protect sensitive instruments.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	58	2	14	12	11	3	10	6	2	0	0	0
AAO (FY17)	73		18	16	14	3	14	6	2	0	0	0
O/H	77	7	19	10	6	0	13	6	0	16	0	0
Shortfall/Excess	19	5	5	-2	-5	-3	3	0	-2	16	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6630014772395	7	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	No	2	0	5

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2631 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2631: TANK, WATER, 50K GAL

The 50,000 Gallon Collapsible Fabric Potable Water Tank is a pillow type, synthetic rubber-impregnated nylon tank.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	91	6
AAO (FY17)	95	
O/H	136	7
Shortfall/Excess	45	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	0	0	4	1	6	0	54	18
4	4	4	0	4	1	6	0	54	18
12	4	1	0	0	3	0	62	47	0
8	0	1	0	-4	2	-6	62	-7	-18

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430011069677	7	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	No	0	0	7
5430012004831	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	No	0	0	0
5430013861544	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. If tank has had fuel in it, using unit must WIR as Code H. NSNs ending in 4831 and 1544 are FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	117	0.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2632 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2632: TANK ASSEMBLY, WATER, FABRIC, COLLAPSIBLE

The 20,000 Gallon Collapsible Fabric Potable Water Tank is a pillow type, synthetic rubber-impregnated nylon tank.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	206	8	38	38	24	0	30	4	8	0	48	16
AAO (FY17)	212		38	38	30	0	30	4	8	0	48	16
O/H	141	4	37	38	23	0	4	4	0	3	28	0
Shortfall/Excess	-65	-4	-1	0	-1	0	-26	0	-8	3	-20	-16

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430013517813	4	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	No	0	0	4
5430013726902	0	100%	0%	0%	0%	0%	0%	TBD	YES	No	No	No	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. If tank has had fuel in it, using unit must WIR as Code H.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	44	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2685 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2685: WELDING SHOP, MARINE CORPS TACTICAL

The Marine Corps Tactical Welding Shop (MCTWS) consists of selected tools and equipment integrated with an enclosure mounted on a 1 1/2-ton modified two-wheel military trailer chassis model M103A3.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	302	80	49	42	25	5	41	5	80	0	45	10
AAO (FY17)	289		44	40	18	5	42	5	80	0	45	10
O/H	220	11	34	29	19	2	30	9	0	46	38	2
Shortfall/Excess	-82	-69	-15	-13	-6	-3	-11	4	-80	46	-7	-8

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3431014984423	11	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	11	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	104	0	3.3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2686 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2686: KIT, WELDING, ARMOR

The Armor Welding Kit is used to perform field-welding repairs of armor plate equipment, when integrated with existing equipment on the MCTWS.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	52	6
AAO (FY17)	37	
O/H	30	1
Shortfall/Excess	-22	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	8	7	0	8	5	6	0	6	2
7	5	2	0	4	5	6	0	6	2
8	5	5	0	4	0	0	2	5	0
-2	-3	-2	0	-4	-5	-6	2	-1	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3431015050248	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes: Associated with B2685 - If they come back together, two WIRs need to be completed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	708	3.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B2687 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2687: KIT, WELDING, TITANIUM

The Titanium Kit consists of selected tools and equipment integrated into existing equipment on the MCTWS. This kit is used to perform field-expedient repairs of titanium-based metals and equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	42	6
AAO (FY17)	28	
O/H	28	0
Shortfall/Excess	-14	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	5	0	6	5	6	0	6	2
3	3	1	0	2	5	6	0	6	2
4	2	2	0	3	4	0	5	8	0
-2	-4	-3	0	-3	-1	-6	5	2	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3431015050888	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Associated with B2685 -If they come back together, two WIRs need to be completed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B5000 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B5000: CONTROL MINE DETECT (SWEEP MONITORING SYSTEM)

Training apparatus for the B0476

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	49	0
AAO (FY17)	50	
O/H	24	0
Shortfall/Excess	-25	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	12	7	0	11	2	0	2	0	0
13	12	7	0	14	2	0	2	0	0
7	4	6	0	4	1	0	2	0	0
-8	-8	-1	0	-7	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015314689	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

B7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B7001: ANALYZER, ELECTRICAL PULSE

The Analyzer, Electrical Pulse (Fluke 41/43B-AV) is a hand-held, liquid crystal display power analyzer with the capability of measuring and displaying power harmonics in three different views: waveform, bar graph (showing harmonic levels), and numeric values.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	642	0
AAO (FY17)	604	
O/H	59	1
Shortfall/Excess	-583	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
190	170	106	0	144	32	0	0	0	0
167	163	107	0	135	32	0	0	0	0
7	28	4	0	0	3	0	16	0	0
-183	-142	-102	0	-144	-29	0	16	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014385312	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	No	No	0	0	1
6625015260788	0	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

B7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B7900: INTERMEDIATE LEVEL ELECTRICIANS TOOL KIT

The I-Level Tool Kit is comprised of various hand tools and accessories to aide Marines in Military Occupational Specialty (MOS) 1141 in the installation, repair, and replacement of structural electrical wiring.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	31	0
AAO (FY17)	37	
O/H	25	0
Shortfall/Excess	-6	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	9	6	0	4	1	0	0	0	0
11	11	8	0	6	1	0	0	0	0
5	9	5	0	4	1	0	1	0	0
-6	0	-1	0	0	0	0	1	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015468026	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C0001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0001: MILITARY CYPRES 1 A

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	988	0
AAO (FY17)	988	
O/H	906	0
Shortfall/Excess	-82	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
100	100	120	450	188	30	0	0	0	0
100	100	120	450	188	30	0	0	0	0
210	79	117	373	91	36	0	0	0	0
110	-21	-3	-77	-97	6	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1670015181268	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C0005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0005: PERS,BACKSCATTER IM

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	79	65
AAO (FY17)	79	
O/H	11	11
Shortfall/Excess	-68	-54

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	3	0	65	0	0	0
4	4	3	0	3	0	65	0	0	0
0	0	0	0	0	0	0	0	0	0
-4	-4	-3	0	-3	0	-65	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015314671	11	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	11

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

C0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0008: TRANSLATION DEVICE

This mobile, ruggedly designed translation device with one-way, handheld, speech-to-speech translation system available. NOTE: The C0008 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	109	0
Shortfall/Excess	109	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
33	0	0	7	0	0	0	69	0	0
33	0	0	7	0	0	0	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5805015315590	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0019: FORCE PRO KIT - ATFP KIT (PART OF C0020)

A versatile package of Commercial-Off-The-Shelf (COTS) and Government-Off-The-Shelf (GOTS) Non-Lethal equipment. The contents (COTS/GOTS) can be divided into four distinct categories: personnel protectors; personnel and materiel effectors; mission enhancers; and training devices. The items enable the individual Marine or a small team or unit to be proactive in retaining the initiative in peacekeeping environments; to respond to provocation more subtly than through the use of deadly force; and to effectively control the non-traditional battlefield within the constraints levied by Rules of Engagement (ROE). NOTE: The C0019 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0		0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0			0	0	0	0	0	0	0	0	0	0
O/H	14	0		5	2	0	0	0	7	0	0	0	0
Shortfall/Excess	14	0		5	2	0	0	0	7	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6910015403090	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C0020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0020: ANTI-TERRORISM/FORCE PROTECTION CHECKPOINT SET (ATFPCS)

The Anti-Terrorism/Force Protection Capability Set (C00207B) enables Marines to more accurately andthoroughly inspect vehicles and personnel for weapons and explosives by providing Commercial-Off-The-Shelf(COTS) and Government-Off-The-Shelf (GOTS) materiel solutions. The set provides lighting (tripods andhandheld), explosive detection, vehicle impairment, and vehicle undercarriage inspection capabilities. The Anti-Terrorism/Force Protection Capability Set increases the survivability for Marines from potential threats by givingearlier warning and reaction capability to those manning the checkpoints. Additionally, the capability increases the survivability of noncombatants approaching Vehicle Check Points and Entry Control Points by giving Marines more time and awareness to assess the situation before lethal force is applied. NOTE: The C0020 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	12	0
Shortfall/Excess	12	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
3	7	0	0	0	2	0	0	0	0
3	7	0	0	0	2	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6910015403064	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- ☐ **Sensitive**
- ☐ **CCI**
- ☐ **Multi-Modal**
- ☑ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0104: ESCALATION OF FORCE-MISSION MODULES (EOF-MM)

The C0104 is know as the Escalation of Force-Mission Module. The EoF-MM consists of multifunctional non-lethal weapons systems and force protection equipment needed to satisfy the operational requirement in order to minimize friendly and civilian casualties. The EoF-MM is the replacement of the existing Non-Lethal Capability Sets (NLCS) and Force Protection Capability Sets (FPCS) procured in the middle 1990s and early 2000s. The EoF-MM consist of selected equipment that provides operational capabilities for use during escalation of force situations found primarily, but not exclusively, while operating under restricted Rules of Engagement (ROE). The EoF-MM consists entirely of equipment that is COTS/GOTS. The EoF-MM consists of three (3) capability groups, ten (10) capability modules and each module consists of specific equipment necessary to support that modules capability mission. The modules are configured within four (4) QUADCONS.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	75	20
AAO (FY17)	77	
O/H	55	2
Shortfall/Excess	-20	-18

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12	18	13	0	4	8	20	0	0	0
12	18	13	0	6	8	20	0	0	0
7	12	10	0	4	4	0	16	0	0
-5	-6	-3	0	0	-4	-20	16	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1367015794067	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C0114 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0114: EXTINGUISHER,FIRE

The Secondary Fire Suppression System (AFES-R) is based on UUNS #09107UB, which requests a "system of systems" that would 1) reduce the risk of secondary fires, 2) quickly extinguish external fires to prevent their breaching the crew compartment, 3) protect the occupants of the vehicle against fires that do penetrate the crew compartment and 4) provide a capability for personnel from other vehicles to suppress fires and rescue the crew.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	1,309	32
Shortfall/Excess	1,309	32

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	1,277	0	0
0	0	0	0	0	0	0	1,277	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210015583687	32	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	No	0	32	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

c0114 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN c0114:

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	1,309	32
Shortfall/Excess	1,309	32

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	1,277	0	0
0	0	0	0	0	0	0	1,277	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210015583687	32	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	No	0	32	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C2032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2032: MONITOR,CHEMICAL AG

The Chemical Agent Monitor is a handheld device capable of detecting various levels of nerve and blister agents. The CAMs detect vapors of chemical agents by sensing molecular ions of specific mobilities (time of flight) and uses timing and microprocessor techniques to reject interferences.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	159	0	0	6	0	0	0	2	0	151	0	0
Shortfall/Excess	159	0	0	6	0	0	0	2	0	151	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665997259996	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C2104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2104:

The M4 Joint Chemical Agent Detector (JCAD) is a handheld detector capable of detecting, identifying, quantifying, and reporting nerve, blister, and blood agents.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	10,240	0
AAO (FY17)	9,563	
O/H	254	121
Shortfall/Excess	-9,986	121

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3,301	3,158	1,246	156	2,276	103	0	0	0	0
3,070	2,738	1,284	177	2,192	102	0	0	0	0
4	43	0	0	0	50	0	36	0	0
-3,297	-3,115	-1,246	-156	-2,276	-53	0	36	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015522704	121	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	121	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C2108 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2108: ALARM,CHEMICAL AGEN

The Automatic Chemical Agent Detection Alarm (ACADA) is a man-portable chemical warfare agent detection system, which detects the presence of nerve and blister agents.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	8	0
Shortfall/Excess	8	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	6	0	2	0	0
0	0	0	0	0	6	0	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665014386963	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C2278 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2278: MASK ASSY

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	731	0
AAO (FY17)	731	
O/H	827	0
Shortfall/Excess	96	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	15	80	450	171	0	0	0	0	0
15	15	80	450	171	0	0	0	0	0
172	75	124	264	146	46	0	0	0	0
157	60	44	-186	-25	46	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1660090004118	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C2286 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2286: PHAOS BOTTLE ASSY

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	728	0
AAO (FY17)	728	
O/H	788	0
Shortfall/Excess	60	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	80	450	166	12	0	0	0	0
10	10	80	450	166	12	0	0	0	0
170	75	120	264	118	41	0	0	0	0
160	65	40	-186	-48	29	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1660090004098	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C4120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C4120: NON-LETHAL WEAPONS

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	24	0
Shortfall/Excess	24	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	16	1	0	2	3	0	0	0	0
2	16	1	0	2	3	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
9999014642285	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	3.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C4432 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C4432: NSN NOT PROCURABLE

The Complexing Unit provides access to and from two shelters.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)		
AAO (FY17)		
O/H	18	0
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	5	2	2	2	0	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411012066036	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C4765 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C4765: EXTINGUISHER, FIRE, DRY CHEM, SELF-CONTND

The Twin Agent Fire Extinguisher is skid mounted and easily relocated when necessary. It is designed and constructed to be effective in fighting fires generated by hydrocarbon fuels. It is intended for use in providing fire protection to the Tactical Airfield Fuel Dispensing System and the Amphibious Assault Fuel System.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	892	270	115	113	71	0	138	3	270	0	138	44
AAO (FY17)	919		124	123	59	0	158	3	270	0	138	44
O/H	718	25	83	31	31	0	13	5	0	349	138	43
Shortfall/Excess	-174	-245	-32	-82	-40	0	-125	2	-270	349	0	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210001072082	0	0%	0%	0%	0%	100%	0%	NO	NO	Y	No	Yes	yes	No	No	No	0	0	0
4210012052246	5	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	5	0
4210013549893	20	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	20	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	214	1.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C4906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C4906: PALLET,MATERIAL HAN

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	3	0
Shortfall/Excess	3	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	3	0	0	0	0	0	0	0
0	0	3	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3990011907165	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	78	0	1.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C5105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C5105: JOINING CORRIDOR

The Joining Corridor provides a means of connecting two shelters.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	38	0
Shortfall/Excess	38	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
3	8	0	3	6	0	0	18	0	0
3	8	0	3	6	0	0	18	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411012066037	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C5269 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C5269: TESTER,LEAKAGE,PROT

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	277	0
AAO (FY17)	269	
O/H	98	1
Shortfall/Excess	-179	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
72	71	47	0	43	6	0	38	0	0
70	64	46	0	45	6	0	38	0	0
0	8	0	0	0	10	0	79	0	0
-72	-63	-47	0	-43	4	0	41	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015069002	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C5649 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C5649: MULTI MISSION PARAC

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,134	40
AAO (FY17)	1,134	
O/H	962	0
Shortfall/Excess	-172	-40

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
100	100	120	450	256	68	40	0	0	0
100	100	120	450	256	68	40	0	0	0
212	78	120	334	181	37	0	0	0	0
112	-22	0	-116	-75	-31	-40	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1670015316383	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C5810 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C5810: KITCHEN,COMPANY LEV

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	26	5
AAO (FY17)	0	
O/H	42	0
Shortfall/Excess	16	-5

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	2	1	0	1	4	5	0	9	3
0	0	0	0	0	0	0	0	0	0
0	1	7	0	1	4	0	24	5	0
-1	-1	6	0	0	0	-5	24	-4	-3

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7360332012934	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	14.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C6115 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C6115: SHELTER,NONEXPANDAB

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	96	0
Shortfall/Excess	96	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
28	43	4	8	0	13	0	0	0	0
28	43	4	8	0	13	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411012066077	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7001: TESTER, AUTOMATIC TRANSMISSION

Handheld testing device used to test & adjust HUMVEE vehicle transmissions.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	231	13
AAO (FY17)	243	
O/H	260	2
Shortfall/Excess	29	-11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
50	47	29	0	37	55	13	0	0	0
53	46	32	0	44	55	13	0	0	0
50	43	35	4	38	58	0	30	0	0
0	-4	6	4	1	3	-13	30	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910015592405	2	0%	50%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	Y	No	1	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7007: SHOP EQUIPMENT, CONTACT MAINTENANCE, COMMON #21

HUMVEE based platform that includes a maintenance shelter & equipment used by Electro-Optic Technicans (MOS 2171) and Ground Radar Technicans (MOS 2887) to perform on-site maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	190	0	57	52	32	2	36	5	0	0	6	0
AAO (FY17)	209		66	57	33	2	40	5	0	0	6	0
O/H	108	0	35	31	22	1	8	6	0	2	3	0
Shortfall/Excess	-82	0	-22	-21	-10	-1	-28	1	0	2	-3	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015521599	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7023: TEST STAND,FUEL INJ

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	29	2
AAO (FY17)	25	
O/H	20	1
Shortfall/Excess	-9	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	4	0	3	14	2	0	0	0
3	3	3	0	0	14	2	0	0	0
3	2	4	0	3	4	0	3	0	0
0	-1	0	0	0	-10	-2	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910014602822	1	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	158	1.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

C7025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7025: TESTER,HYDRAULIC HO

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	210	5
AAO (FY17)	200	
O/H	111	0
Shortfall/Excess	-99	-5

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
29	25	14	5	18	60	5	0	45	9
23	22	20	4	12	60	5	0	45	9
17	17	23	4	6	14	0	19	9	2
-12	-8	9	-1	-12	-46	-5	19	-36	-7

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015475287	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7033: SHOP EQUIPMENT,CONT - UNARMORED (RPLCS B1951)

HUMVEE based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform on-site maintenance. Intended for 2nd Echelon or Direct Support Maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	249	30	64	58	36	0	35	7	30	7	9	3
AAO (FY17)	241		60	56	34	0	35	7	30	7	9	3
O/H	149	1	26	28	19	0	17	8	0	41	8	1
Shortfall/Excess	-100	-29	-38	-30	-17	0	-18	1	-30	34	-1	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940013338471	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	121	0	4.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7035: TOOL KIT,TRANSMISSI

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	34	1
AAO (FY17)	31	
O/H	15	0
Shortfall/Excess	-19	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	11	8	0	3	0	1	0	0	0
9	9	6	0	6	0	1	0	0	0
3	3	4	0	2	0	0	3	0	0
-8	-8	-4	0	-1	0	-1	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180011994018	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	23	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7038: DYNAMOMETER,RUN-IN

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	16	3
AAO (FY17)	11	
O/H	0	0
Shortfall/Excess	-16	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	3	1	3	0	0	0
2	2	1	0	2	1	3	0	0	0
0	0	0	0	0	0	0	0	0	0
-3	-3	-3	0	-3	-1	-3	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910015975999	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**I MEF**
if	**Not Mission Capable MEF**	then	**I MEF**
if	**Not Mission Capable**	then	**I MEF**
if	**Condemned**	then	**I MEF**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7039: DYNAMOMETER, RUN-IN

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	16	3
AAO (FY17)	11	
O/H	0	0
Shortfall/Excess	-16	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	3	1	3	0	0	0
2	2	1	0	2	1	3	0	0	0
0	0	0	0	0	0	0	0	0	0
-3	-3	-3	0	-3	-1	-3	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**II MEF**
if	**Not Mission Capable MEF**	then	**II MEF**
if	**Not Mission Capable**	then	**II MEF**
if	**Condemned**	then	**II MEF**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	200%	0%	0%

C7042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7042: NOZZLE TEST MASTER2

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	14	0
AAO (FY17)	10	
O/H	8	1
Shortfall/Excess	-6	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	2	3	0	0	0	0
3	3	1	0	0	3	0	0	0	0
1	2	2	0	0	2	0	0	0	0
-2	-1	-1	0	-2	-1	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5825014731977	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7061: TESTER,FUEL INJECTO

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	13	2
AAO (FY17)	12	
O/H	9	0
Shortfall/Excess	-4	-2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	3	0	2	2	2	0	0	0
3	3	2	0	0	2	2	0	0	0
1	1	3	0	0	4	0	0	0	0
-1	-1	0	0	-2	2	-2	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910011249123	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	48	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	17	1
AAO (FY17)	8	
O/H	25	1
Shortfall/Excess	8	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	4	0	3	3	1	0	0	0
1	1	2	0	0	3	1	0	0	0
2	3	4	0	1	11	0	3	0	0
-1	0	0	0	-2	8	-1	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	17	1
AAO (FY17)	8	
O/H	25	1
Shortfall/Excess	8	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	4	0	3	3	1	0	0	0
1	1	2	0	0	3	1	0	0	0
2	3	4	0	1	11	0	3	0	0
-1	0	0	0	-2	8	-1	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	17	1
AAO (FY17)	8	
O/H	25	1
Shortfall/Excess	8	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	4	0	3	3	1	0	0	0
1	1	2	0	0	3	1	0	0	0
2	3	4	0	1	11	0	3	0	0
-1	0	0	0	-2	8	-1	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	17	1
AAO (FY17)	8	
O/H	25	1
Shortfall/Excess	8	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	4	0	3	3	1	0	0	0
1	1	2	0	0	3	1	0	0	0
2	3	4	0	1	11	0	3	0	0
-1	0	0	0	-2	8	-1	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	2
AAO (FY17)	15	
O/H	18	1
Shortfall/Excess	3	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	3	0	1	2	2	0	0	0
3	4	3	0	1	2	2	0	0	0
2	2	2	0	1	0	0	10	0	0
-1	-2	-1	0	0	-2	-2	10	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015016979	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0
5836015253637	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0
5836015450581	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	30.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	2
AAO (FY17)	15	
O/H	18	1
Shortfall/Excess	3	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	3	0	1	2	2	0	0	0
3	4	3	0	1	2	2	0	0	0
2	2	2	0	1	0	0	10	0	0
-1	-2	-1	0	0	-2	-2	10	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015016979	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0
5836015253637	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0
5836015450581	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	30.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	2
AAO (FY17)	15	
O/H	18	1
Shortfall/Excess	3	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	3	0	1	2	2	0	0	0
3	4	3	0	1	2	2	0	0	0
2	2	2	0	1	0	0	10	0	0
-1	-2	-1	0	0	-2	-2	10	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015016979	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0
5836015253637	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0
5836015450581	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	30.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7900: TOOL KIT,AIR CONDIT

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	173	0
AAO (FY17)	188	
O/H	253	8
Shortfall/Excess	80	8

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
44	44	16	10	28	31	0	0	0	0
43	48	16	9	41	31	0	0	0	0
59	48	22	10	15	36	0	41	14	0
15	4	6	0	-13	5	0	41	14	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015414688	8	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	8	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	91	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7901: SHOP EQUIPMENT,TIRE

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	23	4
AAO (FY17)	27	
O/H	2	1
Shortfall/Excess	-21	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	4	0	3	1	4	1	0	0
6	6	4	0	5	1	4	1	0	0
0	0	0	0	0	1	0	0	0	0
-5	-5	-4	0	-3	0	-4	-1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015223536	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	No	No	0	0	0
4940015515941	1	0%	0%	0%	0%	100%	0%	NO	NO	Y	No	Yes	No	No	No	No	1	0	0
4940015683817	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	10.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7901: SHOP EQUIPMENT,TIRE

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	23	4
AAO (FY17)	27	
O/H	2	1
Shortfall/Excess	-21	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	4	0	3	1	4	1	0	0
6	6	4	0	5	1	4	1	0	0
0	0	0	0	0	1	0	0	0	0
-5	-5	-4	0	-3	0	-4	-1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015223536	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	No	No	0	0	0
4940015515941	1	0%	0%	0%	0%	100%	0%	NO	NO	Y	No	Yes	No	No	No	No	1	0	0
4940015683817	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	10.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7901: SHOP EQUIPMENT,TIRE

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	23	4
AAO (FY17)	27	
O/H	2	1
Shortfall/Excess	-21	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	4	0	3	1	4	1	0	0
6	6	4	0	5	1	4	1	0	0
0	0	0	0	0	1	0	0	0	0
-5	-5	-4	0	-3	0	-4	-1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015223536	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	No	No	0	0	0
4940015515941	1	0%	0%	0%	0%	100%	0%	NO	NO	Y	No	Yes	No	No	No	No	1	0	0
4940015683817	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	10.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7903 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7903: AIR BAG LIFT SYSTEM

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	143	0
AAO (FY17)	143	
O/H	20	0
Shortfall/Excess	-123	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
41	41	25	0	32	4	0	0	0	0
41	40	25	0	33	4	0	0	0	0
5	12	0	0	2	0	0	1	0	0
-36	-29	-25	0	-30	-4	0	1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4220015041223	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7904 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7904: SHOP EQUIPMENT, GP, COMMON #10

Quad-Con based Tool Container with heavy duty shelving and straping. Used by maintenance shops to store and transport a variety of outsized tools and other shop equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	357	0
AAO (FY17)	340	
O/H	420	3
Shortfall/Excess	63	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
109	89	47	10	94	8	0	0	0	0
105	87	44	10	86	8	0	0	0	0
125	108	57	7	106	6	0	8	0	0
16	19	10	-3	12	-2	0	8	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015219685	3	0%	50%	0%	50%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7905: SHOP EQUIPMENT, GENERAL PURPOSE COMMON #22

Trailer based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform on-site maintenance. Intended for 2nd Echelon or Direct Support Maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	349	34
AAO (FY17)	333	
O/H	368	13
Shortfall/Excess	19	-21

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
89	71	39	11	63	8	34	10	21	3
83	66	38	9	61	8	34	10	21	3
66	80	72	4	53	9	0	39	26	6
-23	9	33	-7	-10	1	-34	29	5	3

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015504312	13	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	13	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	2.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7907 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7907: SHOP EQPT,GEN PURPO

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	169	0
AAO (FY17)	160	
O/H	200	2
Shortfall/Excess	31	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
46	42	22	7	44	8	0	0	0	0
44	40	24	6	38	8	0	0	0	0
46	74	30	7	30	8	0	3	0	0
0	32	8	0	-14	0	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015637780	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	2	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7908 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7908: LUBE UNIT

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	163	0
AAO (FY17)	160	
O/H	117	3
Shortfall/Excess	-46	3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
41	35	26	6	28	5	0	0	16	6
38	33	25	5	32	5	0	0	16	6
28	28	23	1	15	3	0	4	9	3
-13	-7	-3	-5	-13	-2	0	4	-7	-3

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930015497112	3	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7911 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7911: SHOP EQUIPMENT,GENE

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	298	3
AAO (FY17)	313	
O/H	337	14
Shortfall/Excess	39	11

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
76	69	39	13	61	13	3	0	21	3
77	71	47	13	65	13	3	0	21	3
82	81	55	13	70	17	0	1	4	0
6	12	16	0	9	4	-3	1	-17	-3

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015504900	14	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	14	0	0

Notes: TAMCN is not classified as sensitive. DO NOT WASHDOWN - CLEAN BY HAND.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	143	1.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7912 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7912: SHOP EQUIPMENT,MACH

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	40	7
AAO (FY17)	36	
O/H	4	1
Shortfall/Excess	-36	-6

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	5	0	8	0	7	0	3	1
8	7	3	0	7	0	7	0	3	1
2	0	0	0	0	1	0	0	0	0
-6	-8	-5	0	-8	1	-7	0	-3	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3470015752955	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	I/P	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	12.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C7913 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7913: SHOP EQUIPMENT, GENERAL PURPOSE COMMON #34

Large Pit-Box based platform that includes two rolling tool storage Pit-Boxes, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform maintenance. Intended for 3rd Echelon or General Support Maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	99	0
AAO (FY17)	119	
O/H	86	2
Shortfall/Excess	-13	2

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	27	24	15	3	12	13	0	5	0	0
AAO (FY17)	31	29	17	2	22	13	0	5	0	0
O/H	15	19	20	2	10	17	0	1	0	0
Shortfall/Excess	-12	-5	5	-1	-2	4	0	-4	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015659593	2	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	142	2.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7920 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7920: ANALYZER SET,VEHICU

Handheld testing device used to test & adjust all USMC ground vehicles (contained in a transit case with associated cables and test items). Includes specialized software designed for specific vehicle subsystems (engines, transmissions, tire inflation systems, etc).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	894	17
AAO (FY17)	930	
O/H	434	13
Shortfall/Excess	-460	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
227	211	104	0	162	173	17	0	0	0
230	208	119	0	183	173	17	0	0	0
105	78	60	8	35	116	0	19	0	0
-122	-133	-44	8	-127	-57	-17	19	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910014865131	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	No	1	0	0
4910015350413	5	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	No	4	2	0
4910015694435	7	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	No	5	2	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

C7930 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7930: SHOP EQUIPMENT, GP, COMMON NO. 30

Flat-Rack based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform maintenance. Also includes a 90KW Generator and extendable boom Crane. Intended for 3rd Echelon or General Support Maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	99	0
AAO (FY17)	111	
O/H	73	4
Shortfall/Excess	-26	4

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	28	26	16	4	13	6	0	6	0	0
AAO (FY17)	29	27	15	4	24	6	0	6	0	0
O/H	15	18	11	2	8	5	0	10	0	0
Shortfall/Excess	-13	-8	-5	-2	-5	-1	0	4	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015187339	4	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	11.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C8010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C8010: MOBILE TRAUMA BAY

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	8	6
AAO (FY17)	6	
O/H	9	3
Shortfall/Excess	1	-3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	0	0	0	0	6	0	0	0
0	0	0	0	0	0	6	0	0	0
1	1	1	0	0	0	0	3	0	0
0	0	1	0	0	0	-6	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411015757079	3	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	Y	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

C9657 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C9657: STAND,MAINTENANCE,A

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	94	19
AAO (FY17)	124	
O/H	83	3
Shortfall/Excess	-11	-16

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	16	14	0	15	14	19	0	0	0
30	30	17	0	14	14	19	0	0	0
18	25	15	0	0	13	0	9	0	0
2	9	1	0	-15	-1	-19	9	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910011174344	3	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	2	0	2

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	52	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

D0002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0002: TRLR, EQUIP TRANSPORTER, SEMI-TRLR, LOWBED, 50T

The M870A2E1, is a 10-ft wide lowbed semi trailer capable of transporting cargo up to 50 tons.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	36	3	8	8	5	0	10	2	3	0	0	0
AAO (FY17)	46		12	12	7	0	10	2	3	0	0	0
O/H	43	33	0	0	2	0	0	2	0	6	0	0
Shortfall/Excess	7	30	-8	-8	-3	0	-10	0	-3	6	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330014838000	33	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	Yes	0	33	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.Currently no allowance for CONUS units for this TAMCN. Allowances must be identified prior to shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0003: MTVR, TRK ARMD, CARGO, 7T W/O, NON REDUCIBLE (AMK23)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	3,409	96	679	568	329	51	389	140	96	85	957	115
AAO (FY17)	3,394		621	506	357	51	466	140	96	85	957	115
O/H	2,940	104	510	429	423	44	88	166	0	296	820	31
Shortfall/Excess	-469	8	-169	-139	94	-7	-301	26	-96	211	-137	-84

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305676	85	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	85	0
2320015520273	19	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	19	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31. All items eventually need to go to MCLC for upgrades and repairs. If an item comes back in serviceable condition, it will be sent to the MEF to fill shortfalls. When MCLC has sufficient capacity, that item will be sent for refresh.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	214	0	16.7

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0004: MTVR, TRK ARMD, CARGO, 7T W/W, NON REDUCIBLE (AMK25)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	3		1	1	0	0	1	0	0	0	0	0
O/H	0	0	0	0	0	0	0	0	0	0	0	0
Shortfall/Excess	0	0	0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305677	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	y	No	0	0	0
2320015519433	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	Yes	No	No	0	0	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	230	0	17.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0005: TRK, ARMORED, 7T, EXTRA LONG WHEELBASE, W/O WINCH (AMK27)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	771	17	138	137	66	23	83	12	17	7	216	72
AAO (FY17)	729		117	115	66	23	84	12	17	7	216	72
O/H	477	71	31	67	58	23	0	15	0	60	113	10
Shortfall/Excess	-294	54	-107	-70	-8	0	-83	3	-17	53	-103	-62

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305678	55	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	55	0
2320015522762	16	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	16	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	262	0	17.9

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0006: MTVR, TRK ARMD, XLWB CARGO, 7T W/W NON REDUCIBLE, AMK28

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	0	0	0	0	0	0	0	0	0	0	0	0
Shortfall/Excess	0	0	0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305681	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0
2320015519434	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0
2320015534118	0	0%	100%	0%	0%	0%	0%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	279	0	18.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

D0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0007: MTVR, TRK DUMP, ARMD, 7T, W/O WINCH, AMK29

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	320	14	46	48	35	0	39	0	14	8	111	19
AAO (FY17)	329		47	44	38	0	48	0	14	8	111	19
O/H	288	22	16	32	32	0	2	0	0	75	100	0
Shortfall/Excess	-32	8	-30	-16	-3	0	-37	0	-14	67	-11	-19

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015520250	8	0%	100%	0%	0%	0%	0%	NO	NO	Y	No	Yes	yes	No	y	No	0	8	0
2320015305684	14	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	14	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	16

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

D0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0008: MTVR, TRK DUMP, ARMD, 7T, NON REDUCIBLE, AMK30

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305685	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0
2320015520269	0	0%	100%	0%	0%	0%	0%	NO	NO	Y	No	Yes	yes	No	y	No	0	0	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	217	0	16.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	100%

D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0009: TRUCK TRACTOR

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	136	8
AAO (FY17)	94	
O/H	215	4
Shortfall/Excess	79	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	32	20	0	35	0	8	9	0	0
24	23	11	0	19	0	8	9	0	0
53	39	37	0	28	0	0	39	0	15
21	7	17	0	-7	0	-8	30	0	15

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305693	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0
2320015311975	0	0%	100%	0%	0%	0%	0%	NO	NO	Y	Yes	Yes	yes	No	Y	No	0	0	0
2320015520403	4	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	202	0	13.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0009: TRUCK TRACTOR

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	136	8
AAO (FY17)	94	
O/H	215	4
Shortfall/Excess	79	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	32	20	0	35	0	8	9	0	0
24	23	11	0	19	0	8	9	0	0
53	39	37	0	28	0	0	39	0	15
21	7	17	0	-7	0	-8	30	0	15

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305693	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0
2320015311975	0	0%	100%	0%	0%	0%	0%	NO	NO	Y	Yes	Yes	yes	No	Y	No	0	0	0
2320015520403	4	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	202	0	13.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0009: TRUCK TRACTOR

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	136	8
AAO (FY17)	94	
O/H	215	4
Shortfall/Excess	79	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	32	20	0	35	0	8	9	0	0
24	23	11	0	19	0	8	9	0	0
53	39	37	0	28	0	0	39	0	15
21	7	17	0	-7	0	-8	30	0	15

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305693	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0
2320015311975	0	0%	100%	0%	0%	0%	0%	NO	NO	Y	Yes	Yes	yes	No	Y	No	0	0	0
2320015520403	4	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	202	0	13.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0011: CARRIER, TROOP, ARMORED, MTVR (ARMADILLO)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	919	356
AAO (FY17)	843	
O/H	565	51
Shortfall/Excess	-354	-305

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
135	156	59	13	71	33	356	10	65	21
113	105	49	13	78	33	356	10	65	21
101	39	41	4	0	77	0	234	18	0
-34	-117	-18	-9	-71	44	-356	224	-47	-21

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2510015352385	19	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	19	0
2510015380714	32	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	32	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	720	2.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0013: TRK TRACTOR, ARMD, 7T, 5TH WHEEL, NONREDUCIBLE, AMK31

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	274	7	44	44	29	0	28	7	7	8	81	26
AAO (FY17)	333		59	59	36	0	50	7	7	8	81	26
O/H	321	49	41	42	40	0	20	13	0	27	78	11
Shortfall/Excess	47	42	-3	-2	11	0	-8	6	-7	19	-3	-15

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305687	26	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	no	y	No	0	26	0
2320015520282	23	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	no	y	No	0	23	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	201	0	15.3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0015: MTVR, TRK WRECKER, ARMD, 7T W/W, NON-REDUCIBLE, AMK36

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	325	11	61	57	39	0	45	19	11	5	66	22
AAO (FY17)	343		67	62	38	0	53	19	11	5	66	22
O/H	319	39	57	49	37	2	22	20	0	25	65	3
Shortfall/Excess	-6	28	-4	-8	-2	2	-23	1	-11	20	-1	-19

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320014652300	0	0%	100%	0%	0%	0%	0%	NO	NO	y	No	No	yes	Yes	No	No	0	0	0
2320015305691	27	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	yes	No	y	No	0	27	0
2320015520268	0	0%	100%	0%	0%	0%	0%	NO	NO	Y	Yes	No	yes	Yes	No	No	0	0	0
2355015535400	0	0%	100%	0%	0%	0%	0%	NO	NO	Y	Yes	No	yes	Yes	No	No	0	0	0
2355015902719	12	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	no	No	No	No	0	12	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	264	0	24.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0016: TRLR, CARGO

The M1102H is a single axle, two wheel, steel frame trailer designed to be towed by the HMMWV. It is used to transport general cargo. A welded steel body is bolted to the frame. The body is equipped with a tailgate and mounting brackets for cargo racks and a frame for a tarpaulin cover.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	3,051	673		765	644	322	81	492	74	673	0	0	0
AAO (FY17)	3,027			751	618	332	76	511	66	673	0	0	0
O/H	3,291	18		922	671	423	76	320	74	0	763	24	0
Shortfall/Excess	240	-655		157	27	101	-5	-172	0	-673	763	24	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330013875426	18	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	No	No	No	No	0	0	18

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	82	0	0.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

D0017 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0017: LIGHT TACTICAL TRAILER, MARINE CORPS CHASSIS (LTT-MCC)

The Light Tactical Trailer is an adaptation of the Army LTT-HC, this trailer is being modified to Marine Corps requirements. Key differences are the solid flat bed and holes to secure the towed equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,692	437
AAO (FY17)	2,622	
O/H	2,572	1
Shortfall/Excess	-120	-436

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
501	446	293	22	430	54	437	0	386	123
457	446	313	22	384	54	437	0	386	123
540	561	394	21	132	81	0	337	397	108
39	115	101	-1	-298	27	-437	337	11	-15

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015435794	1	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	No	No	No	No	0	0	1

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	82	0	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

D0022 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0022: TRUCK UTILITY

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,327	128	351	313	134	19	225	105	128	52	0	0
AAO (FY17)	1,350		353	312	149	19	233	104	128	52	0	0
O/H	3,627	2	1,011	890	264	45	443	319	0	530	117	2
Shortfall/Excess	2,300	-126	660	577	130	26	218	214	-128	478	117	2

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015187332	2	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	2	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	122	0	4.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0023: MINE RESISTANT AMBUSH PROTECTED (MRAP), AMBULANCE

The Cougar HEV is a versatile, diesel powered, pneumatic tired, heavily armored, multi-purpose vehicle that is urgently needed by Explosive Ordnance Disposal teams deployed in support of Operation Enduring Freedom and Operation Iraqi Freedom (OIF) to increase their survivability against Improvised Explosive Devices (IED). The Cougar HEV has adequate armor protection and possesses the capability to carry all required EOD equipment. The Cougar HEVs are also required for contingency operations in support of the Global War on Terrorism by Engineer Mine Clearing teams against IEDs.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY13)	47	41
AAO (FY17)	47	
O/H	14	4
Shortfall/Excess	-33	-37

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	2	0	0	2	41	0	0	0
1	1	2	0	0	2	41	0	0	0
0	2	0	0	0	1	0	7	0	0
-1	1	-2	0	0	-1	-41	7	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015626152	2	0%	0%	0%	0%	100%	0%	YES	NO	Y	Yes	No	no	No	No	Yes	0	2	0
2355015831029	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	yes	No	i/p	Yes	0	2	0

Notes: This item has an organic depot strategy. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. NSN ending in 6152 is obsolete. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	20

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0025: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT I

USMC HST Cougar

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	643	179
AAO (FY17)	628	
O/H	1,122	526
Shortfall/Excess	479	347

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
91	69	25	0	47	120	179	24	66	22
68	68	34	0	47	120	179	24	66	22
38	26	21	0	0	83	0	428	0	0
-53	-43	-4	0	-47	-37	-179	404	-66	-22

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015198173	129	0%	0%	0%	0%	100%	0%	NO	NO	Yes	Yes	No	no	No	No	No	0	129	0
2355015322174	1	0%	0%	0%	0%	100%	0%	NO	NO	Yes	Yes	No	yes	No	No	Yes	0	1	0
2355015525565	15	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	yes	No	y	Yes	0	15	0
2355015643420	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	yes	No	y	No	0	0	0
2355015672879	0	0%	0%	0%	0%	100%	0%	YES	NO	Yes	No	No	yes	No	No	No	0	0	0
2355015798929	40	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	yes	No	y	Yes	0	40	0
2355015812392	341	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	yes	No	y	Yes	0	341	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	174	0	16

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

Notes: All JERRVs or HEVs are considered obsolete. They should be sent to MCLC for further disposition. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	174	0	16

- ☑ **Sensitive**
- ☑ **CCI**
- ☑ **Multi-Modal**
- ☑ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0027: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT II

The Cougar HEV 6x6 is a member of the Mine Resistant Ambush Protected (MRAP) Family of Vehicles (FOV) which is capable of transporting personnel and cargo within the current theater of operations.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	433	22	104	68	19	8	66	17	22	25	78	26
AAO (FY17)	397		68	68	19	8	66	17	22	25	78	26
O/H	414	236	53	60	32	0	0	11	0	22	0	0
Shortfall/Excess	-19	214	-51	-8	13	-8	-66	-6	-22	-3	-78	-26

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015198172	6	0%	0%	0%	0%	100%	0%	NO	NO	Yes	Yes	No	no	No	No	Yes	0	6	0
2355015292246	1	0%	0%	0%	0%	100%	0%	NO	NO	Yes	Yes	No	no	No	No	No	0	1	0
2355015525199	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	yes	No	y	Yes	0	2	0
2355015643423	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	yes	No	y	Yes	0	0	0
2355015798920	28	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	yes	No	y	Yes	0	28	0
2355015798931	199	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	yes	No	y	Yes	0	199	0
2355015811076	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	no	No	No	Yes	0	0	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	220	0	20.6

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

Notes: All JERRVs or HEVs are considered obsolete. They should be sent to MCLC for further disposition. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	220	0	20.6

- ☑ **Sensitive**
- ☑ **CCI**
- ☑ **Multi-Modal**
- ☑ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0030: TRUCK, UTIL, EXPANDED CAPACITY ARMT CARRIER, M1151

The M1151A1 provides mounting and firing of the MK19 automatic grenade launcher; M2 .50 Caliber machine gun; M60, 7.62mm machine gun; M240G, 7.62mm machine gun; and M249, 5.56mm Squad Assault.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3,615	169
AAO (FY17)	3,502	
O/H	4,276	3
Shortfall/Excess	661	-166

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
878	835	409	13	683	245	169	131	189	63
834	729	418	13	743	213	169	131	189	63
888	877	500	27	596	262	0	975	139	9
10	42	91	14	-87	17	-169	844	-50	-54

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320014133739	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0
2320015187330	0	0%	100%	0%	0%	0%	0%	YES	NO	Y	Yes	Yes	yes	No	Yes	No	0	0	0
2320015231316	0	0%	100%	0%	0%	0%	0%	NO	NO	Y	Yes	Yes	yes	No	Yes	No	0	0	0
2320015402038	3	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	3	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0031: TRUCK, UTILITY: EXPANDED CAPACITY, C2/GP VEHICLE

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	376	59	40	38	32	176	6	2	59	23	0	0
AAO (FY17)	382		42	42	32	176	6	2	59	23	0	0
O/H	2,158	0	407	322	90	199	180	370	0	154	434	0
Shortfall/Excess	1,782	-59	367	284	58	23	174	368	-59	131	434	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015401993	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	5.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0033: TRUCK, UTILITY: ENHANCED CAPACITY, ENH, ARMOR (M1152A1B2)

The M1152A1 can be used as a cargo/troop carrier or as a shelter carrier. As a cargo/troop carrier, it is capable of transporting a two-man crew and eight passengers.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,543	91	260	262	107	0	198	48	91	37	405	135
AAO (FY17)	1,324		207	167	83	0	151	48	91	37	405	135
O/H	464	0	117	97	84	0	56	14	0	0	69	15
Shortfall/Excess	-1,079	-91	-143	-165	-23	0	-142	-34	-91	-37	-336	-120

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015402007	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0

Notes: All mission capable systems should be shipped to MEFs to fulfill deficiencies as required. All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Currently doing a data plate exchange to reflect new NSN on armoured version. New armored NSN is 2320-01-581-8566.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	5.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0034 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0034: TRUCK, UTIL, EXP CAPACITY, C2/GP, ARMORED 4-DOOR (M1165A1B3)

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,988	81	368	385	218	19	404	76	81	85	1,014	338
AAO (FY17)	2,458		246	221	153	19	225	76	81	85	1,014	338
O/H	539	0	34	28	61	0	42	20	0	0	332	21
Shortfall/Excess	-2,449	-81	-334	-357	-157	-19	-362	-56	-81	-85	-682	-317

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015402017	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0

Notes: All mission capable systems should be shipped to MEFs to fulfill deficiencies as required. All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Currently doing a data plate exchange to reflect new NSN on armoured version. New armored NSN is 2320-01-581-8787.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	5.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0035: TRAILER, PALLETIZED LOADING SYSTEM

The Palletized Load System (PLS) Trailer is designed to carry loads behind the LVSR with minorpreparation. The trailer may also be towed behind other USMC heavy tactical trucks. The PLS Trailer isused in conjunction with the M1077/MK1077 flatracks. The M1076 trailer, capable of carrying payloads upto 16.5 tons, is equipped with a flatrack that is interchangeable between truck and trailer.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	600	65	160	150	60	0	89	35	65	15	0	26
AAO (FY17)	355		73	60	33	0	48	35	65	15	0	26
O/H	496	33	169	138	92	2	9	35	0	4	0	14
Shortfall/Excess	-104	-32	9	-12	32	2	-80	0	-65	-11	0	-12

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330013035197	33	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	no	y	No	0	33	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.Coordinating with Army to use their Depot. Send WIR to LOGCOM Albany, GA for disposition instructions.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0036: MATV

The primary mission of the M-ATV is to provide protected ground mobility. The MATV is capable of operating in a threat environment involving ambushes employing the use of mines, Improvised Explosive Devices, Rocket Propelled Grenades, Explosively Formed Penetrators, and Small Arms Fire. The M-ATV was designed to enhance the effectiveness of ground combat forces with a focus on stability operations against unconventional enemy forces engaged in irregular warfare on a non-linear battlefield.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	294	0	40	40	10	112	0	92	0	0	0	0
AAO (FY17)	294		40	40	10	112	0	92	0	0	0	0
O/H	1,339	470	56	71	34	2	0	92	0	614	0	0
Shortfall/Excess	1,045	470	16	31	24	-110	0	0	0	614	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015759632	231	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	yes	No	y	Yes	0	231	0
2355015961330	239	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	yes	No	y	Yes	0	239	0

Notes: Use a high pressure washer for cleaning exterior of engine, capsule and body. Rinse with hot water, if available. An ordinary garden hose, with nozzle, may be used if other equipment is not available. Ensure a complete rinsing. Do not allow a stream of water to contact Dash, Dashboard Components and other Electrical connections. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	12.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0039: KIT,M-ATV SPECIAL T

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	12	2
Shortfall/Excess	12	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	2	1	0	2	0	4	0	0
1	0	2	1	0	2	0	4	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2540015883500	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

D0040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0040: MINE RESISTANT VEHI

The SABER system with TOW missiles are a proven highly accurate and effective weapon with a very low collateral damage against point targets at distances longer (3,750m max effective range) than the enemy can effectively engage friendly forces with direct fire weapons. The ability to employ the SABER TOW missile system from an MRAP CAT I or II Independent Suspension System (ISS) equipped MRAPs allows Commanders to provide greater protection for their gun crews and engage the enemy with a precision, low collateral damage weapon system at long ranges.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	64	56	0	0	0	0	0	8	56	0	0	0
AAO (FY17)	64		0	0	0	0	0	8	56	0	0	0
O/H	46	15	0	0	0	0	0	10	0	21	0	0
Shortfall/Excess	-18	-41	0	0	0	0	0	2	-56	21	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015891279	15	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	yes	No	i/p	Yes	0	15	0

Notes: Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0080: CHASSIS, TRLR, GP, 3 1/2T, 2-WHL

The M353 is a single axle, 2-wheel, heavy-duty chassis designed to be towed by 2-1/2 or 5-ton trucks equipped with towing pintles. It is designed to haul general payloads of up to 7,000 pounds such as generators, air compressors or welders.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,273	242
AAO (FY17)	1,956	
O/H	2,126	4
Shortfall/Excess	-147	-238

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
446	425	250	0	294	39	242	200	261	116
307	321	213	0	257	39	242	200	261	116
463	426	264	19	187	42	0	368	252	101
17	1	14	19	-107	3	-242	168	-9	-15

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330005422831	4	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	i/p	No	0	4	0

Notes: Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	125	0	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

D0085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0085: CHASSIS, TRLR, 3/4T, 2-WHL (Many Variants)

The M116A2 and M116A3 are single axle, 2-wheeled, general-purpose chassis designed to be towed by 3/4-ton to 1-1/4-ton vehicles equipped with towing pintles. They are constructed to transport electric power generators but can be configured to haul items such as motorcycles and satellite dishes by adding different beds to the chassis.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	928	0
Shortfall/Excess	928	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
63	53	47	0	104	7	0	647	5	2
63	53	47	0	104	7	0	647	5	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330011018434	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	Yes	No	0	0	0
2330013590080	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	Yes	No	0	0	0
2330014731623	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	Yes	No	0	0	0

Notes: Obsolete trailer - a candidate for FMS. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	86	0	0.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

D0187 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0187: TRUCK,UTILITY

The M1097A2, Heavy HMMWV will replace the M1037, M1042, M1097 and M1097A1 heavy shelter variants. Itis designed to carry heavy electronic systems or weapons platforms. This variant may be configured to act as acommand post shelter from which battlefield traffic may be monitored and a communication center from whichpersonnel may monitor incoming and outgoing radio and telecommunication traffic during operations. The M1097A2 can be used as a cargo/troop carrier or as a shelter carrier. As a cargo/troop carrier, it is capable of transporting a two-man crew and eight passengers.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	415	0	82	64	52	0	14	0	0	197	6	0
Shortfall/Excess	415	0	82	64	52	0	14	0	0	197	6	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320013469317	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0

Notes: All mission capable systems M1097A2s, D0187, should be returned to Depot for program platforms and FMS sales. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	120	0	3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0195: LOAD SYSTEM, PALLETIZED, (PLS) FLATRACK

The Palletized Load System Flatrack MK1077 is a 20 foot long by 8 foot wide welded steel flat cargo body with a front wall equipped with a lifting point.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4,248	218
AAO (FY17)	5,050	
O/H	1,611	73
Shortfall/Excess	-2,637	-145

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
973	862	534	16	639	244	218	110	540	112
1,074	899	898	16	939	244	218	110	540	112
486	380	233	6	45	111	0	40	226	11
-487	-482	-301	-10	-594	-133	-218	-70	-314	-101

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3990013077676	39	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	20	0	20
3990015371045	34	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	17	0	17

Notes: Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with Flatrack. No special Agriculture wash down instruction apply. Apply standard local SOP. No repair beyond Field Level Maintenance.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

D0201 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0201: MULTI-FUEL MOTORCYCLE

The M1030M1 provides a lightweight, highly mobile means of transportation to the MAGTF commander. The MCM program replaces the existing fleet of M1030 motorcycles with a commercial, state-of-the-art, 584 cc militarized motorcycle capable of transporting an operator, one passenger, documents, and light cargo.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	336	4	77	50	62	0	80	19	4	0	33	11
AAO (FY17)	310		49	43	56	0	95	19	4	0	33	11
O/H	203	0	12	1	0	0	12	0	0	141	33	4
Shortfall/Excess	-133	-4	-65	-49	-62	0	-68	-19	-4	141	0	-7

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2340014652533	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0

Notes: Return all mission capable vehicles to LOGCOM. All BII should remain with MILMO. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	95	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

D0209 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0209: POWER UNIT, FRONT, 12 1/2T, 4X4, LVS ARMORED

The MK48/MK48A1 and their associated rear body units (RBU) form the Logistics Vehicle system (LVS). Used primarily by combat service support motor transport units to haul supplies in large quantities from beachheads, ports, railheads or airfields to combat areas.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	399	1	36	15	32	3	75	1	0	170	42	24
Shortfall/Excess	399	1	36	15	32	3	75	1	0	170	42	24

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320011775167	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	No	No	0	0	1
2320014173180	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	No	No	0	0	0
2320015797851	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.Being Replaced by LVSR MKR15, MKR16, MKR18. Will require a D0209 FPU for each D0877 and D0878 RBU being sent back. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	159	0	12.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D0215 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0215: TRLR SEMI 5000GL REFUELER, MK970 (ARMORED PACKAGE)

The MK970 is a 5,000-gallon fuel dispensing semi-trailer is designed for under/over wing refueling of aircraft. It is equipped with a filter/separator, recirculation system and two refueling systems, one for under wing and one for over wing servicing.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	472	37
AAO (FY17)	475	
O/H	488	47
Shortfall/Excess	16	10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
75	75	56	0	63	6	37	56	78	26
76	76	56	0	64	6	37	56	78	26
75	76	82	0	22	12	0	56	92	26
0	1	26	0	-41	6	-37	0	14	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330010505635	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	yes	No	Yes	No	0	0	0
2330015378217	14	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	14	0
2330015593657	33	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	33	0

Notes: All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	246	0	7.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0235 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0235: SEMI-TRLR, LOWBED, 40T

The M870A2 is three axle Medium Heavy Equipment Transporter that is replacing the M870A1 and is designed to haul a payload of 80,000 lbs (40-tons) in conjunction with a LVS MK48/MK16 fifth wheel truck tractor, LVSR tractor, or a M931A2 truck tractor.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	331	16
AAO (FY17)	344	
O/H	378	31
Shortfall/Excess	47	15

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
72	70	38	1	54	10	16	15	45	10
64	63	61	1	59	10	16	15	45	10
56	73	42	2	38	12	0	83	36	5
-16	3	4	1	-16	2	-16	68	-9	-5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330014424975	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0
2330015344570	31	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	31	0

Notes: NSN 2330015344570 - Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with trailer. NSN 2330014424975 - Return all non mission capable trailers to LOGCOM for system upgrade. All Basic Issue Items. No special Agriculture wash down instruction apply. Apply standard local SOP. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	331	0	9.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0850 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0850: TRLR, CARGO

The M101A3 is a single axle, two wheel, steel frame trailer designed to be towed by the HMMWV. It isused to transport general cargo. A welded steel body is bolted to the frame. The body is equipped with atailgate and mounting brackets for cargo racks and a frame for a tarpaulin cover. A steel A-frame is boltedto the frame with an attached one -position lunette, landing gear and two hand brake levers. The M101A3is designed to operate on all types of roads, cross-country terrain and in all weather conditions. There areno restrictions on the M101A3 for movement over primary and secondary roads; however, it is restricted toa maximum speed of 15-mph cross-country when towed by the M998/M1123 series trucks or other primemovers. System is archived.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0		0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0			0	0	0	0	0	0	0	0	0	0
O/H	410	0		97	102	14	7	106	10	0	74	0	0
Shortfall/Excess	410	0		97	102	14	7	106	10	0	74	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330008986779	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0
2330013725641	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP. FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	75	0	0.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

D0860 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0860: TRLR, CARGO, 1 1/2T, 2-WHL

The M105A2 is a 2-wheel, single axle trailer with a leaf-spring suspension designed to be towed by 2-1/2 ton and larger vehicles equipped with towing pintles. It has a welded box cargo body mounted on a welded steel frame.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	3,189	267	671	593	366	0	529	106	267	14	594	49
AAO (FY17)	3,076		609	524	359	0	554	106	267	14	594	49
O/H	1,983	49	491	416	246	20	264	92	0	87	315	3
Shortfall/Excess	-1,206	-218	-180	-177	-120	20	-265	-14	-267	73	-279	-46

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330001418050	49	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	49	0

Notes: All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP. Item to be replaced in FY 12.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	95	0	1.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0861 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0861: TRLR, CARGO, RESUPPLY F/HIMARS

HIMARS is a transformational 24 hour, ground-based, responsive General Support / General Support-Reinforcing (GS/GSR) precision indirect fire support system which accurately engage targets at long ranges (60+ Km) with high volumes of lethal fire under all weather conditions throughout all phases of combat operations ashore. HIMARS is C-130 and amphibious transportable and with precision fires, supports both irregular and traditional warfare. One HIMARS system is defined as one launcher, two re-supply vehicles / trailers and munitions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	94	6
AAO (FY17)	94	
O/H	82	6
Shortfall/Excess	-12	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
48	0	0	0	36	4	6	0	0	0
48	0	0	0	36	4	6	0	0	0
36	0	0	0	36	4	0	0	0	0
-12	0	0	0	0	0	-6	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015045014	6	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	n	No	0	6	0

Notes: No Special Requirements. Must be packed and shipped by owning unit before sending to CONUS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0876 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0876: TRLR, POWERED, 22 1/2T, CONTAINER HAULER, 4X4

The MK14/14A1 combines with the MK48/48A1 Power Unit (D0209) to form the container hauler variant of the Logistics Vehicle System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	138	0
Shortfall/Excess	138	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
28	0	0	0	36	0	0	55	0	19
28	0	0	0	36	0	0	55	0	19

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320011760469	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	Yes	No	0	0	0
2320014175294	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	160	0	8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D0877 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0877: TRLR, POWERED, WRECKER/RECOVERY, 4X4

The MK15/15A1 Rear Body Unit combines with the MK48/48A1 Front Power unit (D0209) to form the wrecker/recovery variant of the Logistics Vehicle System. It is a fully equipped wrecker for recovery of disabled vehicles and Material Handling Equipment.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	152	12	34	31	20	0	20	11	12	10	12	2
AAO (FY17)	188		44	39	27	0	31	11	12	10	12	2
O/H	79	0	11	10	12	0	9	1	0	28	8	0
Shortfall/Excess	-73	-12	-23	-21	-8	0	-11	-10	-12	18	-4	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320011766928	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	Yes	No	0	0	0
2320014178144	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.LVSR MKR15 will not reach FOC until Q4 FY14. Will require LVS for deficiencies, and use of parts for obsolete items. Each D0877 will require a D0209 FPU IOT be shipped back to CONUS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	160	0	14.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D0878 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0878: TRLR, POWERED, 5TH WHL, SEMI-TRLR ADAPTER, 4X4

The MK16/16A1 combines with the MK48/48A1 Power unit (D0209) to form the fifth wheel semi-trailer variant of the Logistics Vehicle System. The MK16/16A1 is used to transport semi-trailers equipped with a 3.5-inch diameter kingpin.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	451	58	84	79	89	0	44	11	58	29	45	12
AAO (FY17)	534		83	77	145	0	74	11	58	29	45	12
O/H	167	1	19	23	18	2	34	0	0	32	33	5
Shortfall/Excess	-284	-57	-65	-56	-71	2	-10	-11	-58	3	-12	-7

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320011760467	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	Yes	No	0	0	1
2320014175293	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.LVSR MKR16 will not reach FOC until Q4 FY14. Will require LVS for deficiencies, and use of parts for obsolete items. Each D0877 will require a D0209 FPU IOT be shipped back to CONUS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	124	0	8.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D0880 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0880: TRLR, TANK, WATER, 400 GAL, 1 1/2T, 2-WHL

The M149A2 transports potable or non-potable water on highways and cross-country terrain. The water tank is constructed of stainless steel with double walls. Two inches of urethane foam is used as insulation between the walls.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,186	226	378	339	218	0	273	123	226	215	327	87
AAO (FY17)	2,154		353	307	250	0	266	123	226	215	327	87
O/H	1,631	64	335	288	211	13	179	157	0	106	275	3
Shortfall/Excess	-555	-162	-43	-51	-7	13	-94	34	-226	-109	-52	-84

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330005422039	1	0%	0%	0%	0%	100%	0%	YES	NO	y	No	No	no	No	Yes	No	0	1	0
2330011087367	63	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	63	0

Notes: All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	100	0	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0881 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0881: TRLR, RIBBON BRIDGE MK18A1

The MK18 combines with the MK48/48A1 Power Unit (D0209) to form the ribbon bridge/container transporter variant of the Logistics Vehicle System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	8	0
Shortfall/Excess	8	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0	0	0	0	0	0	0	0	0	0
O/H	0	0	0	0	0	3	0	5	0	0
Shortfall/Excess	0	0	0	0	0	3	0	5	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320013920293	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	Yes	No	0	0	0

Notes: This TAMCN is obsolete and should be DRMOd or disposed of in theater. No special Agriculture wash down instruction apply. Apply standard local SOP. Possible FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	203	0	10

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D0886 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0886: TRK, CARGO 22.5 TON, 10X10, LVSR - MKR18

The LVSR Cargo Variant (AMKR-18) replaces the LVS MK18/14 capability. LVSR is a self-loading cargo hauler which transports standardized containers; bulk, breakbulk, palletized cargo, and bridging equipment.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,484	30	314	278	197	4	233	88	30	40	270	30
AAO (FY17)	1,633		355	293	198	4	325	88	30	40	270	30
O/H	1,321	97	284	284	223	2	56	91	0	45	228	11
Shortfall/Excess	-163	67	-30	6	26	-2	-177	3	-30	5	-42	-19

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015427628	89	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	No	No	0	67	22
2320015927347	8	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	No	No	0	6	2

Notes: FSR required for equipment assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	290	0	26.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D0887 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0887: TRUCK TRACTOR LVSR

The LVSR Cargo Variant (AMKR-18) replaces the LVS MK18/14 capability. LVSR is a self-loading cargo hauler which transports standardized containers; bulk, breakbulk, palletized cargo, and bridging equipment.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	340	12
AAO (FY17)	360	
O/H	238	33
Shortfall/Excess	-102	21

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
72	68	38	4	56	20	12	15	45	10
68	67	58	4	63	20	10	15	45	10
71	73	22	0	0	11	0	1	27	0
-1	5	-16	-4	-56	-9	-12	-14	-18	-10

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015429941	0	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	yes	y	No	0	0	0
2320015927353	33	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	yes	y	No	0	25	8

Notes: FSR Required for assessment of equipment at MCLC FWD

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	278	0	20.8

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1001: 997 FIELD AMBULANCE

The M997 is capable of transporting up to four litter patients, eight ambulatory patients or a combination of litter and ambulatory patients. Additionally, medical personnel and equipment and a driver can be accommodated in the vehicle.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	620	61	117	115	61	7	75	44	61	27	87	26
AAO (FY17)	617		115	98	63	7	89	44	61	27	87	26
O/H	515	7	103	90	58	8	76	40	0	50	77	6
Shortfall/Excess	-105	-54	-14	-25	-3	1	1	-4	-61	23	-10	-20

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2310013723934	1	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	no	No	No	No	0	0	1
2310013808225	6	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	6	0

Notes: All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Current NSN is 8225, the other is old

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	128	0	3.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1059: TRK, CARGO, 5T, 6X6, W/O WINCH

Medium Lift Cargo Truck.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	60	0
Shortfall/Excess	60	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	60	0	0
0	0	0	0	0	0	0	60	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320000508905	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D1062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1062: TRUCK, RTAA, XLWB CARGO, 7 TON, W/O WINCH

The MTVR will replace the current medium fleet of 5-ton trucks. The MTVR has increased payload of 7.1 tons cross-country and 15 tons on hard surface roads and can simultaneously tow up to an 11 ton towed load.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	842	59
AAO (FY17)	744	
O/H	529	0
Shortfall/Excess	-313	-59

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
199	201	130	12	190	46	59	5	0	0
178	173	133	4	146	46	59	5	0	0
125	103	89	2	93	57	0	28	0	32
-74	-98	-41	-10	-97	11	-59	23	0	32

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320014652182	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	Yes	Yes	No	No	0	0	0

Notes: This item does not exits on the EDL and is not deployed in theater. Romeve this item from the reset tasker. This item does not exits on the EDL and is not deployed in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	263	0	15.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1063: TRK, CARGO, RESUPPLY F/HIMARS

HIMARS is a transformational 24 hour, ground-based, responsive General Support / General Support-Reinforcing precision indirect fire support system which accurately engage targets at long ranges (60+ Km) with high volumes of lethal fire under all weather conditions throughout all phases of combat operations ashore. HIMARS is C-130 and amphibious transportable and with precision fires, supports both irregular and traditional warfare. One HIMARS system is defined as one launcher, two re-supply vehicles / trailers and munitions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	101	6
AAO (FY17)	101	
O/H	89	6
Shortfall/Excess	-12	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
48	0	0	0	36	4	6	7	0	0
48	0	0	0	36	4	6	7	0	0
37	0	0	0	36	4	0	6	0	0
-11	0	0	0	0	0	-6	-1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015045218	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	No	No	0	0	0
2320015640834	6	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	6	0

Notes: All items should be wash IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	20

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1064 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1064: TRK, FIRE FIGHTING, AIRCRAFT AND STRUCTURE

The Truck, Fire, Crash, A/S 32-P-19A, is primarily designed for aircraft crash and rescue operations.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	157	10
AAO (FY17)	157	
O/H	91	6
Shortfall/Excess	-66	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	32	22	0	24	0	10	5	24	8
32	32	22	0	24	0	10	5	24	8
16	16	13	0	7	0	0	16	16	1
-16	-16	-9	0	-17	0	-10	11	-8	-7

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210011379943	6	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	6	0

Notes: Return all trailers to LOGCOM for further evaluation. All Basic Issue Items (BII) are to remain with truck.No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	219	0	16.8

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1072: TRUCK,DUMP

This version of the M817 differs from the other in that it is equipped with a 20,000 pound capacity winch located behind the front bumper. The winch feature affects truck length, weight, shipping dimensions and angle of approach.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	5	0
Shortfall/Excess	5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	5	0	0
0	0	0	0	0	0	0	5	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320000508970	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0
2320010478756	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	12.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D1125 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1125: TRK, UTIL, TOW CARR, W/SA, 2 1/4T, HMMWV (DELETED RFF 1081)

The M1045 is the Tube Launched, Optically-Tracked, Wire-Guided missile carrier (with supplemental armor) model of the M998 series of tactical truck is designed to provide added ballistic protection to the crew, equipment and ammunition.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	274	13	55	55	12	0	36	13	13	6	63	21
AAO (FY17)	254		51	43	12	0	32	13	13	6	63	21
O/H	603	0	32	20	0	0	94	9	0	334	106	8
Shortfall/Excess	329	-13	-23	-35	-12	0	58	-4	-13	328	43	-13

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320013808229	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	yes	No	y	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	111	0	3.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

D1158 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1158: TRUCK,UTILITY

The M1123 troop/cargo variant (HMMWVA2) will replace the M998, and M1038 variant HMMWVs. The M1123 provides light troop and cargo transportation.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4,078	462
AAO (FY17)	4,674	
O/H	8,375	0
Shortfall/Excess	4,297	-462

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
972	857	531	44	785	242	462	185	0	0
1,109	1,009	649	44	989	227	462	185	0	0
1,248	1,027	955	21	573	128	0	3,489	550	384
276	170	424	-23	-212	-114	-462	3,304	550	384

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320014559593	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	no	Y	No	0	0	0

Notes: To be used as FMS sales. Can be sold in theater or returned to stores. All BII should remain with truck. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	107	0	2.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1161 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1161: TRUCK, UTILITY: INTERNALLY TRANSPORTABLE VEHICLE, LIGHT STRIKE VARIANT (ITV-

The ITV will provide Marine Air-Ground Task Force (MAGTF) ground combat units with a vehicle that is internally transportable in MV-22 and CH-53 aircraft. The vehicle will be a high mobility weapons platform to support a variety of operations. The secondary purpose is to provide reconnaissance units with equal or greater mobility than the MAGTF maneuver elements they support, thereby enhancing their mission performance and survivability.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	236	0	50	45	36	66	30	9	0	0	0	0
AAO (FY17)	231		50	40	36	66	30	9	0	0	0	0
O/H	208	0	76	63	25	43	0	0	0	1	0	0
Shortfall/Excess	-28	0	26	18	-11	-23	-30	-9	0	1	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015312701	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	no	i/p	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	67	0	2.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

D1212 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1212: TRK, WRECKER, 5T, 6X6

The M816 is the wrecker variant of the M809 series of 5 ton trucks. The wrecker is utilized to return disabled trucks for repair and to free mired trucks. It is equipped with a hydraulically powered, engine driven crane, drive shaft driven front winch and rear winch. The front winch is used mainly to free the wrecker when it becomes mired or to assist the rear winch by acting as an anchor point. The rear crane is used for lifting loads up to 20,000 pounds. The crane is utilized in operations such as removing and replacing engines, power packs and gun tubes. For safety reasons, the front winch is restricted to a maximum load of 9,500 pounds.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	10	0	0	0	0	0	0	1	0	9	0	0
Shortfall/Excess	10	0	0	0	0	0	0	1	0	9	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320012064078	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	284	0	18.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

D1214 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1214: TRK, WRECK, LVSR

The Logistics Vehicle System Replacement (LVSR) is a 10-wheel tactical vehicle offers greater mobility and off-road payload capability that the existing Logistics Vehicle System (LVS). It can carry 22.5 tons on the highway, transport 16.5 tons off road, travel up to 65 miles per hour on paved surfaces, and has a cruising range of 300 miles. It can ford 5 feet of water.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	160	6
AAO (FY17)	169	
O/H	134	21
Shortfall/Excess	-26	15

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
33	32	13	4	22	15	6	15	18	2
34	33	14	4	28	15	6	15	18	2
38	33	13	0	0	15	0	1	13	0
5	1	0	-4	-22	0	-6	-14	-5	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015430651	11	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	No	No	0	8	3
2320015939122	10	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	8	2

Notes: FSR Required for assessment of equipment at MCLC FWD

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	306	0	33.9

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0001: THERMAL LASER SPOT IMAGER TLSI

AN/PAS 25 Thermal Laser Spot Imager.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	253	0
AAO (FY17)	262	
O/H	539	24
Shortfall/Excess	286	24

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
30	30	31	64	53	15	0	30	0	0
27	27	28	64	71	15	0	30	0	0
87	68	34	69	60	18	0	179	0	0
57	38	3	5	7	3	0	149	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015629999	24	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	24	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0007: IED COUNTERMEASURES

Equipment used to counter improvised explosive devices.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	69	0
Shortfall/Excess	69	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	69	0	0
0	0	0	0	0	0	0	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015315577	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0010: ADAPTER, TEST F/TOW VEH POWER

An adapter which provides facilities for electrically connecting an item to be tested and a piece of test equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	33	3
AAO (FY17)	28	
O/H	25	0
Shortfall/Excess	-8	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	8	8	0	3	2	3	0	0	0
7	7	9	0	0	2	3	0	0	0
0	0	0	0	1	0	0	24	0	0
-9	-8	-8	0	-2	-2	-3	24	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625011123068	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	No	No	No	No	0	0	0

Notes: T/E already established by CD

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

E0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0013:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3,164	0
AAO (FY17)	2,561	
O/H	1,732	0
Shortfall/Excess	-1,432	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
540	827	279	438	517	531	0	32	0	0
438	540	226	438	422	465	0	32	0	0
147	258	97	237	48	174	0	760	0	0
-393	-569	-182	-201	-469	-357	0	728	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015869839	0	0%	50%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0017 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0017: RIFLE COMBAT OPTIC-M4

RCO is fixed 4x optical aiming sight designed for use with the service rifle configured with the MIL-STD-1913 Rail Adapter System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	78,632	142
AAO (FY17)	73,658	
O/H	81,962	4920
Shortfall/Excess	3,330	4,778

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22,727	21,552	8,270	2,903	14,967	7,311	142	760	0	0
21,005	18,752	8,262	2,975	14,494	7,268	142	760	0	0
20,565	20,747	8,790	2,994	15,258	6,837	0	1,851	0	0
-2,162	-805	520	91	291	-474	-142	1,091	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015341114	4920	33%	34%	0%	33%	0%	0%	NO	NO	No	No	No	Yes	Yes	No	No	1624	0	1624

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0018: SCOUT SNIPER URBAN NIGHT SIGHT

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	800	696
AAO (FY17)	800	
O/H	721	181
Shortfall/Excess	-79	-515

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
20	20	20	4	0	40	696	0	0	0
20	20	20	4	0	40	696	0	0	0
20	20	20	15	0	40	0	425	0	0
0	0	0	11	0	0	-696	425	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010015912226	181	33%	33%	0%	34%	0%	0%	NO	NO	No	No	No	No	No	No	Y	62	60	60

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0019: TEST SET,GUN TUBE

Commonly referred to as the BG-10. Used to measure the wear of M242 25mm chain gun barrels by measuring the internal diameter of various spaces in the barrel.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	21	2
AAO (FY17)	21	
O/H	13	0
Shortfall/Excess	-8	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	2	2	0	2	4	2	2	3	0
4	2	2	0	2	4	2	2	3	0
1	1	0	0	0	2	0	9	0	0
-3	-1	-2	0	-2	-2	-2	7	-3	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4933014418678	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	0	0

Notes: Mission Capable equipment should be sent to the MEF for re-distribution.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0020: SCOUT-SNIPER MID-RANGE NIGHT SIGHT

The SSMRNS provides a new medium-range night sight capability that will integrate with the M40A3, M82A3/M107, and a semi-automatic sniper rifle. The SSMRNS is a lightweight, weapon mounted, battery operated, imaging device for engagement of targets at night and low light conditions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	3,762	1000	493	788	213	324	558	348	1,000	38	0	0
AAO (FY17)	3,501		433	677	200	324	481	348	1,000	38	0	0
O/H	3,635	52	541	1,059	212	378	586	403	0	404	0	0
Shortfall/Excess	-127	-948	48	271	-1	54	28	55	-1,000	366	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015479489	52	10%	90%	0%	0%	0%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	52
5855015481555	0	10%	0%	0%	90%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0025: LAUNCHER,GRENADE

The M32 is a hand-held, semi-automatic, 40MM multi-shot grenade launcher. It is a revolving action, cylinder-fed weapon with a six round capacity.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,305	292
AAO (FY17)	2,159	
O/H	2,497	62
Shortfall/Excess	192	-230

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
472	442	185	106	470	173	292	165	0	0
421	345	200	106	457	173	292	165	0	0
504	478	207	125	310	195	0	616	0	0
32	36	22	19	-160	22	-292	451	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010015350989	10	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	No	No	No	No	Yes	10	0	0
1010015840703	52	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	52	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0028: SEMI AUTO SNIPER RIFLE MK11 MOD 1

The sniper rifle is a rifle used to ensure accurate placement of bullets at longer ranges than small arms. A typical sniper rifle is built for optimal levels of accuracy, fitted with a telescopic sight and chambered for a military center fire cartridge.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	173	0
Shortfall/Excess	173	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	1	0	0	27	0	144	0	0
1	0	1	0	0	27	0	144	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005015389643	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	Yes	0	0	0

Notes: UUNs - replaced by E0103 - DRMO all items regardless of condition. Serviceable items will go to fill shortfalls in FIS and FMS/disposal - dispose of by attrition.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

E0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0036: MARINE ARTILLERY SURVEY SET (MASS)

The MASS is the streamlined replacement for the Field Artillery Regiment Surveying Set and the Field Artillery Battalion Surveying Set. It consists of legacy equipment and components from those sets, a vehicle, and the Defense Advanced Global Positioning System (GPS) Receiver (DAGR). MASS consist of theodolites which are used to measure angular deviation and vertical interval, range measuring devices and the necessary ancillary equipment required to support the mission.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	36	0
AAO (FY17)	34	
O/H	44	1
Shortfall/Excess	8	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	8	0	8	0	0	0	0	0
10	8	8	0	8	0	0	0	0	0
17	10	8	0	8	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675015637465	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	1

Notes: Using Unit owned assets return to home station. Item is at the tail end of it's life cycle. No direct water contact on electrical components

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	776	6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E0042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0042: RANGE FINDER, LASER, AN/PEQ-17 (RPLCS E10457B)

The Portable Lightweight Designator Rangefinder (PLDR) is an Electro-Optic unit, allowing observation, identification and designation of target. The PLDR is a robust compact, low-cost, very lightweight laser designation system, which can be easily carried and operated by an individual Marine.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	319	0
AAO (FY17)	328	
O/H	532	14
Shortfall/Excess	213	14

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
48	42	31	100	53	15	0	30	0	0
45	39	28	100	71	15	0	30	0	0
59	56	39	96	61	16	0	191	0	0
11	14	8	-4	8	1	0	161	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015666510	14	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	14	0
1240015921355	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0
5860090004433	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0043: TRUCK, MAINTENANCE (C7007 REPLACED)

E0043 is the Ordnance Support Vehicle.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	21	0
AAO (FY17)	21	
O/H	23	2
Shortfall/Excess	2	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12	0	0	0	9	0	0	0	0	0
12	0	0	0	9	0	0	0	0	0
12	0	0	0	9	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015535269	2	0%	0%	100%	0%	0%	0%	NO	NO	No	No	Yes	no	No	No	No	0	0	0

Notes: Do Not Spray or wet any Electronic Components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0044: EOD SEARCH KIT

Provides specialized tools and equipment to perform interior and exterior search operations involving IED, UXO and WMD.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	323	30
AAO (FY17)	303	
O/H	210	22
Shortfall/Excess	-113	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
84	84	64	12	12	37	30	0	0	0
76	76	60	12	12	37	30	0	0	0
41	54	44	12	1	36	0	0	0	0
-43	-30	-20	0	-11	-1	-30	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5850015592664	22	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	Yes	No	No	No	0	22	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0046 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0046: EOD DISASSEMBLY KIT

The EOD Disassembly Kit provides the EOD Team with a variety of hand tools, bench equipment, and limited safety equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	66	1
AAO (FY17)	61	
O/H	53	1
Shortfall/Excess	-13	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	14	9	6	3	19	1	0	0	0
12	12	8	6	3	19	1	0	0	0
11	11	9	3	0	18	0	0	0	0
-3	-3	0	-3	-3	-1	-1	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385015595502	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0047: EOD GENERAL PURPOSE KIT

Equips EOD technicians with a modern set of tools to support EOD operations such as locating, identifying and rendering safe.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	124	5
AAO (FY17)	119	
O/H	94	5
Shortfall/Excess	-30	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	23	16	12	3	23	5	0	15	5
20	20	16	12	3	23	5	0	15	5
18	20	13	4	0	20	0	0	11	3
-4	-3	-3	-8	-3	-3	-5	0	-4	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015592933	5	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	2	2

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0049 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0049: EOD IED KIT

The EOD Improvised Explosive Device (IED) Kit provides the EOD Team's Command and Response Elements with the necessary tools and equipment to support operation involving IEDs and Weapons of Mass Destruction (WMD).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	364	29	84	84	60	12	12	43	29	0	30	10
AAO (FY17)	348		76	76	60	12	12	43	29	0	30	10
O/H	214	4	48	59	34	5	0	30	0	0	34	0
Shortfall/Excess	-150	-25	-36	-25	-26	-7	-12	-13	-29	0	4	-10

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015594338	4	50%	0%	0%	50%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	2	2

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0051 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0051: SPECIAL PURPOSE RIFLE, MK12 5.56

This weapon system is a heavily modified light sniper/designated marksman variation of the AR-15/M16 line of infantry weapons, and is chambered for NATO standard 5.56 x 45 mm caliber ammunition.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	400	270	30	30	20	0	30	20	270	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	521	1	11	16	9	0	57	5	0	422	0	0
Shortfall/Excess	121	-269	-19	-14	-11	0	27	-15	-270	422	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005070001255	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	Yes	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

E0053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0053: GREEN BEAM DAZZLER

The Green Beam Dazzler is a non-lethal visual disruption device that is used to distract threats.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,705	1405
AAO (FY17)	1,705	
O/H	1,489	205
Shortfall/Excess	-216	-1,200

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	15	15	240	0	15	1,405	0	0	0
15	15	15	240	0	15	1,405	0	0	0
25	112	14	241	0	37	0	855	0	0
10	97	-1	1	0	22	-1,405	855	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5860015447175	205	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	Yes	0	205	0

Notes: No wash down required

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0054 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0054: RANGE FINDER,LASER

Component of E1048 CLRF

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	72	0
AAO (FY17)	106	
O/H	385	3
Shortfall/Excess	313	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	2	2	0	68	0	0	0	0	0
0	2	2	0	102	0	0	0	0	0
37	1	29	0	68	0	0	247	0	0
37	-1	27	0	0	0	0	247	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015723753	3	0%	100%	0%	0%	0%	0%	NO	NO	N	No	Yes	yes	No	No	No	0	0	0

Notes: Do not wash. Clean with damp cloth. TAMCN should be associated with E1048.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0055: TOW IMPROVED SABER

The M41A4 Saber Weapon System consists of subassemblies described on the following pages and is used by Anti-Armor Assault personnel to engage and/or mark targets per mission requirements. The system can be operated from a ground mount position on the tripod or from the HMMWV configuration.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	827	124
AAO (FY17)	808	
O/H	763	13
Shortfall/Excess	-64	-111

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
124	124	24	0	100	79	124	108	144	0
117	101	27	0	92	79	146	150	96	0
142	119	26	0	100	80	0	151	132	0
18	-5	2	0	0	1	-124	43	-12	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015598728	13	0%	0%	0%	75%	0%	0%	NO	NO	No	No	Yes	no	No	Yes	No	0	10	0

Notes: Everybody in CONUS is using WRMR assets so needs to go back to MCLC. The PADS (NSN 1240-01-557-1923) which is a subcomponent of the Saber can receive a crypto fill. Crypto should be dumped before shipping of system.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0056 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0056: MK41 ADVANCED RADIOGRAPHIC SYSTEM (EOD)

Provides EOD technicians a portable, fully-digital, X-ray systems with ground level imaging.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	169	11
AAO (FY17)	315	
O/H	116	5
Shortfall/Excess	-53	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
43	43	31	12	6	23	11	0	0	0
76	76	60	48	12	43	0	0	0	0
27	17	36	10	1	20	0	0	0	0
-16	-26	5	-2	-5	-3	-11	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6635015459905	5	0%	0%	0%	50%	50%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	5	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0057: MK32 MOD 4 EOD X-RAY

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	6	0
Shortfall/Excess	6	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	2	0	0	3	0
1	0	0	0	0	2	0	0	3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6635015037883	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E0058 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0058: ILLUMINATOR,INTEGRA

The Mini Integrated Pointer Illuminator Module (MIPIM) is a multifunction laser device that emits visible or infrared (IR) light for precise weapon aiming and target / area illumination. It is also equipped with an integrated high intensity, variable focus, White Light Illuminator.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	51,664	0
AAO (FY17)	48,045	
O/H	52,254	2196
Shortfall/Excess	590	2,196

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13,601	12,845	3,475	2,750	11,207	7,328	0	458	0	0
13,013	10,506	3,507	2,975	10,271	7,315	0	458	0	0
11,374	11,263	4,344	2,873	11,641	5,934	0	2,625	0	0
-2,227	-1,582	869	123	434	######	0	2,167	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015502780	2196	25%	75%	0%	0%	0%	0%	NO	NO	No	No	No	Yes	Yes	No	No	0	1647	549
5865015494506	0	0%	50%	0%	0%	50%	0%	NO	NO	No	No	No	No	Yes	No	No	0	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0060: SABER ELECTRICAL CIRCUIT TEST SET (ECIRTS)

The ECIRTS (Type IV) is the primary component of the Saber ECIRTS Tool Kit (ETK). The equipment is intended to be used in both the Pre-fire Inspection and semiannual maintenance inspections of the Saber and TOW systems. The functional use of the Saber ECIRTS is to test the Traversing Unit (TU) and Saber system for Missile type verification, Wire Cut signal and electronic Umbilical continuity of connection.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	93	0	17	17	5	0	13	38	0	0	3	0
AAO (FY17)	96		19	17	5	0	14	38	0	0	3	0
O/H	64	3	18	14	7	0	7	14	0	0	1	0
Shortfall/Excess	-29	3	1	-3	2	0	-6	-24	0	0	-2	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4935015688417	0	0%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0
6625015756647	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	3	0	0

Notes: Repairs are done at Army Facility in Huntsville, Alabama. T/E already established by CD&I.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0062: SIGHT, THERMAL

The IWNS-T is a clip-on, battery-operated style sight to be used in conjunction with the AN/PVQ-31A/B Rifle Combat Optic (RCO), to observe/orient, detect and recognize targets, conduct surveillance and engage targets during all lighting conditions and battlefield obscurants such as smoke, fog, and sandstorms without additional bore sighting or battle sight zero operations, other than that required by the primary optic.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,170	1863	0	0	0	0	0	307	1,863	0	0	0
AAO (FY17)	2,170		0	0	0	0	0	307	1,863	0	0	0
O/H	2,175	310	36	52	160	0	0	320	0	1,297	0	0
Shortfall/Excess	5	-1,553	36	52	160	0	0	13	-1,863	1,297	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015597064	310	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	Yes	Y	Yes	0	310	0

Notes: This is a deployment asset - should be brought in and out of theater with the unit. Send all to LOGCOM - will be replaced but still have value to the field through FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0063: MINI THERMAL IMAGER (MTI)

The Mini Thermal Imager is a dual field of view, lightweight hand held/helmet mountable, pocket sized thermal imaging system.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	882	830	0	0	0	0	0	52	830	0	0	0
AAO (FY17)	882		0	0	0	0	0	52	830	0	0	0
O/H	989	66	7	38	6	0	0	40	0	832	0	0
Shortfall/Excess	107	-764	7	38	6	0	0	-12	-830	832	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015531162	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	yes	Yes	No	Yes	0	0	0
5855015544673	66	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	no	Y	Yes	0	66	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0064 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0064: ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (PACBOT)

The Robot, Explosive Ordnance Disposal is used for safe movement and disposal of live munitions. Used to perform EOD/IED mission.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	121	24
AAO (FY17)	117	
O/H	119	0
Shortfall/Excess	-2	-24

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
21	21	15	15	3	22	24	0	0	0
19	19	15	15	3	22	24	0	0	0
25	26	16	14	1	37	0	0	0	0
4	5	1	-1	-2	15	-24	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385015349828	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	Yes	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1484	4.8

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0066 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0066: ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (TALON)

The Robot, Explosive Ordnance Disposal is used for safe movement and disposal of live munitions. Used to perform EOD/IED mission.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	302	118	42	42	30	15	6	49	118	0	0	0
AAO (FY17)	187		38	38	30	48	6	27	0	0	0	0
O/H	236	75	37	31	31	15	1	46	0	0	0	0
Shortfall/Excess	-66	-43	-5	-11	1	0	-5	-3	-118	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385015349826	75	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	Yes	0	75	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	25	0.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0067: ELECTRO OPTICAL MAINTENANCE SHELTER COMPLEX

The EOMSC is a transportable facility that provides a sheltered environment for operator/crew and field-level maintenance of optical, electro-optical, fire-control and laser range-finder equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	0
AAO (FY17)	23	
O/H	21	1
Shortfall/Excess	6	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	3	3	0	2	0	0	2	3	0
6	6	2	0	4	0	0	2	3	0
6	3	4	0	3	0	0	1	3	0
4	0	1	0	1	0	0	-1	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5410015511127	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0069: DIRECT SUPPORT ELECTRICAL SYSTEM TEST SET (DSESTS) SUPPORT (DSS)SHELTER

An expandable 20'x8'x8' ISO certified shelter and trailer combination used to house the DSESTS for the M1A1 Tank. It provides a mobile maintenance capability for the Tank Bn and MLG, capable of effecting repairs on all LRUs in all types of weather and terrain. The shelter and trailer can be transported by the MTVR or LVS/MK14 variant.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	25	0
AAO (FY17)	19	
O/H	21	2
Shortfall/Excess	-4	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	6	1	0	2	0	0	3	6	0
4	4	1	0	1	0	0	3	6	0
5	4	1	0	2	0	0	1	6	0
-2	-2	0	0	0	0	0	-2	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015528270	2	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	2	0

Notes: Item will be repaired through CLS. No equipment conditions; however, care should be taken when utilizing high pressure wash around generator/ECU area. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	8.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0070: DIRECT SUPPORT ELECTRICAL SYSTEM TEST SET (DSESTS) SUPPORT (DSS) TRAILER

An expandable 20'x8'x8' ISO certified shelter and trailer combination used to house the DSESTS for the M1A1 Tank. It provides a mobile maintenance capability for the Tank Bn and MLG, capable of effecting repairs on all LRUs in all types of weather and terrain. The shelter and trailer can be transported by the MTVR or LVS/MK14 variant.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	46	0
AAO (FY17)	53	
O/H	92	4
Shortfall/Excess	46	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	10	5	0	6	1	0	3	9	1
12	12	6	0	9	1	0	3	9	1
14	23	22	0	7	0	0	6	15	1
3	13	17	0	1	-1	0	3	6	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015528661	4	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	4	0

Notes: MCLC Stores pending redistribution. Associated with E0069. Ship with the System.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	223	0	4.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0076 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0076: MULTI-PURPOSE TANK BLADE

Thu multipurpose tank blade is a bulldozer blade that can be attached to an M1A1 and can be operated by the tank's driver. The blade provides for obstacle/rubble moving/removing and earthmoving activities such as digging defensive positions for the host vehicle.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	96	6
AAO (FY17)	96	
O/H	82	6
Shortfall/Excess	-14	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	0	0	12	4	6	10	48	0
8	8	0	0	12	4	6	10	48	0
8	9	0	0	6	4	0	3	46	0
0	1	0	0	-6	0	-6	-7	-2	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590995933083	6	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	I/P	No	0	6	0

Notes: No equipment condition; however care should be taken around any and all electrical connections. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0082: SQUAD DAY OPTIC (SDO)

The SDO is a magnified day optic that mounts to the M249 SAW and aids the automatic rifleman in target detection, recognition, and identification; thereby, increasing combat effectiveness and lethality of the fire team.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	11,838	200	2,689	2,750	959	290	2,106	2,044	200	800	0	0
AAO (FY17)	10,447		2,336	2,122	854	288	1,824	2,023	200	800	0	0
O/H	15,297	333	2,796	2,613	1,260	312	2,327	2,249	0	3,407	0	0
Shortfall/Excess	3,459	133	107	-137	301	22	221	205	-200	2,607	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015751724	333	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	No	333	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0084: TAC BINOS / BINOCULAR 8X42

The tactical binocular allows individuals with different interpupillary distances to view the reticule horizontally, or to estimate range on targets that aren't perfectly level. Rugged and waterproof with a durable armor coating.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	7,754	4836
AAO (FY17)	7,719	
O/H	4,277	153
Shortfall/Excess	-3,477	-4,683

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	2,918	4,836	0	0	0
0	0	0	0	0	2,883	4,836	0	0	0
35	30	79	0	0	2,328	0	1,652	0	0
35	30	79	0	0	-590	-4,836	1,652	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015593648	153	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	SAC-1	Yes	153	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0085: M1021 DIAL BORE GAGE (M1021)

The Digital Bore Gauge (DBG) is used with the 60mm and 81mm mortar cannons.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	87	20
AAO (FY17)	100	
O/H	126	3
Shortfall/Excess	39	-17

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	13	11	7	8	6	20	0	6	0
20	19	11	6	12	6	20	0	6	0
19	26	11	6	8	9	0	33	11	0
3	13	0	-1	0	3	-20	33	5	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015629944	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	3	0	0

Notes: Mission Capable equipment should be sent to the MEF for re-distribution.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0086: EOD MARINE AIR SYSTEM (MAS) REMOTE FIRING DEVICE (RFD)

The MAS RFD is designed to command detonate explosives by UHF digital radio signals.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	351	22
AAO (FY17)	335	
O/H	287	5
Shortfall/Excess	-64	-17

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
84	84	60	48	12	41	22	0	0	0
76	76	60	48	12	41	22	0	0	0
71	73	60	44	1	33	0	0	0	0
-13	-11	0	-4	-11	-8	-22	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1375982065633	5	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	n	No	0	5	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0088 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0088: M240 DAY OPTIC (MDO)

The MDO is a magnified day optic that mounts to the M240 Medium Machine Gun and aids the machine gunner in target detection, recognition, identification, and engagement, thereby increasing the combat effectiveness and lethality of the machine gun team.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	11,360	2513
AAO (FY17)	11,051	
O/H	10,585	424
Shortfall/Excess	-775	-2,089

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,922	1,778	659	284	1,415	1,269	2,513	1397	123	0
1,775	1,563	684	280	1,461	1,255	2,513	1397	123	0
2,216	1,801	788	311	1,254	1,228	0	2,440	123	0
294	23	129	27	-161	-41	-2,513	1,043	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015780211	424	33%	0%	0%	33%	34%	0%	NO	NO	No	No	No	no	yes	I/P	No	284	140	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0090 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0090: AN/PLT-5 CITADEL 2 (EOD)

The CITADEL II was procured as a special purpose Explosive Ordnance Disposal (EOD) tool

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	224	30
AAO (FY17)	214	
O/H	172	0
Shortfall/Excess	-52	-30

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	42	32	48	6	24	30	0	0	0
38	38	30	48	6	24	30	0	0	0
39	41	30	38	1	23	0	0	0	0
-3	-1	-2	-10	-5	-1	-30	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015623004	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	n	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0091: AN/PLT-4 CITADEL 1 (EOD)

AN/PLT-6448(V)1

Citadel II

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	92	0
Shortfall/Excess	92	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
19	32	5	11	0	17	0	8	0	0
19	32	5	11	0	17	0	8	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014686173	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	no	No	No	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E0092 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0092:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	229	30
AAO (FY17)	209	
O/H	191	71
Shortfall/Excess	-38	41

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
46	46	34	48	6	19	30	0	0	0
38	38	30	48	6	19	30	0	0	0
19	17	20	48	1	15	0	0	0	0
-27	-29	-14	0	-5	-4	-30	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015884011	71	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	N	No	0	71	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0104: DRY POWDER SERVICING UNIT (DPSU)

The DPSU is a self contained dry powder servicing unit with ports for nitrogen and shop pressure air. Theunit has onboard gages and flow switches which support the recharging evolution. The DPSU provides a stable hold-down platform during bottle recharge



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	16	0
AAO (FY17)	21	
O/H	12	0
Shortfall/Excess	-4	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	0	0	1	2	0	3	6	0
3	3	2	0	2	2	0	3	6	0
3	2	0	0	0	1	0	1	5	0
1	0	0	0	-1	-1	0	-2	-1	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210014889655	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Item should be utilized for OPFOR T/E deficincies. No equipment condition. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0106 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0106: SABER SMK

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	86	0
AAO (FY17)	78	
O/H	47	1
Shortfall/Excess	-39	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
17	17	3	0	13	18	0	0	18	0
16	14	6	0	12	18	0	0	12	0
10	15	5	0	3	11	0	0	2	0
-7	-2	2	0	-10	-7	0	0	-16	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4935015795013	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0108 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0108: GLARE MOUNT 532-P (MINI GRN DAZZLER) LASER

Mini-Green iis a Class 3B laser that emits a green beam which is visible when focused on surfaces and extremely bright when directly viewed and used for hail and warning.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	948	948
AAO (FY17)	948	
O/H	1,214	79
Shortfall/Excess	266	-869

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	948	0	0	0
0	0	0	0	0	0	948	0	0	0
26	93	0	111	0	91	0	814	0	0
26	93	0	111	0	91	-948	814	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1265015838057	49	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	Yes	0	49	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0117 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0117:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	150	85
AAO (FY17)	150	
O/H	122	33
Shortfall/Excess	-28	-52

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	15	13	13	0	4	85	5	0	0
15	15	13	13	0	4	85	5	0	0
15	14	13	3	0	4	0	40	0	0
0	-1	0	-10	0	0	-85	35	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1260015961264	33	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	No	No	No	Y	0	33	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0139: BORESCOPE, 58MM 8 IN.

The M3 Bore scope is a light weight, inspection device, designed to check various types of cannon bores for defects and damages. It is a straight tube telescope with a mirror that is set at an angle to offer a view of the bore being inspected.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	133	16	22	21	15	5	15	30	16	0	9	0
AAO (FY17)	144		26	23	17	4	19	30	16	0	9	0
O/H	265	4	24	15	19	5	23	35	0	122	17	1
Shortfall/Excess	132	-12	2	-6	4	0	8	5	-16	122	8	1

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650010630035	3	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	3
6650015629886	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes: NSN ending in 0035 is obsolete but still used by MEFs - use to fill shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0149 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0149: BRIDGE, SCISSOR F/AVLB

The Armored Vehicle Launched Bridge consists of a turret less M60A1 Tank Chassis equipped with a bridge and bridge launching mechanism, in lieu of a gun turret.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	32	8
AAO (FY17)	32	
O/H	27	2
Shortfall/Excess	-5	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	0	0	0	4	8	4	6	0
5	5	0	0	0	4	8	4	6	0
5	4	0	0	0	2	0	9	5	0
0	-1	0	0	0	-2	-8	5	-1	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420005229599	2	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	2	0

Notes: Item should be utilized for OPFOR T/E deficincies. No equipment condition. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2557	14.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0150: ARMORED VEHICLE, LAUNCHER, BRIDGE

The Armored Vehicle Launched Bridge consists of a turret less M60A1 Tank Chassis equipped with a bridge and bridge launching mechanism, in lieu of a gun turret.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	31	8	5	5	0	0	0	4	8	3	6	0
AAO (FY17)	31		5	5	0	0	0	4	8	3	6	0
O/H	27	2	5	4	0	0	0	5	0	6	5	0
Shortfall/Excess	-4	-6	0	-1	0	0	0	1	-8	3	-1	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420008892020	2	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	2	0

Notes: Item should be disacssociated from E0149. Armor deck (over powerpack) Removed. No high pressure wash in crew compartment and/or Exterior hydraulic cylinders. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	468	0	49

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0165 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0165: CHARGER,BATTERY

A device consisting of one or more components utilizing an alternating or direct current source to reactivate batteries in which reversible chemical reactions occur.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	140	0
Shortfall/Excess	140	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	1	0	0	3	1	0	135	0	0
0	1	0	0	3	1	0	135	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130010189786	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0180 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0180: CIRCLE, AIMING

The Aiming Circle, M2A2, with its accessory equipment, has the general characteristics of a surveyor's transit. It is used for precise measurement of azimuth and elevation angles of a ground or aerial target.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	688	34
AAO (FY17)	645	
O/H	1,231	20
Shortfall/Excess	543	-14

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
154	134	62	0	100	65	34	34	87	18
142	112	57	0	96	65	34	34	87	18
181	143	89	4	96	59	0	545	76	18
27	9	27	4	-4	-6	-34	511	-11	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675010670687	20	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	20	0

Notes: It will be repaired and recalibrated at Barstow if necessary.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0190 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0190: CARBINE, CQBW, 5.56MM

A fully-automatic variant of the basic M4 carbine intended for special operations use. Is used by special operation units. Is especially favored by counter-terrorist and special operations units for close quarters combat because of the carbine's compactness and firepower.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4,380	90
AAO (FY17)	5,976	
O/H	4,670	48
Shortfall/Excess	290	-42

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
477	787	304	1,563	870	289	90	0	0	0
1,061	1,219	445	1,736	1,136	289	90	0	0	0
572	878	312	1,602	859	278	0	121	0	0
95	91	8	39	-11	-11	-90	121	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005013820953	48	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	48	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0195: CARBINE, MWS, 5.56MM

The M16A2 5.56mm rifle is a lightweight, air-cooled, gas-operated, magazine-fed, shoulder- or hip-fired weapon designed for either automatic fire (3-round bursts) or semiautomatic fire (single shot) through the use of a selector lever.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	80,917	52	21,970	20,666	7,826	1,340	14,097	6,992	52	7974	0	0
AAO (FY17)	73,792		19,524	17,113	7,583	1,239	13,358	6,949	52	7974	0	0
O/H	91,954	5168	25,426	20,017	10,030	1,181	13,994	8,174	0	7,938	26	0
Shortfall/Excess	11,037	5,116	3,456	-649	2,204	-159	-103	1,182	-52	-36	26	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005012310973	5168	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	yes	No	Yes	No	0	5168	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0205 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0205: COLLIMATOR, INFINITY AIMING, REFERENCE

Tripod mounted primary aiming reference point for indirect laying operations for artillery/mortar. Illuminated with two C cell lithium battery pack -- 31 inches x 13 inches, weight 32 pounds.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	390	16	84	70	28	0	56	28	16	0	90	18
AAO (FY17)	369		77	63	21	0	56	28	16	0	90	18
O/H	656	3	68	96	53	0	54	43	0	237	83	19
Shortfall/Excess	266	-13	-16	26	25	0	-2	15	-16	237	-7	1

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240003321780	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	yes	No	Yes	No	0	0	0
1240014655452	3	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	3	0

Notes: Do not wash. Clean with damp cloth.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0207 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0207: JAVELIN

The M98A1 Command Launch Unit is the reusable portion of the Javelin system. It contains a day sight, night vision sight, controls, and indicators.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	624	285
AAO (FY17)	584	
O/H	455	13
Shortfall/Excess	-169	-272

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
96	96	24	0	72	34	285	17	0	0
88	72	24	0	64	34	285	17	0	0
105	87	24	0	65	29	0	132	0	0
9	-9	0	0	-7	-5	-285	115	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1430015328900	13	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	I/P	No	0	13	0

Notes: Units in CONUS are currently using WRMR assets. Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0311 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0311: RIFLE,7.62 MILLIMET

The Designated Marksman Rifle (DMR) is a Marine Corps designed rifle. Each DMR is custom built at Precision Weapons Sections, Weapons Training Battalion at Quantico, Virginia. It is a modified, 7.62mm, precision grade M-14 rifle. It has an effective range of 770 meters. Its accuracy and lethality provides units operational flexibility.

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	592	99	66	215	51	0	50	66	99	45	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	1,121	32	48	164	41	18	49	56	0	713	0	0
Shortfall/Excess	529	-67	-18	-51	-10	18	-1	-10	-99	668	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014586235	7	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	7
1005015535196	25	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	No	No	No	No	0	0	25

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

E0330 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0330: EQUIPMENT SET, NIGHT VISION

The Equipment Set, Night Vision, mounts on top of the day sight and enables the operator to track targets in darkness, heavy fog, and smoke, and during electro-optical countermeasures.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	560	350
AAO (FY17)	552	
O/H	625	0
Shortfall/Excess	65	-350

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
43	23	3	0	28	78	350	23	12	0
37	21	3	0	28	78	350	23	12	0
72	35	4	0	40	16	0	450	8	0
29	12	1	0	12	-62	-350	427	-4	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855013010158	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	I/P	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	10	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0359 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0359: FIRING DEVICE, DEMOLITION

The Remote Demolition Firing Device is a collection of equipment necessary for firing electric demolitions remotely.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	161	1
Shortfall/Excess	161	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
16	57	3	6	30	8	0	32	8	0
16	57	3	6	30	8	0	32	8	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1375014684400	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	Yes	Yes	No	No	No	0	1	0

Notes: All items need to return to MCLC - not obsolete - need them back b/c they are being used in squad demolition kits for engineers.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0671 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0671: HOWITZER, LTWT, TOWED, 155MM

The M198 Medium Towed Howitzer is a 155mm field artillery howitzer. It is constructed of aluminum and steel, and is air transportable by CH-53E helicopter, and C-130 or larger fixed-wing aircraft.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	493	125
AAO (FY17)	475	
O/H	468	5
Shortfall/Excess	-25	-120

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
72	60	30	0	48	51	125	17	90	0
66	54	24	0	48	51	125	17	90	0
66	64	41	0	49	42	0	128	61	12
-6	4	11	0	1	-9	-125	111	-29	12

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1025014450991	0	0%	100%	0%	0%	0%	0%	NO	NO	Yes	No	Yes	yes	No	No	No	0	0	0
1025994637551	5	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	5	0

Notes: Barstow is setup to do any type of reset - IRON and rebuild line is already setup.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**TACOM**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	283	0	4.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0720 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0720: KIT, HOOK & LINE F/EOD

The Hook & Line Kit includes components for attaching lines, anchoring pulleys, and maneuvering objects.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	225	30
AAO (FY17)	217	
O/H	208	5
Shortfall/Excess	-17	-25

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	42	30	12	6	23	30	0	30	10
38	38	30	12	6	23	30	0	30	10
34	41	31	35	0	23	0	2	10	27
-8	-1	1	23	-6	0	-30	2	-20	17

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385996952988	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0
1385999911200	5	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	2	0	2

Notes: Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0759 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0759: KIT, DISASSEMBLY, FUZE, MECHANICAL, REMOTE (MK121 MOD0)

The MRFDK is used for conducting disassembly/inserting of fuses/ordnance items for either training or exploitation in combat environments. The MRFDK will provide operator safety during hazardous operations by allowing the operator to disassemble small munitions components and fuses from a remote distance of 6 to 10 ft.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	69	1
AAO (FY17)	68	
O/H	45	1
Shortfall/Excess	-24	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	15	9	6	3	19	1	0	0	0
15	15	9	6	3	19	1	0	0	0
10	9	8	2	0	14	0	0	0	1
-6	-6	-1	-4	-3	-5	-1	0	0	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385012073619	1	50%	0%	0%	50%	0%	0%	NO	NO	N	No	Yes	No	No	No	No	0	0	0

Notes: Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0892 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0892: LAUNCHER, GRENADE, 40MM

The Launcher, Grenade, 40 mm, M203 is used while attached to a M16A2, 5.56mm rifle. It is lightweight, compact, breech loading, pump action, single shot launcher.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	13,912	2103
AAO (FY17)	12,922	
O/H	14,749	182
Shortfall/Excess	837	-1,921

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,845	2,920	893	253	2,270	1,435	2,103	1193	0	0
2,585	2,350	889	245	2,122	1,435	2,103	1193	0	0
3,035	2,947	1,340	297	2,027	2,148	0	2,564	0	0
190	27	447	44	-243	713	-2,103	1,371	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010001796447	182	0%	100%	0%	0%	0%	0%	NO	NO	No	No	No	Yes	No	Yes	No	0	182	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E0915 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0915: LAUNCHER, ROCKET, ASSAULT, 83MM, MK153

The SMAW is an 83mm man-portable weapon system consisting of the MK153 Mod 0 launcher, the MK 3 Mod 0 encased HEDP rocket, the MK 6 Mod 0 encased HEAA rocket, and the MK217 Mod 0 spotting rifle cartridge.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,794	510	360	297	72	52	279	170	510	54	0	0
AAO (FY17)	1,641		306	234	72	52	243	170	510	54	0	0
O/H	1,418	15	320	286	77	57	233	132	0	298	0	0
Shortfall/Excess	-376	-495	-40	-11	5	5	-46	-38	-510	244	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1055011644608	15	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	I/P	No	0	15	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.Although this item is being replaced with a new version all launchers in theatre will need to be recovered as the new launcher is not in production yet.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0935 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0935: LAUNCHER, TUBULAR, F/GM TOW WPN SYSTEM

The Launcher, Tubular is designed to attack and defeat tanks and other armored vehicles. It is primarily used in antitank warfare, and is a command to line of sight, wire-guided weapon.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	414	192	42	22	2	0	24	75	192	45	12	0
AAO (FY17)	406		35	19	2	0	26	75	192	45	12	0
O/H	388	0	74	35	4	0	49	16	0	168	42	0
Shortfall/Excess	-26	-192	32	13	2	0	25	-59	-192	123	30	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1440014118942	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	I/P	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	79	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0942: LAV, ANTI-TANK

The LAV-AT is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	118	7
AAO (FY17)	106	
O/H	117	0
Shortfall/Excess	-1	-7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
40	20	0	0	24	7	7	8	12	0
32	16	0	0	24	7	7	8	12	0
33	16	4	0	19	9	0	24	12	0
-7	-4	4	0	-5	2	-7	16	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015393618	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	173	0	13.8

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0946 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0946: LAV, COMMAND & CONTROL (BN)

The LAV-C2 is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	69	21		18	9	0	0	10	3	21	5	3	0
AAO (FY17)	66			16	8	0	0	10	3	21	5	3	0
O/H	67	0		16	9	1	0	9	4	0	25	3	0
Shortfall/Excess	-2	-21		-2	0	1	0	-1	1	-21	20	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355014947611	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0
2355015393589	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0

Notes: Will not be filling deficiencies in conus, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	172	0	14

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0947 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0947: LAV, LIGHT ASSAULT, 25MM

The LAV-25 is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	549	128
AAO (FY17)	507	
O/H	503	0
Shortfall/Excess	-46	-128

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
148	74	0	0	88	40	128	29	42	0
120	60	0	0	88	40	128	29	42	0
126	68	13	0	84	48	0	123	38	3
-22	-6	13	0	-4	8	-128	94	-4	3

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355014947606	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0
2355015393639	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	176	0	13.9

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0948 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0948: LAV, LOGISTICS

The LAV-L is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E. When combat loaded there are 200 ready rounds and 800 stowed rounds of 7.62mm ammunition.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	136	33
AAO (FY17)	127	
O/H	124	0
Shortfall/Excess	-12	-33

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
38	19	0	0	22	6	33	9	9	0
32	16	0	0	22	6	33	9	9	0
30	18	2	0	11	8	0	48	7	0
-8	-1	2	0	-11	2	-33	39	-2	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015393634	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	175	0	14.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0949 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0949: LAV, MORTAR

The LAV-M is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E. When combat loaded there are 5 ready and 94 stowed 81mm bombs as well as 200 ready rounds and 800 stowed rounds of 7.62mm.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	71	14
AAO (FY17)	65	
O/H	65	0
Shortfall/Excess	-6	-14

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
20	10	0	0	12	4	14	5	6	0
16	8	0	0	12	4	14	5	6	0
18	8	2	0	11	4	0	16	5	1
-2	-2	2	0	-1	0	-14	11	-1	1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015393578	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0

Notes: Will not be filling deficiencies in conus, all should wind up going to MCLC to fill WRMR.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	173	0	13.5

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0950 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0950: LAV, MAINT/RECOVERY

The LAV-R is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	48	7	14	7	0	0	8	5	7	4	3	0
AAO (FY17)	45		12	6	0	0	8	5	7	4	3	0
O/H	45	0	10	6	1	0	8	8	0	10	2	0
Shortfall/Excess	-3	-7	-4	-1	1	0	0	3	-7	6	-1	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015393601	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	197	0	14.2

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0960 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0960: MACHINE GUN, LT, SQUAD, AUTOMATIC WEAPON

The Squad Automatic Weapon, or 5.56mm M249 is an individually portable, gas operated, magazine or disintegrating metallic link-belt fed, light machine gun with fixed headspace and quick change barrel feature.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	7,958	441
AAO (FY17)	7,028	
O/H	17,119	205
Shortfall/Excess	9,161	-236

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,469	1,602	651	290	1,184	1,396	441	925	0	0
1,228	1,240	545	288	986	1,375	441	925	0	0
2,011	1,992	890	304	1,667	1,965	0	8,085	0	0
542	390	239	14	483	569	-441	7,160	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005011277510	205	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	Yes	No	Yes	No	0	205	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0961 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0961: MACHINE GUN M240E1

The 7.62mm machine gun is a lightweight, air-cooled, disintegrating metallic link-belt fed, portable or tripod mounted machine gun designed for ground operations. It is gas operated with fixed headspace and timing which permits rapid changing of barrels.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	238	0
Shortfall/Excess	238	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0	0	0	0	0	0	0	0	0	0
O/H	2	0	0	0	0	1	0	228	7	0
Shortfall/Excess	2	0	0	0	0	1	0	228	7	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005012524288	0	0%	100%	0%	0%	0%	0%	NO	NO	Yes	No	Yes	yes	No	Yes	No	0	0	0

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0980 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0980: MACHINE GUN, CAL .50, BROWNING, HB FLEXIBLE

The Browning M2 .50 Caliber Machine Gun, Heavy barrel is an automatic, recoil operated, air-cooled machine gun with adjustable headspace and is crew transportable with limited amounts of ammunition over short distances.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	5,735	1630
AAO (FY17)	5,661	
O/H	6,576	313
Shortfall/Excess	841	-1,317

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
823	797	399	172	593	327	1,630	877	117	0
800	739	383	168	637	310	1,630	877	117	0
829	814	461	199	547	408	0	2,925	80	0
6	17	62	27	-46	81	-1,630	2,048	-37	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005007265636	313	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	313	0

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0984 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0984: MACHINE GUN, CAL .50

The M48 Turret Type .50 Caliber Machine Gun is a belt fed recoil-operated, air-cooled, crew-served machine gun. This gun is capable of firing single-shot and is fully automatic.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	606	34	96	91	5	0	100	43	34	27	210	0
AAO (FY17)	585		85	85	1	0	100	43	34	27	210	0
O/H	673	25	100	89	4	0	46	39	0	232	138	0
Shortfall/Excess	67	-9	4	-2	-1	0	-54	-4	-34	205	-72	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005009573893	25	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	no	y	No	0	25	0

Notes: This TAMCN is associated with the Tank and should return with it.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0989 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0989: MACHINE GUN, M240B

The M240G Machine Gun is the ground version of the original M240/M240E1, 7.62mm medium class weapon designed as a coaxial/pintle mounted machine gun for tanks and light armored vehicles.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	10,978	2562	1,922	1,778	659	284	1,413	1,254	2,562	983	123	0
AAO (FY17)	10,667		1,775	1,563	680	280	1,461	1,240	2,562	983	123	0
O/H	11,890	540	1,991	1,763	744	314	1,373	1,554	0	3,125	68	6
Shortfall/Excess	912	-2,022	69	-15	85	30	-40	300	-2,562	2,142	-55	6

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014123129	540	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	y	No	0	540	0

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0994 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0994: MACHINE GUN, GRENADE (MK 19 40MM MOD 3 W/BKT)

The MK19 40mm machine gun, MOD 3 is an air-cooled, disintegrating metallic link-belt fed, blowback operated, fully automatic weapon and is crew transportable over short distances with limited amounts of ammunition. It can fire a variety of 40mm grenades.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	4,917	1586	706	715	397	106	534	277	1,586	503	93	0
AAO (FY17)	4,752		652	601	388	104	561	264	1,586	503	93	0
O/H	5,802	90	779	765	463	125	465	361	0	2,687	67	0
Shortfall/Excess	885	-1,496	73	50	66	19	-69	84	-1,586	2,184	-26	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010011269063	0	0%	100%	0%	0%	0%	0%	NO	NO	Y	No	Yes	yes	No	Y	No	0	0	0
1010014909697	90	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	90	0

Notes: Items are being shipped back to the MEFs. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0996 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0996: BLADE, MINE CLEARING

The Mine Clearing Blade, when mounted to the front of the M1 or M1A1 Abrams Tank, is used to clear tank track path of mines which lie in front of the tracks from depths of 8, 10, and 12 inches.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	121	34
AAO (FY17)	121	
O/H	90	3
Shortfall/Excess	-31	-31

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	0	0	12	6	34	29	24	0
8	8	0	0	12	6	34	29	24	0
11	10	0	0	6	6	0	32	21	1
3	2	0	0	-6	0	-34	3	-3	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590012308862	3	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	0	3

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	289	3.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E0998 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0998: MACHINE GUN, 7.62MM, LH (M240)

The Machine Gun, 7.62mm, M240 is a lightweight, air cooled, disintegrating metallic link belt fed, vehicle mounted gun designed as a coaxial weapon for tanks and 7.62mm firepower for lighter vehicles.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,540	195
AAO (FY17)	1,498	
O/H	2,058	29
Shortfall/Excess	518	-166

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
264	190	0	0	260	99	195	142	390	0
236	176	0	0	260	99	195	142	390	0
286	191	10	0	201	99	0	987	250	5
22	1	10	0	-59	0	-195	845	-140	5

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005010258095	29	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	no	Y	No	0	29	0

Notes: Item is associated with the Tank and LAV, should return with it.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1029 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1029: MARKER, LASER, SPECIAL OPNS FORCES (SOFLAM)

AN/PEQ-1A, Laser Marker, (SOFLAM) is a man portable laser marker and rangefinder that, once aimed at a target, may be remotely fired to mark the target for laser guided ordnance.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)		
AAO (FY17)		
O/H	0	0
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5860014124533	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	No	0	0	0

Notes: Do not wash. Clean with damp cloth.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1030: TARGET DESIGNATOR II, LASER, GROUND (GLTD II)

The GLTD II is a compact, lightweight, man portable, laser designator and rangefinder. Developed to enable combat soldiers to direct laser-guided munitions, such as Hellfire missiles and Laser Spot Tracking munitions. The GLTD II can be implemented as part of a sophisticated digitized fire control system with thermal or image-intensified sights.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	38	0
Shortfall/Excess	38	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
6	6	6	16	2	2	0	0	0	0
6	6	6	16	2	2	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5860070000768	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: Obsolete item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E1035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1035: SYSTEM GROUP, METEOROLOGICAL (MSG), AN/TMQ49

The MSG consists of the Meteorological Measuring Set AN/TMQ-41, Surface Met Sensor AN/TPQ-50, and Electronic Met Theodolite. The MSG and its components are used to measure upper air conditions in order to determine met corrections for artillery.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	21	0
AAO (FY17)	21	
O/H	19	0
Shortfall/Excess	-2	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	5	3	0	2	0	0
4	4	3	0	5	3	0	2	0	0
6	3	3	0	3	3	0	1	0	0
2	-1	0	0	-2	0	0	-1	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6660014289218	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Using unit owned assets return to home station. No direct water contact on electrical components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1047: BINOCULAR EYE SAFE

This eye safe Binocular is a device utilizing Erbium Glass Laser technology. The Optic Long Distance Laser Rangefinder Binocular unit is easy to use and withstands the harshest environmental conditions.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	25	0
Shortfall/Excess	25	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
6	9	2	0	0	0	0	8	0	0
6	9	2	0	0	0	0	8	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240090001994	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	Yes	No	No	No	Yes	0	0	0

Notes: Obsolete item

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1048 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1048: RANGE FINDER, LASER

The Common Laser Range Finder, formerly called the Laser Infrared Observation Set Replacement, is a set of small, lightweight, and eye-safe laser range finders and azimuth and inclination sensors that export targeting data.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,330	68
AAO (FY17)	2,163	
O/H	2,212	72
Shortfall/Excess	-118	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
588	541	196	181	495	146	68	115	0	0
535	435	181	181	502	146	68	115	0	0
477	504	146	139	493	142	0	239	0	0
-111	-37	-50	-42	-2	-4	-68	124	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015615149	71	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	71	0	0
1240015723753	0	0%	100%	0%	0%	0%	0%	NO	NO	N	No	Yes	yes	No	No	Yes	0	0	0
1240090003576	1	0%	0%	0%	100%	0%	0%	NO	NO	Yes	No	No	No	No	No	Yes	1	0	0
1240090003759	0	0%	0%	0%	100%	0%	0%	NO	NO	Yes	No	No	No	No	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1065: MORTAR,60 MILLIMETE

Mortar, 60 mm, Lightweight, Company, M224 is a smooth bore, muzzle-loading, high-angle-of-fire weapon. The cannon assembly is composed of a barrel, combination base cap, and firing mechanism.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	841	198
AAO (FY17)	798	
O/H	931	38
Shortfall/Excess	90	-160

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	116	116	33	98	81	122	198	77	0	0
AAO (FY17)	107	89	35	98	72	122	198	77	0	0
O/H	128	108	36	109	128	130	0	254	0	0
Shortfall/Excess	12	-8	3	11	47	8	-198	177	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010010205626	12	0%	100%	0%	0%	0%	0%	NO	NO	n	No	Yes	yes	No	y	No	0	12	0
1010015862874	26	0%	100%	0%	0%	0%	0%	NO	NO	n	No	Yes	no	No	No	No	0	26	0

Notes: All items must return to Depot.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1070: MORTAR, 120MM

Rifled-towed 120mm mortar, designated XM326, Weight 1798 lbs, transportable in MV-22 Osprey or CH-53 Helo.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	66	0
AAO (FY17)	60	
O/H	61	0
Shortfall/Excess	-5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	18	12	0	0	6	0	6	0	0
24	12	12	0	0	6	0	6	0	0
24	25	6	0	0	6	0	0	0	0
0	7	-6	0	0	0	0	-6	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1015015309102	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0
1220011196049	0	0%	0%	0%	0%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	0.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1095 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1095: MORTAR, MEDIUM, 81MM, EXTENDED RANGE

Mortar, Medium, Extended Range, 81 mm, M252 is a crew-served, lightweight mortar that is highly accurate and provides for a range of 4,500 meters to 5,650 meters.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	725	177
AAO (FY17)	679	
O/H	572	17
Shortfall/Excess	-153	-160

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
116	106	24	20	84	121	177	71	6	0
104	80	24	20	76	121	177	71	6	0
127	101	26	22	86	109	0	78	5	1
11	-5	2	2	2	-12	-177	7	-1	1

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1015011646651	17	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	17	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	16	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1145 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1145: VELOCITY SYSTEM, MUZZLE (MVS)

The Radar Chronograph Set, M36 is a continuous wave doppler radar transmitter-receiver system. Its function is the measurement of velocity of artillery projectiles ranging in size from 40 to 280 mm, and encompassing the velocity range from 250 to 6100 fps.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	235	5	74	62	30	0	18	10	5	0	30	6
AAO (FY17)	217		68	56	24	0	18	10	5	0	30	6
O/H	173	5	35	32	17	0	18	9	0	21	30	6
Shortfall/Excess	-62	0	-39	-30	-13	0	0	-1	-5	21	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1290014125760	5	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	5	0	0

Notes: Do not wash. Clean with damp cloth.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

E1152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1152: GOGGLES, NIGHT VISION, INDIV

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	40	0
AAO (FY17)	40	
O/H	7,061	0
Shortfall/Excess	7,021	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	20	20	0	0	0	0	0	0	0
0	20	20	0	0	0	0	0	0	0
169	366	177	0	1,026	352	0	4,971	0	0
169	346	157	0	1,026	352	0	4,971	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855012280936	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0
5855012280937	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0
5855014225413	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: Category 3 Equipment_ w/ published Disposal Plan (Column 'G').The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E1154 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1154: INTENSIFIER, IMAGE, NIGHT VISION

The PVS-14 allows the user to see at night using moonlight or starlight. The PVS-14 is a GEN III Image Intensification device similar in performance to PVS-7 NVGs, yet smaller, lighter, and more versatile.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	126,014	10349	31,383	29,220	12,074	3,050	24,726	9,452	10,349	5760	0	0
AAO (FY17)	117,682		28,893	24,952	11,679	3,445	23,114	9,490	10,349	5760	0	0
O/H	121,541	5110	30,479	29,417	14,104	2,950	23,901	######	0	5,280	0	0
Shortfall/Excess	-4,473	-5,239	-904	197	2,030	-100	-825	848	-10,349	-480	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014320524	5110	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	Yes	Y	No	5110	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1159 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1159: SIGHT, NIGHT VISION, WEAPON, CREW SERVED

The AN/PVS-7B/D Night Vision Goggle is a lightweight optical night vision device with third generation image intensifier technology. The AN/PVS-7 uses prisms and lenses to provide the Marine with simulated binocular vision and can be used as a binocular with neck strap or mounted to a head or helmet mount. The AN/PVS-7 weighs less than two pounds and is powered by two AA alkaline or lithium batteries.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,353	237
AAO (FY17)	0	
O/H	1,996	0
Shortfall/Excess	-357	-237

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
662	670	293	0	468	20	237	3	0	0
0	0	0	0	0	0	0	0	0	0
224	228	101	0	183	3	0	1,257	0	0
-438	-442	-192	0	-285	-17	-237	1,254	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014228777	0	0%	0%	0%	75%	25%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1160 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1160: SIGHT, NIGHT VISION, MINI 4.5X

The AN/PVS-17 Mini Night Vision Sight is a lightweight, optical sight with third generation intensifier technology. It is intended for use on the M249 and M240G Machine Guns.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	8,633	675	1,959	1,968	760	540	1,349	1,327	675	55	0	0
AAO (FY17)	8,324		1,839	1,726	713	624	1,365	1,327	675	55	0	0
O/H	12,143	301	2,345	2,189	1,128	826	2,225	1,712	0	1,417	0	0
Shortfall/Excess	3,510	-374	386	221	368	286	876	385	-675	1,362	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014916967	301	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	Yes	I/P	No	301	0	0

Notes: This is a deployment asset - should be brought in and out of theater with the unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1161 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1161: RECHARGING UNIT, MON

The Recovery/Recharge system recovers HALON 1301 and recharges those bottles. HALON is an ozone-depleting substance used for fire suppression in some applications in certain ordnance vehicles.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	16	1	2	3	2	0	2	3	1	0	3	0
AAO (FY17)	16		3	3	1	0	2	3	1	0	3	0
O/H	24	1	2	3	4	0	0	2	0	10	2	0
Shortfall/Excess	8	0	0	0	2	0	-2	-1	-1	10	-1	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3655014469335	1	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1245 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1245: PISTOL 9MM

The M9 pistol is a semi-automatic, magazine-fed, recoil-operated, double-action pistol, chambered for the 9mm cartridge. The magazine has a 15 cartridge capacity.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	5,022	0	404	2,739	211	0	808	860	0	0	0	0
AAO (FY17)	4,782		303	2,638	173	0	808	860	0	0	0	0
O/H	7,632	1	489	2,705	214	1	674	1,058	0	2,490	0	0
Shortfall/Excess	2,610	1	85	-34	3	1	-134	198	0	2,490	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005015257966	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	no	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1251 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1251: PISTOL, MEU (SOC), CAL .45

The M45 Close Quarters Battle Pistol(CQBP) is a modified M1911, semi-automatic pistol. The M45 pistol is currently produced by Marines at Precision Weapons Section, Weapons Training Battalion who custom build each weapon.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	4,088	2	297	290	299	1,788	528	190	2	694	0	0
AAO (FY17)	3,877		237	230	260	1,736	528	190	2	694	0	0
O/H	4,424	0	363	273	256	2,432	217	123	0	760	0	0
Shortfall/Excess	336	-2	66	-17	-43	644	-311	-67	-2	66	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005015754072	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	no	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

E1353 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1353: RECHARGING UNIT, CARBON DIOXIDE

Item discontinued

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	44	0
Shortfall/Excess	44	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	43	1	0
0	0	0	0	0	0	0	43	1	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3655010049873	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	37	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E1378 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1378: RECOVERY VEHICLE, FT, HEAVY, W/EQUIP (M88)

The M88A2 Medium Recovery Vehicle (MRV) is a full tracked armored vehicle used to perform battlefield rescue and recovery missions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	108	6
AAO (FY17)	125	
O/H	82	8
Shortfall/Excess	-26	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
26	23	5	0	14	7	6	6	21	0
29	29	5	0	22	7	6	6	21	0
16	17	0	0	6	9	0	10	16	0
-10	-6	-5	0	-8	2	-6	4	-5	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2350013904683	8	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	No	No	0	8	0

Notes: Vehicle equipped with SL-3 to include SSRI items which should be packaged up and shipped such that it can marry up with his host vehicle. All need to go back to MCLC for full depot repair due to high number of miles on the equipment. Armor deck (over powerpack) Removed. No high pressure wash in crew compartment and/or Exterior hydraulic cylinders. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	319	0	64.2

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1385 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1385: NEUTRALIZATION DEVICE, ORDNANCE, REMOTE

The MK 36 Tool Set consists of an assortment of non-magnetic hand tools used to gain access to buried explosive ordnance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	56	1
AAO (FY17)	51	
O/H	49	0
Shortfall/Excess	-7	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	14	7	0	3	18	1	0	0	0
11	11	7	0	3	19	0	0	0	0
13	13	8	0	0	15	0	0	0	0
0	-1	1	0	-3	-3	-1	0	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385014569129	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	37	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1441 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1441: RIFLE,5.56 MILLIMET

The Rifle, 5.56mm, M16A2 is a lightweight, air-cooled, gas operated, magazine fed, shoulder or hip fired weapon designed for either automatic or semi-automatic fire.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	124,748	0	78	15	487	2	1,177	527	0	122,421	41	0
Shortfall/Excess	124,748	0	78	15	487	2	1,177	527	0	122,421	41	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005011289936	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	No	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1442 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1442: RIFLE, 5.56MM

The Modular Weapon System (MWS) consists of M16A4 rifles and M4 carbines. These weapons have rail adapter systems to permit quick mounting of various night, day, and thermal sights on the receiver.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	187,187	33341
AAO (FY17)	182,162	
O/H	164,118	4210
Shortfall/Excess	-23,069	-29,131

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
30,613	31,124	12,640	16	19,502	######	33,341	12995	222	0
28,866	27,751	13,487	16	19,053	######	33,341	12995	222	0
34,147	30,864	14,732	169	19,713	######	0	14,896	4	0
3,534	-260	2,092	153	211	######	-33,341	1,901	-218	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005013832872	4210	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	4210	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1460 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1460: RIFLE,7.62 MILLIMET

The M40A3 is a Marine Corps designed, bolt-action, 7.62mm sniper rifle. The M40A3 is capable of one minute of angle accuracy and the mounting rail allows for the attachment of day or night optics. It provides a precision sniper capability for use by Marine Corps snipers in the execution of missions in support of offensive and defensive operations.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,120	110
AAO (FY17)	1,039	
O/H	1,260	21
Shortfall/Excess	140	-89

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
146	146	62	138	165	187	110	166	0	0
126	110	53	138	149	187	110	166	0	0
155	140	75	126	127	204	0	412	0	0
9	-6	13	-12	-38	17	-110	246	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014950843	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	Yes	No	No	No	0	0	0
1005015677827	21	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	Yes	No	No	No	0	21	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1475 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1475: RIFLE, SCOPED, SPECIAL APPLICATION, .50 CAL.

The sniper rifle is used to ensure accurate placement of bullets at longer ranges than small arms. The rifle is built for optimal levels of accuracy, fitted with a telescopic sight and chambered for a military center fire cartridge.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	688	100	110	99	40	150	87	71	100	31	0	0
AAO (FY17)	679		108	92	52	150	75	71	100	31	0	0
O/H	680	36	120	109	45	174	88	73	0	35	0	0
Shortfall/Excess	-8	-64	10	10	5	24	1	2	-100	4	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014692133	36	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	36	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1500: ROCKET SYSTEM, ARTY, HIGH MOB (HIMARS)

HIMARS is a ground-based, precision indirect fire support system which accurately engages targets at long ranges, under all weather conditions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	58	6
AAO (FY17)	58	
O/H	48	9
Shortfall/Excess	-10	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	0	0	0	18	4	6	6	0	0
24	0	0	0	18	4	6	6	0	0
15	0	0	0	18	4	0	2	0	0
-9	0	0	0	0	0	-6	-4	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1055015367106	9	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Yes	No	0	9	0

Notes: All should be brought back through the MEF, then MCLC. Do Not Spray or wet any Electronic Components

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	17.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1570: SET, GROUND HOP SUPPORT (GHSS)

The Ground Hop Support Set is utilized to operate, control, and monitor engine and transmission functions on the powerpack when removed from the M1A1 Tank for maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	26	2
AAO (FY17)	28	
O/H	36	0
Shortfall/Excess	10	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	0	0	2	5	2	0	9	0
4	4	1	0	3	5	2	0	9	0
5	4	0	0	2	5	0	13	7	0
1	0	0	0	0	0	-2	13	-2	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910012310343	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Mainly field or CLS repair - brain box needs to go up to Ohio for repair if necessary. No high presure wash. All POLs removed. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	133	0.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1710 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1710: RIFLE COMBAT OPTIC- A4

The Sight, Bore, Optical is a fixed optical aiming sight designed for use with the service rifle configured with the Rail Adapter System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	121,020	36
AAO (FY17)	116,505	
O/H	139,696	3476
Shortfall/Excess	18,676	3,440

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
30,903	31,257	12,785	16	19,502	######	36	1200	222	0
29,301	28,186	13,640	16	19,053	######	36	1200	222	0
31,034	32,003	12,426	242	21,087	######	0	5,187	0	0
131	746	-359	226	1,585	9,142	-36	3,987	-222	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015251648	3476	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	Yes	Yes	No	No	0	3476	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1712 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1712: SHOP EQUIPMENT, ARTILLERY

The Shop Set, Equipment, Artillery Set is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of artillery equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	30	0
AAO (FY17)	40	
O/H	21	1
Shortfall/Excess	-9	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	5	5	0	0	1	0	8	3	1
9	9	5	0	4	1	0	8	3	1
5	3	4	0	2	0	0	2	3	1
-2	-2	-1	0	2	-1	0	-6	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4933015606595	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes: Using Unit owned assets return to home station. Do Not Spray or wet any Electronic Components

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	7.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1713 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1713: ELECTRO-OPTICS MAIN

The Shop Set, Maintenance, Electro-Optics, is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of optic, electro-optic, fire control and laser range finder equipment.

outside

Inside

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	30	4
AAO (FY17)	38	
O/H	17	0
Shortfall/Excess	-13	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	7	4	0	4	2	4	0	3	1
9	9	4	0	6	2	4	0	3	1
0	4	3	0	1	2	0	7	0	0
-5	-3	-1	0	-3	0	-4	7	-3	-1

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4931012732389	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	Yes	Yes	No	No	No	No	0	0	0

Notes: Obsolete - Disposal plan is place, replacement TAMCN is already fielded.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

E1714 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1714: SHOP SET, MAINT, SMALL ARMS

The Shop Set, Maintenance, Small Arms, is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of small arms and mortars.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	36	5
AAO (FY17)	45	
O/H	35	4
Shortfall/Excess	-1	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	7	5	3	4	0	5	0	3	1
11	11	5	3	6	0	5	0	3	1
6	4	4	0	4	1	0	9	3	0
-2	-3	-1	-3	0	1	-5	9	0	-1

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015712584	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	4	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1761 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1761: SHOTGUN, 12 GAUGE, COMBAT

The combat shotgun is intended for use in an offensive role. While limited in range, the multiple projectiles provide increased hit probability unmatched by other small arms.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4,296	1210
AAO (FY17)	3,522	
O/H	4,352	33
Shortfall/Excess	56	-1,177

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
438	834	308	66	395	1,045	1,210	0	0	0
418	794	283	66	342	1,057	414	148	0	0
526	1,025	310	162	378	1,008	0	910	0	0
88	191	2	96	-17	-37	-1,210	910	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014723147	33	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	33	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1762 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1762: SHOTGUN 12 GA

The Shotgun, 12 Gauge, Riot Type, is a pump action, manually operated magazine fed (tubular), shoulder type weapon.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4,965	827
AAO (FY17)	4,646	
O/H	3,478	47
Shortfall/Excess	-1,487	-780

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,067	1,725	426	64	687	169	827	0	0	0
1,046	1,659	426	64	455	169	827	0	0	0
869	1,239	273	73	169	218	0	590	0	0
-198	-486	-153	9	-518	49	-827	590	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005012518578	0	0%	0%	0%	100%	0%	0%	NO	NO	Yes	No	No	No	No	No	No	0	0	0
1005013715639	47	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	47	0	0

Notes: This is a deployment asset - should be brought in and out of theater with the unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1779 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1779: SIGHT, GRENADE LAUNCHER

The AN/PSQ-18 GLDNSM is a sighting device that will enable the M203 grenade launcher to be aimed and fired both day and night with no decrease in the current accuracy of the weapon.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	5,620	186
AAO (FY17)	5,042	
O/H	5,273	33
Shortfall/Excess	-347	-153

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,440	1,440	464	245	1,164	626	186	55	0	0
1,317	1,107	447	245	1,059	626	186	55	0	0
845	1,293	421	292	623	344	0	1,422	0	0
-595	-147	-43	47	-541	-282	-186	1,367	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010015160953	33	50%	50%	0%	0%	0%	0%	NO	NO	No	No	No	yes	Yes	No	No	0	0	16

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1785 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1785: SYNCHRONIZATION SET, SIGHT, F/LAV

The Sight Synchronization Set provides a simplified means of synchronizing the LAV-25A1 DIM 36TH gunsights and eliminates the necessity of sloping the vehicle to detect and measure sighting elevation errors with the use of the following Major Components:

1. Adjustment Set Eccentric
2. Fixture Assembly, Sight Synchronization
3. Gunners Quadrant

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	54	5
AAO (FY17)	51	
O/H	53	0
Shortfall/Excess	-1	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	8	2	0	7	12	5	0	6	0
13	8	2	0	5	12	5	0	6	0
10	9	3	0	7	7	0	13	4	0
-4	1	1	0	0	-5	-5	13	-2	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015385130	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Cannot be repaired - reset needs to assure all SL-3 components are included.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1790 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1790: SIGHT,NIGHT VISION

Used for observation and aimed fire of weapons at night. It amplifies reflected light such as moonlight, starlight, and sky glow so that the viewed scene becomes visible to the operator.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	75	0
Shortfall/Excess	75	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
4	2	1	0	0	0	0	68	0	0
4	2	1	0	0	0	0	68	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014991239	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	No	No	No	No	0	0	0

Notes: Obsolete - disposal plan is published - DRMO in country. FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

E1798 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1798: ILLUMINATOR,INFRARE

The AN/PEQ-2A is a lightweight, self-contained, infrared aiming light/illuminator. When zeroed to the weapon and activated, the AN/PEQ-2A projects an IR aiming dot or illuminates the target and is visible only with image intensifying night vision devices. The AN/PEQ-2A can be used as either a handheld illuminator/pointer or weapon-mounted with proper brackets/accessory mounts.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	85,210	0	23,288	22,986	11,157	0	14,100	######	0	850	0	0
AAO (FY17)	87,977		23,384	22,880	10,905	0	17,129	######	0	850	0	0
O/H	93,844	2713	20,313	21,085	9,310	488	12,353	9,558	0	17,755	0	0
Shortfall/Excess	8,634	2,713	-2,975	-1,901	-1,847	488	-1,747	######	0	16,905	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014478992	16	0%	0%	0%	0%	0%	100%	NO	NO	Yes	Yes	Yes	no	No	No	No	0	0	16
5855015345931	2697	0%	75%	0%	25%	0%	0%	NO	NO	No	No	No	yes	No	No	No	674	2023	0
5855015356166	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	Yes	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
100%	0%	0%	0%	0%

E1834 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1834: STAND MAINTENANCE A

The Stand, Maintenance, Automotive Power Train Assemblies is used to hold automotive power trains during repair or maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	31	0
AAO (FY17)	31	
O/H	20	0
Shortfall/Excess	-11	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	3	1	0	2	15	0	2	3	0
5	3	1	0	2	15	0	2	3	0
4	2	0	0	6	6	0	2	0	0
-1	-1	-1	0	4	-9	0	0	-3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910219200678	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1888 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1888: TANK, COMBAT, FT, 120MM GUN

The M1A1 is an improved version of the M1 Main Battle Tank. It includes a 120mm smoothbore main gun, an NBC overpressure protection system, and an improved armor package.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	469	33
AAO (FY17)	469	
O/H	455	15
Shortfall/Excess	-14	-18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
58	58	0	0	84	28	33	34	174	0
58	58	0	0	84	28	33	34	174	0
57	58	0	0	47	31	0	55	192	0
-1	0	0	0	-37	3	-33	21	18	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2350010871095	15	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	Y	No	0	15	0

Notes: All M1A1's be shipped directly to Anniston Army Depot (Anniston, Alabama) for refurb/repair. Disposition for PEI's will be established Armor deck removed. FUPP (full-up Power Pack) removed. V-Packs (air cleaners (three/3)) removed. Electrical connectors on FUPP and Tank Covered from water exposure. Air inlet on Tank covered. Final drives on Tank and FUPP covered. NO High pressure wash for crew compartment. No high pressure wash for main gun (interior) No high pressure wash for NBC seal (Turret and hull mate) All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	387	0	61.9

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1900: TELESCOPE, OBSERVATION W/EQUIP

The Telescope, Observation, M49 is an erect image instrument of the prism offset type, the image being erected by means of two prisms and magnified by the lenses in the eyepiece.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,270	270
AAO (FY17)	0	
O/H	3,685	27
Shortfall/Excess	1,415	-243

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
232	374	132	0	237	1,025	270	0	0	0
0	0	0	0	0	0	0	0	0	0
198	280	108	137	162	696	0	2,077	0	0
-34	-94	-24	137	-75	-329	-270	2,077	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650005300960	27	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	27

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E1906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1906: TEST SET, ELECT SYSTEM, DIRECT SUPPORT

The Test Set, Electronic, AN/USM-615 is made up of the Direct Support Electric Systems Test Set Shelter System. The Shelter is a Mobile Expandable Container Configuration of an International Standards Organization container.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	36	4	8	7	1	3	3	4	4	0	6	0
AAO (FY17)	45		10	10	3	3	5	4	4	0	6	0
O/H	24	2	4	3	0	1	2	6	0	2	4	0
Shortfall/Excess	-12	-2	-4	-4	-1	-2	-1	2	-4	2	-2	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625011200764	2	40%	0%	0%	60%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	1

Notes: No High Pressure wash.. Use compressed air (low pressure) for cleaning. All SL-3 components removed for/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	28	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1909 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1909: TEST SET, BORESIGHT COLLIMATOR

The Bore sight Collimator Test Set is used for testing and alignment of the bore sight collimator.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	8	5
AAO (FY17)	41	
O/H	48	0
Shortfall/Excess	40	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	5	3	0	0
9	9	7	0	8	0	5	3	0	0
2	1	0	0	0	1	0	37	7	0
2	1	0	0	0	1	-5	34	7	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855011333587	0	0%	0%	0%	0%	0%	100%	NO	NO	Y	No	No	No	No	No	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E1911 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1911: TEST SET, MISSILE GUIDANCE

A test set specifically designed for use in making examinations of a Missile Guidance Set.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	20	5
AAO (FY17)	55	
O/H	138	0
Shortfall/Excess	118	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	1	1	0	0	1	5	5	5	0
12	12	7	0	8	1	5	5	5	0
8	5	2	0	5	2	0	97	18	1
6	4	1	0	5	1	-5	92	13	1

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4935011475999	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	Yes	yes	No	I/P	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E1975 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1975: SIGHT, WEAPON, THERMAL, MEDIUM (MTWS) AN/PAS-13CV2

The AN/PAS-13D (V)2 Thermal Weapon Sight is a second generation FLIR for use on 240B & 249 MGs. The AN/PAS-13D (V)2 can be used to see in total darkness, in adverse weather conditions, and through battlefield smoke.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	8,829	1330
AAO (FY17)	8,556	
O/H	8,598	407
Shortfall/Excess	-231	-923

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,926	1,780	661	284	1,415	1,226	1,330	84	123	0
1,791	1,579	696	280	1,461	1,212	1,330	84	123	0
1,938	1,632	671	280	1,230	1,343	0	1,097	0	0
12	-148	10	-4	-185	117	-1,330	1,013	-123	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855013836558	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	No	Yes	yes	No	No	No	0	0	0
5855014643150	0	0%	0%	0%	0%	100%	0%	YES	NO	Yes	No	Yes	yes	No	No	No	0	0	0
5855014643152	181	0%	0%	0%	0%	0%	100%	YES	NO	Yes	No	No	yes	No	No	No	0	0	181
5855015244313	226	0%	25%	0%	75%	0%	0%	NO	NO	No	No	No	yes	No	No	No	170	56	0

Notes: Only the NSN ending in 4313 should be sent to the MEFs - all others should be sent to MCLC for either disposal or return to the Army. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1976 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1976: SIGHT, WEAPON, THERMAL, HVY (HTWS)

The AN/APS-13 Thermal Weapon Sight is a second generation FLIR for use on rifles, surveillance missions and shoulder-launched missiles. The PAS-13 can be used to see in total darkness, in adverse weather conditions, and through battlefield smoke.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	9,373	3216
AAO (FY17)	9,134	
O/H	7,762	148
Shortfall/Excess	-1,611	-3,068

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,529	1,512	796	278	1,135	606	3,216	91	210	0
1,452	1,340	779	272	1,198	576	3,216	91	210	0
1,640	1,556	868	293	1,010	647	0	1,600	0	0
111	44	72	15	-125	41	-3,216	1,509	-210	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014643151	62	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	yes	No	No	No	0	0	62
5855015244314	86	0%	25%	0%	75%	0%	0%	NO	NO	No	No	No	yes	No	No	No	64	22	0

Notes: Only the NSN ending in 4314 should be sent to the MEFs - all others should be sent to MCLC for either disposal or return to the Army. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E1978 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1978: SIGHT,THERMAL

The Long Range Thermal Sight is a sight specifically designed to utilize, for target display, the thermal energy radiated from a target or the difference between the thermal energy emanating from the target and its environment, respectively.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,736	4
AAO (FY17)	1,654	
O/H	1,628	15
Shortfall/Excess	-108	11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
368	304	133	180	335	132	4	280	0	0
331	253	117	180	357	132	4	280	0	0
317	308	155	241	297	117	0	178	0	0
-51	4	22	61	-38	-15	-4	-102	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015363532	15	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	No	15	0	0
5855145219283	0	0%	0%	0%	0%	100%	0%	NO	NO	Yes	Yes	Yes	No	Yes	No	No	0	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	0%	0%

E2070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2070: TOOL KIT, BORESIGHT, FIXTURE, ROCKET LAUNCHER

The Toolkit, Bore sight Fixture, MK-145 MOD 0, consists of special tools used by field maintenance personnel to perform maintenance and bore sight adjustments to the 83mm SMAW MK-150 MOD 0 Assault Rocket Launcher.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	126	19
AAO (FY17)	127	
O/H	189	1
Shortfall/Excess	63	-18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
31	26	8	5	20	9	19	0	6	2
30	26	10	5	20	9	19	0	6	2
32	26	8	4	11	15	0	84	6	2
1	0	0	-1	-9	6	-19	84	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4933015685726	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	1	0

Notes: TAMCN is not classified. No classified SSRI.Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E2208 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2208: TOOL KIT, ELECTRO-OPTICAL

The Tool Kit, E2208, is a general-purpose field and repair kit comprising various hand tools and accessories to aid in the repair of electronic and mechanical equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	50	0
Shortfall/Excess	50	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
8	8	3	2	19	0	0	0	10	0
8	8	3	2	19	0	0	0	10	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013821335	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes	No	No	No	No	No	No	0	0	0

Notes: TAMCN is not classified. No classified SSRI.Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	0%	100%	0%

E2231 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2231: TOOL & EQUIPMENT KIT, FLD ARTY F/M777

A group of items specifically designed to perform ordinance maintenance on field artillery weapons. It includes a limited quantity of common tools, such as wrenches or the like, and includes an assortment of specialized tools and equipment, such as pressure gages and testing outfit(s), purge pipes and adapters, spring compressor(s), chain puller(s) and the like.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	63	0
AAO (FY17)	59	
O/H	70	2
Shortfall/Excess	7	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	13	6	0	10	1	0	0	18	0
14	11	5	0	10	1	0	0	18	0
17	16	10	0	3	3	0	4	12	3
2	3	4	0	-7	2	0	4	-6	3

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015174962	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	2	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2235 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2235: TOOL KIT, INT MAINT

A group of items specifically designed to perform ordinance maintenance on field artillery weapons. It includes a limited quantity of common tools, such as wrenches or the like, and includes an assortment of specialized tools and equipment, such as pressure gages and testing outfit(s), purge pipes and adapters, spring compressor(s), chain puller(s) and the like.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3	0
AAO (FY17)	3	
O/H	21	1
Shortfall/Excess	18	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	3	0	0	0	0
0	0	0	0	0	3	0	0	0	0
3	4	3	0	0	4	0	1	4	1
3	4	3	0	0	1	0	1	4	1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015250194	1	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2650 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2650: TOOL KIT, HAND, NON-MAGNETIC

The MK 36 Tool set (Rigging and Digging) consists of an assortment of non-magnetic hand tools used to gain access to buried explosive ordnance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	65	0
AAO (FY17)	61	
O/H	69	0
Shortfall/Excess	4	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	4	3	3	15	0	0	15	5
8	8	4	3	3	15	0	0	15	5
9	13	11	6	1	13	0	2	11	3
-1	3	7	3	-2	-2	0	2	-4	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385011118220	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: All items return to the MEF. If unserviceable MEF will use to fill shortfalls in other kits.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2658 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2658: TOOL KIT, LAV, 3RD ECHELON

The Toolkit Third Echelon is used for maintenance on Light Armored Vehicles.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	32	2
AAO (FY17)	44	
O/H	16	0
Shortfall/Excess	-16	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	8	3	0	2	4	2	0	3	0
13	12	4	0	6	4	2	0	3	0
3	1	1	0	1	3	0	3	4	0
-7	-7	-2	0	-1	-1	-2	3	1	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180011762542	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Will be returned to Item Manager at LOGCOM, complete SL-3 gear.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2660 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2660: TOOL KIT, OM, LAV-25, 2D ECH

The Toolkit Second Echelon is used for maintenance on Light Armored Vehicles.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	44	3
AAO (FY17)	45	
O/H	34	0
Shortfall/Excess	-10	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	10	1	0	8	2	3	0	6	0
13	10	2	0	9	2	3	0	6	0
9	9	1	0	6	2	0	2	5	0
-5	-1	0	0	-2	0	-3	2	-1	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180011755559	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Will be returned to Item Manager at LOGCOM, complete SL-3 gear.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2929 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2929: TOOL KIT, FULL TRACK

The Tool Kit, Full Tracked Vehicle, Intermediate Maintenance, Third Echelon, is comprised of special tools, gages, and lifting devices required for mechanics use in third echelon field maintenance support of the vehicles.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	23	1
AAO (FY17)	26	
O/H	8	1
Shortfall/Excess	-15	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	0	0	0	2	1	0	12	0
4	4	1	0	2	2	1	0	12	0
2	3	0	0	1	0	0	1	0	0
-2	-1	0	0	1	-2	-1	1	-12	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180006746823	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2931 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2931: TOOL SET, M1A1 TANK, 4TH ECH,ORD MAINT KIT

The Tool Set, MlA1 Tank, Fourth Echelon, Ordnance is comprised of tools used by mechanics at the intermediate maintenance level in support of the M1A1 Battle Tank.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	0
AAO (FY17)	26	
O/H	12	1
Shortfall/Excess	-3	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	0	0	2	1	0	0	6	0
6	6	3	0	4	1	0	0	6	0
0	1	0	0	1	1	0	3	5	0
-3	-2	0	0	-1	0	0	3	-1	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013379983	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2932 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2932: TOOL SET, M1A1 HULL

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	0
AAO (FY17)	17	
O/H	13	0
Shortfall/Excess	-2	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	0	0	2	1	0	0	6	0
3	3	2	0	2	1	0	0	6	0
3	1	0	0	1	1	0	0	7	0
0	-2	0	0	-1	0	0	0	1	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013362879	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2933 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2933: TOOL SET, M1A1 TANK, 2D ECH

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	32	1
AAO (FY17)	32	
O/H	38	0
Shortfall/Excess	6	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	0	0	7	2	1	0	12	0
5	5	0	0	7	2	1	0	12	0
5	6	0	0	6	2	0	8	10	1
0	1	0	0	-1	0	-1	8	-2	1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013362880	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E2934 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2934: TOOL SET, M1A1 TANK, 3D ECH

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	24	2
AAO (FY17)	32	
O/H	14	1
Shortfall/Excess	-10	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	5	3	0	2	1	2	0	3	0
9	9	2	0	6	1	2	0	3	0
5	3	0	0	1	1	0	0	3	0
-3	-2	-3	0	-1	0	-2	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013362878	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E3018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3018: X-RAY APPARATUS,RAD

The Tool Set, X-Ray is a two-person man-portable, field worthy, filmless radiographic system utilizing the x-ray generator from the present MK 32 MOD 0/1 tool set (x-ray). It provides digital imaging, computerized image enhancement, storage of the internal features of IEDs. It is also capable of image transmission via datalink.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	36	0
Shortfall/Excess	36	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	4	3	17	0	5	0	0	6	0
1	4	3	17	0	5	0	0	6	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385012704670	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0
6635014495163	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes: Follow standard procedures

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E3021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3021: STANDOFF DISRUPTOR, IED (EOD)

The Tool Kit, IED is a Percussion Actuated Neutralization (PAN) device that utilizes specially designed 12 gauge ammunition to disrupt IEDs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	339	10	84	84	60	12	12	37	10	0	30	10
AAO (FY17)	323		76	76	60	12	12	37	10	0	30	10
O/H	295	1	83	77	65	15	2	31	0	1	10	10
Shortfall/Excess	-44	-9	-1	-7	5	3	-10	-6	-10	1	-20	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385014826168	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	Yes	1	0	0
1385015017546	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	Yes	0	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E3141 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3141: TOOL KIT, 2D ECH M88A2

The Tool Set, Field Maintenance, Second Echelon is comprised of special tools and test equipment utilized by maintenance personnel to perform tests, adjustments, and rebuild of components on the Recovery Vehicle, Full Tracked, M88A2.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	41	0
AAO (FY17)	46	
O/H	40	2
Shortfall/Excess	-1	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	7	0	0	7	1	0	0	18	0
8	8	2	0	9	1	0	0	18	0
11	6	0	0	5	1	0	1	14	0
3	-1	0	0	-2	0	0	1	-4	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014806998	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	No	2	0	0

Notes: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system for disposition .' If PEI does not meet above criteria; Item should be utilized for OPFOR T/E.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	540	0.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E3142 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3142: TOOL KIT, 3D ECH M88A2

The Tool Set, Field Maintenance Third Echelon is comprised of special tools and test equipment utilized by maintenance personnel to perform tests, adjustments, and rebuild of components on the Recovery Vehicle, Full Tracked, M88A2.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	20	2
AAO (FY17)	27	
O/H	13	1
Shortfall/Excess	-7	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	4	0	0	2	1	2	0	6	0
6	6	2	0	4	1	2	0	6	0
2	1	0	0	1	1	0	2	5	0
-3	-3	0	0	-1	0	-2	2	-1	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014806999	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	NO	No	1	0	0

Notes: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system for disposition .' If PEI does not meet above criteria; Item should be utilized for OPFOR T/E.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E3170 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3170: TOOL SET, WRENCH IMPACT

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	117	8
AAO (FY17)	106	
O/H	105	0
Shortfall/Excess	-12	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	19	10	0	16	3	8	0	36	3
17	17	6	0	16	3	8	0	36	3
19	13	10	0	8	3	0	21	28	3
-3	-6	0	0	-8	0	-8	21	-8	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180008934654	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	26	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E5002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E5002: TRAINER LAUNCHER F/LAWS

The AT-4, 84MM Shoulder Fired Rocket (M136) provides the Marine Corps with a fully functional, lightweight, man-portable, anti-armor weapon. The AT-4's warhead features behind-armor secondary effects. After the projectile penetrates the vehicle's armor protection, a high-pressure incendiary effect occurs. The Shoulder Launched, Multipurpose Assault Weapon (SMAW) Family of Items consists of four different 83mm rockets. Each of these rockets is launched through the Mod 0 SMAW Launcher. The SMAW Spotting Rifle is attached to the SMAW launcher and fires the spotting cartridges to mark the spot/trajectory of the rocket. The SMAW family includes HA34 (NE), HX05 (HEDP), HX06 (HEAA), and HX07 (Practice).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	966	1
AAO (FY17)	868	
O/H	3,124	0
Shortfall/Excess	2,158	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
285	261	76	30	228	85	1	0	0	0
256	207	76	30	213	85	1	0	0	0
294	274	60	30	223	183	0	2,060	0	0
9	13	-16	0	-5	98	-1	2,060	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1055014950009	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	Yes	No	No	No	No	0	0	0

Notes: Items should be sprayed with pressurized air and wiped down with a damp cloth to remove debris.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

E7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E7900: TOOL KIT, SMALL ARMS

Portable Tool Kit used by MOS 2111 personnel. Contains the hand-tools and devices used on a daily basis to perform maintenance on small arms & mortars.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,218	439
AAO (FY17)	2,183	
O/H	1,620	33
Shortfall/Excess	-598	-406

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
352	355	163	57	244	331	439	0	216	61
354	348	151	49	239	326	439	0	216	61
309	326	174	43	147	331	0	61	196	0
-43	-29	11	-14	-97	0	-439	61	-20	-61

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015045663	33	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	No	33	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

E7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E7901: ELECTRO-OPTICAL TOOL KIT

Tool Kit used by MOS 2171 Technicans to repair Electro-Optical weapon systems like night vision devices, weapon sights, & missle tracking sights.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	872	35	197	186	67	20	159	115	35	0	93	0
AAO (FY17)	1,032		255	227	108	17	182	115	35	0	93	0
O/H	1,133	14	201	192	85	20	94	117	0	311	99	0
Shortfall/Excess	261	-21	4	6	18	0	-65	2	-35	311	6	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015766593	14	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	No	14	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	0%	100%	0%	0%

j0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN j0006:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	121	36
Shortfall/Excess	121	36

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
18	3	0	27	0	4	0	33	0	0
18	3	0	27	0	4	0	33	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015066219	36	0%	0%	0%	0%	100%	0%	NO	NO		No	Yes					0	36	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

u0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN u0013:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	83	0
Shortfall/Excess	83	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
5	5	7	0	2	0	0	57	7	0
5	5	7	0	2	0	0	57	7	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
9515015630360	0	0%	100%	0%	0%	0%	0%	NO	NO		No	Yes	yes				0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2748	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

u0014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN u0014:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	156	0
Shortfall/Excess	156	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
9	6	17	2	3	0	0	98	21	0
9	6	17	2	3	0	0	98	21	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2540015633905	0	0%	100%	0%	0%	0%	0%	NO	NO		No	Yes					0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	350	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%

u0016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN u0016:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	66	0
Shortfall/Excess	66	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	1	4	0	2	0	0	57	0	0
2	1	4	0	2	0	0	57	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Obsolete	EDA	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015788145	0	0%	100%	0%	0%	0%	0%	NO	NO		No	Yes	yes		Y		0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED -Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*FMS CANDIDATES*
0%	100%	0%	0%	0%