Ground Equipment Reset Playbook

August 14, 2013

Version 20130814

1

A8032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8032: SECURITY EQP, SPEECH, TACT, HALF-DUP, W-B AIRBORNE

The Speech Security Equipment (VINSON), TSEC/KY-58-2, -58-3, -58-4, and -58-5 are members of the VINSON family. The VINSON family co[illegible] of Wide Band Secure Voice (WBSV) units developed by the National Security Agency to provide line of sight half-duplex voice an[illegible] encryption at 16 kbps. The TSEC/KY-58-2, -58-3, -58-4, and -58-5 provides security for AM/FM, VHF, UHF, half-duplex Public Te[illegible]e and Telegraph combat net radios and tactical wireline systems when used with the HYX-57.

A

Representative Picture

TF SMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

B C D

	Total	OEF
[illegible]AO (FY13)	1,134	0
[illegible]AO (FY17)	951	
O/H	1,435	51
Shortfall/Excess	301	51

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
247	263	206	0	253	141	0	0	24	0
219	231	178	0	158	141	0	0	24	0
177	182	122	0	219	114	0	546	24	0
-70	-81	-84	0	-34	-2[illegible]	0	[illegible]	0	0

B C D

Reset Strategy & Plan (Product Group: 12)

A

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	Forecasted Categories CAT I	CAT II	CAT III
5810004490[illegible]	51	0%	75%	0%	25%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	51	0

E

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon [illegible]stem non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items [illegible]turn through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

3

R2 Distribution Plan

A

Equipment Assessment Information

[illegible]	Mission Capable	then	MCLC
[illegible]	Not Mission Capable MEF	then	MCLC
if	Not Mission Capable	then	MCLC
if	Condemned	then	MCLC

B

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
[illegible]	

C

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD[illegible]

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

E

[illegible] TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

F

☐ [illegible]sitive ☑ CCI

☑ Multi-Modal

☐ Associated TAMCNs (See Appendix)

☐ Sensitive Associated TAMCNs (see Appendix)

Forecasted Reset Strategy for Distribution

D

[illegible]SSESSMENT REQUIRED - Send to MCLC (FWD)	MCLC (FWD) FFT MCLC	MEFS	UNIT DRMO via DLA-DS	EDA	FMS CANDIDATES
0%	100%	0%	0%	0%	0%

Description of Playbook Contents:

1. **Strategic View of Equipment:** Provides general information on the equipment

   A. Identifies whether the TAMCN is listed on MARES/MEE/ MEF Top 50
   B. Requirements Data is from TFSMS.
   C. O/H Data from TLCM-OST.
   D. Shortfall/Excess is calculated as the difference between the O/H and AAO's. This shows the relative health of the enterprise for this item.

2. **Reset Strategy & Plan:** Provides information on reset strategies and forecasted categories for Equipment in OEF. Items A through C are collected from MCSC. The forecasted categories were calculated from the information provided.

   A. If there are multiple variants of a specific TAMCN in OEF, they are broken out by NSN along with their quantities. The cumulative quantity of the O/H at the NSN level matches with the total O/H from TLCM-OST April 2013 TAMCN data.
   B. Reset strategies broken down by NSN. These strategies represent best estimates of the level of repair necessary to reset the equipment.
   C. Identifies additional attributes of the item.
   D. Forecasted categories were calculated using: (1) the reset strategies to estimate the condition of the equipment when it returns to CONUS and (2) the forecasted final distribution information that was provided by MCLC. In this example we can see that two pieces of equipment are selected to fill shortfalls at I MEF but are predicted to require depot level maintenance, and therefore they will become CAT II.
   E. General information pertaining to reset of the item.

3. **Operational View of the R2 Distribution Plan:**

   A. LTI Disposition Information should be used to determine disposition instructions once a condition assessment of the item is performed. It is possible that once performed, the LTI will suggest a disposition that is different from the forecasted categories due to estimation error in the reset strategies.
   B&C. Lift criteria and transportation information that shows options for lift out of theater.
   D. Forecasted final distribution provided by MCLC from the Equipment Sourcing Tool (EST).
   E. Shows the footprint of the item.
   F. Shows constraints for this piece of equipment during transport to CONUS. If the Item has associated TAMCNs, the user is instructed to go to the appendix, where more specific information will be displayed.

RESET PLAYBOOK UPDATES

- Update TFSMS AAO Requirements (data pull on 8 August 2013)

- Utilizing the Net Asset Posture (NAP) Data to articulate On Hand equipment quantities in OEF (12 August 2013), the following DODAACs were included:

M95102	M95202	M95321	M95200	M94456	M95307	MMX800	M95120
M95107	M95305	M95124	MX4004	M95314	M94169	MMX180	M95040
M95114	M95312	MX4002	M94451	MMFAF8	M94206	M95304	M94485
M95116	M95317	M95201	M95123	MMX4GG	MMX170	M95310	

- TAMCNs removed from the playbook at the request of SYSCOM:

A0100	A0183	A0184	A0186	A0187	A0188	A0189	A0193
A7100	A7200	A7201	A7202	A7203	A7204	A7205	A7206

USMC Assests in OEF Available for Transfer
Current as of 8 Aug 13

TAMCN	NSN	Nomenclature	Who is the PICA?	PMO	Divesture	Determination	Standard Unit Price	Depreciated Value Condition Code A	Depreciated Value Condition Code B - D	On Hand Quantity at OEF MAGTF	On Hand Quantity at R40G	On Hand Quantity at MCLC (FWD)	Quantity Immediately Available for Divesture	30 Days	90 Days	180 Days	360 Days
A0007	5820015313493	MULTI-BAND MANPACK	Army	23	Yes	Obsolete	$43,000.00	$17,200.00	$12,900.00	5							
A0007	5895015624190	MULTI-BAND MANPACK	Army	23	Yes	Obsolete	$33,664.00	$13,465.60	$10,099.20	1							
A0350	6350015910219	DETECTION SYSTEM,WE	Army	DC SIAT	Yes	Obsolete	$6,500.00	$2,600.00	$1,950.00	3							
A0910	5895090004307	BASE STA WRKSTA COM	Marine Corps	PMMI	Yes	Obsolete	$9,277.00	$3,710.80	$2,783.10	1							
A0932	7010014600494	INTEL OPS WS REFRES	Marine Corps	23	Yes	Obsolete	$30,000.00	$12,000.00	$9,000.00	19							
A2042	5820014787615	AN/PRC-1388(V)1	Marine Corps	23	Yes	Obsolete	$17,000.00	$6,800.00	$5,100.00	4							
A2169	5820012685105	AN/VRC-90A	Army	23	Yes	Obsolete	$13,178.00	$5,271.20	$3,953.40	4							
A3200	2330002154211	TRAILER,MAINTENANCE	Army	23	Yes	Obsolete	$903.00	$361.20	$270.90	1							
A7103	6720015150429	PUBLIC AFFAIRS STIL	Marine Corps	23	Yes	Obsolete	$22,100.00	$8,840.00	$6,630.00	1							
A7104	5836015425653	VISUAL INFORMATION	Marine Corps	23	Yes	Economical	$11,000.00	$4,400.00	$3,300.00	3							
A7204	5895015707690	PUBLIC AFFAIRS NEWS	Marine Corps	23	Yes	Economical	$110,200.00	$44,080.00	$33,060.00	2							
A9003	5865015335336	BLUE FORCE TRACKING	Army	23	Yes	Obsolete	$16,000.00	$6,400.00	$4,800.00	19							
B0033	2320015322159	Cougar CAT II JERRV- ENG	Marine Corps	PM MRAP	Yes	Obsolete	$637,246.00	$254,898.40	$191,173.80	2							
B0035	2355015811171	BUFFALO MK III	Marine Corps	PM MRAP	Yes	Obsolete	$470,000.00	$188,000.00	$141,000.00	6							
B0035	2355015316425	BUFFALO MK II A1	Marine Corps	PM MRAP	Yes	Obsolete	$470,000.00	$188,000.00	$141,000.00	6		1	1				
B0049	4130015629914	REFRIGERATION SYSTE	Marine Corps	31	Yes	Economical	$33,300.00	$13,320.00	$9,990.00	5							
B0058	2590015536517	MINE ROLLER SYSTEM	Marine Corps	31	Yes	Excess	$23,915.00	$9,566.00	$7,174.50	16	11		11				
B0058	2590015794990	MINE ROLLER SYSTEM	Marine Corps	31	Yes	Excess	$45,000.00	$18,000.00	$13,500.00	349	73		73				
B0091	2910015879196	TANK,FUEL,PORTABLE	Army	31	Yes	Obsolete	$85,514.00	$34,205.60	$25,654.20	5							
B0105	6665151952879	METAL DETECTOR	Marine Corps	31	Yes	Obsolete	$3,600.00	$1,440.00	$1,080.00	699	69		69				
B1291	4230014921540	DECONTAMINATING APP	Marine Corps	13	Yes	Obsolete	$16,000.00	$6,400.00	$4,800.00	22							
B1320	9905011867253	MARKING SET, MINEFIELD	Marine Corps	31	Yes	Obsolete	$2,296.34	$918.54	$688.90		1		1				
B1645	4110014689792	ENHANCED REFRIGERAT	Marine Corps	31	Yes	Obsolete	$5,500.00	$2,200.00	$1,650.00	3							
B1710	4110011079078	REFRIGERATOR,PREFAB	Marine Corps	31	Yes	Obsolete	$6,387.00	$2,554.80	$1,916.10	5							
B2127	3830015042618	SWEEPER,ROTARY,VEHI	Marine Corps	31	Yes	Excess	$130,000.00	$52,000.00	$39,000.00	5							
B2130	5430015405357	TANK,WATER,3000 GAL	Army	31	Yes	Environmental	$1,796.00	$718.40	$538.80	38							
B2131	4610011207526	CONNECTION KIT,TANK	Army	31	Yes	Economical	$5,656.00	$2,262.40	$1,696.80	4							
B2133	4610011406775	CONNECTION SET,HOSE	Army	31	Yes	Economical	$1,515.00	$606.00	$454.50	3							
B2134	4610011406776	CONNECTION SET,HOSE	Army	31	Yes	Economical	$1,515.00	$606.00	$454.50	3							

TAMCN	NSN	Nomenclature	Who is the PICA?	PMO	Divesture	Determination	Standard Unit Price	Depreciated Value Condition Code A	Depreciated Value Condition Code B - D	On Hand Quantity at OEF MAGTF	On Hand Quantity at R40G	On Hand Quantity at MCLC (FWD)	Quantity Immediately Available for Divesture	30 Days	90 Days	180 Days	360 Days
B2135	4610011207522	INTERCONNECTION KIT	Army	31	Yes	Economical	$3,156.00	$1,262.40	$946.80	4							
B2136	4610011237705	CONNECTION KIT,HOSE	Army	31	Yes	Economical	$1,480.00	$592.00	$444.00	1							
B2139	4320011207524	CONNECTION KIT,PUMP	Army	31	Yes	Economical	$833.00	$333.20	$249.90	8							
B2410	5180014280959	TOOL KIT M9 ACE ORG	Marine Corps	31	Yes	Obsolete	$3,134.54	$1,253.82	$940.36	1	1		1				
B2420	5180014292683	TOOL KT M9 ACE INTE	Marine Corps	31	Yes	Obsolete	$4,503.42	$1,801.37	$1,351.03	1	1		1				
C0005	5895015314671	PERS,BACKSCATTER IM	Army	23	Yes	Obsolete	$123,000.00	$49,200.00	$36,900.00	10							
D0016	2330013875426	Trailer, Light Tactical Cargo, 1 1/4 Ton M1102H	Army	PEO LS	Yes	Economical	$8,954.00	$3,581.60	$2,686.20	5							
D0017	2330015435794	Trailer, Light Tactical Cargo, 1 1/2 Ton M1102	Army	PEO LS	Yes	Economical	$7,925.00	$3,170.00	$2,377.50	1							
D0023	2355015831029	MINE RESISTANT VEHI Ambulance	Marine Corps	PM MRAP	Yes	Excess	$689,000.00	$275,600.00	$206,700.00			2	2				
D0025	2355015525565	MINE RESISTANT VEHI CAT I A1	Marine Corps	PM MRAP	Yes	Excess	$610,764.00	$244,305.60	$183,229.20	26		9	9				
D0025	2355015798929	MINE RESISTANT VEHI CAT I A2 W/ISS	Marine Corps	PM MRAP	Yes	Excess	$705,421.00	$282,168.40	$211,626.30	42	2	1	3				
D0025	2355015812392	MINE RESISTANT VEHI CAT I A1 W/ISS	Marine Corps	PM MRAP	Yes	Excess	$705,421.00	$282,168.40	$211,626.30	323	26	35	61				
D0025	2355015643420	MINE RESISTANT VEHI CAT I A2	Marine Corps	PM MRAP	Yes	Excess	$612,256.00	$244,902.40	$183,676.80	5		1	1				
D0027	2355015292246	Cougar Cat II JERRV - EOD	Marine Corps	PM MRAP	Yes	Obsolete	$300,000.00	$120,000.00	$90,000.00	1							
D0027	2355015798920	Cougar Cat II A2 W/ISS	Marine Corps	PM MRAP	Yes	Excess	$879,875.00	$351,950.00	$263,962.50	4							
D0027	2355015798931	Cougar Cat II A1 W/ISS	Marine Corps	PM MRAP	Yes	Excess	$432,954.59	$173,181.84	$129,886.38	92		3	3				
D0036	2355015961330	MRAP All-Terrain Vehicle (M-ATV)	Marine Corps	PM MRAP	Yes	Excess	$575,000.00	$230,000.00	$172,500.00	230	39	9	48				
D0040	2355015891279	MINE RESISTANT VEHI CAT I A1 Saber/TOW	Marine Corps	PM MRAP	Yes	Excess	$745,421.00	$298,168.40	$223,626.30	3		3	3				
D1001	2310013723934	TRUCK,AMBULANCE	Army	PEO LS	Yes	Obsolete	$74,168.00	$29,667.20	$22,250.40	1							
E0051	1005070001255	RIFLE 5.56 MK 12	Army	13	Yes	Obsolete	$2,000.00	$800.00	$600.00	1							
E0139	6650010630035	BORESCOPE	Marine Corps	13	Yes	Obsolete	$11,416.00	$4,566.40	$3,424.80	3							
E0311	1005014586235	RIFLE,7.62 MILLIMET	Marine Corps	13	Yes	Obsolete	$1,495.00	$598.00	$448.50	7							
E1798	5855014478992	ILLUMINATOR,INFRARE	Army	13	Yes	Obsolete	$1,014.00	$405.60	$304.20	5							
									Total:	**2,008**	**223**	**64**	**287**				

A0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0003: TRSS DAY/NIGHT IMAGER, V2 (IMAGER 2)

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	554	0
AAO (FY17)	605	
O/H	482	0
Shortfall/Excess	-72	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
153	153	102	0	102	44	0	0	0	0
153	153	102	0	153	44	0	0	0	0
193	183	93	0	2	5	0	6	0	0
40	30	-9	0	-100	-39	0	6	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015218616	0	40%	0%	0%	35%	25%	0%	NO	NO	No	Yes	No	yes	No	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0004: PARTS KIT, ELECTRONIC EQUIPMENT

The Parts Kit, Electronic Equipment provides printed circuit boards and termination cards to vary functional and performance capabilities and for maintenance of switchboard, telephone SB-3614(V)/TT.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5999010321692	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0007: MULTI-BAND MANPACK RECIEVER (ROVER III)

The ROVER displays digital images of threats received from the UAV/RAVEN (Unmanned Aerial Vehicle).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	107	6
Shortfall/Excess	107	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
10	7	0	5	7	5	0	67	0	0
10	7	0	5	7	5	0	67	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015313493	5	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	5
5895015624190	1	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	1

Notes: DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is Capt. Steven M. Stepanic PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0008: SATELLITE COMMUNICATION SUBSYSTEM

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	44	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	-44	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	14	6	0	9	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-15	-14	-6	0	-9	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015313135	0	0%	0%	0%	0%	0%	100%	TBD	TBD	No	No	No	No	No	No	0	0	0
5895015766176	0	0%	0%	0%	0%	0%	100%	NO	TBD	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0009: CONVERTER, MODEM

The Converter, Modem, CV-3591(P)/U provides high quality secure voice and data transmission capability for tactical and strategic military users.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	256	0
AAO (FY17)	0	
O/H	404	12
Shortfall/Excess	148	12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
57	57	45	0	49	48	0	0	0	0
0	0	0	0	0	0	0	0	0	0
42	30	44	0	30	26	0	220	0	0
-15	-27	-1	0	-19	-22	0	220	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895012509557	12	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	12	0	0
5895012527359	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Remove CCI and ship separately.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0012 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0012: CHARGER, BATTERY (SOLDIER PORTABLE CHARGER)

The Soldier Portable Charger is a state of the art portable battery charger designed for field or depot use.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,981	0
AAO (FY17)	2,939	
O/H	4,484	68
Shortfall/Excess	1,503	68

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
576	550	346	299	541	268	0	0	323	78
541	494	353	299	497	254	0	0	356	145
671	720	396	293	664	315	0	873	341	143
95	170	50	-6	123	47	0	873	18	65

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130014952839	68	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	34	0	34
6130014997305	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0013: THEATER BATTLE MANAGEMENT CORE SYSTEM (TBMCS)

TBMCS is comprised of a host system located in the Tactical Air Command Center with remotes located throughout the MAGTF.

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	12	0
AAO (FY17)	12	
O/H	6	1
Shortfall/Excess	-6	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	1	0	1	8	0	0	0	0
1	1	1	0	1	8	0	0	0	0
1	1	1	0	1	1	0	0	0	0
0	0	0	0	0	-7	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015346283	1	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	1

Notes: Send to MCLC and WIR for transport to Idaho Falls - attempt to salvage whatever possible. Harddrives are sensitive - need to be destroyed/removed before shipping (PEOLANT SYSTEM)

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0015: WORKSTATION, CAPABILITY, VIDEO EXPLOITATION

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	210	0
AAO (FY17)	205	
O/H	148	2
Shortfall/Excess	-62	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
52	51	27	48	30	2	0	0	0	0
50	47	27	48	31	2	0	0	0	0
38	36	18	35	8	6	0	5	0	0
-14	-15	-9	-13	-22	4	0	5	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836090004317	2	50%	0%	0%	30%	20%	0%	NO	NO	No	Yes	No	No	Yes	No	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0019: TROPO/SATELLITE SPT RADIO

The Tropo/Satellite Support Radio (TSSR), AN/GRC-239, is a full duplex LOS microwave radio designed for quick deployable military applications. The TSSR is used with almost all existing TRI-TAC equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	169	0
AAO (FY17)	0	
O/H	298	0
Shortfall/Excess	129	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
45	45	26	0	39	14	0	0	0	0
0	0	0	0	0	0	0	0	0	0
39	56	14	0	31	18	0	140	0	0
-6	11	-12	0	-8	4	0	140	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820013788778	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	Yes	0	0	0

Notes: This item is an UUNs - Use until exhausted. Use no water. Clean radios and components in accordance with technical manuals. Cleaning instructions can be found in the Tech Manual - TO 31R2-2GRC239-1

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0021: COMM DATA LINK SYTEM (CDLS)

The AN/TYQ-101A is a modular suite of Commercial-Off-The-Shelf (COTS) and Government-Off-The-Shelf (GOTS) computer and communications equipment that is mounted in a Light Weight Multipurpose Shelter (LMS), mounted on a Heavy Variant-High Mobility Multipurpose Wheeled Vehicle (H-HMMWV). The AN/TYQ-101A is an automated interface system, which provide ground and correlated air situation display using information received from multiple intelligence, (Deployable Common Ground Station, etc.) and operation (E-3A, E-2C, Air Operations Center, Control and Reporting Center, etc.) sources.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	8	0
AAO (FY17)	8	
O/H	7	1
Shortfall/Excess	-1	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	0	0	0	0	0
2	2	2	0	2	0	0	0	0	0
1	2	2	0	1	0	0	0	0	0
-1	0	0	0	-1	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015128683	1	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4.4

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0025: COMMUNICATIONS PLATFORM, AIR DEFENSE (ADCP)

The AN/MSQ-124 is composed of radio and computer equipment housed in a Lightweight Multipurpose Shelter, mounted on a heavy High Mobility Multipurpose Wheeled Vehicle. The AN/MSQ-124 is powered by a towed generator. The AN/MSQ-124 receives Tactical Ballistic Missile (TBM) data from the AN/TPS-59(V)3 radar and performs a TBM Reporting Responsibility function on the TADIL-J network. The AN/MSQ-124 also distributes Air Breathing Threat data to Short Range Air Defense units. The AN/MSQ-124 possesses an organic voice communications capability via radios and telephones.

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	14	0		3	3	2	0	3	3	0	0	0	0
AAO (FY17)	14			3	3	2	0	3	3	0	0	0	0
O/H	13	2		2	1	2	0	3	3	0	0	0	0
Shortfall/Excess	-1	2		-1	-2	0	0	0	0	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1430014079647	2	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	1	1	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	221	0	6.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0026 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0026: RADIAC SET

The AN/PDR-77 RADIAC Set is a set of portable radiation detection equipment used for detecting Alpha, Beta/Gamma, and X-ray radiation.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	734	0	216	235	152	10	106	15	0	0	0	0
AAO (FY17)	713		204	207	151	10	126	15	0	0	0	0
O/H	195	9	0	69	0	0	0	24	0	93	0	0
Shortfall/Excess	-539	9	-216	-166	-152	-10	-106	9	0	93	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665013476100	9	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	9	0

Notes: Must come back to LOGCOM to LTI and calibration

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0028: BIOMETRICS AUTOMATED TOOLKIT (BAT-CLIENT)

This is the Biometric Automated Toolset (BAT). BAT collects fingerprints, iris scans, facial photos and biographical information of persons of interest into a searchable data base.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	98	0
AAO (FY17)	98	
O/H	223	0
Shortfall/Excess	125	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	98	0	0	0	0
0	0	0	0	0	98	0	0	0	0
0	0	0	0	0	0	0	148	0	0
0	0	0	0	0	-98	0	148	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895070001280	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	0	0
9999015314667	0	0%	0%	0%	0%	100%	0%	YES	NO	No	Yes	No	No	No	Yes	0	0	0

Notes: This is the UUNs for the IDS program. Items will be sent to MCLC until there is a requirement registered in TFSMS. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. ARMY NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

A0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0030: COMMAND SYSTEM,TACT

is a Mine Resistant Ambush Protected (MRAP) Cougar-based, on-the-move, beyond line-of-sight, command and control (C2) system.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2	2
Shortfall/Excess	2	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015799992	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	Yes	0	2	0

Notes: SEND TO MCLC TO THEN HAVE SENT TO SSE LANT SPAWAR. Currently there are three (3) M2C2 systems fielded to OEF in support of UUNS to fulfill capability gaps. M2C2 is a theater asset. System consist of one (1) A0030, four (4) A0386, thirteen (13) A0324 and one (1) Tactical Entry Point (TEP). Systems 2 & 3 fielded TEP A0325. System 1 fielded TEP ****

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0042: DIGITAL STILL CAMERA SUITE, ADVANCED

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	190	0	29	30	25	48	46	12	0	0	0	0
AAO (FY17)	182		27	26	24	48	45	12	0	0	0	0
O/H	144	1	15	15	9	58	23	19	0	4	0	0
Shortfall/Excess	-46	1	-14	-15	-16	10	-23	7	0	4	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720090004308	1	60%	0%	0%	30%	10%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0043: POSITION LOCATION INDICATOR (MTX)

This is an MTX, DoD Blue Force Tracking (BFT) System that gives commanders the ability to track and receive position location information from dismounted teams and vehicles equipped with the devices. This system employs the COBRA architecture by coordinating with national system managers and war fighting units to collect, process, and disseminate operational BFT data.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	102	0
Shortfall/Excess	102	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	85	0	0	0	17	0	0
0	0	0	85	0	0	0	17	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015322062	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A0045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0045: POWER MODULE

The power electronic module provides the physical containment for several power components, usually Power semiconductor devices. The power module provides an easy way to cool the devices and to connect them to the outer circuit.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	6	0
Shortfall/Excess	6	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	6	0	0
0	0	0	0	0	0	0	6	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130015322591	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	Yes	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Disposal Plan is to be developed and published in the near term. Item exit date has expired and will not be extended.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A0047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0047:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	93	0
AAO (FY17)	93	
O/H	33	2
Shortfall/Excess	-60	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
25	26	22	2	17	0	0	1	0	0
26	27	19	2	18	0	0	1	0	0
12	13	6	0	0	0	0	0	0	0
-13	-13	-16	-2	-17	0	0	-1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411015870839	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	UNK	Yes	UNK	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0057: ANTENNA MAST KIT

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)		
AAO (FY17)		
O/H	0	0
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5985011812593	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	24	0	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0059: DIGITAL TERRIAN ANALYSIS MAPPING SYSTEMS LIGHT

The DTAMS-L is an Intel-based portable system that runs the Windows XP Professional operating system. Its role is to augment the DTAMS configuration. The deployable workstation provides geospatial intelligence analysis capabilities for small unit operations in a defined area of interest. The DTAMS-L hosts an internal 120GB hard drive and an external drive yielding approximately 2TB of available on-line storage. Each DTAMS-L is supplied with an additional internal and external HDD to be used for classified processing. Backup and archival storage is available through the use of a FDD and a DVD +/- R/RW.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	67	0	16	17	9	14	3	8	0	0	0	0
AAO (FY17)	79		16	17	9	14	15	8	0	0	0	0
O/H	36	1	7	12	6	8	0	2	0	0	0	0
Shortfall/Excess	-31	1	-9	-5	-3	-6	-3	-6	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675090004321	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: This system is on schedule to be refreshed 100% in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment. No longer procurable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0060: AN/TSQ-179B V2 Joint Services Work Station

JSTARS CGS-type capability without High Mobility Multi-Purpose Wheeled Vehicle and organic communications equipment:. Same H/W and S/W architecture. Supports all CGS sensor interfaces and CGS communications links. Transportable in Integrated Transit Cases

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	7	0
AAO (FY17)	9	
O/H	5	0
Shortfall/Excess	-2	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	1	0	0	2	0	0	0	0
2	2	1	0	2	2	0	0	0	0
2	2	1	0	0	0	0	0	0	0
0	0	0	0	0	-2	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865090004327	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: DO NOT POWER WASH THE TRANSIT CASES. The transit cases contain sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1935	0.5

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0061: TACT ELEVATED ANTENNA MAST SYS (TEAMS)

The Tactical Elevated Antenna Mast System (TEAMS) is an independent antenna mast system designed to support various LOS antenna systems. TEAMS has the ability to be towed by a HMMWV on a trailer or transported on top of a HMMWV (M998, M1123, M1165) using an installed roof rack assembly.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	594	0	146	142	100	0	117	26	0	0	63	0
AAO (FY17)	522		135	126	92	0	80	26	0	0	63	0
O/H	763	22	171	155	97	0	81	34	0	149	54	0
Shortfall/Excess	169	22	25	13	-3	0	-36	8	0	149	-9	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5985015494609	5	100%	0%	0%	0%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	5
5985015678104	17	100%	0%	0%	0%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	17

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	1.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0067: HIGH FREQUENCY VEHICLE SYSTEM

The AN/MRC-148 provides 150 watts PEP/average in the HF portion of the frequency range and 60 watts PEP/average for the VHF portion of the frequency range in a mobile configuration.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,100	0
AAO (FY17)	1,137	
O/H	1,514	3
Shortfall/Excess	414	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
282	259	167	0	207	47	0	0	138	0
302	262	174	0	221	40	0	0	138	0
256	255	156	0	151	51	0	483	159	0
-26	-4	-11	0	-56	4	0	483	21	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015336762	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	yes	No	No	3	0	0

Notes: Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. Conduct all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting. Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS rep will be contacted.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	114	0	5

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0068: RADIO SET, TACTICAL LONG HAUL DIGITAL LINK-11, AN/GRC-256

The AN/GRC-256 Radio Set consists of a Digital HF/SSB Transceiver (RT-9000) and a Solid State 500 Watt Linear Power Amplifier (LPA-9500). Both the RT and the LPA with selected EPROMS make them Marine Corps unique items. The RT-9000 is capable of providing communications from 1.6 to 29.99999 MHz transmit and 100 kHz to 29.99999 MHz receive.

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	26	0
AAO (FY17)	26	
O/H	22	0
Shortfall/Excess	-4	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	4	0	4	10	0	0	0	0
4	4	4	0	4	10	0	0	0	0
3	3	4	0	3	8	0	0	0	0
-1	-1	0	0	-1	-2	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015340006	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Owning unit will remove SSRI, UURI, radios, and crypto equipment and coordinate with program office and item manager for item to be sent through IROAN/SLEP and rebuild at depot. Any missing or damaged SSRI, UURI, radios, and crypto will be repaired/replaced through organic or depot maintenance cycle as appropriate. DO NOT POWER WASH. Radio contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0069: RADIO SET

The AN/VRC-111 Dual Vehicle Adapter (DVA) consists of two MBITR radios, two MBITR Vehicle Adapters, and a standard SINCGARS interface tray. The MBITR provides troops with multiband secure communications. The vehicle adapter provides 20 watts of RF power amplification across the full 30-512

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	278	0		0	0	0	234	0	44	0	0	0	0
AAO (FY17)	242			0	0	0	234	0	8	0	0	0	0
O/H	345	0		0	8	1	165	0	43	0	128	0	0
Shortfall/Excess	67	0		0	8	1	-69	0	-1	0	128	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015360983	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	0	0

Notes: Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0079: TCWS

TCWS provides an expedient capability based on modern technologies including server virtualization, storage arrays and storage networks, portal/asynchronous and synchronous collaboration, systems management, replication, backup and restoration, and Enterprise Services Management features.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	86	0
AAO (FY17)	79	
O/H	32	0
Shortfall/Excess	-54	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	24	21	0	13	4	0	0	0	0
22	22	18	0	13	4	0	0	0	0
0	18	11	0	2	1	0	0	0	0
-24	-6	-10	0	-11	-3	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7035015385759	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	Yes	0	0	0

Notes: This TAMCN should be sent to the MEFs to fill any home station shortfalls. MEFs should use the A0079 until 2nd Qtr FY12 when the replacement TAMCN, A0342 is fielded. A0079 is warranteed. If warranty expires and no longer supportable, owning commands will request local disposal.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0081: RADIAC SET

The AN/UDR-13 RADIAC Set is a portable radiation detector used for detecting neutron/gamma radiation dose and gamma dose rate. The set is a miniaturized radiacmeter that can be carried in a Marine's pocket.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	10,227	0
AAO (FY17)	9,685	
O/H	562	29
Shortfall/Excess	-9,665	29

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3,104	3,119	1,532	156	2,113	203	0	0	0	0
2,878	2,692	1,586	177	2,176	176	0	0	0	0
0	51	0	0	0	54	0	428	0	0
-3,104	-3,068	-1,532	-156	-2,113	-149	0	428	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665014071237	29	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	29	0

Notes: Needs to come back to LOGCOM to LTI and calibrate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0082: PORTABLE AUTONOMOUS REPORTS COLLECTION SYSTEM

The Portable Autonomous Reports Collection System (PARCS), 2000R is a stand-alone test tool, which allows radar technical personnel to collect, analyze, and play back radar data. PARCS supports Marine Air Control Squadron Radar and Tactical Data Systems.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	13	0
AAO (FY17)	13	
O/H	22	1
Shortfall/Excess	9	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	1	0	2	6	0	0	0	0
2	2	1	0	2	6	0	0	0	0
2	2	2	0	1	4	0	10	0	0
0	0	1	0	-1	-2	0	10	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014118466	1	0%	0%	0%	25%	75%	0%	NO	NO	No	Yes	No	No	No	No	1	0	0

Notes: No wash down. Unit normally remains in environmentally controlled shelter. Item is Test Equipment/Computer Kit. Potentially sensitive information on the hard drive.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

A0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0086: SHOP EQUIPMENT,CONT

Contact maintenance vehicle for the Avenger System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940013982615	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: It was basically a mobile workshop (HMMWV with a Gitchner Shelter) to repair mechanical and electronic components of the Avenger system. This system was taken out of the OpFors years ago. The TAMCN needs to be archived and done away with. Problem is that the net asset posture shows 2 - one at II MEF and one in the War Reserve. This has to go away before TFSMS will let it be archived. By rights of anti-air weapons, the GBAD folks would own this. I suggest we turn it over to the TFSMS support contracts that work for AC LCL and let them get rid of it for us.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	3.7

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0090 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0090: TRANSPORTABLE GROUND RECEIVE SUITE, ENHANCED

GBS provides the capability to quickly disseminate large amounts of information to Marine Air Ground Task Forces.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	118	0
AAO (FY17)	116	
O/H	95	7
Shortfall/Excess	-23	7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
21	22	18	28	17	12	0	0	0	0
21	21	18	28	16	12	0	0	0	0
16	9	17	13	12	12	0	9	0	0
-5	-13	-1	-15	-5	0	0	9	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015306497	7	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	7	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. All four cases should be shipped as a set/complete end item. There are 3 computers per GBS. So, receiving unit may be required to purchase 3 new Hard Drives at a cost of $593.36 per hard drive. MILAIR is the preferred form of shipment. Remove CCI before DRMO.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	0.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0091: VIDEO SCOUT REMOTE VIDEO EXPLOITATION UNIT

Video Scout is a man-portable Remote Video Exploitation Terminal for use by Tactical Air Control Parties (TACP). System provides a video terminal capability which is self-contained recording capability and has an on-board receiver and antenna group.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	438	14
AAO (FY17)	424	
O/H	455	39
Shortfall/Excess	17	25

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
91	95	61	41	104	32	14	0	0	0
85	77	60	41	115	32	14	0	0	0
73	88	21	52	33	34	0	115	0	0
-18	-7	-40	11	-71	2	-14	115	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015674768	6	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	Yes	6	0	0
5998015853681	33	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	Yes	33	0	0

Notes: Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. If maintenance is beyond the unit capablitiy, a WIR will be submitted. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches. NSN ending in 4768 will get upgraded to 3681.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	0.3

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0096 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0096: RADIO, HP IED JAMMING SYSTEM (CHAMELEON) (CREW II)

The Transmitting Set, Countermeasures is a complete electronic set for the propagation of radio frequency energy specifically designed to be utilized for countermeasures. It also adds a Force Protection capability to specifically counter radio controlled IEDs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	14	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	-14	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	14	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	-14	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015534770	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
5865015557913	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
599801DTQC044	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	UNK	UNK	UNK	0	0	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components.Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A0097 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0097: RADIO SET, DUAL VEHICLE ADAPTER, 50-WATT (DVA)

The Radio Set, AN/VRC-110, consist of 2 Vehicle Adapter Units with 2 AN/PRC-152 handheld Radios. The system provides encrypted Line of Sight communication with both fixed and Frequency Hopping Mode.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	9,376	0	2,105	1,975	1,248	274	1,810	785	0	0	1,179	0
AAO (FY17)	9,445		2,155	1,881	1,358	274	1,777	774	0	0	1,226	0
O/H	10,734	401	2,331	1,984	1,215	111	1,071	763	0	1,732	1,089	37
Shortfall/Excess	1,358	401	226	9	-33	-163	-739	-22	0	1,732	-90	37

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015659999	401	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	401	0

Notes: Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0104: RADIO SET, AOR 8200 MKII B

The AR8200 is a hand portable receiver with 3GHz coverage. It has a frequency range of 530 kHz - 3000 Mhz.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	88	60	0	0	0	0	0	0	0	28	0	0
Shortfall/Excess	88	60	0	0	0	0	0	0	0	28	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015084395	60	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	60	0	0

Notes: Pending SYSCOM input.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0116 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0116: SURVEY INTRUMENT, AZIMUTH

IPADS is a HMMWV-mounted precision survey system. It is a replacement for the presently fielded AN/USQ-70 Position Azimuth Determination System.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	54	0
AAO (FY17)	52	
O/H	33	0
Shortfall/Excess	-21	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	14	12	9	0	10	3	0	0	4	2
AAO (FY17)	14	10	9	0	10	3	0	0	4	2
O/H	3	9	0	0	10	2	0	2	5	2
Shortfall/Excess	-11	-3	-9	0	0	-1	0	2	1	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675015154610	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: No direct water contact on electrical components

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0117 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0117: MAINTENANCE KIT,ELE

The MK-3804 is a maintence kit used for troubleshooting the AN/MRC-142C



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	1	0	1	0	0
0	0	0	0	0	1	0	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015698814	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	0	0

Notes: Ultimately this item goes through MCLC and the inventory manager back to SPAWAR, Charleston. AAO's need to be established. Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0118 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0118: RADIO SET, INTEGRATED INTRA-SQUAD

The Integrated Intra Squad Radio is a Personal Pole Radio set designed to be used for Intra Squad and Inter Squad Communications.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	48,925	0
AAO (FY17)	26,711	
O/H	47,670	3088
Shortfall/Excess	-1,255	3,088

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13,698	13,535	7,861	0	11,638	2,193	0	0	0	0
7,474	6,417	4,494	0	6,324	2,002	0	0	0	0
13,359	10,133	4,390	0	8,654	2,799	0	5,247	0	0
-339	-3,402	-3,471	0	-2,984	606	0	5,247	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015450334	2981	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	2981	0	0
5820015456349	38	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	38	0	0
5820015456358	69	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	69	0	0
5820015487056	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Item should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0121 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0121: MICRO UNMANNED AERIAL VEHICLE (MUAV)

The Battlefield Air Targeting Micro Aerial Vehicle (WASP) is a hand-launched reconnaissance and surveillance tool. The Wasp Air Vehicle transmits live airborne video images and location information to a Ground Control Station (GCS). This capability enables operators to navigate, search for targets, recognize terrain, and record all information for analysis.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	70	0
AAO (FY17)	70	
O/H	24	2
Shortfall/Excess	-46	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	70	0	0	0	0	0	0
0	0	0	70	0	0	0	0	0	0
0	12	0	10	0	0	0	0	0	0
0	12	0	-60	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1550015610012	2	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	2	0

Notes: Owning unit will then inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. If maintenance is beyond the unit capablitiy, a WIR will be submitted. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

A0122 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0122: SATELLITE COMMUNICATION SYSTEM

(27 JULY 11) Phoenix is an ECV mounted (M1152 with integrated armor package), multi-channel, quad-band tactical satellite terminal with a multi-band capability in the SHF range, incorporating a military Ka-Band capability to operate over commercial and military SHF satellites.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	42	0
AAO (FY17)	42	
O/H	35	0
Shortfall/Excess	-7	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	7	2	10	3	0	0	0	0
10	10	7	2	10	3	0	0	0	0
8	9	4	2	3	3	0	6	0	0
-2	-1	-3	0	-7	0	0	6	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015427716	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0
5895015625632	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: Priority item for LTI in theater before leaving. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Do not separate weapon system from HMMWV. Use care when maneuvering system to not damage the reflector panel. It is made out of carbon fiber and very delicate. Ship via MILAIR. Reflector repair costs are estimated at and could potentially exceed $100,000.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0124 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0124: REMOTE SUBSCRIBER ACCESS MODULE

The Transition Switch Module (TSM) will provide a flexible Unit Level Switch capability that bridges legacy Tri-Tac switches with current commercial technology to provide Marine maneuver elements with more robust voice/data switching, data transport and bandwidth management capabilities. The TSM consists of three transit cased, functional suites; voice switching, remote subscriber access and multiplexing.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	680	0
AAO (FY17)	664	
O/H	874	0
Shortfall/Excess	194	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
181	183	124	0	133	59	0	0	0	0
181	172	128	0	124	59	0	0	0	0
188	199	148	0	128	116	0	95	0	0
7	16	24	0	-5	57	0	95	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015439861	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	82	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0125 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0125: DEPLOYABLE END OFFICE SUITE

The Transition Switch Module will provide a flexible Unit Level Switch capability that bridges legacy Tri-Tac switches with current commercial technology to provide Marine maneuver elements with more robust voice/data switching, data transport and bandwidth management capabilities.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	229	0
AAO (FY17)	224	
O/H	241	0
Shortfall/Excess	12	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
57	58	43	0	41	30	0	0	0	0
58	56	44	0	36	30	0	0	0	0
42	52	43	0	34	22	0	48	0	0
-15	-6	0	0	-7	-8	0	48	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015439738	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0126 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0126: MULTI-BAND RADIO, VEHICLE MOUNTED

The Multi-Band Vehicle Radio, AN/VRC-103 (V)2 covers the entire 30 to 512 MHz frequency range while offering embedded COMSEC, SATCOM, and ECCM capabilities.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,958	0
AAO (FY17)	2,273	
O/H	2,198	88
Shortfall/Excess	-760	88

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
706	689	423	347	512	143	0	0	138	0
498	430	311	347	406	143	0	0	138	0
331	558	400	175	265	190	0	20	171	0
-375	-131	-23	-172	-247	47	0	20	33	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015377562	76	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	Yes	0	76	0
5820015659629	12	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	Yes	0	12	0

Notes: Recommendation is to back fill the units that have an AAO deficiency, with current back order resident in WOLPH. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0129 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0129: TACTICAL HANDHELD RADIO (THHR)

The AN/PRC-152 provides multi-band, multi-mode operation enabling a wide variety of applications such as ground-to-ground, ground-to-air, and tactical satellite communications. This communication includes both voice and data for the purpose of command and control on the battlefield.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	10,277	0	2,641	2,583	1,340	54	1,934	1,725	0	0	0	0
AAO (FY17)	9,467		2,373	2,088	1,340	54	2,087	1,525	0	0	0	0
O/H	12,698	1202	2,747	2,913	853	3	981	1,360	0	2,639	0	0
Shortfall/Excess	2,421	1,202	106	330	-487	-51	-953	-365	0	2,639	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015660746	1202	50%	0%	0%	50%	0%	0%	NO	NO	No	No	no	No	No	No	601	0	601

Notes: AAO for this item is expected to increase

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0130 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0130: SPARES KIT WIRELESS POINT TO POINT LINK (WPPL) D

WPPL D is an integrated communications system consisting of Commercial Off-The-Shelf (COTS) antennas, radios, power line conditioning and backup, and Internet Protocol (IP) networking equipment. All WPPL versions provide Non-secure Internet Router Protocol

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	9	0
Shortfall/Excess	9	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	4	2	0	0	0	0	3	0	0
0	4	2	0	0	0	0	3	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015704775	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	No	Yes	0	0	0

Notes: Ship all assets to owning unit. Unit, with coordination from program office and item manager, will place unit in for maintenance. Use no water. Clean radios and components in accordance with technical manuals. Cleaning instructions can be found in the Tech Manual - TO 31R2-2GRC239-1

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0132 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0132: DEPLOYABLE INTEGRATED TRANSPORT SUITE

The TSM provides a flexible unit level switch that replaces legacy TRI-TAC switches (SB-3614, SB-3865, AN/TTC-42) with more robust voice/data switching, data transport, and bandwidth management capabilities.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	152	0	37	37	24	0	34	20	0	0	0	0
AAO (FY17)	140		37	36	24	0	23	20	0	0	0	0
O/H	146	0	27	26	24	0	19	21	0	29	0	0
Shortfall/Excess	-6	0	-10	-11	0	0	-15	1	0	29	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015439865	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.4

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0134 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0134: WIRELESS POINT TO P

LSWAN (Ku VSAT) is a small, lightweight, hand-portable, low cost satellite terminal that provides NIPRNET/SIPRNET capability. The Ku VSAT can be quickly set up to tie into the existing commercial Ku infrastructure as an alternate source of transmission for high bandwidth intensive capabilities. LSWAN is an integrated COTS solution. The major functional groups of the LSWAN package are: Ku VSAT antenna, power amplifier, modem, routers, and KG-175s. The Ku VSAT terminal and baseband equipment are packaged in HMMWV transportable transit cases.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015437811	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	Yes	0	0	0
5820015437816	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	Yes	0	0	0
5895015449175	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	Yes	0	0	0

Notes: Crypto must be removed before being disposed in theater. Follow in accordance to the Disposal Plan reference DP 11348.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A0137 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0137: VHP HUNTER SYSTEM

A0137 is the Hunter UAV System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H		0
Shortfall/Excess		0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015545423	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic componentsPlease direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager Graves-Reynolds CIV Judy A, judy.graves@usmc.mil, (229) 639-8283

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A0138 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0138: TACTICAL EXPLOITATION GROUP REMOTE WORKSTATION (TEG-RWS)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	44	0
Shortfall/Excess	44	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
18	1	3	0	3	19	0	0	0	0
18	1	3	0	3	19	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090004453	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Depot maintenance will be done at SPAWAR. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**SPAWAR**
if	**Not Mission Capable MEF**	then	**SPAWAR**
if	**Not Mission Capable**	then	**SPAWAR**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0.1

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0139: RADIO SET, AN/TRC-209

The AN/TRC-209 is the HF/VHF transit case transceiver system using the AN/PRC-150(C). It provides high output power (150 watts in HF, 60 watts in VHF) in a series of transportable cases allowing for use in various situations. Key features include: shock mounting of all components; separate HF and VHF antenna outputs; and DC power filtering for supply noise and voltage spike suppression.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	738	0
AAO (FY17)	719	
O/H	871	20
Shortfall/Excess	133	20

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
142	142	100	92	105	94	0	0	63	0
152	146	107	92	102	57	0	0	63	0
142	145	105	57	70	48	0	225	59	0
0	3	5	-35	-35	-46	0	225	-4	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015419208	20	50%	0%	0%	50%	0%	0%	NO	NO	UNK	No	no	No	Yes	No	10	0	10

Notes: Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0141 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0141: TACTICAL AIR CONTROL PARTY (TACP) SUITE

This TAMCN is in process of being deleted

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	42	0
AAO (FY17)	42	
O/H	19	0
Shortfall/Excess	-23	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	14	14	0	0	0	0	0	0	0
14	14	14	0	0	0	0	0	0	0
16	0	0	0	3	0	0	0	0	0
2	-14	-14	0	3	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015427911	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0142 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0142: SUPPORT WIDE AREA NETWORK (GSWAN/SWAN C)

GSWAN provides remote teams access into the tactical network (NIPRNET, SIPRNET, and DSN) via beyond line-of-sight SATCOM Capability.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	31	0
AAO (FY17)	0	
O/H	4	0
Shortfall/Excess	-27	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	13	0	0	0	5	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	4	0	0	0	0
-13	-13	0	0	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015427735	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Disassociate the CCI equipment and identify as used with SWAN, then dispose of the item in theater. If mission capable, then DRMO in theater IAW Disposal Plan 11137. AAO needs to be zeroed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A0145 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0145: STINGRAY

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
662501W00F262	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	UNK	UNK	UNK	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0147 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0147: TACTICAL INTEROPERABLE GROUND DATA LINK-II (TIGDL-II

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4	0
AAO (FY17)	5	
O/H	0	0
Shortfall/Excess	-4	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	1	0	0	1	0	0	0	0
1	1	1	0	1	1	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-1	-1	-1	0	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810090004482	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	97	0	2.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0149 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0149: ANTENNA,COMMUNICATIONS,TRAILER MOUNTED

The AS-4429D/TSC is a rugged, high-performance Multi-Band antenna subsystem that provides field commanders with a high mobility antenna capable of efficient TACSAT resource utilization. The AS-4429D/TSC can be used with the LMST, AN/TSC-85, and AN/TSC-93.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	33	0	9	9	6	0	9	0	0	0	0	0
AAO (FY17)	33		9	9	6	0	9	0	0	0	0	0
O/H	28	0	6	9	3	0	2	2	0	6	0	0
Shortfall/Excess	-5	0	-3	0	-3	0	-7	2	0	6	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5985015410767	0	0%	75%	0%	25%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Ensure embarkation specialist utilizes the Technical manual for proper tie down procedures. Any cargo straps place over the main reflector will cause damage rendering the system non-mission capable. Do not move with stabalizing wheel in position. Ship via MILAIR. Reflector repair costs are estimated at and could potentially exceed $100,000.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1333	2.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0150: W2W LAST TACTICAL MILE KITS

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	36	0
AAO (FY17)	44	
O/H	0	0
Shortfall/Excess	-36	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	6	0	0	16	0	0	0	0
8	8	4	0	8	16	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-7	-7	-6	0	0	-16	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015561720	0	0%	0%	0%	75%	25%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0152: DIGITAL STILL CAMERA SUITE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	421	0
AAO (FY17)	374	
O/H	118	8
Shortfall/Excess	-303	8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
83	87	67	48	113	23	0	0	0	0
70	66	58	48	109	23	0	0	0	0
2	9	2	8	81	5	0	0	0	0
-81	-78	-65	-40	-32	-18	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015868004	8	20%	0%	0%	50%	30%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is currently in its refresh cycle, therefore if any are returned condemmed, they should be Demil'd and DRMO'd. There is no requirement to return the obsolete gear back to the unit. When the unit returns to their home station, they will receive their refreshed equipment. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0153 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0153: RADIO SET (AN/MRC-142C)

The AN/MRC-142C is a vehicular-mounted integrated High Capacity Line-Of-Sight (HCLOS) radio system providing two-way secure voice and data transmission in the band I and band III+ frequency bands.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	448	0	93	93	60	0	79	60	0	0	63	0
AAO (FY17)	412		93	89	60	0	47	60	0	0	63	0
O/H	447	0	48	65	59	0	37	63	0	110	65	0
Shortfall/Excess	-1	0	-45	-28	-1	0	-42	3	0	110	2	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015456691	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	0	0

Notes: Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	118	0	4.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0156 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0156: GYROCAM VOSS II

OIF UUNS, mounted on rear of MRAP Cougar variant (6x6, 4x4).

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	18	
O/H	188	174
Shortfall/Excess	188	174

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	12	6
0	10	0	0	0	0	0	4	0	0
0	10	0	0	0	0	0	4	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015450098	59	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	59	0
5895015647999	115	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	115	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0168 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0168: HANDHELD INTERAGENCY IDENTITY DETECTION EQUIP (HIIDE)

HIIDE is the world's first hand-held biometric identification device that can enroll, identify or verify subjects using any of the three primary biometrics: iris, finger, face.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	76	0
AAO (FY17)	0	
O/H	18	0
Shortfall/Excess	-58	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	76	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	7	0	0
0	0	0	0	0	-76	0	7	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015453002	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0
5895090004458	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A0169 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0169: AN/TPQ-48 COUNTER MORTAR RADAR (LCMR)

The LCMR is a two-man portable mortar locating radar. It provides continuous 360 degree surveillance and locates mortar firing positions by detecting and backtracking the projectile trajectory to the weapon position.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	42	2
AAO (FY17)	44	
O/H	32	0
Shortfall/Excess	-10	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	10	0	5	3	2	2	0	0
12	10	7	0	5	6	2	2	0	0
12	8	7	0	0	3	0	2	0	0
2	-2	-3	0	-5	0	-2	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840015418783	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Assets should be sent to MCLB Albany for inventory and op check prior to entering a planned system refresh at SRCTec. The LCMR is an electronic piece of equipment and should not be washed. It can be cleaned by hand, by trained personnel.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0172 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0172: POWER SUPPLY, UNINTERRUPTIBLE (DDSR-PM)

The current TDN Family of Systems (FoS) consists of Gateways (TDN GW), Data Distribution Systems (TDN DDS/DDS-R/DDS-M), and Information Assurance Boundary (IAB). Together these systems provide the backbone data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	125	0
AAO (FY17)	123	
O/H	389	14
Shortfall/Excess	264	14

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
31	31	27	0	23	13	0	0	0	0
31	31	27	0	21	13	0	0	0	0
49	23	47	0	70	128	0	58	0	0
18	-8	20	0	47	115	0	58	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130015460023	14	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	14	0	0
6130015652835	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1BBatteries do not constitute failure, replace upon receipt at new unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0173 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0173: SECURITY DATA SYSTEM (DDSR-CSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	496	0
AAO (FY17)	504	
O/H	430	0
Shortfall/Excess	-66	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
146	143	100	0	89	18	0	0	0	0
152	137	108	0	89	18	0	0	0	0
143	145	67	0	20	46	0	9	0	0
-3	2	-33	0	-69	28	0	9	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810015460020	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5810015681184	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5810-01-546-0020) should be a consolidation of assets to obtain maximum complete PMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete CSMs to fill any home station shortfalls and DRMO in theater remaining PMs. Will be flown in it's entirety back to MEF. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0174 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0174: SWITCHING SET COMMUNICATION (DDSR-LSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	496	0
AAO (FY17)	504	
O/H	433	0
Shortfall/Excess	-63	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
146	143	100	0	89	18	0	0	0	0
152	137	108	0	89	18	0	0	0	0
146	144	65	0	18	48	0	12	0	0
0	1	-35	0	-71	30	0	12	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015460016	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5895015682669	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5895-01-546-0016) should be a consolidation of assets to obtain maximum complete LSMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0175 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0175: COMPUTER DIGITAL DATA TRANSFER (DDSR-CM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	655	0
AAO (FY17)	652	
O/H	421	1
Shortfall/Excess	-234	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
187	184	127	0	119	38	0	0	0	0
193	178	135	0	108	38	0	0	0	0
149	145	64	0	17	42	0	3	0	0
-38	-39	-63	0	-102	4	0	3	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015466466	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	1	0	0

Notes: SIPRNET Harddrives are handled in course with classifed storage and transport. Transport back unit in possession. All SIPR HDs must be removed from the CM laptop PCs and consolidated in an appropriate secure storage container for MIL-AIR transport from OEF to CONUS with the using unit. NO SIPRs HDs will be vehicle transported through Pakistan for surface nor air shipment for commercial cargo carriers. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.Batteries (Qty 2) do not constitute failure, replace upon receipt at new unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0176 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0176: SWITCHING GROUP, DIGITAL (DDSR-LEM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,976	0
AAO (FY17)	2,016	
O/H	1,747	22
Shortfall/Excess	-229	22

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
580	568	400	0	356	72	0	0	0	0
608	548	432	0	356	72	0	0	0	0
596	544	272	0	79	199	0	35	0	0
16	-24	-128	0	-277	127	0	35	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015460013	22	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	22	0	0
5895015725551	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5895-01-546-0013) should be a consolidation of assets to obtain maximum complete LEMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Batteries do not constitute failure, replace upon receipt at new unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0177 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0177: COMPUTER SYSTEM DIGITAL (DDSR-ACM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	496	0
AAO (FY17)	504	
O/H	449	3
Shortfall/Excess	-47	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
146	143	100	0	89	18	0	0	0	0
152	137	108	0	89	18	0	0	0	0
149	146	68	0	20	52	0	11	0	0
3	3	-32	0	-69	34	0	11	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015460027	3	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	3	0
7010015681206	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 7010-01-546-0027) should be a consolidation of assets to obtain maximum complete LEMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. Must remove hard drive prior to shipping.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0180 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0180: AN/TYQ-145 BEYOND LINE OF SIGHT GATEWAY

JRE is an implementation of beyond line of sight transmission for TADIL-J. The current system is a stand-alone COTS/NDI configured with a JTIDS radio.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	14	0
AAO (FY17)	14	
O/H	21	0
Shortfall/Excess	7	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	6	0	0	0	0
2	2	2	0	2	6	0	0	0	0
1	2	2	0	3	11	0	0	0	0
-1	0	0	0	1	5	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015476773	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	No	No	0	0	0

Notes: Return to owning unit but take out of service until maintenance is completed. DO NOT POWER WASH. Item contains sensitive electronics, computer, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0182 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0182: RECORDER-REPRODUCER

The Tactical ONEROOF system is a family of applications that allows for automated collection, storage, retrieval and playback of digital voice signals.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	28	2	10	10	0	6	0	0	0	0	0	0
Shortfall/Excess	28	2	10	10	0	6	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5835090004505	2	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	2	0	0

Notes: This item will be retired next year, but still needs to be maintained until replacement is fielded. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. Conduct all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.2

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0194 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0194: PERSISTENT SURVEILLENCE SYSTEM (G-BOSS) (80' TOWER)

A self-erecting, trailer-mounted tower serves as the base of the G-BOSS. It is designed to provide a stable, elevated platform for the sensor suite and communication devices. Cameras are mounted on a self erecting, telescoping tower. Other associated equipment includes capability for video capture, storage, transmission, and power generation.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2	0
AAO (FY17)	2	
O/H	85	11
Shortfall/Excess	83	11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	2	0	0	0	0
0	0	0	0	0	2	0	0	0	0
0	1	0	0	0	0	0	43	0	0
0	1	0	0	0	-2	0	43	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650070001274	11	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	11	0
6650090004488	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	0	0
6650090006502	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	0	0

Notes: Systems will be shipped to NSWC Crane, where they will be refurbished and tested to unsure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. Should be shipped with B0077. Prior to wash down system should be in stowed and/or shipping configuration with all connector caps installed. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions.There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquistion Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0195: INTELLIGENCE OPERATIONS SERVER (V3)

The IAS FoS program consists of a three-tiered approach to Intelligence Operations. The first tier, the MEF IAS, consists of M1152A1B2 with M101 trailer, BASE-X 305 tent, and containerized stacked server suite, designed to support intelligence operations .

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	107	0
AAO (FY17)	108	
O/H	105	3
Shortfall/Excess	-2	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	24	20	16	12	13	0	0	0	0
22	21	20	16	16	13	0	0	0	0
15	24	19	11	14	19	0	0	0	0
-7	0	-1	-5	2	6	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015762585	3	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	3	0

Notes: If it requires maintenance, it goes to MCLC for DRMO. Eventually will be replaced. No maintenance will be performed. Water may damage system electronics.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0197 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0197: DATA STORAGE MODULE (DDSR-DSM)

The Tactical Data Network (TDN) system consists of Gateways (TDN Gateway) and Data Distribution System (TDN DDS). Together these systems provide the data communications infrastructure to the MAGTF Commander in the form of an integrated data network.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	496	0
AAO (FY17)	504	
O/H	387	7
Shortfall/Excess	-109	7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
146	144	100	0	89	17	0	0	0	0
152	137	108	0	89	18	0	0	0	0
138	118	54	0	20	48	0	2	0	0
-8	-26	-46	0	-69	31	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015494303	5	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	5	0	0
5895015653698	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	2	0	0
5895015924487	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: The TAMCN for DDS-R (NSN 5895-01-549-4303), should be a consolidation of assets to obtain maximum complete DSMs.This should be completed at ELMACOs or MCLC Fwd. Transport complete PMs to fill any home station shortfalls and DRMO in theater remaining PMs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Remove hard drives

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0234 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0234: SATELLITE COMMUNICATION SUBSYSTEM (SWAN-D V1 DISH)

The SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	173	0
AAO (FY17)	162	
O/H	135	0
Shortfall/Excess	-38	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
40	39	23	0	33	38	0	0	0	0
39	35	23	0	27	38	0	0	0	0
34	27	18	0	19	25	0	12	0	0
-6	-12	-5	0	-14	-13	0	12	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015504868	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	no	Yes	No	Yes	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0238 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0238: MAINTENANCE KIT,ELECTRONIC EQUIP (SWAN-D V3 RF SPARES)

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	8	0
AAO (FY17)	0	
O/H	3	0
Shortfall/Excess	-5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	1	0	2	0	0	0	0	0
-2	-2	-1	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015515306	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	No	Yes	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Ship with SWAN D V3 to MCLC Alb for resale to Army.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0239 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0239: MAINTENANCE KIT,ELECTRONIC EQUIP (SWAN-D V1/V2 RF SPARES)

SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	48	0	14	14	6	0	14	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	14	1	0	0	5	0	5	2	0	1	0	0
Shortfall/Excess	-34	1	-14	-14	-1	0	-9	2	0	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015514019	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	No	Yes	0	1	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0240 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0240: MAINTENANCE KIT,ELECTRONIC EQUIPMENT

SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	32	0
AAO (FY17)	0	
O/H	16	1
Shortfall/Excess	-16	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	5	0	9	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
3	2	3	0	4	1	0	2	0	0
-6	-7	-2	0	-5	1	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015513812	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	1	0
5895015686670	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. This TAMCN is a spares kit that will be disassembled and placed into the MEF RIPs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0241 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0241: SATELLITE COMMUNICATION SUBSYSTEM

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	68	0
AAO (FY17)	63	
O/H	57	0
Shortfall/Excess	-11	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	13	8	0	15	17	0	0	0	0
15	13	8	0	10	17	0	0	0	0
16	14	8	0	8	11	0	0	0	0
1	1	0	0	-7	-6	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015513530	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	no	No	No	Yes	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0242 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0242: SATELLITE COMMUNICATION SUBSYSTEM (SWAN-D V3 DISH)

The SWAN is an integrated COTS solution utilizing Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-The-Pause (OTP) communications asset that can be set up in 30 minutes or less. SWAN fills a void of Beyond-Line-Of-sight (BLOS).

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	61	0	15	15	12	0	11	8	0	0	0	0
AAO (FY17)	57		15	14	12	0	8	8	0	0	0	0
O/H	58	0	16	14	12	0	8	7	0	1	0	0
Shortfall/Excess	-3	0	1	-1	0	0	-3	-1	0	1	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015514320	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	No	Yes	0	0	0
5895015805073	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	yes	No	Yes	0	0	0

Notes: This TAMCN NSN 5895-01-551-4320 shoud be transported to MCLC Alb. with SWAN D V3 PEI. This TAMCN should be sent to MCLC. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B. TAMCN NSN 5895-01-551-4320 will be sold back to the Army.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0243 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0243: NETWORK MANAGEMENT SYSTEM (SWAN-D)

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less. There are multiple SWAN system variants fielded based off Urgent Universal Need Statements (U-UNS) submitted by Marine Corps units.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	302	0
AAO (FY17)	282	
O/H	230	0
Shortfall/Excess	-72	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
70	67	43	0	59	63	0	0	0	0
69	62	43	0	45	63	0	0	0	0
59	42	35	0	33	47	0	14	0	0
-11	-25	-8	0	-26	-16	0	14	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015513590	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	no	No	No	Yes	0	0	0
5895015686944	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0244 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0244: NETWORK MANAGEMENT SYSTEM (SWAN-D MRT)

The SWAN D extends DISN services to MAGTF elements and provides beyond line-of-sight (BLOS), low-cost satellite communications up to speeds of 4 Mbps full duplex.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	63	0
AAO (FY17)	61	
O/H	47	0
Shortfall/Excess	-16	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	11	9	0	11	21	0	0	0	0
11	11	9	0	9	21	0	0	0	0
9	7	9	0	5	13	0	4	0	0
-2	-4	0	0	-6	-8	0	4	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015513833	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	no	Yes	No	Yes	0	0	0

Notes: This TAMCN should be transported to GDSATCOM (Duluth) for refresh. See Program Office for address as SOW for effort is in progress. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0245 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0245: SATELITE COMM SUB SYSTEM

SWAN is an integrated Commercial Off-the-Shelf (COTS) solution utilizing a Very Small Aperture Terminal (VSAT) and networking components. SWAN is an On-the-Pause (OTP) communications asset and can be set up in 30 minutes or less.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015596098	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Crypto will be kept and utilized. Crypto must have a NAVMC 1018 Tag with PEI Serial #, PEI Unit Shipped To, PEI Condition Code. DP11137 PCN 13158950100. This TAMCN is in the process of Disposal.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A0246 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0246: AN/USC-67 SWE-DISH FA150 MIL FLY-AWAY

The AN/USC-67 (FA-150 Hub) NSN: 2840-01-587-7961, configuration is a portable high-bandwidth, secure satellite communications package capable of operating at the Top Secret/Sensitive Compartmented Information level. The AN/USC-67 serves as the Hub in a Hub-Spoke architecture and components include a 1.5m antenna and baseband network equipment. The AN/USC-67 is C, Ku, and X band capable.

AN/USC-67 FA-150 (Hub)

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	10	2	0	0	2	0	0	2	0	4	0	0
Shortfall/Excess	10	2	0	0	2	0	0	2	0	4	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2840015877956	2	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	Yes	0	2	0

Notes: Obsolete item, but will maintain in order to bridge capability gap. Must dispose of in CONUS because of sensitivity. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory, notify PG-12/PMM123 for maintenance, and coordinate shipment with MARCORSYSCOM for maintenance. Please direct inquires about this system to Commander, MARCORSYSCOM, PM-Intelligence Systems. ATTN: SCI Comms Project Officer

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0247 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0247: AN/USC-68 SWE-DISH IPT MIL SUITCASE (VSAT SPOKE)

The AN/USC-68 (IPT Suite) NSN: 2840-01-587-7956, configuration is a portable high-bandwidth, secure satellite communications package capable of operating at the Top Secret/Sensitive Compartmented Information level. It consists of a suitcase satellite communication solution and a suitcase secure networking solution. The AN/USC-68 serves as a Spoke in a Hub-Spoke architecture and components include a .9m auto-acquiring antenna and baseband network equipment. The AN/USC-68 is only Ku band capable.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	33	7	11	0	9	0	0	0	0	6	0	0
Shortfall/Excess	33	7	11	0	9	0	0	0	0	6	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2840015877961	7	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	Yes	0	7	0

Notes: Equipment is obsolete

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0254 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0254: COMBAT OPS CENTER, SET III (UOC)

The Combat Operations Center is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems.

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	82	0
AAO (FY17)	77	
O/H	69	3
Shortfall/Excess	-13	3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
20	20	14	3	10	15	0	0	0	0
19	18	14	0	11	15	0	0	0	0
18	17	15	2	6	8	0	0	0	0
-2	-3	1	-1	-4	-7	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015204341	3	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	3	0

Notes: The COC configuration includes many weather-resistant transit cases and two trailer types: the Operational Trailer (OT), consisting of an M1102 trailer with multiple transit-cased COTS IT components and electrical connections, and the Generator ECU Tent Trailer (GETT), consisting of an extended-bed M1102 chassis, a commercial 23kW generator, a commercial 120K BTU Environmental Control Unit, and a commercial Base-X 305 shelter. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment and the GETT's generator and ECU control panel. COC's are routinely shipped packed in an ISO container; recommend using ISO containers to ship the COC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	9.4

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0255 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0255: COMBAT OPS CENTER, SET IV (UOC)

The COC is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems. It is predominantly a COTS IT integration.

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	181	0
AAO (FY17)	123	
O/H	164	1
Shortfall/Excess	-17	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
46	40	24	13	30	28	0	0	0	0
33	25	15	0	22	28	0	0	0	0
46	32	19	3	21	29	0	13	0	0
0	-8	-5	-10	-9	1	0	13	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015204360	1	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes: The COC configuration includes many weather-resistant transit cases and two trailer types: the Operational Trailer (OT), consisting of an M1102 trailer with multiple transit-cased COTS IT components and electrical connections, and the Generator ECU Tent Trailer (GETT), consisting of an extended-bed M1102 chassis, a commercial 23kW generator, a commercial 120K BTU Environmental Control Unit, and a commercial Base-X 305 shelter. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment and the GETT's generator and ECU control panel. COC's are routinely shipped packed in an ISO container; recommend using ISO containers to ship the COC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0261 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0261: BIOMETRICS AUTOMATED TOOLSET (BAT-SERVER

The Biometrics System consists of three tiers: the BAT-Client, the BAT-Server and the HIIDE. The BAT-Client will collect and store biometric information, to include fingerprints, iris scans and facial images, and will be able to "match" personnel whose bi

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	45	0
Shortfall/Excess	45	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	5	0	0
0	0	0	0	0	0	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7021090004486	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	0	0

Notes: This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.2

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0266 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0266: RADIO SET, VEH, AN/VRC-104 (UHF/VHF)

AN/PRC 104 Radio Set.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	789	0	214	201	138	88	133	15	0	0	0	0
AAO (FY17)	659		177	145	118	88	116	15	0	0	0	0
O/H	853	207	245	141	122	44	39	55	0	0	0	0
Shortfall/Excess	64	207	31	-60	-16	-44	-94	40	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015681631	3	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	3	0
5820015694438	204	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	204	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0271 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0271: COMBAT OPERATIONS CENTER

The Combat Operations Center is an integrated, standard, mobile, package of shelter, power, cabling, Local Area Networks, and processing systems.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	11	0
AAO (FY17)	12	
O/H	15	1
Shortfall/Excess	4	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	2	0	0	0	0	0
3	3	3	0	3	0	0	0	0	0
4	4	4	1	1	0	0	0	0	0
1	1	1	1	-1	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015573118	1	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes: The COC(V)2 configuration includes many weather-resistant transit cases and the Operations Trailer (OT). The OT is an M1102 trailer with a rack supporting many COTS IT servers, routers, switches, etc. Care should be taken to avoid spraying water into/onto the OT's COTS IT equipment; recommend using ISO containers to ship the COC(V)2.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	46

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0272 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0272: RADIO REMOTE CONTROL UNIT RC 111

The RF-5800R-RC111 Remote Control System with High Speed Interface provides full remote control capability for the Falcon II family of manpack radios.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,587	0
AAO (FY17)	2,467	
O/H	3,112	66
Shortfall/Excess	525	66

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
725	738	467	25	512	120	0	0	0	0
690	659	463	25	510	120	0	0	0	0
839	847	455	121	510	95	0	179	0	0
114	109	-12	96	-2	-25	0	179	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015709290	66	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	66	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0273 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0273: RADIO SET, VRC-110, 20 WATT (AN/PRC152)

The Radio Set, AN/VRC-110, consists of 2 Vehicle Adapter Units with 2 AN/PRC-152 handheld Radios. The system provides encrypted Line of Sight communications with both fixed and Frequency Hopping Modes.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	571	0
Shortfall/Excess	571	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
68	189	91	0	0	43	0	99	81	0
68	189	91	0	0	43	0	99	81	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015578450	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	0	0

Notes: TAMCN is being upgraded to A0097.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0278 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0278: WIRELESS POINT-TO POINT LINK (WPPL-D)

WPPL D is an integrated communications system consisting of Commercial Off-The-Shelf (COTS) antennas, radios, power line conditioning and backup, and Internet Protocol (IP) networking equipment. All WPPL versions provide Non-secure Internet Router Protocol.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	284	0	72	72	47	0	48	45	0	0	0	0
AAO (FY17)	260		60	60	47	0	48	45	0	0	0	0
O/H	244	28	59	54	27	0	12	49	0	15	0	0
Shortfall/Excess	-40	28	-13	-18	-20	0	-36	4	0	15	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015631703	28	25%	0%	0%	75%	0%	0%	NO	NO	No	No	no	No	No	Yes	21	0	7
5820015836833	0	25%	0%	0%	75%	0%	0%	NO	NO	No	No	no	No	No	Yes	0	0	0

Notes: Item must be put through maintenance before placing into service at owning unit. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0282 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0282: TEAM PORTABLE COLLECTION SYS (TPCS)

The TPCS-MPC will be a mission configurable, multi-platform SIGINT collection system incorporating plug-and-play technologies that provides the Marine Air Ground Task Force commander with a modular and saleable carry-on/carry-off equipment capability for operations onboard non-dedicated air, ground, and waterborne platforms.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	70	0
AAO (FY17)	70	
O/H	23	3
Shortfall/Excess	-47	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	22	16	0	0	10	0	0	0	0
22	22	16	0	0	10	0	0	0	0
8	12	0	0	0	0	0	0	0	0
-14	-10	-16	0	0	-10	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5825015293279	3	0%	0%	100%	0%	0%	0%	NO	NO	No	No	No	No	No	No	3	0	0

Notes: Owning unit will perform inventory and detailed maintenance for return to full mission capable. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Follow preventive maintenance procedures as listed in O&M TM 11109A-OI.PG-12/PMM123 has situational awareness for this system. Please direct inquires about this system to Commander, MARCORSYSCOM, PM-Intelligence Systems, ATTN: TPCS-MPC Project Officer, 2200 Lester Street, Quantico, VA 22134-6050.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0285 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0285: DISMTD DIGITAL AUTOMATED COMM TERMINAL (DDACT)

The D-DACT is a handheld, stylus operated Rugged Personal Digital Assistant. It has a built in Global Positioning System, a modem and comes loaded with Command and Control Compact Edition Software.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	302	0
Shortfall/Excess	302	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
85	70	83	0	8	20	0	36	0	0
85	70	83	0	8	20	0	36	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015221228	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A0286 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0286: CERBERUS LONG RANGE (GBOSS LITE)

The G-BOSS Lite is an integrated system, based on the Cerberus trailer-mounted surveillance system, and employs multiple detection and assessment technologies, all self-contained on a single mobile platform. G-BOSS Lite uses the Star SAFIRE IIIFP with laser pointer and range finder; and the MSTAR radar as its primary image sensors.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	17	10
Shortfall/Excess	17	10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	1	0	0	0	4	0	2	0	0
0	1	0	0	0	4	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840015874722	10	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	Yes	No	Yes	0	10	0

Notes: Systems will be shipped to NSWC Crane through MCLC, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. Prior to wash down system should be in stowed and/or shipping configuration. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions.There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquistion Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0288 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0288: CERBERUS MANPACK SYSTEM (CERBERUS LITE)

The Cerberus Lite is a man-portable, tripod-mounted surveillance system developed by PM NVESD for use in austere environments, or where ground transportation is unavailable or undesirable. The Cerberus Lite uses a FLIR Recon III and Advanced Radar Surveillance System (ARSS) as its primary image sensors. Use of the Miniature Intrusion Detection Systems (MIDS) unattended ground sensors is optional.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	3	1	0	0	0	0	0	0	0	2	0	0
Shortfall/Excess	3	1	0	0	0	0	0	0	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6350090006681	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	No	Yes	0	1	0

Notes: Systems will be shipped to NSWC Crane through MCLC, where they will be refurbished and tested to ensure they are Condition Code A ready to issue as an operational system. NSWC Crane is currently serving the the supply chain manager for G-BOSS fielded system. All system components require no special considerations for agricultural wash down. The system is designed to withstand wet environmental conditions.There are several subsystems associated with this TAM that currently have their own TAMCN or will probably have one prior to IOC of Increment 2 of the G-BOSS € Acquistion Program. Examples of subsystems associated with this TAMCN that currently have their own TAMCN are the MEP generators and TRSS. Examples of subsystems associated with this TAMCN that will probably have a TAMCN in the future are COMM Suites, MSTAR Ground Radar, VideoScout, etc..

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0291 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0291: CVRJ @ 1:2 VEH RATIO (RPLCS A0096 / A0137)

CVRJ is designed to respond to the full range of RCIED threats that have been encountered by our Warfighters and has demonstrated superior performance against the RCIED threats in both OIF and OEF. A primary strength of the system design is that it incorporates a proven adaptability to changes in the threat environment largely independent of specific threat signal attributes. It has a wide receive and transmit frequency coverage and handles multiple threats simultaneously.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	146	0	0	0	0	0	0	146	0	0	0	0
AAO (FY17)	146		0	0	0	0	0	146	0	0	0	0
O/H	482	383	0	0	0	0	0	97	0	2	0	0
Shortfall/Excess	336	383	0	0	0	0	0	-49	0	2	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015534738	383	0%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	383	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Please direct all inquiries to USMC CREW Program Office, Quantico or CREW Item Manager Graves-Reynolds CIV Judy A, judy.graves@usmc.mil, (229) 639-8283

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0298 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0298: OPTICAL READER, DATA ENTRY

Devices enable and facilitate data collection and transmission to Automated Information Systems. These devices improve the Marine Corps' logistical business processes and enhance war fighting capabilities by facilitating the collection of initial source data, reducing processing times and improving data accuracy.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3,937	0
AAO (FY17)	3,349	
O/H	1,028	2
Shortfall/Excess	-2,909	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,292	1,300	726	15	602	2	0	0	0	0
1,087	975	670	15	600	2	0	0	0	0
259	243	222	4	260	30	0	8	0	0
-1,033	-1,057	-504	-11	-342	28	0	8	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7025014759974	2	0%	0%	0%	75%	25%	0%	NO	NO	No	No	No	yes	No	No	2	0	0

Notes: Project office will coordinate refresh with MEF.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	49	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0299 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0299: PRINTER, PORTABLE

AIT devices enable and facilitate data collection and transmission to Automated Information Systems (AISs). AIT devices improve the Marine Corps' logistical business processes and enhance warfighting capabilities by facilitating the collection of initial source data, reducing processing times and improving data accuracy. The AIT program is currently focused on implementing barcode technology - both linear and 2D barcodes and integrating Radio Frequency Data Collection (RFDC) technology to allow near real time processing of data. Successful AIT implementation is dependent on the AIT software development expertise of our information system developers and the ability of the user community to have well documented AIT requirements.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	164	0
Shortfall/Excess	164	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
33	14	42	2	69	0	0	4	0	0
33	14	42	2	69	0	0	4	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7490014759671	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A0300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0300: PRINTING MACHINE,LA

Devices enable and facilitate data collection and transmission to Automated Information Systems. These devices improve the Marine Corps' logistical business processes and enhance war fighting capabilities by facilitating the collection of initial source data

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,278	0
AAO (FY17)	1,242	
O/H	203	1
Shortfall/Excess	-1,075	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
361	400	190	16	233	78	0	0	0	0
369	347	201	16	231	78	0	0	0	0
76	18	33	6	54	15	0	0	0	0
-285	-382	-157	-10	-179	-63	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7490015589256	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0301 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0301: GRAPHICS PLOTTER

The Graphics Plotter is a HP Designjet 1050c Plus Printer. The maximum print length for this printer is 300 ft.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	19	1
Shortfall/Excess	19	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
9	0	1	0	0	8	0	0	0	0
9	0	1	0	0	8	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7025014774041	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DRMO**
if	**Not Mission Capable MEF**	then	**DRMO**
if	**Not Mission Capable**	then	**DRMO**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0316 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0316: TRANSMITTER GROUP C

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H		
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A0321 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0321: DEPLOYABLE INTEGRATED TRANSPORT SUITE

The Raven B is a unmanned aircraft sensor system utilized at the small unit level that provides situational awareness within the employing unit's area of operations. The Digital Data Link enables a given area to include more Ravens and provides greater communication security through signal encryption.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	431	0
AAO (FY17)	412	
O/H	231	4
Shortfall/Excess	-200	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
100	103	52	72	86	18	0	0	0	0
91	85	59	72	87	18	0	0	0	0
19	97	12	62	21	5	0	11	0	0
-81	-6	-40	-10	-65	-13	0	11	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1550015780205	4	35%	0%	0%	65%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	3	1

Notes: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply system. Maintenance will be complete by the owning unit through organic. DO NOT POWER WASH. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0324 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0324: COMMAND SYSTEM,TACT

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015800080	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0325 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0325: MOBILE MODULAR COMMAND CENTER (M2C2) TACTICAL ENTRY POINT

(satcom dish at the COC end, same as a SWAN V3 but with a different modem)

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015800008	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	Yes	0	0	0

Notes: Item will be sent to SPAWAR through MCLC. Nothing beyond standard procedures.This TAM is part of the M2C2 system see additional comments associated with TAM A0030.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0326 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0326: THOR III

Each Thor III system consists of three dismounted man-pack subsystems. Each subsystem contains a chassis (low band, mid band or high band), a Remote Control Unit (RCU), an integration/pack frame, an Rx/Tx antenna (low band, mid band, or high band), a GPS antenna, cables, and software. Each unit is housed in a separate transit case with protective covers.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	85	0
AAO (FY17)	85	
O/H	654	643
Shortfall/Excess	569	643

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	85	0	0	0	0
0	0	0	0	0	85	0	0	0	0
0	11	0	0	0	0	0	0	0	0
0	11	0	0	0	-85	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015804854	643	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	Yes	No	No	0	643	0

Notes: Clean with dry rag or air blower; Do not use high pressure washer or submerge in water. System has many electronic components. Upon returning from Theater units should conduct a compete detailed SL3 inventory. If any missing SL3 is note please contact the USMC CREW Product Support Integrator at USMC CREW Product Support Operations Center.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0331 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0331: RADIO SET, LOW PROFILE SINGLE VEHICLE ADAPTER, 50-WATT (VRC)

The AN/VRC-113(C) operates over a 30-512 MHz frequency range with either Frequency Modulated (FM), or Amplitude Modulated (AM) Radio Frequency (RF) output, with a user-selectable power output from 0.1 to 5 watts (depending on operating mode). The radio can interoperate with both 12 kbps (FED-STD-1023) and 16 kbps (VINSON-compatible) equipment. The Basic radio provides the following capabilities: SINCGARS, HAVEQUICK, ANDVT, retransmission, and High Throughput Waveform (HTW).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	8,875	0
AAO (FY17)	9,044	
O/H	5,027	49
Shortfall/Excess	-3,848	49

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,515	2,313	1,494	93	1,709	166	0	0	585	0
2,406	2,149	1,681	93	1,964	166	0	0	585	0
831	142	0	12	0	0	0	3,993	0	0
-1,684	-2,171	-1,494	-81	-1,709	-166	0	3,993	-585	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015826675	49	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	49	0

Notes: Item was sent to OEF on a limited fielding decision. Equipment should be identified with a 1018 tag and the Principle End-Item manager notified. The PEI manager will use it to fill equipment backorders throughout the Marine Corps. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0332 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0332:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	34	0
AAO (FY17)	34	
O/H	274	50
Shortfall/Excess	240	50

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	7	2	6	5	0	0	0	0
7	7	7	2	6	5	0	0	0	0
113	60	2	2	22	16	0	9	0	0
106	53	-5	0	16	11	0	9	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015859031	50	0%	0%	0%	100%	0%	0%	NO	NO	No	No		UNK	UNK	UNK	50	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	74	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	1%	0%	0%	0%

A0336 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0336: SCA MULTIBAND NETWORKING RADIO

The AN/PRC-117G (V)1(C) is an advanced multiband multi-mission manpack radio set, which provides reliable tactical communications through U.S. Government Type I encryption for enhanced secure voice (Communications Security (COMSEC), Transmission Security (TRANSEC)), high-speed data, Electronic Counter-Countermeasures (ECCM), and Satellite Communications (SATCOM) capabilities.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,312	0	591	545	308	279	412	177	0	0	0	0
AAO (FY17)	2,613		584	515	346	502	489	177	0	0	0	0
O/H	2,290	160	650	618	320	142	221	179	0	0	0	0
Shortfall/Excess	-22	160	59	73	12	-137	-191	2	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015862327	160	50%	0%	0%	50%	0%	0%	NO	NO	No	No	no	No	No	No	80	80	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0338 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0338: DIGITAL STILL CAMERA SUITE, ADVANCED (DSCS-A)

The DSCS-A provides an increased digital still photographic capability required for the advanced user which enables higher grade photos to be captured and also provides an increased standoff capability for imagery collection.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	768	0
AAO (FY17)	717	
O/H	458	6
Shortfall/Excess	-310	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
154	170	96	48	155	145	0	0	0	0
139	142	94	48	149	145	0	0	0	0
24	93	0	3	322	2	0	8	0	0
-130	-77	-96	-45	167	-143	0	8	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015938038	6	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**SPAWAR**
if	**Not Mission Capable MEF**	then	**SPAWAR**
if	**Not Mission Capable**	then	**SPAWAR**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0339 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0339: DIGITAL STILL CAMERA SUITE, Basic (DSCS-B)

The DSCS-B provides basic digital still photographic capabilities required for imagery collection by the novice user.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,344	0
AAO (FY17)	1,230	
O/H	703	9
Shortfall/Excess	-641	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
355	382	199	96	297	15	0	0	0	0
325	318	193	96	283	15	0	0	0	0
180	275	3	79	126	14	0	17	0	0
-175	-107	-196	-17	-171	-1	0	17	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015937979	9	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**SPAWAR**
if	**Not Mission Capable MEF**	then	**SPAWAR**
if	**Not Mission Capable**	then	**SPAWAR**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0340 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0340: CAMERA SUITE DIGITAL VIDEO

The DVCS-B provides a basic digital video photography capability and consists of a low-end commercial digital video camera for imagery collection.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	279	0
AAO (FY17)	280	
O/H	80	0
Shortfall/Excess	-199	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
86	97	46	0	40	10	0	0	0	0
87	94	46	0	43	10	0	0	0	0
27	35	4	0	5	2	0	7	0	0
-59	-62	-42	0	-35	-8	0	7	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015922160	0	60%	0%	0%	30%	10%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. A full scale refresh for this item is scheduled for FY13. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0350 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0350: DETECTION SYSTEM,WE

A sensor used to detect the direction and distance of incoming bullets.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	219	0
AAO (FY17)	219	
O/H	405	1
Shortfall/Excess	186	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
25	25	25	0	0	144	0	0	0	0
25	25	25	0	0	144	0	0	0	0
25	25	30	0	0	0	0	324	0	0
0	0	5	0	0	-144	0	324	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6350015910219	1	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	Yes	No	Yes	0	1	0

Notes: REPLACED BY C0104.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A0351 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0351: REMOTE CONTROL RADI

System Description: The RF-7800R-RC Remote Control Device provides full remote control capability for the AN/PRC-117F, AN/PRC-117G, AN/PRC-150, and the AN/PRC-152 radios. The package includes two remote control units whose modular design allows either unit to function as the Local Control Unit (LCU) or the Remote Control Unit (RCU). All radio functions controlled by the Keypad Display Unit (KDU) can also be controlled by the RCU, including Automatic Link Establishment (ALE), frequency hopping and modem selections. The system provides TX/RX voice and data and controls legacy functions using field wire, but also adds capabilities/interfaces for Ethernet and fiber optic. Allows for 3.5km of separation of radio and operator providing enhanced safety and transmission security.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,621	0	405	437	219	184	302	74	0	0	0	0
AAO (FY17)	1,486		347	361	219	184	301	74	0	0	0	0
O/H	2,663	26	412	525	185	88	276	89	0	1,062	0	0
Shortfall/Excess	1,042	26	7	88	-34	-96	-26	15	0	1,062	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015883075	26	50%	0%	0%	50%	0%	0%	NO	NO	No	No	no	No	No	No	13	0	13

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0352 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0352: RADIO SET

The AN/VRC-114(V)1 is a SCA MULTIBAND NETWORKING VEHICULAR RADIO SYSTEM - SINGLE MOUNT (RF-300M-V150).

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,190	0
AAO (FY17)	1,219	
O/H	528	8
Shortfall/Excess	-662	8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
352	311	199	0	299	29	0	0	0	0
353	292	218	0	327	29	0	0	0	0
321	42	75	0	0	31	0	51	0	0
-31	-269	-124	0	-299	2	0	51	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015892203	8	50%	0%	0%	50%	0%	0%	NO	NO	No	No	no	No	Yes	Yes	4	0	4

Notes: It was claimed that the number in theater is far being under reported in SASSY. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0357 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0357: MONITOR, PHASE

The Interim Sensor Monitoring Group is a tactical, dismounted sensor monitoring and control suite for the TRSS SoS that allows the operators to receive, decode, monitor, and report remote unattended ground sensors activity. The primary components of the Interim-SMG are an antenna subsystem, and integrated transit case assembly of networking devices and sensor communications devices as well as a sensor monitoring workstation.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	33	0
AAO (FY17)	42	
O/H	1	0
Shortfall/Excess	-32	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	6	0	0	9	0	0	0	0
9	9	6	0	9	9	0	0	0	0
0	0	1	0	0	0	0	0	0	0
-9	-9	-5	0	0	-9	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015911110	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0375 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0375: GROUND RENEWABLE EX

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	44	10
Shortfall/Excess	44	10

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
9	16	3	1	0	5	0	0	0	0
9	16	3	1	0	5	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6117015981836	10	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	yes	No	i/p	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0377 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0377: COUNTERBOMBER

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H		0
Shortfall/Excess		0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840015995119	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0425 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0425: TERMINAL, COMM, AUTOMATED, DATA MTD (M-DACT)

The M-DACT system can provide mounted commanders with a full suite of Command & Control capabilities which include messaging, mapping, overlays, route planning, navigation and situational awareness.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	189	0
Shortfall/Excess	189	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
33	11	15	0	8	5	0	117	0	0
33	11	15	0	8	5	0	117	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015220639	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Goes to SPAWAR

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A0501 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0501: WORKSTATION, GEOSPATIAL INFO LIBR, DEPLOY (DGIL)OL-730/TSQ

The Topographic Production Capability (TPC) is the only Marine Corps' Family of Systems (FoS) that provides an integrated, independently deployed, self-contained Geospatial Information System (GIS) designed for data acquisition, manipulation, analysis, and dissemination, providing commanders and staff with Geospatial Information (GI) and Geographic Intelligence (GINT) support to all levels of the Marine Air Ground Task Force (MAGTF).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	52	0	16	16	8	0	0	12	0	0	0	0
AAO (FY17)	68		16	16	8	0	16	12	0	0	0	0
O/H	30	2	8	12	8	0	0	0	0	0	0	0
Shortfall/Excess	-22	2	-8	-4	0	0	0	-12	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090004208	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	No	No	1	0	0

Notes: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0503: SERVER, GEOSPATIAL INFO LIBR, DEPLOY (DGIL) OL-731/TSQ

This is the Deployable Geospatial Intelligence Library Server.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	17	0
AAO (FY17)	21	
O/H	9	2
Shortfall/Excess	-8	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	5	2	0	0	6	0	0	0	0
4	5	2	0	4	6	0	0	0	0
2	3	2	0	0	0	0	0	0	0
-2	-2	0	0	0	-6	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090004210	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	No	No	1	0	0

Notes: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0504 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0504: DTAMS

The Digital Terrain Analysis Mapping System (DTAMS), is a transportable subsystem of the Topographic Set. The DTAMS is housed within five rugged transport cases, each capable of two-man transport. Included within these five cases are Sun Spark workstations with CD ROM as well as high capacity hard disk drives and an 8 MM tape drive.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	64	0
AAO (FY17)	69	
O/H	36	2
Shortfall/Excess	-28	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	17	9	5	6	11	0	0	0	0
15	16	8	5	14	11	0	0	0	0
9	9	7	3	0	1	0	5	0	0
-7	-8	-2	-2	-6	-10	0	5	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675013862679	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
7010090004207	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	No	No	1	0	0

Notes: Commercial depot at Northrop Grumman in Stafford, VA. Scheduled to be refreshed in FY12. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0652 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0652: CONVERTER SET, FIBER OPTIC

The Converter Set, Fiber Optic, AN/GSC-54 when used with a Tactical Fiber Optic Cable Assembly (TFOCA), forms a part of the Fiber Optic Cable System (FOCS). The FOCS provides a full duplex fiber optic transmission link between a compatible pair of TRI-TAC equipment. The AN/GSC-54 and the FOCA configuration provides an optical communication link for up to 6 kilometers in length, operating at group data rates ranging from 72 kilobits per second to 4,608 kilobits per second.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0		0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0			0	0	0	0	0	0	0	0	0	0
O/H	340	0		67	39	45	0	94	0	0	0	95	0
Shortfall/Excess	340	0		67	39	45	0	94	0	0	0	95	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6020012372218	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A0806 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0806: SAT TERMINAL, MULTIBAND, LTWT (LMST) MAXI-HUB

The Lightweight Multi-Band Satellite Terminal, AN/USC-65(V), is a SHF tri-band SATCOM system that can be used as either the hub or spoke terminal in a SATCOM network. A0806 is (V) 1; A0807 is (V) 2.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	13	0	3	3	2	0	3	2	0	0	0	0
AAO (FY17)	13		3	3	2	0	3	2	0	0	0	0
O/H	11	0	2	3	1	0	1	2	0	2	0	0
Shortfall/Excess	-2	0	-1	0	-1	0	-2	0	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014959105	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: Priority Item for LTI in theater before leaving theater. Commercial Depot is located at Harris Corporation in Melbourne, FL. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. DO NOT SEPARATE transit cases, ship together. If one transit is missing the weapon system will be non mission capable. A0806 (V)1 = 5 Transit Cases.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	912	3.6

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0807 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0807: SAT TERMINAL, MULTIBAND LTWT (LMST) MINI HUB

The Lightweight Multi-Band Satellite Terminal, AN/USC-65(V), is a SHF tri-band SATCOM system that can be used as either the hub or spoke terminal in a SATCOM network. A0806 is (V) 1; A0807 is (V) 2.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	37	0	8	8	8	0	8	5	0	0	0	0
AAO (FY17)	36		8	8	8	0	7	5	0	0	0	0
O/H	28	0	7	5	6	0	1	4	0	5	0	0
Shortfall/Excess	-9	0	-1	-3	-2	0	-7	-1	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014959106	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: Priority Item for LTI in theater before leaving theater. Commercial Depot is located at Harris Corporation in Melbourne, FL. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. DO NOT SEPARATE transit cases, ship together. If one transit is missing the weapon system will be non mission capable. A0807 (V)2 = 4 Transit Cases

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	114	0	3.5

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A0808 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0808: SURVEY SYSTEM, NAVIGATION

The Navigation System, AN/GSN-14, is a man packable system designed to obtain terrain data easily in an unknown area.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	20	0
AAO (FY17)	20	
O/H	1	0
Shortfall/Excess	-19	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	4	4	0	4	3	0	0	0	0
5	4	4	0	4	3	0	0	0	0
0	1	0	0	0	0	0	0	0	0
-5	-3	-4	0	-4	-3	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675014677441	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Need confirmation that this item will be DRMO'd. Highly pilferable - should not go down the GLOC. Do not send to MEF without being SL-3 complete.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	45	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0819 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0819: GLOBAL COMMAND AND CONTROL SYSTEM (GCCS)

The Global Command and Control System establishes a joint Command, Control, Communication, Computing, and Intelligence Surveillance Reconnaissance system to provide total battle space information to the warrior. It is a distributed client-server based architecture that incorporates a Common Operating Environment infrastructure with interfaces that support the hosting and execution of heterogeneous applications.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	213	0	41	45	24	0	27	76	0	0	0	0
AAO (FY17)	211		41	44	24	0	26	76	0	0	0	0
O/H	119	0	28	20	25	0	14	31	0	1	0	0
Shortfall/Excess	-94	0	-13	-25	1	0	-13	-45	0	1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090004281	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: This equipment should resides on the Using Units Consolidated Memornadum Receipt (CMR), each units should have their own equipment. No reset because there is a scheduled refresh in FY12. Harddrives may be classified and should be removed before transport.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	26	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A0872 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0872: SERVER, INTEL OPS(IOS-OPS)

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data. The first tier, the Marine Expeditionary Force IAS (MEF IAS), is a mobile system that supports the MEF Command Element. The second tier, the Intelligence Operations Server (IOSv2), is a team portable system designed to support the Intelligence Operations of the Major Subordinate Commands (MSC). The third tier, the Intelligence Operations Workstation (IOW), serves as the Intelligence link for the battalion and squadron commands to higher headquarters or as a stand-alone system.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	314	0		47	44	39	5	18	161	0	0	0	0
AAO (FY17)	312			47	43	39	5	17	161	0	0	0	0
O/H	216	2		63	45	56	0	13	26	0	11	0	0
Shortfall/Excess	-98	2		16	1	17	-5	-5	-135	0	11	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014824470	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
5895015711777	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
5895090004283	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
7010015711777	2	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	yes	No	No	0	0	2

Notes: This equipment should resides on the Using Units Consolidated Memornadum Receipt (CMR), each units should have their own equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A0873 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0873: AN/UYQ-91A(V)2

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	29	0
AAO (FY17)	31	
O/H	116	4
Shortfall/Excess	87	4

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	5	5	8	1	0	10	0	0	0	0
AAO (FY17)	5	5	8	1	2	10	0	0	0	0
O/H	11	31	27	8	11	10	0	14	0	0
Shortfall/Excess	6	26	19	7	11	0	0	14	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014824634	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	Yes	No	0	0	0
5895090004191	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	Yes	No	0	0	0
5895090004424	3	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	No	Yes	No	2	0	0

Notes: Maintenance done by CLS through the MEFs. Water may damage system electronics. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and preventative maintenance assessment. Provide systems to CLS for all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0874 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0874: AN/UYQ-88(V)2

The Intelligence Analysis System Family of Systems (IAS FoS) uses a three-tiered approach for receiving, parsing, analyzing, and disseminating fused all-source Intelligence data.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,724	0
AAO (FY17)	1,926	
O/H	1,866	134
Shortfall/Excess	142	134

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
384	394	233	131	168	414	0	0	0	0
452	433	265	131	231	414	0	0	0	0
356	408	197	57	188	443	0	83	0	0
-28	14	-36	-74	20	29	0	83	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015806326	13	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	yes	No	No	6	0	0
7010090004323	121	0%	0%	0%	0%	100%	0%	NO	NO	No	No	no	yes	No	No	60	0	0

Notes: This systems has received a complete technology refresh in the last year and all units have been fielded their AAO. Any mission capable systems will be returned to Engineering Support Activity for re-distribution. Water may damage system electronics. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and preventative maintenance assessment. Provide systems to CLS for all repairs/maintenance as required. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0878 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0878: EXPLOITATION WORKSTATION

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	26	0
AAO (FY17)	34	
O/H	5	0
Shortfall/Excess	-21	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	8	0	0	2	0	0	0	0
8	8	8	0	8	2	0	0	0	0
0	0	0	0	0	0	0	5	0	0
-8	-8	-8	0	0	-2	0	5	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090000310	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0
5895090004451	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Depot level maintenance will be done at SPAWAR through the MEFs. The NSN ending in 4451 is obsolete and should be DRMO'd. DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filters may be removed. Upon receiving item from theater, owning unit needs to complete a detailed inventory and a detailed maintenance assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DRMO**
if	**Not Mission Capable MEF**	then	**DRMO**
if	**Not Mission Capable**	then	**DRMO**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0879 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0879: EXPLOITATION GROUP, TACTICAL, MAIN (TEG-M)

The TEG system is the only tactical imagery exploitation system in the USMC and is one of the five systems comprising the DCGS-MC. It is made up of two modular and scaleable echelon-tailored configurations: the TEG-Main (TEG-M) and the TEG-Remote Work Station.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4	0
AAO (FY17)	4	
O/H	0	0
Shortfall/Excess	-4	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	1	0	0	1	0	0	0	0
1	1	1	0	0	1	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-1	-1	-1	0	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015774129	0	0%	50%	0%	50%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: DO NOT POWER WASH THE SYSTEM. The transit cases can be washed and dried completely prior to loading sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe the system clean and filt

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	217591	18.9

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0880 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0880: AN/UPX-37 INTERROGATOR SET

The Interrogator, Digital, AN/UPX-37 Identification Friend or Foe (IFF) Interrogator has replaced the AN/UPX-27 IFF Interrogators. It will be used for Mark XII and Next Generation IFF processing including Mode S and Mode 5. Its modular/digital architecture affords customized configurations and performance optimization for most applications including Air Defense, Weapon Systems, Air Traffic Control and Range Instrumentation. Digital target reports can be provided in addition to wide band video for subsequent passive/active decoding.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	51	0
AAO (FY17)	48	
O/H	35	4
Shortfall/Excess	-16	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	7	0	11	13	0	0	0	0
10	10	7	0	8	13	0	0	0	0
4	3	5	0	6	12	0	1	0	0
-6	-7	-2	0	-5	-1	0	1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014605448	4	0%	75%	0%	25%	0%	0%	NO	NO	No	No	yes	No	No	No	1	3	0

Notes: MEF will control and will get support from Tobyhanna Army Depot if necessary. Unit normally remains in environmentally controlled shelter. USN/PMA 213 is Program Manager for the UPX-37 Interrogator.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0882 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0882: JT TACT INFO DISTR SYS (JTIDS)

The Class 2 JTIDS radio terminal is a multi-microprocessor controlled system combining radio, modem, message processor, and message switching system. The JTIDS terminal operates between 960 and 1215 MHz, frequency hopping 77,000 times per second. The JTIDS employs direct sequence frequency spreading as a further anti-jamming measure. The terminal is capable of data transfer at a rate of 115,000 bps and transmit power of 200 watts.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	18	0	3	3	2	0	3	7	0	0	0	0
AAO (FY17)	18		3	3	2	0	3	7	0	0	0	0
O/H	25	2	3	2	2	0	4	11	0	1	0	0
Shortfall/Excess	7	2	0	-1	0	0	1	4	0	1	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014421073	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	0

Notes: Return item to owning unit but take out of service until maintenance is completed. Item must be put through maintenance before placing into service at owning unit. Cannot be DRMO'd in theater. DO NOT POWER WASH. Item contains sensitive electronics, radios, computers, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0892 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0892: FASCIMILE SET, BLACKJACK

The Blackjack Facsimile Set, AN/UXC-10 is a self-contained, portable, rugged tactical multifunctional system for use in harsh field environments. It withstands the toughest military applications, allowing installation in tracked and wheeled vehicles, aircraft and ships. AN/UXC-10 receives/sends data at 64 kbps-transmission rate and provides photographic quality imagery far superior to typical half tones dithered technology. The AN/UXC-10 is a North Atlantic Treaty Organization/Military standard digital facsimile, scanner, printer, and copier.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	78	0
AAO (FY17)	0	
O/H	204	0
Shortfall/Excess	126	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
25	23	15	0	15	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
29	30	20	0	13	0	0	111	1	0
4	7	5	0	-2	0	0	111	1	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5815014787095	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A0905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0905: DIGITAL IMAGING SET

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	240	0
AAO (FY17)	226	
O/H	300	9
Shortfall/Excess	60	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
35	36	31	48	56	34	0	0	0	0
31	30	28	48	55	34	0	0	0	0
17	39	24	82	62	39	0	28	0	0
-18	3	-7	34	6	5	0	28	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014200425	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
6760090004316	9	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**SPAWAR**
if	**Not Mission Capable MEF**	then	**SPAWAR**
if	**Not Mission Capable**	then	**SPAWAR**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0907 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0907: DIGITAL CAMERA SUITE ADV NV

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	445	0
AAO (FY17)	395	
O/H	281	0
Shortfall/Excess	-164	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
93	93	69	48	119	23	0	0	0	0
78	71	60	48	115	23	0	0	0	0
18	72	3	79	97	4	0	4	0	0
-75	-21	-66	31	-22	-19	0	4	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6760090004309	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is currently in its refresh cycle, therefore if any are returned non mission capable, they should be Demil'd and DRMO'd. There is no requirement to return the obsolete gear back to the unit. When the unit returns to their home station, they will receive their refreshed equipment. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**SPAWAR**
if	**Not Mission Capable MEF**	then	**SPAWAR**
if	**Not Mission Capable**	then	**SPAWAR**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0908 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0908: PRODUCTION SUITE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	111	0	21	21	15	21	26	7	0	0	0	0
AAO (FY17)	103		19	17	14	21	25	7	0	0	0	0
O/H	269	3	52	24	16	103	46	14	0	11	0	0
Shortfall/Excess	158	3	31	3	1	82	20	7	0	11	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6760090004315	3	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**SPAWAR**
if	**Not Mission Capable MEF**	then	**SPAWAR**
if	**Not Mission Capable**	then	**SPAWAR**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0909 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0909: COMPUTER SYSTEM, DIG

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	467	0
AAO (FY17)	417	
O/H	553	12
Shortfall/Excess	86	12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
93	93	69	48	119	45	0	0	0	0
78	71	60	48	115	45	0	0	0	0
89	132	20	92	139	38	0	31	0	0
-4	39	-49	44	20	-7	0	31	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090004314	12	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**SPAWAR**
if	**Not Mission Capable MEF**	then	**SPAWAR**
if	**Not Mission Capable**	then	**SPAWAR**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0910: BASE STATION WS/COMM INTERFACE

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	234	0	49	45	34	21	58	27	0	0	0	0
AAO (FY17)	217		43	39	30	21	57	27	0	0	0	0
O/H	200	1	30	28	10	69	33	25	0	4	0	0
Shortfall/Excess	-34	1	-19	-17	-24	48	-25	-2	0	4	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090004307	1	0%	0%	100%	0%	0%	0%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Equipment should be returned to the MEF FSRs for any maintenance actions, spares reutilization and/or follow on DRMO actions. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**SPAWAR**
if	**Not Mission Capable MEF**	then	**SPAWAR**
if	**Not Mission Capable**	then	**SPAWAR**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	100%	0%

A0921 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0921: TELECOMMUNICATIONS EQUIP, AN/TSQ-226(V)1 (TROJAN LITE)

The Trojan Lite is a man-transportable transit case providing a flyaway intelligence dissemination capability and voice and data connectivity from Marine Expeditionary Units or Brigades to the Marine Expeditionary Forces.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	30	0
AAO (FY17)	31	
O/H	24	3
Shortfall/Excess	-6	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	9	7	0	0	5	0	0	0	0
9	9	7	0	1	5	0	0	0	0
8	7	5	0	0	1	0	0	0	0
-1	-2	-2	0	0	-4	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015036100	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	3	0	0

Notes: Depot level maintenance is performed at regional depots, and, if necessary, will be sent via MCLC. Do not power wash as this is electronic equipment. Use damp rags and compressed air to clean this TAMCN and its equipment. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory, notify PG-12/PMM123 for maintenance, a

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	1.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A0932 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A0932: INTELLIGENCE/OPERATIONS WORKSTATION AN/UYQ88

This workstation consists of the following:
1. Designated UNIX server is the Intelligence Operations Server Version 1 (IOS V1)
2. Designated Windows workstation is the Intelligence Operations Workstation Version 1 (IOW V1)

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	909	0
AAO (FY17)	946	
O/H	1,018	34
Shortfall/Excess	109	34

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
199	202	176	36	117	179	0	0	0	0
206	205	168	36	152	179	0	0	0	0
275	200	201	31	109	75	0	93	0	0
76	-2	25	-5	-8	-104	0	93	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010014600494	17	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	Yes	No	No	0	0	17
7010015753698	17	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	No	0	0	17
7010090000931	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	Yes	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A1078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1078: MULTIPLEXER

The Radio Repeater Set, AN/GRQ-32 is a sensor communications relay that enables communication between deployed sensors and monitoring sites when radio Line of Sight is precluded by terrain. This system provides the capability to transmit real-time sensor activation data to the Sensor Mobile Monitor System, the Signal Data Recorder, and the Portable Monitor; or to receive, store, and upon command from the monitoring site, re-transmit the stored sensor data.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	113	0	26	11	30	0	13	0	0	0	33	0
Shortfall/Excess	113	0	26	11	30	0	13	0	0	0	33	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820011452458	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Disposal Plan 08792A is published with disposal actions starting in 3rd quarter FY12.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A1214 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1214: PANEL, PATCHING, COMMUNICATION

The Panel, Patching, Communications, SB-4097/U, is designed for field use with the 26-pair system to provide patching, monitoring, and testing of up to 156 each two-wire circuits.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	15	0
Shortfall/Excess	15	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
7	0	2	0	3	3	0	0	0	0
7	0	2	0	3	3	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895011022100	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Disposal Plan 08229A is published with disposal actions starting in 4th quarter FY12.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	34	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A1220 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1220: RADIO RECON EQUIPMENT, S

The RREP SS-3 consists of the following key components: a Special Purpose Receiver, XR2000, AR-8200, MJ-08 and HIDRAH. Additionally the SS-3 has semi rugged laptop computers for control and communication, and a series of wiring harnesses for LAN and power connectivity.

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	42	0
AAO (FY17)	42	
O/H	31	2
Shortfall/Excess	-11	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	6	8	18	0	1	0	0	0	0
9	6	8	18	0	1	0	0	0	0
8	5	6	10	0	0	0	0	0	0
-1	-1	-2	-8	0	-1	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820015249479	2	0%	0%	100%	0%	0%	0%	NO	NO	No	No	no	Yes	No	No	1	0	0

Notes: Depot level maintenance will occure at NSWC Crane, send these items to MCLC so maintenance can be coordinated with the OEM. DO NOT POWER WASH. Item contains sensitive electronics, radios, computers, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of supply support needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**SPAWAR**
if	**Not Mission Capable MEF**	then	**SPAWAR**
if	**Not Mission Capable**	then	**SPAWAR**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A1221 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1221: MONITOR, PORTABLE, HAND HELD, AN/USQ-121

Tactical Remote Sensor Systems (TRSS) are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area. At a minimum, TRSS is capable of detecting human activity and/or the presence and movement of vehicles, providing real time, near-real time, or non-real time monitoring of sensors ashore and/or over the horizon. Monitoring equipment is lightweight and mobile to support fast-moving amphibious and expeditionary operations. Individual sensors can be emplaced by air or ground forces. Sensors and relays have sufficient power sources to operate continuously for 30 days.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY13)	219	0
AAO (FY17)	237	
O/H	114	0
Shortfall/Excess	-105	0

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
54	54	36	0	36	39	0	0	0	0
54	54	36	0	54	39	0	0	0	0
33	45	21	0	8	5	0	2	0	0
-21	-9	-15	0	-28	-34	0	2	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7035015218607	0	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment, otherwise send to LOGCOM for repair or disposal. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A1225 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1225: NETWORK MANAGER, EPLRS

Tactical Data Radio Systems (TDRS) Enhanced Position Location Reporting System Network Manager (ENM) is a software program capable of running on virtually any Pentium computer. The EPLRS Project Office has opted to acquire and field this software aboard a suite of equipment based upon the MCHS ruggedized Panasonic Tough Book model 28/29 laptop computer. The suite also includes a printer, sheet feeder, GPIB, and assorted other accessories all housed for transport in a single high impact plastic transit suitcase.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	169	0	40	34	20	0	28	47	0	0	0	0
AAO (FY17)	157		40	30	20	0	20	47	0	0	0	0
O/H	127	0	20	34	24	0	18	29	0	2	0	0
Shortfall/Excess	-42	0	-20	0	4	0	-10	-18	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090002382	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Use no water. Clean computers and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A1260 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1260: NAVIGATION SET, SATELLITE SIGNALS, AN/PSN-13 DAGR

The Navigation Set, Satellite Signals is commonly called the Precision Lightweight Global Positioning System (PLGR). PLGR is a highly accurate, durable, miniaturized receiver that provides position location information as well as other navigation functions.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	11,570	0	2,141	2,012	1,126	3,080	1,661	1,017	0	512	21	0
AAO (FY17)	10,957		1,940	1,830	1,105	3,080	1,460	1,009	0	512	21	0
O/H	16,010	251	2,752	2,332	1,276	2,030	1,577	1,273	0	4,381	133	5
Shortfall/Excess	4,440	251	611	320	150	######	-84	256	0	3,869	112	5

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5825013953513	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	yes	Yes	Yes	No	0	0	0
5825015168038	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	0	0
5825015264783	251	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	188	63

Notes: Rockwell Collins performs repairs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. All information for identified TAMCN A1260 is DAGR; PLGR is obsolete. Must be zeroized IAW TM 09880C-OR. Pack individually IAW MILSTD to avoid damage.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

A1500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1500: RADAR SET, AN/TPS-63B

The AN/TPS-63 is a two dimensional,medium range, medium altitude, transportable air surveillance radarsystem that supports the MAGTF. TheAN/TPS-63B Radar complements theco-employed AN/TPS-59(V)3 LongRange Radar

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	14	0
AAO (FY17)	14	
O/H	15	1
Shortfall/Excess	1	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	3	0	3	0	0
2	2	2	0	2	3	0	3	0	0
1	1	2	0	1	3	0	6	0	0
-1	-1	0	0	-1	0	0	3	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840013550092	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	1	0

Notes: Item will be updated at the MEF. The AN/TPS-63 Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A1503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1503: RADAR, AN/TPS-59(V3)

The AN/TPS-59(V)3 RADAR system is the Marine Corps' only long-range, 3-D, air surveillance, Tactical Ballistic Missile (TBM) capable RADAR. The AN/TPS-59(V)3 RADAR system is a transportable, solid-state, L band RADAR.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	11	0
AAO (FY17)	11	
O/H	11	1
Shortfall/Excess	0	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	2	0	1	0	0
2	2	2	0	2	2	0	1	0	0
2	2	2	0	2	2	0	0	0	0
0	0	0	0	0	0	0	-1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5840014129653	0	0%	100%	0%	0%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0
5840015840224	1	0%	100%	0%	0%	0%	0%	NO	NO	No	No	YES	No	no	no	1	0	0

Notes: Rotation plan is: two years deployed and then go through LOGCOM to Tobyhanna Army Depot. The AN/TPS-59 Radar is an electronic piece of equipment, High pressure hoses should not be used on the Antenna Transiever Group or the Shelter, no compartment should be opened while washing nor should the insides of the system be washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.4

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A1520 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1520: COMMON GROUND STATION (CGS)

Radar System Attack Target JT, AN/TSQ-179B(V)2

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3	0
AAO (FY17)	4	
O/H	4	0
Shortfall/Excess	1	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	1	0	0	0	0	0	0	0
1	1	1	0	1	0	0	0	0	0
2	1	1	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865014374914	0	0%	50%	0%	50%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Depot maintenance is performed at Tobyhanna Army Depot. DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. The system will be secured and should not be opened. Use compressed air and a vacuum to dust and clean any exterior areas. Damp rags may be used to wipe exterior areas clean. The exterior of the shelter plus the HMMWV may be power washed. Upon receiving item from theater, Tobyhanna Army Depot needs to complete a detailed inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic depot level maintenance required.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1081	4.7

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

A1818 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1818: RADIO SET

The AN/GRC-171B(V)4 is a UHF transceiver designed for ground mobile or shipboard installation and operations. This radio set is a modular design which contains Built-In-Test features and has an integral guard receiver.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	127	0		17	17	15	0	17	61	0	0	0	0
AAO (FY17)	127			17	17	15	0	17	61	0	0	0	0
O/H	231	1		26	18	17	0	31	70	0	68	0	0
Shortfall/Excess	104	1		9	1	2	0	14	9	0	68	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820013268947	1	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	1	0

Notes: DO NOT POWER WASH. Radio contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A1956 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1956: KIT, MAINT, ELECTRONIC EQUIPMENT

The Mk-2713/MRC-142 is a module/CCA set for fault isolation of Radio Set AN/MRC-142 to the lowest reparable unit.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	29	0
Shortfall/Excess	29	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
5	2	3	0	1	1	0	17	0	0
5	2	3	0	1	1	0	17	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895013649337	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Depot maintenance is done at SPAWAR, Charleston via the MEFs. Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A1957 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1957: RADIO SET

The AN/MRC-145A is an AN/VRC-92D Radio Set mounted in a 1/4 ton HMMWV, M998. It provides two-way FM transmitting and receiving facilities in the very high frequency band.

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,471	0
AAO (FY17)	1,170	
O/H	1,214	1
Shortfall/Excess	-257	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
389	343	207	0	314	55	0	0	163	0
351	287	193	0	284	55	0	0	0	0
292	280	165	0	224	68	0	24	160	0
-97	-63	-42	0	-90	13	0	24	-3	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820013618536	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	1	0	0
5820014318931	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: This is not a system that is currently being actively fielded, all dispositions are the responsibility of the LOGCOM Material Manager. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	115	0	3.8

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A1958 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A1958: KIT, MAINT, ELECTRONIC EQUIPMENT

The MK-2745/MRC-142 is used to assist in isolating failures with in the Radio Set, AN/MRC-142.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	31	0	6	2	5	0	2	1	0	15	0	0
Shortfall/Excess	31	0	6	2	5	0	2	1	0	15	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895013695560	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Depot maintenance is done at SPAWAR, Charleston via the MEFs. Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A2042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2042: RADIO SET, HIGH FREQUENCY, MANPACK, AN/PRC-150

The AN/PRC-150 provides half duplex HF and VHF tactical radio communications. It provides voice or data (using a modem) through Single Sideband modulation selectable for either USB or LSB.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	4,499	0	966	955	543	358	829	610	0	0	238	0
AAO (FY17)	4,222		908	849	558	358	720	591	0	0	238	0
O/H	6,382	87	1,219	1,069	703	432	861	663	0	1,080	268	0
Shortfall/Excess	1,883	87	253	114	160	74	32	53	0	1,080	30	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014787615	4	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	4
5820014923628	83	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	Yes	0	0	83

Notes: NSN 5820-01-478-7615 is obsolete and should not contain crypto so can be DRMO'd in theater. Other NSNs DO contain crypto. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2043: RADIO SET, MULTIBAND (URBAN) AN/PRC-148V2

The Tactical Handheld Radio, AN/PRC-148, is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz frequency spectrum.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	5,660	0	1,265	1,572	854	0	1,021	948	0	0	0	0
AAO (FY17)	5,067		1,096	1,389	852	0	982	748	0	0	0	0
O/H	6,050	0	1,521	1,833	789	3	991	632	0	281	0	0
Shortfall/Excess	390	0	256	261	-65	3	-30	-316	0	281	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810090000353	0	0%	0%	0%	100%	0%	0%	NO	NO	UNK	No	no	No	No	No	0	0	0
5820014601605	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2044: RADIO SET, MULTIBAND (MARITIME) AN/PRC-148

The Tactical Handheld Radio, AN/PRC-148, is a standardized, lightweight, tactical, hand held radio that provides secure, multi-band communications in the 30-512 MHz frequency spectrum.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	4,344	0	585	561	389	1,937	755	117	0	0	0	0
AAO (FY17)	4,067		484	460	314	1,937	755	117	0	0	0	0
O/H	4,381	0	752	688	294	2,311	243	70	0	23	0	0
Shortfall/Excess	37	0	167	127	-95	374	-512	-47	0	23	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810090000354	0	0%	0%	0%	100%	0%	0%	NO	NO	EDA	Yes	no	No	No	No	0	0	0
5820015729367	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2065: RADIO SET, F/LVTC7

The Radio Set AN/PRC-104 and AN/PRC-104B(V) are lightweight portable HF/SSB transceivers. Each Radio Set has adaptable configurations and is man-portable, vehicular and airborne.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	723	0
Shortfall/Excess	723	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	0	0	7	0	0	715	0	0
1	0	0	0	7	0	0	715	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820010279071	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	Yes	0	0	0

Notes: Follow in accordance to the Disposal Plan.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria

CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2068: RADIO SET, MULTIBAND, FALCON II, AN/PRC-117F

The AN/PRC-117F(V)1(C) is an advanced multi-band multi-mission manpack radio set, which provides reliable tactical communications through U.S. Government Type I encryption for enhanced secure voice (COMSEC, TRANSEC), high-speed data, ECCM and is SATCOM capable.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	8,214	0	1,909	1,858	1,173	522	1,517	1,013	0	0	222	0
AAO (FY17)	7,553		1,682	1,596	1,068	522	1,467	996	0	0	222	0
O/H	8,705	347	2,262	2,142	1,384	405	915	743	0	260	246	1
Shortfall/Excess	491	347	353	284	211	-117	-602	-270	0	260	24	1

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014622484	347	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	347	0	0

Notes: Recommendation is to back fill the units that have an AAO deficiency, with current back order resident in WOLPH. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2070: RADIO SET, MANPACK, AN/PRC-119A

The Radio Set, AN/PRC-119A, operates as a ground based manpack radio for tactical communication of voice-frequency FSK or digital data. Communication can be secured and/or frequency hopped for COMSEC or ECCM purposes.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2,719	0
Shortfall/Excess	2,719	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
553	604	297	0	698	304	0	143	120	0
553	604	297	0	698	304	0	143	120	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012679482	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Although this item is listed as obsolete, a number are being brought home and converted to A2079. For those in unserviceable condition, DRMO in theater. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2073 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2073: RADIO SET



The Radio Set, Manpack, AN/PRC-119D operates as a ground-based manpack radio for tactical communication ofvoice frequency, Frequency Shift Keying (FSK), or digital data. Communication can be secured and/or frequencyhopped for Communications Security (COMSEC) or Electronic Counter-Countermeasures (ECCM) purposes. TheAN/PRC-119D incorporated the technological advances of the RT-1523C(C)/U to support enhanced transmissionand reception of synchronous and asynchronous data. RT-1523C(C)/U has a internalmounted options for a Global Positioning System (GPS) receiver and a Network Access Unit (NAU).

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0		0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0			0	0	0	0	0	0	0	0	0	0
O/H	203	0		69	29	29	0	10	63	0	3	0	0
Shortfall/Excess	203	0		69	29	29	0	10	63	0	3	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014210801	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Item is listed as obsolete. For those in theater, send to MCLC in order to be DRMOed. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2074 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2074: RADIO SET, VEH

The Radio Set, AN/VRC-88D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	111	0
Shortfall/Excess	111	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
49	16	5	0	23	1	0	17	0	0
49	16	5	0	23	1	0	17	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820013521694	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Item is listed as obsolete, but is still used in the ambulances. Item is considered CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2075 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2075: RADIO SET, VEH

The Radio Set, AN/VRC-89D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	360	0	77	22	19	0	48	97	0	85	12	0
Shortfall/Excess	360	0	77	22	19	0	48	97	0	85	12	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014206619	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	No	No	0	0	0

Notes: Item is listed as obsolete, but is still used in Tanks, AAVs, and LAVs, and will be returned to the MEFs. Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A2077 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2077: RADIO SET, VEHICULAR

The Radio Set, AN/VCR-91D, is a basic set which requires operating components that are part of a requisite installation kit platform.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	143	0
Shortfall/Excess	143	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
10	46	4	0	2	7	0	74	0	0
10	46	4	0	2	7	0	74	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014206621	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2078: RADIO SET, VEHICULAR

The Radio Set, AN/VRC-92D, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	207	0
AAO (FY17)	176	
O/H	333	0
Shortfall/Excess	126	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
63	44	31	0	60	9	0	0	0	0
61	39	29	0	38	9	0	0	0	0
80	65	49	0	52	10	0	70	7	0
17	21	18	0	-8	1	0	70	7	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014212605	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	No	No	0	0	0

Notes: Item contains imbedded CCI, and should be handled accordingly. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A2079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2079: RADIO SET, MANPACK

The Radio Set, Manpack, AN/PRC-119F operates as a ground-based manpack radio for tactical communication ofvoice frequency, Frequency Shift Keying (FSK), or digital data. Communication can be secured and/or frequencyhopped for Communications Security (COMSEC) or Electronic Counter-Countermeasures (ECCM) purposes. TheAN/PRC-119F incorporated the technological advances of the RT-1523E(C)/U to support enhanced transmissionand reception of synchronous and asynchronous data. RT-1523E(C)/U improvements include substantial decreasein physical size and weight, an embedded battery box for manpack operation, extended battery life and internalmounted options for a Global Positioning System (GPS) receiver and a Network Access Unit (NAU).

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,967	0		634	657	392	0	737	547	0	0	0	0
AAO (FY17)	0			0	0	0	0	0	0	0	0	0	0
O/H	3,990	0		1,101	1,029	409	0	887	564	0	0	0	0
Shortfall/Excess	1,023	0		467	372	17	0	150	17	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014518252	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Recommendation is to back fill the units. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment. Recommend that the owning unit need to complete a detailed SL-3 inventory and maintenance assessment. This will show how much organic supply support will be needed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2152: RADIO SET, EPLRS AN/VSQ2C

The Enhanced Position Location Reporting System is a digital transmission system that provides the digital RF backbone necessary for the movement of information between MAGTF C4I Tactical Data Systems, such as the Tactical Data Network.

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,495	0	441	361	187	0	369	137	0	0	0	0
AAO (FY17)	1,418		414	340	187	0	340	137	0	0	0	0
O/H	1,849	0	600	491	256	0	263	218	0	18	3	0
Shortfall/Excess	354	0	159	130	69	0	-106	81	0	18	3	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014628411	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Use no water. Clean radios and components in accordance with technical manuals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2167 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2167: RADIO SET, VEH

The Radio Set, AN/VRC-88A, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	152	0
Shortfall/Excess	152	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
45	2	21	0	54	16	0	14	0	0
45	2	21	0	54	16	0	14	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012679481	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Item is obsolete and disposal plan is in place, however, item may be able to be cannibalized in CONUS if serviceable. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2168 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2168: RADIO SET, VEH

The Radio Set, AN/VRC-89A, is a basic radio set which requires operating components that are part of a requisite installation kit unique to each platform.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	305	0
Shortfall/Excess	305	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
123	45	82	0	15	12	0	28	0	0
123	45	82	0	15	12	0	28	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012679479	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2169 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2169: RADIO SET, VEHICULAR

The Radio Set, AN/VCR-90A, is a basic set which requires operating components that are part of a requisite installation kit platform. It operates a long-range/short-range vehicular radio for tactical communication of voice-frequency FSK or digital data.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	307	0	46	40	31	0	33	29	0	19	103	6
Shortfall/Excess	307	0	46	40	31	0	33	29	0	19	103	6

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012685105	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2171 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2171: RADIO SET, VEH

The Radio Set, AN/VRC-92A is the dual long-range vehicular configuration of the Integrated Communications Single Channel Ground to Air Radio System. Features of this radio include controllable output power with a maximum of 50 watts, 8 non-volatile present single channels, 6 non-volatile frequency hopping preset channels, and operates over the 30 to 87.975 MHz frequency range in 25 kHz channels (2,320 total channels).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	26	0	1	1	0	0	16	1	0	7	0	0
Shortfall/Excess	26	0	1	1	0	0	16	1	0	7	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820012679477	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2179 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2179: TERMINAL, RADIO, TROPOSCATTER, DIGITAL

The AN/TRC-170 is a transportable, self-enclosed troposcatter terminal (multichannel) capable of transmitting and receiving digital signals over varying distances.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	147	0
AAO (FY17)	147	
O/H	148	0
Shortfall/Excess	1	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
28	28	24	0	28	6	0	9	24	0
28	28	24	0	28	6	0	9	24	0
26	27	23	0	19	14	0	15	24	0
-2	-1	-1	0	-9	8	0	6	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015602957	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Recommendation: Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	119	0	6.6

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A2293 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2293: SHELTER, RIGID WALL, MODULAR, EXTENDABLE

Two Modular Extendable Rigid Wall Shelter (MERWS) complexes; each consisting of a MERWS kit attached to an S-786/G ISO 3:1 shelter of the Army Standard Family of expandable rigid wall shelters.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	8	0
AAO (FY17)	8	
O/H	18	1
Shortfall/Excess	10	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	0	0	0	0	0
2	2	2	0	2	0	0	0	0	0
2	6	2	0	2	0	0	5	0	0
0	4	0	0	0	0	0	5	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013129084	1	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	1	0

Notes: Power washing may be completed on the inside and outside of this item. Care should be taken around power outlets and wiring to prevent damage. Unservicable outlets will be replaced during rebuild as well as the wiring. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A2300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2300: RADIO REPEATER SET

Tactical Remote Sensor Systems (TRSS) are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area. At a minimum, TRSS is capable of detecting human activity and/or the presence and movement of vehicles, providing real time, near-real time, or non-real time monitoring of sensors ashore and/or over the horizon. Monitoring equipment is lightweight and mobile to support fast-moving amphibious and expeditionary operations. Individual sensors can be emplaced by air or ground forces. Sensors and relays have sufficient power sources to operate continuously for 30 days. TRSS is employed by the Marine Corps Ground Sensor Platoon.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	507	0
AAO (FY17)	555	
O/H	434	0
Shortfall/Excess	-73	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
144	144	64	0	96	59	0	0	0	0
144	144	64	0	144	59	0	0	0	0
155	137	72	0	21	21	0	28	0	0
11	-7	8	0	-75	-38	0	28	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5820014863797	0	15%	15%	0%	45%	25%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2306 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2306: SENSOR SYSTEM, MONITOR, MOBILE

The SMMS is a Tactical Remote Sensor System consisting of an AN/USQ-126 Sensor Monitor System (SMS) mounted on a High Mobility Multi-purpose Wheeled Vehicle and a skid-mounted generator towed on a trailer.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	21	0
Shortfall/Excess	21	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
4	4	0	0	2	1	0	10	0	0
4	4	0	0	2	1	0	10	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6350013821826	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	no	No	Yes	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear considered "mission capable" should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. Else, the gear should be sent to LOGCOM for repair or disposal. The exterior of the vehicle can be powerwashed, but the electronic gear within the shelter should NOT be agriculturally washed. Should the electronic equipment within the TAMCN be powerwashed it would be ruined beyond economical repair and would have to be reprocured. Recommend no local nationals transport this gear as it contains equipment that is considered highly pilferable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.2

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

A2333 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2333: SHELTER, TACTICAL, EXPANDABLE, TWO-SIDED

The S-786/G Two-Sided Expandable Tactical Shelter is a self-contained transportable multi-application utility shelter. As a member of family of standard rigid wall International Standard Organizational (ISO) shelters, it is equipped with standard ISO fittings. It is also equipped with mobilizer fittings (for mobilizer transportation) and built-in fork lift provisions. It is designed for all weather operation, and has an environmentally controlled interior, rigid wall construction, and external electrical power connection. Its design incorporates a door activated blackout switch to facilitate operation under blackout conditions.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	24	0	6	6	6	0	6	0	0	0	0	0
AAO (FY17)	24		6	6	6	0	6	0	0	0	0	0
O/H	38	10	6	3	5	0	5	7	0	2	0	0
Shortfall/Excess	14	10	0	-3	-1	0	-1	7	0	2	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411012949866	10	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	10	0

Notes: Power washing may be completed on the inside and outside of this item. Care should be taken around power outlets and wiring to prevent damage. Unservicable outlets will be replaced during rebuild as well as the wiring. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	2.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A2335 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2335: SHELTER, 10FT, EMI, MAINT COMPLEX

The Non-expandable, 10 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	233	0	51	45	49	7	43	0	0	11	24	3
AAO (FY17)	241		53	52	41	7	39	0	0	11	24	14
O/H	294	10	63	57	46	0	39	1	0	50	28	0
Shortfall/Excess	61	10	12	12	-3	-7	-4	1	0	39	4	-3

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013046122	10	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	10	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A2336 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2336: SHELTER, 20FT, EMI, MAINT COMPLEX

The Non-expandable, 20 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	145	0
AAO (FY17)	156	
O/H	209	6
Shortfall/Excess	64	6

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	26	30	35	0	21	0	0	5	26	2
AAO (FY17)	32	31	27	0	20	0	0	5	26	15
O/H	36	32	35	0	16	2	0	47	33	2
Shortfall/Excess	10	2	0	0	-5	2	0	42	7	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013046121	6	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	6	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A2337 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2337: SHELTER, 20FT, RIGID, MAINT COMPLEX

The Non-expandable, 20 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	195	3	44	46	32	1	45	0	3	8	14	2
AAO (FY17)	197		50	50	30	1	34	0	3	8	14	7
O/H	236	14	56	42	32	0	35	0	0	39	18	0
Shortfall/Excess	41	11	12	-4	0	-1	-10	0	-3	31	4	-2

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013057366	14	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	14	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A2338 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2338: SHELTER, 10FT, RIGID, MAINT COMPLEX

The Non-expandable, 10 ft., Rigid/Electronics Maintenance Complex Shelter provides a standard, portable, complexable, shelter which, by virtue of its inherent design, conforms to Marine Corps transportability and supportability requirements.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	198	11
AAO (FY17)	191	
O/H	257	14
Shortfall/Excess	59	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
45	51	43	2	41	0	11	5	0	0
49	49	37	2	38	0	11	5	0	0
71	56	37	1	36	0	0	42	0	0
26	5	-6	-1	-5	0	-11	37	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411013046123	14	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	14	0

Notes: AAO is being reshaped, as options for modernization are being evaluated.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	1.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A2390 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2390: FACILITY, ANTI-AIR WARFARE, SECTOR

The SAAWF provides a work site for the Sector Air Defense Coordinator to manage the execution of the air defense plan in his assigned sector. The SAAWF consists of eight COTS computers connected via an Ethernet backbone to two dual System Server Unit server groups (the SAAWF can be configured to include up to twenty workstations).

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	0
AAO (FY17)	15	
O/H	7	1
Shortfall/Excess	-8	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	3	4	0	0	0	0
3	3	2	0	3	4	0	0	0	0
1	1	1	0	2	1	0	0	0	0
-2	-2	-1	0	-1	-3	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015344772	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	1	0	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter can be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.2

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2525 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2525: TACTICAL AIR OPERATIONS MODULE

The Air Defense System, AN/TYQ-23(V)4, includes both hardware and software configured as an automated Tactical Air Operations Central. Each Air Defense System is a transportable module that can operate independently.

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	17	0	2	2	2	0	2	9	0	0	0	0
AAO (FY17)	17		2	2	2	0	2	9	0	0	0	0
O/H	31	3	2	2	2	0	2	9	0	11	0	0
Shortfall/Excess	14	3	0	0	0	0	0	0	0	11	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014619786	3	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes: DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter can be power washed. Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	8.3

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A2534 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2534: DATA DISTRIBUTION

The Data Distribution System, known as Tactical Data Network (TDN) Server, augments existing Marine Air-Ground Task Force (MAGTF) tactical communications infrastructure to provide the MAGTF Commander an integrated data network. This data network supports MAGTF Tactical Data Systems (TDSs) and the Defense Message System (DMS) by providing a network of communication nodes (gateways & servers) interconnected with one another and their subscribers via a combination of common user long haul transmission systems, local area networks (LANs), the Enhanced Position Location Reporting System (PLRS), and switch telephone systems.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	4	0
Shortfall/Excess	4	0

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	4	0	0	0	0	0	0	0	0
0	4	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014740355	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is in the process of Disposal. DP5895 PCN 13110834000. REMOVE HARDRIVE AND EKMS PRIOR TO IN THEATER DISPOSAL.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2536 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2536: TACTICAL DEFENSE MESSAGE SYSTEM

The Tactical Defense Message System provides users access to the DMS global address directory and the capability to exchange signed and encrypted messages using a class four Public Key Infrastructure hardware token.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	27	0
AAO (FY17)	27	
O/H	19	0
Shortfall/Excess	-8	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	6	0	6	3	0	0	0	0
6	6	6	0	6	3	0	0	0	0
1	4	1	0	0	11	0	2	0	0
-5	-2	-5	0	-6	8	0	2	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090002686	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0

Notes: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. All associated power cords and accessories should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2538 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2538: DATA DISTRIBUTION

The Data Distribution System, referred to as the Tactical Data Network Server, augments the existing Marine Air- Ground Task Force tactical communications infrastructure to provide the MAGTF Commander an integrated data network. This data network will support MAGTF Tactical Data Systems and the Defense Message System by providing a network of communication nodes (gateways and servers) interconnected with one another and their subscribers via a combination of common user long haul transmission systems, local area networks, the Enhanced Position Location Reporting System, and switch telephone systems.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	29	0
Shortfall/Excess	29	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
5	2	0	0	22	0	0	0	0	0
5	2	0	0	22	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015040650	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is in the process of Disposal. DP5895 PCN 13110834000. REMOVE HARDRIVE AND EKMS PRIOR TO IN THEATER DISPOSAL.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A2546 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2546: COMPUTER, RUGGEDIZED, ULTRAPORT, LAPTOP

Fully Ruggedized Laptop. i.e. Panasonic CF-29 or CF-30 or GETAC-B300. There are multiple vendors for this TAMCN.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	7,640	0
AAO (FY17)	7,193	
O/H	11,005	233
Shortfall/Excess	3,365	233

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,389	2,187	1,522	0	1,439	80	0	0	23	0
2,225	2,048	1,471	0	1,346	80	0	0	23	0
3,085	4,258	1,666	427	590	727	0	2	17	0
696	2,071	144	427	-849	647	0	2	-6	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015321325	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010015643767	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090000382	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090003753	42	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	42	0	0
7010090003756	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090004287	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090004288	107	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	107	0	0
7010090004289	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	2	0	0
7021090006225	40	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	40	0	0
7022014779089	42	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	42	0	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

Notes: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII…….. Other NSNs follow same strategy: 7010090004289 (94 O/H), 7010015643767 (35 O/H), 7010090000382 (16 O/H), 7010090003756 (5 O/H)

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- ☑ **Sensitive**
- ☐ **CCI**
- ☑ **Multi-Modal**
- ☐ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2548 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2548: COMPUTER

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	936	0
AAO (FY17)	935	
O/H	1,225	0
Shortfall/Excess	289	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
256	239	193	0	130	118	0	0	0	0
255	235	197	0	132	116	0	0	0	0
380	298	198	0	0	342	0	7	0	0
124	59	5	0	-130	224	0	7	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090002543	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	0

Notes: Field level maintenance will be done at the MEFs. If the item is out of warranty or unserviceable, a request for disposition via WOLPH should be submitted to DRMO in theater. IT Equipment. Do not wash down. All associated power cords and power supplies should be shipped with PEI. HDD should be reformatted IAW local SOP to ensure there is no loss of classified material or PII.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A2551 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2551: COMMAND SYSTEM, TACTICAL

The Intelligence Broadcast Receiver program is a family of terminals specifically designed to receive and process broadcast intelligence information. It consists of the currently fielded AN/USC-55A, or Commanders Tactical Terminal Three-Channel, the AN/USC-62(V)x(c), or Joint Tactical Terminal, the future Embedded National Tactical Receiver, and other hardware products and software modules that may be developed for integration with Marine Corps C4I systems.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	0
AAO (FY17)	14	
O/H	14	1
Shortfall/Excess	-1	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	4	2	0	3	4	0	0	0	0
2	4	2	0	2	4	0	0	0	0
0	2	2	0	3	4	0	2	0	0
-2	-2	0	0	0	0	0	2	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014439072	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: Item has reached its end of service life, and will be replaced by TAMCN A0280, Universal Serial Bus Embedded National Tactical Receiver. Item will be disposed of at MCLB Albany. DO NOT POWER WASH. Item contains sensitive electronics, computer, and software which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0.1

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A2555 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2555: ADVANCED FIELD ARTY TACTICAL DATA SYSTEM AN/GYK-60

The Advanced Field Artillery Tactical Data System, AN/GYK-60, is an automated Command and Control system for fire support

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	949	120
AAO (FY17)	989	
O/H	1,141	12
Shortfall/Excess	192	-108

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
201	162	108	0	136	222	120	0	0	0
197	149	120	0	153	250	120	0	0	0
242	199	114	0	178	195	0	201	0	0
41	37	6	0	42	-27	-120	201	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1220015256305	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	No	0	0	0
5895015729499	12	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	yes	No	No	6	0	6

Notes: Will be repaired with spare parts at the MEFs. For the most part, no depot level maintenance will be performed. If it is damaged beyond repair, will procure new.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	15	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2560 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2560: TARGET LOC, DESIG & HAND-OFF SYS (TLDHS)(BLK II)

The Target Location Designation and Hand-off System is a man-portable, automated equipment suite that provides Fire Support Observer/Controllers with the ability to accurately acquire, locate, then digitally transmit (hand-off) target data to Fire Support platforms and agencies.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	855	27
AAO (FY17)	814	
O/H	950	0
Shortfall/Excess	95	-27

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
206	194	111	12	223	82	27	0	0	0
190	162	104	12	237	82	27	0	0	0
178	174	119	54	150	144	0	131	0	0
-28	-20	8	42	-73	62	-27	131	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015244120	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010015716450	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: Item is under warranty and all will go through MCLC. Complete system contains one PRC-117F radio TAMCN: A2068.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2628 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2628: TECHNICAL CONTROL ANALYSIS CENTER, TRANS WRKSTN

The Tactical Control Analysis Center provides automated processing, analysis and reporting functions of the RadBn in order to fulfill its mission of providing timely, accurate SIGINT/EW support to MAGTF combat operations.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	336	0
AAO (FY17)	334	
O/H	123	0
Shortfall/Excess	-213	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
79	87	72	54	0	44	0	0	0	0
79	85	72	54	0	44	0	0	0	0
73	0	0	10	1	0	0	0	0	0
-6	-87	-72	-44	1	-44	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010014653223	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
7010090004435	0	0%	0%	100%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS representative will be contacted. The CLS representative will provide a replacement LRU to organic maintenance to conduct the repair. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**SPAWAR**
if	**Not Mission Capable MEF**	then	**SPAWAR**
if	**Not Mission Capable**	then	**SPAWAR**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2634 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2634: TCAC ANALYSIS WORKSTATION, REMOTE (TCAC RAWS)

The Tactical Control Analysis Center provides automated processing, analysis and reporting functions of the RadBn in order to fulfill its mission of providing timely, accurate SIGINT/EW support to MAGTF combat operations.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	56	0
AAO (FY17)	55	
O/H	40	2
Shortfall/Excess	-16	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	15	10	12	0	8	0	0	0	0
11	14	10	12	0	8	0	0	0	0
11	11	11	3	0	0	0	2	0	0
0	-4	1	-9	0	-8	0	2	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090004436	2	0%	0%	100%	0%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	0

Notes: Owning unit will inventory SL-3 and complete a detailed maintenance assessment. A missing SL-3 listing will be provided to MCSC for determination of re-procurement or cross-leveling of existing spares inventory. If maintenance is beyond the unit capability, an ERO will be opened and the CLS representative will be contacted. The CLS representative will provide a replacement LRU to organic maintenance to conduct the repair. TAMCN are MARES reportable items, ensure gains and losses are incorporated into unit SORTS reporting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**SPAWAR**
if	**Not Mission Capable MEF**	then	**SPAWAR**
if	**Not Mission Capable**	then	**SPAWAR**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	94	0.2

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2740 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2740: TEST SET, FIELD CABLE

The Cable Test Set is a portable testing unit for checking the continuity and insulation resistance of field-installed 26 pair cable assemblies and patching panels.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	249	0
AAO (FY17)	211	
O/H	146	0
Shortfall/Excess	-103	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
66	65	40	0	59	2	0	0	14	3
64	59	22	0	43	2	0	0	16	5
25	32	19	0	26	1	0	30	13	0
-41	-33	-21	0	-33	-1	0	30	-1	-3

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012577921	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	yes	No	No	No	0	0	0

Notes: This TAMCN should be sent to the MEFs in order to fill any home station shortfalls. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A2808 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A2808: TEST SET, OPTICAL COMMUNICATIONS

The Test Set, Optical Communications, AN/GSM-317 is a self-contained test set used in a field environment to test and troubleshoot Fiber Optic Cable Assembly communication links.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	67	0	20	4	8	0	6	5	0	0	24	0
Shortfall/Excess	67	0	20	4	8	0	6	5	0	0	24	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012388954	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Disposal Plan 09010A is published with disposal actions starting in 4th quarter FY11. However, until the requirements at the MEFs are reduced, items will be returned to the MEFs. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A3013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3013: MAINT KIT, TRSS, ELECTRONIC EQUIP

Tactical Remote Sensor Systems are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	21	0
AAO (FY17)	22	
O/H	8	0
Shortfall/Excess	-13	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	3	7	0	0	0	0
4	4	3	0	4	7	0	0	0	0
0	3	0	0	0	5	0	0	0	0
-4	-1	-3	0	-3	-2	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895090004022	0	20%	0%	0%	0%	80%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: The Pelican case can be washed; all equipment stored within the Pelican cases are electronic equipment and should not be subjected to water washdown.Recommend no local nationals transport this gear as it contains equipment that is considered highly pilferable. (i.e COTS ITE)

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	12	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A3200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3200: TRAILER,MAINTENANCE

The Trailer, Bolster, M-796A1 is a 4 ton, 4 wheel trailer used to haul utility poles in a tactical environment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	1	1
Shortfall/Excess	1	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330002154211	1	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	1

Notes: Item is Obsolete and will be DRMO'd in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	2.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A3232 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3232: TACTICAL SATCOM, TRANSPORTABLE (SMART-T)

Secure Mobile Anti-jam Reliable Tactical Terminal is a MILSTAR satellite-compatible ground communications terminal that provides worldwide, secure, transportable, anti-jam, reliable, Low Probability of Intercept data and voice communications.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	49	0
AAO (FY17)	49	
O/H	28	0
Shortfall/Excess	-21	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	13	10	0	13	0	0	0	0	0
13	13	10	0	13	0	0	0	0	0
8	6	7	0	6	0	0	1	0	0
-5	-7	-3	0	-7	0	0	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014350571	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Preparing to go through upgrades, as item has been used heavily in theater. Else, send to MCLC for routing to Tobyhanna Army Depot. Do not pressure wash. Only use fresh non potable water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. Do not separate weapon system from HMMWV. Reset schedule established by Army and subject to change, contact Project Officer prior to fielding shortfall. Always ship MILAIR, due to detailed handling requirements to prevent antenna damage. Embedded Crypto must be removed prior to shipping.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	797	4.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A3252 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3252: UAV SYSTEM, DRAGON EYE RAVEN-B

The Drone System is a hand launched reconnaissance and surveillance tool. The system transmits live airborne video images, compass headings and location information to a ground control station.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	69	0
Shortfall/Excess	69	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
20	26	4	3	3	0	0	13	0	0
20	26	4	3	3	0	0	13	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1550015303912	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
1550015389256	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
1550015495291	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: No LTI necessary. All items are going to have commercial depot strategy and will be 1-1 swap with A0321. Use damp rags and compressed air to clean this TAMCN and its equipment. PMA-263 has the cog for this item. POC is Capt. Steven M. Stepanic PMA-263 Raven B and WASP Lead at (301)757-1796. Please direct inquiries about this item to PMA-263.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A3255 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3255: SENSOR, GROUND, UNATTENDED AN/GSQ-257

The Unattended Ground Sensor Set, AN/GSQ-257, is a suite of hand emplaced sensors that operate unattended and detects activity through seismic, acoustic, infrared, and magnetic sensing technologies.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	34	0
AAO (FY17)	37	
O/H	27	0
Shortfall/Excess	-7	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	9	9	6	0	6	4	0	0	0	0
AAO (FY17)	9	9	6	0	9	4	0	0	0	0
O/H	9	8	5	0	2	2	0	1	0	0
Shortfall/Excess	0	-1	-1	0	-4	-2	0	1	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6350013437134	0	20%	0%	0%	50%	30%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: The MEFs SSP are the field level maintainers of this equipment and all TRSS gear should be sent directly to them for any additional minor repairs and should then be reissued to fill home station shortfalls. This is electronic gear and should not be agriculturally washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DRMO**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A3270 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A3270: COMM INTERFACE SYSTEM, MRQ-12

The CIS, AN/MRQ-12 (V)1 and (V)2, has a common shelter/vehicle configuration which consists of an M1097A2 Heavy variant-High Mobility Multipurpose Wheeled Vehicle mounted with a LMS model S-788/G.

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	7	0
Shortfall/Excess	7	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	0	2	0	2	1	0	0	0	0
2	0	2	0	2	1	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015800283	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Upon receiving item from theater, owning unit needs to complete a detailed SL-3 inventory and a detailed maintenance assessment. The inventory and assessment will drive the amount of organic supply support needed (i.e. replacing SL-3), organic maintenance (i.e. radio maintenance, cable maintenance), and depot maintenance (i.e. IROAN). The detailed assessment will assist in preparing the depot for incoming work and alleviate overflow headaches. DO NOT POWER WASH INSIDE OF SHELTER. Interior of shelter contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean. The exterior of the shelter plus the HMMWV may be power washed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	874	3.5

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7001: TEST SET, OPTICAL POWER

The Optical Loss Test Set is used to perform precise optical measurements in the field. The test set is composed of a power meter (Techlite Model PX-B220) and two different light sources (Techlite model numbers PX-C202 and PX-C205). The set is used to determine the level of optical power being emitted from a transmitter and to perform fiber loss measurements or splice tuning operations of current and future fiber optic cables. The test set also gives the technician the ability to determine power loss in fiber, connectors, attenuators, or other passive optical components.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	245	16	58	58	45	0	43	25	16	0	0	0
AAO (FY17)	247		61	60	45	0	40	25	16	0	0	0
O/H	188	0	35	45	30	0	18	52	0	8	0	0
Shortfall/Excess	-57	-16	-23	-13	-15	0	-25	27	-16	8	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015107502	0	33%	33%	0%	34%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes: Serviceable items will be returned to the MEFs. For unserviceable condition, the item will be sent to commercial depot via the MEFs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7002: ANALYZER, SPECTRUM HAND HELD

A hand held spectrum analyzer capable of analyzing radio frequency signals from 100KHz to 6GHz.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	414	30
AAO (FY17)	421	
O/H	457	6
Shortfall/Excess	43	-24

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
83	81	44	0	59	97	30	20	0	0
81	81	52	0	60	97	30	20	0	0
80	81	43	0	35	113	0	99	0	0
-3	0	-1	0	-24	16	-30	79	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015306573	6	33%	33%	0%	34%	0%	0%	NO	NO	No	No	yes	No	Yes	No	2	2	2

Notes: Serviceable items will be returned to the MEFs. For unserviceable condition, the item will be sent to commercial depot via the MEFs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7004: MICROSCOPE, OPTICAL

A hand held device used to view and measure fiber optic cable connections.

FT600/AN

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	198	0
AAO (FY17)	185	
O/H	148	0
Shortfall/Excess	-50	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
50	46	39	0	55	8	0	0	0	0
51	49	39	0	38	8	0	0	0	0
49	24	12	0	16	45	0	2	0	0
-1	-22	-27	0	-39	37	0	2	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015309446	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A7005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7005: ANALYZER,SPECTRUM

These are Micro Wave spectrum analyzers that operate over the freq ranges of 9 kHz to 40 GHz with pre-selection to at least 26.5 GHz. They include synthesized tuning and built in frequency counters, marker-aided frequency and amplitude measurements (relative and absolute) of RF and microwave signals, and digital trace and signal storage.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	459	0
AAO (FY17)	464	
O/H	689	4
Shortfall/Excess	230	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
116	110	65	0	80	64	0	4	20	0
107	108	62	0	83	64	0	4	36	0
44	43	38	0	17	220	0	311	12	0
-72	-67	-27	0	-63	156	0	307	-8	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012591060	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	Yes	No	0	0	0
6625012707786	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	Yes	No	0	0	0
6625014651844	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	Yes	No	1	0	0
6625015229603	3	33%	33%	0%	34%	0%	0%	NO	NO	No	No	yes	No	Yes	No	2	0	1

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7009: ANALYZER, SPECTRUM FST-6-NTG3(CREW)

The FSH6-NTG/K-6NUSMC Spectrum Analyzer is a wide band, very sensitive receiver. It works on the principle of "super heterodyne receiver" to convert higher frequencies (normally ranging up to several 10s of GHz) to measurable quantities. The received frequency spectrum is slowly swept through a range of pre-selected frequencies, converting the selected frequency to a measurable DC level (usually logarithmic scale), and displaying the same on the CRT of the FSH6-NTG/K-6NUSMC. The CRT displays received signal strength (y-axis) against frequency (x-axis).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	29	0	0	0	0	0	0	21	0	8	0	0
AAO (FY17)	29		0	0	0	0	0	21	0	8	0	0
O/H	153	3	5	0	0	0	0	61	0	84	0	0
Shortfall/Excess	124	3	5	0	0	0	0	40	0	76	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015406124	3	33%	33%	0%	34%	0%	0%	NO	NO	No	No	yes	No	Yes	Yes	1	1	1

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7010: DIGITAL DATA ANALYZER

Device used to measure and compare timing of digital electroninc signals. Used by electronic technicans to monitor, test, and repair electronic systems.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	12	0
Shortfall/Excess	12	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	0	2	0	2	6	0	0	0	0
2	0	2	0	2	6	0	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012055224	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Item is obsolete and will be DRMO'd in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A7021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7021: COUNTER, ELECTRONIC, DIGITAL READOUT

The electronic frequency counters are designed to assist technicians with installation, monitoring, verification of proper operation, testing, alignment, troubleshooting, and repairing of communication-electronics and ordnance type equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	290	0
AAO (FY17)	286	
O/H	497	4
Shortfall/Excess	207	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
55	53	28	0	40	93	0	0	21	0
52	56	9	0	34	93	0	0	28	14
43	42	22	0	45	157	0	171	13	0
-12	-11	-6	0	5	64	0	171	-8	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012713012	1	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	1
6625013992298	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
6625015309444	3	70%	0%	0%	30%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	3

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A7035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7035: ALIBRATOR, FREQUENCY

The Frequency Calibrator, 585B, is a rugged transportable Frequency Calibrator that automatically measures pulsed radio frequency signals up to 20 GHz with pulse widths as narrow as 50 nanoseconds.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	54	0
AAO (FY17)	37	
O/H	52	0
Shortfall/Excess	-2	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	11	8	0	16	3	0	0	2	0
10	10	6	0	8	3	0	0	0	0
5	8	6	0	3	10	0	17	3	0
-9	-3	-2	0	-13	7	0	17	1	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895012810072	0	100%	0%	0%	0%	0%	0%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
6625013584903	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Item is obsolete and will be DRMO'd in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A7036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7036: GENERATOR, FUNCTION, ELEC TEST

The Function Generator, model number 33220A, is a general-purpose function generator designed to assist technicians with troubleshooting and repairing communication and electronic equipment. It is a high-performance 20 MHz synthesized function generator with built-in arbitrary waveform capability. The Function Generator uses direct digital-synthesis techniques to create a stable, accurate output signal for clean, low-distortion waveforms. It provides fast rise- and fall-time square wave, and linear ramp waveforms down to 100uHz.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	609	0
AAO (FY17)	592	
O/H	957	1
Shortfall/Excess	348	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
57	55	38	0	51	363	0	0	45	0
57	55	15	0	41	363	0	0	45	16
50	52	38	0	15	458	0	294	49	0
-7	-3	0	0	-36	95	0	294	4	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014164444	1	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	Yes	No	1	0	0
6625015498266	0	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7040: ADAPTER TEST (TRSS)

Tactical Remote Sensor Systems are systems that provide the capability for all-weather remote monitoring of activity within and near a given objective area.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	21	0
AAO (FY17)	22	
O/H	18	0
Shortfall/Excess	-3	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	3	7	0	0	0	0
4	4	3	0	4	7	0	0	0	0
3	3	2	0	0	6	0	4	0	0
-1	-1	-1	0	-3	-1	0	4	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015051143	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A7046 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7046: GENERATOR, SIGNAL

This general purpose signal generator is intended to support microwave systems, such as radars and communication equipment, that operate at frequencies above 1 GHz. Features include internal pulse modulation with variable pulse width and pulse delay.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	213	0	42	42	42	0	38	37	0	6	6	0
AAO (FY17)	189		43	43	26	0	34	37	0	6	0	0
O/H	299	3	32	26	34	2	21	24	0	146	11	0
Shortfall/Excess	86	3	-10	-16	-8	2	-17	-13	0	140	5	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013959570	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	Yes	No	0	0	0
6625014252550	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	Yes	No	0	1	0
6625014955275	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	i/p	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A7051 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7051: METER, POWER

Intended to support microwave systems. This meter measures continuous wave power output from 10MHz to 18GHz. TAMCN A7053 should be used to measure pulsed type microwave signals in the same bandwidth.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	183	0	37	35	30	10	30	16	0	0	25	0
AAO (FY17)	201		41	39	30	10	28	16	0	0	25	12
O/H	374	4	30	51	39	17	21	36	0	146	30	0
Shortfall/Excess	191	4	-7	16	9	7	-9	20	0	146	5	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014066941	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	3	0	0
6625015311947	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	1	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7052 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7052: GENERATOR, SIGNAL

The 8643A Synthesized Signal Generator is a high performance programmable signal generator intended for the most demanding out-of-channel RF receiver measurements and other stringent RF applications.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	295	0	48	48	35	6	38	120	0	0	0	0
AAO (FY17)	274		50	52	8	6	38	120	0	0	0	0
O/H	466	0	55	52	48	11	29	84	0	187	0	0
Shortfall/Excess	171	0	7	4	13	5	-9	-36	0	187	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013675551	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7053: METER, SPECIAL SCALE

This item is intended to support all equipment and systems that generate pulse-type microwave radio frequency (RF) electronic signals up to 18 GHz and which require this capability in applicable technical manuals. TAMCN A7051 should be used to measure continuous wave type signals.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	31	0	4	4	6	0	6	11	0	0	0	0
AAO (FY17)	29		4	4	6	0	4	11	0	0	0	0
O/H	76	0	1	0	7	0	5	15	0	48	0	0
Shortfall/Excess	45	0	-3	-4	1	0	-1	4	0	48	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013815741	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7055: MONITOR UNIT, RADIO FREQUENCY

The 4410-030 Test Set is an insertion type RF wattmeter designed to measure power flow and load match in 50 ohm RF coaxial transmission lines and is intended for use on CW or FM modulated signals only.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,106	0	265	257	161	65	218	73	0	9	55	3
AAO (FY17)	1,010		265	254	135	65	209	73	0	9	0	0
O/H	1,215	8	224	213	147	29	135	91	0	294	74	0
Shortfall/Excess	109	8	-41	-44	-14	-36	-83	18	0	285	19	-3

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012175631	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0
6625014439916	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	1
6625015134644	7	50%	50%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	7
6625015682691	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7057: OHMMETER

The Model 3711M simply clamps around the ground conductor or rod and measures the resistance to ground. Performs measurements on intact ground systems, it verifies the quality of the grounding connections and bonds.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	238	0
AAO (FY17)	248	
O/H	553	7
Shortfall/Excess	315	7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
52	57	43	0	42	26	0	18	0	0
57	60	47	0	40	26	0	18	0	0
56	50	49	3	39	115	0	234	0	0
4	-7	6	3	-3	89	0	216	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013778030	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0
6625014943112	7	50%	50%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	7

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A7059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7059: OHMMETER (EARTH GROUND RESISTANCE TESTER)

The Model R1L-C is a portable ground resistance ohmmeter, designed to measure grounding system resistance, as well as soil resistively, over ranges from two ohms to 20 kilohms full scale.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	544	0	122	121	84	64	100	27	0	26	0	0
AAO (FY17)	508		122	114	63	64	92	27	0	26	0	0
O/H	836	2	155	152	106	29	65	63	0	264	0	0
Shortfall/Excess	292	2	33	31	22	-35	-35	36	0	238	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013776166	2	50%	50%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	1	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A7060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7060: OSCILLOSCOPE (54825A AND TDS5054B)

Device used to measure electronic signals. Used by electronic technicans to monitor, test, & repair electronic systems (radios, radars, switching networks, night vision devices, and many others)

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	340	0
AAO (FY17)	296	
O/H	450	4
Shortfall/Excess	110	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
59	58	40	0	43	125	0	0	12	3
55	58	17	0	38	125	0	0	0	3
74	84	46	0	29	102	0	86	22	3
15	26	6	0	-14	-23	0	86	10	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014518727	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
6625015196497	4	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	3	0	1

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7061: OSCILLOSCOPE (FLK-199C/AN)

Device used to measure electronic signals. Used by electronic technicans to monitor, test, & repair electronic systems (radios, radars, switching networks, night vision devices, and many others)

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,401	0	218	220	136	0	184	459	0	32	147	5
AAO (FY17)	1,391		215	213	128	0	165	459	0	32	174	5
O/H	1,733	5	254	255	179	2	136	545	0	208	149	0
Shortfall/Excess	332	5	36	35	43	2	-48	86	0	176	2	-5

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012754766	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	1
6625014735174	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0
6625014940438	4	50%	50%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	4

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7072: ADAPTER, TEST, SINCGARS RADIO

This item is used to test SINCGARS radios and must be used with TAMCN A7082. All of the J-4843/GRM-114B items should have been modified to the new J-4843A/GRM-122 configuration.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	500	7
AAO (FY17)	283	
O/H	693	1
Shortfall/Excess	193	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
106	103	64	2	82	123	7	0	13	0
47	48	16	2	40	123	7	0	0	0
154	137	78	2	109	51	0	136	25	0
48	34	14	0	27	-72	-7	136	12	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013092827	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	Yes	No	0	0	0
6625014328368	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	Yes	No	0	0	1
6625014360419	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	Yes	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A7080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7080: TEST SET, RADIO VHF

This unit is a handheld test set for HF, VHF, and UHF radios and is intended to be used by radio technicians as a tool to check performance of radios or identify faulty radios at the Organizational Unit.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,449	0
AAO (FY17)	1,405	
O/H	1,680	33
Shortfall/Excess	231	33

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
384	364	211	83	326	81	0	0	0	0
370	344	203	83	324	81	0	0	0	0
381	368	176	67	269	177	0	208	1	0
-3	4	-35	-16	-57	96	0	208	1	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625012396715	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	Yes	No	0	0	0
6625015380285	33	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	No	No	0	0	33

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A7081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7081: TEST SET, TELECOMMUNICATION SYSTEM

The FB6000-NAVY-P1 and FB6000-NAVY-P2 are portable telecommunication system sets with analog and digital testing capabilities capable of transmission impairment, bit error and protocol analysis measurements and testing.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	347	0	58	58	43	12	58	81	0	10	27	0
AAO (FY17)	370		62	62	58	12	49	81	0	10	36	0
O/H	723	9	71	77	72	10	17	246	0	195	26	0
Shortfall/Excess	376	9	13	19	29	-2	-41	165	0	185	-1	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013401781	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	No	No	0	0	0
6625014627492	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	No	No	0	0	0
6625015358961	9	30%	70%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	9

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A7082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7082: TEST SET, RADIO

The TS-4317/GRM provides the capability to test and maintain all Marine Corps tactical Radios, which operate below 1 GHz. It is used to verify radio performance characteristics and diagnose failures in both a manual and automatic mode.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	548	0	106	103	64	2	94	138	0	28	13	0
AAO (FY17)	416		85	84	28	2	51	138	0	28	0	0
O/H	1,250	8	212	205	142	8	166	182	0	298	29	0
Shortfall/Excess	702	8	106	102	78	6	72	44	0	270	16	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013092825	8	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	Yes	No	Yes	No	0	8	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A7083 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7083: ANALYZER, WIDE AREA NETWORK

This test set is a general-purpose networking tool designed to assist technicians with monitoring and troubleshooting networks.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	141	10	23	23	21	0	17	47	10	0	0	0
AAO (FY17)	138		23	23	21	0	14	47	10	0	0	0
O/H	112	1	6	18	8	0	2	56	0	21	0	0
Shortfall/Excess	-29	-9	-17	-5	-13	0	-15	9	-10	21	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015229579	1	30%	33%	0%	34%	0%	0%	NO	NO	No	No	yes	No	I/P	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7084: ANALYZER, NETWORK

A LAN Analyzer is a general-purpose networking tool designed to assist technicians with testing, monitoring, troubleshooting, and repairing Local Area Networks and equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	809	18
AAO (FY17)	799	
O/H	406	10
Shortfall/Excess	-403	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
206	205	140	0	157	83	18	0	0	0
206	201	144	0	147	83	18	0	0	0
143	33	109	0	12	83	0	16	0	0
-63	-172	-31	0	-145	0	-18	16	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014561561	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	Yes	No	0	0	1
6625014848826	1	33%	33%	0%	34%	0%	0%	NO	NO	No	No	yes	No	I/P	No	0	0	1
6625015378768	8	33%	33%	0%	34%	0%	0%	NO	NO	No	No	yes	No	I/P	No	0	0	8

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A7086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7086: TEST SET, OPTICAL TDR, HANDHELD

The MTS-NV-P3 Optical Time Domain Reflectometer is a field modular optical tester used for fiber network installation, maintenance, and troubleshooting. Two field interchangeable module slots allow users to quickly mix and match configurations to cover any fiber test application from 635 to 1625nm.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	309	0
AAO (FY17)	305	
O/H	352	8
Shortfall/Excess	43	8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
65	63	48	0	49	43	0	5	36	0
65	64	50	0	42	43	0	5	36	0
33	51	38	0	28	172	0	19	0	0
-32	-12	-10	0	-21	129	0	14	-36	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625013884989	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0
6625015253080	8	50%	50%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	4	4

Notes: Items will be returned to the MEFs to fill homestation shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A7102 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7102: RECORDING-REPRODUCING

Professional grade video camera that allows PA Marines to acquire broadcast quality video in high, regular and low light conditions.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	2	0	0
0	0	0	0	0	0	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015281482	0	100%	0%	0%	0%	0%	0%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Recommend removal of this - PAE legacy equipment replaced by A7203

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A7103 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7103: PUBLIC AFFAIRS STILL ACQUISITION SYSTEM, SMALL

Professional grade still camera that allows PA Marines to acquire professional quality still photos in high, regular and low light conditions.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	6	1
Shortfall/Excess	6	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	1	0	0	0	0	3	0	0
1	0	1	0	0	0	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720015150429	1	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A7104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7104: VIIES (VISUAL INFORMATION IMAGERY EDITING SYSTEM)

The VIIES consists of a laptop based video and still imagery editing platform. The system includes professional grade, industry standard digital equipment. It is a still and video imagery editing and product development system.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	206	0
AAO (FY17)	207	
O/H	86	3
Shortfall/Excess	-120	3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
54	58	52	1	9	32	0	0	0	0
54	58	52	1	13	29	0	0	0	0
30	27	14	0	4	8	0	0	0	0
-24	-31	-38	-1	-5	-24	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015425653	3	0%	0%	0%	100%	0%	0%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	3

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A7105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7105: CVAS (COMBAT VIDEO ACQUISITION SYSTEM)

The CVAS consists of a professional quality digital video camera with all necessary accessories and a protective shoulder sling or backpack carrying case to operate in the field, independently for 4 days. The CVAS camera operates using rechargeable batteries.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	88	0
AAO (FY17)	89	
O/H	81	0
Shortfall/Excess	-7	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	20	14	1	2	33	0	0	0	0
18	20	14	1	3	33	0	0	0	0
32	19	12	1	2	15	0	0	0	0
14	-1	-2	0	0	-18	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015003247	0	0%	0%	0%	100%	0%	0%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0
5836015458734	0	0%	0%	0%	100%	0%	0%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A7111 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7111: NVCS (NIGHT VISION SYSTEM)

The NVSC consists of a night vision monocular and adapters allowing it to adapt to digital cameras currently used by Combat Camera Marines forward deployed. The NVSC allows these cameras to acquire high-resolution imagery in low light.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	70	0
AAO (FY17)	71	
O/H	40	1
Shortfall/Excess	-30	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	18	13	1	2	18	0	0	0	0
18	18	13	1	3	18	0	0	0	0
12	13	5	1	4	3	0	1	0	0
-6	-5	-8	0	2	-15	0	1	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015429059	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	Yes	1	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7112 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7112: COMBAT IMAGERY SEAR

The CISAD consists of video, still photo, and graphics hardware and software. It is capable of importing, cataloging, archiving and retrieving digital imagery, thereby making it available to commanders via a web based searchable database.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	5	0
AAO (FY17)	5	
O/H	2	1
Shortfall/Excess	-3	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	2	2	0	0	0	0	0	0	0
1	2	2	0	0	0	0	0	0	0
0	0	0	0	0	1	0	0	0	0
-1	-2	-2	0	0	1	0	0	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015464691	1	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: All equipment should be returned to the MEF FSRs for any maintenance actions or spares reutilization. It will then be issued to the units to back-fill home station shortfalls. This is electronic gear and should not be agriculturally washed. This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7420: MAINTENANCE FACILITY, TRANSPORTABLE

The Maintenance Facility, Transportable, AN/TSM-214, provides deployable and garrison Test, Measurement, and Diagnostic Equipment.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	11	0
AAO (FY17)	16	
O/H	17	1
Shortfall/Excess	6	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	3	3	0	1	0	0	0	0	0
5	5	3	0	3	0	0	0	0	0
8	3	4	0	1	0	0	0	0	0
4	0	1	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940014904064	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes: Item has been phased out, but will continue to be sent to the MEFs until the replacement comes online.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	32

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A7501 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7501: TEST STATION, ELECTRICAL-ELECTRONIC EQUIPMENT

Device used to test and troubleshoot electronic circuit cards.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	241	12
AAO (FY17)	257	
O/H	190	3
Shortfall/Excess	-51	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	41	35	0	32	76	12	3	0	0
48	50	33	0	35	76	12	3	0	0
34	28	37	0	17	59	0	12	0	0
-8	-13	2	0	-15	-17	-12	9	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014849160	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0
6625015347363	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0
6625015347365	3	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	3

Notes: Items will be returned to the MEFs to fill homestation shortfalls. Item can be easily purchased from commercial vendors. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	30	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A7503 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7503: PROGRAM SET APPL

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	46	0
AAO (FY17)	53	
O/H	37	0
Shortfall/Excess	-9	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	8	4	0	9	12	0	0	0	0
15	11	4	0	11	12	0	0	0	0
12	8	4	0	3	4	0	6	0	0
-1	0	0	0	-6	-8	0	6	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015500389	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7507 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7507: PROGRAM SET, APPL

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	28	0
AAO (FY17)	17	
O/H	23	1
Shortfall/Excess	-5	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	4	0	4	8	0	0	0	0
3	3	1	0	2	8	0	0	0	0
3	5	4	0	4	6	0	0	0	0
-3	-1	0	0	0	-2	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015588041	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7508 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7508: APS AN/PSM-119

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	18	0
AAO (FY17)	18	
O/H	13	0
Shortfall/Excess	-5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	2	5	0	0	0	0
4	4	3	0	2	5	0	0	0	0
4	2	3	0	1	3	0	0	0	0
0	-2	0	0	-1	-2	0	0	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015453668	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls. Item can be easily purchased from commercial vendors.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7513 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7513: PROGRAM SET, APPLICATION, 3D ECH, F/TOW II

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	12	0
AAO (FY17)	13	
O/H	25	0
Shortfall/Excess	13	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	2	2	0	2	2	0	0	0	0
3	3	3	0	2	2	0	0	0	0
3	2	2	0	2	0	0	16	0	0
-1	0	0	0	0	-2	0	16	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015244047	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7517 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7517: TEST SET RADIO

The GRMATS is a portable, self-contained synthetic instrumentation platform used for verification testing and fault detection, isolation and repair of communications, avionics and electronic warfare Units Under Test (UUT). The test set contains the hardware and software necessary to test and verify the performance and electrical functionality of these types of UUTs, deployed in the field or in a depot-type environment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	562	0
AAO (FY17)	589	
O/H	938	2
Shortfall/Excess	376	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
122	120	81	6	94	139	0	0	0	0
137	128	81	6	98	139	0	0	0	0
16	19	13	1	3	3	0	881	0	0
-106	-101	-68	-5	-91	-136	0	881	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015634671	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	Yes	No	2	0	0

Notes: Items will be returned to the MEFs to fill homestation shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7519 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7519: TEST SET,ELECTRONIC

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	47	1	13	7	3	0	8	15	1	0	0	0
AAO (FY17)	44		11	6	3	0	8	15	1	0	0	0
O/H	38	0	14	7	3	0	5	4	0	5	0	0
Shortfall/Excess	-9	-1	1	0	0	0	-3	-11	-1	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015659818	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7522 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7522: PROGRAM SET, APPLICATION, AN/PSM-123 (LAV25-A2 LRU)

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	51	0
AAO (FY17)	34	
O/H	34	0
Shortfall/Excess	-17	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	9	2	0	9	15	0	0	0	0
7	5	3	0	4	15	0	0	0	0
4	4	2	0	2	4	0	18	0	0
-12	-5	0	0	-7	-11	0	18	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015754978	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7550 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7550: APPLICATION PROGRAM SET F/TOW SYSTEM LRV

Test Program Set (TPS) made up of interface hardware/cables and special testing software designed to test specific electronic modules & circuit cards. Must be used with appropriate Automatic Test Equipment (ATE).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	12	0
AAO (FY17)	13	
O/H	26	0
Shortfall/Excess	14	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	2	2	0	2	2	0	0	0	0
3	3	3	0	2	2	0	0	0	0
5	2	2	0	2	0	0	15	0	0
1	0	0	0	0	-2	0	15	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015154038	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7596 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7596: TEST SYSTEM, 3D ECH (RF VERSION)

The Third Echelon Test Set is a portable automated testing unit that provides the capability to screen, test and diagnose electronic, electro-mechanical, and electro-optical LRUs and CCAs for a wide variety of Weapons Systems.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	210	0	43	39	27	0	29	64	0	8	0	0
AAO (FY17)	225		49	46	29	0	29	64	0	8	0	0
O/H	139	0	19	20	20	0	14	25	0	41	0	0
Shortfall/Excess	-71	0	-24	-19	-7	0	-15	-39	0	33	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015659249	0	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0
6625015685523	0	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7597 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7597: TEST SYSTEM, 3RD ECHELON

TETS is a portable, automated test unit that is controlled by a Laptop computer. It is a modular design configuration using mature and proven Non-developmental Item components and modules to accommodate 3 configurations: Radio Frequency (RF), Electro-Optical (EO), and a combined RF/EO.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	47	0
AAO (FY17)	49	
O/H	53	3
Shortfall/Excess	6	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	4	0	4	24	0	3	0	0
7	7	8	0	0	24	0	3	0	0
3	5	4	0	6	7	0	25	0	0
-3	-1	0	0	2	-17	0	22	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015678650	3	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	2	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7700 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7700: ANALYZER-CHARGER, BATTERY

The CASP/2000H(M) is a state of the art test instrument capable of performing all the functions needed by a typical battery user.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	73	0	17	7	14	0	16	9	0	0	10	0
AAO (FY17)	80		20	16	3	0	22	9	0	0	10	0
O/H	993	0	30	34	19	0	80	6	0	799	25	0
Shortfall/Excess	920	0	13	27	5	0	64	-3	0	799	15	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130013412073	0	0%	0%	0%	50%	50%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: DRMO/Dispose of In Theater; do NOT return to CONUS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7705 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7705: POWER SUPPLY, 18 - 30 VDC

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,814	0
AAO (FY17)	1,549	
O/H	2,525	28
Shortfall/Excess	711	28

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
470	437	286	25	368	79	0	0	131	18
412	373	164	25	324	79	0	0	100	72
478	496	277	28	312	57	0	683	166	0
8	59	-9	3	-56	-22	0	683	35	-18

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130014528403	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	N/A	No	4	0	0
6130014754999	24	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	N/A	No	24	0	0

Notes: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	19	0.3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7706 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7706: POWER SUPPLY, 0-40 VDC

This is a general purpose power supply converter which provides the capability to convert 115 VAC power to 0-40 VDC power, 0-25 amperes. The power supply will be used in the maintenance of communication-electronics equipment as a bench top power supply.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,932	0	718	677	457	0	573	228	0	0	214	65
AAO (FY17)	2,645		709	652	431	0	519	228	0	0	106	0
O/H	4,146	85	770	726	408	9	426	206	0	1,139	377	0
Shortfall/Excess	1,214	85	52	49	-49	9	-147	-22	0	1,139	163	-65

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130015261311	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
6130015319927	66	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	66	0	0
6130219116149	19	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	10	0	10

Notes: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7900: TOOL KIT, MAINT, ELECTRONIC

Tool Kit used by electroninc technicans (MOS 28xx and 59xx). This item is being replaced by TAMCN A7902.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	327	1
Shortfall/Excess	327	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
111	65	33	6	57	53	0	1	0	0
111	65	33	6	57	53	0	1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180012241290	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
5180012441290	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	1

Notes: Obsolete tool kit, but most of the tools can be used in other kits - strategy is to reallocate in theater. Do not reset. Retain in theater for reutilization.The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A7902 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7902: TOOL KIT, MAINT, ELECTRONIC CREW OPERATOR

The TK-2844 "O" Level (Operator/Crew Level) Electronic Tool Kit is being built to provide the technician at the specified level with the tools required to perform maintenance in a field environment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3,716	35
AAO (FY17)	3,219	
O/H	5,209	44
Shortfall/Excess	1,493	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
856	849	595	66	746	402	35	0	125	42
611	599	587	66	531	402	35	0	250	138
811	873	632	54	570	338	0	1,763	124	0
-45	24	37	-12	-176	-64	-35	1,763	-1	-42

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015540475	44	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**ME**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7905: TOOL KIT INTERMEDIA

Tool Kit Intermediate, is an intermediate tool kit used by the 59XX to complete field and depot level repair of the AN/TYQ-23. This tool is required due to no common tool sets meeting the needs for this piece of equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	11	0
AAO (FY17)	10	
O/H	7	1
Shortfall/Excess	-4	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	3	2	0	0	0	0
2	2	2	0	2	2	0	0	0	0
1	1	1	0	1	2	0	0	0	0
-1	-1	-1	0	-2	0	0	0	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014527551	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: All items will be returned to CONUS. DO NOT POWER WASH ELECTRONIC ITEMS OR TOOLS. Compressed air, vacuums, and damp rags should be used to clean the tools and tool box. Hand tools (sockets, screwdrivers, etc.) should be lightly coated with oil. Electronic tools need to remain dry.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MEF**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7906: TOOL KIT, ELECTRONIC SYS (MINI-SOLDER KIT)

This kit contains special electronic units, tools, and materials to make high-reliability repairs on electronic assemblies such as circuit cards to the component level in a field environment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	169	0
AAO (FY17)	177	
O/H	209	8
Shortfall/Excess	40	8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	33	29	0	23	28	0	0	24	0
39	39	20	0	27	28	0	0	24	0
30	34	28	4	7	12	0	66	20	0
-2	1	-1	4	-16	-16	0	66	-4	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015416262	8	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	6	0	2

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7910 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7910: TOOL KIT, FIBER OPTIC, GP

The Fiber Optic tool kit is a general purpose kit used to repair fiber optic cables and connectors. This kit is used in support of all USMC fiber optic cables and connectors except those associated with TAOM. This Tool Kit, along with the A7001 Optical Loss Test Set, the A7004 Fiber Inspector, A7086 OTDR, and A7920 Splicing Kit, belongs to a suite of Fiber Optic test equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	292	15	74	72	49	0	58	24	15	0	0	0
AAO (FY17)	275		75	73	41	0	47	24	15	0	0	0
O/H	148	1	26	30	27	0	24	16	0	24	0	0
Shortfall/Excess	-144	-14	-48	-42	-22	0	-34	-8	-15	24	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014763023	0	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
5180015167227	1	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7920 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7920: FIBER OPTICS FUSION SPLICER

The S121A is the first fully functional fusion splicer. It's designed for splicing single to 4-ribbon fibers. The S121A is about one-third the size of a typical mini-splicer, weighs just 2.2 pounds without the battery and does not require a flat surface. The unit features fully automatic fiber feed, alignment, splicing arc, and tension test. You can monitor all splicing operations for accuracy using the unit's integrated CCD camera and 2.5-inch LCD display.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	247	15	51	50	39	0	54	38	15	0	0	0
AAO (FY17)	242		56	54	37	0	42	38	15	0	0	0
O/H	280	2	53	52	32	0	30	66	0	44	1	0
Shortfall/Excess	33	-13	2	2	-7	0	-24	28	-15	44	1	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6080015208198	2	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7942: TOOL KIT, DATA NETWORK, GP

The Data Network Tool Kit, model number TK-0656, is a general purpose tool kit designed to assist technicians perform testing, monitoring, troubleshooting, and maintenance of the Marine Corps data networks.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	464	25
AAO (FY17)	462	
O/H	420	11
Shortfall/Excess	-44	-14

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
111	106	67	49	81	25	25	0	0	0
108	104	77	49	74	25	25	0	0	0
80	109	63	9	57	24	0	67	0	0
-31	3	-4	-40	-24	-1	-25	67	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015247623	11	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	6	0	6

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A7955 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A7955: KIT, MAINT, EQUIPMENT, ELECTRONIC

The Maintenance Kit, Electronic Equipment, MK-2663/U, contains special electronic units, tools and materials to make high-reliability repairs to electronic equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	266	8	53	49	40	0	46	70	8	0	0	0
AAO (FY17)	267		59	57	33	0	40	70	8	0	0	0
O/H	191	0	48	37	34	0	13	54	0	4	1	0
Shortfall/Excess	-75	-8	-5	-12	-6	0	-33	-16	-8	4	1	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895013229872	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
5895015429039	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
5895015662941	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	7	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A8010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8010: TERMINAL EQUIPMENT, TELEPHONE, SECURE

The Secure Terminal Equipment (STE) Telephone, STE OFFIC-442 is the standard telephone for secure-multimedia communications. STE are engineered to operate on the digital Integrated Services Digital Network (ISDN) or analog networks.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,752	0	559	589	462	222	490	430	0	0	0	0
AAO (FY17)	2,669		582	612	470	222	353	430	0	0	0	0
O/H	5,984	22	584	1,000	515	156	618	1,008	0	2,081	0	0
Shortfall/Excess	3,232	22	25	411	53	-66	128	578	0	2,081	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810014596438	3	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	No	No	0	0	3
5810014596441	19	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	No	No	0	0	19

Notes: Equipment is obsolete. WIR to dispose of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A8018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8018: INTERROGATOR COMPUTER

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System (EADS), Targets and target support, Stinger Ground Support Equipment (GSE), and trainers/simulators.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	104	0
AAO (FY17)	104	
O/H	89	2
Shortfall/Excess	-15	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
37	37	12	0	11	7	0	0	0	0
37	37	12	0	11	7	0	0	0	0
23	31	12	0	7	9	0	5	0	0
-14	-6	0	0	-4	2	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810000613388	2	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	2	0
5810012737819	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8019: TRANSPONDER COMPUTER

The Transponder Computer, TSEC/KIT-1C is used in conjunction with the TSEC/KIR-1C (TAMCN A80187G).

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	71	0
AAO (FY17)	62	
O/H	48	2
Shortfall/Excess	-23	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	13	8	0	18	19	0	0	0	0
13	13	8	0	9	19	0	0	0	0
10	8	6	0	7	10	0	5	0	0
-3	-5	-2	0	-11	-9	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810000613386	2	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	2	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8023: TRANSFER UNIT,CRYPT

The AN/CYZ-10 Data Transfer Device, often called a Crazy 10, is a portable, hand-held fill device, for securely receiving, storing, and transferring data between compatible cryptographic and communications equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	8,766	0
AAO (FY17)	8,210	
O/H	15,094	288
Shortfall/Excess	6,328	288

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,590	2,355	1,148	318	1,980	375	0	0	0	0
2,361	2,151	1,124	318	1,915	341	0	0	0	0
2,261	2,962	1,058	350	1,940	708	0	5,527	0	0
-329	607	-90	32	-40	333	0	5,527	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810013431194	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810013841996	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810013887634	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810013931973	19	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	19	0
5810015173587	269	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	no	yes	No	No	0	269	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8024 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8024: READER,PUNCHED TAPE

The KOI-18 tape reader is a battery operated, hand carried device used for converting eight-level standard paper and Mylar tape to serial electronic information.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	769	0
Shortfall/Excess	769	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0	0	0	0	0	0	0	0	0	0
O/H	119	75	44	15	98	28	0	390	0	0
Shortfall/Excess	119	75	44	15	98	28	0	390	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010269620	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8025: KYK-13 TRANSFER DEVICE

The KYK-13 is a battery operated electronic transfer device, hand or pocket carried, transfer and storage device, which can store up to six keys.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2	0
AAO (FY17)	2	
O/H	1,305	0
Shortfall/Excess	1,303	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	2	0	0	0	0
0	0	0	0	0	2	0	0	0	0
48	52	25	4	178	30	0	968	0	0
48	52	25	4	178	28	0	968	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010269618	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8027: VEHICLE POWER ADAPTER HYP-57

The Vehicular Power Adapter, HYP-57/TSEC replaces the battery and battery case, Z-AIJ, of either the KY-57 or HYX-57. Its purpose is to provide TEMPEST and EMI filtering, and mechanical connector conversion to adapt a vehicular power source to the KY-57 or HYX-57.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	146	0	0	0	0	0	0	146	0	0	0	0
AAO (FY17)	146		0	0	0	0	0	146	0	0	0	0
O/H	8,640	36	329	189	109	0	162	160	0	7,631	24	0
Shortfall/Excess	8,494	36	329	189	109	0	162	14	0	7,631	24	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010269621	36	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	36

Notes: All equipment should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A8028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8028: WLA ASSEMBLY

The Wireline Adapter, HYX-57/TSEC, is designed to provide the appropriate wireline interface for the TSEC/KY-57. TSEC/KY-38, and the TSEC/KY-65 to allow their use over a point to point wireline link or through certain military switchboards.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	4,058	36	130	61	50	0	166	108	0	3,507	0	0
Shortfall/Excess	4,058	36	130	61	50	0	166	108	0	3,507	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010269622	36	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	No	No	0	0	36

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A8031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8031: SECURITY EQP, TSEC/KY-57

The TSEC/KY-57 is a small, lightweight, wideband, secure voice, digital communications equipment. It is designed to provide on-line encryption and decryption of all classifications of tactical traffic transmitted over FM and AM, VHF and UHF radio communions.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	52	0
AAO (FY17)	65	
O/H	2,312	0
Shortfall/Excess	2,260	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
19	4	4	0	0	25	0	0	0	0
18	18	4	0	0	25	0	0	0	0
238	96	36	0	106	33	0	1,800	3	0
219	92	32	0	106	8	0	1,800	3	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810004343644	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Item must return to CONUS before disposal. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8032: SECURITY EQP, SPEECH, TACT, HALF-DUP, W-B AIRBORNE

The Speech Security Equipment (VINSON), TSEC/KY-58-2, -58-3, -58-4, and -58-5 are members of the VINSON family. The VINSON family consists of Wide Band Secure Voice (WBSV) units developed by the National Security Agency to provide line of sight half-duplex voice and data encryption at 16 kbps. The TSEC/KY-58-2, -58-3, -58-4, and -58-5 provides security for AM/FM, VHF, UHF, half-duplex Public Telephone and Telegraph combat net radios and tactical wireline systems when used with the HYX-57.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,134	0	247	263	206	0	253	141	0	0	24	0
AAO (FY17)	951		219	231	178	0	158	141	0	0	24	0
O/H	1,435	51	177	182	122	0	219	114	0	546	24	0
Shortfall/Excess	301	51	-70	-81	-84	0	-34	-27	0	546	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810004490154	51	0%	75%	0%	25%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	51	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8036: GENERATOR, KEY, COMSEC

KGV-8C JTIDS COMSEC MODULE

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	36	0
AAO (FY17)	35	
O/H	33	2
Shortfall/Excess	-3	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	5	0	7	12	0	0	0	0
6	6	5	0	6	12	0	0	0	0
2	4	6	0	4	7	0	8	0	0
-4	-2	1	0	-3	-5	0	8	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810013687752	2	0%	75%	0%	25%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	2	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. No associated TAMCNs. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8038: GENERATOR, KEY, ELECTRONIC'

The Half-Duplex Digital Key Generator, TSEC/KG-40 is a micro-miniature, half-duplex, digital electronic key generator designed to provide cryptographic security for Link II High Frequency/Ultra High Frequency (HF/UHF) communications and for any communications which meet Tactical Digital Information Link data standards. The TSEC/KG-40 will interface between a computer and a data terminal. The TSEC/KG-40 is available in serial and parallel interface configurations.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	62	0	11	15	8	0	15	13	0	0	0	0
AAO (FY17)	57		11	14	8	0	11	13	0	0	0	0
O/H	53	4	7	7	7	0	11	12	0	5	0	0
Shortfall/Excess	-9	4	-4	-8	-1	0	-4	-1	0	5	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010168052	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0
5810013513000	4	0%	75%	0%	25%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	4	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8047: SECU VOICE KY 99A

The Advanced Narrowband Digital Voice Terminal/Miniature Terminal (ANDVT/MINTERM), TSEC/KY-99A is a lightweight, battery-powered, tactical manpack terminal that provides voice or data communications over wideband (16 kbps) radio channels and is inter-operable with KY-57 VINSON/Single Channel Ground and Airborne Radio System equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2,485	0
Shortfall/Excess	2,485	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
143	3	39	0	40	17	0	2,188	55	0
143	3	39	0	40	17	0	2,188	55	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810013910187	0	0%	75%	0%	25%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8050 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8050: CASE,BATTERY ASSEMB

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	3,997	0
Shortfall/Excess	3,997	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
443	208	2	0	272	12	0	3,046	14	0
443	208	2	0	272	12	0	3,046	14	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6140010488167	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: All equipment should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A8067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8067: FLEET BROADCAST SEC EQUIPMENT

KWR-46

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	5	0
Shortfall/Excess	5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	5	0	0
0	0	0	0	0	0	0	5	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810011608398	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8072: REMOTE REKEY EQUIPMENT

The Remote Re-key Equipment, KOK-13A is controlled by a user-supplied host computer. The KOK-13A is capable of generating electronic keys for Over-The-Air- Keys, manual distribution, or memory storage.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	60	0	13	14	9	0	6	18	0	0	0	0
AAO (FY17)	58		13	13	9	0	5	18	0	0	0	0
O/H	43	0	4	2	2	0	3	1	0	31	0	0
Shortfall/Excess	-17	0	-9	-12	-7	0	-3	-17	0	31	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810012486018	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A8081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8081: ANDVT/TACTERM COMSEC MODULE

The Advanced Narrowband Digital Voice Terminal Communications Security Module, TSEC/KYV-5 is a removable module designed to plug into the front panel of the CV-3591 Basic Terminal Unit. The TSEC/KYV-5 provides communications security capability to the Advanced Narrowband Digital Voice Terminal/Tactical Terminal.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	212	0	46	46	35	0	45	40	0	0	0	0
AAO (FY17)	171		40	40	27	0	24	40	0	0	0	0
O/H	245	12	52	55	28	0	26	40	0	32	0	0
Shortfall/Excess	33	12	6	9	-7	0	-19	0	0	32	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810012240202	12	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	12	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8082: ENCRYPTION-DECRYPTI

The General Purpose Encryption Equipment, TSEC/KG-84A, -84C is a high capacity key generator used to encrypt and decrypt teletypewriter and digital data traffic on dedicated links in both tactical and fixed plant environments. Future replacement for the TSEC/KG-84A, -84C will be the TSEC/KIV-7M or TSEC/KIV-19M.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	1,286	39	128	109	62	0	97	112	0	739	0	0
Shortfall/Excess	1,286	39	128	109	62	0	97	112	0	739	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810011463260	39	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	39	0
5810012506618	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8084: ENCRYPTION-DECRYPTION EQUIPMENT

The KIV High Speed B Communications Security encryption model is designed to operate in Time Division Multiple Access architectures which allows it to provide secure high bandwidth, wide area, networked data exchange via MILSTAR satellites.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,674	0
AAO (FY17)	2,600	
O/H	5,191	22
Shortfall/Excess	2,517	22

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
721	726	454	31	431	311	0	0	0	0
719	706	462	31	371	311	0	0	0	0
844	719	589	12	301	512	0	2,092	100	0
123	-7	135	-19	-130	201	0	2,092	100	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810014146656	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810014304225	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810014318264	10	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	10	0
5810014876582	0	50%	50%	0%	0%	0%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810015302811	12	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	Yes	Yes	No	No	0	12	0

Notes: See sensitive equipment instructions in the appendix. NSNs 6656, 4225, and 8264 should be disposed of through MCLC. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- ☑ **Sensitive**
- ☑ **CCI**
- ☑ **Multi-Modal**
- ☐ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8085: ENCRYPTION-DECRYPTION EQUIPMENT (KIV-19)

The KIV-19 is COMSEC equipment and is a controlled cryptographic item. The KIV-19 is a miniaturized version of the existing KG-194 trunk encryption device. It performs data encryption / decryption in full duplex synchronous operation.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,077	0
AAO (FY17)	1,019	
O/H	1,428	17
Shortfall/Excess	351	17

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
203	203	164	1	203	303	0	0	0	0
203	203	164	1	145	303	0	0	0	0
313	279	231	1	49	195	0	343	0	0
110	76	67	0	-154	-108	0	343	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810014497179	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
5810014925165	17	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	17	0
5810014989537	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8088 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8088: ENCRYPTOR, NETWORK, IN-LINE

The TACLANE®-Micro is the next generation High Assurance IP Encryptor Interoperability Specification (HAIPE® IS) and Crypto Modernization Compliant encryptor. Optimized for both tactical and strategic environments, the TACLANE-Micro is high-speed, compact and mobile.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	688	0
AAO (FY17)	648	
O/H	4,008	102
Shortfall/Excess	3,320	102

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
128	138	103	44	124	151	0	0	0	0
128	136	103	44	86	151	0	0	0	0
443	479	318	40	186	513	0	1,927	0	0
315	341	215	-4	62	362	0	1,927	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810014630133	27	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	27	0
5810014861987	9	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	9	0
5810015279296	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0
5810015474520	66	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	66	0
5999015326578	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B. All items return through MEF. TAMCN is not classified Sensitive Handle in accordance with EKMS 1B. TAMCN should follow PEI disposition Classified shipping instructions: DCO Courier, Hand carried, USPS Mail - Registered Mail Sensitive

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8089 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8089: ENCRYPTION DEVICE, TRUNK

The Trunk Encryption Device, TSEC/KG-194, -194A are full-duplex key generators designed to provide trunk encryption and decryption for digital data traffic. The TSEC/KG-194 is a non-ruggedized, rack mounted equipment. The TSEC/KG-194A is a tactical, ruggedized equipment with a rack mounting capability. TSEC/KG-194, -194A are enhanced versions which have been modified to incorporate the FIREFLY remote re-key capability. Future replacement for the TSEC/KG-194, -194A will be the TSEC/KIV-17M or TSEC/KIV-19M.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	985	0	251	241	182	0	219	92	0	0	0	0
AAO (FY17)	909		249	237	180	0	151	92	0	0	0	0
O/H	881	0	203	78	112	0	19	40	0	429	0	0
Shortfall/Excess	-104	0	-48	-163	-70	0	-200	-52	0	429	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810012831394	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. All equipment will be disposed of through MCLC. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8091: ENCRYPTION, KG 250

The AltaSec® KG-250 from ViaSat offers seamless foreign interoperability and programmable information assurance. This inline network encryptor is certified by the National Security Agency for use on classified U.S. Government communication networks.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	42	0	0	3	3	30	0	6	0	0	0	0
AAO (FY17)	42		0	3	3	30	0	6	0	0	0	0
O/H	212	12	5	22	21	14	5	10	0	123	0	0
Shortfall/Excess	170	12	5	19	18	-16	5	4	0	123	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810015246615	12	50%	50%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	12	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8098 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8098: TSECST31 TEST SET

ST-31A KG-40A TEST SET

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	14	0
AAO (FY17)	13	
O/H	7	0
Shortfall/Excess	-7	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	4	1	0	0	0	0
3	3	3	0	3	1	0	0	0	0
2	1	0	0	2	0	0	2	0	0
-1	-2	-3	0	-2	-1	0	2	0	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5810010060622	0	100%	0%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5810013517228	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: See sensitive equipment instructions in the appendix. Do not pressure wash. Only use fresh water, do not use saltwater. The corrosion from the saltwater will render the weapon system non mission capable. At a maximum a low pressure air blast (Not To Exceed (NTE) 20psi) and damp cloth bath are appropriate. Handle in accordance with EKMS 1B.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A8100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A8100: CONTROL GROUP, RADIO

The Control Group, Receiver-Transmitter, OK-648/U, provides for remote control operation of SINCGARS radios. The Remote Control Unit is connected with the radio by two-way field wire and may be located up to 4 km away from the remotely controlled radio.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3,256	0
AAO (FY17)	3,013	
O/H	1,988	0
Shortfall/Excess	-1,268	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
996	882	478	0	583	83	0	0	234	0
918	739	450	0	567	83	0	0	256	0
387	496	251	0	429	140	0	40	245	0
-609	-386	-227	0	-154	57	0	40	11	0

Reset Strategy & Plan (Product Group: 12)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014294556	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Item will be returned to owning unit. Owning unit then inventory SL-3 and completed a detailed maintenance assessment. Missing SL-3 will be ordered through organic supply systems. Do Not Power Wash. Use damp rags and compressed air to clean this TAMCN and associated SL-3 equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A9001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9001: COMPUTER SET, DIGITAL (BLUE FORCE TRACKER)

A computer which processes information represented by combinations of discrete or discontinuous data. It is a computer for performing sequences of arithmetic and logical operations, not only on external data but also on its own internally stored instructions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	9,616	0
AAO (FY17)	10,247	
O/H	2,061	436
Shortfall/Excess	-7,555	436

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,757	2,376	1,265	255	2,035	928	0	0	0	0
2,845	2,491	1,349	255	2,379	928	0	0	0	0
463	588	188	7	0	372	0	4	3	0
-2,294	-1,788	-1,077	-248	-2,035	-556	0	4	3	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015138459	436	20%	0%	0%	80%	0%	0%	NO	NO	No	No	no	No	No	Yes	349	0	87

Notes: Not CCI as of Sep 2011, but will be within a year. Item is in many other TAMCNs - just about every rolling stock. Will be shipped with associated vehicles, and needs to be associated in TFSMS with all of the rolling stock. It is a computer system - HIGHLY SENSITIVE TO WATER INTRUSION.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A9002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9002: BLUE FORCE TRACKER

Blue Force Tracking system consists of a computer, a satellite antenna, and a Global Positioning System receiver. The system displays the location of the host vehicle on the computer's terrain-map display along with other platforms in their respective locations.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	1	0	1	0	0
0	0	0	0	0	1	0	1	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015335325	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A9003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9003: COMPUTER SET, DIGITAL, (BFT) CF-29 (VEHICLE), (BACKPACK VARIANT - OBSOLETE)

Satellite-based, two-way BFSA and command and control system. Compatible world-wide with Army FBCB2 systems, and provides over-the horizon BFSA and communications link via L-band satellite.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	223	17
Shortfall/Excess	223	17

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
15	11	4	88	0	73	0	15	0	0
15	11	4	88	0	73	0	15	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015335336	17	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	17

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

A9004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9004: COMPUTER SYSTEM, DIGITAL

The Backup Computer System Block II is a small, portable, Ruggedized Personal Data Assistant that is capable of performing and displaying artillery survey computations and artillery technical firing solutions, safety computations and serve as a back up for the technical fire direction functions of AFATDS.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	370	16
AAO (FY17)	353	
O/H	558	0
Shortfall/Excess	188	-16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
76	67	54	0	63	94	16	0	0	0
72	58	50	0	63	94	16	0	0	0
144	107	106	0	64	126	0	11	0	0
68	40	52	0	1	32	-16	11	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015154227	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: NSN: 7010-01-515-4227 (RPDA-5500 OR 3900) DRMO NSN: 7010-01-515-4216 (RPDA-5700) Ship to MCLB Albany

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A9010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9010: UNIT MOVE WORK STATION

MCEITS is the Marine Corps enterprise IT infrastructure in the MAGTF C2 framework. MCEITS consolidates IT infrastructure, hardware, software and services to achieve economies of scale, reduce redundancy and reduce overall USMC IT portfolio costs. MCEITS implements DoD Net-Centric Enterprise Services (NCES), supports Global Information Grid (GIG) and enables effective, efficient IT portfolio management.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	559	10
Shortfall/Excess	559	10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
226	41	63	30	161	28	0	0	0	0
226	41	63	30	161	28	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015431630	10	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	10

Notes: Item is obsolete, but documentation has not been completed, item will be brought back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A9011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9011: MINI DEPLOYMENT EMBARK SUSTAINMENT KIT MINI-DESK

This is the Mini-deployment Embarkation Sustainment Kit.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	20	0
AAO (FY17)	14	
O/H	3	0
Shortfall/Excess	-17	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	4	0	5	11	0	0	0	0
0	0	0	0	3	11	0	0	0	0
0	0	3	0	0	0	0	0	0	0
0	0	-1	0	-5	-11	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7050015444379	0	0%	0%	0%	50%	50%	0%	NO	NO	No	No	No	Yes	No	Yes	0	0	0

Notes: Project Office will take care of the warranty in coordination with the MEFs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A9013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9013: HANDHELD COMPUTER

The Theater Medical Information Program-Maritime (TMIP-M) provides an integrated theater medical information system addressing the functional areas of Command and Control (C2)(including medical capabilities assessment and sustainability analysis, medical surveillance and collaborative planning capability), Medical Logistics (including assemblage management and blood product management), and Force Health Protection (including medical threat, surveillance, and health care delivery).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,030	0	526	548	336	144	363	113	0	0	0	0
AAO (FY17)	2,012		510	484	342	144	419	113	0	0	0	0
O/H	6	0	0	0	0	0	0	0	0	6	0	0
Shortfall/Excess	-2,024	0	-526	-548	-336	-144	-363	-113	0	6	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7021015504906	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A9014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9014: LAPTOP COMPUTER

TMIP-M provides clinical data collection and transport capability at Care Echelons 1 (BAS), 2 (Surgical Company Field Hospital), and 3 (In-Theater Fleet Hospital or Hospital Ship - Navy Only) in combat or hostile environments involving deployed forces. TMIP-M is the naval services component of TMIP which is a DOD directed joint program. TMIP-M is a Navy led program with participation from the Marine Corps and Coast Guard. It is an AIS which provides medical information processing capabilities to medical staffs in theater as well as medical planners and command and control elements at all echelons. TMIP-M provides a full suite for user configurable AIS support for all aspects of theater health services from patient encounter data to medical logistics.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY13)	128	0
AAO (FY17)	132	
O/H	4	0
Shortfall/Excess	-124	0

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
36	38	23	2	14	15	0	0	0	0
34	33	25	2	23	15	0	0	0	0
0	2	2	0	0	0	0	0	0	0
-36	-36	-21	-2	-14	-15	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7022015508555	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A9015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9015: LAPTOP COMPUTER

TMIP-M provides clinical data collection and transport capability at Care Echelons 1 (BAS), 2 (Surgical Company Field Hospital), and 3 (In-Theater Fleet Hospital or Hospital Ship - Navy Only) in combat or hostile environments involving deployed forces. TMIP-M is the naval services component of TMIP which is a DOD directed joint program. TMIP-M is a Navy led program with participation from the Marine Corps and Coast Guard. It is an AIS which provides medical information processing capabilities to medical staffs in theater as well as medical planners and command and control elements at all echelons. TMIP-M provides a full suite for user configurable AIS support for all aspects of theater health services from patient encounter data to medical logistics.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	787	0	205	208	124	26	124	100	0	0	0	0
AAO (FY17)	791		201	190	130	26	144	100	0	0	0	0
O/H	8	2	0	0	6	0	0	0	0	0	0	0
Shortfall/Excess	-779	2	-205	-208	-118	-26	-124	-100	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7022015508375	2	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	2	0	0

Notes: MEF will ship to SPAWAR Charleston for upgrade. Assets are not required to be washed down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A9020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9020: TABLET RUGGED

Laptop Computer

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	5,854	0
AAO (FY17)	5,465	
O/H	4,669	69
Shortfall/Excess	-1,185	69

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,448	1,498	833	866	1,159	50	0	0	0	0
1,362	1,241	843	866	1,103	50	0	0	0	0
1,487	1,750	602	386	319	53	0	0	0	0
39	252	-231	-480	-840	3	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7021090006232	69	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	69	0	0
7021090006470	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: Follow EKMS procedures for hard drive. DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A9023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9023: COMPUTER, LAPTOP

High Performance Laptop. This is missidentified as a A90237G. In accuality, this is an A90237GA, which is a component of an Intel System, A0874. There are multiple vendors for this TAMCN.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	369	0
AAO (FY17)	339	
O/H	710	139
Shortfall/Excess	341	139

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
89	125	81	0	64	10	0	0	0	0
81	115	81	0	52	10	0	0	0	0
44	92	40	0	35	358	0	0	0	0
-45	-33	-41	0	-29	348	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090006435	139	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	139	0	0

Notes: Follow EKMS procedures for hard drive. DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A9068 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9068: BATTLE COMMAND SUPPORT SUSTAINMENT SYSTEM (BCS3)

Computer purchased for the purpose of running the BCS3 program - similar to CPOF. BCS3 is a map-centric logistics COP.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	361	0
AAO (FY17)	363	
O/H	185	9
Shortfall/Excess	-176	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
77	77	53	0	44	110	0	0	0	0
77	77	53	0	46	110	0	0	0	0
24	28	58	6	1	58	0	1	0	0
-53	-49	5	6	-43	-52	0	1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015682004	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	Yes	Yes	0	0	0
5895015703725	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	Yes	Yes	0	0	0
5895015729492	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	Yes	Yes	0	0	0
7010015329207	9	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	Yes	Yes	0	9	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

A9071 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9071: COMPUTER, LAPTOP

This is a Semi-rugged Laptop. i.e. Panasonic CF-74. There are multiple vendors for this TAMCN.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,956	0
AAO (FY17)	1,772	
O/H	1,165	0
Shortfall/Excess	-791	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
496	578	337	0	545	0	0	0	0	0
478	488	335	0	471	0	0	0	0	0
373	470	226	0	42	53	0	0	0	0
-123	-108	-111	0	-503	53	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090006216	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: Follow EKMS procedures for hard drive. DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A9089 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9089: COMPUTER SET, DIGITAL (BLUE FORCE TRACKER) TOC LITE

The TOC is a variant of the Blue Force Tracking (BFT) that brings the BFT capability into Operation Centers. The TOC possess similar capabilities to the BFT.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,283	0
AAO (FY17)	1,277	
O/H	234	43
Shortfall/Excess	-1,049	43

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
249	249	156	107	185	337	0	0	0	0
262	231	162	107	178	337	0	0	0	0
54	23	14	23	0	59	0	11	0	0
-195	-226	-142	-84	-185	-278	0	11	0	0

Reset Strategy & Plan (Product Group: 11)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010015354168	0	0%	0%	0%	0%	0%	0%	YES	0	No	Yes	No	Yes	No	Yes	0	0	0
7010015542356	34	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	34	0	0
7010015690604	9	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	9	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

A9100 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9100: COMPUTER, GP, LAPTOP

ADP Central Processing Unit (CPU, Computer), Hybrid.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	40,981	0
AAO (FY17)	39,575	
O/H	52,830	2652
Shortfall/Excess	11,849	2,652

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12,295	12,793	7,669	0	7,845	379	0	0	0	0
12,076	12,177	7,536	0	7,407	379	0	0	0	0
17,076	15,664	7,731	348	979	5,579	0	9	0	0
4,781	2,871	62	348	-6,866	5,200	0	9	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015325434	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010014649363	18	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	18	0	0
7010015385013	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090000294	7	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	7	0	0
7010090000346	26	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	26	0	0
7010090002538	13	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	13	0	0
7010090002539	449	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	449	0	0
7010090002540	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090004272	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090004448	2100	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	2100	0	0
7010090006210	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

7022014779043	39	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	39	0	0

Notes: All equipment is going to be procured new. Destroy the hard drive and DRMO in theater. 7010090000346 (64 O/H) , 7010090002538 (40 O/H), 5895015325434 (34 O/H), 7010015385013 (7 O/H), 7010090002540 (3 O/H)

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- ☑ **Sensitive**
- ☐ **CCI**
- ☐ **Multi-Modal**
- ☐ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A9200 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9200: COMPUTER, TECH WORKSTATION

The Marine Corps Common Hardware Suite (MCHS) is a level-of-effort program that provides high performance and general purpose client workstations (desktop/laptop)and file application servers that support both UNIX (RISC) and Intel (CISC) based applications. The program includes two components: 1) Workstations and Servers for Tactical and stand-alone Functional C4I programs and 2)/Servers Modernization.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	31	0
Shortfall/Excess	31	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
14	0	0	0	1	16	0	0	0	0
14	0	0	0	1	16	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090000350	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and should be DRMOd or disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

A9300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9300: COMPUTER SYSTEM,DIG

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,443	0
AAO (FY17)	1,658	
O/H	8,927	0
Shortfall/Excess	7,484	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
342	510	386	0	155	50	0	0	0	0
410	559	414	0	225	50	0	0	0	0
556	855	539	27	63	6,881	0	2	0	0
214	345	153	27	-92	6,831	0	2	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010014649346	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090000349	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7010090006211	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0
7022014778695	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A9400 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9400: SERVER, ENTERPRISE

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	147	0
AAO (FY17)	147	
O/H	80	0
Shortfall/Excess	-67	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	6	4	0	32	94	0	0	0	0
11	6	4	0	32	94	0	0	0	0
19	4	2	0	0	54	0	0	0	0
8	-2	-2	0	-32	-40	0	0	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7010090000347	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

A9500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN A9500: COMPUTER, SERVER

MCHS provides standardized COTS hardware that include desktops, laptops, file application servers, and network storage devices.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,226	0
AAO (FY17)	1,219	
O/H	313	0
Shortfall/Excess	-913	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
60	57	36	0	26	1,047	0	0	0	0
60	56	36	0	20	1,047	0	0	0	0
74	60	40	0	2	134	0	3	0	0
14	3	4	0	-24	-913	0	3	0	0

Reset Strategy & Plan (Product Group: 10)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7035014649366	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: All equipment is going to be procured new. Destroy the harddrive and DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0003: AIR CONDITIONER, HORIZONTAL, 1.5T, 60HZ, 18K BTU

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	497	39	130	130	76	0	103	19	39	0	0	0
AAO (FY17)	486		130	130	76	0	92	19	39	0	0	0
O/H	994	12	170	177	104	0	95	22	0	414	0	0
Shortfall/Excess	497	-27	40	47	28	0	-8	3	-39	414	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261588	12	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	12
4120015810399	0	0%	0%	0%	50%	0%	50%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: For NSN 4120-01-526-1588 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-0399 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0006: AIR CONDITIONER, MCS VERTICAL, 400HZ, 36K BTU

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	93	2
Shortfall/Excess	93	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	1	0	90	0	0
0	0	0	0	0	1	0	90	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120004443921	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
4120009264137	2	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	2
4120010726388	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
4120011608886	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
4120011755902	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
4120012446385	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0008: AIR CONDITIONER, 5T, 60K

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	728	16
AAO (FY17)	703	
O/H	1,478	328
Shortfall/Excess	750	312

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
175	165	112	39	134	61	16	0	1	25
165	161	110	39	135	61	16	0	0	16
213	185	142	40	110	52	0	404	4	0
38	20	30	1	-24	-9	-16	404	3	-25

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261060	232	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	232
4120015410646	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015812260	96	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	48	0	48

Notes: For NSN 4120-01-526-1060 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-2260 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	49	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0010: AIR CONDITIONER

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	71	9
AAO (FY17)	73	
O/H	142	0
Shortfall/Excess	71	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	19	12	4	9	2	9	0	0	0
16	18	12	4	12	2	9	0	0	0
18	22	15	1	10	7	0	69	0	0
2	3	3	-3	1	5	-9	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261120	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015647844	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015811227	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	57	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0010: AIR CONDITIONER

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	71	9
AAO (FY17)	73	
O/H	142	0
Shortfall/Excess	71	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	19	12	4	9	2	9	0	0	0
16	18	12	4	12	2	9	0	0	0
18	22	15	1	10	7	0	69	0	0
2	3	3	-3	1	5	-9	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261120	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015647844	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015811227	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	57	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0010: AIR CONDITIONER

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	71	9
AAO (FY17)	73	
O/H	142	0
Shortfall/Excess	71	-9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	19	12	4	9	2	9	0	0	0
16	18	12	4	12	2	9	0	0	0
18	22	15	1	10	7	0	69	0	0
2	3	3	-3	1	5	-9	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015261120	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015647844	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4120015811227	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	57	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B0011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0011: AIR CONDITIONER

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	20	0	0	0	0	0	1	0	0	19	0	0
Shortfall/Excess	20	0	0	0	0	0	1	0	0	19	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120003237780	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
4120011508112	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Eligible for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0013: AIR CONDITIONER

The B0013 is a quieter, more reliable, vertical, compact 36,000 BTU/HR air conditioner that can be remotely operated.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	6	6
Shortfall/Excess	6	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120013590083	6	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	6

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Eligible for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0014: ENVIRONMENTAL CONTROL UNIT, HORIZONTAL, 36K BTU

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3,063	0
AAO (FY17)	3,027	
O/H	4,858	430
Shortfall/Excess	1,795	430

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
745	736	546	41	595	220	0	0	145	35
746	742	506	41	543	220	0	0	172	57
764	764	568	45	380	149	0	1,552	149	57
19	28	22	4	-215	-71	0	1,552	4	22

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015262397	277	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	277
4120015811276	153	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	76	0	76

Notes: For NSN 4120-01-526-2397 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN: 4120-01-581-1276 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	44	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0015: VAN, Z BACKSCATTER

The Backscatter X-ray Van is a low-cost, extremely maneuverable screening system built into a commercially available delivery van. It allows for immediate deployment in response to security threats.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3	0
AAO (FY17)	3	
O/H	12	12
Shortfall/Excess	9	12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	3	0	0	0	0
0	0	0	0	0	3	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	-3	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015640135	6	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	6
6665015314806	6	0%	0%	0%	0%	0%	100%	YES	NO	No	Yes	No	No	No	No	0	0	6

Notes: Not currently a POR, PM requests that it go back to LOGCOM to be inventoried and determine what to do at that time. Power washing may be completed on the exterior (outside) only of this item. Care should be taken around wiring to prevent damage. DO NOT POWER WASH INSIDE OF SHELTER; interior contains sensitive electronics which water can damage. Use compressed air anUpon MCLB Albany Receiving equipment from theater, PM-CIED should be contacted so a complete inventory assessment can be performed to assertain the equipments reliabilty status.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**ARMY**
if	**Not Mission Capable MEF**	then	**ARMY**
if	**Not Mission Capable**	then	**ARMY**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	4.8

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

B0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0018: INTEGRATED TRAILER, ECU AND GENERATOR

The Tactical Quiet Generators (TQG's) are currently being procured to replace the Military Standard Generators. The updated TQGs feature enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	75	2
AAO (FY17)	122	
O/H	252	13
Shortfall/Excess	177	11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	15	7	20	11	5	2	0	0	0
32	32	22	20	9	5	2	0	0	0
41	39	25	20	53	13	0	48	0	0
26	24	18	0	42	8	-2	48	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015569648	13	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	No	10	0	3

Notes: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. For the ECU: The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11490A.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	102	0	2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0023: EXPLOSIVE DETECTOR EVD 3000

The EVD3000 is the world's first and most recognized portable explosives trace detector with comprehensive explosives detection capabilities. It can detect even minute traces of C-4, TNT, Dynamite, PETN, Semtex, EGDN, DMNB, RDX, and Nitroglycerine, including ICAO taggants and tagged plastic explosives.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	118	0
Shortfall/Excess	118	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	118	0	0
0	0	0	0	0	0	0	118	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015315570	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	Yes	0	0	0

Notes: Item is obsolete and should be disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B0024 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0024: DISTRIBUTOR, WATER, TANK TYPE

Transports and distributes water providing soil stabilization, dust control and compaction capabilities.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	26	0
AAO (FY17)	29	
O/H	33	1
Shortfall/Excess	7	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	3	0	6	0	0	3	0	0
7	7	6	0	6	0	0	3	0	0
7	5	5	0	4	0	0	11	0	0
0	-2	2	0	-2	0	0	8	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3825014970690	1	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	1	0

Notes: TANK MUST BE FLUSHED

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	299	0	17

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0025: HYDRO SEEDER, DUST ABATEMENT, TRAILER MOUNTED

The Hydroseeder comprises of a wheeled and skid mounted machine used to distribute water.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	33	3
AAO (FY17)	32	
O/H	66	1
Shortfall/Excess	33	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	7	0	6	0	3	3	0	0
7	7	6	0	6	0	3	3	0	0
6	7	6	0	4	0	0	42	0	0
-1	0	-1	0	-2	0	-3	39	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3710015357449	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	Yes	0	0	1

Notes: Items in OEF can be DRMO'd - candidate for FMS. There is a replacement item coming online.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	119	0	2.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0026 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0026: HYDRO SEEDER, DUST ABATEMENT, SKID MOUNTED

The Hydroseeder comprises of a wheeled and skid mounted machine used to distribute water.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	36	3
AAO (FY17)	35	
O/H	65	1
Shortfall/Excess	29	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	7	0	6	0	3	6	0	0
7	7	6	0	6	0	3	6	0	0
7	7	7	0	3	0	0	40	0	0
0	0	0	0	-3	0	-3	34	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3710015349817	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	Yes	0	0	1

Notes: Items in OEF can be DRMO'd - candidate for FMS. There is a replacement item coming online.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	700	2.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0027: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 5KW (INDOOR)

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,064	0	244	239	174	90	183	5	0	0	90	39
AAO (FY17)	1,064		241	244	174	90	170	5	0	0	100	40
O/H	2,174	98	309	253	187	64	173	12	0	952	93	33
Shortfall/Excess	1,110	98	65	14	13	-26	-10	7	0	952	3	-6

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321794	98	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	24	0	74

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0028: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 5KW (OUTDOOR)

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,859	0	448	443	314	25	341	4	0	0	230	54
AAO (FY17)	1,986		458	459	328	25	332	4	0	0	300	80
O/H	2,806	189	499	468	325	25	293	19	0	728	241	19
Shortfall/Excess	947	189	51	25	11	0	-48	15	0	728	11	-35

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321821	189	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	47	0	142

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0029 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0029: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 15KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	728	0	161	153	120	48	119	4	0	0	76	47
AAO (FY17)	759		171	163	120	48	117	4	0	0	120	16
O/H	1,207	153	177	164	112	48	113	14	0	343	75	8
Shortfall/Excess	479	153	16	11	-8	0	-6	10	0	343	-1	-39

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321764	153	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	38	0	115

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0030: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 30KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	625	0	130	117	97	30	99	26	0	0	98	28
AAO (FY17)	665		136	121	97	30	91	26	0	0	136	28
O/H	1,433	152	158	124	101	30	95	37	0	618	99	19
Shortfall/Excess	808	152	28	7	4	0	-4	11	0	618	1	-9

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321809	152	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	38	0	114

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	10	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0031: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 100KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	337	0
AAO (FY17)	357	
O/H	751	94
Shortfall/Excess	414	94

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
79	72	62	15	61	5	0	0	32	11
82	76	62	15	61	5	0	0	48	8
101	72	66	14	62	9	0	293	32	8
22	0	4	-1	1	4	0	293	0	-3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321835	94	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	24	0	70

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0032: DISTRIBUTION SYSTEM, MOBILE ELECT PWR, 300KW

The Mobile Electrical Power Distribution System Replacement consists of lightweight, modular, skid-mounted 5kW, 15kW, 30kW , 100kW , and 300kW distribution panels. These panels are interconnected with lightweight, multiconductor cables, with connectors sized by amperage, keyed for voltage and frequency and capable of rapid connect and disconnect.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	68	0	16	16	12	0	12	2	0	0	10	0
AAO (FY17)	70		16	16	12	0	12	2	0	0	12	0
O/H	215	6	20	14	14	0	8	1	0	142	10	0
Shortfall/Excess	147	6	4	-2	2	0	-4	-1	0	142	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110015321776	6	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	N/A	No	2	0	4

Notes: Part of power distribution system. Power distribution boxes (MEPDIS-R) should have the external air vents, including the vents underneath the unit taped closed before any water is directed at the unit. Also all connector covers should be tightly closed. MEPDIS-R can be cleaned with high pressure water if the connector covers are closed and the vents are taped shut with no damaging effects to the unit. SL-3: SL-3-6110

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0033: JOINT ENGINEER RAPI

The Joint Engineer Rapid Response Vehicle is a Joint Service MRAP Category II, hardened EOD / engineering vehicle, with Level I armor protection.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	21	0
Shortfall/Excess	21	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	21	0	0
0	0	0	0	0	0	0	21	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015322159	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and should be DRMOd or disposed of in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B0034 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0034: VEHICLE MOUNTED MINE DETECTOR (VMMD) HUSKY

The VMMD system can detect buried metallic anti-tank mines, explosive obstacles and unexploded ordnance. The VMMD system is comprised of two Husky Mine Detection Vehicles, one Red Pack sustainment trailer and three Mine Detonation Trailers.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	10	0
Shortfall/Excess	10	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	10	0	0
0	0	0	0	0	0	0	10	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015602318	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	No	Yes	0	0	0

Notes: TAMCN being archived and equipment being reported under B0092, B0093 or B0094 TAMCNs.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0035: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT III

A truck, usually with a platform or cargo type body, equipped with a monorail mounting hoist or hydraulic lifting boom, designed to lift and/or transport bombs.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	45	0	13	10	5	0	9	8	0	0	0	0
AAO (FY17)	24		3	3	0	0	0	6	0	0	6	6
O/H	68	17	11	4	0	0	0	6	0	30	0	0
Shortfall/Excess	23	17	-2	-6	-5	0	-9	-2	0	30	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015316425	11	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	Yes	0	11	0
2355015811171	6	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	Yes	0	6	0

Notes: Remove all C4I asset and disassociate prior to wash down. Both Variants of CAT III Buffalos are returning to MCLB Albany for Reset prior to fielding according to R2C and enduring requirements. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	237	0	12.5

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0036: GROUND EXPEDIENT FUEL SYSTEM MEDIUM

GERS is a collection of small collapsible tanks, hoses, connectors and pumps used to distribute fuel to Marine Corps ground equipment. 620 gal capacity. Four 155 gal collapsible tanks. 20 GPM Pumping capability. Refuel two vehicles simultaneously.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	331	11
AAO (FY17)	365	
O/H	355	0
Shortfall/Excess	24	-11

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
88	79	58	9	56	2	11	0	20	8
96	83	61	9	73	2	11	0	20	10
88	69	55	13	53	1	0	45	21	10
0	-10	-3	4	-3	-1	-11	45	1	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930015339826	0	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: All liners can not be transported back to CONUS if they have been utilized.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	931	0.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

B0037 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0037: GROUND EXPEDIENT REFUELING SYSTEM SMALL

The GERS is a ground fuel dispensing system that can receive, store, transport and issue fuel. The GERS is a collection of small collapsible tanks, hoses, connectors and pumps used to distribute fuel to Marine Corps equipment and is transportable by any vehicle (HMMWV or larger).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	314	5
AAO (FY17)	341	
O/H	351	0
Shortfall/Excess	37	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
87	77	56	0	56	2	5	0	20	11
93	81	59	0	71	2	5	0	20	10
89	65	57	5	53	1	0	50	21	10
2	-12	1	5	-3	-1	-5	50	1	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930015339830	0	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: All liners cannot be transported back to CONUS if it has been utilized.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	365	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

B0038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0038: ALL TERRAIN CRANE (ATC) MAC-50

The All Terrain Crane is a rubber tired, hydraulic boom, all terrain crane capable of lifting and swinging a maximum load of 80,000 pounds.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	126	0
AAO (FY17)	137	
O/H	159	5
Shortfall/Excess	33	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	24	20	0	21	12	0	6	16	3
27	26	18	0	24	12	0	6	16	8
25	23	20	0	9	13	0	38	18	8
1	-1	0	0	-12	1	0	32	2	5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3810015384030	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	2	0
3810015793981	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	3	0

Notes: All need to come back through MCLC. 3981 is the armored variant.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	318	0	34.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0039: AIRFIELD DAMAGE REPAIR (ADR) KIT

The Airfield Damage Repair Kit will provide Marine Corps units the capability to create useable landing surfaces by means of new construction or repair of existing facilities. The new kit will provide the ability to quickly repair seized enemy airfields that have sustained battle damage.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	31	0
AAO (FY17)	32	
O/H	41	1
Shortfall/Excess	10	1

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	9	9	5	0	7	1	0	0	0	0
AAO (FY17)	9	9	6	0	7	1	0	0	0	0
O/H	7	5	5	0	3	3	0	17	0	0
Shortfall/Excess	-2	-4	0	0	-4	2	0	17	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3895015390585	1	0%	0%	0%	50%	50%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes: All need to come back through MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	35.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0040: 277B MULTI-TERRAIN LOADER (MTL)

The Multi-Terrain Loader provides the Marine Corps with a versatile, deployable, and scalable capability.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	237	0
AAO (FY17)	221	
O/H	302	24
Shortfall/Excess	65	24

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
70	54	25	0	48	3	0	8	20	9
50	52	30	0	44	3	0	8	20	14
70	50	28	0	31	3	0	66	20	10
0	-4	3	0	-17	0	0	58	0	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015393925	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	No	No	0	0	0
3805015500883	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	No	No	0	0	1
3805015696091	17	10%	90%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	15	2
3805015804542	6	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	6	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	75	0	4.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0044: BLADE,MINE CLEARING

The FWMP is an associated TAMCN of the Assault Breacher Vehicle.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	62	12
AAO (FY17)	65	
O/H	68	5
Shortfall/Excess	6	-7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	0	0	0	14	12	10	10	2
7	7	0	0	0	14	12	10	10	5
7	7	0	0	0	11	0	23	15	0
0	0	0	0	0	-3	-12	13	5	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590992389283	5	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	5	0

Notes: Associated to the ABV. Equipment needs to be refreshed regardless of maintenance condition.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0048 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0048: PACBOT

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	24	0
AAO (FY17)	42	
O/H	38	0
Shortfall/Excess	14	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	0	0	0	12	0	0	0	0
6	6	0	0	0	12	0	0	12	6
0	0	0	0	3	35	0	0	0	0
-6	-6	0	0	3	23	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385015936219	0	0%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1484	4.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0049 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0049: LARGE FIELD REFRIGERATION SYS (LFRS)

The LFRS will comprise a 8x8x20 insulated container that meets ISO type 1, 20 foot standard. The LFRS will be dual mode to refrigerate or freeze perishable itemss. It will support numerouse curtomers to include Marine Corps field food Service system and will be also support Motruary Affairs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	112	0
AAO (FY17)	86	
O/H	154	5
Shortfall/Excess	42	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	23	9	0	42	9	0	0	0	11
19	19	14	0	14	9	0	0	0	11
18	23	9	0	14	9	0	65	0	11
0	0	0	0	-28	0	0	65	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4130015629914	5	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	N/A	No	0	0	5

Notes: Many of these items were ARMY assets and are not ours - follow instructions only if they are our assets. If serviceable, distribute to MEF, if unserviceable DRMO. Depot Level Maintenance is NOT part of the maintenance concept for this item. A pressure washer can be used on the interior and exterior of the box, excluding the Refrigeration Unit (RU). The RU needs to be cleaned using compressed air and coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11574A. MARCORSYSCOM has not shipped ANY of this TAMCN / NSN to OEF, so none of these are in OEF to our knowledge. Commercial boxes may look similar, but are white in color and do not have the safety features of the USMC LFRS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B0055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0055: BATH SHOWER UNIT, EXPEDITIONARY, FIELD

The Bath Shower Unit, Expedition consists of six separate but identical and interchangeable shower modules, with interconnecting hoses, electrical power feed water and drain pumps, and a drain hose to conduct water away from the shower area.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	238	0
AAO (FY17)	238	
O/H	323	18
Shortfall/Excess	85	18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
61	59	42	0	36	4	0	0	24	12
59	55	42	0	42	4	0	0	24	12
68	45	34	0	19	4	0	95	28	12
7	-14	-8	0	-17	0	0	95	4	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4510011636775	18	75%	0%	0%	25%	0%	0%	NO	NO	No	Yes	No	No	No	No	4	0	14

Notes: Not classified

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	108	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

B0058 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0058: LTWT VEH MOUNTED MINE ROLLER SYS

The Mine Roller System (MRS) is a countermine system that is mounted on wheeled vehicles to reduce the impact of pressure-activated explosive devices. The MRS detects and neutralizes mines and improvised explosive devices before the host vehicle passes over them.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	254	0
AAO (FY17)	267	
O/H	523	387
Shortfall/Excess	269	387

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
39	39	10	0	16	37	0	63	0	50
29	33	9	0	19	37	0	63	18	59
42	40	18	0	0	33	0	3	0	0
3	1	8	0	-16	-4	0	-60	0	-50

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590015439655	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	Yes	0	0	0
2590015447173	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	Yes	0	0	0
2590015456776	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	Yes	0	0	0
2590015536517	18	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	Yes	0	0	18
2590015794990	369	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	Yes	0	0	369

Notes: Current strategy is to dispose of the obsolete NSNs. AAO for 4990 is probably going to be reduced, but items should still go to fill shortfalls. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0060: MEDIUM CRAWLER TRACTOR (JOHN DEERE)

Militarized crawler tractor type with straight blade and drawbar.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	320	40
AAO (FY17)	321	
O/H	392	22
Shortfall/Excess	72	-18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
57	52	29	0	54	32	40	14	36	6
53	49	41	0	50	32	40	14	36	6
59	48	35	0	45	34	0	103	40	6
2	-4	6	0	-9	2	-40	89	4	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015585671	0	0%	90%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	0	0
2320015895117	22	0%	100%	0%	0%	50%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	22	0

Notes: 5117 is armored, all of the rest are unarmored. The armored variant will be sent back to MCLC for depot maintenance. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	155	0	34.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0061: COOLING AND REFRIGERATION EXPEDITIONARY TOOL KIT (CREK)

The Cooling and Refrigeration Expeditionary Kit (CREK) is an expeditionary support package that will be used by the Refrigeration Mechanic (MOS 1161) to maintain the new family of environmental control and refrigeration equipment The CREK will replace the current Refrigeration Mechanics and Service Toolkits (TAMCNB2280 NSN 5180-00-637-2667, B2290 NSN3439-00-637-2668 & B1713 4330-01-411-7240) This kit will update the current tools the 1161 utilizes in. both technology and safety It will also greatly enhance the expeditionary capability.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	357	0
AAO (FY17)	397	
O/H	581	9
Shortfall/Excess	224	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
92	83	65	5	74	3	0	0	23	12
103	96	69	5	76	3	0	0	27	18
106	124	62	6	61	20	0	150	25	18
14	41	-3	1	-13	17	0	150	2	6

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015585664	9	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	9	0	0

Notes: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. This is a tool kit that may be incomplete and require replacement tools/components be reordered. IMA and Depot Level Maintenance are NOT part of the maintenance concept for this item. Highly pilferable, should not go down the GLOC. All tools need to be wiped down and the exterior of the cases can be cleaned with low pressure washer. SL-3: SL-3-11502A

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0062: TOOL KIT, LINESMAN ELECTRICAL

The Lineman's Tool Kit is a standardized lineman's basic tool kit that provides a wide range of necessary tools for the basic electrician. configuration controlled.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	375	0
AAO (FY17)	390	
O/H	496	5
Shortfall/Excess	121	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
95	87	44	17	65	4	0	0	49	14
91	85	50	17	62	4	0	0	54	27
101	80	49	18	51	7	0	99	59	27
6	-7	5	1	-14	3	0	99	10	13

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015500145	5	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	5	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0063: LOADER, SCOOP TYPE

The TRAM is a multi-purpose machine that is employed throughout the Marine Corps with its forklift attachment in support of heavy lifts up to 10,000 lbs and horizontal construction operations. When configured as a bucket loader it is utilized to, excavate earthen material, move excavated materials, and to load haul units such as dump trucks.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	698	40
AAO (FY17)	687	
O/H	844	77
Shortfall/Excess	146	37

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
130	124	88	11	112	40	40	28	88	37
123	125	84	11	111	40	40	28	88	37
135	117	89	12	95	43	0	127	112	37
5	-7	1	1	-17	3	-40	99	24	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015497814	29	0%	100%	0%	0%	100%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	29	0
3805015891659	48	0%	90%	0%	0%	50%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	48	0

Notes: 7814 is unarmored variant.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	186	0	18.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0065: ARMORED EXCAVATOR WITH BRUSH HOG

The Backhoe, Excavator is a pneumatic hydraulically operated excavator. It is used in the development of field fortifications, trenching operations, emplacement of culverts, drainage ditch construction and maintenance, quarry support operations and loading.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	7	3	0	0	0	0	0	0	0	4	0	0
Shortfall/Excess	7	3	0	0	0	0	0	0	0	4	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3815015503454	3	0%	0%	0%	0%	100%	0%	NO	NO	Yes Other	Yes	Yes	No	Yes	Yes	0	0	3

Notes: Not spending any money to reset equipment, but needs to return to depot. Investigating possible FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	31.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0066 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0066: CONTAINERIZED BATCH LAUNDRY

The Containerized Batch Laundry (CBL) is a 100KW Generator powered COTS Laundry item configured into a standard 8' x 8' x 20' ISO Container and consists of two industrial 55 pound washers, two industrial 75 pound dryers, and a 30 GPM supply pump.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	115	0
AAO (FY17)	124	
O/H	137	12
Shortfall/Excess	22	12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	24	24	0	20	4	0	6	8	5
28	26	24	0	24	4	0	6	8	4
24	22	23	0	13	4	0	26	9	4
0	-2	-1	0	-7	0	0	20	1	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3510015498384	12	50%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	6	6

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0067: GROUND TORCH

The Ground Torch is a trailer mounted unit designed to burn vegetation along rivers, canals, and roads. It can also be used to open up supply routes through thick vegetation, or wherever the tactical situation requires that vegetation be cleared.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	15	0
Shortfall/Excess	15	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	15	0	0
0	0	0	0	0	0	0	15	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1040015503421	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	Yes	0	0	0

Notes: No current requirement for item across the USMC. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0069: CLIMBERS SET, TREE AND POLE

Tool Kit used by electricians (MOS 1141) that contains items necessary to climb poles and work on electrical wiring.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	370	0	93	86	55	4	67	2	0	0	49	14
AAO (FY17)	372		88	82	53	4	62	2	0	0	54	27
O/H	142	0	38	30	16	5	20	2	0	1	30	0
Shortfall/Excess	-228	0	-55	-56	-39	1	-47	0	0	1	-19	-14

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4240002739668	0	0%	0%	0%	0%	100%	0%	YES	NO	No	Yes	No	No	No	No	0	0	0
5180015508373	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	16	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0071 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0071: LIGHT WEIGHT WATER PURIFICATION SYSTEM

The LWPS uses reverse osmosis technology to produce 125 GPH from fresh water/brackish water sources and 75 GPH from saltwater sources.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	215	0
AAO (FY17)	254	
O/H	226	15
Shortfall/Excess	11	15

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
46	44	39	0	37	8	0	7	19	15
52	50	39	0	41	8	0	7	38	19
41	31	41	0	17	9	0	38	34	0
-5	-13	2	0	-20	1	0	31	15	-15

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610015728283	15	0%	100%	0%	0%	50%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	15	0

Notes: All should go to the MCLC as they are designated WRMR items. MEFs should recieve new units in about a year, from once full fielding is complete.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0074 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0074: AIR CONDITIONER, MCS HORIZONTAL, 60HZ, 9K BTU

Window-style Air conditioner for rigid wall environmental control.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	216	33
AAO (FY17)	213	
O/H	330	0
Shortfall/Excess	114	-33

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
47	47	37	0	47	5	33	0	0	0
47	47	37	0	44	5	33	0	0	0
69	48	45	0	29	8	0	129	2	0
22	1	8	0	-18	3	-33	129	2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015525223	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	N/A	No	0	0	0
4120015812650	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	N/A	No	0	0	0

Notes: For NSN 4120-01-552-5223 (R-22 Model): DRMO/Dispose of In Theater; do NOT return to CONUS. For NSN 4120-01-581-2650 (R-407C Model): Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. Water (not to exceed 60 PSI) can be used on the external portions of the ECU's. The evaporator coil, condenser coil, and control cubicle should cleaned with compressed air. Coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-4120 The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0075 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0075: SMALL FIELD REFRIGERATOR

The SFRS is an 8'x8'x6.5' insulated TRICON container that can be interlocked with two additional TRICONs to meet ISO standards. An integrated externally-powered Refrigeration Unit (RU) provides controlled refrigeration or freezing of perishable items. The SFRS will support numerous customers, to include Marine Corps Field Food Service System (FFSS).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	518	8
AAO (FY17)	428	
O/H	995	89
Shortfall/Excess	477	81

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
116	113	75	0	150	39	8	0	1	16
103	84	74	0	79	39	8	0	2	39
134	114	73	0	67	60	0	412	1	45
18	1	-2	0	-83	21	-8	412	0	29

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4130015657655	89	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	No	67	0	22

Notes: Funding has already been obtained for replacing all in theater, so return to CONUS only if serviceable. Depot Level Maintenance is NOT part of the maintenance concept for this item. A pressure washer can be used on the interior and exterior of the box, excluding the Refrigeration Unit (RU). The RU needs to be cleaned using compressed air and coils need to be cleaned from the inside out in order to properly clean them out. SL-3: SL-3-11609A.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	312	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0076 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0076: MTL WORK TOOL SET

Tool set to support maintainance of the MTL.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	94	0
AAO (FY17)	91	
O/H	152	16
Shortfall/Excess	58	16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
21	18	10	6	19	1	0	6	8	5
18	18	13	6	14	1	0	6	10	5
26	14	13	8	22	2	0	33	13	5
5	-4	3	2	3	1	0	27	5	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015534073	16	0%	100%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	16	0

Notes: Used with B0040

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	105	0	3.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0077 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0077: DIESEL ENGINE GENERATOR SET 5KW TACTICAL QUIET GENERATOR

The 5kW Generator Set, MEP-802A, 60Hz, is a self-contained, skid mounted, portable unit. It is equipped with controls, instruments and accessories necessary for operation. The generator set consist of a diesel engine, brushless generator, excitation system, speed governing system, fuel system, 24VDC starting system, control system and fault system. This generator set is designed to be used with any equipment requiring a small source of AC power and operates in a "Hot and Basic" climatic condition range of -25°F to 120°F. This generator set is mobile and requires forklift support.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY13)	11	0
AAO (FY17)	11	
O/H	382	0
Shortfall/Excess	371	0

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	11	0	0	0	0
0	0	0	0	0	11	0	0	0	0
1	0	0	0	0	2	0	379	0	0
1	0	0	0	0	-9	0	379	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012747387	0	100%	0%	0%	0%	0%	0%	NO	NO	Yes Other	Yes	No	N/A	No	No	0	0	0

Notes: Used with the GBOSS system and should be reassociated at MCLC. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	33	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0078: GRADER, MOTORIZED

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	127	7
AAO (FY17)	126	
O/H	168	8
Shortfall/Excess	41	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
23	22	14	0	20	14	7	8	14	5
22	21	16	0	19	14	7	8	14	5
25	21	16	0	16	16	0	44	17	5
2	-1	2	0	-4	2	-7	36	3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015660558	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	1	0
3805015982715	7	0%	100%	0%	0%	50%	0%	NO	NO	No	Yes	yes	No	No	No	0	7	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2181	15.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0078 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0078: GRADER, MOTORIZED

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	127	7
AAO (FY17)	126	
O/H	168	8
Shortfall/Excess	41	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
23	22	14	0	20	14	7	8	14	5
22	21	16	0	19	14	7	8	14	5
25	21	16	0	16	16	0	44	17	5
2	-1	2	0	-4	2	-7	36	3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015660558	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	1	0
3805015982715	7	0%	100%	0%	0%	50%	0%	NO	NO	No	Yes	yes	No	No	No	0	7	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2181	15.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0079 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0079: RIPPER FOR MCT

Attachment mounted on the medium crawler tractor.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	117	10
AAO (FY17)	114	
O/H	154	9
Shortfall/Excess	37	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	19	13	0	17	12	10	3	18	3
19	18	14	0	17	12	10	3	18	3
22	19	15	0	18	12	0	33	23	3
0	0	2	0	1	0	-10	30	5	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830015626715	9	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	9	0

Notes: This item is an attachment for B0060.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	218	2.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0081 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0081: WINCH ATTACHMENT, SINGLE DRUM

Attachment mounted on the medium crawler tractor.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	149	0
AAO (FY17)	121	
O/H	169	10
Shortfall/Excess	20	10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	27	21	0	28	15	0	5	18	3
22	21	16	0	21	15	0	5	18	3
38	26	19	0	25	16	0	12	20	3
6	-1	-2	0	-3	1	0	7	2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830015626695	10	0%	100%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	10	0

Notes: This item is used with B0060. Request separate WIRs for B0060 and B0081.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	64	1.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0091: TANK,FUEL,PORTABLE

Fuel Containers

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	5	5
Shortfall/Excess	5	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2910015879196	5	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	Yes	0	0	5

Notes: Items in OEF can be DRMO'd - candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	6.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B0092 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0092: TRAILER SET,MINE DE

The three mine detonation trailers are pulled by a single husky vehicle in order to produce large ground pressure in order to initiate pressure plate firing systems in mines and IEDs. The tires of the three trailers are staggered in a manner that ensures pressure is applied to the entire width of the travelled lane.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	39	0
Shortfall/Excess	39	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
17	12	0	0	0	7	0	3	0	0
17	12	0	0	0	7	0	3	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015294229	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	0	0

Notes: AAO's are being established. Used by B0093.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0093 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0093: MINE DETECTOR SYSTE

The Husky is an armored vehicle that can detect buried metallic anti-tank mines, explosive obstacles and unexploded ordnance. It imparts low ground pressure and can be repaired in the field if it is struck by an explosive device.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	28	0
AAO (FY17)	46	
O/H	94	31
Shortfall/Excess	66	31

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	0	0	0	10	0	6	0	0
6	6	0	0	0	10	0	6	12	6
16	8	0	0	0	16	0	23	0	0
10	2	0	0	0	6	0	17	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015602306	31	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	31	0

Notes: AAO's are being established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0096 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0096: MINE,ROLLER SYSTEM

The Heavy Scout Mine Roller is a non-articulating mine roller that can attach to any standard mine roller interface bracket. It is lighter than the Generation III roller and is used primarily by Marine Corps Light Armored Vehicles (LAV) and Afghan National Army High Mobility Multi-Wheeled Vehicles (HMMWV).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)		
AAO (FY17)		
O/H	0	0
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590015890393	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0

Notes: AAO's are being established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B0102 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0102: DETECTING SET,MINE

Handheld Low Metallic Signature detector.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	936	0
AAO (FY17)	940	
O/H	563	18
Shortfall/Excess	-373	18

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
232	190	116	48	156	34	0	48	112	0
202	194	136	48	166	34	0	48	112	0
154	131	67	46	0	27	0	120	0	0
-78	-59	-49	-2	-156	-7	0	72	-112	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665123710357	18	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	i/p	Yes	0	18	0

Notes: UUNs requirement only, no AAO established for after the war. FMS is pending - hold in country at MCLC Fwd until determination is made.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0105: METAL DETECTOR

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	681	0
AAO (FY17)	631	
O/H	1,730	686
Shortfall/Excess	1,049	686

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
135	105	68	36	105	232	0	0	0	0
115	90	68	36	90	232	0	0	0	0
139	258	73	162	60	194	0	158	0	0
4	153	5	126	-45	-38	0	158	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665151952879	686	0%	75%	0%	0%	0%	25%	NO	NO	EDA	Yes	yes	No	No	No	0	514	172

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B0106 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0106: GENERATOR SET,DIESE

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	130	
Shortfall/Excess	130	

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
11	62	25	0	3	0	0	29	0	0
11	62	25	0	3	0	0	29	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B0120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0120: BRIDGE ERECTION SET -MGB

Supports installation of Medium Girder Bridge.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	24	0
AAO (FY17)	22	
O/H	26	3
Shortfall/Excess	2	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	9	2	0	2	2	1
3	3	0	0	9	2	0	2	2	1
4	3	2	0	6	1	0	5	2	0
1	0	0	0	-3	-1	0	3	0	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420001723519	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes: Associated with B0152

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	729	3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0152: BRIDGE, MEDIUM GIRDER, DRY GAP - (MGB)

MLC 70 standard bridge for we or dry gaps up to 60M.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	29	0
AAO (FY17)	29	
O/H	38	4
Shortfall/Excess	9	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	12	2	0	4	2	1
4	4	0	0	12	2	0	4	2	1
3	3	2	0	6	2	0	13	4	1
0	0	0	0	-6	0	0	9	2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420001723520	4	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	571	3.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0160 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0160: ASSAULT BREACHER VEHICLE

Provides instride or deliberate breaching capability of minefields and complex obstacles.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	52	5
AAO (FY17)	52	
O/H	48	3
Shortfall/Excess	-4	-2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	7	0	0	0	14	5	7	10	2
7	7	0	0	0	14	5	7	10	2
6	5	0	0	0	10	0	11	13	0
-1	-2	0	0	0	-4	-5	4	3	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2350015117783	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes: Remove cameras before washdown and leaving theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	312	0	65

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0171 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0171: BUCKET, CLAMSHELL

The Bucket, Clamshell is hydraulically operated and capable of working at, above and below ground level. It is capable of digging loose to medium type soils and suitable for excavating vertical shafts or footings, filling bins or hoppers, and unloading aggregate from flat bottom gondola railroad cars.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	62	0
AAO (FY17)	52	
O/H	102	0
Shortfall/Excess	40	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	13	5	0	17	3	0	0	8	3
10	10	9	0	8	3	0	0	8	4
15	14	9	0	11	13	0	14	22	4
2	1	4	0	-6	10	0	14	14	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3815015515938	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Used with B0038.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	71	1.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0176 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0176: BUCKET, CONCRETE

Used by the ATC to support concrete pouring operations.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	26	0
AAO (FY17)	30	
O/H	44	0
Shortfall/Excess	18	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	2	0	5	1	0	0	4	2
6	6	6	0	5	1	0	0	4	2
8	8	6	0	4	1	0	9	6	2
2	2	4	0	-1	0	0	9	2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3815012919223	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	yes	No	No	0	0	0

Notes: All should be DRMO'd in country - currently purchasing replacements - same TAMCN new NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	86	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0215 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0215: BUCKET,MULTI-PURPOS

The Bucket, Multi-Purpose, 4-in-1, 2.47 Cubic Yard is used as a front end scoop bucket for picking up various types of fill material and loading the same into fill haulers.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	603	0
AAO (FY17)	616	
O/H	584	51
Shortfall/Excess	-19	51

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
127	124	90	11	82	33	0	54	45	37
120	119	84	11	113	33	0	54	45	37
100	82	69	5	61	21	0	117	62	16
-27	-42	-21	-6	-21	-12	0	63	17	-21

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830014828567	51	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	51	0

Notes: AAO's are pending. Used with B0063.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	21	0	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0281 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0281: CAMERA SUITE, DIGITAL, ADVANCED (TACPHOTO)

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	43	0	3	1	30	0	9	0	0	0	0	0
Shortfall/Excess	43	0	3	1	30	0	9	0	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720090004310	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	Yes	Yes	0	0	0

Notes: This TAMCN is obsolete and is now reflected as A0338 (instructions for the "A" TAMCN is also included in this R2 Playbook).

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then
if	**Not Mission Capable MEF**	then
if	**Not Mission Capable**	then
if	**Condemned**	then

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	0%

B0282 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0282: CAMERA SUITE, DIGITAL, BASIC

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	0	0	0	0	0	0	0	0	0	0	0	0
Shortfall/Excess	0	0	0	0	0	0	0	0	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6720090004311	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and is now reflected as A0339 (instructions for the "A" TAMCN is also included in this R2 Playbook).

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then
if	**Not Mission Capable MEF**	then
if	**Not Mission Capable**	then
if	**Condemned**	then

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	0%

B0283 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0283: CAMERA SUITE, DIGITAL, VIDEO

MSIDS is the only FoS that provides organic tactical digital imagery collection, transmission and receiving capability to the MAGTF Commander. MSIDS is comprised of components necessary to enable Marines of all echelons within the MEF, down to and including battalions and squadrons to capture, manipulate, annotate, transmit or receive photo and video images in NRT, internally with subordinate commands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	32	0
Shortfall/Excess	32	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	2	25	0	3	0	0	0	0	0
2	2	25	0	3	0	0	0	0	0

Reset Strategy & Plan (Product Group: PMMI)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836090004313	0	0%	0%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then
if	**Not Mission Capable MEF**	then
if	**Not Mission Capable**	then
if	**Condemned**	then

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0360 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0360: COMPRESSOR UNIT,REC

An assembled unit consisting of a commonly mounted reciprocating compressor(s) and a prime mover(s).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	46	0
Shortfall/Excess	46	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	2	6	4	0	0	0	33	1	0
0	2	6	4	0	0	0	33	1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4310012501034	0	0%	0%	0%	0%	0%	100%	NO	NO	UNK	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B0392 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0392: CONTAINER HANDLER, RT, KALMAR

The RTCH is a versatile, rough terrain container handler capable of handling commercial and military 20 and 40 ft. ISO containers weighing up to 53,000 pounds. It will be capable of transporting, handling and stacking these containers over rough terrain.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	97	0	14	14	12	1	11	6	0	8	28	3
AAO (FY17)	96		14	13	12	1	11	6	0	8	28	3
O/H	157	17	15	14	13	1	6	8	0	49	31	3
Shortfall/Excess	60	17	1	0	1	0	-5	2	0	41	3	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3930015227364	17	0%	100%	0%	0%	100%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	17	0

Notes: All equipment needs to come back through MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	591	0	59

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0395 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0395: COMPRESSOR, AIR, 260CFM, W/PNEUMATIC TOOLS

The Compressor, Air is a trailer-mounted unit which furnishes compressed air at a rate of 250 cubic feet per minute, at a pressure of 100 pounds per square inch.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	185	0
AAO (FY17)	195	
O/H	234	6
Shortfall/Excess	49	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
43	36	23	4	35	6	0	10	20	8
41	39	23	4	42	6	0	10	20	10
45	34	23	4	21	7	0	61	29	3
2	-2	0	0	-14	1	0	51	9	-5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3820015427652	3	10%	90%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	3	0
4310014988886	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	3	0

Notes: All equipment needs to come back through MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	134	0	4.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0446 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0446: AIR MOBILE CRANE, RT, HYDRAULIC, LT (SLEP)

The Crane, Wheel Mounted is an air transportable, self-propelled, diesel engine-driven, rubber-tired, four-wheel drive four-wheel steer, 7-1/2 to 10 ton capacity, hydraulically operated crane.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	106	0
AAO (FY17)	111	
O/H	221	4
Shortfall/Excess	115	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
17	16	9	0	16	11	0	12	22	3
16	15	13	0	12	11	0	12	22	10
18	17	10	0	17	12	0	105	28	10
1	1	1	0	1	1	0	93	6	7

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3810011650646	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	Yes	No	0	0	0
3810015169718	2	0%	100%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2	0
3810015789682	2	0%	100%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	210	0	11.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0465 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0465: B0465 INVENTORY ONLY

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2	0
Shortfall/Excess	2	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	2	0	0
0	0	0	0	0	0	0	2	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4230014705826	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B0471 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0471: DEMOLITION EQUIPMENT, ENGINEER SQUAD

The Squad Demolition Kit (SDK) consists of tools and equipment that enable Marines to conduct demolition operations. It includes crimpers, wire reels, pelican case, bandoleers, backpack, electrical circuit test equipment, and blasting machines.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	403	0
AAO (FY17)	404	
O/H	645	9
Shortfall/Excess	242	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
95	76	43	7	86	17	0	0	69	10
78	76	53	7	85	17	0	0	72	16
108	74	36	16	75	21	0	199	91	16
13	-2	-7	9	-11	4	0	199	22	6

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1375000473750	8	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	i/p	No	0	8	0
1375002124589	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	i/p	No	0	0	1

Notes: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment. No longer using nsn ending in 4589, but will be brought back, use some of the parts and upgrade the rest. This TAMCN is associated with E0359. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0472 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0472: DEMOLITION EQUIPMENT, INDIV

The Demolition Equipment Set, Explosive-Initiating, Nonelectric, Individual is for the use of the individual demolitionist and is comprised of tools and accessories, less explosive items, with specially designed containers and carrying attachments.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,538	0
AAO (FY17)	1,369	
O/H	2,277	1
Shortfall/Excess	739	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
405	348	191	9	375	0	0	0	173	37
328	286	192	9	346	0	0	0	208	0
466	324	133	38	318	0	0	804	193	0
61	-24	-58	29	-57	0	0	804	20	-37

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1375000473751	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	Yes	No	No	0	1	0

Notes: This equipment should not be transported by Local nationals due to the highly pilferable nature of this equipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0475 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0475: DETECTING SET, MINE, METALLIC, PORTABLE

The Detecting Set, Mine, Portable, Metallic is a portable device for detecting metallic objects, specifically intended for detecting buried metallic anti-tank and anti-personnel mines.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	321	0
Shortfall/Excess	321	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
9	1	2	0	31	7	0	271	0	0
9	1	2	0	31	7	0	271	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665001447655	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
6665219061023	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Item is obsolete - DRMO in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B0476 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0476: DETECTOR, MINE, ADVANCED

The AMD is a battery operated, handheld mine detection device consisting of a battery pack, hand held wand with controls, metallic and GPR sensors and Through the Wall Detection capability.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	695	0	212	154	88	13	96	22	0	0	110	0
AAO (FY17)	132		0	0	0	0	0	0	0	0	132	0
O/H	1,106	0	207	136	68	13	124	2	0	421	135	0
Shortfall/Excess	411	0	-5	-18	-20	0	28	-20	0	421	25	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015047769	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	No	0	0	0
6665015274643	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	No	No	0	0	0

Notes: NSN ending in 7769 is being replaced by NSN 4643. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B0571 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0571: DRUM, FABRIC, COLLAPSIBLE, 500 GAL. CAP., WATER

The Drum, Fabric, Collapsible, Potable Water, 500 gallon is a pillow type, synthetic rubber-impregnated nylon drum. It is designed for use with the Forward Area Water Point Supply System (FAWPSS).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	90	0	0	0	0	0	0	0	0	0	84	6
AAO (FY17)	90		0	0	0	0	0	0	0	0	84	6
O/H	335	0	65	50	54	0	4	0	0	68	88	6
Shortfall/Excess	245	0	65	50	54	0	4	0	0	68	4	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
8110014089013	0	100%	0%	0%	0%	0%	0%	TBD	YES	No	Yes	No	No	No	No	0	0	0
8110014090789	0	100%	0%	0%	0%	0%	0%	TBD	YES	No	Yes	No	No	No	No	0	0	0

Notes: Item is considered serviceable only if not previously used (new). Items in theater can be DRMO'd and is also a candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	112	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

B0572 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0572: TANK, FABRIC, COLLAPSIBLE, 50K

The Assembly, Fuel, Collapsible c/Chest 50,000 Gallon Capacity, is used to store and to dispense fuel in military operations. The maximum capacity of this tank is 50,000 gallons.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	856	0	140	140	82	0	312	4	0	0	112	66
AAO (FY17)	968		140	140	36	0	312	4	0	0	224	112
O/H	833	39	182	68	169	0	50	7	0	210	108	0
Shortfall/Excess	-23	39	42	-72	87	0	-262	3	0	210	-4	-66

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430014795099	5	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	5
5430014795116	34	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	34

Notes: Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	110	0.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

B0573 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0573: TANK, FUEL, FABRIC, COLLAPSIBLE, 3000-GAL CAP

The Fuel Tank Assembly, Fabric, Collapsible is used to store and to dispense fuel in military operations. The maximum capacity of this tank is 3,000 gallons.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	341	11
AAO (FY17)	487	
O/H	141	14
Shortfall/Excess	-200	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
54	48	42	0	147	3	11	0	18	18
112	106	42	0	159	3	11	0	36	18
29	33	22	0	3	1	0	22	17	0
-25	-15	-20	0	-144	-2	-11	22	-1	-18

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2910015391071	0	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	0
5430014850103	14	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	14
5430014858340	0	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	0
5430015427938	0	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	0

Notes: Item is considered serviceable only if not previously used (new). If tank has had fuel in it, using unit must WIR as Code H. Items in theater can be DRMO'd and is also a candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

B0579 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0579: DUMMY LOAD, GENERATOR SET, ELECT, 100KW, TRLR-MTD

The Dummy Load, Generator Set, 100 Kw provides electrical load simulating capabilities for maintenance and operational evaluation of mobile electrical power sources.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	208	0
AAO (FY17)	243	
O/H	344	10
Shortfall/Excess	136	10

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
53	51	30	5	35	18	0	0	12	4
60	60	37	5	44	18	0	0	14	5
55	45	28	5	34	26	0	119	17	5
2	-6	-2	0	-1	8	0	119	5	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6150013062943	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	N/A	No	0	0	0
6150015571304	10	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	N/A	No	10	0	0

Notes: For NSN 6150-01-306-2943: Dispose of In Theater; Do NOT return to CONUS. For NSN 6150-01-557-1304 (new AVTRON model): Re-distribute within MEF FWD to fill EDL shortages. Upon retrograde, conduct LTI and determine worth returning to CONUS or not. If returned to CONUS, return to Condition Code "A" at Using Unit or IMA and make SL-3 complete. Re-distribute to fill any shortages within the Marine Corps; store any excess at MARCORLOGCOM. Load banks require special consideration for washdown. The internals of a load bank should never be cleaned with running water. Damp cloths can be used to wipe out any residue vacuums won't remove. Water can be used to clean the exterior of a load bank as long as all doors are tightly closed and high pressure water is not directed into any seem or opening on the load bank. SL-3: SL-3-07500C The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	46	1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0585 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0585: NSN NOT PROCURABLE

B0585 is obsolete.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	3	0
Shortfall/Excess	3	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	0	0	1	1	0	0	0	0
1	0	0	0	1	1	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110011715398	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
9999011715398	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B0589 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0589: EXCAVATOR COMBAT (M9 ACE)

The M9 Armored Combat Earthmover is a highly mobile, full-tracked, armored earthmover capable of supporting the maneuver element in offensive and defensive operations.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	101	6
AAO (FY17)	99	
O/H	114	0
Shortfall/Excess	13	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	16	12	0	20	9	6	8	12	2
16	16	12	0	20	9	6	8	12	0
21	10	4	0	4	7	0	51	17	0
5	-6	-8	0	-16	-2	-6	43	5	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2350008087100	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2430015818572	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition. Remove IVS cameras before washdown.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	187	0	23

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0595 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0595: POWER DISTRIBUTION

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	196	0	20	22	18	3	11	3	0	119	0	0
Shortfall/Excess	196	0	20	22	18	3	11	3	0	119	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110012732387	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and has been replaced by the B0029. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0600 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0600: DISTRIBUTION SYSTEM, POWER, ELECT, 30KW

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	42	7
Shortfall/Excess	42	7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
8	12	10	1	4	0	0	0	0	0
8	12	10	1	4	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110012228958	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
6110012726953	7	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	7

Notes: This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	24	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0605 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0605: DISTRIBUTION SYSTEM, POWER, ELECT, 100KW

The Power Distribution System PD-100, PD-30, and PD-015 are units used in combination to provide a network of multiple 120/208 volt, 1-phase loads and 120 volt, 1 phase loads from remote generator of facility power.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

			REQUIREMENTS									
			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	31	3	5	1	10	0	11	1	0	0	0	0
Shortfall/Excess	31	3	5	1	10	0	11	1	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6110012726952	3	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	3

Notes: This TAMCN is obsolete and has been replaced by the B0031. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	36	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0608 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0608: WIRING HARNESS,FIEL

The Field Wiring Harness MLK-0000 provides electrical power distribution and illumination through receptacle circuits/power outlets for various field unit complexes. The unit is portable and suitable for use in indoor/outdoor environments.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	132	0	58	14	41	0	17	2	0	0	0	0
Shortfall/Excess	132	0	58	14	41	0	17	2	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6230012541666	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: This TAMCN is obsolete and has been replaced by the B0027 and B0028. AAOs are being updated. Leave in theater, unless it is in good condition in which send to MEFs to fill shortfalls, until AAO's can be zeroed out.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B0626 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0626: FIRE SUPPRESSION SYSTEM, MOBILE (AVIATION TYPE)

Twin agent fire suppression system mounted on a HMMWV.
Provides fire suppression to base camps, Ammo Supply Points and tactical fueling areas.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	127	0	24	26	21	0	31	1	0	8	10	6
AAO (FY17)	129		27	26	13	0	30	1	0	8	16	8
O/H	139	6	1	3	21	0	3	2	0	95	8	0
Shortfall/Excess	12	6	-23	-23	0	0	-28	1	0	87	-2	-6

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210014944642	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	1	0
4210015696073	5	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	5	0
4210015791563	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	692	4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0635 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0635: FLOODLIGHT SET,ELEC

The Floodlight Set is a skid mounted unit designed to accept a 10 kw, 60 Hz, MEP-003A Generator Set or external power with a minimum requirement of 6 kw, single phase, 3 wire 120/240 vac, 60 Hz.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	1	0	0	0	0	0	0	0	0	1	0	0
Shortfall/Excess	1	0	0	0	0	0	0	0	0	1	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6230011701408	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: NSN 6230-01-170-1408: DRMO/Dispose of In Theater; do NOT return to CONUS. (Replaced by B0640, NSN 6230-01-530-8890 New Floodlight Set with integral diesel engine & generator.) Eligible for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	216	1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B0640 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0640: FLOODLIGHT SET

The Floodlight Set will be a self-contained skid mounted system, utilizing JP/5/8 fuel standard engine that is air, trailer, or truck transportable. It will provide 300k lumens from multiple lamps from a singular mast extendable to at least 30 feet in height when trailer mounted and have four removable mobile masts that provide at least 2k lumens each. The system will be capable of operating eight (8) hours continuously without intervention.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	773	0	166	152	116	30	133	39	0	0	108	29
AAO (FY17)	818		184	173	117	30	142	39	0	0	108	25
O/H	1,252	137	172	148	114	29	118	70	0	323	116	25
Shortfall/Excess	479	137	6	-4	-2	-1	-15	31	0	323	8	-4

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6230014966523	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
6230015308890	137	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	68	0	68

Notes: NSN 6230-01-530-8890: Re-distribute within MEF FWD to fill EDL shortages. Upon return of equipment to CONUS, return to Condition Code "A" at Using Unit and make SL-3 complete. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-11120A

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	207	1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0647 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0647: B0647 INVENTORY ONLY

A power-driven fork-type elevating unit designed to be mounted on a tractor. May be cable- or hydraulically-operated. Used for lifting, transporting and stacking material.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	600	0
AAO (FY17)	666	
O/H	849	68
Shortfall/Excess	249	68

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
127	124	91	11	82	33	0	60	35	37
120	119	85	11	113	33	0	60	88	37
150	115	105	12	79	38	0	157	88	37
23	-9	14	1	-3	5	0	97	53	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830014828569	68	10%	90%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	61	7

Notes: All need to return to CONUS - MCLC already has repair line established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0675 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0675: FUEL SYSTEM, AIRFIELD, TACTICAL(FIRESTONE)

The Fuel System, Tactical Airfield is comprised of self-contained components that can be assembled without special tools to meet numerous operational requirements in an expeditionary airfield environment.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	56	0	12	12	7	0	9	1	0	0	10	5
AAO (FY17)	56		12	12	7	0	9	1	0	0	10	5
O/H	46	3	4	4	7	0	1	2	0	10	10	5
Shortfall/Excess	-10	3	-8	-8	0	0	-8	1	0	10	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930001813272	0	0%	0%	0%	0%	100%	0%	NO	YES	No	Yes	No	No	No	No	0	0	0
4930010940026	3	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	3

Notes: This equipment is highly pilferable and should not be transported by Local nationals. If tank has had fuel in it, using unit must WIR as Code H.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	16.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

B0676 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0676: WATER POINT SUPPLY SYSTEM, FWD AREA

The Forward Area Water Point Supply System is a portable, self-contained water storage and dispensing set for potable water.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	52	0	13	12	1	0	9	2	0	0	14	1
AAO (FY17)	60		12	12	10	0	9	2	0	0	14	1
O/H	66	4	13	5	11	0	3	2	0	12	15	1
Shortfall/Excess	14	4	0	-7	10	0	-6	0	0	12	1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320011101993	4	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	2	0	2

Notes: If item is serviceable, it should go to the MEFs. Depot Level Maintenance is NOT part of the maintenance concept for this item. This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	120	0.3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

B0685 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0685: FUEL SYSTEM, AMPHIB ASSAULT, 600K GAL CAP

The Fuels System, Amphibious Assault Is the aggregate of a number of self-contained unit components capable of receiving, storing and dispensing fuels at the rate of 600gpm. Component assemblies consist of individual item assemblies that are interchangeable throughout the system to provide overall flexibility to meet varying conditions.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	31	0
AAO (FY17)	30	
O/H	26	1
Shortfall/Excess	-5	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	2	0	12	0	0	0	7	2
4	4	0	0	12	0	0	0	8	2
2	2	2	0	1	0	0	5	9	4
-2	-2	0	0	-11	0	0	5	2	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930011139173	1	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	1

Notes: Any equipment returning to CONUS will go through the depot. If tank has had fuel in it, using unit must WIR as Code H. This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	70.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

B0695 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0695: LABORATORY, PETROLEUM, TACTICAL, MEDIUM

The Tactical Petroleum Laboratory-Medium provides the essential testing components integrated into an ISO container to monitor the critical physical and chemical characteristics of aviation and ground fuels.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	21	0
AAO (FY17)	19	
O/H	10	0
Shortfall/Excess	-11	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	9	1	0	0	2	0
3	3	1	0	9	1	0	0	2	0
2	0	1	0	0	1	0	3	3	0
-1	-3	-2	0	-9	0	0	3	1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6640013990483	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs. Depot Level Maintenance is NOT part of the maintenance concept for this item. New systems are being purchased, but fielding is not complete yet. This equipment is highly pilferable and should not be transported by Local nationals. New TAMCN B0087 will eventually replace this.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B0696 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0696: TESTER,FLASH POINT

The MARFLASH, Fuel Tester is a fully automatic, microprocessor controlled, flameless flash point tester used by USMC Bulk Fuel Distribution units, to test the flash points of different types of fuels. The device provides direct field test measurements of flash point for fuel acceptance of JP5, JP8/Jet A1, Diesel DF-2, and Non-specification fuels with flash points between 68°F-240°F.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	150	0	36	36	27	0	27	2	0	0	11	11
AAO (FY17)	161		36	36	27	0	27	2	0	0	22	11
O/H	130	2	33	7	26	0	21	6	0	31	0	4
Shortfall/Excess	-20	2	-3	-29	-1	0	-6	4	0	31	-11	-7

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6630015341774	2	66%	0%	0%	34%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0730 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0730: GENERATOR SET, 3KW, 60HZ, SKID-MTD

The Generator Set, 3 Kw, 60 Hz, Skid-Mounted, MEP-016B is a self-contained, portable unit. It is powered by a diesel engine which is directly coupled to the generator.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,807	0	437	384	255	39	333	39	0	34	260	26
AAO (FY17)	1,786		408	377	253	39	322	39	0	34	292	22
O/H	3,087	18	558	419	251	61	250	46	0	1,077	322	85
Shortfall/Excess	1,280	18	121	35	-4	22	-83	7	0	1,043	62	59

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012853012	18	100%	0%	0%	0%	0%	0%	NO	NO	Yes Other	Yes	yes	No	Yes	No	0	0	18

Notes: For NSN 6115-01-150-414- MEP-016B and NSN 6115-01-456-5046: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-285-3012, MEP-831A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	15	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0891 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0891: GENERATOR SET, SKID MTD, 10KW/60HZ, TQG

The generator set, 10 Kw, 60 Hz, skid-mounted, MEP-003A consists of a revolving field alternator powered by an air-cooled diesel engine.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,615	4	427	383	251	25	301	77	4	19	78	50
AAO (FY17)	1,632		426	399	243	25	317	77	4	19	84	38
O/H	3,600	100	470	413	262	35	203	80	0	1,921	78	38
Shortfall/Excess	1,985	96	43	30	11	10	-98	3	-4	1,902	0	-12

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012755061	100	50%	0%	0%	50%	0%	0%	NO	NO	No	No	yes	No	No	No	0	50	50
6115015617455	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: For NSN 6115-00-465-1030, MEP-003A: DRMO/Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-275-5061, MEP-803A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	42	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B0921 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0921: GENERATOR SET, SKID MTD, 10KW/400HZ, TQG

The MEP-112A is a 10 Kilowatt, 400 Hertz Generator Set. It consists of a revolving field alternator powered by an air cooled diesel engine. These sets are not designed for parallel operation.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	85	0
AAO (FY17)	98	
O/H	256	0
Shortfall/Excess	171	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
19	19	18	0	8	3	0	6	12	0
22	22	21	0	12	3	0	6	12	0
29	22	32	0	15	1	0	143	12	2
10	3	14	0	7	-2	0	137	0	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012747392	0	25%	0%	0%	75%	0%	0%	NO	NO	No	No	yes	No	N/A	No	0	0	0

Notes: For NSN 6115-00-465-1027, MEP-112A: Dispose of In theater; do NOT return to CONUS. For NSN 6115-01-274-7392, MEP-813A: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	42	0.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0930 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0930: GENERATOR SET 20KW MMG-25 (REPLACES F60297B)

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	400	61
AAO (FY17)	378	
O/H	261	9
Shortfall/Excess	-139	-52

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
104	90	50	0	90	5	61	0	0	0
90	90	50	0	82	5	61	0	0	0
53	62	28	0	23	6	0	80	0	0
-51	-28	-22	0	-67	1	-61	80	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115015310571	9	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	N/A	No	9	0	0

Notes: NSN 6115-01-531-0571: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	86	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0953 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0953: GENERATOR SET, SKID MTD, 30KW/60HZ, TQG, MEP005A

The Generator Set, 30 Kw, 60 Hz, Skid-Mounted, MEP-005A is a fully enclosed, self-contained, portable unit. It is equipped with controls, instruments, and accessories which enable it to be operated as a single unit or in parallel with two or more units.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,521	0
AAO (FY17)	1,616	
O/H	2,216	133
Shortfall/Excess	695	133

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
389	358	235	34	226	87	0	0	149	43
384	372	267	34	249	87	0	0	156	67
362	299	197	34	109	100	0	746	169	67
-27	-59	-38	0	-117	13	0	746	20	24

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115001181240	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	N/A	No	0	0	0
6115012747389	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	N/A	No	0	0	1
6115014619335	132	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	N/A	No	0	0	132
6115015617718	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	N/A	No	0	0	0

Notes: For NSN 6115-00-118-1240, MEP-005A and NSN 6115-01-274-7389, MEP-805A: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-461-9335, MEP-805B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	91	1.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B0971 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0971: GENERATOR SET, SKID MTD, 30KW/400HZ, TQG

The Generator Set, Diesel Engine, MEP-114A, 30KW 400 Hz Skid Mounted, is a military mobile electric power set for use with requiring 400 Hz input.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1	0	0	0	0	0	0	1	0	0	0	0
AAO (FY17)	1		0	0	0	0	0	1	0	0	0	0
O/H	58	0	0	1	2	0	3	1	0	51	0	0
Shortfall/Excess	57	0	0	1	2	0	3	0	0	51	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115014620290	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	N/A	No	0	0	0

Notes: For NSN 6115-00-118-1248, MEP-114A and NSN 6115-01-274-7394, MEP-815A: Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-462-0290, MEP-815B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	1.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B0980 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B0980: GENERATOR, LTWT, MAN-PORTABLE

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	634	0	189	171	123	0	129	4	0	0	0	18
AAO (FY17)	616		188	162	124	0	132	4	0	0	0	6
O/H	1,722	1	274	196	154	2	111	17	0	943	14	10
Shortfall/Excess	1,088	1	85	25	31	2	-18	13	0	943	14	-8

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115014351565	1	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	N/A	No	0	0	1
6115014351567	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	N/A	No	0	0	0

Notes: NSN 6115-01-435-1565: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto electrical components. SL-3: SL-3-6115.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B1016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1016: GENERATOR SET, 60KW, 400HZ, SKID-MTD

The Tactical Quiet Generators (TQG's) are currently being procured and fielded to replace the Military Standard Generators. The updated TQGs feature an enhanced noise suppression capability, reduced O&M costs, and EPA compliance for emissions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	72	0	12	12	12	0	18	2	0	0	14	2
AAO (FY17)	71		12	12	12	0	12	2	0	0	16	5
O/H	128	8	11	12	12	0	13	6	0	48	13	5
Shortfall/Excess	56	8	-1	0	0	0	-5	4	0	48	-1	3

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012747395	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	N/A	No	0	0	0
6115014620292	8	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	N/A	No	0	8	0
6115015617895	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	N/A	No	0	0	0

Notes: For NSN 6115-00-118-1253, MEP-115A and NSN 6115-01-274-7395, MEP-816A: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-462-0292, MEP-816B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	106	2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B1021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1021: GENERATOR SET, SKID-MTD, 60KW/60HZ, TQG

The Generator Set, 60 Kw, 60 Hz, Skid-Mounted, MEP-006A is a portable, self-contained unit. It is provided with controls, instruments, and accessories necessary for operation as a single unit or in parallel with up to two other units of the same class.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,017	0
AAO (FY17)	1,016	
O/H	2,449	117
Shortfall/Excess	1,432	117

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
237	227	164	47	183	24	0	12	92	31
238	238	158	47	178	24	0	12	92	29
228	233	161	47	133	50	0	1,355	94	31
-9	6	-3	0	-50	26	0	1,343	2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115012747390	5	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	yes	No	No	No	0	5	0
6115014620291	112	75%	0%	0%	25%	0%	0%	NO	NO	No	No	yes	No	No	No	0	112	0
6115015617788	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: For NSN 6115-00-118-1243, MEP-006A and NSN 6115-01-274-7390, MEP-806A: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-462-0291, MEP-806B: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray onto

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	106	2.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B1045 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1045: GENERATOR SET, 100KW, 60HZ, SKID-MTD, TQG

The Generator Set, Diesel Engine Driven, Skid Mounted, MEP-007A/MEP-007B is a transportable source of AC power that is designed for use with any type of equipment that requires an external AC power source.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	516	21	116	114	92	13	88	7	21	8	40	17
AAO (FY17)	529		120	116	89	13	95	7	21	8	40	20
O/H	653	116	122	108	77	13	59	10	0	102	44	2
Shortfall/Excess	137	95	6	-6	-15	0	-29	3	-21	94	4	-15

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6115001339101	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	yes	No	No	No	0	0	0
6115010366374	5	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	5
6115012961463	111	50%	50%	0%	0%	50%	0%	NO	NO	No	Yes	yes	No	No	No	0	56	56

Notes: For NSN 6115-00-1133-9101, MEP 007A, NSN 6115-01-036-6374, MEP-007B and NSN 6115-01-470-9058: DRMO/Dispose of In theater; do NOT reurn to CONUS. For NSN 6115-01-296-1463: Upon return of equipment to CONUS, return to Condition Code "A" at IMA and make SL-3 complete. Depot Level Maintenance is NOT part of the maintenance concept for this item. In order to avoid damage, generator sets should be washed down with the control panel cover closed, in the event it is necessary to clean the control panel or inside the actual control cubicle this should be done by hand with a dry cloth, compressed air or vacuum system. During the external wash down the exhaust port should be taped over to prevent water intrusion. When the set doors are opened to clean inside the set, care must be taken so that water does not contact any electrical components. This often dictates hand cleaning (damp rags, compressed air, vacuums). Low to medium pressure water can be used in and around the engine portion of the generator as long as extreme care is taken not to overspray

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	159	3.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B1082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1082: GRADER, ROAD, MOTORIZED

The Motorized Road Grader is a self-propelled grading machine powered by a diesel engine. It is rubber- tired, four-wheel drive, and has an articulated frame and front-wheel steer design. The primary use is for building and maintaining roads and airfields.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	82	0
Shortfall/Excess	82	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	3	2	0	77	0	0
0	0	0	0	3	2	0	77	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805002615826	0	0%	0%	0%	0%	0%	100%	TBD	TBD	Yes Other	Yes	No	No	No	No	0	0	0
3805011504795	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
3805013036152	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
3805015736518	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes: Items in OEF can be DRMO'd - candidate for FMS. Replacement TAMCN is B0078.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	15.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B1135 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1135: REFUELING SYSTEM, EXPEDIENT, HELO

The Tactical Fuel System will offer increased storage capability for all Marine Corps fuel systems . Amphibious Assault Fuel System, B0685, Reconfigured 1,120K gal Tactical Airfield Fuel Dispensing System (TAFDS) B0675 Reconfigured 320K gal Helicopter expedient Refueling System, B1135, Reconfigured 18K gal.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	60	0	12	12	8	0	9	1	0	0	12	6
AAO (FY17)	60		12	12	8	0	9	1	0	0	12	6
O/H	72	1	14	13	8	0	5	1	0	9	15	6
Shortfall/Excess	12	1	2	1	0	0	-4	0	0	9	3	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930011149930	1	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	1

Notes: Any drums and hoses that have been used with fuel should be left in theater. If tank has had fuel in it, using unit must W IR as Code H.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	3.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B1139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1139: HOSE REEL SYSTEM

The Hose Reel System (HRS) provides linear fuel transfer capability and interfaces with other Marine Corps Tactical Fuel System equipment. Each HRS provides a 5 mile reach with 11 reels each containing 2400' of lightweight, layflat hoses and 2 hose reel bases with power units to control the speed and direction of the operation. The HRS is ISO configured to accommodate its transportation requirements and can be stored and transferred in four 8'x8'x20' ISO containers. The HRS will link together elements of the Amphibious Assault Fuel System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	34	0
AAO (FY17)	33	
O/H	42	0
Shortfall/Excess	8	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	4	4	4	0	12	1	0	0	7	2
AAO (FY17)	4	4	0	0	12	1	0	0	8	4
O/H	5	2	4	0	2	1	0	14	10	4
Shortfall/Excess	1	-2	0	0	-10	0	0	14	3	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930014621304	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Any hoses that have been used with fuel should be left in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32768	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B1140 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1140: HYPOCHLORINATION UNIT, PURIFICATION, 2-100 GPH

The Hypo-chlorination Unit, Purification is designed to mix a proportional amount of hypochlorite solution with water in the Tactical Water Distribution System.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	40	0
AAO (FY17)	66	
O/H	97	3
Shortfall/Excess	57	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	6	0	5	1	0	0	10	2
16	14	12	0	13	1	0	0	10	0
9	6	8	0	5	0	0	48	11	6
1	-2	2	0	0	-1	0	48	1	4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610012503724	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	0
4610013644485	3	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	3

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	32	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B1170 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1170: GRADE CONTROL SYSTE

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	29	0
AAO (FY17)	31	
O/H	9	0
Shortfall/Excess	-20	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
9	8	3	0	7	2	0	0	0	0
8	8	6	0	7	2	0	0	0	0
5	3	0	0	1	0	0	0	0	0
-4	-5	-3	0	-6	-2	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675015634405	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B1281 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1281: LIGHT SET,GENERAL I

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	2,414	37
Shortfall/Excess	2,414	37

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
359	1,518	371	7	12	110	0	0	0	0
359	1,518	371	7	12	110	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6230014658931	37	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	37

Notes: DRMO/Dispose of In theater; do NOT return to CONUS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B1291 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1291: DECONTAMINATION SYSTEM, LTWT

The Lightweight Decontamination System is a compact and lightweight decontamination system capable of applying water or selected decontaminates to chemically and biologically contaminated items of equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	108	2
Shortfall/Excess	108	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	4	0	0	5	2	0	20	60	15
0	4	0	0	5	2	0	20	60	15

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4230013463122	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
4230014921540	2	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	2

Notes: WIR in theater. Disposition in accordance with WIR instructions.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	34	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B1298 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1298: KIT, LAUNCH, LINE CHARGE, TRLR-MTD

Used to clear a lane through a minefield during breaching operations. This system can be mounted on an M353 Trailer Chassis, and will normally be towed by an Assault Amphibious Vehicle (AAVP7A1). It will clear a lane 100 meters long by 16 meters wide and will be the initial minefield breaching asset used.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	271	0
AAO (FY17)	238	
O/H	271	3
Shortfall/Excess	0	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
71	51	24	0	63	13	0	9	36	4
44	44	28	0	53	13	0	9	36	11
74	45	18	0	14	12	0	45	51	9
3	-6	-6	0	-49	-1	0	36	15	5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1055012035883	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes: Remove all Class V prior to wash down

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	123	0	3.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B1300 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1300: PLATFORM, MAINT, CRANE, AIR MOBILE

The Maintenance Platform, Air Mobile Crane, is a boom attached platform that provides a leveling platform intended for raising personnel and equipment to a work situation.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	38	0	8	8	5	0	6	0	0	3	6	2
AAO (FY17)	39		8	8	5	0	6	0	0	3	6	3
O/H	44	3	8	8	7	0	4	0	0	5	7	2
Shortfall/Excess	6	3	0	0	2	0	-2	0	0	2	1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320013122616	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	185	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B1420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1420: TEST KIT, PETROLEUM

The Aviation Fuel Contamination Test Kit is a one-person, portable kit consisting of components and testing equipment for the determination of particulate contaminants, API gravity, temperature, and free water content in aviation fuel samples.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	30	14	0	0	0	0	0	0	14	0	16	0
AAO (FY17)	41		0	0	0	0	0	0	14	0	22	5
O/H	136	5	19	35	21	0	13	13	0	8	19	3
Shortfall/Excess	106	-9	19	35	21	0	13	13	-14	8	3	3

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6630010085524	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
6630013495245	0	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B1570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1570: PUMPING ASSEMBLY,FL

The Pump Unit is a self contained diesel engine driven 125 GPM unit used for pumping petroleum products. This unit consists of a noise enclosed self-priming centrifugal pump driven by a four-stroke, air cooled diesel engine.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	311	0	46	42	30	0	102	0	0	0	57	34
AAO (FY17)	326		58	54	12	0	110	0	0	0	60	32
O/H	255	26	44	31	17	0	16	0	0	6	83	32
Shortfall/Excess	-56	26	-2	-11	-13	0	-86	0	0	6	26	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320013139442	0	0%	0%	0%	0%	100%	0%	NO	YES	No	No	No	No	No	No	0	0	0
4930011825028	26	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	26

Notes: Needs to be certified fuel-free before returning. Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	35	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B1580 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1580: PUMP MODULE, FUEL (SIXCON)

The Six Container (SIXCON) Fuel Pump Module is a component of the SIXCON system, a module system consisting of five tank modules and one pump module. The six modules attached together to form an ISO/ANSI configured 8 x 8 x 20 foot module. The SIXCON Fuel Pump Module has the capability for refueling and defueling both aircraft and ground vehicles, it has a 150 GPM pumping rate, aviation grade fuel filtration, 50-foot of 2-inch refueling hose with pressure and open port refueling nozzles, and ancillary components necessary for inter –connecting to the (TAMCN B2085 pg. 2-128) SIXCON Fuel Tank Module. The SIXCON fuel modules can be used as a mobile refueling asset or as a stationary refueling capability.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	744	0	173	159	100	5	111	40	0	31	96	29
AAO (FY17)	787		183	158	105	5	140	40	0	31	96	29
O/H	956	15	177	151	68	7	57	40	0	295	127	19
Shortfall/Excess	212	15	4	-8	-32	2	-54	0	0	264	31	-10

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930012404579	15	100%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	15

Notes: MCLC has repair line established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B1581 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1581: PUMP MODULE, WATER

The Pump Module, Water includes and engine and a pump. It is a component of SIXCON. It is mounted in a shipping frame (TAMCN C4905).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	468	0
AAO (FY17)	527	
O/H	729	4
Shortfall/Excess	261	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
105	99	58	3	63	17	0	16	86	21
101	90	92	3	79	17	0	16	86	43
108	62	59	2	29	14	0	340	108	3
3	-37	1	-1	-34	-3	0	324	22	-18

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320011563873	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0
4320011900417	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0
4320013181853	4	100%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	4

Notes: MCLC has repair line established.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B1582 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1582: PUMP SET, 350 GPM

The Pump, Water, 350 GPM is the primary pump within the water supply tank farm. It is trailer mounted, diesel engine driven, centrifugal type pump rated at 350 gpm with 275 foot total dynamic head.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	25	0
Shortfall/Excess	25	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	1	1	0	10	13	0
0	0	0	0	1	1	0	10	13	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320013359671	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS. Replaced by B2394.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	214	1.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B1583 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1583: PUMP, FUEL 600 GPM

The Pump, Reciprocating, Power Driven is powered by an air-cooled, one cylinder, gasoline engine. The torque from the engine is transferred to the pump through a flexible coupling. The engine and the pump are bolted to a two-wheeled steel trailer.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	896	9
AAO (FY17)	982	
O/H	1,150	62
Shortfall/Excess	254	53

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
152	152	83	0	267	7	9	37	120	69
152	152	49	0	267	7	9	37	206	103
77	62	65	0	56	16	0	547	162	103
-75	-90	-18	0	-211	9	-9	510	42	34

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320015336417	12	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	12
4320015889165	50	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	50
4930013927579	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: All returning to CONUS should go through the Depot. Replaced by B6417.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	446	3.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B1585 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1585: SEPARATOR, FILTER, 350 GPM

Filter Separator is designed to remove solid contaminants and water from tactical fuel systems.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	412	0
AAO (FY17)	458	
O/H	447	12
Shortfall/Excess	35	12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
88	88	50	0	102	0	0	0	46	38
88	88	42	0	102	0	0	0	92	46
65	33	56	0	37	9	0	200	35	0
-23	-55	6	0	-65	9	0	200	-11	-38

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4330001778485	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4330015338221	12	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	12	0	0

Notes: NSN 8485 can be DRMO'd in country. NSN 8221 can go to MEF if serviceable.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	205	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B1620 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1620: PUMP UNIT SET

The Pump Unit Set is a compact, base mounted, portable water pump. The set includes: a 125 GPM Pump, and interconnecting adapters are listed to interconnect 125 GPM Pumps with 2 inch 10 ft, and 2 inch 20 ft hoses.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	349	0
AAO (FY17)	388	
O/H	365	16
Shortfall/Excess	16	16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
70	62	46	0	90	8	0	0	64	9
76	72	45	0	97	8	0	0	64	26
91	55	50	0	23	4	0	25	70	29
21	-7	4	0	-67	-4	0	25	6	20

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320002030197	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4320014764795	16	100%	0%	0%	0%	0%	0%	NO	YES	No	Yes	No	No	No	No	0	0	16

Notes: Depot Level Maintenance is NOT part of the maintenance concept for this item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B1645 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1645: REFRIGERATION UNIT, ENHANCED F/RIGID BOX

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	52	3	13	5	0	0	16	11	0	4	0	0
Shortfall/Excess	52	3	13	5	0	0	16	11	0	4	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4110011521946	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
4110014689792	3	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	3

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B1710 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1710: REFRIGERATOR, RIGID BOX, 350 CUFT

Environmental Control Units (ECU) provide horizontal and vertical configured military standard air conditioners for cooling, dehumidifying, heating, filtering and circulating air for systems requiring climate control. Refrigeration equipment provides storage of perishables for field messing facilities. Examples of supported equipment are: radar systems, communication centers and computer data systems. This program is intended to maintain its current levels of equipment and to replace aging units with environmentally compatible ECUs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	51	5	15	4	0	0	21	3	0	3	0	0
Shortfall/Excess	51	5	15	4	0	0	21	3	0	3	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4110011079078	5	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	5

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B1713 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1713: RECLAIMER, REFRIGERATOR

Obsolete kit used by Refrigerant Mechanics (MOS 1161) to recover refrigerant from a variety of Environmental Control Equipment. Replaced by B0061, Cooling and Refrigeration Expeditionary Kit (CREK).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)													
AAO (FY17)													
O/H	57	0		9	22	12	1	5	6	0	0	2	0
Shortfall/Excess													

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes: Obsolete - DRMO all in country, item is being replaced in January. Candidate for FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	21	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B1720 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1720: REINFORCEMENT SET - MGB

The B1720 Link Reinforcement Set(LRS) is a SAC-3 Item. The LRS is a component of the Medium Girder Bridge (MGB). This LRS contains all components required to construct any length bridge with reinforced MLC 70(T) MGB up to 150ft. The reinforcement is required to support crossing weight, when building a double story bridge, that spans a gap more then 12 bridge bridge bays long. In a MGB suite, there is one B1720 per two BB0152 MGBs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	24	0
AAO (FY17)	22	
O/H	23	2
Shortfall/Excess	-1	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	2	0	9	2	0	2	2	1
3	3	0	0	9	2	0	2	2	1
3	2	2	0	4	1	0	5	3	1
0	-1	0	0	-5	-1	0	3	1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420011391503	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	7.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B1775 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1775: RIPPER, TRACTOR, MOUNT

The Ripper Attachment, Three Shank, Rear Mounting is mounted on the Tractor, Medium, Full-Tracked and is used to break up hard materials too compacted to be cut by the blades of tractors, grades, or scrapers.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	49	0
Shortfall/Excess	49	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	49	0	0
0	0	0	0	0	0	0	49	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830011715776	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes: OBSOLETE

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	350	2.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B1785 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1785: ROLLER, COMPACTOR, VIBRATORY,SELF-PROPELLED

The roller, Compactor, Vibratory is a diesel-powered, articulated steer item equipped with a padded vibratory drum for compacting cohesive-type soils such as clay, and a smooth drum conversion kit for compacting loose, poorly graded gravel.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	58	0	12	12	9	0	10	0	0	7	6	2
AAO (FY17)	59		12	12	10	0	10	0	0	7	6	2
O/H	81	6	12	12	8	0	9	0	0	25	7	2
Shortfall/Excess	23	6	0	0	-1	0	-1	0	0	18	1	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3895014538573	0	0%	100%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
3895015508369	0	0%	100%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
3895015733847	6	0%	100%	0%	0%	50%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	6	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	149	0	11.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B1922 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1922: SCRAPER-TRACTOR, WHEELED

The Scraper-Tractor is an open bowl, pneumatic-tired, 2-axle, 14-18 cubic yard capacity, single diesel-powered, articulated frame-steer scraper. It is employed by engineer units in earthmoving operations in the main battle area.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	102	0	23	23	14	0	19	5	0	6	10	2
AAO (FY17)	110		25	23	18	0	21	5	0	6	10	2
O/H	177	0	26	25	21	0	14	5	0	68	16	2
Shortfall/Excess	75	0	3	2	7	0	-5	0	0	62	6	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805011531854	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	Yes	No	No	0	0	0
3805015507164	0	100%	0%	0%	0%	0%	100%	TBD	TBD	Yes Other	Yes	No	Yes	No	No	0	0	0
3805015820743	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	Yes	No	No	0	0	0

Notes: Obsolete - candidate for FMS. Currently being replaced by another asset. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	471	0	32.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B1942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1942: SHOP EQUIPMENT KIT, CONSTRUCTION #1

Marine combat engineers rugged/expeditionary tool kits support engineer units in various construction missions (obstacle construction, field fortification construction, carpentry and masonry work).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	65	3
AAO (FY17)	72	
O/H	68	2
Shortfall/Excess	3	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	13	10	0	11	5	3	0	7	2
15	14	12	0	13	5	3	0	8	2
13	16	10	0	11	5	0	1	8	2
-1	3	0	0	0	0	-3	1	1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910015507118	2	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	2
5180010619292	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B1951 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B1951: SHOP EQUIPMENT SET, GP, #1

The Shop Equipment, General Purpose Repair, Semi Trailer Mounted is a semi trailer mounted machinist van containing tools and equipment for use in maintenance and repair of mechanical equipment from 1st to 4th echelon.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	29	0
AAO (FY17)	32	
O/H	63	0
Shortfall/Excess	34	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	5	0	8	0	0	0	0	0
10	9	4	0	9	0	0	0	0	0
4	4	2	0	4	0	0	48	1	0
-4	-4	-3	0	-4	0	0	48	1	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940012355080	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	15.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B2006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2006: SKID MOUNTING ASSEMBLY, REMOTE, AIR CONDTNR TYPE C

The Skid Assembly, Large is an aluminum structural assembly with accessories. It is used to mount standard military vertical air conditioners (TAMCN B0005 and B0006 only) where it is necessary for the unit to be located outside and away from a shelter.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	61	6	4	0	0	0	0	1	0	50	0	0
Shortfall/Excess	61	6	4	0	0	0	0	1	0	50	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120005757200	6	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	6

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	118	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B2085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2085: STORAGE TANK MODULE, FUEL (SIXCON)

The Storage Module, Fuel contains a 900-gallon rigid metal tank mounted in a steel frame and is a component of SIXCON.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,990	0
AAO (FY17)	2,234	
O/H	2,245	137
Shortfall/Excess	255	137

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
493	449	317	18	309	74	0	68	192	70
577	496	335	18	404	74	0	68	192	70
542	383	235	21	162	72	0	444	241	8
49	-66	-82	3	-147	-2	0	376	49	-62

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430012404578	137	25%	75%	0%	0%	50%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	103	34

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	208	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B2086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2086: STORAGE TANK MODULE, WATER (SIXCON)

The Tank, Water Module contains a 900-gallon rigid metal tank mounted in a steel frame and is a component of SIXCON.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,590	0
AAO (FY17)	1,768	
O/H	2,018	32
Shortfall/Excess	428	32

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
335	346	208	18	204	44	0	59	318	58
361	328	279	18	291	44	0	59	330	58
340	303	182	20	70	54	0	650	351	16
5	-43	-26	2	-134	10	0	591	33	-42

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430012039971	32	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	24	8

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	205	1.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B2118 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2118: SURVEY SET TOPO

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675010883181	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B2120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2120: SURVEY SET, GP

The Surveying Set, General Purpose, provides equipment required for making military plan metric, construction, and topographic surveys.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	45	3
AAO (FY17)	39	
O/H	29	0
Shortfall/Excess	-16	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	11	6	0	9	3	3	0	0	0
10	9	5	0	9	3	3	0	0	0
6	5	1	0	6	2	0	9	0	0
-7	-6	-5	0	-3	-1	-3	9	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675012737812	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	45	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B2127 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2127: SWEEPER, ROTARY, VEHICLE MOUNTING

The Sweeper, Runway, Vacuum is an engine-driven, self-propelled, truck mounted vacuum machine used for cleaning runways and other stabilized areas.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	40	4
AAO (FY17)	40	
O/H	71	5
Shortfall/Excess	31	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	6	0	6	1	4	0	5	2
8	8	6	0	6	1	4	0	5	2
9	8	6	0	5	2	0	30	6	0
1	0	0	0	-1	1	-4	30	1	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3830015042618	5	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	Yes	Yes	No	0	0	5

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	204	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2130 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2130: TANK, FABRIC, COLLAPSIBLE, WATER, 3000 GAL

The Fabric Collapsible Water Storage Tank (3,000 Gal) provides a means of storing potable drinking water on a temporary basis where permanent water storage facilities are not available.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,147	172	541	516	334	10	372	31	172	0	99	72
AAO (FY17)	2,130		537	490	321	10	377	31	172	0	99	93
O/H	3,037	38	577	520	268	10	133	20	0	1,248	130	93
Shortfall/Excess	890	-134	36	4	-66	0	-239	-11	-172	1,248	31	21

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430011706984	0	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	0
5430013594774	0	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	0
5430015405357	38	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	38

Notes: For items in OEF that have been used and had water in it, using unit must WIR as Code H or FMS candidate. Otherwise, new items go to MEFs. NSN ending in 5357 is FMS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2131 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2131: TANK FARM INTERCONNECTION SET, DUAL TANK

The Dual Tank Connection Kit is designed to join and interconnect two 20k tanks or two 50k gallon tanks to the Water Supply System Tank Farm.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	99	0
AAO (FY17)	124	
O/H	177	4
Shortfall/Excess	78	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
20	20	2	0	19	4	0	0	32	2
23	22	20	0	21	4	0	0	32	2
22	20	18	0	12	5	0	58	36	2
2	0	16	0	-7	1	0	58	4	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011207526	4	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	4

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	78	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2133 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2133: TANK FARM INTERCONNECTION SET, 4" HOSE

The four inch Hose Connection Kit is used to provide the medium to high volume discharge point from the water supply support system tank farm.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	90	3
AAO (FY17)	103	
O/H	77	3
Shortfall/Excess	-13	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	24	10	0	19	1	3	0	8	1
27	26	16	0	21	1	3	0	8	1
27	24	13	0	0	1	0	0	8	1
3	0	3	0	-19	0	-3	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011406775	3	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	3

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2134 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2134: TANK FARM INTERCONNECTION SET, 2" HOSE

The 2-inch Hose Connection Kit is designed to provide a low to medium volume discharge point within the water supply support system.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	116	0
AAO (FY17)	137	
O/H	172	3
Shortfall/Excess	56	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
28	28	8	0	24	1	0	0	24	3
31	30	22	0	26	1	0	0	24	3
28	23	20	0	14	1	0	51	29	3
0	-5	12	0	-10	0	0	51	5	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011406776	3	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	3

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2135 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2135: TANK FARM INTERCONNECTION SET, 4" DISCHARGE HOSE

The 4 inch hose Interconnection Kit is used to provide a main hose line for either input or discharge to the Water Supply Support System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	35	0
AAO (FY17)	48	
O/H	51	4
Shortfall/Excess	16	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	2	0	7	1	0	0	8	1
11	10	8	0	9	1	0	0	8	1
8	8	6	0	4	1	0	9	10	1
0	0	4	0	-3	0	0	9	2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011207522	4	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	4

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2136 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2136: TANK FARM INTERCONNECTION SET, HOSE NOZZLE

The Connection Kit, Hose Nozzle provides the low volume, hand held nozzle discharge points for the Water Supply System. The kit contains the required 4-inch, 2-inch, and 1-1/2 inch hoses, reducers, couplings, valves, nozzles, and nozzle stands.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	56	0
AAO (FY17)	73	
O/H	88	1
Shortfall/Excess	32	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12	12	2	0	11	1	0	0	16	2
15	14	12	0	13	1	0	0	16	2
12	10	11	0	5	1	0	28	18	2
0	-2	9	0	-6	0	0	28	2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011237705	1	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	1

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2137 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2137: TANK FARM INTERCONNECTION SET, ACCESSORY KIT

Provides replacement parts for overall water supply tank farm connection. The kit contains four, two, and 1 ½-inch hoses; victaulic, threaded, and cam-lock type adapters; required valves; and associated hardware.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	14	0
AAO (FY17)	14	
O/H	23	1
Shortfall/Excess	9	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	2	0	2	1	0	0	4	1
2	2	2	0	2	1	0	0	4	1
2	2	2	0	0	1	0	10	4	1
0	0	0	0	-2	0	0	10	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610011207525	1	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	1

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	702	1.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2139: TANK FARM INTERCONNECTION SET, 125 GPM PUMP

The 125 GPM Connection Kit is designed to interconnect the 125 GPM Pump to the suction/discharge side of the water supply support system. The kit includes all required 2-inch hoses, valves, couplings, adapters, and assorted hardware.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	35	0
AAO (FY17)	39	
O/H	55	8
Shortfall/Excess	20	8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	2	0	7	1	0	0	8	1
8	8	6	0	7	1	0	0	8	1
9	6	5	0	3	1	0	13	9	1
1	-2	3	0	-4	0	0	13	1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320011207524	8	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	8

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. Generally cheaper to repurchase than to rebuild.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	13	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2150: TEST SET, SOIL

The Test Set, Soil comes in ruggedized transport cases and provides the ability to analyze soil particle size and can determine the California Bearing Ratio sheer strength of soils, and includes chemical and electronic methods of measuring soil moisture.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	41	0
AAO (FY17)	45	
O/H	74	0
Shortfall/Excess	33	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	11	8	0	9	2	0	0	0	0
12	11	10	0	10	2	0	0	0	0
12	10	7	0	14	6	0	25	0	0
1	-1	-1	0	5	4	0	25	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6635006413643	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
6635014891524	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
6635015823197	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B2210 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2210: TOOL KIT,CARPENTER'

The Tool Kit, Carpenter's, Set 2, Engineer Platoon, comprises hand tools for general carpentry work including sawing, drilling, filing, fastening, and shaping wood.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	216	0
AAO (FY17)	195	
O/H	267	4
Shortfall/Excess	51	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
55	46	23	4	58	4	0	0	18	8
44	43	22	4	48	4	0	0	24	6
66	40	21	8	48	8	0	42	24	6
11	-6	-2	4	-10	4	0	42	6	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180002932875	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
5180014472199	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
5180015518250	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	4
5180015877997	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	52	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B2238 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2238: TOOL KIT, IM, ENG/CHASSIS REPAIR, CATERPILLAR

The Toolkit, Caterpillar consists of tools to perform fourth echelon maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	19	0
AAO (FY17)	19	
O/H	15	0
Shortfall/Excess	-4	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	4	0	4	0	0	0	1	0
6	6	2	0	4	0	0	0	0	1
2	2	1	0	3	0	0	4	3	0
-3	-3	-3	0	-1	0	0	4	2	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180012547723	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	2.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2250 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2250: TOOL KIT, PIONEER, ENGR PLT

The Tool Kit, Pioneer, Engineer Platoon, is comprised of hand tools and materials required for clearing land, building replacements and fortifications, and other types of manual labor.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	154	0
AAO (FY17)	173	
O/H	233	4
Shortfall/Excess	79	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
30	28	24	3	31	4	0	0	26	8
34	31	30	3	32	4	0	0	26	13
32	26	19	5	27	6	0	65	36	13
2	-2	-5	2	-4	2	0	65	10	5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015508112	4	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	3

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	41	0.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B2260 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2260: PIONEER KIT

The Tool Kit, Pioneer, Engineer's is a group of hand tools and equipment required by Engineer Squads for clearing land, building emplacements and for general Engineer manual labor. Consists of three chests.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	563	0
AAO (FY17)	585	
O/H	764	7
Shortfall/Excess	201	7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
119	100	59	3	152	3	0	0	109	18
108	102	64	3	140	3	0	0	112	53
126	139	50	17	103	3	0	149	147	23
7	39	-9	14	-49	0	0	149	38	5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015508116	7	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	5

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	20	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B2370 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2370: TOOL SET, MASON

The FECTK supports this requirement. The FECTK includes the following items: the Carpenter Platoon Tool Kit, Pioneer Platoon Tool Kit, Pioneer Squad Tool Kit, Construction Shop Set, Mason and Concrete Finishers Tool Kit, and the Survey Set. With the exception of the Survey Set, all Sets and Kits are targeted for modernization in this acquisition.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	37	0
AAO (FY17)	43	
O/H	67	0
Shortfall/Excess	30	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	7	0	7	3	0	0	0	0
11	10	8	0	11	3	0	0	0	0
11	11	6	0	7	3	0	29	0	0
1	1	-1	0	0	0	0	29	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015513550	0	75%	0%	0%	25%	0%	0%	NO	NO	No	No	yes	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	345	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B2394 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2394: PUMP UNIT CENTRIFUGAL

The Pump, Assembly, Water is a 4 cylinder diesel powered engine, two wheel trailer mounted pump.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	76	0
AAO (FY17)	92	
O/H	197	5
Shortfall/Excess	121	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	18	4	0	16	4	0	4	12	0
18	18	14	0	16	4	0	4	12	6
18	16	15	0	6	6	0	103	22	6
0	-2	11	0	-10	2	0	99	10	6

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320015336418	5	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	5	0

Notes: Add NSN 4320015891113

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	109	0	3.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B2395 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2395: SEGMENT KIT 5 MILES

TWDS is composed of components designed to store and pump approximately 700,000 gallons of purified water a day up to 10 miles from its water source.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	9	0
AAO (FY17)	12	
O/H	7	0
Shortfall/Excess	-2	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	0	0	2	1	0	0	2	0
2	2	2	0	2	1	0	0	2	1
2	1	1	0	0	0	0	0	3	0
0	-1	1	0	-2	-1	0	0	1	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4320013774577	0	100%	0%	0%	0%	0%	0%	NO	YES	EDA	Yes	No	No	No	No	0	0	0

Notes: If item is unused (new) can send to a MEF. DRMO if item has been used.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1412	0.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2410 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2410: TOOL KIT, M9 ACE, 2D ECH, OM

This tool kit supports organizational level maintenance for the M9 Armored Combat Earthmover. The tool kit contains general and special tools required to perform maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	47	0
AAO (FY17)	43	
O/H	38	2
Shortfall/Excess	-9	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	10	3	0	10	2	0	0	3	1
10	10	6	0	10	2	0	0	4	1
10	10	6	0	6	1	0	0	3	0
-8	0	3	0	-4	-1	0	0	0	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014280959	2	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	No	No	No	No	0	2	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2420 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2420: TOOL KIT, M9 ACE, 3D/4TH ECH, IM

This tool kit supports organizational level maintenance for the M9 Armored Combat Earthmover. The tool kit contains general and special tools required to perform maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	24	0
AAO (FY17)	32	
O/H	19	0
Shortfall/Excess	-5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	8	4	0	2	1	0	0	2	1
9	9	4	0	6	1	0	0	2	1
6	6	0	0	1	1	0	2	3	0
0	-2	-4	0	-1	0	0	2	1	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014292683	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2460 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2460: TRACTOR, FT, W/ANGLE BLADE

The Tractor, Full-Tracked, W/Angle Blade, T-5 is a full-tracked, diesel engine driven tractor with a hydraulically operated angle blade and winch. It is air transportable.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	170	0
AAO (FY17)	176	
O/H	227	0
Shortfall/Excess	57	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
34	33	10	0	34	19	0	14	24	2
35	35	21	0	28	19	0	14	24	0
34	32	8	0	11	21	0	75	37	9
0	-1	-2	0	-23	2	0	61	13	7

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2410012541667	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	Yes	No	Yes	No	0	0	0
3805015735861	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	145	0	12.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

B2462 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2462: TRACTOR, MEDIUM, FULL-TRACKED, D7G

The Tractor, Medium, Full-Tracked is a diesel-powered, full-tracked, medium size tractor (Model D7G) for earthmoving and general construction work.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	79	0
Shortfall/Excess	79	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	1	0	0	78	0	0
0	0	0	0	1	0	0	78	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2410011551588	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
2430015330934	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes: OBSOLETE

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	208	0	23.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B2464 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2464: TRACTOR, FT, W/MULTIPURPOSE BUCKET

The Tractor, Full-Tracked with Multi-purpose Bucket is a diesel engine driven, hydraulically operated, crawler-type front end loader. The multipurpose bucket is capable of performing operations of clamshell, dozer, and scraper, as well as front end shovels.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	46	0
AAO (FY17)	46	
O/H	110	0
Shortfall/Excess	64	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	0	0	13	7	0	0	10	0
8	8	5	0	8	7	0	0	10	0
8	8	4	0	8	7	0	55	15	5
0	0	4	0	-5	0	0	55	5	5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805013151091	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	No	Yes	No	0	0	0
3805015735867	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	111	0	13.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B2483 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2483: ARMORED, BACKHOE, LOADER (BHL)

The Backhoe Loader is a highly mobile, lightweight rubber-tired tractor equipped with a front-end loader and backhoe excavator. It can maintain pace with other wheeled vehicles of the maneuver force and can reach road speeds in excess of 20 miles per hour.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	204	0	51	38	27	4	30	22	0	8	17	7
AAO (FY17)	190		39	38	25	4	30	22	0	8	17	7
O/H	292	10	51	36	24	4	32	22	0	86	20	7
Shortfall/Excess	88	10	0	-2	-3	0	2	0	0	78	3	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015147166	1	0%	0%	0%	0%	100%	0%	NO	NO	Yes Other	Yes	yes	Yes	Yes	No	0	1	0
3805015733850	9	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	9	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	172	0	10.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B2561 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2561: TRK, FORKLIFT, VARIABLE REACH

The Truck, Forklift, Extendable Boom is a diesel-powered, four-wheel drive, rubber-tired forklift with two-wheel, four-wheel and crab steering.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	497	0
AAO (FY17)	496	
O/H	816	47
Shortfall/Excess	319	47

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
96	91	58	5	72	22	0	30	92	31
90	85	58	5	67	22	0	30	92	47
92	95	61	5	71	29	0	261	108	47
-4	4	3	0	-1	7	0	231	16	16

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3930014862151	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	yes	Yes	No	No	0	0	0
3930015080886	34	0%	90%	0%	0%	0%	0%	NO	NO	No	Yes	Yes	Yes	No	No	0	0	34
3930015735868	13	0%	100%	0%	0%	50%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	13	0

Notes: All need to come back to MCLC. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	231	0	15.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B2565 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2565: TRLR ENGR EQUIPMENT

The Engineer Equipment Trailer identifies a requirement for a Medium Tactical Vehicle Replacement trailer capable of transporting the Light Capability, Rough Terrain Forklift, and Backhoe Loader.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	517	0
AAO (FY17)	484	
O/H	737	21
Shortfall/Excess	220	21

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
131	108	79	5	89	21	0	18	46	20
104	97	79	5	92	21	0	18	46	22
143	103	75	6	99	21	0	216	33	20
12	-5	-4	1	10	0	0	198	-13	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015183809	3	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	3
2330015470272	18	0%	100%	0%	0%	0%	0%	NO	NO	Yes Other	Yes	yes	No	Yes	No	0	18	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	250	0	5.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B2566 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2566: FORKLIFT, RT, LT CAPABILITY (LRTF)

The Truck, Forklift, Rough-Terrain, 4000-pound is a self-propelled, four-wheel drive, rubber-tired, diesel-powered forklift with a modified mast and enhanced side shift capability. It is air transportable.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	568	7	119	107	81	10	97	39	7	25	59	24
AAO (FY17)	554		115	105	77	10	93	39	7	25	59	24
O/H	819	35	114	100	89	10	84	42	0	256	65	24
Shortfall/Excess	251	28	-5	-7	8	0	-13	3	-7	231	6	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3930012756420	1	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	Yes	Yes	No	0	0	1
3930014783519	3	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	Yes	Yes	No	0	0	3
3930015330855	20	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	Yes	Yes	No	0	0	20
3930015735873	11	0%	0%	0%	0%	0%	100%	NO	NO	No	No	Yes	Yes	Yes	No	0	0	11

Notes: NSN 3930015735873 should not be sent to the MEFs, only send to MCLC. NSN 3930015330855 can be redistributed to the fields. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	128	0	5.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

B2567 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2567: LOADER,SCOOP TYPE

The Tractor, Rubber-Tired, Articulated Steering, Multi-Purpose is a diesel-powered, four-wheel drive, rubber-tired, articulated steering tractor capable of operating in rough terrain and in 60 inches of water.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	5	0
Shortfall/Excess	5	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	2	0	0	3	0	0
0	0	0	0	2	0	0	3	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805012793635	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0
3805015735881	0	0%	0%	0%	0%	0%	100%	NO	NO	Yes Other	Yes	No	No	No	No	0	0	0

Notes: OBSOLETE - Transfer to US ARMY

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	192	0	16.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

B2605 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2605: PURIFICATION SYSTEM, WATER, TACTICAL

The Tactical Water Purification System (TWPS) is a skid mounted, generator powered system capable of producing potable water from any available raw water source at a rate of 1200-1500 gallons of water per hour in expeditionary environments. The TWPS replaces the aging 600-GPH ROWPUs at a 1 for 2 ratio.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	215	0	44	42	31	0	33	10	0	9	36	10
AAO (FY17)	222		43	43	28	0	33	10	0	9	36	20
O/H	250	8	41	30	34	0	13	10	0	54	40	20
Shortfall/Excess	35	8	-3	-12	3	0	-20	0	0	45	4	10

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610014886961	8	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	8

Notes: MCLC has repair line established. This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	6.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

B2628 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2628: WATER PURIFIER, LIGHTWEIGHT, LMT3000

The Water Purification System provides a fully portable and completely self-contained water purification system for purifying turbid and bacteria polluted water at the rate of 1500 to 3000 gph.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	4	0	0	0	2	0	2	0	0	0	0	0
Shortfall/Excess	4	0	0	0	2	0	2	0	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4610013664640	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Obsolete - DRMO/Dispose of In theater; do NOT return to CONUS. Candidate for FMS or gifting. Being replaced by B0071.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	67	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B2630 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2630: ANALYSIS SET, QUALITY, PURIFICATION, WATER

The Water Quality Analysis Set is a one-person portable suitcase kit containing equipment for testing water quality. The kit is self-contained in a gasketed waterproof case. Foam inserts secure equipment in the case and protect sensitive instruments.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	59	0	14	14	12	3	10	6	0	0	0	0
AAO (FY17)	69		18	16	12	3	14	6	0	0	0	0
O/H	75	6	19	8	8	0	12	6	0	16	0	0
Shortfall/Excess	16	6	5	-6	-4	-3	2	0	0	16	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6630014772395	6	75%	0%	0%	25%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	4

Notes: This equipment is highly pilferable and should not be transported by Local nationals.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B2631 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2631: TANK, WATER, 50K GAL

The 50,000 Gallon Collapsible Fabric Potable Water Tank is a pillow type, synthetic rubber-impregnated nylon tank.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	53	0
AAO (FY17)	57	
O/H	138	7
Shortfall/Excess	85	7

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	4	0	4	1	0	0	36	0
4	4	4	0	4	1	0	0	36	4
12	4	6	0	0	3	0	63	43	0
8	0	2	0	-4	2	0	63	7	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430011069677	7	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	7
5430012004831	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	0
5430013861544	0	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. If tank has had fuel in it, using unit must WIR as Code H. NSNs ending in 4831 and 1544 are FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	117	0.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B2632 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2632: TANK ASSEMBLY, WATER, FABRIC, COLLAPSIBLE

The 20,000 Gallon Collapsible Fabric Potable Water Tank is a pillow type, synthetic rubber-impregnated nylon tank.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	172	0	38	38	16	0	30	4	0	0	36	10
AAO (FY17)	184		38	38	22	0	30	4	0	0	36	16
O/H	135	4	37	34	21	0	4	4	0	3	28	0
Shortfall/Excess	-37	4	-1	-4	5	0	-26	0	0	3	-8	-10

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5430013517813	4	100%	0%	0%	0%	0%	0%	NO	YES	No	No	No	No	No	No	0	0	4
5430013726902	0	100%	0%	0%	0%	0%	0%	TBD	YES	No	No	No	No	No	No	0	0	0

Notes: If item is serviceable, it should go to the MEFs to fill shortfalls. Otherwise, DRMO and candidate for FMS. If tank has had fuel in it, using unit must WIR as Code H.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	44	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B2685 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2685: WELDING SHOP, MARINE CORPS TACTICAL

The Marine Corps Tactical Welding Shop (MCTWS) consists of selected tools and equipment integrated with an enclosure mounted on a 1 1/2-ton modified two-wheel military trailer chassis model M103A3.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	205	0	48	43	25	5	43	5	0	0	30	6
AAO (FY17)	188		43	40	18	5	40	5	0	0	30	7
O/H	221	9	33	29	20	2	30	9	0	52	35	2
Shortfall/Excess	16	9	-15	-14	-5	-3	-13	4	0	52	5	-4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3431014984423	9	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	9	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	104	0	3.3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B2686 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2686: KIT, WELDING, ARMOR

The Armor Welding Kit is used to perform field-welding repairs of armor plate equipment, when integrated with existing equipment on the MCTWS.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	38	0
AAO (FY17)	23	
O/H	28	0
Shortfall/Excess	-10	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	8	7	0	8	5	0	0	0	0
7	5	2	0	4	5	0	0	0	0
7	5	5	0	4	0	0	2	5	0
-3	-3	-2	0	-4	-5	0	2	5	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3431015050248	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Associated with B2685 - If they come back together, two WIRs need to be completed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	708	3.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B2687 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B2687: KIT, WELDING, TITANIUM

The Titanium Kit consists of selected tools and equipment integrated into existing equipment on the MCTWS. This kit is used to perform field-expedient repairs of titanium-based metals and equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	28	0
AAO (FY17)	14	
O/H	26	0
Shortfall/Excess	-2	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
6	6	5	0	6	5	0	0	0	0
3	3	1	0	2	5	0	0	0	0
2	2	2	0	3	4	0	5	8	0
-4	-4	-3	0	-3	-1	0	5	8	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3431015050888	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Associated with B2685 -If they come back together, two WIRs need to be completed.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B5000 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B5000: CONTROL MINE DETECT (SWEEP MONITORING SYSTEM)

Training apparatus for the B0476

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	48	0
AAO (FY17)	46	
O/H	25	0
Shortfall/Excess	-23	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	13	7	0	11	2	0	0	0	0
13	12	7	0	12	2	0	0	0	0
8	3	6	0	4	1	0	3	0	0
-7	-10	-1	0	-7	-1	0	3	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015314689	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

B7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B7001: ANALYZER, ELECTRICAL PULSE

The Analyzer, Electrical Pulse (Fluke 41/43B-AV) is a hand-held, liquid crystal display power analyzer with the capability of measuring and displaying power harmonics in three different views: waveform, bar graph (showing harmonic levels), and numeric values.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	688	55
AAO (FY17)	646	
O/H	107	1
Shortfall/Excess	-581	-54

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
190	170	106	0	144	23	55	0	0	0
167	163	107	0	131	23	55	0	0	0
5	28	5	0	0	53	0	15	0	0
-185	-142	-101	0	-144	30	-55	15	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625014385312	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	1
6625015260788	0	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

B7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN B7900: INTERMEDIATE LEVEL ELECTRICIANS TOOL KIT

The I-Level Tool Kit is comprised of various hand tools and accessories to aide Marines in Military Occupational Specialty (MOS) 1141 in the installation, repair, and replacement of structural electrical wiring.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	34	3
AAO (FY17)	40	
O/H	24	0
Shortfall/Excess	-10	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	9	6	0	4	1	3	0	0	0
11	11	8	0	6	1	3	0	0	0
3	9	5	0	4	1	0	2	0	0
-8	0	-1	0	0	0	-3	2	0	0

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015468026	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	18	0.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C0001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0001: MILITARY CYPRES 1 A

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,478	39
AAO (FY17)	1,169	
O/H	881	0
Shortfall/Excess	-597	-39

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
291	291	268	168	344	77	39	0	0	0
198	198	228	168	261	77	39	0	0	0
169	79	145	356	100	32	0	0	0	0
-122	-212	-123	188	-244	-45	-39	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1670015181268	0	0%	0%	0%	100%	0%	0%	NO	NO	UNK	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C0005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0005: PERS,BACKSCATTER IM

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	14	0
AAO (FY17)	14	
O/H	9	9
Shortfall/Excess	-5	9

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	3	0	3	0	0	0	0	0
4	4	3	0	3	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-4	-4	-3	0	-3	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895015314671	9	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	9

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

C0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0008: TRANSLATION DEVICE

This mobile, ruggedly designed translation device with one-way, handheld, speech-to-speech translation system available. NOTE: The C0008 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	104	0
Shortfall/Excess	104	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
28	0	0	7	0	0	0	69	0	0
28	0	0	7	0	0	0	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5805015315590	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

C0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0019: FORCE PRO KIT - ATFP KIT (PART OF C0020)

A versatile package of Commercial-Off-The-Shelf (COTS) and Government-Off-The-Shelf (GOTS) Non-Lethal equipment. The contents (COTS/GOTS) can be divided into four distinct categories: personnel protectors; personnel and materiel effectors; mission enhancers; and training devices. The items enable the individual Marine or a small team or unit to be proactive in retaining the initiative in peacekeeping environments; to respond to provocation more subtly than through the use of deadly force; and to effectively control the non-traditional battlefield within the constraints levied by Rules of Engagement (ROE). NOTE: The C0019 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0		0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0			0	0	0	0	0	0	0	0	0	0
O/H	13	1		4	2	0	0	0	6	0	0	0	0
Shortfall/Excess	13	1		4	2	0	0	0	6	0	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6910015403090	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

C0020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0020: ANTI-TERRORISM/FORCE PROTECTION CHECKPOINT SET (ATFPCS)

The Anti-Terrorism/Force Protection Capability Set (C00207B) enables Marines to more accurately andthoroughly inspect vehicles and personnel for weapons and explosives by providing Commercial-Off-The-Shelf(COTS) and Government-Off-The-Shelf (GOTS) materiel solutions. The set provides lighting (tripods andhandheld), explosive detection, vehicle impairment, and vehicle undercarriage inspection capabilities. The Anti-Terrorism/Force Protection Capability Set increases the survivability for Marines from potential threats by givingearlier warning and reaction capability to those manning the checkpoints. Additionally, the capability increases the survivability of noncombatants approaching Vehicle Check Points and Entry Control Points by giving Marines more time and awareness to assess the situation before lethal force is applied. NOTE: The C0020 capability has been replaced by the Escalation of Force-Mission Modules (C01047B), SEE DP 5500

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	12	0
Shortfall/Excess	12	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
3	7	0	0	0	2	0	0	0	0
3	7	0	0	0	2	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6910015403064	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

- ☐ **Sensitive**
- ☐ **CCI**
- ☐ **Multi-Modal**
- ☑ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

C0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0104: ESCALATION OF FORCE-MISSION MODULES (EOF-MM)

The C0104 is know as the Escalation of Force-Mission Module. The EoF-MM consists of multifunctional non-lethal weapons systems and force protection equipment needed to satisfy the operational requirement in order to minimize friendly and civilian casualties. The EoF-MM is the replacement of the existing Non-Lethal Capability Sets (NLCS) and Force Protection Capability Sets (FPCS) procured in the middle 1990s and early 2000s. The EoF-MM consist of selected equipment that provides operational capabilities for use during escalation of force situations found primarily, but not exclusively, while operating under restricted Rules of Engagement (ROE). The EoF-MM consists entirely of equipment that is COTS/GOTS. The EoF-MM consists of three (3) capability groups, ten (10) capability modules and each module consists of specific equipment necessary to support that modules capability mission. The modules are configured within four (4) QUADCONS.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	81	3		12	24	13	0	9	20	3	0	0	0
AAO (FY17)	81			12	24	13	0	9	20	3	0	0	0
O/H	65	3		7	15	10	0	4	13	0	13	0	0
Shortfall/Excess	-16	0		-5	-9	-3	0	-5	-7	-3	13	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1367015794067	3	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C0114 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C0114: EXTINGUISHER,FIRE

The Secondary Fire Suppression System (AFES-R) is based on UUNS #09107UB, which requests a "system of systems" that would 1) reduce the risk of secondary fires, 2) quickly extinguish external fires to prevent their breaching the crew compartment, 3) protect the occupants of the vehicle against fires that do penetrate the crew compartment and 4) provide a capability for personnel from other vehicles to suppress fires and rescue the crew.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210015583687	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C2032 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2032: MONITOR,CHEMICAL AG

The Chemical Agent Monitor is a handheld device capable of detecting various levels of nerve and blister agents. The CAMs detect vapors of chemical agents by sensing molecular ions of specific mobilities (time of flight) and uses timing and microprocessor techniques to reject interferences.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	159	0
Shortfall/Excess	159	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	6	0	0	0	2	0	151	0	0
0	6	0	0	0	2	0	151	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665997259996	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C2104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2104:

The M4 Joint Chemical Agent Detector (JCAD) is a handheld detector capable of detecting, identifying, quantifying, and reporting nerve, blister, and blood agents.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	10,227	0
AAO (FY17)	9,685	
O/H	288	121
Shortfall/Excess	-9,939	121

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3,104	3,119	1,532	156	2,113	203	0	0	0	0
2,878	2,692	1,586	177	2,176	176	0	0	0	0
6	78	0	0	0	54	0	29	0	0
-3,098	-3,041	-1,532	-156	-2,113	-149	0	29	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015522704	121	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	121	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C2108 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2108: ALARM,CHEMICAL AGEN

The Automatic Chemical Agent Detection Alarm (ACADA) is a man-portable chemical warfare agent detection system, which detects the presence of nerve and blister agents.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	10	0
Shortfall/Excess	10	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	2	0	8	0	0
0	0	0	0	0	2	0	8	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665014386963	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C2278 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2278: MASK ASSY

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,368	9
AAO (FY17)	1,368	
O/H	746	0
Shortfall/Excess	-622	-9

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
281	281	258	168	344	27	9	0	0	0
281	281	258	168	344	27	9	0	0	0
87	79	124	264	146	46	0	0	0	0
-194	-202	-134	96	-198	19	-9	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1660090004118	0	0%	0%	0%	100%	0%	0%	NO	NO	UNK	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C2286 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C2286: PHAOS BOTTLE ASSY

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,368	9
AAO (FY17)	1,368	
O/H	736	0
Shortfall/Excess	-632	-9

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
281	281	258	168	344	27	9	0	0	0
281	281	258	168	344	27	9	0	0	0
118	75	120	264	118	41	0	0	0	0
-163	-206	-138	96	-226	14	-9	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1660090004098	0	0%	0%	0%	100%	0%	0%	NO	NO	UNK	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C4120 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C4120: NON-LETHAL WEAPONS

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	20	0
Shortfall/Excess	20	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
2	12	1	0	2	3	0	0	0	0
2	12	1	0	2	3	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
9999014642285	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	3.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

C4432 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C4432: NSN NOT PROCURABLE

The Complexing Unit provides access to and from two shelters.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)		
AAO (FY17)		
O/H	16	0
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

Representative Picture

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)										
AAO (FY17)										
O/H	0	5	2	0	2	0	0	3	0	0
Shortfall/Excess										

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411012066036	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

C4765 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C4765: EXTINGUISHER, FIRE, DRY CHEM, SELF-CONTND

The Twin Agent Fire Extinguisher is skid mounted and easily relocated when necessary. It is designed and constructed to be effective in fighting fires generated by hydrocarbon fuels. It is intended for use in providing fire protection to the Tactical Airfield Fuel Dispensing System and the Amphibious Assault Fuel System.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	503	0	91	90	56	0	120	3	0	23	91	29
AAO (FY17)	555		100	99	42	0	140	3	0	23	98	50
O/H	722	22	74	32	33	0	15	5	0	362	136	43
Shortfall/Excess	219	22	-17	-58	-23	0	-105	2	0	339	45	14

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210001072082	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0
4210012052246	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	2	0
4210013549893	20	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	20	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	214	1.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C4906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C4906: PALLET,MATERIAL HAN

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	3	0
Shortfall/Excess	3	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	3	0	0	0	0	0	0	0
0	0	3	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3990011907165	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	78	0	1.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

C5105 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C5105: JOINING CORRIDOR

The Joining Corridor provides a means of connecting two shelters.

No Illustration Available

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	34	0
Shortfall/Excess	34	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
3	6	0	1	6	0	0	18	0	0
3	6	0	1	6	0	0	18	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411012066037	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

C5269 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C5269: TESTER,LEAKAGE,PROT

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	240	0
AAO (FY17)	234	
O/H	93	0
Shortfall/Excess	-147	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
70	71	50	0	43	6	0	0	0	0
68	66	49	0	45	6	0	0	0	0
0	4	0	0	0	4	0	85	0	0
-70	-67	-50	0	-43	-2	0	85	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015069002	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C5649 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C5649: MULTI MISSION PARAC

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,409	0
AAO (FY17)	1,100	
O/H	919	0
Shortfall/Excess	-490	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
291	291	268	168	344	47	0	0	0	0
198	198	228	168	261	47	0	0	0	0
160	83	120	334	180	42	0	0	0	0
-131	-208	-148	166	-164	-5	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1670015316383	0	0%	0%	0%	100%	0%	0%	NO	NO	UNK	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C5810 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C5810: KITCHEN,COMPANY LEV

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	14	0
Shortfall/Excess	14	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	1	6	0	1	0	0	0	6	0
0	1	6	0	1	0	0	0	6	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
7360332012934	0	0%	0%	0%	0%	0%	1%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	14.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

C6115 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C6115: SHELTER,NONEXPANDAB

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	99	0
Shortfall/Excess	99	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
29	43	4	10	0	13	0	0	0	0
29	43	4	10	0	13	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411012066077	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

C7001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7001: TESTER, AUTOMATIC TRANSMISSION

Handheld testing device used to test & adjust HUMVEE vehicle transmissions.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	223	0
AAO (FY17)	235	
O/H	252	1
Shortfall/Excess	29	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
48	46	32	0	38	55	0	4	0	0
51	46	35	0	44	55	0	4	0	0
47	39	31	4	38	57	0	35	0	0
-1	-7	-1	4	0	2	0	31	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910015592405	1	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7007: SHOP EQUIPMENT, CONTACT MAINTENANCE, COMMON #21

HUMVEE based platform that includes a maintenance shelter & equipment used by Electro-Optic Technicans (MOS 2171) and Ground Radar Technicans (MOS 2887) to perform on-site maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	209	20	55	51	35	2	36	5	20	1	4	0
AAO (FY17)	228		64	56	36	2	40	5	20	1	4	0
O/H	113	0	36	35	21	1	8	6	0	3	3	0
Shortfall/Excess	-96	-20	-19	-16	-14	-1	-28	1	-20	2	-1	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015521599	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	4.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C7023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7023: TEST STAND,FUEL INJ

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	27	0
AAO (FY17)	23	
O/H	20	1
Shortfall/Excess	-7	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	4	0	3	14	0	0	0	0
3	3	3	0	0	14	0	0	0	0
3	2	4	0	3	4	0	3	0	0
0	-1	0	0	0	-10	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910014602822	1	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	158	1.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

C7025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7025: TESTER,HYDRAULIC HO

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	163	0
AAO (FY17)	156	
O/H	80	0
Shortfall/Excess	-83	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	19	11	4	16	54	0	0	32	3
19	16	17	4	8	54	0	0	32	6
16	14	13	4	0	10	0	16	7	0
-8	-5	2	0	-16	-44	0	16	-25	-3

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015475287	0	100%	0%	0%	0%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7033: SHOP EQUIPMENT,CONT - UNARMORED (RPLCS B1951)

HUMVEE based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform on-site maintenance. Intended for 2nd Echelon or Direct Support Maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	223	3
AAO (FY17)	214	
O/H	144	0
Shortfall/Excess	-79	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
64	58	34	0	36	7	3	11	7	3
60	56	32	0	35	7	3	11	7	3
24	29	20	0	16	8	0	38	8	1
-40	-29	-14	0	-20	1	-3	27	1	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940013338471	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	121	0	4.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C7035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7035: TOOL KIT,TRANSMISSI

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	35	2
AAO (FY17)	32	
O/H	15	0
Shortfall/Excess	-20	-2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	11	8	0	3	0	2	0	0	0
9	9	6	0	6	0	2	0	0	0
3	3	3	0	2	0	0	4	0	0
-8	-8	-5	0	-1	0	-2	4	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180011994018	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	23	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7038 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7038: DYNAMOMETER,RUN-IN

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	13	0
AAO (FY17)	8	
O/H	0	0
Shortfall/Excess	-13	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	3	1	0	0	0	0
2	2	1	0	2	1	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-3	-3	-3	0	-3	-1	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910015975999	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**I MEF**
if	**Not Mission Capable MEF**	then	**I MEF**
if	**Not Mission Capable**	then	**I MEF**
if	**Condemned**	then	**I MEF**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7039: DYNAMOMETER, RUN-IN

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	13	0
AAO (FY17)	8	
O/H	0	0
Shortfall/Excess	-13	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	3	1	0	0	0	0
2	2	1	0	2	1	0	0	0	0
0	0	0	0	0	0	0	0	0	0
-3	-3	-3	0	-3	-1	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**II MEF**
if	**Not Mission Capable MEF**	then	**II MEF**
if	**Not Mission Capable**	then	**II MEF**
if	**Condemned**	then	**II MEF**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	200%	0%	0%	0%

C7042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7042: NOZZLE TEST MASTER2

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	14	0
AAO (FY17)	10	
O/H	8	1
Shortfall/Excess	-6	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	3	0	2	3	0	0	0	0
3	3	1	0	0	3	0	0	0	0
1	2	2	0	0	2	0	0	0	0
-2	-1	-1	0	-2	-1	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5825014731977	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	9	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7061 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7061: TESTER,FUEL INJECTO

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	11	0
AAO (FY17)	10	
O/H	9	0
Shortfall/Excess	-2	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	3	0	2	2	0	0	0	0
3	3	2	0	0	2	0	0	0	0
1	1	3	0	0	4	0	0	0	0
-1	-1	0	0	-2	2	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910011249123	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	48	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	6	0
AAO (FY17)	6	
O/H	23	1
Shortfall/Excess	17	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	1	0	1	2	0	0	0	0
1	1	2	0	0	2	0	0	0	0
4	3	4	0	1	8	0	2	0	0
3	2	3	0	0	6	0	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	6	0
AAO (FY17)	6	
O/H	23	1
Shortfall/Excess	17	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	1	0	1	2	0	0	0	0
1	1	2	0	0	2	0	0	0	0
4	3	4	0	1	8	0	2	0	0
3	2	3	0	0	6	0	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	6	0
AAO (FY17)	6	
O/H	23	1
Shortfall/Excess	17	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	1	0	1	2	0	0	0	0
1	1	2	0	0	2	0	0	0	0
4	3	4	0	1	8	0	2	0	0
3	2	3	0	0	6	0	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7072: TEST STAND,AUTOMOTI

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	6	0
AAO (FY17)	6	
O/H	23	1
Shortfall/Excess	17	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	1	0	1	2	0	0	0	0
1	1	2	0	0	2	0	0	0	0
4	3	4	0	1	8	0	2	0	0
3	2	3	0	0	6	0	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910013831130	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0
4910015978824	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	2.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	2
AAO (FY17)	15	
O/H	21	1
Shortfall/Excess	6	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	3	0	1	2	2	0	0	0
3	4	3	0	1	2	2	0	0	0
2	2	2	0	1	0	0	13	0	0
-1	-2	-1	0	0	-2	-2	13	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015016979	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5836015253637	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5836015450581	1	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	30.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	2
AAO (FY17)	15	
O/H	21	1
Shortfall/Excess	6	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	3	0	1	2	2	0	0	0
3	4	3	0	1	2	2	0	0	0
2	2	2	0	1	0	0	13	0	0
-1	-2	-1	0	0	-2	-2	13	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015016979	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5836015253637	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5836015450581	1	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	30.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C7110 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7110: TACTICAL IMAGERY PRODUCTION SYSTEM

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	2
AAO (FY17)	15	
O/H	21	1
Shortfall/Excess	6	-1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	4	3	0	1	2	2	0	0	0
3	4	3	0	1	2	2	0	0	0
2	2	2	0	1	0	0	13	0	0
-1	-2	-1	0	0	-2	-2	13	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5836015016979	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5836015253637	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0
5836015450581	1	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	30.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7900: TOOL KIT,AIR CONDIT

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	206	0
AAO (FY17)	217	
O/H	252	4
Shortfall/Excess	46	4

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
39	44	21	9	38	31	0	0	17	7
38	49	21	9	41	31	0	0	20	8
49	40	26	10	15	36	0	57	15	0
10	-4	5	1	-23	5	0	57	-2	-7

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4120015414688	4	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	4	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	91	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7901: SHOP EQUIPMENT,TIRE

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	18	0
AAO (FY17)	22	
O/H	2	1
Shortfall/Excess	-16	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	3	0	3	1	0	0	0	1
6	6	3	0	5	1	0	0	0	1
0	0	0	0	0	1	0	0	0	0
-5	-5	-3	0	-3	0	0	0	0	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015223536	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4940015515941	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0
4940015683817	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	10.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7901: SHOP EQUIPMENT,TIRE

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	18	0
AAO (FY17)	22	
O/H	2	1
Shortfall/Excess	-16	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	3	0	3	1	0	0	0	1
6	6	3	0	5	1	0	0	0	1
0	0	0	0	0	1	0	0	0	0
-5	-5	-3	0	-3	0	0	0	0	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015223536	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4940015515941	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0
4940015683817	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	10.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7901: SHOP EQUIPMENT,TIRE

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	18	0
AAO (FY17)	22	
O/H	2	1
Shortfall/Excess	-16	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	3	0	3	1	0	0	0	1
6	6	3	0	5	1	0	0	0	1
0	0	0	0	0	1	0	0	0	0
-5	-5	-3	0	-3	0	0	0	0	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015223536	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
4940015515941	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0
4940015683817	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	10.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C7903 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7903: AIR BAG LIFT SYSTEM

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	143	0
AAO (FY17)	144	
O/H	151	0
Shortfall/Excess	8	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
41	41	25	0	32	4	0	0	0	0
41	41	25	0	33	4	0	0	0	0
7	11	2	0	2	0	0	129	0	0
-34	-30	-23	0	-30	-4	0	129	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4220015041223	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7904 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7904: SHOP EQUIPMENT, GP, COMMON #10

Quad-Con based Tool Container with heavy duty shelving and straping. Used by maintenance shops to store and transport a variety of outsized tools and other shop equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	389	29
AAO (FY17)	370	
O/H	412	1
Shortfall/Excess	23	-28

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
103	87	55	10	97	8	29	0	0	0
99	86	52	10	86	8	29	0	0	0
118	111	55	7	105	6	0	9	0	0
15	24	0	-3	8	-2	-29	9	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015219685	1	0%	50%	0%	50%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C7905 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7905: SHOP EQUIPMENT, GENERAL PURPOSE COMMON #22

Trailer based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform on-site maintenance. Intended for 2nd Echelon or Direct Support Maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	316	1
AAO (FY17)	302	
O/H	363	7
Shortfall/Excess	47	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
84	69	47	9	66	8	1	9	17	6
78	64	46	9	64	8	1	9	17	6
66	78	64	4	55	9	0	49	25	6
-18	9	17	-5	-11	1	-1	40	8	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015504312	7	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	7	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	2.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C7907 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7907: SHOP EQPT,GEN PURPO

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	169	0
AAO (FY17)	157	
O/H	203	1
Shortfall/Excess	34	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
45	42	23	6	45	8	0	0	0	0
43	40	25	6	35	8	0	0	0	0
45	75	30	7	31	7	0	7	0	0
0	33	7	1	-14	-1	0	7	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015637780	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	264	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7908 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7908: LUBE UNIT

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	158	0
AAO (FY17)	159	
O/H	122	2
Shortfall/Excess	-36	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
41	35	26	5	29	4	0	4	10	4
38	33	25	5	32	4	0	4	12	6
26	28	21	2	16	3	0	12	9	3
-15	-7	-5	-3	-13	-1	0	8	-1	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4930015497112	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	5.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C7911 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7911: SHOP EQUIPMENT,GENE

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	275	0
AAO (FY17)	288	
O/H	338	12
Shortfall/Excess	63	12

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
75	69	41	13	64	13	0	0	0	0
76	72	49	13	65	13	0	0	0	0
72	81	52	13	73	17	0	15	3	0
-3	12	11	0	9	4	0	15	3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015504900	12	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	12	0	0

Notes: TAMCN is not classified as sensitive. DO NOT WASHDOWN - CLEAN BY HAND.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	143	1.9

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7912 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7912: SHOP EQUIPMENT,MACH

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	33	0
AAO (FY17)	29	
O/H	3	1
Shortfall/Excess	-30	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	5	0	8	0	0	1	3	0
8	7	3	0	7	0	0	1	3	0
0	0	0	0	0	1	0	1	0	0
-8	-8	-5	0	-8	1	0	0	-3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3470015752955	1	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	12.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C7913 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7913: SHOP EQUIPMENT, GENERAL PURPOSE COMMON #34

Large Pit-Box based platform that includes two rolling tool storage Pit-Boxes, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform maintenance. Intended for 3rd Echelon or General Support Maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	93	0
AAO (FY17)	114	
O/H	85	2
Shortfall/Excess	-8	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
27	24	15	2	12	13	0	0	0	0
31	29	17	2	22	13	0	0	0	0
14	18	20	2	11	17	0	1	0	0
-13	-6	5	0	-1	4	0	1	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015659593	2	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	1

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	142	2.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7920 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7920: ANALYZER SET,VEHICU

Handheld testing device used to test & adjust all USMC ground vehicles (contained in a transit case with associated cables and test items). Includes specialized software designed for specific vehicle subsystems (engines, transmissions, tire inflation systems, etc).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	877	0
AAO (FY17)	900	
O/H	405	9
Shortfall/Excess	-472	9

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
214	205	112	0	173	173	0	0	0	0
217	203	127	0	180	173	0	0	0	0
93	83	61	8	37	114	0	0	0	0
-121	-122	-51	8	-136	-59	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910014865131	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	1	0	0
4910015350413	2	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	1	1	0
4910015694435	6	30%	0%	0%	70%	0%	0%	NO	NO	No	No	No	No	No	No	4	2	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

C7930 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C7930: SHOP EQUIPMENT, GP, COMMON NO. 30

Flat-Rack based platform that includes a shelter housing, tool cabinets, tools & other shop equipment used by Mechanics (MT, Ord, & Engineer) to perform maintenance. Also includes a 90KW Generator and extendable boom Crane. Intended for 3rd Echelon or General Support Maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	98	0
AAO (FY17)	110	
O/H	72	3
Shortfall/Excess	-26	3

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	28	26	16	4	13	6	0	5	0	0
AAO (FY17)	29	27	15	4	24	6	0	5	0	0
O/H	13	19	11	2	8	5	0	11	0	0
Shortfall/Excess	-15	-7	-5	-2	-5	-1	0	6	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015187339	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	11.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C8010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C8010: MOBILE TRAUMA BAY

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2	0
AAO (FY17)	0	
O/H	7	1
Shortfall/Excess	5	1

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	1	1	0	0	0	0	3	0	0
0	0	1	0	0	0	0	3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5411015757079	1	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	1	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

C9657 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN C9657: STAND,MAINTENANCE,A

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	75	0
AAO (FY17)	105	
O/H	81	3
Shortfall/Excess	6	3

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	16	14	0	15	14	0	0	0	0
30	30	17	0	14	14	0	0	0	0
17	23	15	0	0	13	0	10	0	0
1	7	1	0	-15	-1	0	10	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910011174344	3	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	2

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	52	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

D0002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0002: TRLR, EQUIP TRANSPORTER, SEMI-TRLR, LOWBED, 50T

The M870A2E1, is a 10-ft wide lowbed semi trailer capable of transporting cargo up to 50 tons.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	36	0
AAO (FY17)	46	
O/H	44	34
Shortfall/Excess	8	34

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	8	5	0	10	2	0	3	0	0
12	12	7	0	10	2	0	3	0	0
2	2	2	0	0	2	0	2	0	0
-6	-6	-3	0	-10	0	0	-1	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330014838000	34	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	Yes	0	34	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.Currently no allowance for CONUS units for this TAMCN. Allowances must be identified prior to shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0003 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0003: MTVR, TRK ARMD, CARGO, 7T W/O, NON REDUCIBLE (AMK23)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,984	0	657	565	361	51	466	140	0	10	636	98
AAO (FY17)	2,780		599	496	389	51	463	140	0	10	534	98
O/H	2,876	92	502	416	371	47	88	165	0	339	788	31
Shortfall/Excess	-108	92	-155	-149	10	-4	-378	25	0	329	152	-67

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305676	73	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	73	0
2320015520273	19	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	19	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31. All items eventually need to go to MCLC for upgrades and repairs. If an item comes back in serviceable condition, it will be sent to the MEF to fill shortfalls. When MCLC has sufficient capacity, that item will be sent for refresh.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	214	0	16.7

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0004 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0004: MTVR, TRK ARMD, CARGO, 7T W/W, NON REDUCIBLE (AMK25)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	0	0	0	0	0	0	0	0	0	0	0	0
Shortfall/Excess	0	0	0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305677	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	No	0	0	0
2320015519433	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	Yes	No	No	0	0	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	230	0	17.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0005 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0005: TRK, ARMORED, 7T, EXTRA LONG WHEELBASE, W/O WINCH (AMK27)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	614	0	138	133	66	23	83	12	0	5	112	42
AAO (FY17)	580		117	115	66	23	84	12	0	5	112	46
O/H	500	68	31	68	56	21	0	15	0	85	113	10
Shortfall/Excess	-114	68	-107	-65	-10	-2	-83	3	0	80	1	-32

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305678	51	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	51	0
2320015522762	17	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	17	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	262	0	17.9

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0006: MTVR, TRK ARMD, XLWB CARGO, 7T W/W NON REDUCIBLE, AMK28

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305681	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015519434	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015534118	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	279	0	18.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

D0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0007: MTVR, TRK DUMP, ARMD, 7T, W/O WINCH, AMK29

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	255	0	46	49	35	0	39	0	0	3	72	11
AAO (FY17)	225		47	44	38	0	40	0	0	3	44	9
O/H	293	21	18	46	34	0	2	0	0	62	100	0
Shortfall/Excess	38	21	-28	-3	-1	0	-37	0	0	59	28	-11

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305684	11	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	11	0
2320015520250	10	0%	100%	0%	0%	0%	0%	NO	NO	Yes Other	Yes	yes	No	Yes	No	0	10	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	16

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	0%	100%

D0008 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0008: MTVR, TRK DUMP, ARMD, 7T, NON REDUCIBLE, AMK30

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	0	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305685	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015520269	0	0%	100%	0%	0%	0%	0%	NO	NO	Yes Other	Yes	yes	No	Yes	No	0	0	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	217	0	16.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0009: TRUCK TRACTOR

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	128	0
AAO (FY17)	85	
O/H	202	4
Shortfall/Excess	74	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	32	20	0	35	0	0	1	0	8
24	24	11	0	19	0	0	1	0	6
48	38	30	0	28	0	0	39	0	15
16	6	10	0	-7	0	0	38	0	7

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305693	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015311975	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	No	0	0	0
2320015520403	4	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	202	0	13.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0009: TRUCK TRACTOR

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	128	0
AAO (FY17)	85	
O/H	202	4
Shortfall/Excess	74	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	32	20	0	35	0	0	1	0	8
24	24	11	0	19	0	0	1	0	6
48	38	30	0	28	0	0	39	0	15
16	6	10	0	-7	0	0	38	0	7

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305693	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015311975	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	No	0	0	0
2320015520403	4	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	202	0	13.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0009 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0009: TRUCK TRACTOR

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	128	0
AAO (FY17)	85	
O/H	202	4
Shortfall/Excess	74	4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	32	20	0	35	0	0	1	0	8
24	24	11	0	19	0	0	1	0	6
48	38	30	0	28	0	0	39	0	15
16	6	10	0	-7	0	0	38	0	7

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305693	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015311975	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	No	0	0	0
2320015520403	4	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	4	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	202	0	13.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0011 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0011: CARRIER, TROOP, ARMORED, MTVR (ARMADILLO)

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	709	0
AAO (FY17)	620	
O/H	609	44
Shortfall/Excess	-100	44

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
123	142	77	13	83	76	0	5	130	60
101	99	67	13	78	76	0	5	130	51
108	39	60	12	0	77	0	251	18	0
-15	-103	-17	-1	-83	1	0	246	-112	-60

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2510015352385	4	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	4	0
2510015380714	40	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	40	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	720	2.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0013: TRK TRACTOR, ARMD, 7T, 5TH WHEEL, NONREDUCIBLE, AMK31

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	233	0	44	44	29	0	28	7	0	3	55	23
AAO (FY17)	288		59	59	36	0	50	7	0	3	55	19
O/H	314	48	49	41	28	0	20	13	0	33	71	11
Shortfall/Excess	81	48	5	-3	-1	0	-8	6	0	30	16	-12

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015305687	22	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	22	0
2320015520282	26	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	26	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	201	0	15.3

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0015 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0015: MTVR, TRK WRECKER, ARMD, 7T W/W, NON-REDUCIBLE, AMK36

The MTVR Armor System is designed for the 7-ton MTVR. The kit provides complete 360-degree protection as well as overhead and underbody protection for the crew compartment utilizing Mil-A-46100 High Hard Steel and Metal Composite.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	316	0	65	59	41	0	48	19	0	3	62	19
AAO (FY17)	341		73	68	40	0	53	19	0	3	66	19
O/H	328	34	57	50	38	2	29	20	0	31	64	3
Shortfall/Excess	12	34	-8	-9	-3	2	-19	1	0	28	2	-16

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320014652300	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	0	0
2320015305691	22	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	22	0
2320015520268	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	Yes	No	No	0	0	0
2355015535400	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	Yes	No	No	0	0	0
2355015902719	12	0%	0%	0%	0%	100%	0%	NO	NO	UNK	Yes	no	No	No	No	0	12	0

Notes: If the component TAMCNs are disassociated from the MTVR, the MTVR itself can move via GLOC if it is non-serviceable and going to MCLC for depot maintenance. All items should be washed IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	264	0	24.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0016: TRLR, CARGO

The M1102H is a single axle, two wheel, steel frame trailer designed to be towed by the HMMWV. It is used to transport general cargo. A welded steel body is bolted to the frame. The body is equipped with a tailgate and mounting brackets for cargo racks and a frame for a tarpaulin cover.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,600	17	734	630	367	76	523	74	17	0	112	67
AAO (FY17)	2,642		724	604	377	76	511	66	17	0	200	67
O/H	3,366	16	978	685	400	86	375	78	0	674	74	0
Shortfall/Excess	766	-1	244	55	33	10	-148	4	-17	674	-38	-67

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330013875426	16	0%	0%	0%	75%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	12	0	16

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	82	0	0.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

D0017 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0017: LIGHT TACTICAL TRAILER, MARINE CORPS CHASSIS (LTT-MCC)

The Light Tactical Trailer is an adaptation of the Army LTT-HC, this trailer is being modified to Marine Corps requirements. Key differences are the solid flat bed and holes to secure the towed equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,145	0
AAO (FY17)	2,101	
O/H	2,615	1
Shortfall/Excess	470	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
499	445	287	22	432	54	0	0	314	92
455	445	307	22	382	54	0	0	328	108
542	548	432	21	129	84	0	401	349	108
43	103	145	-1	-303	30	0	401	35	16

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015435794	1	0%	0%	0%	75%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	1	0	1

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	82	0	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

D0022 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0022: TRUCK UTILITY

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY13)	1,764	0
AAO (FY17)	1,812	
O/H	3,443	0
Shortfall/Excess	1,679	0

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
504	444	249	19	359	134	0	26	0	29
519	452	281	19	353	133	0	26	0	29
888	828	245	46	444	321	0	562	108	1
384	384	-4	27	85	187	0	536	108	-28

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015187332	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	122	0	4.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0023 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0023: MINE RESISTANT AMBUSH PROTECTED (MRAP), AMBULANCE

The Cougar HEV is a versatile, diesel powered, pneumatic tired, heavily armored, multi-purpose vehicle that is urgently needed by Explosive Ordnance Disposal teams deployed in support of Operation Enduring Freedom and Operation Iraqi Freedom (OIF) to increase their survivability against Improvised Explosive Devices (IED). The Cougar HEV has adequate armor protection and possesses the capability to carry all required EOD equipment. The Cougar HEVs are also required for contingency operations in support of the Global War on Terrorism by Engineer Mine Clearing teams against IEDs.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY13)	6	0
AAO (FY17)	15	
O/H	17	2
Shortfall/Excess	11	2

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1	1	2	0	0	2	0	0	0	0
0	0	0	0	0	0	13	0	0	2
0	2	0	0	0	1	0	12	0	0
-1	1	-2	0	0	-1	0	12	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015626152	0	0%	0%	0%	0%	100%	0%	YES	NO	EDA	Yes	no	No	No	Yes	0	0	0
2355015831029	2	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	i/p	Yes	0	2	0

Notes: This item has an organic depot strategy. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. NSN ending in 6152 is obsolete. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	215	0	20

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	100%	0%

D0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0025: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT I

USMC HST Cougar

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	352	0
AAO (FY17)	387	
O/H	1,286	503
Shortfall/Excess	934	503

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
91	69	25	0	47	120	0	0	0	0
25	25	2	0	0	17	163	0	18	137
29	26	17	0	0	83	0	628	0	0
-62	-43	-8	0	-47	-37	0	628	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015198173	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	no	No	No	No	0	0	0
2355015322174	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	yes	No	No	Yes	0	0	0
2355015525565	21	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	21	0
2355015643420	1	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	No	0	1	0
2355015672879	0	0%	0%	0%	0%	100%	0%	NO	NO	No	No	yes	No	No	No	0	0	0
2355015798929	49	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	49	0
2355015812392	432	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	432	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	174	0	16

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	100%	0%

Notes: All JERRVs or HEVs are considered obsolete. They should be sent to MCLC for further disposition. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	174	0	16

- ☑ **Sensitive**
- ☑ **CCI**
- ☑ **Multi-Modal**
- ☑ **Associated TAMCNs (See Appendix)**
- ☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	100%	0%

D0027 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0027: MINE RESISTANT AMBUSH PROTECTED (MRAP), CAT II

The Cougar HEV 6x6 is a member of the Mine Resistant Ambush Protected (MRAP) Family of Vehicles (FOV) which is capable of transporting personnel and cargo within the current theater of operations.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	288	0
AAO (FY17)	217	
O/H	422	240
Shortfall/Excess	134	240

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
104	68	19	8	66	23	0	0	0	0
0	0	0	0	0	1	205	0	0	11
52	60	30	0	0	10	0	30	0	0
-52	-8	11	-8	-66	-13	0	30	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015198172	1	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	no	No	No	Yes	0	1	0
2355015292246	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	no	No	No	No	0	0	0
2355015525199	1	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	1	0
2355015643423	5	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	5	0
2355015798920	22	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	22	0
2355015798931	211	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	211	0
2355015811076	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	no	No	No	Yes	0	0	0

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	220	0	20.6

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	100%	0%

Notes: All JERRVs or HEVs are considered obsolete. They should be sent to MCLC for further disposition. Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	220	0	20.6

- [x] **Sensitive**
- [x] **CCI**
- [x] **Multi-Modal**
- [x] **Associated TAMCNs (See Appendix)**
- [ ] **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	100%	0%

D0030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0030: TRUCK, UTIL, EXPANDED CAPACITY ARMT CARRIER, M1151

The M1151A1 provides mounting and firing of the MK19 automatic grenade launcher; M2 .50 Caliber machine gun; M60, 7.62mm machine gun; M240G, 7.62mm machine gun; and M249, 5.56mm Squad Assault.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	3,458	0	826	821	486	13	726	245	0	80	166	95
AAO (FY17)	3,308		785	704	495	13	743	213	0	80	180	95
O/H	4,146	3	896	865	472	29	613	262	0	835	162	9
Shortfall/Excess	688	3	70	44	-14	16	-113	17	0	755	-4	-86

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320014133739	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2320015187330	0	0%	100%	0%	0%	0%	0%	YES	NO	EDA	Yes	yes	No	Yes	No	0	0	0
2320015231316	0	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	No	0	0	0
2320015402038	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	3	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0031 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0031: TRUCK, UTILITY: EXPANDED CAPACITY, C2/GP VEHICLE

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	715	9	166	145	80	176	78	46	9	15	0	0
AAO (FY17)	855		209	180	100	176	120	46	9	15	0	0
O/H	2,155	0	371	323	74	219	166	367	0	199	435	0
Shortfall/Excess	1,440	-9	205	178	-6	43	88	321	-9	184	435	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015401993	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	5.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0033 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0033: TRUCK, UTILITY: ENHANCED CAPACITY, ENH, ARMOR (M1152A1B2)

The M1152A1 can be used as a cargo/troop carrier or as a shelter carrier. As a cargo/troop carrier, it is capable of transporting a two-man crew and eight passengers.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,659	0
AAO (FY17)	1,429	
O/H	670	0
Shortfall/Excess	-989	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
420	414	202	0	329	48	0	24	195	27
350	311	187	0	287	48	0	24	195	27
210	140	99	5	63	15	0	11	93	15
-210	-274	-103	5	-266	-33	0	-13	-102	-12

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015402007	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: All mission capable systems should be shipped to MEFs to fulfill deficiencies as required. All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Currently doing a data plate exchange to reflect new NSN on armoured version. New armored NSN is 2320-01-581-8566.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	5.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0034 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0034: TRUCK, UTIL, EXP CAPACITY, C2/GP, ARMORED 4-DOOR (M1165A1B3)

The High Mobility Multipurpose Wheeled Vehicle Expanded Capacity Vehicle (HMMWV ECV) is the 4th generation design of the HMMWV. The HMMWV ECV is replacing the aging fleet of Base variant and A1 HMMWVs originally fielded to Marine Corps units in the mid-1980s. The ECV will not replace the HMMWVA2, rather add additional capability to support the Global War on Terrorism. ECV system upgrades include: 6.5L Turbo engine; microprocessor-controlled engine electrical start system; more powerful EPA compliant engine; increased payload (500lbs); improved corrosion prevention; and access panels to facilitate maintenance.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,283	0	377	394	248	19	397	146	0	21	627	54
AAO (FY17)	1,522		253	232	183	19	235	146	0	21	386	47
O/H	615	0	63	36	68	3	59	30	0	1	332	22
Shortfall/Excess	-1,668	0	-314	-358	-180	-16	-338	-116	0	-20	-295	-32

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015402017	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: All mission capable systems should be shipped to MEFs to fulfill deficiencies as required. All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Currently doing a data plate exchange to reflect new NSN on armoured version. New armored NSN is 2320-01-581-8787.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	117	0	5.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0035: TRAILER, PALLETIZED LOADING SYSTEM

The Palletized Load System (PLS) Trailer is designed to carry loads behind the LVSR with minorpreparation. The trailer may also be towed behind other USMC heavy tactical trucks. The PLS Trailer isused in conjunction with the M1077/MK1077 flatracks. The M1076 trailer, capable of carrying payloads upto 16.5 tons, is equipped with a flatrack that is interchangeable between truck and trailer.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	523	0	158	135	62	0	93	35	0	9	0	31
AAO (FY17)	307		71	60	35	0	48	35	0	9	0	49
O/H	494	32	170	145	79	0	9	35	0	10	0	14
Shortfall/Excess	-29	32	12	10	17	0	-84	0	0	1	0	-17

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330013035197	32	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	32	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.Coordinating with Army to use their Depot. Send WIR to LOGCOM Albany, GA for disposition instructions.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0036: MATV

The primary mission of the M-ATV is to provide protected ground mobility. The MATV is capable of operating in a threat environment involving ambushes employing the use of mines, Improvised Explosive Devices, Rocket Propelled Grenades, Explosively Formed Penetrators, and Small Arms Fire. The M-ATV was designed to enhance the effectiveness of ground combat forces with a focus on stability operations against unconventional enemy forces engaged in irregular warfare on a non-linear battlefield.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	298	0
AAO (FY17)	490	
O/H	1,367	429
Shortfall/Excess	1,069	429

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
40	40	10	112	0	96	0	0	0	0
10	10	10	0	0	1	198	0	0	261
61	68	30	2	0	92	0	685	0	0
21	28	20	-110	0	-4	0	685	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015759632	10	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	10	0
2355015961330	419	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	Yes	Yes	0	419	0

Notes: Use a high pressure washer for cleaning exterior of engine, capsule and body. Rinse with hot water, if available. An ordinary garden hose, with nozzle, may be used if other equipment is not available. Ensure a complete rinsing. Do not allow a stream of water to contact Dash, Dashboard Components and other Electrical connections. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	12.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	100%	0%

D0039 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0039: KIT,M-ATV SPECIAL T

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1	0
AAO (FY17)	1	
O/H	12	2
Shortfall/Excess	11	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	1	0	0	0	0
0	0	0	0	0	1	0	0	0	0
1	0	2	1	0	2	0	4	0	0
1	0	2	1	0	1	0	4	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2540015883500	2	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	2	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

D0040 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0040: MINE RESISTANT VEHI

The SABER system with TOW missiles are a proven highly accurate and effective weapon with a very low collateral damage against point targets at distances longer (3,750m max effective range) than the enemy can effectively engage friendly forces with direct fire weapons. The ability to employ the SABER TOW missile system from an MRAP CAT I or II Independent Suspension System (ISS) equipped MRAPs allows Commanders to provide greater protection for their gun crews and engage the enemy with a precision, low collateral damage weapon system at long ranges.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

	Total	OEF
AAO (FY13)	8	0
AAO (FY17)	24	
O/H	59	15
Shortfall/Excess	51	15

Influences R2 Distribution

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	8	0	0	0	0
0	0	0	0	0	0	19	0	0	5
0	0	0	0	0	10	0	34	0	0
0	0	0	0	0	2	0	34	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015891279	15	0%	100%	0%	0%	0%	0%	NO	NO	EDA	Yes	yes	No	i/p	Yes	0	15	0

Notes: Follow normal procedures for exterior washdown of Tactical Wheeled Vehicles. Exterior antenna(s) should be removed prior to power-washing. Interior of vehicle contains sensitive electronics which water can damage. Use compressed air and a vacuum to dust and clean. Damp rags may be used to wipe areas clean.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	100%	0%

D0080 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0080: CHASSIS, TRLR, GP, 3 1/2T, 2-WHL

The M353 is a single axle, 2-wheel, heavy-duty chassis designed to be towed by 2-1/2 or 5-ton trucks equipped with towing pintles. It is designed to haul general payloads of up to 7,000 pounds such as generators, air compressors or welders.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,744	0
AAO (FY17)	1,498	
O/H	2,103	2
Shortfall/Excess	359	2

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
446	425	236	0	290	39	0	56	219	33
307	321	199	0	251	39	0	56	224	101
460	424	254	19	189	46	0	359	249	101
14	-1	18	19	-101	7	0	303	30	68

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330005422831	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	i/p	No	0	2	0

Notes: Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	125	0	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

D0085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0085: CHASSIS, TRLR, 3/4T, 2-WHL (Many Variants)

The M116A2 and M116A3 are single axle, 2-wheeled, general-purpose chassis designed to be towed by 3/4-ton to 1-1/4-ton vehicles equipped with towing pintles. They are constructed to transport electric power generators but can be configured to haul items such as motorcycles and satellite dishes by adding different beds to the chassis.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	884	0
Shortfall/Excess	884	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
49	47	21	0	86	7	0	662	10	2
49	47	21	0	86	7	0	662	10	2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330011018434	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	Yes	No	0	0	0
2330013590080	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	Yes	No	0	0	0
2330014731623	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	Yes	No	0	0	0

Notes: Obsolete trailer - a candidate for FMS. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	86	0	0.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

D0187 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0187: TRUCK,UTILITY

The M1097A2, Heavy HMMWV will replace the M1037, M1042, M1097 and M1097A1 heavy shelter variants. Itis designed to carry heavy electronic systems or weapons platforms. This variant may be configured to act as acommand post shelter from which battlefield traffic may be monitored and a communication center from whichpersonnel may monitor incoming and outgoing radio and telecommunication traffic during operations. The M1097A2 can be used as a cargo/troop carrier or as a shelter carrier. As a cargo/troop carrier, it is capable of transporting a two-man crew and eight passengers.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	453	0	94	71	55	0	17	7	0	201	8	0
Shortfall/Excess	453	0	94	71	55	0	17	7	0	201	8	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320013469317	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: All mission capable systems M1097A2s, D0187, should be returned to Depot for program platforms and FMS sales. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	120	0	3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0195: LOAD SYSTEM, PALLETIZED, (PLS) FLATRACK

The Palletized Load System Flatrack MK1077 is a 20 foot long by 8 foot wide welded steel flat cargo body with a front wall equipped with a lifting point.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	1,554	72
Shortfall/Excess	1,554	72

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
486	380	178	5	45	111	0	42	224	11
486	380	178	5	45	111	0	42	224	11

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3990013077676	32	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	16	0	16
3990015371045	40	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	20	0	20

Notes: Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with Flatrack. No special Agriculture wash down instruction apply. Apply standard local SOP. No repair beyond Field Level Maintenance.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	166	0	2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

D0201 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0201: MULTI-FUEL MOTORCYCLE

The M1030M1 provides a lightweight, highly mobile means of transportation to the MAGTF commander. The MCM program replaces the existing fleet of M1030 motorcycles with a commercial, state-of-the-art, 584 cc militarized motorcycle capable of transporting an operator, one passenger, documents, and light cargo.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	203	0
Shortfall/Excess	203	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
12	1	0	0	12	0	0	141	33	4
12	1	0	0	12	0	0	141	33	4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2340014652533	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Return all mission capable vehicles to LOGCOM. All BII should remain with MILMO. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	95	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

D0209 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0209: POWER UNIT, FRONT, 12 1/2T, 4X4, LVS ARMORED

The MK48/MK48A1 and their associated rear body units (RBU) form the Logistics Vehicle system (LVS). Used primarily by combat service support motor transport units to haul supplies in large quantities from beachheads, ports, railheads or airfields to combat areas.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	333	1	12	3	11	0	72	1	0	168	41	24
Shortfall/Excess	333	1	12	3	11	0	72	1	0	168	41	24

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320011775167	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	1
2320014173180	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
2320015797851	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.Being Replaced by LVSR MKR15, MKR16, MKR18. Will require a D0209 FPU for each D0877 and D0878 RBU being sent back. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	159	0	12.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

D0215 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0215: TRLR SEMI 5000GL REFUELER, MK970 (ARMORED PACKAGE)

The MK970 is a 5,000-gallon fuel dispensing semi-trailer is designed for under/over wing refueling of aircraft. It is equipped with a filter/separator, recirculation system and two refueling systems, one for under wing and one for over wing servicing.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	372	0	75	75	56	0	63	6	0	14	55	28
AAO (FY17)	369		76	76	56	0	64	6	0	14	55	22
O/H	477	45	74	76	55	0	22	12	0	96	71	26
Shortfall/Excess	105	45	-1	1	-1	0	-41	6	0	82	16	-2

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330010505635	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	Yes	No	0	0	0
2330015378217	13	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	13	0
2330015593657	32	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	32	0

Notes: All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	246	0	7.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0235 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0235: SEMI-TRLR, LOWBED, 40T

The M870A2 is three axle Medium Heavy Equipment Transporter that is replacing the M870A1 and is designed to haul a payload of 80,000 lbs (40-tons) in conjunction with a LVS MK48/MK16 fifth wheel truck tractor, LVSR tractor, or a M931A2 truck tractor.

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	312	0
AAO (FY17)	323	
O/H	363	30
Shortfall/Excess	51	30

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
72	70	40	1	54	10	0	17	31	17
64	65	63	1	55	10	0	17	31	17
61	71	36	2	39	12	0	76	31	5
-11	1	-4	1	-15	2	0	59	0	-12

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330014424975	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2330015344570	30	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	30	0

Notes: NSN 2330015344570 - Ship mission capable systems to MEFs to fulfill deficiencies as required. All BII should remain with trailer. NSN 2330014424975 - Return all non mission capable trailers to LOGCOM for system upgrade. All Basic Issue Items. No special Agriculture wash down instruction apply. Apply standard local SOP. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	331	0	9.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0850 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0850: TRLR, CARGO

The M101A3 is a single axle, two wheel, steel frame trailer designed to be towed by the HMMWV. It isused to transport general cargo. A welded steel body is bolted to the frame. The body is equipped with atailgate and mounting brackets for cargo racks and a frame for a tarpaulin cover. A steel A-frame is boltedto the frame with an attached one -position lunette, landing gear and two hand brake levers. The M101A3is designed to operate on all types of roads, cross-country terrain and in all weather conditions. There areno restrictions on the M101A3 for movement over primary and secondary roads; however, it is restricted toa maximum speed of 15-mph cross-country when towed by the M998/M1123 series trucks or other primemovers. System is archived.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

				OPERATING FORCES						OPERATING FORCES			
	Total	OEF		I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0		0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0			0	0	0	0	0	0	0	0	0	0
O/H	348	0		79	73	15	6	88	13	0	74	0	0
Shortfall/Excess	348	0		79	73	15	6	88	13	0	74	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330008986779	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0
2330013725641	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP. FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	75	0	0.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

D0860 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0860: TRLR, CARGO, 1 1/2T, 2-WHL

The M105A2 is a 2-wheel, single axle trailer with a leaf-spring suspension designed to be towed by 2-1/2 ton and larger vehicles equipped with towing pintles. It has a welded box cargo body mounted on a welded steel frame.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,692	0	655	589	381	0	580	106	0	14	286	81
AAO (FY17)	2,607		593	516	374	0	543	106	0	14	396	65
O/H	2,021	48	490	429	260	19	269	91	0	97	315	3
Shortfall/Excess	-671	48	-165	-160	-121	19	-311	-15	0	83	29	-78

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330001418050	48	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	48	0

Notes: All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP. Item to be replaced in FY 12.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	95	0	1.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0861 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0861: TRLR, CARGO, RESUPPLY F/HIMARS

HIMARS is a transformational 24 hour, ground-based, responsive General Support / General Support-Reinforcing (GS/GSR) precision indirect fire support system which accurately engage targets at long ranges (60+ Km) with high volumes of lethal fire under all weather conditions throughout all phases of combat operations ashore. HIMARS is C-130 and amphibious transportable and with precision fires, supports both irregular and traditional warfare. One HIMARS system is defined as one launcher, two re-supply vehicles / trailers and munitions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	94	6
AAO (FY17)	94	
O/H	76	0
Shortfall/Excess	-18	-6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
48	0	0	0	36	4	6	0	0	0
48	0	0	0	36	4	6	0	0	0
36	0	0	0	36	4	0	0	0	0
-12	0	0	0	0	0	-6	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015045014	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: No Special Requirements. Must be packed and shipped by owning unit before sending to CONUS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0876 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0876: TRLR, POWERED, 22 1/2T, CONTAINER HAULER, 4X4

The MK14/14A1 combines with the MK48/48A1 Power Unit (D0209) to form the container hauler variant of the Logistics Vehicle System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	130	0
Shortfall/Excess	130	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
27	0	0	0	32	0	0	52	0	19
27	0	0	0	32	0	0	52	0	19

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320011760469	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0
2320014175294	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	160	0	8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

D0877 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0877: TRLR, POWERED, WRECKER/RECOVERY, 4X4

The MK15/15A1 Rear Body Unit combines with the MK48/48A1 Front Power unit (D0209) to form the wrecker/recovery variant of the Logistics Vehicle System. It is a fully equipped wrecker for recovery of disabled vehicles and Material Handling Equipment.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	116	0
AAO (FY17)	152	
O/H	57	0
Shortfall/Excess	-59	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
34	32	19	0	20	11	0	0	0	0
44	40	26	0	31	11	0	0	0	0
4	5	2	0	9	1	0	28	8	0
-30	-27	-17	0	-11	-10	0	28	8	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320011766928	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0
2320014178144	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.LVSR MKR15 will not reach FOC until Q4 FY14. Will require LVS for deficiencies, and use of parts for obsolete items. Each D0877 will require a D0209 FPU IOT be shipped back to CONUS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	160	0	14.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

D0878 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0878: TRLR, POWERED, 5TH WHL, SEMI-TRLR ADAPTER, 4X4

The MK16/16A1 combines with the MK48/48A1 Power unit (D0209) to form the fifth wheel semi-trailer variant of the Logistics Vehicle System. The MK16/16A1 is used to transport semi-trailers equipped with a 3.5-inch diameter kingpin.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	310	0	84	84	87	0	44	11	0	0	0	0
AAO (FY17)	386		83	79	143	0	70	11	0	0	0	0
O/H	101	1	5	14	6	1	34	0	0	3	32	5
Shortfall/Excess	-209	1	-79	-70	-81	1	-10	-11	0	3	32	5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320011760467	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	1
2320014175293	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.LVSR MKR16 will not reach FOC until Q4 FY14. Will require LVS for deficiencies, and use of parts for obsolete items. Each D0877 will require a D0209 FPU IOT be shipped back to CONUS. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	124	0	8.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

D0880 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0880: TRLR, TANK, WATER, 400 GAL, 1 1/2T, 2-WHL

The M149A2 transports potable or non-potable water on highways and cross-country terrain. The water tank is constructed of stainless steel with double walls. Two inches of urethane foam is used as insulation between the walls.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,682	0
AAO (FY17)	1,669	
O/H	1,645	62
Shortfall/Excess	-37	62

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
372	340	226	0	294	123	0	10	263	54
347	305	258	0	270	123	0	10	263	93
336	284	211	17	177	157	0	114	284	3
-36	-56	-15	17	-117	34	0	104	21	-51

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330005422039	1	0%	0%	0%	0%	100%	0%	YES	NO	No	No	no	No	Yes	No	0	1	0
2330011087367	61	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	61	0

Notes: All BII should remain with trailer. No special Agriculture wash down instruction apply. Apply standard local SOP. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	100	0	1.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0881 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0881: TRLR, RIBBON BRIDGE MK18A1

The MK18 combines with the MK48/48A1 Power Unit (D0209) to form the ribbon bridge/container transporter variant of the Logistics Vehicle System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	4	0
Shortfall/Excess	4	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	3	0	1	0	0
0	0	0	0	0	3	0	1	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320013920293	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	Yes	No	0	0	0

Notes: This TAMCN is obsolete and should be DRMOd or disposed of in theater. No special Agriculture wash down instruction apply. Apply standard local SOP. Possible FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	203	0	10

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

D0886 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0886: TRK, CARGO 22.5 TON, 10X10, LVSR - MKR18

The LVSR Cargo Variant (AMKR-18) replaces the LVS MK18/14 capability. LVSR is a self-loading cargo hauler which transports standardized containers; bulk, breakbulk, palletized cargo, and bridging equipment.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,408	0
AAO (FY17)	1,534	
O/H	1,313	90
Shortfall/Excess	-95	90

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
312	297	201	4	237	88	0	25	195	49
353	293	202	4	325	88	0	25	195	49
285	276	208	5	56	87	0	92	203	11
-27	-21	7	1	-181	-1	0	67	8	-38

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015427628	82	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	62	20
2320015927347	8	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	6	2

Notes: FSR required for equipment assessment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	290	0	26.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D0887 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D0887: TRUCK TRACTOR LVSR

The LVSR Cargo Variant (AMKR-18) replaces the LVS MK18/14 capability. LVSR is a self-loading cargo hauler which transports standardized containers; bulk, breakbulk, palletized cargo, and bridging equipment.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	304	0
AAO (FY17)	337	
O/H	290	34
Shortfall/Excess	-14	34

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
72	68	40	4	56	20	0	15	15	14
68	67	60	4	59	20	0	15	30	14
74	70	66	2	0	11	0	2	31	0
2	2	26	-2	-56	-9	0	-13	16	-14

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015429941	1	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	yes	Yes	No	0	1	0
2320015927353	33	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	yes	Yes	No	0	25	8

Notes: FSR Required for assessment of equipment at MCLC FWD

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	278	0	20.8

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D1001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1001: 997 FIELD AMBULANCE

The M997 is capable of transporting up to four litter patients, eight ambulatory patients or a combination of litter and ambulatory patients. Additionally, medical personnel and equipment and a driver can be accommodated in the vehicle.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	495	0	113	113	67	7	75	42	0	6	59	13
AAO (FY17)	492		111	96	69	7	89	42	0	6	59	13
O/H	523	7	101	88	60	8	73	40	0	77	63	6
Shortfall/Excess	28	7	-12	-25	-7	1	-2	-2	0	71	4	-7

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2310013723934	1	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	1
2310013808225	6	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	6

Notes: All BII should remain with trucks. No special Agriculture wash down instruction apply. Apply standard local SOP. Current NSN is 8225, the other is old

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	128	0	3.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

D1059 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1059: TRK, CARGO, 5T, 6X6, W/O WINCH

Medium Lift Cargo Truck.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	60	0
Shortfall/Excess	60	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	60	0	0
0	0	0	0	0	0	0	60	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320000508905	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	11.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

D1062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1062: TRUCK, RTAA, XLWB CARGO, 7 TON, W/O WINCH

The MTVR will replace the current medium fleet of 5-ton trucks. The MTVR has increased payload of 7.1 tons cross-country and 15 tons on hard surface roads and can simultaneously tow up to an 11 ton towed load.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	817	12
AAO (FY17)	718	
O/H	518	0
Shortfall/Excess	-299	-12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
199	195	130	4	190	46	12	5	0	36
178	173	133	4	146	46	12	5	0	21
123	92	88	2	94	56	0	31	0	32
-76	-103	-42	-2	-96	10	-12	26	0	-4

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320014652182	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	Yes	Yes	No	No	0	0	0

Notes: This item does not exits on the EDL and is not deployed in theater. Romeve this item from the reset tasker. This item does not exits on the EDL and is not deployed in theater.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	263	0	15.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D1063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1063: TRK, CARGO, RESUPPLY F/HIMARS

HIMARS is a transformational 24 hour, ground-based, responsive General Support / General Support-Reinforcing precision indirect fire support system which accurately engage targets at long ranges (60+ Km) with high volumes of lethal fire under all weather conditions throughout all phases of combat operations ashore. HIMARS is C-130 and amphibious transportable and with precision fires, supports both irregular and traditional warfare. One HIMARS system is defined as one launcher, two re-supply vehicles / trailers and munitions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	96	6	48	0	0	0	36	4	6	2	0	0
AAO (FY17)	96		48	0	0	0	36	4	6	2	0	0
O/H	83	0	37	0	0	0	36	4	0	6	0	0
Shortfall/Excess	-13	-6	-11	0	0	0	0	0	-6	4	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015045218	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	Yes	No	No	0	0	0
2320015640834	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: All items should be wash IAW MCRP 4-11.3G, Unit Embarkation Handbook, Chapter 9 and Armed Forces Pest Management Board Technical Guide No. 31

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	20

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D1064 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1064: TRK, FIRE FIGHTING, AIRCRAFT AND STRUCTURE

The Truck, Fire, Crash, A/S 32-P-19A, is primarily designed for aircraft crash and rescue operations.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	135	0
AAO (FY17)	135	
O/H	111	6
Shortfall/Excess	-24	6

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
32	32	18	0	24	0	0	5	16	8
32	32	18	0	24	0	0	5	16	8
18	16	12	0	10	0	0	33	15	1
-14	-16	-6	0	-14	0	0	28	-1	-7

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210011379943	6	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	6	0

Notes: Return all trailers to LOGCOM for further evaluation. All Basic Issue Items (BII) are to remain with truck.No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	219	0	16.8

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D1072 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1072: TRUCK,DUMP

This version of the M817 differs from the other in that it is equipped with a 20,000 pound capacity winch located behind the front bumper. The winch feature affects truck length, weight, shipping dimensions and angle of approach.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	6	0
Shortfall/Excess	6	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	6	0	0
0	0	0	0	0	0	0	6	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320000508970	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
2320010478756	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	12.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

D1125 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1125: TRK, UTIL, TOW CARR, W/SA, 2 1/4T, HMMWV (DELETED RFF 1081)

The M1045 is the Tube Launched, Optically-Tracked, Wire-Guided missile carrier (with supplemental armor) model of the M998 series of tactical truck is designed to provide added ballistic protection to the crew, equipment and ammunition.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	195	0
AAO (FY17)	186	
O/H	576	0
Shortfall/Excess	381	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
37	40	18	0	27	13	0	18	38	4
34	31	18	0	24	13	0	18	38	10
31	20	0	0	96	9	0	313	99	8
-6	-20	-18	0	69	-4	0	295	61	4

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320013808229	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	yes	No	Yes	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	111	0	3.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

D1158 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1158: TRUCK,UTILITY

The M1123 troop/cargo variant (HMMWVA2) will replace the M998, and M1038 variant HMMWVs. The M1123 provides light troop and cargo transportation.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,301	27
AAO (FY17)	2,943	
O/H	7,600	0
Shortfall/Excess	5,299	-27

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
433	414	349	44	450	134	27	97	286	67
540	531	427	44	531	119	27	97	560	67
1,209	964	932	21	574	190	0	2,790	536	384
776	550	583	-23	124	56	-27	2,693	250	317

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320014559593	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: To be used as FMS sales. Can be sold in theater or returned to stores. All BII should remain with truck. No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	107	0	2.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D1161 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1161: TRUCK, UTILITY: INTERNALLY TRANSPORTABLE VEHICLE, LIGHT STRIKE VARIANT (ITV-

The ITV will provide Marine Air-Ground Task Force (MAGTF) ground combat units with a vehicle that is internally transportable in MV-22 and CH-53 aircraft. The vehicle will be a high mobility weapons platform to support a variety of operations. The secondary purpose is to provide reconnaissance units with equal or greater mobility than the MAGTF maneuver elements they support, thereby enhancing their mission performance and survivability.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	283	0	60	60	46	66	30	9	0	0	0	12
AAO (FY17)	283		60	60	46	66	30	9	0	0	0	12
O/H	202	0	81	52	25	39	0	4	0	1	0	0
Shortfall/Excess	-81	0	21	-8	-21	-27	-30	-5	0	1	0	-12

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015312701	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	i/p	No	0	0	0

Notes: No special Agriculture wash down instruction apply. Apply standard local SOP.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	67	0	2.4

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

D1212 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1212: TRK, WRECKER, 5T, 6X6

The M816 is the wrecker variant of the M809 series of 5 ton trucks. The wrecker is utilized to return disabled trucks for repair and to free mired trucks. It is equipped with a hydraulically powered, engine driven crane, drive shaft driven front winch and rear winch. The front winch is used mainly to free the wrecker when it becomes mired or to assist the rear winch by acting as an anchor point. The rear crane is used for lifting loads up to 20,000 pounds. The crane is utilized in operations such as removing and replacing engines, power packs and gun tubes. For safety reasons, the front winch is restricted to a maximum load of 9,500 pounds.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	10	0
Shortfall/Excess	10	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	1	0	9	0	0
0	0	0	0	0	1	0	9	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320012064078	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	284	0	18.3

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

D1214 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN D1214: TRK, WRECK, LVSR

The Logistics Vehicle System Replacement (LVSR) is a 10-wheel tactical vehicle offers greater mobility and off-road payload capability that the existing Logistics Vehicle System (LVS). It can carry 22.5 tons on the highway, transport 16.5 tons off road, travel up to 65 miles per hour on paved surfaces, and has a cruising range of 300 miles. It can ford 5 feet of water.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	141	0
AAO (FY17)	160	
O/H	145	20
Shortfall/Excess	4	20

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
33	31	13	4	22	15	0	6	9	8
34	33	14	4	28	15	0	6	18	8
37	32	14	1	0	15	0	8	18	0
4	1	1	-3	-22	0	0	2	9	-8

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015430651	9	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	No	No	0	7	2
2320015939122	11	25%	75%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	8	3

Notes: FSR Required for assessment of equipment at MCLC FWD

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	306	0	33.9

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0001 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0001: THERMAL LASER SPOT IMAGER TLSI

AN/PAS 25 Thermal Laser Spot Imager.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	258	5	40	40	41	64	53	15	5	0	0	0
AAO (FY17)	267		37	37	38	64	71	15	5	0	0	0
O/H	549	22	90	68	33	77	60	18	0	181	0	0
Shortfall/Excess	291	17	50	28	-8	13	7	3	-5	181	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015629999	22	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	22	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0007 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0007: IED COUNTERMEASURES

Equipment used to counter improvised explosive devices.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	69	0
Shortfall/Excess	69	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	69	0	0
0	0	0	0	0	0	0	69	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015315577	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

E0010 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0010: ADAPTER, TEST F/TOW VEH POWER

An adapter which provides facilities for electrically connecting an item to be tested and a piece of test equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	25	0
Shortfall/Excess	25	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	25	0	0
0	0	0	0	0	0	0	25	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625011123068	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: T/E already established by CD

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

E0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0013:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	261	54
AAO (FY17)	261	
O/H	2,034	0
Shortfall/Excess	1,773	-54

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
68	64	75	0	0	0	54	0	0	0
68	64	75	0	0	0	54	0	0	0
294	258	117	281	125	224	0	715	0	0
226	194	42	281	125	224	-54	715	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015869839	0	0%	50%	0%	50%	0%	0%	NO	NO	No	No	yes	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0017 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0017: RIFLE COMBAT OPTIC-M4

RCO is fixed 4x optical aiming sight designed for use with the service rifle configured with the MIL-STD-1913 Rail Adapter System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	78,375	114
AAO (FY17)	76,069	
O/H	80,991	3249
Shortfall/Excess	2,616	3,135

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
21,485	21,028	10,085	2,750	14,319	7,897	114	679	14	4
20,101	18,645	10,566	2,975	15,224	7,765	114	679	0	0
21,129	20,357	8,642	2,933	15,371	6,988	0	2,322	0	0
-356	-671	-1,443	183	1,052	-909	-114	1,643	-14	-4

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015341114	3249	33%	34%	0%	33%	0%	0%	NO	NO	No	No	Yes	Yes	No	No	1072	0	1072

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0018: SCOUT SNIPER URBAN NIGHT SIGHT

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	224	0
AAO (FY17)	224	
O/H	712	173
Shortfall/Excess	488	173

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
20	20	20	4	0	40	0	0	0	120
20	20	20	4	0	40	0	0	0	120
20	19	19	11	0	40	0	430	0	0
0	-1	-1	7	0	0	0	430	0	-120

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010015912226	173	33%	33%	0%	34%	0%	0%	NO	NO	No	No	No	No	No	Yes	59	57	57

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0019 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0019: TEST SET,GUN TUBE

Commonly referred to as the BG-10. Used to measure the wear of M242 25mm chain gun barrels by measuring the internal diameter of various spaces in the barrel.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	17	0
AAO (FY17)	18	
O/H	13	0
Shortfall/Excess	-4	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	2	2	0	2	4	0	0	2	1
4	2	2	0	2	4	0	0	4	0
0	1	0	0	0	2	0	10	0	0
-4	-1	-2	0	-2	-2	0	10	-2	-1

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4933014418678	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Mission Capable equipment should be sent to the MEF for re-distribution.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0020 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0020: SCOUT-SNIPER MID-RANGE NIGHT SIGHT

The SSMRNS provides a new medium-range night sight capability that will integrate with the M40A3, M82A3/M107, and a semi-automatic sniper rifle. The SSMRNS is a lightweight, weapon mounted, battery operated, imaging device for engagement of targets at night and low light conditions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,800	54	457	768	291	324	558	348	54	0	0	0
AAO (FY17)	2,540		397	658	278	324	481	348	54	0	0	0
O/H	3,601	36	566	1,046	209	386	506	397	0	455	0	0
Shortfall/Excess	801	-18	109	278	-82	62	-52	49	-54	455	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015479489	36	10%	90%	0%	0%	0%	0%	NO	NO	No	No	No	Yes	No	No	0	0	36
5855015481555	0	10%	0%	0%	90%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0025 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0025: LAUNCHER,GRENADE

The M32 is a hand-held, semi-automatic, 40MM multi-shot grenade launcher. It is a revolving action, cylinder-fed weapon with a six round capacity.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,894	0	446	439	256	106	474	173	0	0	0	0
AAO (FY17)	1,720		395	342	271	106	433	173	0	0	0	0
O/H	2,587	85	526	484	192	128	315	194	0	663	0	0
Shortfall/Excess	693	85	80	45	-64	22	-159	21	0	663	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010015350989	39	0%	0%	0%	75%	100%	0%	NO	NO	No	No	No	No	No	Yes	68	0	0
1010015840703	46	0%	100%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	No	34	46	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0028 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0028: SEMI AUTO SNIPER RIFLE MK11 MOD 1

The sniper rifle is a rifle used to ensure accurate placement of bullets at longer ranges than small arms. A typical sniper rifle is built for optimal levels of accuracy, fitted with a telescopic sight and chambered for a military center fire cartridge.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	173	0
Shortfall/Excess	173	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	1	0	0	23	0	148	0	0
1	0	1	0	0	23	0	148	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005015389643	0	0%	0%	0%	0%	100%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	0	0

Notes: UUNs - replaced by E0103 - DRMO all items regardless of condition. Serviceable items will go to fill shortfalls in FIS and FMS/disposal - dispose of by attrition.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

E0036 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0036: MARINE ARTILLERY SURVEY SET (MASS)

The MASS is the streamlined replacement for the Field Artillery Regiment Surveying Set and the Field Artillery Battalion Surveying Set. It consists of legacy equipment and components from those sets, a vehicle, and the Defense Advanced Global Positioning System (GPS) Receiver (DAGR). MASS consist of theodolites which are used to measure angular deviation and vertical interval, range measuring devices and the necessary ancillary equipment required to support the mission.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	36	0
AAO (FY17)	34	
O/H	37	0
Shortfall/Excess	1	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	10	8	0	8	0	0	0	0	0
10	8	8	0	8	0	0	0	0	0
11	10	8	0	8	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675015637465	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Using Unit owned assets return to home station. Item is at the tail end of it's life cycle. No direct water contact on electrical components

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	776	6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

E0042 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0042: RANGE FINDER, LASER, AN/PEQ-17 (RPLCS E10457B)

The Portable Lightweight Designator Rangefinder (PLDR) is an Electro-Optic unit, allowing observation, identification and designation of target. The PLDR is a robust compact, low-cost, very lightweight laser designation system, which can be easily carried and operated by an individual Marine.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	299	10	48	42	31	100	53	15	10	0	0	0
AAO (FY17)	308		45	39	28	100	71	15	10	0	0	0
O/H	526	10	49	58	39	99	59	16	0	196	0	0
Shortfall/Excess	227	0	1	16	8	-1	6	1	-10	196	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015666510	10	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	10	0
1240015921355	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0
5860090004433	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0043 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0043: TRUCK, MAINTENANCE (C7007 REPLACED)

E0043 is the Ordnance Support Vehicle.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	22	1
AAO (FY17)	22	
O/H	21	0
Shortfall/Excess	-1	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12	0	0	0	9	0	1	0	0	0
12	0	0	0	9	0	1	0	0	0
12	0	0	0	9	0	0	0	0	0
0	0	0	0	0	0	-1	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2320015535269	0	0%	0%	100%	0%	0%	0%	NO	NO	No	Yes	no	No	No	No	0	0	0

Notes: Do Not Spray or wet any Electronic Components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0044 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0044: EOD SEARCH KIT

Provides specialized tools and equipment to perform interior and exterior search operations involving IED, UXO and WMD.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	291	4
AAO (FY17)	277	
O/H	223	5
Shortfall/Excess	-68	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
84	84	60	12	12	35	4	0	0	0
76	80	60	12	12	33	4	0	0	0
51	71	47	12	1	36	0	0	0	0
-33	-13	-13	0	-11	1	-4	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5850015592664	5	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	Yes	No	No	No	0	5	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☑ **Sensitive** ☑ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0046 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0046: EOD DISASSEMBLY KIT

The EOD Disassembly Kit provides the EOD Team with a variety of hand tools, bench equipment, and limited safety equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	64	2
AAO (FY17)	60	
O/H	54	1
Shortfall/Excess	-10	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	14	8	6	3	17	2	0	0	0
12	13	8	6	3	16	2	0	0	0
11	12	9	3	0	18	0	0	0	0
-3	-2	1	-3	-3	1	-2	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385015595502	1	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0047: EOD GENERAL PURPOSE KIT

Equips EOD technicians with a modern set of tools to support EOD operations such as locating, identifying and rendering safe.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	113	2
AAO (FY17)	117	
O/H	96	5
Shortfall/Excess	-17	3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
22	23	16	12	3	19	2	0	8	8
20	22	16	12	3	18	2	0	16	8
18	20	13	8	0	20	0	0	9	3
-4	-3	-3	-4	-3	1	-2	0	1	-5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015592933	5	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	2	2

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0049 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0049: EOD IED KIT

The EOD Improvised Explosive Device (IED) Kit provides the EOD Team's Command and Response Elements with the necessary tools and equipment to support operation involving IEDs and Weapons of Mass Destruction (WMD).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	323	4	84	84	60	12	12	35	4	0	16	16
AAO (FY17)	325		76	80	60	12	12	33	4	0	32	16
O/H	239	4	53	75	37	5	0	31	0	0	34	0
Shortfall/Excess	-84	0	-31	-9	-23	-7	-12	-4	-4	0	18	-16

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015594338	4	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	2	2

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	180	0.2

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0051 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0051: SPECIAL PURPOSE RIFLE, MK12 5.56

This weapon system is a heavily modified light sniper/designated marksman variation of the AR-15/M16 line of infantry weapons, and is chambered for NATO standard 5.56 x 45 mm caliber ammunition.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	130	0	30	30	20	0	30	20	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	522	18	11	0	9	0	57	1	0	426	0	0
Shortfall/Excess	392	18	-19	-30	-11	0	27	-19	0	426	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005070001255	18	0%	0%	0%	0%	100%	100%	NO	NO	EDA	Yes	No	No	No	Yes	0	36	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

E0053 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0053: GREEN BEAM DAZZLER

The Green Beam Dazzler is a non-lethal visual disruption device that is used to distract threats.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	300	0
AAO (FY17)	300	
O/H	1,212	183
Shortfall/Excess	912	183

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	15	15	240	0	15	0	0	0	0
15	15	15	240	0	15	0	0	0	0
44	183	14	201	0	22	0	565	0	0
29	168	-1	-39	0	7	0	565	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5860015447175	183	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	183	0

Notes: No wash down required

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0054 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0054: RANGE FINDER,LASER

Component of E1048 CLRF

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	7	3
AAO (FY17)	7	
O/H	425	3
Shortfall/Excess	418	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	2	2	0	0	0	3	0	0	0
0	2	2	0	0	0	3	0	0	0
36	8	28	0	102	0	0	248	0	0
36	6	26	0	102	0	-3	248	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015723753	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	3	0

Notes: Do not wash. Clean with damp cloth. TAMCN should be associated with E1048.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0055 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0055: TOW IMPROVED SABER

The M41A4 Saber Weapon System consists of subassemblies described on the following pages and is used by Anti-Armor Assault personnel to engage and/or mark targets per mission requirements. The system can be operated from a ground mount position on the tripod or from the HMMWV configuration.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	659	0
AAO (FY17)	626	
O/H	735	12
Shortfall/Excess	76	12

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
108	116	48	0	100	79	0	100	100	8
101	93	51	0	92	79	0	100	100	10
133	116	26	0	116	82	0	151	99	0
25	0	-22	0	16	3	0	51	-1	-8

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015598728	12	0%	0%	25%	75%	0%	0%	NO	NO	No	Yes	no	No	Yes	No	0	9	0

Notes: Everybody in CONUS is using WRMR assets so needs to go back to MCLC. The PADS (NSN 1240-01-557-1923) which is a subcomponent of the Saber can receive a crypto fill. Crypto should be dumped before shipping of system.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0056 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0056: MK41 ADVANCED RADIOGRAPHIC SYSTEM (EOD)

Provides EOD technicians a portable, fully-digital, X-ray systems with ground level imaging.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	158	4
AAO (FY17)	311	
O/H	111	5
Shortfall/Excess	-47	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
43	43	31	12	6	19	4	0	0	0
76	80	60	48	12	31	4	0	0	0
27	19	26	12	1	21	0	0	0	0
-16	-24	-5	0	-5	2	-4	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6635015459905	5	0%	0%	0%	50%	50%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	5	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0057 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0057: MK32 MOD 4 EOD X-RAY

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	4	0
Shortfall/Excess	4	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	2	0	0	2	0
0	0	0	0	0	2	0	0	2	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6635015037883	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

E0058 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0058: ILLUMINATOR,INTEGRA

The Mini Integrated Pointer Illuminator Module (MIPIM) is a multifunction laser device that emits visible or infrared (IR) light for precise weapon aiming and target / area illumination. It is also equipped with an integrated high intensity, variable focus, White Light Illuminator.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	55,047	550
AAO (FY17)	51,916	
O/H	54,132	1835
Shortfall/Excess	-915	1,285

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
12,509	12,784	6,587	2,750	11,236	8,006	550	625	0	0
11,801	10,122	6,954	2,975	10,896	7,993	550	625	0	0
12,490	12,395	4,142	2,967	11,169	5,814	0	3,320	0	0
-19	-389	-2,445	217	-67	######	-550	2,695	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015502780	1835	25%	75%	0%	0%	0%	0%	NO	NO	No	No	Yes	Yes	No	No	0	1376	459
5865015494506	0	0%	50%	0%	0%	50%	0%	NO	NO	No	No	No	Yes	No	No	0	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0060 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0060: SABER ELECTRICAL CIRCUIT TEST SET (ECIRTS)

The ECIRTS (Type IV) is the primary component of the Saber ECIRTS Tool Kit (ETK). The equipment is intended to be used in both the Pre-fire Inspection and semiannual maintenance inspections of the Saber and TOW systems. The functional use of the Saber ECIRTS is to test the Traversing Unit (TU) and Saber system for Missile type verification, Wire Cut signal and electronic Umbilical continuity of connection.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	79	5	15	16	9	0	14	16	5	0	2	2
AAO (FY17)	62		11	10	6	0	10	16	5	0	2	2
O/H	58	3	14	14	3	0	8	14	0	0	2	0
Shortfall/Excess	-21	-2	-1	-2	-6	0	-6	-2	-5	0	0	-2

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4935015688417	0	0%	0%	50%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
6625015756647	3	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	3	0	0

Notes: Repairs are done at Army Facility in Huntsville, Alabama. T/E already established by CD&I.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0062 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0062: SIGHT, THERMAL

The IWNS-T is a clip-on, battery-operated style sight to be used in conjunction with the AN/PVQ-31A/B Rifle Combat Optic (RCO), to observe/orient, detect and recognize targets, conduct surveillance and engage targets during all lighting conditions and battlefield obscurants such as smoke, fog, and sandstorms without additional bore sighting or battle sight zero operations, other than that required by the primary optic.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	707	0	0	0	0	0	0	307	0	400	0	0
AAO (FY17)	707		0	0	0	0	0	307	0	400	0	0
O/H	2,169	264	39	47	169	0	0	321	0	1,329	0	0
Shortfall/Excess	1,462	264	39	47	169	0	0	14	0	929	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015597064	264	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	Yes	Yes	Yes	0	264	0

Notes: This is a deployment asset - should be brought in and out of theater with the unit. Send all to LOGCOM - will be replaced but still have value to the field through FMS.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0063 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0063: MINI THERMAL IMAGER (MTI)

The Mini Thermal Imager is a dual field of view, lightweight hand held/helmet mountable, pocket sized thermal imaging system.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	339	0	0	0	0	0	0	52	0	287	0	0
AAO (FY17)	339		0	0	0	0	0	52	0	287	0	0
O/H	934	56	7	36	6	0	0	40	0	789	0	0
Shortfall/Excess	595	56	7	36	6	0	0	-12	0	502	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015531162	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	Yes	No	Yes	0	0	0
5855015544673	56	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	Yes	0	56	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0064 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0064: ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (PACBOT)

The Robot, Explosive Ordnance Disposal is used for safe movement and disposal of live munitions. Used to perform EOD/IED mission.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	103	8
AAO (FY17)	99	
O/H	121	0
Shortfall/Excess	18	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
21	21	15	15	3	20	8	0	0	0
19	20	15	15	3	19	8	0	0	0
25	24	16	14	1	41	0	0	0	0
4	3	1	-1	-2	21	-8	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385015349828	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	Yes	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1484	4.8

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0066 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0066: ROBOT, EXPLOSIVE ORDNANCE DISPOSAL (TALON)

The Robot, Explosive Ordnance Disposal is used for safe movement and disposal of live munitions. Used to perform EOD/IED mission.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	180	8	42	42	30	15	6	37	8	0	0	0
AAO (FY17)	188		38	40	30	48	6	18	8	0	0	0
O/H	238	75	37	34	33	15	1	43	0	0	0	0
Shortfall/Excess	58	67	-5	-8	3	0	-5	6	-8	0	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385015349826	75	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	75	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	25	0.1

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0067 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0067: ELECTRO OPTICAL MAINTENANCE SHELTER COMPLEX

The EOMSC is a transportable facility that provides a sheltered environment for operator/crew and field-level maintenance of optical, electro-optical, fire-control and laser range-finder equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	13	0
AAO (FY17)	21	
O/H	19	1
Shortfall/Excess	6	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	3	3	0	2	0	0	0	2	1
6	6	2	0	4	0	0	0	2	1
3	3	4	0	3	0	0	2	3	0
1	0	1	0	1	0	0	2	1	-1

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5410015511127	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	0

☑ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0069 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0069: DIRECT SUPPORT ELECTRICAL SYSTEM TEST SET (DSESTS) SUPPORT (DSS)SHELTER

An expandable 20'x8'x8' ISO certified shelter and trailer combination used to house the DSESTS for the M1A1 Tank. It provides a mobile maintenance capability for the Tank Bn and MLG, capable of effecting repairs on all LRUs in all types of weather and terrain. The shelter and trailer can be transported by the MTVR or LVS/MK14 variant.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	21	0
AAO (FY17)	14	
O/H	21	2
Shortfall/Excess	0	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
7	6	1	0	2	0	0	0	4	1
4	4	1	0	1	0	0	0	4	0
5	4	1	0	2	0	0	1	6	0
-2	-2	0	0	0	0	0	1	2	-1

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625015528270	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	2	0

Notes: Item will be repaired through CLS. No equipment conditions; however, care should be taken when utilizing high pressure wash around generator/ECU area. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	8.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0070: DIRECT SUPPORT ELECTRICAL SYSTEM TEST SET (DSESTS) SUPPORT (DSS) TRAILER

An expandable 20'x8'x8' ISO certified shelter and trailer combination used to house the DSESTS for the M1A1 Tank. It provides a mobile maintenance capability for the Tank Bn and MLG, capable of effecting repairs on all LRUs in all types of weather and terrain. The shelter and trailer can be transported by the MTVR or LVS/MK14 variant.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	42	0
AAO (FY17)	49	
O/H	109	5
Shortfall/Excess	67	5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
11	10	5	0	6	1	0	0	8	1
12	12	6	0	9	1	0	0	8	1
19	24	27	0	8	0	0	6	19	1
8	14	22	0	2	-1	0	6	11	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2330015528661	5	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	5	0

Notes: MCLC Stores pending redistribution. Associated with E0069. Ship with the System.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	223	0	4.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0076 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0076: MULTI-PURPOSE TANK BLADE

Thu multipurpose tank blade is a bulldozer blade that can be attached to an M1A1 and can be operated by the tank's driver. The blade provides for obstacle/rubble moving/removing and earthmoving activities such as digging defensive positions for the host vehicle.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	89	0	12	12	0	0	18	4	0	9	32	2
AAO (FY17)	89		12	12	0	0	18	4	0	9	32	2
O/H	79	3	8	9	0	0	6	4	0	3	46	0
Shortfall/Excess	-10	3	-4	-3	0	0	-12	0	0	-6	14	-2

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590995933083	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	3	0

Notes: No equipment condition; however care should be taken around any and all electrical connections. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0082 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0082: SQUAD DAY OPTIC (SDO)

The SDO is a magnified day optic that mounts to the M249 SAW and aids the automatic rifleman in target detection, recognition, and identification; thereby, increasing combat effectiveness and lethality of the fire team.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	339	336
AAO (FY17)	340	
O/H	15,342	415
Shortfall/Excess	15,003	79

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	3	0	0	0	336	0	0	0
0	0	4	0	0	0	336	0	0	0
2,899	2,889	1,176	320	2,175	2,179	0	3,289	0	0
2,899	2,889	1,173	320	2,175	2,179	-336	3,289	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015751724	415	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	No	415	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0084 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0084: TAC BINOS / BINOCULAR 8X42

The tactical binocular allows individuals with different interpupillary distances to view the reticule horizontally, or to estimate range on targets that aren't perfectly level. Rugged and waterproof with a durable armor coating.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,918	0
AAO (FY17)	2,883	
O/H	4,243	133
Shortfall/Excess	1,325	133

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	2,918	0	0	0	0
0	0	0	0	0	2,883	0	0	0	0
36	30	112	0	0	2,263	0	1,669	0	0
36	30	112	0	0	-655	0	1,669	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015593648	133	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	SAC-1	Yes	133	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0085 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0085: M1021 DIAL BORE GAGE (M1021)

The Digital Bore Gauge (DBG) is used with the 60mm and 81mm mortar cannons.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	65	0
AAO (FY17)	79	
O/H	120	2
Shortfall/Excess	55	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
16	13	11	6	8	6	0	0	4	1
20	19	11	6	12	6	0	0	4	1
18	21	12	5	7	11	0	35	9	0
2	8	1	-1	-1	5	0	35	5	-1

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015629944	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	0

Notes: Mission Capable equipment should be sent to the MEF for re-distribution.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0086 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0086: EOD MARINE AIR SYSTEM (MAS) REMOTE FIRING DEVICE (RFD)

The MAS RFD is designed to command detonate explosives by UHF digital radio signals.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	325	4
AAO (FY17)	311	
O/H	300	5
Shortfall/Excess	-25	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
84	84	60	48	12	33	4	0	0	0
76	80	60	48	12	31	4	0	0	0
72	74	62	53	1	33	0	0	0	0
-12	-10	2	5	-11	0	-4	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1375982065633	5	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	5	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0088 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0088: M240 DAY OPTIC (MDO)

The MDO is a magnified day optic that mounts to the M240 Medium Machine Gun and aids the machine gunner in target detection, recognition, identification, and engagement, thereby increasing the combat effectiveness and lethality of the machine gun team.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	7,972	0
AAO (FY17)	7,596	
O/H	10,654	391
Shortfall/Excess	2,682	391

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,801	1,748	855	280	1,472	1,269	0	0	114	433
AAO (FY17)	1,654	1,533	880	280	1,447	1,255	0	0	114	433
O/H	2,156	1,738	796	323	1,336	1,274	0	2,517	123	0
Shortfall/Excess	355	-10	-59	43	-136	5	0	2,517	9	-433

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015780211	391	33%	0%	0%	33%	34%	0%	NO	NO	No	No	no	yes	I/P	No	262	129	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0090 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0090: AN/PLT-5 CITADEL 2 (EOD)

The CITADEL II was procured as a special purpose Explosive Ordnance Disposal (EOD) tool

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	192	4
AAO (FY17)	185	
O/H	181	0
Shortfall/Excess	-11	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	42	30	48	6	20	4	0	0	0
38	40	30	48	6	19	4	0	0	0
40	40	30	46	1	24	0	0	0	0
-2	-2	0	-2	-5	4	-4	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015623004	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0091 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0091: AN/PLT-4 CITADEL 1 (EOD)

AN/PLT-6448(V)1

Citadel II

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	27	0
Shortfall/Excess	27	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
10	2	5	0	0	10	0	0	0	0
10	2	5	0	0	10	0	0	0	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5895014686173	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	no	No	No	No	0	0	0

Notes: Needs to be refreshed regardless of maintenance condition at MCD NAVEODTECHDIV.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

E0092 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0092:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	193	4
AAO (FY17)	186	
O/H	171	51
Shortfall/Excess	-22	47

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	44	30	48	6	19	4	0	0	0
38	42	30	48	6	18	4	0	0	0
19	20	20	45	1	15	0	0	0	0
-23	-24	-10	-3	-5	-4	-4	0	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5865015884011	51	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	51	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0104 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0104: DRY POWDER SERVICING UNIT (DPSU)

The DPSU is a self contained dry powder servicing unit with ports for nitrogen and shop pressure air. Theunit has onboard gages and flow switches which support the recharging evolution. The DPSU provides a stable hold-down platform during bottle recharge



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	12	0
AAO (FY17)	16	
O/H	12	0
Shortfall/Excess	0	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	2	0	0	1	2	0	0	4	1
3	3	2	0	2	2	0	0	4	0
3	2	0	0	0	1	0	1	5	0
1	0	0	0	-1	-1	0	1	1	-1

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4210014889655	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Item should be utilized for OPFOR T/E deficincies. No equipment condition. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0106 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0106: SABER SMK

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	72	0
AAO (FY17)	70	
O/H	48	0
Shortfall/Excess	-24	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	16	6	0	13	18	0	0	2	2
14	13	9	0	12	18	0	0	2	2
11	15	5	0	4	11	0	0	2	0
-4	-1	-1	0	-9	-7	0	0	0	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4935015795013	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.1

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0108 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0108: GLARE MOUNT 532-P (MINI GRN DAZZLER) LASER

Mini-Green iis a Class 3B laser that emits a green beam which is visible when focused on surfaces and extremely bright when directly viewed and used for hail and warning.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	1,244	77
Shortfall/Excess	1,244	77

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	165	0	98	0	90	0	814	0	0
0	165	0	98	0	90	0	814	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1265015838057	47	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	47	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0117 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0117:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	63	3
AAO (FY17)	63	
O/H	114	27
Shortfall/Excess	51	24

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
15	15	13	13	0	4	3	0	0	0
15	15	13	13	0	4	3	0	0	0
13	14	13	2	0	4	0	41	0	0
-2	-1	0	-11	0	0	-3	41	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1260015961264	27	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	Yes	0	27	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0139 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0139: BORESCOPE, 58MM 8 IN.

The M3 Bore scope is a light weight, inspection device, designed to check various types of cannon bores for defects and damages. It is a straight tube telescope with a mirror that is set at an angle to offer a view of the bore being inspected.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	113	0	22	21	15	4	15	30	0	0	4	2
AAO (FY17)	127		26	23	17	4	19	30	0	0	6	2
O/H	268	2	27	15	19	4	22	36	0	126	16	1
Shortfall/Excess	155	2	5	-6	4	0	7	6	0	126	12	-1

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650010630035	2	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	2
6650015629886	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: NSN ending in 0035 is obsolete but still used by MEFs - use to fill shortfalls.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0149 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0149: BRIDGE, SCISSOR F/AVLB

The Armored Vehicle Launched Bridge consists of a turret less M60A1 Tank Chassis equipped with a bridge and bridge launching mechanism, in lieu of a gun turret.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2	0	0	0	0	0	0	0	0	0	2	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	29	2	5	3	0	0	0	2	0	10	7	0
Shortfall/Excess	27	2	5	3	0	0	0	2	0	10	5	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420005229599	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	2	0

Notes: Item should be utilized for OPFOR T/E deficincies. No equipment condition. SL-3 should remain with PEI.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2557	14.7

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0150 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0150: ARMORED VEHICLE, LAUNCHER, BRIDGE

The Armored Vehicle Launched Bridge consists of a turret less M60A1 Tank Chassis equipped with a bridge and bridge launching mechanism, in lieu of a gun turret.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	28	4	5	5	0	0	0	4	4	4	4	2
AAO (FY17)	28		5	5	0	0	0	4	4	4	4	2
O/H	27	2	6	4	0	0	0	5	0	6	4	0
Shortfall/Excess	-1	-2	1	-1	0	0	0	1	-4	2	0	-2

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5420008892020	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	2	0

Notes: Item should be disacssociated from E0149. Armor deck (over powerpack) Removed. No high pressure wash in crew compartment and/or Exterior hydraulic cylinders. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	468	0	49

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0165 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0165: CHARGER,BATTERY

A device consisting of one or more components utilizing an alternating or direct current source to reactivate batteries in which reversible chemical reactions occur.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	0
AAO (FY17)	15	
O/H	145	0
Shortfall/Excess	130	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	2	1	0	2	2	0	2	2	0
4	2	1	0	2	2	0	2	2	0
0	1	0	0	3	1	0	140	0	0
-4	-1	-1	0	1	-1	0	138	-2	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6130010189786	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0180 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0180: CIRCLE, AIMING

The Aiming Circle, M2A2, with its accessory equipment, has the general characteristics of a surveyor's transit. It is used for precise measurement of azimuth and elevation angles of a ground or aerial target.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	706	0	133	124	93	20	100	65	0	83	69	19
AAO (FY17)	673		121	102	88	20	96	65	0	83	78	20
O/H	1,166	10	177	133	87	6	95	81	0	483	76	18
Shortfall/Excess	460	10	44	9	-6	-14	-5	16	0	400	7	-1

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6675010670687	10	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	10	0

Notes: It will be repaired and recalibrated at Barstow if necessary.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0190 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0190: CARBINE, CQBW, 5.56MM

A fully-automatic variant of the basic M4 carbine intended for special operations use. Is used by special operation units. Is especially favored by counter-terrorist and special operations units for close quarters combat because of the carbine's compactness and firepower.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4,548	24
AAO (FY17)	6,196	
O/H	4,645	23
Shortfall/Excess	97	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
477	803	346	1,511	870	270	24	247	0	0
941	1,175	667	1,736	1,136	270	24	247	0	0
583	799	307	1,624	789	279	0	241	0	0
106	-4	-39	113	-81	9	-24	-6	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005013820953	23	0%	100%	0%	75%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	40	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0195 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0195: CARBINE, MWS, 5.56MM

The M16A2 5.56mm rifle is a lightweight, air-cooled, gas-operated, magazine-fed, shoulder- or hip-fired weapon designed for either automatic fire (3-round bursts) or semiautomatic fire (single shot) through the use of a selector lever.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	72,797	90	20,688	20,049	9,600	1,239	13,468	7,574	90	71	14	4
AAO (FY17)	68,308		18,679	16,992	9,658	1,239	14,102	7,477	90	71	0	0
O/H	89,761	3305	25,855	19,706	9,181	1,159	13,993	8,397	0	8,139	26	0
Shortfall/Excess	16,964	3,215	5,167	-343	-419	-80	525	823	-90	8,068	12	-4

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005012310973	3305	0%	100%	0%	75%	0%	0%	NO	NO	No	No	yes	No	Yes	No	2479	3305	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0205 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0205: COLLIMATOR, INFINITY AIMING, REFERENCE

Tripod mounted primary aiming reference point for indirect laying operations for artillery/mortar. Illuminated with two C cell lithium battery pack -- 31 inches x 13 inches, weight 32 pounds.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	381	0	70	63	49	0	56	28	0	41	60	14
AAO (FY17)	364		63	56	42	0	56	28	0	41	60	18
O/H	649	0	66	88	54	0	56	43	0	241	83	18
Shortfall/Excess	268	0	-4	25	5	0	0	15	0	200	23	4

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240003321780	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
1240014655452	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Do not wash. Clean with damp cloth.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0207 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0207: JAVELIN

The M98A1 Command Launch Unit is the reusable portion of the Javelin system. It contains a day sight, night vision sight, controls, and indicators.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	358	16	80	88	48	0	72	34	16	20	0	0
AAO (FY17)	318		72	64	48	0	64	34	16	20	0	0
O/H	431	11	107	90	24	0	65	43	0	91	0	0
Shortfall/Excess	73	-5	27	2	-24	0	-7	9	-16	71	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1430015328900	11	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	11	0

Notes: Units in CONUS are currently using WRMR assets. Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0311 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0311: RIFLE,7.62 MILLIMET

The Designated Marksman Rifle (DMR) is a Marine Corps designed rifle. Each DMR is custom built at Precision Weapons Sections, Weapons Training Battalion at Quantico, Virginia. It is a modified, 7.62mm, precision grade M-14 rifle. It has an effective range of 770 meters. Its accuracy and lethality provides units operational flexibility.

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

Representative Picture

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	1,132	7	64	111	18	18	30	40	0	844	0	0
Shortfall/Excess	1,132	7	64	111	18	18	30	40	0	844	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014586235	7	0%	0%	0%	0%	100%	100%	NO	NO	EDA	Yes	No	No	No	No	7	0	7
1005015535196	0	0%	0%	0%	0%	100%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

E0330 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0330: EQUIPMENT SET, NIGHT VISION

The Equipment Set, Night Vision, mounts on top of the day sight and enables the operator to track targets in darkness, heavy fog, and smoke, and during electro-optical countermeasures.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	217	5
AAO (FY17)	224	
O/H	508	0
Shortfall/Excess	291	-5

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
36	20	4	0	24	15	5	107	6	0
33	21	7	0	28	15	5	107	8	0
60	41	4	0	39	9	0	347	8	0
24	21	0	0	15	-6	-5	240	2	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855013010158	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	10	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0359 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0359: FIRING DEVICE, DEMOLITION

The Remote Demolition Firing Device is a collection of equipment necessary for firing electric demolitions remotely.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	161	0
Shortfall/Excess	161	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
12	60	1	3	31	9	0	38	7	0
12	60	1	3	31	9	0	38	7	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1375014684400	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	Yes	No	No	No	0	0	0

Notes: All items need to return to MCLC - not obsolete - need them back b/c they are being used in squad demolition kits for engineers.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0671 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0671: HOWITZER, LTWT, TOWED, 155MM

The M198 Medium Towed Howitzer is a 155mm field artillery howitzer. It is constructed of aluminum and steel, and is air transportable by CH-53E helicopter, and C-130 or larger fixed-wing aircraft.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	373	18
AAO (FY17)	355	
O/H	455	2
Shortfall/Excess	82	-16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
60	54	48	0	48	52	18	19	60	14
54	48	42	0	48	52	18	19	60	14
65	53	42	0	48	42	0	131	60	12
5	-1	-6	0	0	-10	-18	112	0	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1025014450991	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0
1025994637551	2	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	2	0

Notes: Barstow is setup to do any type of reset - IRON and rebuild line is already setup.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	283	0	4.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0720 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0720: KIT, HOOK & LINE F/EOD

The Hook & Line Kit includes components for attaching lines, anchoring pulleys, and maneuvering objects.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	184	4
AAO (FY17)	196	
O/H	241	5
Shortfall/Excess	57	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
42	42	30	12	6	19	4	0	13	16
38	40	30	12	6	18	4	0	32	16
34	41	33	32	0	34	0	2	33	27
-8	-1	3	20	-6	15	-4	2	20	11

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385996952988	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
1385999911200	5	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	2

Notes: Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0759 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0759: KIT, DISASSEMBLY, FUZE, MECHANICAL, REMOTE (MK121 MOD0)

The MRFDK is used for conducting disassembly/inserting of fuses/ordnance items for either training or exploitation in combat environments. The MRFDK will provide operator safety during hazardous operations by allowing the operator to disassemble small munitions components and fuses from a remote distance of 6 to 10 ft.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	64	2
AAO (FY17)	60	
O/H	48	1
Shortfall/Excess	-16	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	14	8	6	3	17	2	0	0	0
12	13	8	6	3	16	2	0	0	0
10	9	8	2	0	17	0	0	0	1
-4	-5	0	-4	-3	0	-2	0	0	1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385012073619	1	50%	0%	0%	50%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Needs to be shipped to MCD NAVEODTECHDIV via MCLC.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	A or B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	6	0

☑ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0892 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0892: LAUNCHER, GRENADE, 40MM

The Launcher, Grenade, 40 mm, M203 is used while attached to a M16A2, 5.56mm rifle. It is lightweight, compact, breech loading, pump action, single shot launcher.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	11,375	453
AAO (FY17)	10,320	
O/H	14,917	171
Shortfall/Excess	3,542	-282

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2,495	2,762	1,415	245	2,378	1,415	453	212	0	0
2,235	2,219	1,411	245	2,130	1,415	453	212	0	0
3,250	2,923	1,129	285	1,941	1,922	0	3,063	0	0
755	161	-286	40	-437	507	-453	2,851	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010001796447	171	0%	100%	0%	75%	0%	0%	NO	NO	No	No	Yes	No	Yes	No	128	171	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E0915 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0915: LAUNCHER, ROCKET, ASSAULT, 83MM, MK153

The SMAW is an 83mm man-portable weapon system consisting of the MK153 Mod 0 launcher, the MK 3 Mod 0 encased HEDP rocket, the MK 6 Mod 0 encased HEAA rocket, and the MK217 Mod 0 spotting rifle cartridge.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,316	35	315	279	135	52	261	170	35	69	0	0
AAO (FY17)	1,181		261	216	135	52	243	170	35	69	0	0
O/H	1,373	17	326	264	69	49	219	130	0	299	0	0
Shortfall/Excess	57	-18	11	-15	-66	-3	-42	-40	-35	230	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1055011644608	17	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	17	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.Although this item is being replaced with a new version all launchers in theatre will need to be recovered as the new launcher is not in production yet.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0935 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0935: LAUNCHER, TUBULAR, F/GM TOW WPN SYSTEM

The Launcher, Tubular is designed to attack and defeat tanks and other armored vehicles. It is primarily used in antitank warfare, and is a command to line of sight, wire-guided weapon.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	208	2	36	20	4	0	24	9	2	105	8	0
AAO (FY17)	206		31	19	6	0	26	9	2	105	8	0
O/H	376	0	51	35	4	0	47	12	0	202	25	0
Shortfall/Excess	168	-2	15	15	0	0	23	3	-2	97	17	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1440014118942	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	79	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0942 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0942: LAV, ANTI-TANK

The LAV-AT is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	118	8
AAO (FY17)	106	
O/H	120	0
Shortfall/Excess	2	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
36	20	4	0	24	7	8	11	8	0
28	16	4	0	24	7	8	11	8	0
29	18	8	0	20	9	0	27	9	0
-7	-2	4	0	-4	2	-8	16	1	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015393618	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	173	0	13.8

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0946 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0946: LAV, COMMAND & CONTROL (BN)

The LAV-C2 is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	69	16
AAO (FY17)	66	
O/H	65	0
Shortfall/Excess	-4	-16

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
17	9	1	0	10	3	16	10	2	1
15	8	1	0	10	3	16	10	2	1
15	7	1	0	10	4	0	26	1	1
-2	-2	0	0	0	1	-16	16	-1	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355014947611	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2355015393589	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Will not be filling deficiencies in conus, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	172	0	14

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0947 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0947: LAV, LIGHT ASSAULT, 25MM

The LAV-25 is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	544	94
AAO (FY17)	502	
O/H	475	0
Shortfall/Excess	-69	-94

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
134	74	14	0	88	40	94	63	28	9
106	60	14	0	88	40	94	63	28	9
107	55	11	0	85	48	0	138	24	7
-27	-19	-3	0	-3	8	-94	75	-4	-2

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355014947606	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
2355015393639	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	176	0	13.9

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0948 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0948: LAV, LOGISTICS

The LAV-L is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E. When combat loaded there are 200 ready rounds and 800 stowed rounds of 7.62mm ammunition.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	136	25
AAO (FY17)	127	
O/H	121	0
Shortfall/Excess	-15	-25

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
35	19	3	0	22	6	25	17	6	3
29	16	3	0	22	6	25	17	6	3
28	15	2	0	13	7	0	49	5	2
-7	-4	-1	0	-9	1	-25	32	-1	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015393634	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	175	0	14.1

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0949 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0949: LAV, MORTAR

The LAV-M is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E. When combat loaded there are 5 ready and 94 stowed 81mm bombs as well as 200 ready rounds and 800 stowed rounds of 7.62mm.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	71	10	18	10	2	0	12	4	10	9	4	2
AAO (FY17)	65		14	8	2	0	12	4	10	9	4	2
O/H	64	0	15	7	2	0	12	4	0	19	3	2
Shortfall/Excess	-7	-10	-3	-3	0	0	0	0	-10	10	-1	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015393578	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Will not be filling deficiencies in conus, all should wind up going to MCLC to fill WRMR.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	173	0	13.5

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0950 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0950: LAV, MAINT/RECOVERY

The LAV-R is an all-terrain, all-weather vehicle with night capabilities. It is air transportable via C-130, C-141, C-5 and CH-53 E.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	48	4
AAO (FY17)	45	
O/H	44	0
Shortfall/Excess	-4	-4

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	7	1	0	8	5	4	7	2	1
11	6	1	0	8	5	4	7	2	1
10	6	1	0	7	8	0	9	2	1
-3	-1	0	0	-1	3	-4	2	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2355015393601	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Will not be filling deficiencies in CONUS, all should wind up going to MCLC to fill WRMR. This gear needs to be packed and prepped for shipment by using unit. Then goes to MCLC FWD for wash down.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	197	0	14.2

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0960 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0960: MACHINE GUN, LT, SQUAD, AUTOMATIC WEAPON

The Squad Automatic Weapon, or 5.56mm M249 is an individually portable, gas operated, magazine or disintegrating metallic link-belt fed, light machine gun with fixed headspace and quick change barrel feature.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	7,272	336
AAO (FY17)	6,397	
O/H	17,056	126
Shortfall/Excess	9,784	-210

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,363	1,484	792	288	1,192	1,378	336	439	0	0
1,122	1,137	679	288	1,039	1,357	336	439	0	0
2,061	1,781	784	311	1,446	2,016	0	8,531	0	0
698	297	-8	23	254	638	-336	8,092	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005011277510	126	0%	100%	0%	0%	0%	0%	NO	NO	UNK	Yes	Yes	No	Yes	No	0	126	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0961 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0961: MACHINE GUN M240E1

The 7.62mm machine gun is a lightweight, air-cooled, disintegrating metallic link-belt fed, portable or tripod mounted machine gun designed for ground operations. It is gas operated with fixed headspace and timing which permits rapid changing of barrels.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	172	0
Shortfall/Excess	172	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	1	0	163	7	0
1	0	0	0	0	1	0	163	7	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005012524288	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0980 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0980: MACHINE GUN, CAL .50, BROWNING, HB FLEXIBLE

The Browning M2 .50 Caliber Machine Gun, Heavy barrel is an automatic, recoil operated, air-cooled machine gun with adjustable headspace and is crew transportable with limited amounts of ammunition over short distances.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	4,012	4
AAO (FY17)	3,880	
O/H	6,435	291
Shortfall/Excess	2,423	287

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
791	783	444	168	650	327	4	591	83	171
768	727	428	168	644	310	4	591	83	157
795	779	428	188	541	430	0	2,890	93	0
4	-4	-16	20	-109	103	-4	2,299	10	-171

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005007265636	291	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	291	0

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0984 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0984: MACHINE GUN, CAL .50

The M48 Turret Type .50 Caliber Machine Gun is a belt fed recoil-operated, air-cooled, crew-served machine gun. This gun is capable of firing single-shot and is fully automatic.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	496	0	96	91	5	0	100	43	0	12	133	16
AAO (FY17)	474		85	85	1	0	100	43	0	12	133	15
O/H	661	28	97	89	9	0	77	40	0	190	131	0
Shortfall/Excess	165	28	1	-2	4	0	-23	-3	0	178	-2	-16

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005009573893	28	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	28	0

Notes: This TAMCN is associated with the Tank and should return with it.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0989 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0989: MACHINE GUN, M240B

The M240G Machine Gun is the ground version of the original M240/M240E1, 7.62mm medium class weapon designed as a coaxial/pintle mounted machine gun for tanks and light armored vehicles.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	8,776	0	1,795	1,742	847	280	1,470	1,254	0	879	76	433
AAO (FY17)	8,398		1,648	1,527	868	280	1,447	1,240	0	879	76	433
O/H	11,352	925	1,949	1,705	811	325	1,396	1,606	0	2,560	69	6
Shortfall/Excess	2,576	925	154	-37	-36	45	-74	352	0	1,681	-7	-427

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014123129	925	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	925	0

Notes: Items are being shipped back to the MEFs

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	8	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0994 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0994: MACHINE GUN, GRENADE (MK 19 40MM MOD 3 W/BKT)

The MK19 40mm machine gun, MOD 3 is an air-cooled, disintegrating metallic link-belt fed, blowback operated, fully automatic weapon and is crew transportable over short distances with limited amounts of ammunition. It can fire a variety of 40mm grenades.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3,133	0
AAO (FY17)	2,903	
O/H	5,589	74
Shortfall/Excess	2,456	74

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
678	710	444	104	570	277	0	221	83	46
624	592	435	104	549	264	0	221	83	31
779	732	424	123	457	381	0	2,536	83	0
101	22	-20	19	-113	104	0	2,315	0	-46

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010011269063	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0
1010014909697	74	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	74	0

Notes: Items are being shipped back to the MEFs. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0996 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0996: BLADE, MINE CLEARING

The Mine Clearing Blade, when mounted to the front of the M1 or M1A1 Abrams Tank, is used to clear tank track path of mines which lie in front of the tracks from depths of 8, 10, and 12 inches.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	74	0
AAO (FY17)	74	
O/H	79	3
Shortfall/Excess	5	3

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	12	12	0	0	18	6	0	8	16	2
AAO (FY17)	12	12	0	0	18	6	0	8	16	2
O/H	8	6	0	0	6	6	0	33	16	1
Shortfall/Excess	-4	-6	0	0	-12	0	0	25	0	-1

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2590012308862	3	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	3

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B, C, or D
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	289	3.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E0998 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E0998: MACHINE GUN, 7.62MM, LH (M240)

The Machine Gun, 7.62mm, M240 is a lightweight, air cooled, disintegrating metallic link belt fed, vehicle mounted gun designed as a coaxial weapon for tanks and 7.62mm firepower for lighter vehicles.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,148	0
AAO (FY17)	1,106	
O/H	2,391	36
Shortfall/Excess	1,243	36

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
250	190	14	0	260	99	0	42	260	33
222	176	14	0	260	99	0	42	260	33
299	192	12	0	242	97	0	1,248	260	5
49	2	-2	0	-18	-2	0	1,206	0	-28

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005010258095	36	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	36	0

Notes: Item is associated with the Tank and LAV, should return with it.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1029 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1029: MARKER, LASER, SPECIAL OPNS FORCES (SOFLAM)

AN/PEQ-1A, Laser Marker, (SOFLAM) is a man portable laser marker and rangefinder that, once aimed at a target, may be remotely fired to mark the target for laser guided ordnance.

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)		
AAO (FY17)		
O/H	0	0
Shortfall/Excess		

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5860014124533	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Do not wash. Clean with damp cloth.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1030 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1030: TARGET DESIGNATOR II, LASER, GROUND (GLTD II)

The GLTD II is a compact, lightweight, man portable, laser designator and rangefinder. Developed to enable combat soldiers to direct laser-guided munitions, such as Hellfire missiles and Laser Spot Tracking munitions. The GLTD II can be implemented as part of a sophisticated digitized fire control system with thermal or image-intensified sights.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	0	0	0	0	0	0	0	0	0	0	0	0
AAO (FY17)	0		0	0	0	0	0	0	0	0	0	0
O/H	35	0	6	3	0	16	2	2	0	6	0	0
Shortfall/Excess	35	0	6	3	0	16	2	2	0	6	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5860070000768	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Obsolete item.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

E1035 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1035: SYSTEM GROUP, METEOROLOGICAL (MSG), AN/TMQ49

The MSG consists of the Meteorological Measuring Set AN/TMQ-41, Surface Met Sensor AN/TPQ-50, and Electronic Met Theodolite. The MSG and its components are used to measure upper air conditions in order to determine met corrections for artillery.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	19	0	4	4	3	0	5	3	0	0	0	0
AAO (FY17)	19		4	4	3	0	5	3	0	0	0	0
O/H	20	0	4	3	3	0	3	3	0	4	0	0
Shortfall/Excess	1	0	0	-1	0	0	-2	0	0	4	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6660014289218	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Using unit owned assets return to home station. No direct water contact on electrical components.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0.3

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1047 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1047: BINOCULAR EYE SAFE

This eye safe Binocular is a device utilizing Erbium Glass Laser technology. The Optic Long Distance Laser Rangefinder Binocular unit is easy to use and withstands the harshest environmental conditions.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	12	0
Shortfall/Excess	12	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
6	4	2	0	0	0	0	0	0	0
6	4	2	0	0	0	0	0	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240090001994	0	0%	0%	0%	0%	0%	100%	NO	NO	No	Yes	No	No	No	Yes	0	0	0

Notes: Obsolete item

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1048 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1048: RANGE FINDER, LASER

The Common Laser Range Finder, formerly called the Laser Infrared Observation Set Replacement, is a set of small, lightweight, and eye-safe laser range finders and azimuth and inclination sensors that export targeting data.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	2,449	97	590	573	305	181	554	146	97	0	2	1
AAO (FY17)	2,277		539	454	298	181	557	146	97	0	4	1
O/H	2,207	26	516	486	143	152	475	152	0	256	1	0
Shortfall/Excess	-242	-71	-74	-87	-162	-29	-79	6	-97	256	-1	-1

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015615149	26	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	26	0	0
1240015723753	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	Yes	0	3	0
1240090003576	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	0	0	0
1240090003759	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1065 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1065: MORTAR,60 MILLIMETE

Mortar, 60 mm, Lightweight, Company, M224 is a smooth bore, muzzle-loading, high-angle-of-fire weapon. The cannon assembly is composed of a barrel, combination base cap, and firing mechanism.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	612	10
AAO (FY17)	569	
O/H	809	36
Shortfall/Excess	197	26

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
98	107	60	98	81	122	10	36	0	0
89	80	62	98	72	122	10	36	0	0
130	112	39	127	97	131	0	137	0	0
32	5	-21	29	16	9	-10	101	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010010205626	12	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	12	0
1010015862874	24	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	no	No	No	No	0	24	0

Notes: All items must return to Depot.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	17	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1070: MORTAR, 120MM

Rifled-towed 120mm mortar, designated XM326, Weight 1798 lbs, transportable in MV-22 Osprey or CH-53 Helo.



Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	72	3
AAO (FY17)	72	
O/H	66	0
Shortfall/Excess	-6	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	24	12	0	0	6	3	3	0	0
24	24	12	0	0	6	3	3	0	0
30	24	6	0	0	6	0	0	0	0
6	0	-6	0	0	0	-3	-3	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1015015309102	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
1220011196049	0	0%	0%	0%	0%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	203	0.8

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1095 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1095: MORTAR, MEDIUM, 81MM, EXTENDED RANGE

Mortar, Medium, Extended Range, 81 mm, M252 is a crew-served, lightweight mortar that is highly accurate and provides for a range of 4,500 meters to 5,650 meters.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	501	8
AAO (FY17)	455	
O/H	562	16
Shortfall/Excess	61	8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
98	98	50	20	84	121	8	16	4	2
86	72	50	20	76	121	8	16	4	2
122	94	26	22	84	127	0	66	4	1
24	-4	-24	2	0	6	-8	50	0	-1

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1015011646651	16	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	16	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	16	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1145 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1145: VELOCITY SYSTEM, MUZZLE (MVS)

The Radar Chronograph Set, M36 is a continuous wave doppler radar transmitter-receiver system. Its function is the measurement of velocity of artillery projectiles ranging in size from 40 to 280 mm, and encompassing the velocity range from 250 to 6100 fps.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	225	0
AAO (FY17)	212	
O/H	184	0
Shortfall/Excess	-41	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
62	56	48	0	18	10	0	0	25	6
56	50	42	0	18	10	0	0	30	6
42	31	24	0	18	10	0	23	30	6
-20	-25	-24	0	0	0	0	23	5	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1290014125760	0	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Do not wash. Clean with damp cloth.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
100%	0%	0%	0%	0%	0%

E1152 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1152: GOGGLES, NIGHT VISION, INDIV

LAAD Sustainment is the umbrella program that comprises Missile Mods/Sustainment (transitioning to Advanced MANPADS as replacement for both MANPADS and Avenger as directed), a software program called the Expeditionary Air Defense System, Targets and target support, Stinger Ground Support Equipment, and trainers/simulators.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	6,811	0
Shortfall/Excess	6,811	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
109	237	62	0	943	373	0	5,087	0	0
109	237	62	0	943	373	0	5,087	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855012280936	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
5855012280937	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0
5855014225413	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Category 3 Equipment_ w/ published Disposal Plan (Column 'G').The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

E1154 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1154: INTENSIFIER, IMAGE, NIGHT VISION

The PVS-14 allows the user to see at night using moonlight or starlight. The PVS-14 is a GEN III Image Intensification device similar in performance to PVS-7 NVGs, yet smaller, lighter, and more versatile.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	110,974	763	28,820	28,147	15,705	3,050	25,009	9,480	763	0	0	0
AAO (FY17)	102,941		26,339	23,959	15,349	3,445	23,568	9,518	763	0	0	0
O/H	120,108	3886	31,783	28,926	13,670	2,804	23,023	######	0	5,354	0	0
Shortfall/Excess	9,134	3,123	2,963	779	-2,035	-246	-1,986	1,182	-763	5,354	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014320524	3886	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	Yes	Yes	No	3886	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1159 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1159: SIGHT, NIGHT VISION, WEAPON, CREW SERVED

The AN/PVS-7B/D Night Vision Goggle is a lightweight optical night vision device with third generation image intensifier technology. The AN/PVS-7 uses prisms and lenses to provide the Marine with simulated binocular vision and can be used as a binocular with neck strap or mounted to a head or helmet mount. The AN/PVS-7 weighs less than two pounds and is powered by two AA alkaline or lithium batteries.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,257	0
AAO (FY17)	0	
O/H	1,956	0
Shortfall/Excess	-301	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
618	648	357	0	614	20	0	0	0	0
0	0	0	0	0	0	0	0	0	0
207	203	100	0	178	3	0	1,265	0	0
-411	-445	-257	0	-436	-17	0	1,265	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014228777	0	0%	0%	0%	75%	25%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1160 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1160: SIGHT, NIGHT VISION, MINI 4.5X

The AN/PVS-17 Mini Night Vision Sight is a lightweight, optical sight with third generation intensifier technology. It is intended for use on the M249 and M240G Machine Guns.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	8,128	336	1,789	1,718	1,037	540	1,399	1,309	336	0	0	0
AAO (FY17)	7,836		1,669	1,449	997	624	1,452	1,309	336	0	0	0
O/H	12,168	169	2,525	2,065	1,024	787	2,110	1,535	0	1,953	0	0
Shortfall/Excess	4,040	-167	736	347	-13	247	711	226	-336	1,953	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014916967	169	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	Yes	I/P	No	169	0	0

Notes: This is a deployment asset - should be brought in and out of theater with the unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1161 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1161: RECHARGING UNIT, MON

The Recovery/Recharge system recovers HALON 1301 and recharges those bottles. HALON is an ozone-depleting substance used for fire suppression in some applications in certain ordnance vehicles.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	0
AAO (FY17)	15	
O/H	24	0
Shortfall/Excess	9	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	3	2	0	2	3	0	0	2	1
3	3	1	0	2	3	0	0	2	1
2	3	4	0	0	2	0	11	2	0
0	0	2	0	-2	-1	0	11	0	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3655014469335	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	22	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1245 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1245: PISTOL 9MM

The M9 pistol is a semi-automatic, magazine-fed, recoil-operated, double-action pistol, chambered for the 9mm cartridge. The magazine has a 15 cartridge capacity.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	5,204	182	404	2,739	211	0	808	860	182	0	0	0
AAO (FY17)	4,964		303	2,638	173	0	808	860	182	0	0	0
O/H	7,419	0	490	2,538	212	1	599	992	0	2,587	0	0
Shortfall/Excess	2,215	-182	86	-201	1	1	-209	132	-182	2,587	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005015257966	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1251 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1251: PISTOL, MEU (SOC), CAL .45

The M45 Close Quarters Battle Pistol(CQBP) is a modified M1911, semi-automatic pistol. The M45 pistol is currently produced by Marines at Precision Weapons Section, Weapons Training Battalion who custom build each weapon.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	3,373	0	329	322	273	1,736	528	185	0	0	0	0
AAO (FY17)	3,602		371	364	248	1,736	698	185	0	0	0	0
O/H	6,766	0	609	551	341	2,346	761	270	0	1,881	7	0
Shortfall/Excess	3,393	0	280	229	68	610	233	85	0	1,881	7	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005015754072	0	0%	0%	0%	100%	100%	100%	NO	NO	EDA	Yes	no	No	Yes	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

E1353 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1353: RECHARGING UNIT, CARBON DIOXIDE

Item discontinued

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	44	0
Shortfall/Excess	44	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	43	1	0
0	0	0	0	0	0	0	43	1	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3655010049873	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	37	0.4

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

E1378 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1378: RECOVERY VEHICLE, FT, HEAVY, W/EQUIP (M88)

The M88A2 Medium Recovery Vehicle (MRV) is a full tracked armored vehicle used to perform battlefield rescue and recovery missions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☑ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	100	0	26	23	5	0	14	7	0	8	14	3
AAO (FY17)	118		29	29	5	0	22	7	0	8	14	4
O/H	81	10	16	15	0	0	6	8	0	12	14	0
Shortfall/Excess	-19	10	-10	-8	-5	0	-8	1	0	4	0	-3

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2350013904683	10	10%	90%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	No	No	0	9	1

Notes: Vehicle equipped with SL-3 to include SSRI items which should be packaged up and shipped such that it can marry up with his host vehicle. All need to go back to MCLC for full depot repair due to high number of miles on the equipment. Armor deck (over powerpack) Removed. No high pressure wash in crew compartment and/or Exterior hydraulic cylinders. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	319	0	64.2

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1385 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1385: NEUTRALIZATION DEVICE, ORDNANCE, REMOTE

The MK 36 Tool Set consists of an assortment of non-magnetic hand tools used to gain access to buried explosive ordnance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	54	1
AAO (FY17)	48	
O/H	49	0
Shortfall/Excess	-5	-1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	14	7	0	3	16	1	0	0	0
11	12	7	0	3	14	1	0	0	0
12	13	8	0	0	16	0	0	0	0
-1	-1	1	0	-3	0	-1	0	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385014569129	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	37	0.6

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1441 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1441: RIFLE,5.56 MILLIMET

The Rifle, 5.56mm, M16A2 is a lightweight, air-cooled, gas operated, magazine fed, shoulder or hip fired weapon designed for either automatic or semi-automatic fire.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	124,245	0
Shortfall/Excess	124,245	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
78	15	487	2	378	176	0	123,085	24	0
78	15	487	2	378	176	0	123,085	24	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005011289936	0	0%	0%	0%	75%	100%	0%	NO	NO	No	No	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1442 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1442: RIFLE, 5.56MM

The Modular Weapon System (MWS) consists of M16A4 rifles and M4 carbines. These weapons have rail adapter systems to permit quick mounting of various night, day, and thermal sights on the receiver.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	141,264	560	29,217	30,813	14,087	16	16,143	######	560	3348	4	0
AAO (FY17)	135,792		26,801	26,488	15,044	16	17,243	######	560	3348	4	0
O/H	161,909	3319	33,621	28,962	14,400	168	19,735	######	0	15,283	4	0
Shortfall/Excess	20,645	2,759	4,404	-1,851	313	152	3,592	-659	-560	11,935	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005013832872	3319	0%	100%	0%	75%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	5808	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1460 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1460: RIFLE,7.62 MILLIMET

The M40A3 is a Marine Corps designed, bolt-action, 7.62mm sniper rifle. The M40A3 is capable of one minute of angle accuracy and the mounting rail allows for the attachment of day or night optics. It provides a precision sniper capability for use by Marine Corps snipers in the execution of missions in support of offensive and defensive operations.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	957	13
AAO (FY17)	762	
O/H	1,238	10
Shortfall/Excess	281	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
134	138	93	138	165	185	13	91	0	0
114	102	84	24	149	185	13	91	0	0
154	140	67	124	115	208	0	420	0	0
20	2	-26	-14	-50	23	-13	329	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014950843	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	Yes	No	No	No	0	0	0
1005015677827	10	0%	0%	0%	100%	0%	100%	NO	NO	No	No	Yes	No	No	No	0	0	20

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

E1475 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1475: RIFLE, SCOPED, SPECIAL APPLICATION, .50 CAL.

The sniper rifle is used to ensure accurate placement of bullets at longer ranges than small arms. The rifle is built for optimal levels of accuracy, fitted with a telescopic sight and chambered for a military center fire cartridge.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	603	9	112	107	67	150	87	71	9	0	0	0
AAO (FY17)	595		110	101	79	150	75	71	9	0	0	0
O/H	689	34	118	105	45	179	77	78	0	53	0	0
Shortfall/Excess	86	25	6	-2	-22	29	-10	7	-9	53	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014692133	34	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	34	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1500 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1500: ROCKET SYSTEM, ARTY, HIGH MOB (HIMARS)

HIMARS is a ground-based, precision indirect fire support system which accurately engages targets at long ranges, under all weather conditions.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	61	8
AAO (FY17)	61	
O/H	47	0
Shortfall/Excess	-14	-8

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
24	0	0	0	18	4	8	7	0	0
24	0	0	0	18	4	8	7	0	0
24	0	0	0	18	4	0	1	0	0
0	0	0	0	0	0	-8	-6	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1055015367106	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	0	0

Notes: All should be brought back through the MEF, then MCLC. Do Not Spray or wet any Electronic Components

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	17.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1570 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1570: SET, GROUND HOP SUPPORT (GHSS)

The Ground Hop Support Set is utilized to operate, control, and monitor engine and transmission functions on the powerpack when removed from the M1A1 Tank for maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	23	0
AAO (FY17)	25	
O/H	34	0
Shortfall/Excess	11	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	4	4	0	0	2	5	0	0	6	2
AAO (FY17)	4	4	1	0	3	5	0	0	6	2
O/H	4	4	0	0	2	4	0	13	7	0
Shortfall/Excess	0	0	0	0	0	-1	0	13	1	-2

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910012310343	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Mainly field or CLS repair - brain box needs to go up to Ohio for repair if necessary. No high presure wash. All POLs removed. All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	133	0.6

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1710 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1710: RIFLE COMBAT OPTIC- A4

The Sight, Bore, Optical is a fixed optical aiming sight designed for use with the service rifle configured with the Rail Adapter System.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	136,731	560
AAO (FY17)	131,962	
O/H	138,633	2938
Shortfall/Excess	1,902	2,378

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
29,507	30,958	14,232	16	16,139	######	560	1858	4	0
27,251	27,058	15,197	16	17,299	######	560	1858	4	0
31,201	29,818	12,190	219	20,987	######	0	5,304	0	0
1,694	-1,140	-2,042	203	4,848	######	-560	3,446	-4	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1240015251648	2938	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	Yes	Yes	No	No	0	2938	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1712 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1712: SHOP EQUIPMENT, ARTILLERY

The Shop Set, Equipment, Artillery Set is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of artillery equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	25	0	7	5	5	0	0	0	0	5	2	1
AAO (FY17)	35		9	9	5	0	4	0	0	5	2	1
O/H	22	1	5	3	4	0	2	0	0	3	3	1
Shortfall/Excess	-3	1	-2	-2	-1	0	2	0	0	-2	1	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4933015606595	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: Using Unit owned assets return to home station. Do Not Spray or wet any Electronic Components

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1280	7.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1713 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1713: ELECTRO-OPTICS MAIN

The Shop Set, Maintenance, Electro-Optics, is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of optic, electro-optic, fire control and laser range finder equipment.

outside

Inside

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	22	0
AAO (FY17)	30	
O/H	21	0
Shortfall/Excess	-1	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	7	4	0	4	2	0	0	0	0
9	9	4	0	6	2	0	0	0	0
2	4	3	0	1	2	0	8	1	0
-3	-3	-1	0	-3	0	0	8	1	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4931012732389	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Obsolete - Disposal plan is place, replacement TAMCN is already fielded.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

E1714 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1714: SHOP SET, MAINT, SMALL ARMS

The Shop Set, Maintenance, Small Arms, is a transportable facility designed to provide third and fourth echelon maintenance capability for the maintenance/repair of small arms and mortars.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	30	0
AAO (FY17)	39	
O/H	37	2
Shortfall/Excess	7	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	7	5	3	4	0	0	0	2	1
11	11	5	3	6	0	0	0	2	1
6	4	4	0	4	1	0	13	3	0
-2	-3	-1	-3	0	1	0	13	1	-1

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4940015712584	2	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	2	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
TEU	0	0	7.5

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1761 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1761: SHOTGUN, 12 GAUGE, COMBAT

The combat shotgun is intended for use in an offensive role. While limited in range, the multiple projectiles provide increased hit probability unmatched by other small arms.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3,206	111
AAO (FY17)	3,085	
O/H	4,343	28
Shortfall/Excess	1,137	-83

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
446	842	292	66	402	1,047	111	0	0	0
426	816	265	66	342	1,059	111	0	0	0
522	1,020	307	166	390	1,000	0	910	0	0
76	178	15	100	-12	-47	-111	910	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005014723147	28	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	28	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1762 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1762: SHOTGUN 12 GA

The Shotgun, 12 Gauge, Riot Type, is a pump action, manually operated magazine fed (tubular), shoulder type weapon.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	2,444	41
AAO (FY17)	2,381	
O/H	3,516	38
Shortfall/Excess	1,072	-3

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
508	631	444	64	284	472	41	0	0	0
486	635	444	64	239	472	41	0	0	0
880	1,251	260	67	168	249	0	603	0	0
372	620	-184	3	-116	-223	-41	603	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1005012518578	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
1005013715639	38	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	38	0	0

Notes: This is a deployment asset - should be brought in and out of theater with the unit.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1779 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1779: SIGHT, GRENADE LAUNCHER

The AN/PSQ-18 GLDNSM is a sighting device that will enable the M203 grenade launcher to be aimed and fired both day and night with no decrease in the current accuracy of the weapon.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	5,753	260
AAO (FY17)	5,175	
O/H	5,173	30
Shortfall/Excess	-580	-230

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
1,244	1,349	777	245	1,164	626	260	88	0	0
1,121	1,016	760	245	1,059	626	260	88	0	0
828	1,185	340	330	595	349	0	1,516	0	0
-416	-164	-437	85	-569	-277	-260	1,428	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1010015160953	30	50%	25%	0%	0%	0%	0%	NO	NO	No	No	yes	Yes	No	No	0	0	15

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1785 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1785: SYNCHRONIZATION SET, SIGHT, F/LAV

The Sight Synchronization Set provides a simplified means of synchronizing the LAV-25A1 DIM 36TH gunsights and eliminates the necessity of sloping the vehicle to detect and measure sighting elevation errors with the use of the following Major Components:

1. Adjustment Set Eccentric
2. Fixture Assembly, Sight Synchronization
3. Gunners Quadrant

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	47	0
AAO (FY17)	44	
O/H	54	0
Shortfall/Excess	7	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
14	8	2	0	7	12	0	0	3	1
13	8	2	0	5	12	0	0	4	0
10	9	3	0	7	7	0	14	4	0
-4	1	1	0	0	-5	0	14	1	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650015385130	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Cannot be repaired - reset needs to assure all SL-3 components are included.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	11	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1790 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1790: SIGHT,NIGHT VISION

Used for observation and aimed fire of weapons at night. It amplifies reflected light such as moonlight, starlight, and sky glow so that the viewed scene becomes visible to the operator.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	76	0
Shortfall/Excess	76	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
4	2	1	0	1	0	0	68	0	0
4	2	1	0	1	0	0	68	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014991239	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	No	No	No	No	0	0	0

Notes: Obsolete - disposal plan is published - DRMO in country. FMS candidate.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

E1798 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1798: ILLUMINATOR,INFRARE

The AN/PEQ-2A is a lightweight, self-contained, infrared aiming light/illuminator. When zeroed to the weapon and activated, the AN/PEQ-2A projects an IR aiming dot or illuminates the target and is visible only with image intensifying night vision devices. The AN/PEQ-2A can be used as either a handheld illuminator/pointer or weapon-mounted with proper brackets/accessory mounts.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☑ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	89,660	0	22,760	22,934	12,262	1,132	14,637	######	0	3050	0	0
AAO (FY17)	90,748		22,649	21,874	11,998	904	17,388	######	0	3050	0	0
O/H	92,727	1984	21,280	20,000	9,253	404	12,617	9,503	0	17,679	0	0
Shortfall/Excess	3,067	1,984	-1,480	-2,934	-3,009	-728	-2,020	######	0	14,629	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855014478992	49	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	49
5855015345931	1935	0%	75%	0%	25%	0%	0%	NO	NO	No	No	yes	No	No	No	484	1451	0
5855015356166	0	0%	0%	0%	0%	0%	100%	NO	NO	EDA	Yes	no	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

E1834 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1834: STAND MAINTENANCE A

The Stand, Maintenance, Automotive Power Train Assemblies is used to hold automotive power trains during repair or maintenance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	27	0
AAO (FY17)	27	
O/H	24	0
Shortfall/Excess	-3	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	3	1	0	2	15	0	1	0	0
5	3	1	0	2	15	0	1	0	0
4	2	0	0	6	6	0	6	0	0
-1	-1	-1	0	4	-9	0	5	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4910219200678	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	yes	No	Yes	No	0	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1888 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1888: TANK, COMBAT, FT, 120MM GUN

The M1A1 is an improved version of the M1 Main Battle Tank. It includes a 120mm smoothbore main gun, an NBC overpressure protection system, and an improved armor package.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☑ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	399	0	58	58	0	0	84	28	0	43	116	12
AAO (FY17)	399		58	58	0	0	84	28	0	43	116	12
O/H	444	15	58	58	0	0	48	43	0	52	170	0
Shortfall/Excess	45	15	0	0	0	0	-36	15	0	9	54	-12

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2350010871095	15	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	Yes	No	0	15	0

Notes: All M1A1's be shipped directly to Anniston Army Depot (Anniston, Alabama) for refurb/repair. Disposition for PEI's will be established Armor deck removed. FUPP (full-up Power Pack) removed. V-Packs (air cleaners (three/3)) removed. Electrical connectors on FUPP and Tank Covered from water exposure. Air inlet on Tank covered. Final drives on Tank and FUPP covered. NO High pressure wash for crew compartment. No high pressure wash for main gun (interior) No high pressure wash for NBC seal (Turret and hull mate) All SL-3 components removed for washdown/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	B or C
CAT II:	B or C
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
SQFT	387	0	61.9

☑ **Sensitive** ☑ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☑ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1900: TELESCOPE, OBSERVATION W/EQUIP

The Telescope, Observation, M49 is an erect image instrument of the prism offset type, the image being erected by means of two prisms and magnified by the lenses in the eyepiece.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,997	0
AAO (FY17)	0	
O/H	3,615	15
Shortfall/Excess	1,618	15

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
212	364	159	0	237	1,025	0	0	0	0
0	0	0	0	0	0	0	0	0	0
196	249	105	137	147	677	0	2,089	0	0
-16	-115	-54	137	-90	-348	0	2,089	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6650005300960	15	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	15

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

E1906 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1906: TEST SET, ELECT SYSTEM, DIRECT SUPPORT

The Test Set, Electronic, AN/USM-615 is made up of the Direct Support Electric Systems Test Set Shelter System. The Shelter is a Mobile Expandable Container Configuration of an International Standards Organization container.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	34	3	8	7	1	3	3	4	3	0	4	1
AAO (FY17)	42		10	10	3	3	5	4	3	0	4	0
O/H	25	2	4	3	0	1	2	6	0	2	5	0
Shortfall/Excess	-9	-1	-4	-4	-1	-2	-1	2	-3	2	1	-1

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6625011200764	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	0

Notes: No High Pressure wash.. Use compressed air (low pressure) for cleaning. All SL-3 components removed for/Agricultural Inspection. SL-3 should remain with PEI for shipment.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	28	0.2

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1909 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1909: TEST SET, BORESIGHT COLLIMATOR

The Bore sight Collimator Test Set is used for testing and alignment of the bore sight collimator.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	5	0
AAO (FY17)	38	
O/H	49	0
Shortfall/Excess	44	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	4	1
9	9	7	0	8	0	0	0	4	1
2	1	0	0	0	1	0	38	7	0
2	1	0	0	0	1	0	38	3	-1

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855011333587	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	5	0.1

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

E1911 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1911: TEST SET, MISSILE GUIDANCE

A test set specifically designed for use in making examinations of a Missile Guidance Set.



Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	19	0
AAO (FY17)	54	
O/H	141	0
Shortfall/Excess	122	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
2	1	1	0	0	1	0	6	8	0
12	12	7	0	8	1	0	6	8	0
8	5	2	0	4	2	0	100	18	2
6	4	1	0	4	1	0	94	10	2

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4935011475999	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	No	I/P	No	0	0	0

Notes: Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1975 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1975: SIGHT, WEAPON, THERMAL, MEDIUM (MTWS) AN/PAS-13CV2

The AN/PAS-13D (V)2 Thermal Weapon Sight is a second generation FLIR for use on 240B & 249 MGs. The AN/PAS-13D (V)2 can be used to see in total darkness, in adverse weather conditions, and through battlefield smoke.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☐ Top 50 TAMCN

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	243	0	82	68	34	0	4	55	0	0	0	0
AAO (FY17)	347		104	104	84	0	0	55	0	0	0	0
O/H	8,104	614	1,998	1,608	681	271	1,183	1,203	0	546	0	0
Shortfall/Excess	7,861	614	1,916	1,540	647	271	1,179	1,148	0	546	0	0

Influences R2 Distribution

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855013836558	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	yes	No	No	No	0	0	0
5855014643150	0	0%	0%	0%	0%	100%	0%	YES	NO	No	Yes	yes	No	No	No	0	0	0
5855014643152	0	0%	0%	0%	0%	0%	100%	YES	NO	No	No	yes	No	No	No	0	0	0
5855015244313	614	0%	25%	0%	75%	0%	0%	NO	NO	No	No	yes	No	No	No	0	0	0

Notes: Only the NSN ending in 4313 should be sent to the MEFs - all others should be sent to MCLC for either disposal or return to the Army. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**ARMY**
if	**Not Mission Capable MEF**	then	**ARMY**
if	**Not Mission Capable**	then	**ARMY**
if	**Condemned**	then	**ARMY**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E1976 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1976: SIGHT, WEAPON, THERMAL, HVY (HTWS)

The AN/APS-13 Thermal Weapon Sight is a second generation FLIR for use on rifles, surveillance missions and shoulder-launched missiles. The PAS-13 can be used to see in total darkness, in adverse weather conditions, and through battlefield smoke.

Representative Picture

TFSMS (OCT 2013) ☑ MARES ☐ MEE ☑ Top 50 TAMCN

	Total	OEF
AAO (FY13)	104	0
AAO (FY17)	120	
O/H	7,180	190
Shortfall/Excess	7,076	190

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
27	27	28	0	16	6	0	0	0	0
35	35	44	0	0	6	0	0	0	0
1,505	1,505	803	278	988	654	0	1,257	0	0
1,478	1,478	775	278	972	648	0	1,257	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015244314	189	0%	25%	0%	75%	0%	0%	NO	NO	No	No	yes	No	No	No	142	47	0
5855014643151	1	0%	0%	0%	0%	0%	100%	NO	NO	No	No	yes	No	No	No	0	0	1

Notes: Only the NSN ending in 4314 should be sent to the MEFs - all others should be sent to MCLC for either disposal or return to the Army. The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E1978 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E1978: SIGHT,THERMAL

The Long Range Thermal Sight is a sight specifically designed to utilize, for target display, the thermal energy radiated from a target or the difference between the thermal energy emanating from the target and its environment, respectively.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,596	129
AAO (FY17)	1,509	
O/H	1,669	5
Shortfall/Excess	73	-124

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
351	300	169	180	335	132	129	0	0	0
317	245	153	180	353	132	129	0	0	0
338	304	135	263	289	118	0	217	0	0
-13	4	-34	83	-46	-14	-129	217	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5855015363532	5	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	No	5	0	0
5855145219283	0	0%	0%	0%	0%	100%	0%	NO	NO	EDA	Yes	No	Yes	No	No	0	0	0

Notes: Category 1 Equipment

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	0%	100%	0%

E2070 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2070: TOOL KIT, BORESIGHT, FIXTURE, ROCKET LAUNCHER

The Toolkit, Bore sight Fixture, MK-145 MOD 0, consists of special tools used by field maintenance personnel to perform maintenance and bore sight adjustments to the 83mm SMAW MK-150 MOD 0 Assault Rocket Launcher.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	90	0
AAO (FY17)	100	
O/H	187	1
Shortfall/Excess	97	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
18	24	8	5	21	9	0	0	3	2
25	23	14	5	19	9	0	0	3	2
28	26	9	4	13	16	0	83	5	2
10	2	1	-1	-8	7	0	83	2	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
4933015685726	1	0%	0%	0%	100%	0%	0%	NO	NO	No	Yes	No	No	No	No	0	1	0

Notes: TAMCN is not classified. No classified SSRI.Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E2208 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2208: TOOL KIT, ELECTRO-OPTICAL

The Tool Kit, E2208, is a general-purpose field and repair kit comprising various hand tools and accessories to aid in the repair of electronic and mechanical equipment.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	44	0
Shortfall/Excess	44	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
9	7	1	2	19	0	0	0	6	0
9	7	1	2	19	0	0	0	6	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013821335	0	0%	0%	0%	0%	0%	100%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: TAMCN is not classified. No classified SSRI.Items are electronic and not environmentally sealed. Cleaning of the system should follow the procedures set forth in applicable TM.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**DLA-DS**
if	**Not Mission Capable MEF**	then	**DLA-DS**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	1	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	0%	100%	0%	0%

E2231 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2231: TOOL & EQUIPMENT KIT, FLD ARTY F/M777

A group of items specifically designed to perform ordinance maintenance on field artillery weapons. It includes a limited quantity of common tools, such as wrenches or the like, and includes an assortment of specialized tools and equipment, such as pressure gages and testing outfit(s), purge pipes and adapters, spring compressor(s), chain puller(s) and the like.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	58	0
AAO (FY17)	56	
O/H	67	0
Shortfall/Excess	9	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
13	12	9	0	10	1	0	0	11	2
12	10	8	0	10	1	0	0	12	3
16	14	10	0	3	1	0	8	12	3
3	2	1	0	-7	0	0	8	1	1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015174962	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E2235 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2235: TOOL KIT, INT MAINT

A group of items specifically designed to perform ordinance maintenance on field artillery weapons. It includes a limited quantity of common tools, such as wrenches or the like, and includes an assortment of specialized tools and equipment, such as pressure gages and testing outfit(s), purge pipes and adapters, spring compressor(s), chain puller(s) and the like.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	6	0
AAO (FY17)	6	
O/H	22	1
Shortfall/Excess	16	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	3	0	0	2	1
0	0	0	0	0	3	0	0	2	1
4	4	3	0	0	5	0	1	3	1
4	4	3	0	0	2	0	1	1	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015250194	1	25%	0%	0%	75%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E2650 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2650: TOOL KIT, HAND, NON-MAGNETIC

The MK 36 Tool set (Rigging and Digging) consists of an assortment of non-magnetic hand tools used to gain access to buried explosive ordnance.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	59	0
AAO (FY17)	63	
O/H	64	0
Shortfall/Excess	5	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	10	10	4	3	3	13	0	0	8	8
AAO (FY17)	8	9	4	3	3	12	0	0	16	8
O/H	8	11	9	6	1	13	0	2	11	3
Shortfall/Excess	-2	1	5	3	-2	0	0	2	3	-5

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385011118220	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: All items return to the MEF. If unserviceable MEF will use to fill shortfalls in other kits.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E2658 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2658: TOOL KIT, LAV, 3RD ECHELON

The Toolkit Third Echelon is used for maintenance on Light Armored Vehicles.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	30	0
AAO (FY17)	42	
O/H	16	0
Shortfall/Excess	-14	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
10	8	3	0	2	4	0	0	2	1
13	12	4	0	6	4	0	0	2	1
3	1	1	0	1	4	0	3	3	0
-7	-7	-2	0	-1	0	0	3	1	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180011762542	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Will be returned to Item Manager at LOGCOM, complete SL-3 gear.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E2660 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2660: TOOL KIT, OM, LAV-25, 2D ECH

The Toolkit Second Echelon is used for maintenance on Light Armored Vehicles.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	40	0
AAO (FY17)	41	
O/H	34	0
Shortfall/Excess	-6	0

Influences R2 Distribution

REQUIREMENTS

	OPERATING FORCES						OPERATING FORCES			
	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	13	10	2	0	8	2	0	0	4	1
AAO (FY17)	12	10	3	0	9	2	0	0	4	1
O/H	9	9	1	0	6	2	0	2	5	0
Shortfall/Excess	-4	-1	-1	0	-2	0	0	2	1	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180011755559	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Will be returned to Item Manager at LOGCOM, complete SL-3 gear.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E2929 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2929: TOOL KIT, FULL TRACK

The Tool Kit, Full Tracked Vehicle, Intermediate Maintenance, Third Echelon, is comprised of special tools, gages, and lifting devices required for mechanics use in third echelon field maintenance support of the vehicles.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	10	0
AAO (FY17)	13	
O/H	9	1
Shortfall/Excess	-1	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
4	4	0	0	0	2	0	0	0	0
4	4	1	0	2	2	0	0	0	0
2	3	0	0	1	0	0	2	0	0
-2	-1	0	0	1	-2	0	2	0	0

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180006746823	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E2931 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2931: TOOL SET, M1A1 TANK, 4TH ECH,ORD MAINT KIT

The Tool Set, MlA1 Tank, Fourth Echelon, Ordnance is comprised of tools used by mechanics at the intermediate maintenance level in support of the M1A1 Battle Tank.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	13	0
AAO (FY17)	25	
O/H	12	1
Shortfall/Excess	-1	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	0	0	2	1	0	0	3	1
6	6	3	0	4	1	0	0	4	1
0	1	0	0	1	1	0	3	5	0
-3	-2	0	0	-1	0	0	3	2	-1

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013379983	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E2932 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2932: TOOL SET, M1A1 HULL

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	13	0
AAO (FY17)	15	
O/H	12	0
Shortfall/Excess	-1	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
3	3	0	0	2	1	0	0	4	0
3	3	2	0	2	1	0	0	4	0
3	1	0	0	1	1	0	0	6	0
0	-2	0	0	-1	0	0	0	2	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013362879	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E2933 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2933: TOOL SET, M1A1 TANK, 2D ECH

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	29	0
AAO (FY17)	30	
O/H	40	0
Shortfall/Excess	11	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	5	0	0	7	2	0	0	9	1
5	5	0	0	7	2	0	0	10	1
5	5	0	0	6	3	0	10	10	1
0	0	0	0	-1	1	0	10	1	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013362880	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E2934 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E2934: TOOL SET, M1A1 TANK, 3D ECH

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	24	0
AAO (FY17)	32	
O/H	14	1
Shortfall/Excess	-10	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	6	3	0	2	1	0	0	3	1
9	9	2	0	6	1	0	0	4	1
5	3	0	0	1	1	0	0	3	0
-3	-3	-3	0	-1	0	0	0	0	-1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180013362878	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	1	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E3018 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3018: X-RAY APPARATUS,RAD

The Tool Set, X-Ray is a two-person man-portable, field worthy, filmless radiographic system utilizing the x-ray generator from the present MK 32 MOD 0/1 tool set (x-ray). It provides digital imaging, computerized image enhancement, storage of the internal features of IEDs. It is also capable of image transmission via datalink.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	29	0
Shortfall/Excess	29	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	3	3	13	0	4	0	0	6	0
0	3	3	13	0	4	0	0	6	0

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385012704670	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0
6635014495163	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes: Follow standard procedures

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E3021 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3021: STANDOFF DISRUPTOR, IED (EOD)

The Tool Kit, IED is a Percussion Actuated Neutralization (PAN) device that utilizes specially designed 12 gauge ammunition to disrupt IEDs.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	318	4	84	84	60	12	12	33	4	0	13	16
AAO (FY17)	323		76	80	60	12	12	31	4	0	32	16
O/H	313	1	78	78	65	15	1	31	0	1	33	10
Shortfall/Excess	-5	-3	-6	-6	5	3	-11	-2	-4	1	20	-6

Reset Strategy & Plan (Product Group: 15)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1385014826168	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	Yes	1	0	0
1385015017546	0	50%	0%	0%	50%	0%	0%	NO	NO	No	No	No	No	No	Yes	0	0	0

Notes: No Special Requirements

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	4	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E3141 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3141: TOOL KIT, 2D ECH M88A2

The Tool Set, Field Maintenance, Second Echelon is comprised of special tools and test equipment utilized by maintenance personnel to perform tests, adjustments, and rebuild of components on the Recovery Vehicle, Full Tracked, M88A2.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	37	0
AAO (FY17)	42	
O/H	34	2
Shortfall/Excess	-3	2

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
8	7	0	0	7	1	0	0	12	2
8	8	2	0	9	1	0	0	12	2
9	4	0	0	5	1	0	1	12	0
1	-3	0	0	-2	0	0	1	0	-2

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014806998	2	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	2	0	0

Notes: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system for disposition .' If PEI does not meet above criteria; Item should be utilized for OPFOR T/E.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	540	0.5

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E3142 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3142: TOOL KIT, 3D ECH M88A2

The Tool Set, Field Maintenance Third Echelon is comprised of special tools and test equipment utilized by maintenance personnel to perform tests, adjustments, and rebuild of components on the Recovery Vehicle, Full Tracked, M88A2.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	17	0
AAO (FY17)	24	
O/H	13	1
Shortfall/Excess	-4	1

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
5	4	0	0	2	1	0	0	4	1
6	6	2	0	4	1	0	0	4	1
2	1	0	0	1	1	0	2	5	0
-3	-3	0	0	-1	0	0	2	1	-1

Reset Strategy & Plan (Product Group: 14)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180014806999	1	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	NO	No	1	0	0

Notes: IAW MCO P4790.2_'if SKC's (sets/kits/chests) are below 65%; on-hand, or unservieable, utilizing sl-3 inventory, SKC should be placed into WOLPH (WIR) system for disposition .' If PEI does not meet above criteria; Item should be utilized for OPFOR T/E.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MEF**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E3170 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E3170: TOOL SET, WRENCH IMPACT

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	96	0
AAO (FY17)	85	
O/H	104	0
Shortfall/Excess	8	0

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
21	19	11	0	18	3	0	0	22	2
16	17	7	0	16	3	0	0	22	4
19	13	10	0	8	3	0	22	26	3
-2	-6	-1	0	-10	0	0	22	4	1

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180008934654	0	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	No	No	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	26	0.2

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E5002 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E5002: TRAINER LAUNCHER F/LAWS

The AT-4, 84MM Shoulder Fired Rocket (M136) provides the Marine Corps with a fully functional, lightweight, man-portable, anti-armor weapon. The AT-4's warhead features behind-armor secondary effects. After the projectile penetrates the vehicle's armor protection, a high-pressure incendiary effect occurs. The Shoulder Launched, Multipurpose Assault Weapon (SMAW) Family of Items consists of four different 83mm rockets. Each of these rockets is launched through the Mod 0 SMAW Launcher. The SMAW Spotting Rifle is attached to the SMAW launcher and fires the spotting cartridges to mark the spot/trajectory of the rocket. The SMAW family includes HA34 (NE), HX05 (HEDP), HX06 (HEAA), and HX07 (Practice).

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	1,009	0	253	247	122	30	232	125	0	0	0	0
AAO (FY17)	907		224	193	122	30	213	125	0	0	0	0
O/H	4,548	0	276	254	66	30	222	209	0	3,491	0	0
Shortfall/Excess	3,539	0	23	7	-56	0	-10	84	0	3,491	0	0

Reset Strategy & Plan (Product Group: 13)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
1055014950009	0	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes	No	No	No	No	0	0	0

Notes: Items should be sprayed with pressurized air and wiped down with a damp cloth to remove debris.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☑ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

E7900 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E7900: TOOL KIT, SMALL ARMS

Portable Tool Kit used by MOS 2111 personnel. Contains the hand-tools and devices used on a daily basis to perform maintenance on small arms & mortars.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	1,686	0
AAO (FY17)	1,715	
O/H	1,608	27
Shortfall/Excess	-78	27

Influences R2 Distribution

REQUIREMENTS

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
335	349	183	49	252	331	0	0	164	23
338	345	171	49	239	326	0	0	186	61
321	319	166	41	148	331	0	59	196	0
-14	-30	-17	-8	-104	0	0	59	32	-23

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015045663	27	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	No	Yes	No	27	0	0

Notes: The Forecasted Reset Strategy For Distribution shown below is TAMCN specific. There are, however, multiple distribution forecasts for this TAMCN based on the NSN. If distribution differs from below it is because MCLC used the forecast for the applicable NSN.

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**DLA-DS**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:
A: Critical/Sensitive; M/S - AK or AC
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC

Retrograde Lift Criteria CAT II:
B: Sensitive - MultiModal; M/S - AD to SE
C: Critical Non-Sensitive; M/S - AD to SC
D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

E7901 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN E7901: ELECTRO-OPTICAL TOOL KIT

Tool Kit used by MOS 2171 Technicans to repair Electro-Optical weapon systems like night vision devices, weapon sights, & missle tracking sights.

Representative Picture

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

Influences R2 Distribution

REQUIREMENTS

			OPERATING FORCES						OPERATING FORCES			
	Total	OEF	I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
AAO (FY13)	802	0	187	177	82	17	161	115	0	0	56	7
AAO (FY17)	963		245	222	123	17	185	115	0	0	56	0
O/H	987	11	199	184	83	20	94	110	0	192	94	0
Shortfall/Excess	185	11	12	7	1	3	-67	-5	0	192	38	-7

Reset Strategy & Plan (Product Group: 16)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
5180015766593	11	0%	0%	0%	100%	0%	0%	NO	NO	No	No	No	Yes	No	No	11	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MEF**
if	**Not Mission Capable MEF**	then	**MEF**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	A or B
CAT II:	B
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	3	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☑ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	0%	100%	0%	0%	0%

J0006 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN J0006:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	0	0
AAO (FY17)	0	
O/H	110	36
Shortfall/Excess	110	36

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	3	0	27	0	4	0	40	0	0
0	3	0	27	0	4	0	40	0	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
6665015066219	36	0%	0%	0%	0%	100%	0%	NO	NO	No	Yes		UNK	UNK	UNK	0	36	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

U0013 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN U0013:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	15	0
AAO (FY17)	17	
O/H	82	0
Shortfall/Excess	67	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	15	0
0	0	0	0	0	0	0	0	15	2
4	5	8	0	2	0	0	56	7	0
4	5	8	0	2	0	0	56	-8	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
9515015630360	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	UNK	UNK	UNK	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	2748	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

U0014 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN U0014:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	29	0
AAO (FY17)	45	
O/H	160	0
Shortfall/Excess	131	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	29	0
0	0	0	0	0	0	0	0	30	15
10	7	20	0	3	0	0	99	21	0
10	7	20	0	3	0	0	99	-8	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
2540015633905	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes		UNK	UNK	UNK	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**MCLC**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	350	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%

U0016 DATA, RESET STRATEGY & R2 PLANNING CONSIDERATIONS

TAMCN U0016:

TFSMS (OCT 2013) ☐ MARES ☐ MEE ☐ Top 50 TAMCN

	Total	OEF
AAO (FY13)	3	0
AAO (FY17)	5	
O/H	66	0
Shortfall/Excess	63	0

Influences R2 Distribution

REQUIREMENTS

Representative Picture

OPERATING FORCES						OPERATING FORCES			
I MEF	II MEF	III MEF	SOC	RES	SE	WRMR	DMFA	MPF	MCPPN
0	0	0	0	0	0	0	0	3	0
0	0	0	0	0	0	0	0	4	1
2	1	4	0	2	0	0	57	0	0
2	1	4	0	2	0	0	57	-3	0

Reset Strategy & Plan (Product Group:)

Forecasted Categories

NSN	O/H	Procure	Depot	PM Depot	Field	No Reset	Disposal	Transfer to Army?	DLA-DS if Used	Divesture	Auto Dispo	ELMP	Warranty	SOW	UUNS	CAT I	CAT II	CAT III
3805015788145	0	0%	100%	0%	0%	0%	0%	NO	NO	No	Yes	yes	UNK	Yes	UNK	0	0	0

Notes:

R2 Distribution Plan

Equipment Assessment Information

if	**Mission Capable**	then	**MCLC**
if	**Not Mission Capable MEF**	then	**MCLC**
if	**Not Mission Capable**	then	**MCLC**
if	**Condemned**	then	**DLA-DS**

Lift Criteria	
CAT I:	
CAT II:	
CAT III	

Transportation Information

Redeployment Lift Criteria CAT I:	Retrograde Lift Criteria CAT II:
A: Critical/Sensitive; M/S - AK or AC	B: Sensitive - MultiModal; M/S - AD to SE
B: Sensitive - MultiModal; M/S - AD to SE	C: Critical Non-Sensitive; M/S - AD to SC
C: Critical Non-Sensitive; M/S - AD to SC	D: Non-Sensitive; M/S - M/S LD to SC or D2D

EMBARK TYPE	IND SQFT	IND CUFT	IND STON
CUFT	0	0	0

☐ **Sensitive** ☐ **CCI**

☐ **Multi-Modal**

☐ **Associated TAMCNs (See Appendix)**

☐ **Sensitive Associated TAMCNs (see Appendix)**

Forecasted Reset Strategy for Distribution

ASSESSMENT REQUIRED - Send to MCLC (FWD)	*MCLC (FWD) FFT MCLC*	*MEFS*	*UNIT DRMO via DLA-DS*	*EDA*	*FMS CANDIDATES*
0%	100%	0%	0%	0%	0%